



Practical solutions from an expert source

Schlüter-Systems has been a brand name for intelligent structural assemblies on balconies and terraces since 1983. That year, Werner Schlüter invented the Schlüter-TROBA-mat, the first drainage mat for the area drainage of balconies and terraces.

Since then, Schlüter-Systems has developed a complete product range of integrated components for any structural assembly. Schlüter-Systems offers designers and contractors everything for the complete assembly of balconies, ground level terraces and roof terraces from a single source, ranging from area drainage to bonded waterproofing assemblies, uncoupling, edge profiles and gutters.

As numerous building projects have documented, balconies and terraces constructed properly with Schlüter-Systems products are permanently free of damage, even under extreme weather conditions.






The installation recommendations and construction drawings of this brochure were developed on the basis of the relevant DIN requirements, guidelines and technical information sheets and in accordance with the practical and theoretical knowledge of the authors. The product data sheets of the Schlüter products must be observed. However, designers and contractors are solely responsible for the proper application of the products in individual cases.

The ZDB information sheet "Tiled assemblies in outside areas" states: "Natural stone and concrete pavers may vary in colour due to differences in the drying process." This occurrence cannot be completely ruled out for the structural assemblies described in this booklet. We recommend pointing this out to the homeowner or developer when selecting the covering materials.


Information regarding the design of joints and slopes as well as other construction details represents recommendations of Schlüter-Systems KG and must be adapted to local requirements as applicable.

Content


B.1	Covering assemblies with bonded waterproofing
	Waterproofing, uncoupling and vapour pressure equalisation
	Edge details
	Wall transition, floor drain
В.	
B.2	Covering assemblies with bonded drainage over bonded
	waterproofing assemblies
	Bonded drainage and uncoupling over bonded waterproofing assemblies _
	Edge details
	Wall transition, floor drain, staircase drainage
B.3	Thin covering assemblies over waterproofing layers
	Bonded drainage and uncoupling over screeds installed
	on a drainage membrane 1
	Edge details1
	Wall transition, threshold, floor drain1
R 1	Thin covering assemblies over waterproofing layers in mortar beds
D.7	Mortar bed installation on area drainage 1
	Edge details 1
	Wall transition, threshold, floor drain1
B.5	
	Waterproofing, drainage, load distribution layer, bonded drainage
	and uncoupling 1
	Edge details, floor drain1
	Wall transition, threshold1
B.6	Loose installation over Schlüter®-TROBA-PLUS 8G
	Attached with thin-bed mortar points 1
	Edge details 2
	Wall transition, threshold2
D 7	O
B.7	_
	Installation with mortar rings 2
	Edge details 2
	Wall transition, threshold2
B. 8	Coverings installed over gravel/crushed stone beds
	Loose installation 2
	Edge details2
	Wall transitions2
	Thresholds 2
B.9	Other details 2
	Drainage/thresholds 2
	Barrier free assemblies 3
	Movement joints 3
	Skirtings 3
	Profile cross sections

























B.1 Covering assemblies with bonded waterproofing

Schlüter®-DITRA 25 for bonded waterproofing, uncoupling and vapour pressure equalisation



Schlüter-DITRA 25 is a waterproofing mat for use with floor coverings made of tiles and pavers. In addition to waterproofing, DITRA 25 offers a bonded uncoupling function that neutralises the stresses occurring between the substrate and the tile covering due to temperature fluctuations. Thanks to the vapour pressure equalisation function of DITRA 25, the


residual moisture of the substrate (e.g. in green screeds) is safely managed.

Note: Abutting joints and connections to walls and construction fixtures should be covered with the sealing band Schlüter-KERDI-KEBA. The sealing adhesive Schlüter-KERDI-COLL-L should be used for waterproofing the joints.

- Capillary layer.
- Concrete slab.
- Sloped screed The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage.
- Schlüter®-DITRA 25 Special polyethylene mat, installed using the thin bed method, which provides waterproofing, bonded uncoupling and vapour pressure equalisation. The joints are covered with the sealing band Schlüter®-KERDI-KEBA, using the sealing adhesive Schlüter®-KERDI-COLL-L.
- Ceramic tiles or natural stone pavers Installed with a waterproof and weather resistant dry set tile adhesive. We recommend Schlüter®-DITRA-DRAIN (see terrace assembly B.2, page 7) for tile formats exceeding 30 x 30 cm.









- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-DITRA 25.
- 5 Ceramic tiles or natural stone pavers.
- 6 Schlüter®-KERDI-KEBA.
- 7 Schlüter®-BARA-RW

Edge detail 2




- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-DITRA 25
- Ceramic tiles or natural stone pavers.
- 6 Schlüter®-KERDI-KEBA.
- 7 Schlüter®-BARA-RT.




- Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-DITRA 25.
- Ceramic tiles or natural stone pavers.
- 6 Schlüter®-KERDI-KEBA.
- 7 Schlüter®-BARA-RAKEG.

Wall transition



- 1 Capillary layer.
- Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-DITRA 25.
- **(5)** Ceramic tiles or natural stone pavers.
- 6 Schlüter®-KERDI-KEBA.
- 7 Schlüter®-DILEX-EK.

Floor drain




- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-DITRA 25.
- (5) Ceramic tiles or natural stone pavers.
- 6 Schlüter®-KERDI.
- 7 Schlüter®-KERDI-DRAIN

Thin set floor drain.

B.2 Covering assemblies with bonded drainage over bonded waterproofing assemblies

Schlüter®-DITRA-DRAIN as a bonded drainage and bonded uncoupling membrane over a Schlüter®-KERDI bonded waterproofing assembly



The sloped concrete support structure is protected against the permeation of water with a Schlüter-KERDI bonded waterproofing assembly, which is produced with a dry set tile adhesive in the thin bed method. The passive capillary bonded drainage membrane Schlüter-DITRA-DRAIN is installed in the thin-bed tile adhesive between the

waterproofing layer and the tile covering. This results in the broad ventilation of the top covering, which in turn promotes the quick and even drying/curing of the thin bed tile adhesive. The uncoupling function of DITRA-DRAIN neutralises any stresses occurring in the substrate.



2 Concrete slab.

3 Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage. Please contact us if you have alternative substrate assemblies.

4 Schlüter®-KERDI

Polyethylene waterproofing membrane installed in thin bed tile adhesive. Joints are sealed with the sealing adhesive **Schlüter®-KERDI-COLL-L**. Proprietary waterproofing systems can be used, please contact us for advice.

5a Schlüter®-DITRA-DRAIN 4

Polyethylene drainage mat installed with the thin set adhesive, for bonded drainage, ventilation and bonded uncoupling.


(5b) Schlüter®-DITRA-DRAIN 8


Special bonded drainage membrane for large areas and staircase assemblies.

6 Ceramic/stone tiles or natural stone pavers

Installed (including large format) with a waterproof and weather resistant dry set tile adhesive.









- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI.
- 5a) Schlüter®-DITRA-DRAIN 4.
- 5b Schlüter®-DITRA-DRAIN 8
- 6 Ceramic tiles or natural stone pavers.
- 7 Schlüter®-BARA-RT
 It is important to ensure a drainage channel.

Edge detail 2



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI.
- 5a Schlüter®-DITRA-DRAIN 4.
- 5b Schlüter®-DITRA-DRAIN 8.
- 6 Ceramic tiles or natural stone pavers.
- 7 Schlüter®-BARA-RW


 It is important to ensure a drainage channel.



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI.
- 5a) Schlüter®-DITRA-DRAIN 4
- 5b Schlüter®-DITRA-DRAIN 8.
- (6) Ceramic tiles or natural stone pavers.
- 7 Schlüter®-BARA-RAKE
 Keep drainage openings unobstructed.




Wall transition




- (1) Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI.
- 5a Schlüter®-DITRA-DRAIN 4.
- 5b Schlüter®-DITRA-DRAIN 8
- 6 Ceramic tiles or natural stone pavers.
- 7 Schlüter®-DILEX-EK.

Floor drain



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI.
- 5a Schlüter®-DITRA-DRAIN 4.
- 5b Schlüter®-DITRA-DRAIN 8.
- 6 Ceramic tiles or natural stone pavers.
- 7 Schlüter®-KERDI-DRAIN
 Thin set floor drain.


Staircase drainage



- 1 Capillary layer.
- (2) Concrete
- 3 Sloped screed (1.5% 2%).
- 4 Schlüter®-KERDI
- (5b) Schlüter®-DITRA-DRAIN 8
- 6 Schlüter®-DITRA-DRAIN-STU Joint cover.
- 7 Schlüter®-DILEX-EKE
- Ceramic tiles or natural stone pavers.

B.3 Thin covering assemblies over waterproofing layer

Schlüter®-DITRA-DRAIN as a bonded drainage and uncoupling membrane over Schlüter®-BEKOTEC-DRAIN screed on the Schlüter®-TROBA-PLUS drainage mat



The sloped support structure is protected against permeating water with a waterproofing assembly that meets the requirements of DIN 18531. Schlüter-TROBA-PLUS is installed as a drainage membrane between the waterproofing layer and the load distribution layer (screed) to drain away seepage. This load distribution layer is installed as a thin layer, using the damage free and non buckling Schlüter-BEKOTEC-DRAIN

system. The passive capillary bonded drainage and bonded uncoupling membrane Schlüter-DITRA-DRAIN is installed in the thin bed adhesive between the screed and the tile covering. This results in the broad ventilation of the top covering, which in turn promotes the quick and even drying/curing of the thin bed adhesive.



- (1) Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage. Please contact us if you have alternative substrate assemblies.

- Waterproofing assembly according to DIN 18531.
- Schlüter®-TROBA-PLUS

 Passive capillary membrane for the effective drainage of seepage and ventilation.
- 6 Schlüter®-BEKOTEC-DRAIN

 Thin load distribution layer as a system for damage free and functionally safe floating screeds (cement screed CT-C25-F4 or pervious mortar).
- (7a) Schlüter®-DITRA-DRAIN 4

 Polyethylene drainage mat installed with the thin set method, for drainage, subaeration and uncoupling.
- 7b Schlüter®-DITRA-DRAIN 8


 Special bonded drainage membrane for large areas.
- 8 Ceramic tiles or natural stone pavers


Installed (including large format) with a waterproof and weather resistant dry set adhesive.













- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS.
- 6 Schlüter®-BEKOTEC-DRAIN.
- 7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8
- 8 Ceramic tiles or natural stone pavers.
- 9 Schlüter®-BARA-RT It is important to ensure a drainage channel.
- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS.
- 6 Schlüter®-BEKOTEC-DRAIN
- (7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8.
- 8 Ceramic tiles or natural stone pavers.
- 9 Schlüter®-BARA-RW
 It is important to ensure a drainage channel.


Wall transition



Threshold



Floor drain



- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS.
- Schlüter®-BEKOTEC-DRAIN.
- (7a) Schlüter®-DITRA-DRAIN 4.
- (7b) Schlüter®-DITRA-DRAIN 8.
- Ceramic tiles or natural stone pavers.
- Schlüter®-DILEX-EK or -DILEX-RF.
- Schlüter®-KERDI.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS.
- Schlüter®-BEKOTEC-DRAIN.
- 7a) Schlüter®-DITRA-DRAIN 4.
- (7b) Schlüter®-DITRA-DRAIN 8.
- Ceramic tiles or natural stone pavers.
- Schlüter®-TROBA-LINE-TL Keep drainage openings unobstructed.
- Mortar spot bedding.




For more information on thresholds, please see pages 29 and 30.

- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS
- Schlüter®-BEKOTEC-DRAIN.
- (7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8.
- Ceramic tiles or natural stone pavers.
- Schlüter®-KERDI-DRAIN. Grate/frame set KD R10 Keep drainage openings unobstructed.
- Schlüter®-KERDI-DRAIN. Floor drain set KD BV 50 MSBB

B.4 Thin covering assemblies over waterproofing layers in mortar beds

Schlüter®-BEKOTEC-DRAIN and mortar bed installation on area drainage with Schlüter®-TROBA-PLUS 8G



The sloped support structure is protected against permeating water with a waterproofing assembly that meets the requirements of DIN 18531. Schlüter-TROBA-PLUS 8G is installed as a drainage membrane between the waterproofing layer and the load distribution layer (screed) to drain away seep-

age. This load distribution layer of sand and cement screed or pervious mortar is installed as a thin layer, using the Schlüter-BEKOTEC-DRAIN-system. The natural stone pavers are embedded in the fresh mortar.



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage. Please contact us if you have alternative substrate assemblies.

- Waterproofing assembly according to DIN 18531.

 Alternative: Waterproofing with Schlüter®-KERDI.
- (5) Schlüter®-TROBA-PLUS 8G


 Passive capillary area drainage for the effective drainage of seepage and ventilation. It is important to ensure a free drainage channel.
- 6 Schlüter®-BEKOTEC-DRAIN

Thin adhesive layer, installed as a system for damage free and functionally secure tile and natural stone coverings, directly applied in the fresh mortar bed with a contact layer of cement mortar or pervious mortar with high water permeability.


Ceramic tiles or natural stone pavers

Direct installation over the green load distribution layer.






- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS 8G.
- Schlüter®-BEKOTEC-DRAIN.
- Ceramic tiles or natural stone pavers.
- Schlüter®-BARA-RT It is important to ensure a drainage channel.




- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS 8G.
- Schlüter®-BEKOTEC-DRAIN.
- Ceramic tiles or natural stone pavers.
- Schlüter®-BARA-RKL Keep drainage openings unobstructed.

Wall transition




- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- (6) Schlüter®-BEKOTEC-DRAIN.
- Oceramic tiles or natural stone pavers.
- 8 Schlüter®-DILEX-BWA.
- 9 Schlüter®-KERDI-KEBA

Threshold



Floor drain



- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-BEKOTEC-DRAIN.
- (7) Ceramic tiles or natural stone pavers.
- 8 Schlüter®-TROBA-LINE-TL.
- Mortar spot bedding.

-(i


For more information on thresholds, please see pages 29 and 30.

- (2) Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-BEKOTEC-DRAIN.
- (7) Ceramic tiles or natural stone pavers.
- 8 Schlüter®-KERDI-DRAIN.
 Complete set KD BV 50 ASLVB




B.5 Covering assemblies over waterproofing layer


Waterproofing, drainage, load distribution layer, bonded drainage and uncoupling



The sloped support structure is protected against permeating water with a waterproofing assembly that meets the requirements of DIN 18531. Schlüter-TROBA-PLUS is installed as a drainage membrane between the waterproofing layer and the load distribution layer (screed) to drain away seepage. The passive capillary bonded drainage

DRAIN is installed in the thin-bed adhesive between the screed and the tile covering. This results in the broad ventilation of the top covering, which in turn promotes the quick and even drying/curing of the thin bed adhesive.





Concrete slab.

Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage.

Waterproofing assembly according to DIN 18531.

Schlüter®-TROBA-PLUS

Passive capillary area drainage for the effective drainage of seepage and ventilation.

Load distribution layer

Cement screed according to DIN 18560-2 or pervious mortar.

(7a) Schlüter®-DITRA-DRAIN 4

Polyethylene drainage mat installed with the thin set method, for drainage, ventilation and uncoupling.

(7b) Schlüter®-DITRA-DRAIN 8

Special bonded drainage membrane for large areas.


Ceramic tiles or natural stone pavers

Installed (including large format) with a waterproof and weather resistant dry set mortar.











Edge detail 2



Floor drain




- (1) Capillary layer.
 - (2) Concrete slab.
 - 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS.
- 6 Load distribution layer.
- 7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8.
- 8 Ceramic tiles or natural stone pavers.
- 9 Schlüter®-BARA-RT
 It is important to ensure a drainage channel.
- Capillary layer.
- (2) Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS.
- 6 Load distribution layer.
- (7a) Schlüter®-DITRA-DRAIN 4.
- (7b) Schlüter®-DITRA-DRAIN 8.
- (8) Ceramic tiles or natural stone pavers.
- 9 Schlüter®-BARA-RW
 It is important to ensure a drainage channel.
- 10 Edge flashing.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS.
- 6 Load distribution layer.
- (7a) Schlüter®-DITRA-DRAIN 4.
- (7b) Schlüter®-DITRA-DRAIN 8.
- 8 Ceramic tiles or natural stone pavers.
- 9 Schlüter®-KERDI-DRAIN.
 Grate/frame set KD R10
 Keep drainage openings unobstructed.
- Schlüter®-KERDI-DRAIN.
 Floor drain set KD BV 50 MSBB






Wall transition



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS.
- 6 Load distribution layer.
- (7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8.
- 8 Ceramic tiles or natural stone pavers.
- 9 Schlüter®-DILEX-EK.
- 10 Schlüter®-KERDI-KEBA.

Door transition




- (1) Capillary layer.
- (2) Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS.
- 6 Load distribution layer.
- 7a) Schlüter®-DITRA-DRAIN 4.
- 7b) Schlüter®-DITRA-DRAIN 8.
- (8) Ceramic tiles or natural stone pavers.
- (9) Schlüter®-TROBA-LINE-TL.
- Mortar spot bedding.



For more information on thresholds, please see pages 29 and 30.

B.6 Loose installation over Schlüter®-TROBA-PLUS 8G

Using thin-bed mortar points with Schlüter®-TROBA-STELZ-DR



In this type of assembly, the high impact area drainage membrane Schlüter-TROBA-PLUS 8G is installed underneath self supporting pavers and guarantees the efficient drainage of water that seeps through the open joints between the pavers. Schlüter-TROBA-STELZ-DR are used as casting mould rings

to create evenly spaced adhesive points of thin bed mortar for the self supporting pavers.

Note: TROBA-STELZ-DR casting mould rings can be removed after the application of the thin bed screed and reused in other applications.



2 Concrete slab.

3 Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage.

Waterproofing assembly according to DIN 18531.

Alternative: Waterproofing with **Schlüter®-KERDI**.

(5) Schlüter®-TROBA-PLUS 8G

High impact drainage membrane for use underneath self supporting pavers and for permanently effective drainage of water seeping through the open joints between pavers. It is important to ensure a drainage channel.

(6) Schlüter®-TROBA-STELZ-DR

Casting mould rings for thin bed screeds.


(7) Large format self supporting pavers Made of concrete, natural stone or ceramic material.






An additional unit of Schlüter-TROBA-STELZ-DR can be installed below the respective centre of the paver if necessary.






- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS 8G.
- Schlüter®-TROBA-STELZ-DR.
- Large format, self supporting pavers.
- Schlüter®-BARA-RKL Schlüter®-BARA-RKL 35 and 40 are particularly suitable for 2 cm thick pavers. Keep drainage openings unobstructed.




- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA-PLUS 8G.
- Schlüter®-TROBA-STELZ-DR.
- Large format, self supporting pavers.
- Schlüter®-BARA-RT It is important to ensure a drainage channel.
- Edge flashing.




- (1) Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-DR
- 7 Large format, self supporting pavers.
- 8 Schlüter®-BARA-RWL
 Keep drainage openings unobstructed.

Wall transition



- Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-DR.
- 7 Large format, self supporting pavers.
- 8 Schlüter®-KERDI.

Threshold



- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS 8G.
- (6) Schlüter®-TROBA-STELZ-DR.
- 7 Large format, self supporting pavers.
- 8 Schlüter®-TROBA-LINE-TL.




For more information on thresholds, please see pages 29 and 30.



B.7 Covering assemblies over mortar stilts

Installation with Schlüter®-TROBA-STELZ mortar casting mould rings



Schlüter-TROBA-STELZ-MR are plastic casting mould rings that are used as installation aids for large format pavers. The 25 mm high plastic rings are installed at the cross sections of the pavers and remain in the assembly once they have been filled with fresh mortar (preferably pervious mortar).

This allows for easy levelling of the covering surface. Additionally, the open spaces between the stilts ensure the fast drainage of water that seeps into the joints between the pavers.



- 1 Capillary layer.
- 2 Concrete slab.
- (3) Sloped screed


 The construction has to be sufficiently sloped (1.5% 2%) to allow for proper drainage.
- Waterproofing assembly according to DIN 18531.

 Alternative: Waterproofing with Schlüter®-KERDI.
- (5) Schlüter®-TROBA-PLUS 8G
 High impact drainage membrane for use underneath self supporting pavers and for permanently effective drainage of water seeping through the open joints between pavers. It is important to ensure a drainage channel.
- 6 Schlüter®-TROBA-STELZ-MR Plastic casting mould rings that are used as installation aids for large format pavers on balconies and terraces.
- 7 Large format self supporting pavers Made of concrete, natural stone or ceramic material.




An additional unit of Schlüter-TROBA-STELZ-MR can be installed below the respective centre of the paver if necessary.





- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-MR
- 7 Large format, self supporting pavers.
- 8 Schlüter®-BARA-RKL
 Keep drainage openings unobstructed.


Edge detail 2



- 1 Capillary layer.
- Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-MR.
- 7 Large format, self supporting pavers.

It is important to ensure a drainage channel.


8 Schlüter®-BARA-RT



- Capillary layer.
- 2 Concrete slab.
- (3) Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-MR.
- 7 Large format, self supporting pavers.
- 8 Schlüter®-BARA-RWL
 Keep drainage openings unobstructed.




Wall transition



- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-MR.
- Continue the support of the suppo
- 8 Schlüter®-KERDI-KEBA.

Threshold




- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- (5) Schlüter®-TROBA-PLUS 8G.
- 6 Schlüter®-TROBA-STELZ-MR.
- (7) Large format, self supporting pavers.
- (8) Schlüter®-TROBA-LINE-TL.



For more information on thresholds, please see pages 29 and 30.

B.8 Coverings installed over gravel/crushed stone beds

Loose installation on Schlüter®-TROBA in gravel/crushed stone beds



In this type of assembly, the area drainage membrane Schlüter-TROBA serves as a protective separating layer over the water-proofing assembly and protects it from the impression of individual stones. Additionally, the product prevents the formation of "ice concrete" when water freezes on the water-

proofing assembly. TROBA allows for the permanently effective drainage of water that seeps through the open joints between the self supporting pavers. Thanks to the special trapezoid shaped studs, loads are directly transferred to the waterproof substrate.



Concrete slab.

3 Sloped screed

The construction has to be sufficiently sloped (1.5% - 2%) to allow for proper drainage.

Waterproofing assembly according to DIN 18531.


Alternative: Waterproofing with **Schlüter®-KERDI**.

5 Schlüter®-TROBA


A protective drainage layer installed over waterproofing assemblies as an underlayment for crushed stone or gravel. It consists of a high impact, studded polyethylene mat with openings to the drainage channels. It is important to ensure a drainage channel.


- 6 Gravel or crushed stone bed.
- Carge format self supporting pavers Made of concrete, natural stone or ceramic material.






Edge detail 2






- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA.
- (6a) Gravel or crushed stone bed.
- 6b Contained gravel or crushed stone bed in the perimeter area.
- Large format, self supporting pavers.
- Schlüter®-BARA-RKL Keep drainage openings unobstructed.
- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA.
- (6a) Gravel or crushed stone bed.
- 6b Contained gravel or crushed stone bed in the perimeter area.
- Large format, self supporting pavers.
- Schlüter®-BARA-RT It is important to ensure a drainage channel.
- Capillary layer.
- Concrete slab.
- Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- Schlüter®-TROBA.
- (6a) Gravel or crushed stone bed.
- Contained gravel or crushed stone bed in the perimeter area.
- Large format, self supporting pavers.
- Schlüter®-BARA-RKL Keep drainage openings unobstructed.






- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA.
- Gravel or crushed stone bed.
- 6b Contained gravel or crushed stone bed in the perimeter area.
- 7 Large format, self supporting pavers.
- 8 Schlüter®-BARA-RWL
 Keep drainage openings unobstructed.

Wall transition



- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA.
- 6 Gravel or crushed stone bed.
- (7) Large format, self supporting pavers.

Threshold




- 1 Capillary layer.
- 2 Concrete slab.
- 3 Sloped screed (1.5% 2%).
- 4 Structural waterproofing according to DIN 18531.
- 5 Schlüter®-TROBA.
- 6 Gravel or crushed stone bed.
- 7 Large format, self supporting pavers.
- 8 Schlüter®-TROBA-LINE-TL.
- Mortar spot bedding.
- Schlüter®-TROBA-LINE-TLK-E.
 Gravel containment profile.

_(i

For more information on thresholds, please see pages 29 and 30.


B.9 Other details

Threshold 1



According to DIN 18531-5, 8.6, water-proofing assemblies must extend 15 cm beyond the upper edge of the covering. In door transition areas, this rule results in thresholds that are at least 15 cm high.


Threshold 2



Schlüter-TROBA-LINE is a drainage channel that prevents water from pooling near doorways and wall transitions. According to construction guidelines the product can be used to reduce the height of DIN compliant thresholds from 15 cm to 5 cm.







Schlüter-TROBA-LINE is suitable for creating barrier free assemblies (with thresholds below 2 cm) in the area of door openings. In these assemblies, a second TROBA-LINE is installed at a sufficiently large distance from the first. Special constructions such as this assembly require the prior approval of the developer.


Movement joints

In accordance with the applicable construction standards, movement joints must be continued in the tile covering. The same standards specify that coverings made of large format pavers over Schlüter-DITRA 25 and Schlüter-DITRA-DRAIN must be divided into bays with movement joints. In outdoor areas (balconies and terraces) the length of

these individual bays should not exceed 3 m. Depending on the construction of the substrate, smaller bays may be necessary. The bays should be of compact geometric dimensions (up to a ratio of approximately 1:2). Please refer to the installation information for the various profile types in the Schlüter-DILEX series. Depending on the anticipated move-

ments, profiles such as Schlüter-DILEX-BT or Schlüter-DILEX-KSBT should be installed over structural movement joints.


Movement joints



Schlüter-DITRA-DRAIN must be separated above the existing movement joints. If Schlüter-KERDI is used for waterproofing, the abutting seams must be covered with Schlüter-KERDI-FLEX, using the sealing adhesive Schlüter-KERDI-COLL-L.

Schlüter-DILEX-EKSN is a movement profile with edge protection. The profile's anchoring legs, made of stainless steel, are connected to a movement zone made of soft synthetic rubber.

Movement joints




Schlüter-DILEX-BWB is a movement profile with lateral parts made of rigid recycled PVC. The upper movement zone is made of soft rubber and forms a 10 mm wide visible area.



The ceramic covering must be divided into bays with movement joints above Schlüter-DITRA 25 and Schlüter-DITRA-DRAIN in accordance with the applicable regulations. This also applies if the substrates were created without movement joints, for example, in our Schlüter-BEKOTEC-DRAIN system. If using Schlüter-DILEX-BWS, the bay sizes should be limited to a maximum of 2.50 metres due to the small width.


Movement joints



Schlüter-DILEX-BWS is a movement profile with lateral parts made of rigid recycled PVC. The movement zone is made of soft rubber and forms a 5 mm wide visible area.









Schlüter-BARA-ESOT is a skirting support profile made of stainless steel for bonding skirting tiles that are not load bearing. An area drainage membrane (Schlüter-TROBA-PLUS) must be installed below the screed.


Profile cross sections






Product data sheet 5.3


Product data sheet 5.4






Product data sheet 5.22


Product data sheet 5.22






Product data sheet 5.15

Product data sheet 5.19



Product data sheet 5.20







Informative. For those who want to know more!

Did we get you interested in products of Schlüter-Systems?

Would you like to find out more? The fastest way to find out more is online.

Visit our website **www.schluter.co.uk**, which offers additional details at the click of a mouse.



r authorised dealer:	



PROFILE OF INNOVATION

Schlüter-Systems KG \cdot Schmölestraße 7 \cdot D-58640 Iserlohn

Tel.: +49 2371 971-261 \cdot Fax: +49 2371 971-112 \cdot info@schlueter.de \cdot www.schlueter-systems.com