

## **Fire Resistance of Milbank Precast Concrete Units**

Based on BS 8110-Part 2: 1985 Section 4

(Note cover on Hollowcore Floors, Precast Stairs and Landings can be increased to provide greater fire resistance if required)

Floor Type	Unit Ref	Unit Thickness h (mm)	Unit Width b (mm)	Average Cover to Tendons (mm)	Total Core Area "C" (mm <sup>2</sup> )	Gross Section Area "A" (mm²)	ξ = (A - C)/A	Floor Thickness t. = h x √ε +t.	Basic Fire Resistance from Tables 4.4 and 4.5	Notes
Beam & Block	T155	150	110	25	0	11,829	1.000	150	1 Hour	Limited by Cover and Bottom flange width
Beam & Block	T225	225	110	25	0	18,160	1.000	225	1 Hour	Limited by Cover and Bottom flange width
Hollowcore	PS-150L	150	1200	25	58,969	180,000	0.672	123	1 Hour	Limited by Cover. (Max 1½ Hours possible with 30mm cover-limited by t <sub>e</sub> )
Hollowcore	PS-150H	150	1200	25	36,334	180,000	0.798	134	1 Hour	Limited by Cover. (Max 2 Hours possible with 40mm cover)
Hollowcore	PS-200	200	1200	25	95,586	240,000	0.602	155	1 Hour	Limited by Cover. (Max 2 Hours possible with 40mm cover)
Hollowcore	PS-250	250	1200	25	134,490	300,000	0.552	186	1 Hour	Limited by Cover. (Max 2 Hours possible with 40mm cover)

## **Beam & Block Floors**

Table 4.5 Ribbed open soffit concrete floors

Prestressed concrete (simply supported):

Dense concrete

Fire Resistance	Width of Rib "b"	Mininum Thickness t <sub>e</sub>	Cover to Tendons
½ Hour	80mm	70mm	20mm
1 Hour	110mm	90mm	25mm
1 ½ Hour	135mm	105mm	30mm
2 Hour	150mm	115mm	40mm
3 Hour	175mm	135mm	55mm
4 Hour	200mm	150mm	65mm



## Hollowcore Floors

3 Hour

4 Hour

Table 4.4 Plain Soffit concrete floors

Prestressed concrete (simply supported):
Dense concrete

Resistance	Thickness t <sub>e</sub>	Tendons
½ Hour	75mm	20mm
1 Hour	95mm	25mm
1 ½ Hour	110mm	30mm
2 Hour	125mm	40mm

150mm

170mm

55mm

65mm



## **Precast Stairs and Landings (Solid Slabs)**

Table 4.4 Plain Soffit concrete floors

Reinforced concrete (simply supported):

Dense concrete

Fire Resistance	Mininum Thickness t <sub>e</sub>	Cover to Main reinforcement
½ Hour	75mm	15
1 Hour	95mm	20
1 ½ Hour	110mm	25
2 Hour	125mm	35
3 Hour	150mm	45
4 Hour	170mm	55



Flights, Waist ≥ 150mm Landings, Thickness ≥ 150mm Minimum Cover 20mm