



Designed for possibilities.
Made for people.



Floors, walls and doors guide

Product catalogue

altro.co.uk



Contents

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Rolls	
Altro Cantata™	12
Altro Orchestra™	14
Altro Orchestra™ Custom	18
Altro Operetta™	20
Altro Serenade™	22
Altro Zodiac™	24
Safety	
Altro Wood™ adhesive-free	26
Altro Wood™	28
Altro Wood™ Comfort	30
Altro Reliance™ 25	32
Altro Atlas™ 40	36
Altro Suprema™	38
Altro Walkway™ 20	42
Altro Walkway™ 20 SD	46
Altro XpressLay™	48
Altro Stronghold™ 30	52
Altro Aquarius™	54
Altro Pisces™	56
Altro Marine™	58
Altro Classic™ 25	60
Walls	
Altro Tegulis™	62
Altro Whiterock™ wall designs	64
Altro Whiterock White™	66
Altro Whiterock Satins™	68
Altro Whiterock Chameleon™	72
Altro Whiterock Digiclad™ (Custom)	74
Altro Whiterock™ Imagination Wall	76
Altro Whiterock™ Whiteboard	78
Altro Walls ShowerKit™	80
Altro Whiterock recessed shelf™	82
Altro Whiterock Splashbacks™	84
Altro Whiterock hand wash station™	88
Altro Fortis Titanium™	92
Altro Fortis™ corner protection	94
Doors	
Altro Whiterock™ hygienic doorsets	96
Altro Fortis™ doorsets	97
Altro Fortis™ door protection	98
Technical drawings	100
Support	116

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people’s needs at the heart of everything we do. It’s a human-centred approach to designing for the demands of 21st century life.

It’s a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors – LVTs



Altro Ensemble

Application areas:

- reception areas and general circulation areas in hotels, leisure centres, offices, retail, colleges and universities, healthcare and care homes
- resident rooms and student accommodation
- serveries, bars and dining in restaurants and café areas

Altro Ensemble is a modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From colour blocking to geometric patterns, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB sound reduction with added comfort underfoot, making it perfect for areas where design is key.

With four modular sizes, you can mix and match to create unique patterns utilising colour and design. Combine with Altro Whiterock wall designs for a unique interior statement.



Tobacco Limed Striking Oak
M008W125L1000 | LRV 18



For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – LVTs



Drift Oak
M023W100L500 | LRV 40



Pearl Oak
M007W100L500 | LRV 53



Red Vintage Timber
M013W100L500 | LRV 21




Medium Limed Rustic Oak
M018W100L500 | LRV 17




Village Oak
M024W100L500 | LRV 21



Greige Rustic Oak
M034W100L500 | LRV 35



Medium Grey
Harmonious Oak
M027W100L500 | LRV 21



Blue Vintage Timber
M011W100L500 | LRV 42

Plank size



100 x 500 mm

Floors – LVTs



Drift Oak
M023W125L1000 | LRV 40



Natural Pine
M022W125L1000 | LRV 44



Pearl Oak
M007W125L1000 | LRV 53



Leached Striking Oak
M006W125L1000 | LRV 45




White Vintage Timber
M009W125L1000 | LRV 44



Natural Rustic Oak
M017W125L1000 | LRV 27




Medium Limed Rustic Oak
M018W125L1000 | LRV 17



Blue Vintage Timber
M011W125L1000 | LRV 42



Green Vintage Timber
M012W125L1000 | LRV 29




Red Vintage Timber
M013W125L1000 | LRV 21



Greige Striking Oak
M033W125L1000 | LRV 16



Natural Striking Oak
M032W125L1000 | LRV 26




Flamed Cherry
M019W125L1000 | LRV 21



Village Oak
M024W125L1000 | LRV 21




Valley Oak
M025W125L1000 | LRV 16



Brown Limed Pine
M030W125L1000 | LRV 23



Barrel Oak
M010W125L1000 | LRV 10




Cabin Oak
M020W125L1000 | LRV 7



Regal Walnut
M021W125L1000 | LRV 8




Greige Rustic Oak
M034W125L1000 | LRV 35



Medium Grey
Harmonious Oak
M027W125L1000 | LRV 21



Smoked Rustic Oak
M035W125L1000 | LRV 12




Anthracite Limed
Harmonious Oak
M026W125L1000 | LRV 7


Floors – LVTs



Chilli Red
MA065W125L1000 | LRV 12



Sky Blue
MA063W125L1000 | LRV 30



Ice
MA066W125L1000 | LRV 49



Jet Black
MA061W125L1000 | LRV 4



Midnight Wood
MP151W125L1000 | LRV 4



Hot Orange
MA064W125L1000 | LRV 20

Plank size



125 × 1000 mm

Floors – LVTs




Greige Rustic Oak
M034W200L2000 | LRV 35



Pearl Oak
M007W200L2000 | LRV 53




Green Vintage Timber
M012W200L2000 | LRV 29



Medium Limed
Rustic Oak
M018W200L2000 | LRV 17




Valley Oak
M025W200L2000 | LRV 16



Natural Rustic Oak
M017W200L2000 | LRV 27




Village Oak
M024W200L2000 | LRV 21



Smoked Rustic Oak
M035W200L2000 | LRV 12



Brown Limed Pine
M030W200L2000 | LRV 23



Barrel Oak
M010W200L2000 | LRV 10

Plank size



200 × 2000 mm


Floors – LVTs



White Stone
MT081W500L1000 | LRV 61



Fossil Stone
MT084W500L1000 | LRV 45



Platinum Concrete
MT087W500L1000 | LRV 37



York Stone
MT082W500L1000 | LRV 37




Portland Stone
MT083W500L1000 | LRV 20



Pumice Stone
MT085W500L1000 | LRV 13



Clay Stone
MT086W500L1000 | LRV 9



Pewter Concrete
MT088W500L1000 | LRV 15



Anthracite Concrete
MT089W500L1000 | LRV 6

Tile size



500 × 1000 mm

Floors




Altro Cantata

Application areas:

- reception, public areas, corridors in hospitals, residential care homes and education
- treatment rooms, wards / bedrooms, waiting areas in hospitals and residential care homes
- café and dining areas, seating areas in bars
- classrooms, staff rooms and play areas in kindergartens and schools

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. New Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.




Hazelnut | AFP282009
WR418 / A1M239 / LRV 18




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors




Frosted Glass
AFP282005
WR388 / A1M388 / LRV 52



Mocha
AFP282003
WR389 / A1M389 / LRV 40



Graphite
AFP282002
WR390 / A1M390 / LRV 30




True Grit
AFP282001
WR391 / A1M82 / LRV 17




Black Sand
AFP282010
WR485 / A1M485 / LRV 7




Crème Caramel
AFP282006
WR385 / A1M385 / LRV 50



Willow Tree
AFP282007
WR399 / A1M399 / LRV 41



Bluebell
AFP282004
WR398 / A1M398 / LRV 26




Sunrise
AFP282008
WR393 / A1M393 / LRV 19




Treviso
AFT284003
WR483 / A1M483 / LRV 44




Seal Grey
AFC281002
WR435 / A1M390 / LRV 26




Bluefin
AFC281001
WR438 / A1M486 / LRV 26




Milan
AFT284002
WR482 / A1M482 / LRV 15



Rome
AFT284001
WR481 / A1M83 / LRV 16



Venice
AFT284004
WR484 / A1M484 / LRV 40



Elephant Grey
AFC281003
WR436 / A1M487 / LRV 17

Floors



Altro Orchestra

Application areas:

- school, kindergarten and university communal spaces and classrooms
- student accommodation and communal areas
- hospital and care home communal areas and patient / resident rooms
- office circulation and communal areas
- retail
- hotel and leisure public and dining areas
- home adaptations / social housing communal areas
- anywhere where the passage of sound must be reduced between storeys and within rooms

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. NEW Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Bongo | CH2840U
WR461 / A1M152 / LRV 27



For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors




Chimes | CH2836U
WR457 / A1M335 / LRV 52




Oboe | CH2835U
WR456 / A1M338 / LRV 34




Violin | CH2834U
WR455 / A1M361 / LRV 31




Conga | CH2879U
WR390 / A1M390 / LRV 30




Trombone | CH2839U
WR460 / A1M484 / LRV 39




Flute | CH2833U
WR454 / A1M86 / LRV 22




Drum | CH2837U
WR458 / A1M74 / LRV 18



Manon | CH2878U
WR391 / A1M82 / LRV 17




Serpent* | CH2850U
WR517 / A1M136 / LRV 56



Maraca | CH2855U
WR499 / A1M136 / LRV 56




Musette | CH2856U
WR515 / A1M136 / LRV 49




Volta* | CH2851U
WR518 / A1M335 / LRV 48



Porter* | CH2854U
WR498 / A1M483 / LRV 43




Notturna* | CH2853U
WR497 / A1M369 / LRV 48




Chromatic* | CH2852U
WR496 / A1M136 / LRV 49




Brass* | CH2842U
WR483 / A1M483 / LRV 44




Woodwind* | CH2843U
WR489 / A1M385 / LRV 45



String | CH2841U
WR484 / A1M484 / LRV 40




Percussion | CH2844U
WR490 / A1M86 / LRV 18



Turandot* | CH2847U
WR482 / A1M482 / LRV 15




Orfeo* | CH2849U
WR41 / A1M41 / LRV 9




Falstaff* | CH2846U
WR493 / A1M493 / LRV 9



Othello* | CH2848U
WR62 / A1M62 / LRV 9




Montezuma* | CH2845U
WR485 / A1M485 / LRV 8




Club | CH2815U
WR436 / A1M487 / LRV 17

*There may be limited stocks in these colours which are subject to a manufacturing lead time. Please check availability before ordering.


Floors




Metal | CH2818U
WR439 / A1M84 / LRV 16



Chant | CH2814U
WR435 / A1M390 / LRV 26




Reed | CH2874U
WR513 / A1M85 / LRV 39



Polka | CH2859U
WR502 / A1M390 / LRV 23




Cornet | CH2864U
WR506 / A1M82 / LRV 20



Sitar | CH2869U
WR510 / A1M347 / LRV 38



Macavity | CH2867U
WR508 / A1M11 / LRV 57




Seville* | CH2860U
WR503 / A1M79 / LRV 45




Tosca | CH2862U
WR494 / A1M494 / LRV 23




Figaro | CH2858U
WR501 / A1M82 / LRV 13




Marimba* | CH2863U
WR505 / A1M390 / LRV 30



Fidelio* | CH2868U
WR509 / A1M85 / LRV 35



Nabucco* | CH2873U
WR512 / A1M84 / LRV 24



Timpani | CH2861U
WR504 / A1M417 / LRV 20




Kora* | CH2871U
WR495 / A1M495 / LRV 8




Aurora | CH2857U
WR500 / A1M136 / LRV 60




Elektra | CH2870U
WR511 / A1M392 / LRV 58




Carlotta* | CH2865U
WR507 / A1M337 / LRV 26




Trumpet | CH2825U
WR446 / A1M347 / LRV 37




Glockenspiel | CH2827U
WR448 / A1M361 / LRV 23




Cello | CH2829U
WR450 / A1M81 / LRV 24




Bassoon* | CH2831U
WR452 / A1M84 / LRV 17



Guitar | CH2828U
WR449 / A1M137 / LRV 29



Rigoletto* | CH2876U
WR519 / A1M392 / LRV 34



Traviata* | CH2877U
WR520 / A1M338 / LRV 28



Floors



Altro Orchestra Custom

Application areas:

- school, kindergarten and university communal spaces and classrooms
- student accommodation and communal areas
- hospital and care home communal areas and patient / resident rooms
- office circulation and communal areas
- retail
- hotel and leisure public and dining areas
- home adaptations / social housing communal areas
- anywhere where the passage of sound must be reduced between storeys and within rooms

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Hexagon Triangle Grey 1 | DPSCH0036



For full technical details [altro.co.uk](https://www.altro.co.uk)



Floors




Altro Operetta

Application areas:

- hospital / care home communal and circulation areas
- schools, universities communal and circulation areas
- retail
- hotel and leisure public and dining areas
- office circulation and communal areas
- home adaptations / social housing communal areas

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges. NEW Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.

Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.




Beat | OP2155U
WR499 / A1M136 / LRV 56




For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors




Acapella | OP2135U
WR456 / A1M338 / LRV 34




Madrigal | OP2134U
WR455 / A1M361 / LRV 31




Glee | OP2136U
WR457 / A1M335 / LRV 52




Baroque | OP2133U
WR454 / A1M86 / LRV 22




Leo | OP2179U
WR390 / A1M390 / LRV 30




Yeoman | OP2139U
WR460 / A1M484 / LRV 39




Soprano | OP2137U
WR458 / A1M74 / LRV 18




Lola | OP2178U
WR391 / A1M82 / LRV 17




Pulse | OP2118U
WR439 / A1M84 / LRV 16




Tempo | OP2115U
WR436 / A1M487 / LRV 17




Clef | OP2125U
WR446 / A1M347 / LRV 37



Canon | OP2129U
WR450 / A1M81 / LRV 24



Drop | OP2127U
WR448 / A1M361 / LRV 23




Quintet | OP2114U
WR435 / A1M390 / LRV 26




Shake | OP2164U
WR506 / A1M82 / LRV 20




Vivo | OP2162U
WR494 / A1M494 / LRV 23




Allegra | OP2169U
WR510 / A1M347 / LRV 38



Cabasa | OP2161U
WR504 / A1M417 / LRV 20




Tutti | OP2157U
WR500 / A1M136 / LRV 60




Beethoven | OP2159U
WR502 / A1M390 / LRV 23




Black Forest | OP2158U
WR501 / A1M82 / LRV 13



Stanza | OP2156U
WR515 / A1M136 / LRV 49



Vagabond | OP2141U
WR484 / A1M484 / LRV 40



Vamp | OP2144U
WR490 / A1M86 / LRV 18

Floors




Altro Serenade

Application areas:

- libraries
- kindergarten playrooms
- university lecture theatres and student bedrooms
- hotel bedrooms
- care home resident rooms
- leisure soft play areas
- social housing bedrooms
- anywhere where the passage of sound must be minimised between storeys and within rooms

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

NEW Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Encore | SE3929U
WR450 / A1M81 / LRV 24




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors




Chord | SE3934U
WR455 / A1M361 / LRV 31



Anthem | SE3933U
WR454 / A1M86 / LRV 22




Caldara | SE3939U
WR460 / A1M484 / LRV 39




Moonlight | SE3937U
WR458 / A1M74 / LRV 18




March | SE3925U
WR446 / A1M347 / LRV 37



Opus | SE3927U
WR448 / A1M361 / LRV 23




Metronome | SE3914U
WR435 / A1M390 / LRV 26



Dulcimer | SE3955U
WR499 / A1M136 / LRV 56



Elgar | SE3962U
WR494 / A1M494 / LRV 23



Charm | SE3969U
WR510 / A1M347 / LRV 38



Andante | SE3957U
WR500 / A1M136 / LRV 60

Floors



Altro Zodiac


Application areas:

- care homes
- children’s hospitals
- clinics
- student accommodation
- school classrooms and corridors
- galleries, retail and offices

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation. Altro Zodiac Smooth comes in a range of 24 colours, chosen to reflect your mood: warm, cool, neutral or vibrant. So express your true colours.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.




Oxygen | ZD2007U
WR317 / A1M200 / LRV 41



For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors



Hologram | ZD2001U
WR311 / A1M200 / LRV 57



Comet | ZD2003U
WR313 / A1M200 / LRV 33



Capricorn | ZD2004U
WR314 / A1M200 / LRV 10

Floors – Safety



Altro Wood adhesive-free

Application areas:

- bedroom in care homes and hotels
- corridors, general circulation, reception and public areas in hospitals, care homes, kindergartens and schools
- wards, waiting and treatment rooms in hospitals and care homes
- as an alternative to LVTs in student accommodation
- common room / staff rooms in schools
- café / dining areas

Some shades match Altro Wood and Altro Wood Comfort.

NEW Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with NEW matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Frosted Oak | AFW280001
WR335 / A1M335 / LRV 52



For full technical details
altro.co.uk

Floors – Safety



Portuguese Oak
AFW280013
WR335 / A1M335 / LRV 51



Timeless Oak
AFW280007
WR347 / A1M347 / LRV 38



Post Oak
AFW280016
WR350 / A1M483 / LRV 30



Champagne Oak
AFW280010
WR338 / A1M338 / LRV 38



Summer Oak
AFW280005
WR340 / A1M340 / LRV 37



Soft Maple
AFW280002
WR339 / A1M339 / LRV 24



Caramel Oak
AFW280006
WR353 / A1M225 / LRV 25



Honey Maple
AFW280011
WR352 / A1M352 / LRV 27



Birnam Oak
AFW280017
WR352 / A1M352 / LRV 21



Imperial Walnut
AFW280009
WR341 / A1M160 / LRV 15



Bur Oak
AFW280015
WR514 / A1M514 / LRV 21



Shaded Cherry
AFW280004
WR337 / A1M337 / LRV 17



Oxford Oak
AFW280014
WR339 / A1M339 / LRV 22



Holm Oak
AFW280018
WR478 / A1M390 / LRV 26



Dusky Cherry
AFW280003
WR336 / A1M239 / LRV 22



Vintage Oak
AFW280012
WR322 / A1M239 / LRV 19



Pitch Oak
AFW280008
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood

Application areas:

- hospital / care home corridors and living areas
- patient rooms
- retail
- kindergartens, schools, universities: general circulation areas, corridors

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with NEW matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Urban Cherry | WSA2003
WR337 / A1M337 / LRV 17



For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors – Safety



Ranch Oak | WSA2021
WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001
WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027
WR350 / A1M483 / LRV 30



Washed Oak | WSA2015
WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004
WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006
WR340 / A1M340 / LRV 37



Spring Maple | WSA2018
WR352 / A1M352 / LRV 27



Oak Traditions | WSA2013
WR353 / A1M225 / LRV 25



Bavarian Oak | WSA2026
WR514 / A1M514 / LRV 21



Mountain Oak | WSA2022
WR339 / A1M339 / LRV 22



Honey Oak | WSA2028
WR352 / A1M352 / LRV 21



Slate Oak | WSA2029
WR478 / A1M390 / LRV 26



Vintage Cherry | WSA2002
WR336 / A1M239 / LRV 22



Autumn Maple | WSA2005
WR339 / A1M339 / LRV 24



Antique Walnut | WSA2007
WR341 / A1M160 / LRV 15



Worn Oak | WSA2023
WR322 / A1M239 / LRV 19



Manor Oak | WSA2016
WR348 / A1M348 / LRV 7

Floors – Safety



Altro Wood Comfort

Application areas:

- corridors and classrooms in schools, kindergartens, universities
- student accommodation
- hospital / care home corridors and patient rooms
- retail
- home adaptations / social housing

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Warm Maple | WSASC2805
WR339 / A1M339 / LRV 24



For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors – Safety



Soft Oak | WSASC2804
WR338 / A1M27 / LRV 38



Light Bamboo | WSASC2820
WR463 / A1M392 / LRV 42



Field Oak | WSASC2806
WR340 / A1M340 / LRV 37



Veteran Oak | WSASC2822
WR339 / A1M339 / LRV 22



Classic Walnut | WSASC2807
WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815
WR347 / A1M347 / LRV 38



Antique Cherry
WSASC2802
WR336 / A1M239 / LRV 22



Deep Cherry | WSASC2803
WR337 / A1M337 / LRV 17



Royal Oak | WSASC2823
WR322 / A1M239 / LRV 19



Regent Oak | WSASC2825
WR468 / A1M62 / LRV 10



Reclaimed Oak | WSASC2821
WR335 / A1M335 / LRV 51

Floors – Safety




Altro Reliance 25

Application areas:

- corridors subject to foot and wheeled traffic including hospital streets
- laboratories (secondary / tertiary school labs / industrial)
- clinical areas in hospitals
- atria / receptions in large public buildings

Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Stream | D2518
WR288 / A1M71 / LRV 22




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – Safety




Streetlight | D2505
WR287 / A1M79 / LRV 45



Rock | D2504
WR84 / A1M84 / LRV 23




Fog | D25153
WR81 / A1M81 / LRV 27




Pavement | D2507
WR83 / A1M83 / LRV 14




Vault | D2517
WR277 / A1M100 / LRV 5




Temple | D2509
WR261 / A1M81 / LRV 27



Fountain | D2502
WR306 / A1M71 / LRV 22




Pool | D2503
WR307 / A1M73 / LRV 10




Runway | D2506
WR72 / A1M72 / LRV 9




Twilight | D25910
WR39 / A1M34 / LRV 8



Roof Garden | D2500
WR262 / A1M154 / LRV 23



Skyline | D25332
WR52 / A1M52 / LRV 25



Storm | D25903
WR82 / A1M82 / LRV 16



Midnight | D25421
WR72 / A1M72 / LRV 11




Jet | D2501
WR100 / A1M100 / LRV 6


Floors – Safety




Ice Rink | D2514
WR291 / A1M01 / LRV 70




Statue | D2513
WR304 / A1M12 / LRV 62




Arena | D2510
WR297 / A1M20 / LRV 41




Bone | D25215
WR20 / A1M20 / LRV 37




Biscuit | D25904
WR146 / A1M20 / LRV 30




Plaza | D2512
WR27 / A1M27 / LRV 32




Monument | D2508
WR305 / A1M239 / LRV 23




Gallery | D2511
WR62 / A1M62 / LRV 10




Rust | D25907
WR150 / A1M238 / LRV 10



Forge | D2515
WR248 / A1M238 / LRV 9



Signal | D2516
WR300 / A1M42 / LRV 13



Floors – Safety



Altro Atlas 40


Application areas:

- industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift traffic (for more intense forklift traffic, an Altro resin is more suitable)
- sports changing rooms where spiked or studded shoes / boots are used
- mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.


Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.




Pewter Grey | X4039
WR81 / A1M81 / LRV 26


Floors – Safety




Mushroom | X4042
WR24 / A1M27 / LRV 32



Quarry Red | X4060
WR42 / A1M42 / LRV 13



Walnut | X4086
WR62 / A1M62 / LRV 10



Anvil | X4094
WR101 / A1M72 / LRV 11



For full technical details [altro.co.uk](https://www.altro.co.uk)

Floors – Safety



Altro Suprema


Application areas:

- indoor public spaces including lobbies, entrance areas, corridors
- classrooms (for labs and CDT areas, see Altro Walkway 20 SD, Altro Reliance 25 and Altro Classic 25)
- hospital wards and corridors

Looking for that designer feel in a safety flooring? Look no further than Altro Suprema – a stunning, non-sparkle safety floor that gives you complete design freedom. With 12 colours including three ‘flake’ designs, one of its 40 shades will match the mood you want to create.

Design-led Altro Suprema has been developed in consultation with colour consultants, architects and end users to reflect design requirements and interior trends. It gives a colour punch to your public spaces.

So from sophisticated Snowflake to bright Bee, the only limit is your imagination.




Fossil | SUI2067
WR232 / A1M82 / LRV 12




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – Safety




Malibu | SU2062
WR272 / A1M272 / LRV 26



Bubble | SU2039
WR285 / A1M203 / LRV 34



Bluewater | SUI2073
WR194 / A1M71 / LRV 17




Caspian | SU2038
WR194 / A1M71 / LRV 18




Bluebird | SU2037
WR231 / A1M73 / LRV 10




Melon | SU2061
WR271 / A1M271 / LRV 33




Fennel | SU2049
WR262 / A1M154 / LRV 25



Basil | SU2082
WR377 / A1M308 / LRV 16




Aegean | SU2057
WR270 / A1M56 / LRV 23



Barbados | SU2081
WR376 / A1M302 / LRV 13




Bee | SU2083
WR378 / A1M378 / LRV 40



Parchment | SU2041
WR267 / A1M20 / LRV 45




Prairie | SU2044
WR279 / A1M20 / LRV 31




Earth | SUI2066
WR282 / A1M239 / LRV 23




Platypus | SU2075
WR371 / A1M371 / LRV 13



Tangerine | SU2052
WR273 / A1M273 / LRV 20




Tuscany | SU2084
WR379 / A1M42 / LRV 13



Lipstick | SU2085
WR380 / A1M238 / LRV 9




Flamingo | SU2063
WR276 / A1M276 / LRV 16




Citrus | SU2086
WR381 / A1M381 / LRV 45

Floors – Safety




Sugar | SU2042
WR284 / A1M01 / LRV 65




Calico | SUI2069
WR283 / A1M20 / LRV 52



Owl | SUI2068
WR20 / A1M20 / LRV 40




Oatmeal | SU2046
WR265 / A1M265 / LRV 38




Taupe | SU2040
WR282 / A1M239 / LRV 23




Snowflake | SUD2076
WR284 / A1M01 / LRV 71




Alaska | SUD2079
WR374 / A1M79 / LRV 49




Dew | SU2036
WR191 / A1M191 / LRV 45




Wolf | SU2050
WR261 / A1M81 / LRV 29




Montana | SUD2077
WR372 / A1M81 / LRV 27




Shadow | SU2056
WR269 / A1M84 / LRV 24




Platinum | SUI2064
WR201 / A1M84 / LRV 24



Chinchilla | SU2078
WR373 / A1M86 / LRV 19




Wallaby | SUI2080
WR375 / A1M82 / LRV 14



Flint | SU2034
WR82 / A1M82 / LRV 13




Loam | SU2047
WR260 / A1M260 / LRV 8



Raven | SU2054
WR277 / A1M100 / LRV 7



Lava | SUI2070
WR260 / A1M260 / LRV 8



Berry | SU2059
WR275 / A1M44 / LRV 8



Floors – Safety



Altro Walkway 20


Application areas:

- general purpose

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You’ve loved working with Altro Walkway 20 for over 25 years because it’s easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Cloud | VM2014
WR79 / A1M191 / LRV 41




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – Safety




Streetlight | VMI2005P
WR287 / A1M79 / LRV 45




Blizzard | VMI2055
WR79 / A1M191 / LRV 44




Fog | VM20153
WR81 / A1M81 / LRV 27




Rock | VMI2004P
WR84 / A1M84 / LRV 23




Pavement | VMI2007P
WR83 / A1M83 / LRV14



Temple | VM2009P
WR261 / A1M81 / LRV 27




Whale | VMI2054
WR86 / A1M86 / LRV 20




Dolphin | VM2010
WR86 / A1M86 / LRV 21




Black | VM20892
WR100 / A1M100 / LRV 6




Coal | VMI2058
WR100 / A1M100 / LRV 6




Skyline | VM20332
WR52 / A1M52 / LRV 24




Tarragon | VMI2052
WR52 / A1M52 / LRV 26




Waterfall | VM20912
WR155 / A1M135 / LRV 31



Blue | VM20412
WR71 / A1M71 / LRV 22




River | VMI2057
WR71 / A1M71 / LRV 22




Runway | VM2006P
WR72 / A1M72 / LRV 9



Midnight | VM20421
WR72 / A1M72 / LRV 11




Nightfall | VMI2056
WR72 / A1M72 / LRV 10




Lupin | VMI2059
WR286 / A1M286 / LRV 17

Floors – Safety




Swan | VMI2012P
WR291 / A1M01 / LRV 75




Winter | VMI2053
WR105 / A1M01 / LRV 61




Minster | VM2018P
WR289 / A1M265 / LRV 40




Sand | VMI2051
WR20 / A1M20 / LRV 40




Bone | VM20215
WR20 / A1M20 / LRV 37




Biscuit | VM20907
WR146 / A1M20 / LRV 30




Tundra | VM20910
WR153 / A1M239 / LRV 17



Savannah | VMI2050
WR153 / A1M239 / LRV 19



Tango | VM2031
WR42 / A1M42 / LRV 14



Cherry | VM20920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Walkway 20 SD

Application areas:

- labs with static sensitive equipment / gases
- computer suites
- production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the “SD” (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD
WR81 / A1M81 / LRV 27



For full technical details altro.co.uk



Floors – Safety



Altro XpressLay

Application areas:


- general purpose for areas where the ability to remove and recycle post-installation plays an important part in your requirements for sustainable flooring finishes

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.

Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Streetlight | XLI2205P
WR287 / A1M79 / LRV 45




For full technical details altro.co.uk


Floors – Safety




Blizzard | XLI2255
WR79 / A1M191 / LRV 44




Cloud | XL2214
WR79 / A1M191 / LRV 41




Fog | XL22153
WR81 / A1M81 / LRV 27




Rock | XLI2204P
WR84 / A1M84 / LRV 23




Pavement | XLI2207P
WR83 / A1M83 / LRV14




Temple | XL2209P
WR261 / A1M81 / LRV 27



Whale | XLI2254
WR86 / A1M86 / LRV 20




Dolphin | XL2210
WR86 / A1M86 / LRV 21




Runway | XL2206P
WR72 / A1M72 / LRV 9




Black | XL22892
WR100 / A1M100 / LRV 6




Skyline | XL22332
WR52 / A1M52 / LRV 24




Tarragon | XLI2252
WR52 / A1M52 / LRV 26




Waterfall | XL22912
WR155 / A1M135 / LRV 31



Blue | XL22412
WR71 / A1M71 / LRV 22




River | XLI2257
WR71 / A1M71 / LRV 22




Lupin | XLI2259
WR286 / A1M286 / LRV 17



Midnight | XL22421
WR72 / A1M72 / LRV 11




Nightfall | XLI2
WR72 / A1M72 / LRV 10




Coal | XLI2258
WR100 / A1M100 / LRV 6

Floors – Safety




Swan | XLI2212P
WR291 / A1M01 / LRV 75




Winter | XLI2253
WR105 / A1M01 / LRV 61




Minster | XL2218P
WR289 / A1M265 / LRV 40




Sand | XLI2251
WR20 / A1M20 / LRV 40




Bone | XL22215
WR20 / A1M20 / LRV 37




Biscuit | XL22907
WR146 / A1M20 / LRV 30




Tundra | XL22910
WR153 / A1M239 / LRV 17



Savannah | XLI2250
WR153 / A1M239 / LRV 19



Tango | XL2231
WR42 / A1M42 / LRV 14



Cherry | XL22920
WR148 / A1M148 / LRV 10



Floors – Safety



Altro Stronghold 30


Application areas:

- kitchens
- canteens
- food preparation and service areas
- areas where grease, oils or fats are present

Water underfoot is treacherous enough – add grease, oils and fats, and you’ve got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it’s essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro’s highest rating for slip resistance (PTV ≥55, R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.




Torch | K30913
WR278 / A1M42 / LRV 16




For full technical details altro.co.uk


Floors – Safety




Monsoon | K30153
WR81 / A1M81 / LRV 24



Cannon | K30911
WR101 / A1M72 / LRV 11




Dolphin | K3010
WR86 / A1M86 / LRV 21




Midnight | K30421
WR72 / A1M72 / LRV 11




Abyss | K3001
WR100 / A1M100 / LRV 7




Star | K30912
WR79 / A1M191 / LRV 41




Oyster | K30215
WR20 / A1M20 / LRV 36




Biscuit | K30907
WR146 / A1M20 / LRV 30




Tundra | K30500
WR153 / A1M239 / LRV 17




Skyline | K30332
WR52 / A1M52 / LRV 24



Lime | K3086
WR472 / A1M381 / LRV 42



Russet | K30262
WR41 / A1M41 / LRV 14



Surf | K30412
WR71 / A1M71 / LRV 20

Floors – Safety



Altro Aquarius

Application areas:


- bathrooms and showers
- changing rooms*
- saunas and spas
- wet environments in social care: home adaptations, social housing
- student accommodation

*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

Achieving a PTV ≥50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.




Treefrog | AQI2003
WR293 / A1M271 / LRV 33




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – Safety




Terrapin | AQI2009
WR289 / A1M265 / LRV 40



Vole | AQ2010
WR289 / A1M265 / LRV 43




Walrus | AQ2007
WR261 / A1M81 / LRV 29




Tern | AQI2008
WR261 / A1M81 / LRV 31




Hippo | AQI2013
WR301 / A1M82 / LRV 11




Iguana | AQ2021
WR297 / A1M20 / LRV 41




Otter | AQI2006
WR290 / A1M239 / LRV 26



Puffin | AQI2005
WR287 / A1M79 / LRV 46



Cygnet | AQ2004
WR287 / A1M79 / LRV 46




Salamander | AQI2011
WR294 / A1M294 / LRV 41




Swan | AQI2012
WR291 / A1M1 / LRV 75




Gosling | AQI2023
WR369 / A1M369 / LRV 59




Sea Snail | AQI2024
WR370 / A1M370 / LRV 50



Dragonfly | AQ2001
WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002
WR288 / A1M71 / LRV 24




Coral Crab | AQI2014
WR300 / A1M42 / LRV 14



Spoonbill | AQI2016
WR303 / A1M303 / LRV 11



Mallard | AQI2015
WR302 / A1M302 / LRV 13



Newt | AQ2022
WR368 / A1M368 / LRV 10

Floors – Safety



Altro Pisces

Application areas:

- bathrooms / showers
- wet environments in social care: home adaptations, social housing
- student accommodation
- saunas / spas
- changing rooms*

*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

For ‘home from home’ environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥50 (Slider 96), a soft-look finish and 16 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slip-resistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.




Starfish | SB2010
WR393 / A1M393 / LRV 21




For full technical details [altro.co.uk](https://www.altro.co.uk)


Floors – Safety




Lighthouse | SB2001
WR291 / A1M01 / LRV 70




Jellyfish | SB2005
WR388 / A1M388 / LRV 46



Porthole | SB2007
WR390 / A1M390 / LRV 30



Anchor | SB2008
WR391 / A1M82 / LRV 16




Houseboat | SB2015
WR398 / A1M398 / LRV 25




Fisherman | SB2009
WR392 / A1M392 / LRV 48




Seahorse | SB2011
WR394 / A1M394 / LRV 47



Windbreak | SB2016
WR399 / A1M399 / LRV 38




Deckchair | SB2013
WR396 / A1M396 / LRV 50



Sea Urchin | SB2014
WR397 / A1M397 / LRV 34



Breakwater | SB2003
WR386 / A1M20 / LRV 42




Cuttlefish | SB2002
WR385 / A1M385 / LRV 50



Shoreline | SB2006
WR389 / A1M389 / LRV 38



Driftwood | SB2004
WR387 / A1M387 / LRV 32



Beach Hut | SB2012
WR395 / A1M395 / LRV 37

Floors – Safety




Altro Marine 20

Application areas:

- foot wash areas at swimming pools

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.



Shark | IPT20812
WR201 / A1M84 / LRV 24



For full technical details altro.co.uk

Floors – Safety




Gull | T20813
WR79 / A1M191 / LRV 46




Cascade | IPT20809
WR105 / A1M01 / LRV 71




Reef | T20801
WR20 / A1M20 / LRV 41




Seagrass | IPT20814
WR137 / A1M137 / LRV 37




Fen | IPT20815
WR242 / A1M242 / LRV 19




Steam | IPT20807
WR85 / A1M85 / LRV 37



Rainfall | IPT20810
WR135 / A1M135 / LRV 43



Marlin | T20811
WR203 / A1M203 / LRV 34



Tide | IPT20808
WR71 / A1M71 / LRV 21

Floors – Safety



Altro Classic 25


Application areas:

- locations where substances like chalk, paint, clay or dirt are present, such as craft, design and technology (CDT) / art rooms and circulation areas

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it’s been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It’s also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥45 and an R11 slip rating.

Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.




Mushroom | X2542R11
WR24 / A1M27 / LRV 32




For full technical details altro.co.uk


Floors – Safety



Truffle | X2545R11
WR153 / A1M239 / LRV 17




Walnut | X2586R11
WR62 / A1M62 / LRV 10




Quarry Red | X2560R11
WR42 / A1M42 / LRV 13




Blackberry | X2547R11
WR100 / A1M100 / LRV 7




Anvil | X2594R11
WR101 / A1M72 / LRV 11




Pewter Grey | X2539R11
WR81 / A1M81 / LRV 26




Whisper | X2548R11
WR354 / A1M84 / LRV 24




Graphite | X2546R11
WR86 / A1M86 / LRV 21



Blue | X2541R11
WR71 / A1M71 / LRV 20



Aster | X2549R11
WR286 / A1M286 / LRV 17



Legend | X2544R11
WR231 / A1M73 / LRV 10

Walls



Altro Tegulis

Application areas:

- hospitality and leisure
- commercial: offices, supermarkets and retail
- education
- student accommodation: kitchens and bathrooms
- healthcare/care homes
- housing: refurbishments, new build, social housing

With numerous colour and tile-effect combinations, Altro Tegulis is perfect for end-users looking to create a stylish, flexible look for walls. Created from 10 standard tile-effect options with multiple colour and design palettes. An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes innovative wall design to a new level.

With the look and feel of tiles, the innovative custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.




Cool Mineral | 9906
LRV 48



For full technical details altro.co.uk

Walls



White | WSR01
LRV 89



White Mineral | 9905
LRV 61



Urban Mineral | 9907
LRV 28



Warm Woodgrain | 9904
LRV 38




Antique Copper | 9912
LRV 9


Tile-effect options




Stacked Metro Tile
AT002075280
75mm x 280mm




Metro Tile
AT001075150
75mm x 150mm



Metro Tile
AT001075280
75mm x 280mm




Metro Tile
AT001100225
100mm x 225mm




Square Tile
AT003100100
100mm x 100mm




Chevron Tile
AT006070200
70mm x 200mm




Herringbone Tile
AT005115230
115mm x 230mm



Hexagon Tile
AT007110125
110mm x 125mm



Mosaic Tile
AT004025025
25mm x 25mm



Mosaic Tile
AT004050050
50mm x 50mm

Walls



Altro Whiterock wall designs

Application areas:

- reception, circulation and cafes within healthcare education and retail
- front of house areas in hotels, restaurants and bars
- bathrooms, showers and changing rooms

Welcome to the new vision in wall decoration – Alto Whiterock wall designs. With natural wood, metal, stone and linen options, it gives an elegance to interior walls while providing the durability you expect from an Alto Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Alto Whiterock sheet, can be hot welded and can be combined with Alto floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Alto Whiterock and Alto Fortis wall sheets in adjacent areas.



Rich Woodgrain | 9902
LRV 14


For full technical details altro.co.uk




Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52




Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



Brushed Steel | 9911
LRV 54



Antique Copper | 9912
LRV 10

Walls




Altro Whiterock White

Application areas:

- kitchens: cold store, cook, chill, food prep
- clinical areas
- clean rooms
- laundries
- mortuaries
- bathrooms
- showers and changing areas

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that’s impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104
LRV 89



For full technical details [altro.co.uk](https://www.altro.co.uk)



Walls



Altro Whiterock Satins


Application areas:

- bathrooms
- showers and changing areas
- operating theatres and wards
- splashbacks
- cooking and food preparation areas
- serveries
- kitchens open to public view

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.



Glow | 215
LRV 50



For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls




Cesco | 53
LRV 71




Ice | 44
LRV 80



Malva | 57
LRV 68



Viola | 214
LRV 13



Zandra | 217
LRV 24



Citron | 56
LRV 80




Oyster | 32
LRV 70



Daybreak | 222
LRV 69




Fawn | 206
LRV 41



Fenland | 219
LRV 13



Linen | 41
LRV 83



Sorbet | 216
LRV 59



Orchard | 223
LRV 50



Olea | 218
LRV 28




Bergamot | 220
LRV 26




Scarlett | 221
LRV 13


Walls




Dakota | 209
LRV 6




Urban | 210
LRV 28




Echo | 208
LRV 43



Flint | 201
LRV 32




Clarity | 207
LRV 64




Ozone | 211
LRV 10



Seafoam | 43
LRV 81



Mint | 203
LRV 62



Promenade | 212
LRV 32



Vibrance | 213
LRV 22



Walls




Altro Whiterock Chameleon

Application areas:

- ‘high end’ bathrooms
- showers and changing areas
- foyers
- serveries
- retail
- splashbacks

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.




Liquorice | 6612V
LRV 5




For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls



Pure Innocence | 6601V
LRV 92



Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Sheer Glass | 6609V
LRV 40



Ocean Deep | 6637
LRV 6



Ice Queen | 6629V
LRV 36




Distant Thunder | 6634
LRV 18




Eau De Chic | 6605V
LRV 48




Key Lime | 6635
LRV 50




Hawaiian Palm | 6638
LRV 22




Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9

Walls



Altro Whiterock Digiclad (Custom)

Application areas:

- feature walls - foyer and reception areas
- wards and bedrooms
- patient rooms
- operating theatres
- recovery rooms
- coffee shops
- care homes
- dementia units

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.



For full technical details altro.co.uk



Walls




Altro Whiterock Imagination Wall

Application areas:

- doctor's office
- hospitals
- classrooms and nurseries
- activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.




Space | WIM001

Walls



Dinosaurs | WIM002



Shapes | WIM003



Underwater | WIM004



Aeroplanes | WIM005



Pirates | WIM006



For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls




Altro Whiterock Whiteboard

Application areas:

- meeting rooms
- staff rooms
- classrooms
- GP surgeries
- operating theatres
- nurses' stations
- waiting rooms
- wards
- indoor play areas

New to the Altro Whiterock collection is this flexible and versatile wall mounted note board: Altro Whiterock Whiteboard! It's ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001
LRV 89

For full technical details [altro.co.uk](https://www.altro.co.uk)



Walls



Altro Walls ShowerKit


Application areas:

- wet environments
- showers
- bathrooms and ensuites

Altro Walls ShowerKit: a pre-packaged Altro Whiterock wall cladding system that is easy to use, even in small areas.

- Perfect for a quick and easy installation
- Adhesive applied straight to a clean wall
- Install over existing prepared surfaces including tiles
- No grout, easy to clean
- Trims and pre-cut sheets for ease of handling and use
- Neat, discreet trims for a smooth, impervious installation
- Impact-resistant

It's the ideal solution for wet environments. It contains all you need to install around a shower tray or a bath including wall sheets, adhesive, silicone sealant and trims.



White | 01
LRV 80

For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls



Linen | 41
LRV 83




Oyster | 32
LRV 70



Ice | 44
LRV 80



Cesco | 53
LRV 71



Echo | 208
LRV 43

Walls



Altro Whiterock recessed shelf

Application areas:

Bathrooms, wet areas and shower rooms in

- social housing
- care homes
- hospitals
- behavioural and mental health facilities

The Altro Whiterock recessed shelf is a pre-fabricated unit, using proven Altro Whiterock hygienic walls sheet. This unit is perfect for making bathing an easier and more familiar experience for residents and patients in social housing and healthcare applications such as mental health facilities and care homes. The Altro Whiterock recessed shelf is recessed into the wall and hot welded flush to adjoining Altro Whiterock wall sheets, ensuring a hygienic solution with no ledges or lips which may cause injury.

Available in four calming colours, this hygienic system provides a watertight, rust-proof shelf for shower toiletries, which is tamper-resistant and free from potential ligature points, helping to keep users safe.




Walls




Linen | A900/41
LRV 83



Oyster | A900/32
LRV 70



Fawn | A900/206
LRV 41



White | A900/103
LRV 89

For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls




Altro Whiterock Splashbacks

Application areas:

- bathrooms
- hydrotherapy
- spas
- changing rooms
- serveries

Hygienic, low-maintenance, convenient and easy to install... no wonder Altro Whiterock Splashbacks are such a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to coordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon and Altro Whiterock wall designs ranges, pick your size, and away you go.




Ice Queen | 6629V
LRV 36


For full technical details [altro.co.uk](https://www.altro.co.uk)




Walls




Pure Innocence | 6601V
LRV 92




Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Ocean Deep | 6637
LRV 6




Liquorice | 6612V
LRV 5



Distant Thunder | 6634
LRV 18




Sheer Glass | 6609V
LRV 40



Eau De Chic | 6605V
LRV 48




Key Lime | 6635
LRV 50




Hawaiian Palm | 6638
LRV 22



Taxi Cab | 6636
LRV 58




Moulin Rouge | 6618V
LRV 12



Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15




Feng Shui | 6617V
LRV 9




Citron | 56
LRV 80




Oyster | 32
LRV 70



Daybreak | 222
LRV 69




Fawn | 206
LRV 41




Fenland | 219
LRV 13




Linen | 41
LRV 83



Sorbet | 216
LRV 59



Orchard | 223
LRV 50




Olea | 218
LRV 28




Glow | 215
LRV 50

Walls




Dakota | 209
LRV 6



Urban | 210
LRV 28




Echo | 208
LRV 43



Flint | 201
LRV 32



Clarity | 207
LRV 64



Ozone | 211
LRV 10



Seafoam | 43
LRV 81



Mint | 203
LRV 62



Promenade | 212
LRV 32



Vibrance | 213
LRV 22




Cesco | 53
LRV 71




Ice | 44
LRV 80




Malva | 57
LRV 68




Viola | 214
LRV 13




Zandra | 217
LRV 24



Scarlett | 221
LRV 13



Bergamot | 220
LRV 26




White | W103-W104
LRV 89


Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52



Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48




Urban Mineral | 9907
LRV 28



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14



Brushed Steel | 9911
LRV 54

Walls




Altro Whiterock hand wash station

Application areas:

- hospitals
- community healthcare
- care homes
- commercial kitchens
- hotels
- leisure centres
- changing areas in all sectors

In areas where both surface and hand hygiene are imperative, you can now enjoy a fuss-free installation with the all-new pre-fabricated modular solution: Altro Whiterock hand wash station. HBN 00-10 compliant pre-fabricated modular solution encapsulated in Altro Whiterock wall sheet for hand washing. A choice of four modular configurations pre-thermoformed with no horizontal or vertical joints, complete with all required parts including access panels, taps and basin kit.



Flint | 201
LRV 32




For full technical details [altro.co.uk](https://www.altro.co.uk)


Walls

 White W103-W104 LRV 89	 Cesco 53 LRV 71	 Ice 44 LRV 80	 Malva 57 LRV 68	 Zandra 217 LRV 24
 Citron 56 LRV 80	 Oyster 32 LRV 70	 Daybreak 222 LRV 69	 Fawn 206 LRV 41	 Fenland 219 LRV 13
 Linen 41 LRV 83	 Sorbet 216 LRV 59	 Orchard 223 LRV 50	 Olea 218 LRV 28	 Glow 215 LRV 50
 Seafoam 43 LRV 81	 Mint 203 LRV 62	 Bergamot 220 LRV 26	 Scarlett 221 LRV 13	 Viola 214 LRV 13
 Echo 208 LRV 43	 Clarity 207 LRV 64	 Promenade 212 LRV 32	 Vibrance 213 LRV 22	 Ozone 211 LRV 10


Walls




Urban | 210
LRV 28




Dakota | 209
LRV 6



Pure Innocence | 6601V
LRV 92



Slip Stream | 6611V
LRV 36




Night Fall | 6622V
LRV 15




Sheer Glass | 6609V
LRV 40



Ocean Deep | 6637
LRV 6



Ice Queen | 6629V
LRV 36



Distant Thunder | 6634
LRV 18




Eau De Chic | 6605V
LRV 48




Key Lime | 6635
LRV 50




Hawaiian Palm | 6638
LRV 22



Taxi Cab | 6636
LRV 58



Moulin Rouge | 6618V
LRV 12




Juicy Lucy | 6620V
LRV 20



Shocking Pink | 6616V
LRV 15



Feng Shui | 6617V
LRV 9




Liquorice | 6612V
LRV 5


Walls



Winter Weave | 9909
LRV 58



Autumn Weave | 9910
LRV 43



Summer Weave | 9908
LRV 36



Soft Woodgrain | 9901
LRV 52



Warm Woodgrain | 9904
LRV 38



White Mineral | 9905
LRV 61



Cool Mineral | 9906
LRV 48



Urban Mineral | 9907
LRV 28



Antique Copper | 9912
LRV 10



Rich Woodgrain | 9902
LRV 14



Brushed Steel | 9911
LRV 54

Walls



Altro Fortis Titanium

Application areas:

- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.


Available in 10 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.

** Conditions apply. Please contact us for more information.



Walls




Pearl | FT/41
LRV 83



Almond | FT/32
LRV 70




Tan | FT/206
LRV 41




Mustard | FT/222
LRV 69




Cardinal | FT/221
LRV 13



Battleship | FT/208
LRV 43




Riviera | FT/207
LRV 64



Denim | FT/201
LRV 32



Kingfisher | FT/213
LRV 22



Oxford | FT/211
LRV 10

For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls




Altro Fortis corner protection

Application areas:

- wall corners

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.












Battleship | FT/208
LRV 43



For full technical details [altro.co.uk](https://www.altro.co.uk)

Walls

 Pearl FT/41 LRV 83	 Almond FT/32 LRV 70	 Tan FT/206 LRV 41	 Mustard FT/222 LRV 69	 Cardinal FT/221 LRV 13
 Riviera FT/207 LRV 64	 Denim FT/201 LRV 32	 Oxford FT/211 LRV 10	 Kingfisher FT/213 LRV 22	

Doors



Altro Whiterock hygienic doorsets

Application areas:


- operating theatres
- pharmacies
- kitchens
- corridors
- labs

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Encapsulated with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in Altro Whiterock wall designs or Altro Whiterock Satins, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Flint | 201
LRV 32

For colours see pages 64-65, 68-70.
For full technical details altro.co.uk



Doors



Altro Fortis doorsets


Application areas:

- hospital corridors
- school / university corridors
- lobbies

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41
LRV 83

For colours see pages 92-93.
For full technical details altro.co.uk



Doors



Altro Fortis door protection

Application areas:

- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 10 colours.



Almond | FT/32
LRV 70




For colours see pages 92-93.
For full technical details altro.co.uk



Technical drawings – Floors


Straight laid

D1/03/05



Sit-on cove


D2



Technical drawings – Floors


Set-in cove skirting

D3




Self-coved with cove former and capping seal

D4/03/05



Technical drawings - Floors


Self-coved with cove former and captile strip C8 to wall tiles



D5/03/05


Technical drawings - Floors

Self-coved with cove former to Altro wall system semi-rigid PVCu sheet




D8/03/05

Self-coved with cove former and capping seal C11 over floor tiles



D6/03/05

Self-coved to architrave




D9/03/05

Technical drawings - Floors


Finished to gully angle

D10/03/05



Transition with other floor surfaces


D12/08/05



Technical drawings - Floors


Transition with clamping drain

D13/03/05



Transition with clamping channel


D14/03/05



Technical drawings - Floors


Transition with access covers

D16/03/05




Technical drawings - Walls

Altro wall system to window / door frame detail




Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail




Technical drawings - Walls

Altro wall system to boxing inspection cover detail




Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail



Technical drawings - Walls


Altro wall system to Altro resilient flooring overlap detail

WF4a



Altro wall system to Altro resin flooring detail


WF5



Technical drawings - Walls


Altro wall system to Altro resin flooring detail

WF6




Altro wall system with corner protector fixing detail

W8




Technical drawings - Walls

Altro wall sheet to Altro wall sheet detail




Altro wall sheet to Altro Whiterock FlexiJoint detail




Technical drawings - Walls

Altro wall sheet at dado height with Altro FlexiTrim




Concealed transition strip



Technical drawings - Walls


Concealed transition strip

WHTT3



Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs

More information is available on [altro.co.uk](https://www.altro.co.uk)



“We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved.”

Scott Myers,
Managing Director, Pinnacle

Samples

If colour choice is critical, please
request a sample of the material

☎ 01462 707 700

✉ samples@altro.com



altro

Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW

☎ 01462 707 700 ✉ enquiries@altro.com



Altro, Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Walkway, Altro Walkway SD, Altro XpressLay, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Whiteboard, Altro Whiterock Imagination Wall, Altro Whiterock Splashbacks, Altro Walls ShowerKit, Altro Whiterock recessed shelf, Altro Whiterock hand wash station, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2021

altro.co.uk

PROD CAT EN 05/22