

Jidé
100% MADE IN BELGIUM



ECOLOGICAL COMBUSTION



CLOSED COMBUSTION



AUTOMATIC THERMOSTAT



MANUAL THERMOSTAT



WARM AIR OUTLET



POST-COMBUSTION



1 CENTRIFUGAL VENTILATOR



2 CENTRIFUGAL VENTILATORS



4 CENTRIFUGAL VENTILATORS



HANGING VENTILATOR



AIRSTAT



3-SIDED FRAME



4-SIDED FRAME



FRAME NARROW STEEL



SCREEN LOOK



ASHTRAY





DÉCOR PLUS	01
LODGE	07
PURE	13
CORNER	19
NORDIC PLUS / NORDIC	23
HOUSINGS	29
AQUA AIR FLOW	39
MODUL-ART : WOOD STOVE	43
TAILOR-MADE	50
PLANS	51
ACCESSORIES	60

THE EXPERIENCE OF PURE FIRE

As a stove manufacturer, Jidé is unique in Belgium. This is because of its advanced combustion technologies and an eye for design, but also because Jidé stoves are entirely manufactured in Belgium.

Made in Belgium! Because craftsmanship is our greatest strength.

Producing everything locally means that Jidé can carry out continuous quality checks and guarantee an outstanding service for every customer.

Made in Belgium! So that you the customer can trust us completely.

At Jidé, we know that a wood stove does more than just heat the space. People have been using wood as a fuel since the beginning of time, and there is still no more pleasant warmth today. A wood fire crackles, a wood fire has an evocative smell, a wood fire creates an atmosphere, a wood fire makes your home cosy.

All our designs are therefore carefully balanced to bring out the full experience of the fire. Large glass panels and functional lines really accentuate the blazing wood.

Stylish to look at, easy to use, efficient combustion and a guaranteed quality brand ... that's what Jidé stands for.





ECOLOGICAL COMBUSTION

We are always looking to the future at Jidé. We're constantly searching for new combustion technologies that will help to get the most out of your stove.

Because Jidé's carries out all its production in Belgium, we can instantly put new designs and systems into practice to test them. "Made in Belgium" is our greatest strength!

The stoves below are the latest results from our investments in innovation. In addition to a primary and a secondary one combustion process, these stoves also have a tertiary process. An additional air intake ensures optimal wood combustion. Not only does this tertiary heat noticeably increase efficiency, but it also ensures that hardly any hazardous substances are emitted.

In addition, the glass panes are kept clean because, as a result of the improved combustion and also thanks to the integrated airwash system, less ash is produced. This system draws in cold air from outside and uses it to clean the inside of the glass.

The advantages are huge: more heat with less wood, practically neutral environmental impact, and self-cleaning glass panels, to name just a few. These stoves are enormously popular in both new-build and renovation projects.

Décor Plus 77





DÉCOR_{PLUS}

100% MADE IN BELGIUM

The Decor Plus exceeds all expectations for warmth. This wood stove reinvents ambiance and innovates radiance.

The Decor Plus range has been designed specifically for modern homes. For the supply of combustion air, the unit can be connected to the cellar or the crawl space, or if this is not possible, the Decor Plus can draw in air from the room.

It is also possible to equip it with two to four (with double-sided stoves) convection channels for the warm air. The Decor Plus is therefore perfectly suited for energy-efficient houses. The Decor Plus has a fan fitted underneath.

We can best describe Decor Plus' design as vibrant, progressive and contemporary. The screen-printed glass and the standard finish with a 5 mm 'étiré' (stretch) frame give the Decor Plus a particularly distinctive appearance. The existing Decor Plus range includes various dimensions and a double-sided version, however, both the insert and its frame can also be tailored to your requirements.

The Decor Plus, for contemporary warmth.



DÉCOR PLUS 67

DÉCOR PLUS 77

DÉCOR PLUS 16|9

DIMENSIONS INSERT

width 670 mm
height 510 mm
depth 500 mm

width 770 mm
height 510 mm
depth 500 mm

width 1000 mm
height 510 mm
depth 500 mm

DIMENSIONS FRAME 4-sided frame

width 5 mm
total width 670 mm
height 510 mm

width 5 mm
total width 770 mm
height 510 mm

width 5 mm
total width 1000 mm
height 510 mm

DIMENSIONS GLASS

width 531 mm
height 360 mm

width 633 mm
height 360 mm

width 858 mm
height 360 mm

POWER KW

6 ← 9 kw

7 ← 10 kw

10 ← 12 kw

ENERGY EFFICIENCY CLASS

A

A

A

optional frame : 40 mm or 70 mm width

optional frame : 40 mm or 70 mm width

optional frame : 40 mm or 70 mm width

included



optional



Décor Plus 16|9

DÉCOR PLUS 70

DÉCOR PLUS 77 DOUBLE-SIDED

DÉCOR PLUS 16|9 DOUBLE-SIDED

DIMENSIONS INSERT

width 700 mm
height 700 mm
depth 500 mm

width 770 mm
height 510 mm
depth 585 mm

width 1000 mm
height 510 mm
depth 585 mm

DIMENSIONS FRAME 4-sided frame

width 5 mm
total width 700 mm
height 700 mm

width 5 mm
total width 770 mm
height 510 mm

width 5 mm
total width 1000 mm
height 510 mm

DIMENSIONS GLASS

width 552 mm
height 552 mm

width 633 mm
height 360 mm

width 858 mm
height 360 mm

POWER KW

7 ← 10 kw

15 ← 19 kw

15 ← 19 kw

ENERGY EFFICIENCY CLASS

A

A+

A+

Optional frame : 40 mm or 70 mm width

Optional frame : 40 mm or 70 mm width

Optional frame : 40 mm or 70 mm width

included



optional



Décor Plus 77







LODGE

100% MADE IN BELGIUM

With the LODGE, go back to the authenticity of an open fire.

Behind a refined and timeless design, the LODGE gives an optimal performance up to 80 % thanks to a new combustion and an accurate setting.

Competitive as a side-door fireplace, the LODGE has its own features, a pretty flame regulation, an external air connection and an airtight glass.

Open or closed, the LODGE invites you to spend lovely moments by the fire!



Lodge 16|9

LODGE 77

LODGE 16|9

DIMENSIONS INSERT

width 885 mm
height 1151 mm
depth 490 mm

DIMENSIONS FRAME TO CHOOSE

width 4 mm
width 10 mm
width folded 40 mm

DIMENSIONS GLASS

width 628 mm
height 304 mm

POWER KW

10 ← 12 kw

ENERGY EFFICIENCY CLASS

A+

Lift door

included



optional





Lodge 16|9

LODGE 16|9 XL

LODGE 70

DIMENSIONS INSERT

width 1115 mm
height 1549 mm
depth 490 mm

DIMENSIONS FRAME TO CHOOSE

width 4 mm
width 10 mm
width folded 40 mm

DIMENSIONS GLASS

width 858 mm
height 503 mm

POWER KW

12 ← 14 kw

ENERGY EFFICIENCY CLASS

A+

Lift door

width 815 mm
height 1551 mm
depth 490 mm

width 4 mm
width 10 mm
width folded 40 mm

width 559 mm
height 503 mm

9 ← 12 kw

A+

Lift door

included



optional



Lodge 16|9 XL

OPTIONAL



FRAME | THICKNESS 4 MM
| DEPTH 55 MM OR 100 MM



FRAME | THICKNESS 10 MM
| DEPTH 55 MM OR 100 MM




FOLDED FRAME | THICKNESS 40 MM
| DEPTH 55 MM





Pure 16|9 screen option



PURE

100% MADE IN BELGIUM

With Pure, Jidé comes closer than ever to the purity of a wood fire. Fire as the warm heart of your living space.

The Pure returns to the essence of a stove: burning wood. A minimalist design and large glass panels really put the fire centre stage. The natural smell, the pleasant crackling, the agreeable warmth ... with its genuine design, the Pure speaks to all your senses.

Thanks to its streamlined design, the Pure is also easy to install and equally easy to use. The Pure is an intelligent stove, its integrated thermostat automatically actually searches for the optimal combustion. But you also have the choice of a hand-controlled air-intake, and screenprinted glass is an option, too.

With Pure, you choose a unique experience of a wood fire.



Pure 67

PURE 58

PURE 67

PURE 77

DIMENSIONS INSERT

width 580 mm
height 470 mm
depth 420 mm

width 670 mm
height 510 mm
depth 420 mm

width 770 mm
height 510 mm
depth 420 mm

DIMENSIONS FRAME

3-sided frame

width 40 mm
total width 652 mm
height 510 mm

width 40 mm
total width 742 mm
height 547,5 mm

width 40 mm
total width 842 mm
height 547,5 mm

4-sided frame

total width 652 mm
height 540,5 mm

total width 742 mm
height 580,5 mm

total width 842 mm
height 580,5 mm

DIMENSIONS GLASS

width 432 mm
height 284 mm

width 522 mm
height 324 mm

width 622 mm
height 324 mm

POWER KW

6 ← 8 kw

8 ← 10 kw

9 ← 11 kw

ENERGY EFFICIENCY CLASS

A+

A+

A+

(only one ventilator)

included
Full automatic




optional
Full automatic



Manual



Manuel



+ = the astat is always included with the ventilator on the Pure



Pure 16|9 screen option

PURE 77 XL

PURE 16|9

PURE 70

DIMENSIONS INSERT

width 770 mm
height 600 mm
depth 450 mm

width 1000 mm
height 510 mm
depth 470 mm

width 700 mm
height 700 mm
depth 470 mm

DIMENSIONS FRAME

3-sided frame

width 40 mm
total width 842 mm
height 637 mm
total width 842 mm
height 671 mm

width 40 mm
total width 1072 mm
height 547,5 mm
total width 1072 mm
height 580,5 mm

width 40 mm
total width 772 mm
height 738 mm
total width 772 mm
height 772 mm

4-sided frame

DIMENSIONS GLASS

width 616 mm
height 404 mm

width 852 mm
height 324 mm

width 580 mm
height 566 mm

POWER KW

11 ← 13 kw

11 ← 13 kw

9 ← 11 kw

ENERGY EFFICIENCY CLASS

A+

A+

A+

included
Full automatic



optional
Full automatic



Manual



Manual




+ = the airstat is always included with the ventilator on the Pure

OPTIONAL



FRAME | NARROW STEEL 10 MM
| DEPTH 55 MM (FOTO) OR 20 MM



INSIDE | VERMICULITE PAINTED IN BLACK



Pure 70 screen option



Corner 77 L



CORNER

100% MADE IN BELGIUM

Jidé created the Corner to keep answering the best of our customers needs.

This corner fireplace with a folded glass gives a panoramic view on the flames. The elegant device fits as well in an existing chimney as in a new house.

Provided with an external air connection, the Corner is a sealed device offering an ecological combustion. Your left or right corner will be dressed with an efficient fireplace having a performance of 80 % and a modern design with a screen printed glass and minimalist lines.

You will be seduced by its warmth, its effective combustion and its modern look.

Corner is in energy efficiency class A+.

The Corner, for a unique view of the fire and a modern elegance.



Corner 77 R

CORNER 77 RIGHT

CORNER 77 LEFT

DIMENSIONS INSERT

width 772 mm
height 513 mm
depth 450 mm

width 772 mm
height 513 mm
depth 450 mm

DIMENSIONS FRAME

4-sided frame

width 40 mm
total width 820 mm
height 547 mm

width 40 mm
total width 820 mm
height 547 mm

6-sided frame

total width 820 mm
height 582 mm

total width 820 mm
height 582 mm

DIMENSIONS GLASS

width 686 mm + 268 mm
height 296 mm

width 268 mm + 686 mm
height 296 mm

POWER KW

10 ← 12 kw

10 ← 12 kw

ENERGY EFFICIENCY CLASS


A+

A+

included



optional



FOLDED GLASS CORNER



Corner 77 L





NORDIC^{PLUS}

100% MADE IN BELGIUM

The Nordic Plus is a powerful stove with a modest character. But its heat radiation is as dynamic as its looks are humble.

With its simple but modern design and availability in various sizes, the Nordic is an unit that fits into every interior. Whether you live in a country villa or an apartment in the city, the Nordic envelops your home in an agreeable warmth. So that you can achieve your ideal temperature, the Nordic is equipped with an automatic thermostat and a speed control for the fan (integrated or underneath).

Within the Nordic range, Jidé make a distinction between the Nordic and the Nordic Plus. The difference is a technical one. The Nordic Plus has the option of an external air connection. The unit can therefore draw combustion air in from the cellar / crawlspace, or simply from the room.

Just like its manufacturer Jidé, the Nordic stands for efficiency, authenticity and reliability.



Nordic Plus 56/75

NORDIC PLUS 58|54

NORDIC PLUS 67|60

NORDIC PLUS 77|60

DIMENSIONS INSERT

width 580 mm
height 540 mm
depth 420 mm

width 670 mm
height 600 mm
depth 420 mm

width 770 mm
height 600 mm
depth 490 mm

DIMENSIONS FRAME

3-sided frame

width 40 mm
total width 650 mm
height 571 mm

width 40 mm
total width 740 mm
height 632 mm

width 40 mm
total width 840 mm
height 632 mm

4-sided frame

total width 650 mm
height 610 mm

total width 740 mm
height 670 mm

total width 840 mm
height 670 mm

DIMENSIONS GLASS

width 443 mm
height 300 mm

width 531 mm
height 360 mm

width 633 mm
height 360 mm

POWER KW

7 ← 9 kw

8 ← 10 kw

10 ← 14 kw

ENERGY EFFICIENCY CLASS

A+

A+

A+


included



optional



Nordic Plus 16|9



NORDIC PLUS 77|60

DOUBLE-SIDED

NORDIC PLUS 16|9

NORDIC PLUS 16|9

DOUBLE-SIDED

DIMENSIONS INSERT	width 770 mm height 600 mm depth 570 mm	width 1000 mm height 600 mm depth 490 mm	width 1000 mm height 600 mm depth 570 mm
DIMENSIONS FRAME			
3-sided frame	width 40 mm total width 840 mm height 632 mm	width 40 mm total width 1070 mm height 632 mm	width 40 mm total width 1070 mm height 632 mm
4-sided frame	total width 840 mm height 670 mm	total width 1070 mm height 670 mm	total width 1070 mm height 670 mm
DIMENSIONS GLASS	width 533 mm height 360 mm	width 858 mm height 360 mm	width 860 mm height 360 mm
POWER KW	15 ← 19 kw	14 ← 18 kw	15 ← 19 kw
ENERGY EFFICIENCY CLASS	A+	A+	A+

[4 ventilators]

included



optional



[4 ventilators]

NORDIC PLUS 56|75

DIMENSIONS INSERT

width 560 mm
height 750 mm
depth 490 mm

DIMENSIONS FRAME

3-sided frame

width 40 mm
total width 630 mm
height 781 mm

4-sided frame

total width 630 mm
height 820 mm

DIMENSIONS GLASS

width 410 mm
height 505 mm

POWER KW

8 ← 10 kw

ENERGY EFFICIENCY CLASS

A+

included



optional



NORDIC 77|56

NORDIC 70

NORDIC 42|54

NORDIC 46|88

DIMENSIONS INSERT

width 770 mm
height 560 mm
depth 490 mm

width 700 mm
height 700 mm
depth 490 mm

width 420 mm
height 540 mm
depth 430 mm

width 460 mm
height 880 mm
depth 490 mm

DIMENSIONS FRAME

3-sided frame

width 40 mm
total width 840 mm
height 595 mm

width 40 mm
total width 770 mm
height 735 mm

width 20 mm
total width 460 mm
height 557 mm

width 40 mm
total width 530 mm
height 911 mm

4-sided frame

total width 840 mm
height 630 mm

total width 770 mm
height 770 mm

total width 460 mm
height 580 mm

total width 530 mm
height 950 mm

DIMENSIONS GLASS

width 633 mm
height 360 mm

width 561 mm
height 487 mm

width 290 mm
height 531 mm

width 310 mm
height 635 mm

POWER KW

10 ← 14 kw

10 ← 14 kw

5 ← 6 kw

6 ← 7 kw

ENERGY EFFICIENCY CLASS

A

A

A+

A

(built-in ventilation)

included



optional





Housing free setup 5mm
Pure 77 screen option



HOUSINGS

100% MADE IN BELGIUM

A philosophy behind design: fire comes before shape. No matter the model or design, you get perfect control of combustion.

However, it does not mean that appearance comes after. **A fireplace is not only a heating, but also a furniture.** It has to make your home cosy, intimate and relaxing ... Jidé creates fireplaces for each house, based on this philosophy.

Jidé also manufactures free-standing stoves. These can be stood against a wall, be free-standing in the living room, or be suspended from a wall and/or raised up on a plinth. For an elegant finish, Jidé provides these stoves with a steel housing.

Beside aesthetic added-value, this housing also has a thermal effect and a safety function: it makes it impossible to touch the hot steel plate. If you prefer a minimalist design, Jidé can make this housing as little as 5 mm thick. Please note, however, that the housing loses its thermal function at this thickness. The housing is available in anthracite and chocolate brown.

The housing, for a personalized accomodation.

FREE STANDING (HOUSING 5 MM) BUILT-IN VENTILATION

available for following models:

PURE 67

Dimensions (wxhxd): 680 mm x 970 mm x 435 mm p. 15

PURE 77

Dimensions (wxhxd): 780 mm x 970 mm x 435 mm p. 15

PURE 16|9

Dimensions (wxhxd): 1010 mm x 970 mm x 485 mm p. 16

DÉCOR PLUS 67

Dimensions (wxhxd): 680 mm x 970 mm x 510 mm p. 3

DÉCOR PLUS 77

Dimensions (wxhxd): 780 mm x 970 mm x 510 mm p. 3

DÉCOR PLUS 16|9

Dimensions (wxhxd): 1010 mm x 970 mm x 510 mm p. 3

Housing free standing 5mm
Pure 77 screen option

FREE STANDING DOUBLE-SIDED (HOUSING 5 MM) BUILT-IN VENTILATION

available for following models:

DÉCOR PLUS 77 DS

Dimensions (wxhxd): 780 mm x 970 mm x 580 mm p. 4

DÉCOR PLUS 16|9 DS

Dimensions (wxhxd): 1010 mm x 970 mm x 580 mm p. 4

Housing free standing double-sided 5mm
Décor Plus 16|9 DS

Plans available on our website: www.jide.be/en



FREE SETUP (HOUSING 5 MM) BUILT-IN VENTILATION

available for following models:

PURE 67

Dimensions (wxhxd): 680 mm x 520 mm x 435 mm p. 15

PURE 77

Dimensions (wxhxd): 780 mm x 520 mm x 435 mm p. 15

PURE 16|9

Dimensions (wxhxd): 1010 mm x 520 mm x 485 mm p. 16

Housing free setup 5mm
Pure 67 screen option



Housing suspended 5 mm
Pure 77 screen option

SUSPENDED (HOUSING 5 MM) BUILT-IN VENTILATION

available for following models:

PURE 67

Dimensions (wxhxd): 680 mm x 520 mm x 498 mm p. 15

PURE 77

Dimensions (wxhxd): 780 mm x 520 mm x 498 mm p. 15

PURE 16|9

Dimensions (wxhxd): 1010 mm x 520 mm x 548 mm p. 16

FREE STANDING (HOUSING 25 MM) BUILT-IN VENTILATION

available for following models:

NORDIC PLUS 67


Dimensions (wxhxd): 720 mm x 1000 mm x 505 mm p. 25

NORDIC PLUS 77

Dimensions (wxhxd): 820 mm x 1070 mm x 570 mm p. 25

NORDIC PLUS 16|9

Dimensions (wxhxd): 1050 mm x 970 mm x 570 mm p. 26



Housing free standing 25 mm
Nordic Plus 77



Housing free setup 25 mm
Nordic 77 DS

FREE STANDING DOUBLE-SIDED (HOUSING 25 MM) BUILT-IN VENTILATION

available for following models:

NORDIC PLUS 77 DS

Dimensions (wxhxd): 820 mm x 1070 mm x 575 mm p. 26

NORDIC PLUS 16|9 DS

Dimensions (wxhxd): 1050 mm x 970 mm x 575 mm p. 26

FREE SETUP DOUBLE-SIDED (HOUSING 25 MM) BUILT-IN VENTILATION

available for following models:

NORDIC PLUS 77 DS

Dimensions (wxhxd): 820 mm x 650 mm x 575 mm p. 26

NORDIC PLUS 16|9 DS

Dimensions (wxhxd): 1050 mm x 650 mm x 575 mm p. 26



FREE SETUP (HOUSING 25 MM) BUILT-IN VENTILATION

available for following models:

NORDIC PLUS 67

Dimensions (wxhxd): 720 mm x 650 mm x 510 mm p. 25

NORDIC PLUS 77

Dimensions (wxhxd): 820 mm x 650 mm x 570 mm p. 25

NORDIC PLUS 16|9

Dimensions (wxhxd): 1050 mm x 650 mm x 570 mm p. 26

Housing free setup 25 mm
Nordic Plus 67



Housing suspended 25 mm
Nordic Plus 77

SUSPENDED (HOUSING 25 MM) BUILT-IN VENTILATION

available for following models:

NORDIC PLUS 67

Dimensions (wxhxd): 720 mm x 650 mm x 542 mm p. 25

NORDIC PLUS 77

Dimensions (wxhxd): 820 mm x 650 mm x 594 mm p. 25

NORDIC PLUS 16|9

Dimensions (wxhxd): 1050 mm x 650 mm x 594 mm p. 26



Aqua Air Flow 77 built-in



AQUA AIR FLOW

100% MADE IN BELGIUM

The Aqua Air Flow is a revolutionary “hydro” stove. It is able to transmit its heat energy to the building’s central heating system. Jidé has its own patented system for this.

The following arrangement is not improbable: you want to have a woodburning stove in the living room, but central heating in the bedrooms and bathroom. You may think that this means two kinds of heating. But not with the Aqua Air Flow, because this stove transfers the heat from the wood fire to the boiler’s water circuit. With Aqua Air FlowAs, you can therefore warm the whole house and have hot water. This is good for your wallet, too, because you save on gas or heating oil and electricity.

The Aqua Air Flow is different from other hydro stoves, in that the water never comes directly into contact with the stove’s combustion chamber. The water is heated by hot air in an air/water exchanger. The heat can be adjusted much more easily this way, and it’s impossible for the water to overheat.

The Aqua Air Flow combines comfort with high-tech efficiency.



Aqua Air Flow 77 free standing

AQUA AIR FLOW 67 FREE STANDING

AQUA AIR FLOW 77 FREE STANDING

DIMENSIONS INSERT

width 736 mm
height 1250 mm
depth 525 mm

width 836 mm
height 1250 mm
depth 525 mm

DIMENSIONS GLASS

width 531 mm
height 360 mm

width 633 mm
height 360 mm

POWER KW

8 ← 10 kw

12 ← 15 kw

ENERGY EFFICIENCY CLASS

A

A

included



AQUA AIR FLOW 67

BUILT-IN

width 766 mm
height 1262 mm
depth 525 mm

width 531 mm
height 360 mm

8 ← 10 kw
A

AQUA AIR FLOW 77

BUILT-IN

width 866 mm
height 1262 mm
depth 525 mm

width 633 mm
height 360 mm

12 ← 15 kw
A



Aqua Air Flow 77 built-in



Modul-Art 16|9 woodbox screen option



MODUL-ART

100% MADE IN BELGIUM

With MODUL-ART range, Jidé let your imagination decide...

The airtight stove without ventilation has an external air connection and is environment-friendly!

Combining wood and design, MODUL-ART allows you to create the look which will suit your fireplace up, thanks to the WOOD BOX.

Adjustable, the WOOD BOX can be placed on the left side, right side or on the bottom of the stove, giving the shape and the convenience you wish.

With MODUL-ART, you choose!

MODUL-ART 67

MODUL-ART 77

MODUL-ART 16|9

DIMENSIONS INSERT

width 680 mm
height 525 mm
depth 435 mm

width 780 mm
height 525 mm
depth 435 mm

width 1010 mm
height 525 mm
depth 485 mm

DIMENSIONS GLASS

width 522 mm
height 324 mm

width 622 mm
height 324 mm

width 852 mm
height 324 mm

POWER KW

8 < 10 kw

9 < 11 kw

11 < 13 kw

ENERGY EFFICIENCY CLASS

A+

A+

A+

included



optional



LATERAL WOODBOX 67 | 77 | 16/9 OPTION



Modul-Art 16|9 screen option

MODUL-ART 67

WOODBBOX

MODUL-ART 77

WOODBBOX

MODUL-ART 16|9

WOODBBOX

DIMENSIONS INSERT

width 680 mm
height 970 mm
depth 435 mm

width 780 mm
height 970 mm
depth 435 mm

width 1010 mm
height 970 mm
depth 485 mm

DIMENSIONS GLASS

width 522 mm
height 324 mm

width 622 mm
height 324 mm

width 852 mm
height 324 mm

POWER KW

ENERGY EFFICIENCY CLASS

8 ← 10 kw
A+

9 ← 11 kw
A+

11 ← 13 kw
A+

included



optional



BACK OR TOP OUTLET
COMBUSTION AIR INTAKE
AT THE BACK OR BELOW



Modul-Art Woodbox 16|9 screen option



Décor Plus 1619 DS





Décor Plus 1619



Free standing
Décor Plus 77



Aqua Air Flow 67 built-in



Décor Plus 1619 DS

TAILOR-MADE



100% MADE IN BELGIUM

Is the space limited? Do our standard sizes not fit in your home? Is your fireplace a non-standard size? Or would you like something special in your interior? Jidé will design a bespoke stove for you. After all, “Made in Belgium” also means that Jidé can be flexible.

Jidé always places the highest quality standards on itself, even for bespoke work. Just as for all the other Jidé stoves, bespoke work is a combination of high-quality materials, modern technologies and craftsmanship.


This starts with our engineers determining the project’s possibilities and feasibility – Jidé takes no risks with fire. Safety must be guaranteed: we make no compromises in this.

Tailor-made, the solution for specific accommodations!




DÉCOR PLUS PLANS


DÉCOR PLUS 67




DÉCOR PLUS 77







DÉCOR PLUS 16|9







DÉCOR PLUS 70



FRONT




TOP



SIDE


DÉCOR PLUS DF PLANS

DÉCOR PLUS 77 DS DÉCOR PLUS 16|9 DS




LODGE PLANS

LODGE 77 LODGE 16|9 LODGE 16|9 XL LODGE 70




PURE PLANS


PURE 58




PURE 67




PURE 77




PURE 77 XL









PURE 16|9









PURE 70









FRONT



TOP




BACK






BOTTOM

CORNER PLANS



CORNER 77 RIGHT





CORNER 77 LEFT



FRONT




TOP




SIDE

NORDIC PLUS PLANS


NORDIC PLUS 58|54




NORDIC PLUS 67|60







NORDIC PLUS 77|60







NORDIC PLUS 77|60 DS







FRONT



TOP



BACK






BOTTOM

NORDIC PLUS PLANS




NORDIC PLUS 16|9

NORDIC PLUS 16|9 DS




NORDIC PLUS 56|75






FRONT



TOP




BACK




BOTTOM

NORDIC PLANS


NORDIC 46|88




NORDIC 77|56







NORDIC 70







NORDIC 42|54



FRONT




TOP




SIDE

AQUA AIR FLOW PLANS


AQUA AIR FLOW 67
FREE STANDING




AQUA AIR FLOW 77
FREE STANDING







AQUA AIR FLOW 67
BUILT-IN







AQUA AIR FLOW 77
BUILT-IN



FRONT




TOP



BACK

MODUL-ART PLANS

MODUL-ART 67 MODUL-ART 77 MODUL-ART 16|9 MODUL-ART 67 WOODBOX MODUL-ART 77 WOODBOX MODUL-ART 16|9 WOODBOX




ACCESSORIES

100% MADE IN BELGIUM



COLOR | ANTHRACITE




COLOR | CHOCOLATE



DIGITAL VENTILATOR WITH
REMOTE CONTROL



5 MM WIDE HOUSING



COMBUSTION AIR CONNECTION



CONVECTION CONNECTION




TAILORED FRAME



VERMICULITE PAINTED BLACK



STEEL DOOR



SCREEN LOOK DOOR



AUTOMATIC REGULATION RT2012



WWW.JIDE.BE/EN

Responsible publisher: Jidé p.l.c.. All text, images and photographs in this brochure correspond to the situation at the time of printing. Jidé p.l.c. reserves the right to modify its products as part of technical development. Jidé p.l.c. can not be held responsible for incorrect information in this catalog.

