


INTRALux Linear

Heavy duty ribbed fibre for proven longevity and durability. An efficient and cost effective solution for a wide range of busy commercial environments.



STRENGTH RATING - MEDIUM



ZONAL OPTION - 2+3



BASIC RANGE OF DESIGN
OPTIONS




WARRANTY - 5 YEARS

SPECIFICATION

Product Reference	INTRALux Linear Polypropylene Sheet Fibre Barrier Matting
Material	1400g/m ² pile weight polypropylene Entrance Matting
Installation	With surface of mat level with adjoining floor coverings Surface mounted with low profile ramped edging trim
Location	Internal areas
Construction	Latex backing with Polypropylene Ribbed Fibre
Weight	3.0kg/m ²
Depth	10mm
Roll Size	15m x 2m

PROFILE




- A 2mm
- B 8mm
- 1 PVC Backing
- 2 Fibre Pile
- 3 Subfloor

For full specification details request our INTRALux sample folder

COLOURS



443 Anthracite



451 Grey




THE ITALIAN

cit



INTRALux Rib
INTRALux Linear



- 1. Gallery
- 2. Commercial Offices

INTRAS.
SYSTEMS

14 HEADLANDS BUSINESS PARK, SALISBURY ROAD, BLASHFORD, RINGWOOD, BH24 3PB
01425 472000 WWW.INTRASYSTEMS.CO.UK