



WEMICO

Welcomes

WEMICO Est 1984



Company Background

- ❖ WEMICO is a specialist metal fabrications company established in 1984.
- ❖ Part of the Protektor group of companies established in 1903.
- ❖ Market leaders in the supply of metal and pvc beads for the External and Internal render markets.
- ❖ The UK division employs over 90 staff.
- ❖ Home of the *Artisan*[®] and **Promethean**[®] range of Architectural products and finishes.
- ❖ ISO 9001 quality accredited.
- ❖ Over 36 years experience in fabrications.
- ❖ Almost ¼ million square feet of manufacturing offices and storage facility across 3 adjacent sites.





Company Identity


- ❖ A Supply chain partner to rely on.
- ❖ Dedicated manufacturing partner rather than just a supplier.
- ❖ Passionate about design and functionality
- ❖ Driven by Innovation and quality
- ❖ Our quality creates sustainability.
- ❖ UK supply chain and material sourcing.
- ❖ Always manufactured in the UK



Fabrication Capabilities

- ❖ Multi substrate fabrication including Aluminium, Stainless steel, Mild steel, Copper, Zinc etc.
- ❖ Laser cutting to 10mm thickness in Aluminium, 8mm in stainless steel and 20mm in mild steel
- ❖ Brake pressing from 0.4mm to 10mm all metals
- ❖ Welding of Aluminium, Stainless, mild steel, copper, brass, bronze.
- ❖ Punching from 0.4mm all metals to 6mm (Aluminium) / 3mm (S/S) / 4mm (mild steel)
- ❖ CAD design in 2D and 3D formats






Organic coatings

- ❖ Bespoke powder coatings (All thicknesses of metal)
- ❖ Multi layer precoated metals (up to 2mm)
- ❖ RAL, BS, NCS colour systems all available
- ❖ Anodising
- ❖ Coating Warranties up to 40 years
- ❖ Advice given on coatings as per BS EN 12944-2 (corrosivity table)
- ❖ Coatings supplied to Qualicoat standards
- ❖ Coatings comply with latest A1 and A2 fire standards and can be used above 18 metres.
- ❖ All Wemico fabricated metal products classed as non – combustible.


| Examples of typical environments in a temperate climate (informative only) | | | |
|--|--|--|--|
| Corrosivity category and risk | Low - carbon steel thickness loss (um) | Exterior | Interior |
| C1 Very Low | <1.3 | | Heated building with clean atmosphere, e.g offices, Shops, Schools, Hotels |
| C2 Low | >1.3 to 25 | Atmosphere with low levels of pollution, mostly rural areas, | Unheated buildings where condensation may occur, eg. Depot, sports halls |
| C3 Medium | >25 to 50 | Urban and Industrial atmosphere, moderate sulphur dioxide pollution coastal area with low salinity | production rooms with high humidity and some air pollution. Eg. Food processing plants, laundries, breweries, dairies. |
| C4 High | >50 to 80 | Industrial areas and coastal areas with moderate salinity | Chemical plants, swimming pools, coastal, ships and boatyards |
| C5 - I Very High (Industrial) | >80 to 200 | Industrial areas with high humidity and aggressive atmospheres | Buildings or areas with almost permanent condensation and high pollution |
| C5 - M Very High (Marine) | >80 to 200 | Coastal and offshore areas with high salinity | Buildings or areas with almost permanent condensation and high pollution |



Artisan[®]


Architectural Products

- ❖ A High quality range of metal products for use in construction.
- ❖ Wall cladding panels and planks.
- ❖ Perforated screens.
- ❖ Soffit panels.
- ❖ Column casings.
- ❖ Gutters.
- ❖ Bullnoses.
- ❖ Fascias.



Artisan[®]
Architectural Products

- ❖ Louvres.
- ❖ Window pods.
- ❖ Custom Profiles.
- ❖ Cappings.





Artisan[®]
Architectural Products

- ❖ Custom Fabrications
- ❖ Special Dye diffusion imaging products in Aluminium



Promethean[®]
Imaged Aluminium





Project Gallery




Project Gallery




Project Gallery



Project Gallery



Project Gallery



Thank you
any questions?