





Part of the COBA Group

Flooring Profiles

For Stone and Ceramic Floors
Product Catalogue 2023









Part of the COBA Group

Why C.A.T?

C.A.T. are manufacturers of the highest quality flooring profiles, stair nosings and stair rods. We have been designing and manufacturing these profiles for more than 35 years and were responsible for many design firsts in the accessory manufacturing industry, such as trims that can be curved on site, chrome-plated brass profiles, and antique finishes. In this compressed product catalogue are a range of our flooring profiles that are suitable for use with Stone and Ceramic Flooring.

C.A.T. offer profiles in various metal finishes including brass, aluminium and stainless steel. Our profiles are installed in all types of projects from residential to commercial buildings. Theatres, restaurants, high street stores, office buildings, iconic landmarks, and palaces are a few examples of where C.A.T. profiles are installed.

As NBS Source Partners and as members of the RIBA CPD Providers Network, C.A.T. is committed to working with the industry to ensure that the right products are specified and best practice is followed.








Contents

	Page
Delivery Information	4
Recycling & Sustainability	5
C.A.T. Brands	6
Finishes	7
Angles & Tag Trim™ Formable Angles Aluminium Brass Stainless Steel PVC Cap	8 -15 17 - 26 27 - 32 33 - 37
Reflex™ Expansion Profiles	38 - 41
Stick-Fix™ Profiles	43
Vertex [™] Corner Protection	44 - 46
Metal Inlay Strips	47 - 50
Index	51

Example: Brass Metal Inlay Strips







Delivery Information

5			Service	
Destination	Free Carriage Minimum Order	Charge Below Minimum Order	1-2 Days	3 Days
England & Wales	By Quotation	By Quotation	✓	✓
Scottish Lowlands	By Quotation	By Quotation	✓	✓
Scottish Highlands, Northern Ireland, Southern Ireland		By Quotation		
Channel Islands, Isle Of Man		By Quotation		
Rest of the World		By Quotation		



International Shipping

C.A.T. offer a worldwide shipping service. The price for shipping can vary depending on the size, weight and destination for delivery. Please email us full details of your order and we will search the market for the best possible shipping rates.

Deliveries to site can be made upon the Customer's written request. Said request **must include** a site contact name and a contact telephone number, the full site address, including postcode and any other instructions.

Third Party Deliveries, e.g. by Parcel Carrier, Courier, Road Haulier.

The Customer must ensure that there is someone available at the delivery address who is aware that the delivery is due and is ready to receive the goods from the delivering vehicle. This includes for the availability of mechanical handling equipment should it be required.

Third party courier companies will not contact site contacts by mobile phone but will expect to deliver goods to the company who have placed the order or an individual acting on their behalf.

Dedicated Deliveries P.O.A.

Next Day Deliveries - Important Note

If an order for next day delivery is requested by the Customer it is on the clear understanding and agreement that no definite guarantee whatsoever of delivery can be made by the Company or its representative.

Whilst the Company will always endeavour to assist with urgent requirements, it is the responsibility of the Customer to allow adequate time for materials to be delivered given normal conditions. This statement is made in good faith with courier and other related third party involvement having been taken into consideration.

Courier companies that operate a next day service do not guarantee delivery and operate a 1-2 day service as standard. Should a Customer require a dedicated door-to-door urgent delivery for materials, the Company can obtain a quotation for this request and forward it to the Customer for their approval.

Deliveries by C.A.T. Company Vehicle

C.A.T. personnel will not go on to a site and leave the vehicle unattended but will call the site contact by mobile telephone to advise that the delivery is available. The driver will seek to leave the goods with a person on site who is responsible for the acceptance of goods if this is part of the Customers instruction.

IT IS ADVISABLE TO ALWAYS ALLOW SUFFICIENT TIME WHEN PLACING ORDERS, WHETHER FOR DELIVERY TO SITE OR TO THE CUSTOMER'S OWN PREMISES, TO ENSURE THAT GOODS ARE RECEIVED IN ADVANCE OF INSTALLATION DATES.

C.A.T. standard Terms & Conditions of business apply.

Sustainability & Recycling Policy Statement

C.A.T. Ltd. manufacture high-quality, competitively priced flooring finishing trims, stair nosings and wall corner protectors in brass, stainless steel, aluminium and PVC materials.

The metals C.A.T. produce all have a high content of recycled material, typically 90-100% of brass profiles, 30% of aluminium extrusions and 60% of stainless steel.

At the end of their working life, these products are 100% recyclable, and the aluminium, brass and steel material can be reused an infinite number of times. There is usually a monetary value for the scrap.

C.A.T. Spectrum KSP PVC profiles and stair nosing infill finished products contain 30% of recycled material by weight. KB bases are extruded using up to 80% recycled material.

Our commitment to quality ensures that, where C.A.T. trims are used as recommended, they will last longer than inferior products, meaning they require replacement less often. This can lead to reduced project lifetime costs and lessen the impact on the environment.

C.A.T. comply with all relevant environmental legislation and regulations.

Whilst BREEAM and LEED classification does not currently include floor finishing trims, we are determined to engage in the spirit of these schemes and work towards minimising our environmental footprint.

All metal offcuts and waste are sent for recycling.

All paper and cardboard waste is collected for recycling by an approved and licensed operator.

Manufacturing waste from PVC products in our factory is processed and reused in the making of new products.

Wooden crates, in which our raw material is supplied, are broken down and re-used in our packing system wherever possible. Surplus material and pallets are given to local collectors for repurposing or recycling.

All the timber used is FSC certified.

Wherever possible we are reducing the use of plastic packaging materials, however, we will only do this where there is no detriment to ensuring our products are delivered to the quality standard we expect. Alternatives are actively being sought.

C.A.T. are committed to the reduction of waste and improving energy efficiency. Our transport operation is planned to be as efficient as possible and we are constantly monitoring performance.

C.A.T. regularly review our working practices to ensure we are continuing to reduce our environmental impact.



"Did you know aluminium is one of the most sustainable building materials in the world and can be recycled indefinitely without loss of quality?

Aluminium recycling over a year saves enough electrical energy to power The Netherlands for a year. It also saves more than 90 million tonnes of CO2 each year."

C.A.T. Brands

Designer Home Collection™ Stick Fix TM FelineTM Fab TM TimberlineTM Tag Trim™ Mainline TM KliksTM Kliks Slim[™] Kliks Spectrum Zip™ ReflexTM Vertex™ OlympicTM

The Akeman CollectionTM

Finishes

For information on the availability of a finish on a particular product please refer to the relevant product page in this catalogue. Should you require further assistance, please contact the C.A.T. sales office.


Finishes depicted in this catalogue are representative only and are subject to print interpretation. For accurate referencing, please request a sample from the C.A.T. sales office.

In 1999 we pioneered special finishes on brass thresholds in antique and chrome finishes, and in 2016 developed our Designer Home Collection range of special finishes on aluminium profiles, for the residential and light commercial market. For products in our Designer Home Collection finishes, please refere to The Comprehensive CAT Catalogue, or visit our website www.thecatweb.com.

Brass Finishes

Antique Brass and Antique Bronze finishes are a chemically applied process to Brass products and are hand finished with a variance from batch to batch. Antique finishes are not foot traffic - resistant and are designed to create an aged, unpolished effect.







Aluminium Finishes












Aluminium Angles & Tag TrimTM Formable Angles



Angles and Tag Trim[™] Formable Angles



Example B610 in Polished.

General

The Angles section of this guide has angles in Aluminium, Brass, Stainless Steel and PVC.

Angles create a defining line between floor coverings from 4.5mm to 27.5mm in height.

For Straight Runs Standard angles are supplied with pre-punched bases for adhesive fixing.



For Curved Runs

Tag Trim angles have pre-drilled fixing tags at 80mm centres for forming curves on site.




The minimum radius to which Tag Trim™ angles can be formed is depicted with this symbol above which is shown against each angle:






Aluminium Angles For Straights

To create a neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.




A4.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (50	2.715m	6	6
Polished Aluminium (50	2.715m	6	6
Black Anodised	2.715m	6	6




A6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (50)	2.715m	6	6
Polished Aluminium (50)	2.715m	6	6
Black Anodised	2.715m	6	6



Α9


Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium	2.715m	6	6
Polished Aluminium (180	2.715m	6	6
Black Anodised	2.715m	6	6




A13

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (50	2.715m	6	6
Polished Aluminium (150	2.715m	6	6
Black Anodised	2.715m	6	6

Please note that the above finishes are to the top visible edge only. *except Black Anodised. Where the finish is also required on another facet of the profile, please consult with the sales office.













Aluminium Angles For Straights

To create a neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.




A16

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium	2.715m	6	6
Polished Aluminium (SO)	2.715m	6	6
Black Anodised	2.715m	6	6




A19

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium	so 2.715m	6	6
Polished Aluminium	so 2.715m	6	6



A22.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (50	2.715m	6	6
Polished Aluminium (150	2.715m	6	6




A25

Finish Available		Stock Length	Screw Size	Length/Tube
Mill Aluminium		2.715m	6	6
Satin Aluminium	TSO	2.715m	6	6
Polished Aluminium	TSO	2.715m	6	6

Please note that the above finishes are to the top visible edge only*except Black Anodised. Where the finish is also required on another facet of the profile, please consult with the sales office.















Tag Trim[™] Formable Aluminium Angles For Curves





This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


3mm wide feature for transition and definition between floorings

TTA4.5

TTA4.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (150	2.715m	6	6
Polished Aluminium (150	2.715m	6	6
Black Anodised	2.715m	6	6


TTA6.5



TTA6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (50)	2.715m	6	6
Polished Aluminium (50)	2.715m	6	6
Black Anodised	2.715m	6	6


TTA9



TTA9

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium TSO	2.715m	6	6
Polished Aluminium (50	2.715m	6	6
Black Anodised	2.715m	6	6

TTA13




TTA13

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (SO)	2.715m	6	6
Polished Aluminium (50)	2.715m	6	6
Black Anodised	2.715m	6	6

Please note that the above finishes are to the top visible edge only *except Black Anodised. Where the finish is also required on another facet of the profile, please consult with the sales office.
















Tag Trim[™] Formable Aluminium **Angles For Curves**





3mm wide feature for transition and definition between floorings This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


TTA16



TTA16

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium (150	2.715m	6	6
Polished Aluminium (50	2.715m	6	6
Black Anodised	2.715m	6	6


TTA19



TTA19

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium	so 2.715m	6	6
Polished Aluminium	so 2.715m	6	6


TTA22.5



TTA22.5

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium TSO	2.715m	6	6
Polished Aluminium (50	2.715m	6	6

TTA25



TTA25

Finish Available	Stock Length	Screw Size	Length/Tube
Mill Aluminium	2.715m	6	6
Satin Aluminium	so 2.715m	6	6
Polished Aluminium	so 2.715m	6	6

Please note that the above finishes are to the top visible edge only *except Black Anodised.

Where the finish is also required on another facet of the profile, please consult with the sales office.
















MAINLINE A9 7.5 9 7.5











MAINLINE A		
27.5	26	
	31	

Mainline[™] A Feature Angles For Straights

7.5mm wide top to create a bold transition definition between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

MAINLINE A9

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium (190	2.715m	6	6

MAINLINE A11.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium (SO)	2.715m	6	6

MAINLINE A15.5

Finish Available		Stock Length	Screw Size	Length/Tube
Matt Aluminium	TSO	2.715m	6	6

MAINLINE A18.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 🔞	2.715m	6	6

MAINLINE A21.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 🔞	2.715m	6	6

MAINLINE A25

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 🔞	2.715m	6	6

MAINLINE A27.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 🚳	2.715m	6	6

Finish











Tag Trim[™] Formable Mainline[™] A Feature Angles For Curves





7.5mm wide feature cap for transition definition between floorings This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.

MAINLINE TTA9

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 💿	2.715m	6	6

MAINLINE TTA11.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 💿	2.715m	6	6

MAINLINE TTA15.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 🔞	2.715m	6	6

MAINLINE TTA18.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium (SO	2.715m	6	6

MAINLINE TTA21.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium (SO)	2.715m	6	6

MAINLINE TTA25

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 👓	2.715m	6	6

MAINLINE TTA27.5

Finish Available	Stock Length	Screw Size	Length/Tube
Matt Aluminium 💿	2.715m	6	6


Finish











MAINLINE TTA9 7.5 1 → R750 9 1 7.5 32

















Brass Angles & Tag Trim Formable Angles






B4.5 3 4.5 3.3 30

B6.5 6.5 5.3 30





Solid Brass Angles For Straights

To create a high quality neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

B4.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass 💿	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze TSO	2.715m	6	6

B6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass 💿	2.715m	6	6
Antique Brass 💿	2.715m	6	6
Antique Bronze 🚥	2.715m	6	6

В9

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass	2.715m	6	6
Antique Brass	2.715m	6	6
Antique Bronze 💿	2.715m	6	6


B13

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze 🔞	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.













Solid Brass Angles For Straights

To create a high quality neat, straight edge between floor coverings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.




B16

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (50)	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze 🚳	2.715m	6	6




B19

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass 150	2.715m	6	6
Antique Brass 150	2.715m	6	6
Antique Bronze (150	2.715m	6	6



B22.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6



B25


Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.
















Tag Trim[™] Formable Solid Brass **Angles For Curves**





This symbol denotes minimum radius to which the profile can be formed. Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


TTB4.5



TTB4.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (50	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze 180	2.715m	6	6


TTB6.5



TTB6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (SO)	2.715m	6	6
Antique Brass (SO)	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6


TTB9





Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (150)	2.715m	6	6

TTB13




TTB13

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze (50	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.














Tag Trim[™] Formable Solid Brass Angles For Curves





This symbol denotes minimum radius to which the profile can be formed. Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


TTB16



TTB16

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass	2.715m	6	6
Antique Brass	2.715m	6	6
Antique Bronze	so 2.715m	6	6


TTB19



TTB19

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass	2.715m	6	6
Antique Bronze TSO	2.715m	6	6


TTB22.5



TTB22.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass	2.715m	6	6
Antique Brass (SO)	2.715m	6	6
Antique Bronze 💿	2.715m	6	6

TTB25




TTB25

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (So	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.












B6 Brass Cap High Quality Feature Angles For Straights


Aluminium angles with 6mm brass feature cap to define edge between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.




B67.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (50)	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass (150	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6




B610

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (50)	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (50	2.715m	6	6



B614

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (SO)	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass (SO)	2.715m	6	6
Antique Bronze (150)	2.715m	6	6





B617

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (50	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze TSO	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.











B6 Brass Cap High Quality Feature Angles For Straights •


Aluminium angles with 6mm brass feature cap to define edge between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

B620


B620

Finish Available		Stock Length	Screw Size	Length/Tube
Polished Brass	TSO	2.715m	6	6
Satin Brass	TSO	2.715m	6	6
Antique Brass	TSO	2.715m	6	6
Antique Bronze	TSO	2.715m	6	6



B623.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (50	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze 150	2.715m	6	6




B626

Finish Available		Stock Length	Screw Size	Length/Tube
Polished Brass	TSO	2.715m	6	6
Satin Brass	TSO	2.715m	6	6
Antique Brass	TSO	2.715m	6	6
Antique Bronze	TSO	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.













Tag Trim[™] Formable B6 Brass Cap Feature Angles For Curves ��






This symbol denotes minimum radius to which the profile can be formed. Aluminium angles with 6mm brass feature cap to create gradual concave and convex curves in flooring. Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


TTB67.5



TTB67.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (\$0)	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass (SO)	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6


TTB610



TTB610

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (\$0)	2.715m	6	6
Satin Brass Tso	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6


TTB614



TTB614

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	so 2.715m	6	6
Satin Brass	so 2.715m	6	6
Antique Brass	so 2.715m	6	6
Antique Bronze	so 2.715m	6	6

TTB617





TTB617

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (SO)	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6


Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.













Tag Trim[™] Formable B6 Brass Cap Feature Angles For Curves •






This symbol denotes minimum radius to which the profile can be formed. Aluminium angles with 6mm brass feature cap to create gradual concave and convex curves in flooring. Bases with tags at 80mm centres for ease of curving.

For mechanical fixing, use screw size 6.


TTB620



TTB620

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.715m	6	6
Satin Brass (50)	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (SO)	2.715m	6	6


TTB623.5



TTB623.5

Finish Available		Stock Length	Screw Size	Length/Tube
Polished Brass	TSO	2.715m	6	6
Satin Brass	TSO	2.715m	6	6
Antique Brass	TSO	2.715m	6	6
Antique Bronze	TSO	2.715m	6	6

TTB626




TTB626

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass (SO)	2.715m	6	6
Satin Brass TSO	2.715m	6	6
Antique Brass TSO	2.715m	6	6
Antique Bronze 🔞	2.715m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.












Solid Brass Feature Angles For Stone & Ceramic Floors

High finish defining profiles where stone/ceramic floors of the same height adjoin. For mechanical fixing, use screw size 6.


BFA 12/8



BFA 12/8

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass _	2.715m	6	6
Satin Brass (50)	2.715m	6	6
Antique Brass (50)	2.715m	6	6
Antique Bronze (50)	2.715m	6	6


BFA 9/7



BFA 9/7

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.000m	6	6
Satin Brass TSO	2.000m	6	6
Antique Brass (50	2.000m	6	6
Antique Bronze TSO	2.000m	6	6


BFA 12/15



BFA 12/15

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.000m	6	6
Satin Brass	2.000m	6	6
Antique Brass (SO)	2.000m	6	6
Antique Bronze	2.000m	6	6

BFA 15/15




BFA 15/15

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Brass	2.000m	6	6
Satin Brass TSO	2.000m	6	6
Antique Brass (SO)	2.000m	6	6
Antique Bronze (SO)	2.000m	6	6


Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.

Finishes



Punched base available on request.







Visible Top edge finish

Samples Available

Stainless Steel Angles & Tag Trim Formable Angles






Stainless Steel Angles For Straights

High quality stainless steel angles to define edge between floorings. Supplied with pre-punched bases for adhesive fixing.

For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.


S6.5



S6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (50)	2.000m	6	6


S9



S9

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (School)	2.000m	6	6


S10



S10

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel	2.000m	6	6


S12



S12

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (SO)	2.000m	6	6

S16




S16

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (50	2.000m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.









Call our team for help with your order +44 (0)1582 561500




Stainless Steel Angles For Straights

High quality stainless steel angles to define edge between floorings. Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.


S19



S19

ioek Lengin	Screw Size	Length/Tube
2.000m	6	6
2.000m	6	6
	2.000m	


S22



S22

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel	2.000m	6	6

S25



S25

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel	2.000m	6	6


Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.





Satin Stainless Steel












Tag Trim[™] Formable Stainless Steel Angles For Curves



This symbol denotes minimum radius to which the profile can be formed. Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6. Grade: 304L Stainless Steel.


TTS6.5



TTS6.5

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel so	2.000m	6	6


TTS9



TTS9

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel 150	2.000m	6	6


TTS12



TTS12

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (50	2.000m	6	6

TTS16



TTS16

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (50	2.000m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.













Tag Trim[™] Formable Stainless Steel Angles For Curves






This symbol denotes minimum radius to which the profile can be formed. Tag Trim profiles can be formed on site to allow freedom of design where curved details are required in flooring. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.

Grade: 304L Stainless Steel.


TTS19



TTS19

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel TSG	2.000m	6	6


TTS22



TTS22

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (1909)	2.000m	6	6

TTS25




TTS25

Finish Available	Stock Length	Screw Size	Length/Tube
Polished Stainless Steel	2.000m	6	6
Satin Stainless Steel (50	2.000m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.












Stainless Steel Feature Angles For Stone & Ceramic Floors

High finish defining profiles where stone/ceramic floors of the same height adjoin.

For mechanical fixing, use screw size 6.


SFA 9/7



SFA 9/7

Finish Available	Stock Length	Screw Size	Length/Tube
Bright Stainless Steel	2.000m	6	6
Brushed Stainless Steel	2.000m	6	6


SFA 12/15



SFA 12/15

Finish Available	Stock Length	Screw Size	Length/Tube
Bright Stainless Steel	2.000m	6	6
Brushed Stainless Steel	2.000m	6	6


SFA 15/15



SFA 15/15

Finish Available	Stock Length	Screw Size	Length/Tube
Bright Stainless Steel	2.000m	6	6
Brushed Stainless Steel	2.000m	6	6

SFA 22/18



SFA 22/18

Finish Available	Stock Length	Screw Size	Length/Tube
Bright Stainless Steel	2.000m	6	6
Brushed Stainless Steel	2.000m	6	6

Please note that the above finishes are to the top visible edge only.

Where the finish is also required on another facet of the profile, please consult with the sales office.

Finishes




Punched base available on request.



Visible Top edge finish



PVC Cap Angles & Tag Trim[™] Formable Angles






Mainline[™] P Feature Angles For Straights

Aluminium angle with 6.5mm coloured PVC feature cap to define edges between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.


MAINLINE P8.8



MAINLINE P8.8

Finish Available	Stock Length	Screw Size	Length/Tube
Black (SO	2.715m	6	6
Polar Grey TSO	2.715m	6	6


MAINLINE P11.3



MAINLINE P11.3

Finish Available		Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6


MAINLINE P15.3



MAINLINE P15.3

Finish Available	Stock Length	Screw Size	Length/Tube
Black	2.715m	6	6
Polar Grey TSO	2.715m	6	6

MAINLINE P18.3



MAINLINE P18.3

Finish Available	Stock Length	Screw Size	Length/Tube
Black (SO	2.715m	6	6
Polar Grey (50	2.715m	6	6

Colours










Mainline[™] P Feature Angles For Straights

Aluminium angle with 6.5mm coloured PVC feature cap to define edges between floorings.

Supplied with pre-punched bases for adhesive fixing. For mechanical fixing, use screw size 6.


MAINLINE P21.3



MAINLINE P21.3

Finish Available		Stock Length	th Screw Size	Length/Tube
Black	īso	2.715m	6	6
Polar Grey	TSO	2.715m	6	6


MAINLINE P24.8



MAINLINE P24.8

Finish Available	Stock Length	Screw Size	Length/Tube
Black (SO	2.715m	6	6
Polar Grey 💿	2.715m	6	6

MAINLINE P27.3



MAINLINE P27.3

Finish Availal	ole	Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6

Colours












Tag Trim[™] Formable Mainline[™] P Feature Angles For Curves



6.5mm wide top for colour transition and definition between floorings This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


MAINLINE TTP8.8



MAINLINE TTP8.8

Finish Available	Stock Length	Screw Size	Length/Tube
Black	2.715m	6	6
Polar Grey 🚳	2.715m	6	6


MAINLINE TTP11.3



MAINLINE TTP11.3

Finish Available		Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6


MAINLINE TTP15.3



MAINLINE TTP15.3

Finish Availa	ble	Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6

MAINLINE TTP18.3



MAINLINE TTP18.3

Finish Available		Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6

Colours












Tag Trim[™] Formable Mainline[™] P Feature Angles For Curves



6.5mm wide top for colour transition and definition between floorings This symbol denotes minimum radius to which the profile can be formed to create gradual concave and convex curves on site. Bases with tags at 80mm centres for ease of curving. For mechanical fixing, use screw size 6.


MAINLINE TTP21.3



MAINLINE TTP21.3

Finish Availal	ble	Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	TSO	2.715m	6	6


MAINLINE TTP24.8



MAINLINE TTP24.8

Finish Availa	ble	Stock Length	Screw Size	Length/Tube
Black	TSO	2.715m	6	6
Polar Grey	180	2.715m	6	6

MAINLINE TTP27.3



MAINLINE TTP27.3

Finish Available	Stock Length	Screw Size	Length/Tube
Black 150	2.715m	6	6
Polar Grey TSO	2.715m	6	6








ReflexTM Movement Joints

Aluminium and Brass



Reflex™ Movement Joints



General

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion. Reflex has good acid and alkali resistance and has good stain resistance properties. The joints will readily compress by 20% helping to eliminate cracking and de-lamination of the floor finish caused by building movement or thermal expansion and contraction.

Installation Guide

Movement joints should be provided in accordance with BS5385-3:1989, clauses 19 and 23.6 for floors. Movement joints should be fitted around the perimeter of the floor and where floor tiles abut fixed machinery and structural fixtures such as columns, bases, etc.

Immediate movement joints should be incorporated in large floor areas as described in BS5385-3:1989, clauses 19 and 23.6.

Stock Lengths

Brass and Aluminium $2.715m \times 6 = 16.29m$ packed

Stock Expansion Media Colours





Other colours available, subject to minimum requirements. Please contact the sales office for details.

Double Leg Profiles





Matt Brass




Single Leg Profiles







Mill Aluminium









Samples Available


Wide range of profile heights available.
All profiles supplied with pre-punched bases for adhesive fixing.




DOUBLE LEG













SINGLE LEG









Reflex[™] Movement Joints Aluminium

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion.

RAD9

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD13

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD16

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAD19

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAS9

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6

RAS13

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6


RAS16

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.715m	6


RAS19

Mill Aluminium


Finish Available	Stock Length	Length/Tube	
Mill Aluminium	2.715m	6	
Finish	Expansion Media Colours:		










DOUBLE LEG













SINGLE LEG









Reflex[™] Movement Joints Solid Brass

Reflex profiles are a range of expansion and movement joints which are designed for use with all hard flooring, eliminating cracking and protecting edges against erosion.

RBD9

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6

RBD13

Finish Available	Stock Length	Length/Tube	
Matt Brass	2.715m	6	

RBD16

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6

RBD19

Finish Available	Stock Length	Length/Tube	
Matt Brass	2.715m	6	

RBS9

Finish Available	Stock Length	Length/Tube	
Matt Brass	2.715m	6	

RBS13

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6

RBS16

Finish Available Stock Length		Length/Tube	
Matt Brass	2.715m	6	

RBS19

Finish Available	Stock Length	Length/Tube
Matt Brass	2.715m	6









VertexTM Corner Protection

Aluminium, Brass & Stainless Steel



Stick Fix[™] Profiles

Look for the Stick Fix[™] logo



Key Benefits





No drilling or mechanical fixing required



No risk to underfloor heating pipes



No risk to underfloor cables



Rapid install time

General

A solvent-free, adhesive which is factory affixed to a selection of C.A.T. flooring and wall protection profiles to facilitate adhesive-only site fixing.

Key Properties

- Solvent-free
- Very aggressive, pressure sensitive adhesion
- Non-hardening, permanently flexible bond
- Forms strong, waterproof bond
- Instant fix no curing time required
- Service temperature 0°C to 40°C

Technical Properties

Description	Units	Nominal Value
Specific Gravity	g/cm ²	0.98
180° Peel Adhesion (23°C)	N/cm	25
Softening Point (Ring and Ball)	°C	85
Cohesion	Kgs/cm ²	6
Initial Tack (Rolling Ball)	mm	30

Floor Preparation

The floor/step surface to receive the adhesive-only fixing must be completely free of dust, grease, paint or other contaminates likely to prevent or compromise the effective bonding of the profile to the substrate material.

Additional Information

Stick Fix™ should not be used where good chemical or UV resistance is required.

The specifier/installer should determine the suitability of adhesive-only fixing having taken into account the nature of the application and the type and condition of the substrate. In determining that adhesive-only is appropriate, the specifier/installer shall assume all risk and liability connected therewith, including correct site preparation.




STICK Vertex™ Corner Protection Aluminium Aluminium

Supplied undrilled with Stick-Fix tape pre-applied.

Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps. Other sizes available subject to minimum of 50 lengths.




ALUMINIUM EXTERNAL CORNERS



VERTEX 3A SF

Finish Available	Gauge	Stock Length	Length/Tube
Mill Aluminium	1.5mm	2.500m	6

VERTEX 2A SF





Finish Available	Gauge	Stock Length	Length/Tube
Mill Aluminium	1.5mm	2.500m	6

VERTEX 1A SF





VERTEX 1A SF

Finish Available	Gauge	Stock Length	Length/Tube
Mill Aluminium	1.5mm	2.500m	6

ALUMINIUM INTERNAL CORNERS VERTEX 41A SF






VERTEX 41A SF

Finish Available	Gauge	Stock Length	Length/Tube
Mill Aluminium	1.5mm	2.500m	6

VERTEX 3A CP SF



VERTEX 3A CP SF

Gauge	Stock Length	Length/Tube
1.5mm	2.500m	6

Finishes



So Vertex aluminium corners are available in powder coat finish to special order. Please enquire for minimum order quantities dependent upon colour reference required.







Vertex[™] Corner Protection Solid Brass

Supplied undrilled with Stick-Fix tape pre-applied.


Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps.

Other sizes available subject to minimum of 50 lengths.



EXTERNAL CORNERS

for Prestige environments, Hotels and Restaurants





VERTEX 2B SF

Finish Available	Gauge	Stock Length	Length/Tube
Polished Brass	1.5mm	2.000m	6
Satin Brass (50	1.5mm	2.000m	6
Antique Brass (SO	1.5mm	2.000m	6
Antique Bronze 👓	1.5mm	2.000m	6

INTERNAL CORNERS

VERTEX 41B SF





VERTEX 41B SF

Finish Available	Gauge	Stock Length	Length/Tube
Polished Brass	1.5mm	2.000m	6
Satin Brass TSO	1.5mm	2.000m	6
Antique Brass TSO	1.5mm	2.000m	6
Antique Bronze 🔞	1.5mm	2.000m	6












EXTERNAL CORNERS





Vertex[™] Corner Protection Stainless Steel


Supplied undrilled with Stick-Fix tape pre-applied.

Typical applications include airports, train stations, shopping malls and all commercial areas where columns and corners require protection from knocks and bumps.

Other sizes available subject to minimum of 50 lengths. Grade: 304L Stainless Steel.

VERTEX 3S SF

Finish Available	Gauge	Stock Length	Length/Tube
Bright Stainless Steel	1.2mm	2.000m	6
Brushed Stainless Steel	1.2mm	2.000m	6



VERTEX 2S SF

Finish Available	Gauge	Stock Length	Length/Tube
Bright Stainless Steel	1.2mm	2.000m	6
Brushed Stainless Steel	1.2mm	2.000m	6

VERTEX 1S SF





VERTEX 1S SF

Finish Available	Gauge	Stock Length	Length/Tube
Bright Stainless Steel	1.2mm	2.000m	6
Brushed Stainless Steel	1.2mm	2.000m	6

INTERNAL CORNERS

VERTEX 41S SF





VERTEX 41S SF

Finish Available	Gauge	Stock Length	Length/Tube
Bright Stainless Steel	1.2mm	2.000m	6
Brushed Stainless Steel	1.2mm	2.000m	6









Metal Inlay Strips

Aluminium, Brass & Stainless Steel






Floor Inlay Feature

Aluminium (Imperial sizes) Profile FPA 10x3





Stainless Steel Profile FPSS 10x3	(Metric sizes)
Profile FPSS 12x5 Also available 5x5 to special order	5



Metal Inlay Strips Aluminium, Stainless Steel & PVC

Typical Installation: To create designs and patterns on floors and walls. Tolerance allowance should always be made when rebating to allow for any variation in size.

Please note that the finishes are to the top edge and approximately 3mm down the vertical edges only. Where the finish is also required on another aspect of the profile, please consult with the sales office.

EDA 10v6



FPA 10x3		
Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.500m	6
*Polished Aluminium	2.500m	6
Satin Aluminium	2.500m	6
*minimum quantity 50 lengths.		

Stock Length	Length/Tube
2.500m	6
2.500m	6
2.500m	6
	2.500m 2.500m

Finish Available	Stock Length	Length/Tube
Mill Aluminium	2.500m	6
*Polished Aluminium	2.500m	6
Satin Aluminium	2.500m	6

Finish Available	Stock Length	Length/Tube
Mill Stainless Steel	2.000m	6
FPSS 12x5		
Finish Available	Stock Length	Length/Tube
Mill Stainless Steel	2.000m	6

Profile PIP 10		
Finish Available	Stock Length	Length/Tube
Black & Granite	2.750m	6
Profile PIP 12		
Finish Available	Stock Length	Length/Tube
Black & Granite	2.750m	6









Floor inlay feature

Metal Inlay Strips Solid Brass

Typical Installation: To create designs and patterns on floors and walls. Tolerance allowance should always be made when rebating to allow for any variation in size.

Please note that the finishes are to the top edge and approximately 3mm down the vertical edges only. Where the finish is also required on another aspect of the profile, please consult with the sales office.



Profile FPB 6x3



FPB 6x3

Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
	3.000m	6

Profile FPB 10x3



FPB 10x3

Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
*Polished Brass	2.000m	6
Satin Brass TSO	2.000m	6
Antique Brass	2.000m	6
Antique Bronze (50	2.000m	6
*minimum quantity 50 length	ns.	

Profile FPB 10x6

Also available 6x6 to special order



FPB 10x6

Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
*Polished Brass TSO	2.000m	6
Satin Brass (so	2.000m	6
Antique Brass (SO	2.000m	6
Antique Bronze TSO	2.000m	6
*minimum quantity 50 lengt	hs.	

Profile FPB 12x3



FPB 12x3

Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
	3.000m	6
*Polished Brass	2.000m	6
TSO	3.000m	6
Satin Brass TSO	2.000m	6
TSO	3.000m	6
Antique Brass 💿	2.000m	6
TSO	3.000m	6
Antique Bronze 👓	2.000m	6
TSO	3.000m	6
*minimum quantity 50 lengt	hs.	

Finishes







Inlay Strips



floor inlay feature

Metal Inlay Strips Solid Brass

Typical Installation: To create designs and patterns on floors and walls. Tolerance allowance should always be made when rebating to allow for any variation in size.

Please note that the finishes are to the top edge and approximately 3mm down the vertical edges only. Where the finish is also required on another aspect of the profile, please consult with the sales office.



Profile FPB 16x3 Also available 16x6 to special order



FPB 16x3


Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
*Polished Brass	2.000m	6
Satin Brass	2.000m	6
Antique Brass	2.000m	6
Antique Bronze 🔞	2.000m	6
*minimum quantity 50 length	ns.	

Profile FPB 19x3 Also available 19x6 to special order



FPB 19x3

Finish Available	Stock Length	Length/Tube
Mill Brass	2.000m	6
	3.000m	6
*Polished Brass (SO)	2.000m	6
180	3.000m	6
Satin Brass (50)	2.000m	6
	3.000m	6
Antique Brass (50)	2.000m	6
150	3.000m	6
Antique Bronze (50)	2.000m	6
	3.000m	6
*minimum quantity 50 leng	ths.	







Product Index

	4.0				
A4.5	10	MAINLINE P8.8	34	RBD16	41
A6.5	10	MAINLINE P11.3	34	RBD19	41
A9	10	MAINLINE P15.3	34	RBS9	41
A13	10	MAINLINE P18.3	34	RBS13	41
A16	11	MAINLINE P21.3		RBS16	
A19	11		35		41
		MAINLINE P24.8	35	RBS19	41
A22.5	11	MAINLINE P27.3	35	TTA4.5	12
A25	11	MAINLINE TTA9	15	TTA6.5	12
B4.5	18	MAINLINE TTA11.5	15	TTA9	12
B6.5	18	MAINLINE TTA15.5	15	TTA13	12
B9	18	MAINLINE TTA18.5	15	TTA16	13
B13	18	MAINLINE TTA21.5	15	TTA19	13
B16	19				
B19	19	MAINLINE TTA25	15	TTA22.5	13
		MAINLINE TTA27.5	15	TTA25	13
B22.5	19	MAINLINE TTP8.8	36	TTB4.5	20
B25	19	MAINLINE TTP11.3	36	TTB6.5	20
B675	22	MAINLINE TTP15.3	36	TTB9	20
B610	22	MAINLINE TTP18.3	36	TTB13	20
B614	22	MAINLINE TTP21.3	37	TTB16	21
B617	22	MAINLINE TTP24.8			
B620	23		37	TTB19	21
		MAINLINE TTP27.3	37	TTB22.5	21
B623.5	23	PIP10	48	TTB25	21
B626	23	PIP12	48	TTB675	24
BFA 12/8	26	S6.5	28	TTB610	24
BFA 9/7	26	S9	28	TTB614	24
BFA 12/15	26	S10	28	TTB617	24
BFA 15/15	26	S12	28	TTB620	25
FPA 10 X 3	48	S16	28	TTB623.5	
FPA 10 X 6	48				25
FPA 12 X 3	48	S19	29	TTB626	25
FPB 6 X 3		S22	29	TTS6.5	30
	49	S25	29	TTS9	30
FPB 10 X 3	49	SFA 9/7	32	TTS12	30
FPB 10 X 6	49	SFA 15/15	32	TTS16	30
FPB 12 X 3	49	SFA 15/15	32	TTS19	31
FPB 16 X 3	50	SFA 22/18	32	TTS22	31
FPB 19 X 3	50	RAD9	40	TTS25	31
FPSS 10 X 3	48	RAD13	40	VERTEX 1A SF	44
FPSS 12 X 5	48	RAD16	40	VERTEX 1X SF	
MAINLINE A9	14				46
MAINLINE A11.5	14	RAD19	40	VERTEX 2A SF	44
		RAS9	40	VERTEX 2S SF	46
MAINLINE A15.5	14	RAS13	40	VERTEX 3A CP SF	44
MAINLINE A18.5	14	RAS16	40	VERTEX 3A SF	44
MAINLINE A21.5	14	RAS19	40	VERTEX 3S SF	46
MAINLINE A25	14	RBD9	41	VERTEX 41A SF	44
MAINLINE A27.5	14	RBD13	41	VERTEX 41B SF	45
				VERTEX 418 SF	46
				VERTEX 2B SF	
				VENIEN 2D SF	45



Part of the COBA Group



C.A.T. Limited Units 24 A,B,C Park Avenue Estate Sundon Park, Luton, Bedfordshire , LU3 3BP, U.K

> T: +44 (0)1582 561500 e: sales@cat-accs.com www.thecatweb.com

