

SovereignStone Sealer

Sovereign Stone Sealer is a state of the art penetrating sealer for all natural stones, ceramic tiles and grout.



Product Code 30806301

Description

Sovereign Stone Sealer is a state of the art penetrating sealer for all natural stones, ceramic tiles and grout. It will repel water, oil and dirt, making cleaning easier and staining much less likely. Stone Sealer can be used internally and externally and does not alter the appearance of materials to which it is applied.

Form Supplied: Liquid ready to use

Pack Size: 5 Litres
Colour Range: Clear

Contains: Fluoropolymer in Solvent

Properties

Provides invisible protection to stone, tiles, worktops and both floors and walls. Does not increase slip and is safe to use on food preparation areas.

Suitable for use on marble, granite, limestone, terracotta, slate, travertine, honed or polished. Can also be used on glazed tiles and to protect grout lines.

Preparation

Areas to be treated must be clean and dry. If cleaning is necessary then ensure that detergent residues do not remain and allow to dry for at least 24 hours before applying Stone Sealer.

Usage

There are two application methods depending on the type and porosity of the material being treated.

For porous materials such as slate, some limestone and travertine apply the sealer by brush and allow to penetrate and dry. Very porous materials may require a second application.

For dense or polished surfaces such as marble, granite etc., and glazed tiles apply the sealer with either a brush or soft cloth. Allow the sealer to penetrate for 10 minutes, reapply and after a further 10 minutes dry it off with a clean cloth and buff. Do not allow the sealer to dry on the surface of these materials.

Sovereign Stone Sealer

Technical 234
Data Sheet

GENERAL

Sovereign Stone Sealer is solvent based and has a strong odour. It should be used in well ventilated areas. Spillages should be cleaned up immediately by soaking up on absorbent paper/cloth and then washed off. Ideal for protecting tiles in wet rooms and shower enclosures

The life expectancy of the coating is dependant on the amount of sealer applied and its area of application. External surfaces or those subject to heavy wear such as floors and worktops should be retreated every 1 to 3 years. Other areas will require less frequent reapplication. Once it is noticed that the surface has started to become slightly absorbent again is the time to re-treat.

Do not use abrasive or acidic cleaners. Rinse cleaning agents thoroughly from the surface with clean water.

COVERAGE

5 m² per litre. For porous materials For low porosity materials 15 m² per litre


CLEAN UP

Spillages should be dried immediately with absorbent cloths and the area washed down with White Spirit followed by detergent and water.

Tools such as brushes should be cleaned in white spirit/ brush cleaner before the sealer dries.

untreated

treated





As can be seen above, on the untreated side the wet stains spread and start to penetrate the marble.

The stains struggle to penetrate the Sovereign Stone Sealer so can be cleaned easily.

Storage: Between 5°C - 25°C.

Shelf Life: Minimum of 12 months unopened

HEALTH AND SAFETY

- Avoid skin and eye contact.
- Handle only when wearing protective clothing.
- Wash splashes from skin with soap and water, flush eyes with copious amounts of water and seek medical attention if irritation persists.



Health & safety information available on request



Important Disclaimer

The information given is in good faith based on experience and usage, however all recommendations are made without warranty or guarantee, since the conditions of use are beyond our control. All goods are sold in accordance with our Conditions of Sale, copies of which are available on request. Customers are advised that product, techniques and codes of practice are under constant review and changes occur without notice. Please ensure you have the latest updated information.



Sovereign Support: 01229 870800 | www.sovchem.co.uk

FIND US HERE

