





FOCUS ON
COLOR
palette for exterior ceilings

Luxalon® Exterior Colours



1660 / ±RAL 7015



7035 / ±RAL 9007

LUXALON® EXTERIOR CEILINGS - A PROVEN SYSTEM

Exterior building applications need to contend with a wide range of severe outdoor conditions. Luxalon® Exterior Ceilings of Hunter Douglas have proven extremely durable for more than forty years; developed with surface-treated panels and a windproof suspension system, they stand up to the harshest conditions.

Architects and designers worldwide know the strength of Luxalon®, and have installed these ceilings in prestigious locations including airports, railway stations, office buildings, shopping malls and hotels.

ANORCOAT - THE KEY TO DURABILITY

After degreasing and cleaning the aluminium substrate, an anorcoat conversion layer is applied to the product.

This conversion layer accomplishes two things:

- Permanently anchors the paint to the aluminium surface
- Prevents the aluminium surface from corroding

Anorcoat is the key to the excellent performance of the Luxacote® system; it provides far superior protection than conventional conversion layers.



Cradle to Cradle Certified™ is a certification mark licensed by the Cradle to Cradle Products Innovation Institute.




Production by
Hunter Douglas
Ceiling Center



Colours may vary from the original
Farben können vom Original abweichen
Les coloris peuvent varier des originaux
Los colores pueden variar respecto al original

COLOR


palette for exterior ceilings




7080 / ±RAL 9006



0260 / ±RAL 9010



0401 / ±RAL 9016



PRIMER - FOR ENHANCED LONGEVITY

Over the anorcoat we apply a primer that seals the substrate, resulting in enhanced longevity of the panels.

TOPCOAT - THE FINAL TOUCH

The pigments in the polyurethane topcoat provide the panels their colour while the integrated polyamide particles are the finishing touch of the Luxacote® system, giving products a scratch- and wear-resistant surface. Additionally, the polyamid particles protect from UV rays, improving the durability of the colour and gloss. The result: extremely durable products with slightly textured surfaces that manage potentially damaging outdoor conditions.

ASIA | AUSTRALIA | LATIN AMERICA | NORTH AMERICA

Austria
Belgium
Bulgaria
Croatia / Slovenia
Czech Republic
Denmark
France

Germany
Greece
Hungary
Israel
Italy
The Netherlands
Norway

Poland
Portugal
Romania
Russia
Serbia
Slovakia
Spain

Sweden
Switzerland
Turkey
United Kingdom
South Africa
Middle East

CEILINGS



WALLS



SUN LOUVRE



FAÇADES



More information

Would you like to know more about
Hunter Douglas' services?


Visit our website:

www.hunterdouglasarchitectural.eu

Exterior Products - Available Colours


Products for exterior applications are preferably made from aluminium because of its durability, lightweight, and the many attractive finishes that may be applied. The HunterDouglas® Exterior product range includes Exterior Ceilings, Single Skin Façades and Sun Louvres. These products are available in various panel types and widths as listed in the overview below. The numbers next to the pictures refer to the corresponding column in the colour availability overview. Hunter Douglas has developed a patented coating system for its external architectural applications named Luxacote®. (See reverse side)

Exterior Ceilings




Flush-, V5 join profile only for 84R. Recessed join profile only for 80B.

Single Skin Façades



V5 join profile only for 84R.

Sun Louvres



Colour	RAL	NCS	1	2	3	4	5	6	7	8
0260	± RAL 9010	± NCS S0502-G	✓	✓	✓	✓			✓	
0401	± RAL 9016	± NCS S0500-N	✓	✓		✓	✓	✓		✓
1660	± RAL 7015	± NCS S7010-R90B	✓			✓				
7035	± RAL 9007		✓							
7080	± RAL 9006		✓	✓	✓	✓	✓		✓	
1860	(Black for join profiles only)								✓	✓

- The availability chart only shows the standard colour range, however, special colours are available on request subject to quantity and leadtime.
- Please consult your local Hunter Douglas office for the colour availability in Luxalon® Exterior Ceilings.

X Product on request



Production by
Hunter Douglas
Ceiling Center



HunterDouglas
Architectural

The Luxacote® finish

ANORCOAT - THE KEY TO DURABILITY

After degreasing and cleaning the aluminium substrate, an anorcoat conversion layer is applied to the product. This conversion layer accomplishes two things:

- Permanently anchors the paint to the aluminium surface
- Prevents the aluminium surface from corroding

Anorcoat is the key to the excellent performance of the Luxacote® system; it provides far superior protection than conventional conversion layers.

PRIMER - FOR ENHANCED LONGEVITY

Over the anorcoat we apply a primer that seals the substrate, resulting in enhanced longevity of the panels.

TOPCOAT - THE FINAL TOUCH

The pigments in the polyurethane topcoat provide the panels their colour while the integrated polyamide particles are the finishing touch of the Luxacote® system, giving products a scratch- and wear-resistant surface.

Additionally, the polyamid particles protect from UV rays, improving the durability of the colour and gloss.

The result: extremely durable products with slightly textured surfaces that manage potentially damaging outdoor conditions.

Unprecedented Protection

LUXACOTE®

for exterior application

www.hunterdouglasarchitectural.eu