



CENTRE PIVOT ROOF WINDOWS

MANUAL CENTRE PIVOT ROOF WINDOWS

Our most popular range of windows with a wide range of accessories. In natural pine, white acrylic, white polyurethane and white UPVC.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	effective glazing area [m²] size symbol	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	FTP-V P2 Window	w with saf	ety doubl	e glazed u	nit. Tougl	nened out	er pane. L	aminated	inner pan	e. U-value	of windo	w 1.3 W/	m²K			
		£320	£338	£353	£360	£394	£368	£416	£460	£533	£499	£537	£551	£585	£529	£599
¥	FTP-V P5 Window	w with ant	ti-burglar	y triple glaz	zed unit.	Class P2A	U-value o	f window	0.97 W/m	²K						
NATURAL PINE		£510	£533	£551	£580	£601	£569	£629	£708	£847	£766	£780	£797	£847	£770	£975
NATUR	FTP R1 Window w	ith sound	reducing	glazed uni	it, Rw 39	dB non ve	nted, U-va	alue of wir	ndow 1.3	W/m²K						
~		£433	£447	£469	£477	£517	£488	£536	£615	£718	£637	£698	£711	£731	£691	£792
	FTP-V U3 Windo	w with en	ergy savir	ng double	glazed ur	nit. Toughe	ned oute	r pane. U-	value of w	indow 1.3	3 W/m ² K					
		£316	£334	£348	£367	£389	£363	£410	£454	£569	£515	£530	£545	£598	£523	£563
	FTW-V P2 Windo	ow with s	efety doub	olo alazod	unit Tou	ahanad au	tor pane	Laminato	d inner na	no Havalu	a of wind	ow 1 3 W	1/m²K			
u	TIVO VIZ WING	£320	£338	£353	£360	£394	£368	£416	£460	£533	£499	£537	£551	£585	£529	£599
WHITE ACRYLIC	FTW-V P5 Windo	ow with a	nti-burgla	rv triple al	azed unit	. Class P2A	. U-value	of windov	v 0.97 W/r	m²K						
IITEA		£521	£540	£553	£565	£595	£581	£615	£696	£835	£708	£743	£766	£824	£743	£905
×	FTW R1 Window	with soun	d reducin	g glazed ui	nit, Rw 39	9 dB non v	ented, U-	value of w	indow 1.3	3 W/m²K						
		£460	£478	£533	£533	£564	£549	£596	£703	-	£707	£778	£794	£816	£780	-
N.	FTU-V P2 Windo													4804	4445	
WHITE POLYURETHANE	ETIL V DE	£400	£423	£448	£450	£491	£460	£519	£574	£666	£574	£671	£689	£731	£662	£756
OLYUI	FTU-V P5 Windo										6004	6003	C1 020	6060	6070	6006
#TE P	ETIL D1	£592	£625	£652	£670	£729	£680	£768	£849	£993	£894	£992	£1 020	£968	£979	£986
×	FTU R1 Window w										(75)	£780	£798	£894	£770	(002
		£511	£534	£551	£591	£602	£570	£630	£696	£892	£753	1/80	1/98	1894	1//0	£893
U	PTP-V P2 Windo	w with saf	ety doub	le glazed u	nit. Tougl	hened out	er pane. L	.aminated	inner par	ie. U-value	of windo	w 1.3 W/	m²K			
WHITE UPVC		£320	£336	£354	£349	£391	£367	£416	£461	£514	£469	£537	£552	£539	£529	£529
WHIT	PTP-V P5 Windo	w with an	ti-burglar	y triple gla	zed unit.	Class P2A	U-value o	f window	1.1 W/m ²	K						
		£550	£579	£650	£673	£636	£615	£662	£750	-	£880	£790	-	-	-	-

NOTE: OBSCURE E GLAZED (O2) AVAILABLE TO ORDER – PLEASE CONTACT FAKRO SALES OFFICE FOR FURTHER DETAILS

CONSERVATION MANUAL CENTRE PIVOT ROOF WINDOWS

Roof windows suitable for conservation areas - external colour black RAL 9005 with central mullion bar. In natural pine, white acrylic, white polyurethane and white UPVC.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
			п		п	п	п	п			П					
	effective glazing area [m²] size symbol	0.21	0.29	16	0.38	0.47	0.47	0.59	0.72	13	0.75	0.92	10	1.16	0.92	80
	FTP-V/C P2 Wir	ndow with	safety do	ouble glaze	ed unit. To	oughened	outer pan	ie. Lamina	ted inner	pane. U-v	alue of wi	ndow 1.3	W/m²K			
		£436	£467	£474	£498	£517	£522	£584	£633	£720	£651	£672	£693	£755	£768	£812
ш	FTP-V/C P5 Wir	ndow with	anti-burg	glary triple	glazed u	nit. Class P	2A U-valu	ie of wind	low 0.97 V	V/m²K						
IL PIN		£722	£779	£818	£820	£864	£867	£967	£1 093	-	£1 111	£1 158	£1 200	£1 311	£1 181	-
NATURAL PINE	FTP-V/C P2 V	Kit Win	dow with	safety do	uble glaze	ed unit. To	ughened	outer pan	e. Lamina	ted inner	pane. U-v	alue of wi	ndow 1.3	W/m²K		
Z		£538	£554	£575	£614	£639	£644	£672	£726	£906	£802	£831	£848	£930	£847	£1 006
	FTP-V/C P2 J I	Kit Wind	dow with	safety dou	ıble glaze	d unit. Tou	ghened c	outer pane	e. Laminat	ed inner p	oane. U-va	lue of wir	ndow 1.3 V	V/m²K		
		£563	£627	£649	£654	£718	£704	£754	£813	£959	£845	£902	£939	£990	£947	£1 098
	FTW V/C D2															
	FTW-V/C P2 w													6760	(702	(02(
	FTW V/C DE	£443	£476	£482	£507	£526	£531	£595	£645	£733	£663	£683	£704	£769	£782	£826
3YLIC	FTW-V/C P5 w									W/m²K	(1.020	(1,002	(1,002	(1.222	(1 102	
WHITE ACRYLIC	FTW W/C DO W	£675	£714	£763	£766	£807	£809	£902	£1 022		£1 038		£1 082		£1 102	-
WH	FTW-V/C P2 V														6047	£1.00£
	FTW V/C Do I	£541	£554	£575	£619	£639	£648	£672	£726	£915	£809	£836	£857	£932	£847	£1 006
	FTW-V/C P2 J														6047	ca 437
		£585	£627	£649	£678	£718	£731	£754	£813	£985	£873	£932	£961	£1 014	£947	£1 127
岁	FTU-V/C P2 Wi	ndow with	n safety d	ouble glaz	ed unit. To	oughened	outer par	ne. Lamina	ated inner	pane. U-v	value of w	indow 1.3	W/m²K			
WHITE POLYURETHANE		£547	£594	£630	£630	£639	£648	£710	£824	£922	£846	£881	£909	£963	£891	£1 066
WF	FTU-V/C P5 Wi	ndow with	n anti-bur	glary triple	glazed u	ınit. Class F	2A U-valı	ue of wind	dow 0.97 V	N/m²K						
2		£786	£856	£887	£897	£917	£946	£1 036	£1 195	-	£1 216	£1 272	£1 311	£1 403	£1 282	-
ш,,	DTD W/C DO												11// 3//			
WHITE	PTP-V/C P2 Wir			ouble glaze £499				ne. Lamina £584			alue of wi	indow 1.3 £712	W/m²K £750	£823	£756	£899
		£457	£491	1477	£512	£529	£529	2304	£672	£756	20/0	2/12	2/30	1023	£756	1077

NOTE: OBSCURE E GLAZED (O2) AVAILABLE TO ORDER – PLEASE CONTACT FAKRO SALES OFFICE FOR FURTHER DETAILS

Z-WAVE (ELECTRIC) & SOLAR CENTRE PIVOT ROOF WINDOWS

 $Electrically \ and \ solar \ controlled \ roof \ windows \ in \ natural \ pine, \ white \ acrylic \ and \ white \ polyure than e.$

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	effective glazing area [m²] size symbol	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	FTP-V Z-Wave	P2 Wi	indow wit	h safety do	ouble gla	zed unit. To	oughened	d outer pa	ne. Lamin	ated inner	pane. U-	value of w	vindow 1.3	W/m²K		
		£655	£672	£686	£705	£722	£699	£743	£783	£951	£855	£855	£868	£901	£847	£901
ш	FTP-V Z-Wave	P5 Wi	indow wit	h anti-bur	glary trip	le glazed u	nit. Class	P2A U-val	ue of wind	dow 0.97 \	W/m²K					
NATURAL PINE		£849	£866	£879	£893	£917	£893	£937	£977	-	£1 014	£1 049	-	-	-	-
IATUR	FTP-V Solar P	2 Windo	w with sa	fety doubl	e glazed	unit. Tougl	nened ou	ter pane. l	aminated	inner par	ne. U-valu	e of wind	ow 1.3 W/i	m²K		
2		£672	£693	£725	£735	£756	£761	£814	£830	£935	£851	£866	£866	£908	£882	-
	FTP-V Solar P	5 Windo	w with ar	nti-burglary	y triple gl	azed unit.	Class P2A	U-value o	of window	0.97 W/m	n²K					
		£856	£872	£884	£882	£921	£897	£939	£978	-	£992	£1 046	-	-	-	-
	FTW-V Z-Wav	e P2 v	Vindow w	ith safety (double al	azed unit	Touahene	ed outer n	ane Lami	nated inne	er nane 1	l-value of	window 1	3 W/m²K		
		£655	£672	£686	£705	£722	£699	£743	£783	£951	£855	£855	£868	£901	£847	£901
<u>u</u>	FTW-V Z-Wav	e P5 v	Vindow w	ith anti-bu	ırglary tri	ple glazed	unit. Clas	s P2A U-va	alue of wir	ndow 0.97	' W/m²K					
\CRYL		£849	£866	£879	£893	£917	£893	£937	£977	-		£1 049	-	-	-	-
WHITE ACRYLIC	FTW-V Solar F	2 Wind	low with s	afety doul	ole glazed	d unit. Tou	ghened o	uter pane.	Laminate	d inner pa	ane. U-val	ue of win	dow 1.3 W	/m²K		
8		£701	£720	£735	х	£776	£750	£799	£844	-	-	£923	£938	-	£915	-
	FTW-V Solar F	P5 Wind	low with a	anti-burgla	ry triple o	glazed unit	. Class P2	A U-value	of windo	w 0.97 W/	m²K					
		£856	£872	£884	£882	£921	£897	£939	£978	-	£992	£1046	-	-	-	-
	FTU-V Z-Wave	P2 W	(indowywi	th safaty d	ouble al-	zod uni+ T	oughana	d outer pa	no Lamin	ated inno	r nano II	value of v	window 13	2 W/m²V		
	110-V 2-Wave	£729	£750	£767	£785	£813	£783	£838	£889	£982	£912	£978	£994	£993	£969	£1 042
AANE	FTU-V Z-Wave										W/m²K					
URETH		£898	£928	£952	£966	£1 021	£978		£1 131			£1 260	£1 285	£1 313	£1 248	-
WHITE POLY URETHANE	FTU-V Solar P	2 Windo	ow with sa	afety doub	le glazed	unit. Toug	hened ou	iter pane.	Laminated	d inner pa	ne. U-valu	ie of wind	low 1.3 W/	m²K		
WHITE		£714	£735	£777	£788	£798	£809	£861	£887	£945	£898	£929	£929	£961	£929	-
	FTU-V Solar P	5 Windo	ow with a	nti-burglar	y triple g	lazed unit.	Class P2	\ U-value	of window	0.97 W/r	n²K					
		£970	£1005	£1032		£1 107	£1059	£1 148	£1230			£1374	£1402		£1361	

CONSERVATION Z-WAVE (ELECTRIC) & SOLAR CENTRE PIVOT ROOF WINDOWS

Electrically and solar controlled conservation roof windows in natural pine, white acrylic and white polyurethane.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
					п	п	п				П	ш	п	ш		
	effective glazing area [m ²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	size symbol	01	02	16	03	04	05	06	07	13	08	09	10	11	12	80
¥	FTP-V/C Z-Wa	ve P2	Window	with safet	ty double	glazed un	it. Toughe	ened oute	r pane. La	minated i	nner pane	. U-value	of window	/ 1.3 W/m	²K	
AL PIN		£792	£836	£878	£880	£946	£959	£1 026	£1 058	£1 095	£1 081	£1 111	£1 122	£1 172	£1 122	£1 161
NATURAL PINE	FTP-V/C Z-Wa	ve P5	Window	with anti-	-burglary	triple glaze	ed unit. C	lass P2A U	I-value of	window 0	.97 W/m²	<				
2																
음	FTW-V/C Z-W	ave P	2 Windo	w with safe	ety doubl	e glazed u	nit. Tougl	nened out	er pane. L	aminated	inner par	e. U-valu	e of windo	w 1.3 W/r	m²K	
ACRY		£799	£845	£885	£887	£956	£967	£1 037	£1 069	£1 106	£1 092	£1 122	£1 135	£1 185	£1 135	£1 176
WHITE ACRYLIC	FTW-V/C Z-W	ave P	5 Windo	w with ant	ti-burglar <u>y</u>	y triple gla	zed unit.	Class P2A	U-value o	f window	0.97 W/m	2 K				
>		£986	£1 040	£1 094	£1 101	£1 159	£1 172	£1 278	£1 345	-	£1 378	-	-	-	-	-
NE	FTU-V/C Z-Wa	ve P2	2 Window	with safe	ty double	glazed ur	nit. Tough	ened oute	er pane. La	minated i	nner pane	e. U-value	of windov	v 1.3 W/m	1 ² K	
HTE ETH		£854	£895	£954	£954	£1 000	£1 007	£1 097	£1 144	£1 195	£1 168	£1 210	£1 212	£1 272	£1 212	£1 265
WHITE POLYURETHANE	FTU-V/C Z-Wa	ive P5	Window	with anti	-burglary	triple glaz	ed unit. C	lass P2A l	J-value of	window ().97 W/m ²	K				
PC		£1 016	£1 072	£1 127	£1 134	£1 194	£1 208	£1 317	£1 386	-	£1 419	-	-	-	-	-

WIFI CENTRE PIVOT ROOF WINDOWS

WiFi controlled roof windows in natural pine, white acrylic and white polyurethane.

	windows oxtornal	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	windows external dimensions [cm]	33876	JJA90	337110	00,50	002110	70,50	702110	702140	762100	34X110	34X140	1144110	1142140	134790	94×100
			_		_											
	effective glazing area [m²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	size symbol	01	02	16	03	04	05	06	07	13	80	09	10	11	12	80
¥	FTP-V WiFi P2	Window	with safe	ty double	glazed ur	nit. Toughe	ened oute	r pane. La	minated i	nner pane	. U-value	of windov	v 1.3 W/m	²K		
NATURAL PINE		£827	£860	£899	£910	£932	£943	£1 009	£1 025	-	£1 053	£1 075	£1 086	£1 130	£1 103	-
IATUR	FTP-V WiFi P5	Window	with anti	-burglary	triple glaz	ed unit. C	lass P2A L	J-value of	window 0	.97 W/m ²	<					
Z		£1 034	£1 075	£1 123	£1 137	£1 165	£1 178	£1 261	£1 282		£1 316	£1 344	-			-
음	FTW-V WiFi P	2 Window	w with sat	fety doubl	e glazed ı	unit. Tough	nened out	ter pane. L	aminated	inner par	e. U-value	of windo	ow 1.3 W/r	m²K		
ACRY		£827	£860	£899	£910	£932	£943	£1 009	£1 025	-	£1 053	£1 075	£1 086	£1 130	£1 103	-
WHITE ACRYLIC	FTW-V WiFi P	5 Window	w with an	ti-burglary	/ triple gla	nzed unit.	Class P2A	U-value o	f window	0.97 W/m	²K					
>		£1 034	£1 075	£1 123	£1 137	£1 165	£1 178	£1 261	£1 282	-	£1 316	£1 344	-	-	-	-
岁	FTU-V WiFi P2	2 Window	with safe	ety double	glazed u	nit. Tough	ened oute	er pane. La	aminated i	nner pane	e. U-value	of windo	w 1.3 W/m	1 ² K		
WHITE POLYURETHANE		£910	£946	£988	£1 001	£1 025	£1 037	£1 110	£1 128	£1 268	£1 158	£1 182	£1 195	£1 243	£1 213	£1 268
WF	FTU-V WiFi P5	Window	with ant	i-burglary	triple gla:	zed unit. C	lass P2A l	J-value of	window ().97 W/m ²	K					
2		£1 137	£1 182	£1 235	£1 251	£1 281	£1 296	£1 387	£1 410		£1 448		-	-	-	-

HIGHLY ENERGY-EFFICIENT CENTRE PIVOT ROOF WINDOWS

Triple and quadruple glazed roof windows in natural pine, white acrylic and white polyurethane.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
				п	п	п	п	п			п	ш				
	effective glazing area [m ²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	size symbol	01	02	16	03	04	05	06	07	13	08	09	10	11	12	80
岁	FTT U8 Therm	10 Wind	ow with f	assive qua	adruple gl	azed unit.	U-value o	of window	0.58 W/n	n²K when	installed v	with Therr	mo flashing	9		
NATURAL PINE		-	£1 324	£1 391	£1 409	£1 479	£1 489	£1 657	£1 832	£2 130	£1 908	£1 968	£1 986	£2 231	£2 024	£2 415
ATUR	FTT U6 Window w	ith highly	-energy e	fficient trip	ole glazed	l unit. U-va	alue of wir	ndow 0.8	W/m²K							
Z		-	£766	£800	£800	£848	£848	£960	£1 061	£1 231	£1 110	£1 141	£1 146	£1 282	£1 213	£1 399
2	FTT/W U8 The	ermo	Window v	vith Passiv	e quadru	ole glazed	unit. U-va	alue of wir	ndow 0.58	3 W/m²K w	hen insta	lled with	Thermo fla	shing		
ACRY		-	£1 367	£1 436	£1 452	£1 524	£1 536	£1 707	£1 888	£2 197	£1 968	£2 028	£2 045	£2 298	£2 080	£2 486
WHITE ACRYLIC	FTT/W U6 Winds	ow with h	ighly-ene	rgy efficier	nt triple g	lazed unit.	. U-value	of window	v 0.8 W/m	² K						
>		-	£766	£800	£800	£848	£848	£960	£1 061	£1 231	£1 110	£1 141	£1 146	£1 282	£1 213	£1 399
Ä	FTT/U U8 The	rmo v	Vindow w	ith Passive	quadrup	le glazed i	unit. U-va	lue of win	dow 0.58	W/m²K wl	nen install	led with T	hermo flas	shing		
ITE ETHA		-	£1 420	£1 500	£1 508	£1 590	£1 598	£1 779	£1 970	£2 279	£2 054	£2 121	£2 143	£2 392	£2 174	£2 587
WHITE POLYURETHANE	FTT/U U6 Windo	w with hi	ghly-ener	gy efficien	t triple gl	azed unit.	U-value o	f window	0.8 W/m ²	K						
8		-	£840	£878	£878	£928	£928	£1 056	£1 163	£1 354	£1 217	£1 252	£1 260	£1 425	£1 290	£1 540

CONSERVATION HIGHLY ENERGY-EFFICIENT CENTRE PIVOT ROOF WINDOWS

Triple and quadruple glazed conservation roof windows in natural pine, white acrylic and white polyurethane.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	difficultions (cm)															
	effective glazing area [m²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	size symbol	01	02	16	03	04	05	06	07	13	08	09	10	11	12	80
	FTT/C IIO The	w														
PINE	FTT/C U8 The	rmo w	indow wi	ith Passive	quadrup	le glazed ι	ınit. U-val	ue of win	dow 0.58 \	W/m²K wl	nen install	ed with I	hermo flas	hing		
LPI		-	£1 538	£1 625	£1 631	£1 739	£1 747	£1 932	£2 133	£2 499	£2 234	£2 290	£2 303	£2 605	£2 377	£2 832
NATURAL	ETT/C U6	61.11							0.01444 24	,						
Ĭ	FTT/C U6 Windo	w with hig	ghly-energ	gy efficien	t triple gla	azed unit.	U-value of	window	0.8 W/m²ł	<						
Z		-	£911	£948	£948	£1 006	£1 016	£1 141	£1 255	£1 461	£1 316	£1 353	£1 363	£1 535	£1 392	£1 652
	ETT/II/C IIO T	ı														
빌	FTT/U/C U8 T	nermo	• Windo	w with Pas	ssive quac	druple glaz	zed unit. L	J-value of	window 0).58 W/m ²	K when in	stalled w	th Thermo	flashing		
ᆈӖ		_	£1 832	£1 932	£1 932	£2 033	£2 033	£2.290	£2 546	£2 935	£2 650	£2 718	£2 718	£3 063	£2 793	£3 322
픋뜐			21032	21732	21732	22 033	22 033	22 270	22 340	LL 733	22 030	22 / 10	22 / 10	23 003	LL 175	23 322
WHITE OLY URETHAN	FTT/U/C U6 Wi	ndow with	h highly-e	nergy effi	cient tripl	e glazed u	nit. U-valı	ue of wind	low 0.8 W	/m²K						
Š																
			£995	£1 051	£1 051	£1 109	£1 114	£1 255	£1 390	£1 623	£1 461	£1 480	£1 517	£1 726	£1 546	C4 0F0

TOP HUNG AND CENTRE PIVOT ROOF WINDOWS

TOP HUNG PRESELECT MAX ROOF WINDOWS

Roof windows that can be operated in top hung or centre pivot mode in natural pine, white acrylic, white polyurethane and white UPVC.

11001	WITIOUWS LITAL CATT	oc opci	atca III	top nan	g or cc	indic piv	ot mou	Cillilat	arai piri	c, willice	aci yiic,	vviiice į	polyalci	ilalic al	IG WITH	c or vc.
	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	effective glazing area [m²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
	size symbol	01	0.29	16	03	0.47	05	06	07	13	08	09	10	11	12	80
	FPP-V P2 MAX	X Windo	w with saf	ety double	glazed ı	unit. Tough	ened out	er pane. L	aminated	inner pan	e. U-value	of windo	ow 1.3 W/r	n²K		
当		-	£562	£530	£568	£588	£594	£636	£670	£795	£710	£752	£806	£810	£832	£838
NATURAL PINE	FPP-V P5 MA	X Windo	w with an	ti-burglary	triple gla	azed unit. (Class P2A	U-value o	f window	0.97 W/m	²K					
IATUI		-	£730	£954	£730	£748	£748	£790	£845	£1 399	£875	£946	£1 325	£1 462	£1 399	£1 538
_	FPT U6 Window w	ith highly	energy-e	fficient trip	ole glazed	d unit. U-va	alue of wir	ndow 0.8	W/m²K							
		-	£795	£848	£854	£879	£869	£954	£1 028	£1 102	£1 026	£1 124	£1 134	£1 272		£1 219
드	FPW-V P2 MA	X Windo	ow with sa	afety doub	le glazed	l unit. Toug	hened ou	ter pane.	Laminated	d inner pa	ne. U-valu	e of wind	dow 1.3 W/	/m²K		
ACR		-	£562	£530	£568	£588	£594	£636	£689	£795	£710	£752	£805	£865	£832	-
WHITE ACRYLIC	FPW-V P5 MA	X Windo	ow with a	nti-burglar	y triple g	lazed unit.	Class P2A	U-value	of windov	v 0.97 W/r	n²K					
>		-	£729	£954	£729	£748	£748	£790	£845	£1 399	£874	£946	£1 325	£1 462	£1 399	-
N.	FPU-V P2 MA	X Windo	w with sa	fety doubl	e glazed	unit. Tough	nened out	er pane. l	aminated	inner par	ne. U-value	e of wind	ow 1.3 W/	m²K		
ETHA		-	£625	£630	£658	£674	£689	£732	£774	£879	£806	£827	£869	£912	£915	£932
WHITE POLYURETHANE	FPU-V P5 MA	X Windo	w with ar	iti-burglary	triple gl	azed unit.	Class P2A	U-value c	f window	0.97 W/m	1 ² K					
2		-	£800	£1 007	£829	£829	£868	£931	£970	£1 484	£1 027	£987	£1 484	£1 537	£1 484	£1 431
	DDD 1/ D2 MAX	V														
O C	PPP-V P2 MA	▼ Windo														
WHITE UPVC		-	£675	£682	£682	£755	£755	£795	£840	£835	£840	£900	£900	£950	£830	£945
.HM	PPP-V P5 MA	X Windo	w with an	ti-burglary	triple gla	azed unit. (Class P2A	U-value o	f window	1.1 W/m ²	K					
		-	£825	£920	£825	£876	£876	£946	£1 016	£1 200	£1 150	£1 250	£1 300	£1 350	-	£1 495

CONSERVATION TOP HUNG & CENTRE PIVOT PRESELECT ROOF WINDOWS

windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x16
			п			_									
effective glazing area [m²]	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
size symbol	01	02	16	03	04	05	06	07	13	08	09	10	11	12	80
FPP-V/C P2 N	1AX Wi	ndow with	n safety do	uble glaz	red unit. To	ughened	outer par	e. Lamina	ted inner	pane. U-v	alue of w	ndow 1.3	W/m²K		
2	-	£670	-	£682	£718	£695	£752	£788	£939	£829	£894	£894	£978	£914	
FPW-V/C P2	MAX w	indow wi	th safety d	ouble gla	zed unit. T	oughene	d outer pa	ne. Lamin	ated inne	r nane U-	value of v	vindow 1	3 W/m²K		
										· parrer o			3 11,111 11		
P. C.	-	£670	-	£682	£719	£694	£752	£788	£939	£828	£894	£894	£978	£913	-
	- ИАХ Wi		h safety do		£719	£694	£752	£788	£939	£828	£894	£894	£978	£913	-
	- VIAX Wi	ndow wit	- h safety do	ouble glaz	£719 zed unit. To	£694 bughened	£752 outer par	£788	£939 ated inner	£828 pane. U-v	£894 value of w	£894 indow 1.3	£978 W/m²K		
+	- MAX Wi		h safety do		£719	£694	£752	£788	£939	£828	£894	£894	£978	£913	-
FPU-V/C P2 I	-	ndow wit	-	puble glaz £760	£719 zed unit. To £779	£694 bughened £779	£752 Outer par £815	£788 ne. Lamina £872	£939 ated inner £1 088	£828 pane. U-v £899	£894 value of w £968	£894 indow 1.3 £975	£978 W/m²K £1 064		-
	-	ndow wit	-	puble glaz £760	£719 zed unit. To £779	£694 bughened £779	£752 Outer par £815	£788 ne. Lamina £872	£939 ated inner £1 088	£828 pane. U-v £899	£894 value of w £968	£894 indow 1.3 £975	£978 W/m²K £1 064		-

TOP HUNG & PIVOT DUAL FUNCTION PRESELECT ROOF WINDOWS

Roof windows that can be operated in top hung or centre pivot mode in natural pine, white acrylic and white polyurethane.

	windows external dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118	94x140	114x118	114x140	134x98	94x160
	effective glazing area [m²] size symbol	0.21	0.29	0.37	0.38	0.47	0.47	0.59	0.72	0.82	0.75	0.92	0.95	1.16	0.92	0.75
NATURAL PINE	FPP-V P2 Window	v with saf	ety doubl	e glazed u	nit. Tough	nened out	er pane. L	aminated	inner pan	e. U-value	of windo	w 1.3 W/	m²K			
NATU		-	£480	-	£502	£502	£530	£586	£646	£636	£685	£705	£762	£675	£726	-
WHITE	FPW-V P2 Windo	w with sa	afety doul	ole glazed	unit. Toug	ghened ou	ter pane.	Laminate	d inner pa	ne. U-valu	ıe of wind	low 1.3 W	//m²K			
ACR		-	£480	-	£502	£502	£530	£586	£646	£636	£685	£704	£762	-	£726	-
WHITE POLYURETH.	FPU-V P2 Window	w with sa	fety doub	le glazed ι	ınit. Toug	hened out	er pane. l	aminated	l inner par	ne. U-valu	e of windo	ow 1.3 W/	′m²K			
W POLYI		-	£540		£528	£590	£552	£624	£689	£774	£642	£804	£826	£804	-	-
WHITE	PPP-V P2 Window	w with saf	fety doub	le glazed u	nit. Tougl	hened out	er pane. L	aminated	inner pan	ie. U-value	e of windo	ow 1.3 W/	m²K			
W			£559	-	£565	£590	£590	£635	£687	-	£712	£744	£763	£845	-	-

HIGH PIVOT ROOF WINDOWS AND DUET ROOF WINDOWS


HIGH PIVOT PROSKY ROOF WINDOWS

Roof windows with a raised axis of rotation in natural pine, white acrylic and white polyurethane.



CONSERVATION HIGH PIVOT PROSKY ROOF WINDOWS


Conservation roof windows with a raised axis of rotation in natural pine, white acrylic and white polyurethane.



FYU-V/C P2 proSky Window with safety double glazed unit. Toughened outer pane. Laminated inner pane. U-value of window 1.3 W/m²K

HIGH PIVOT DUET PROSKY ROOF WINDOWS

Roof windows with a raised axis of rotation and a double sash in natural pine and white polyurethane.




FDY-V/U P2 Duet proSky Window with safety double glazed unit. Toughened outer pane. Laminated inner pane. U-value of window 1.3 W/m²K

£1 285 £1 494 £1549 £1 356 £1 562 £1632

CONSERVATIONHIGH PIVOT DUET PROSKY ROOF WINDOWS

Conservation roof windows with a raised axis of rotation and a double sash in natural pine and white polyurethane.



FDY-V/C P2 Duet proSky Window with safety double glazed unit. Toughened outer pane. Laminated inner pane. U-value of window 1.3 W/m²K

£1 243 £1 356 £1519 £1 342 £1 540 £1600

FDY-V/U/C P2 Duet proSky Window with safety double glazed unit. Toughened outer pane. Laminated inner pane. U-value of window 1.3 W/m²K £1 392 £1 520 £1704 £1 506 £1 726 £1796

L-SHAPED COMBINATION ROOF WINDOWS

L-SHAPED COMBINATION ROOF WINDOWS

Designed for installation where a vertical wall meets the roof within the loft space.

	windows external dimensions [cm]	78x60	78x75	78x95	78x115	78x137	94x75	94x95	114x75	114x95	
	effective glazing area [m²] size symbol	0.25	0.33	0.45	0.57	0.71	0.42	0.58	0.53	0.73	
			ndows wit	h safety d	ouble gla:	zed unit. T	ouahenec	l outer par	ne. Lamina	ated inne	r pane. U-value of window 1.3 W/m²K
		£649	£719	£779	£868	£959	£769	£854	-	£924	
	BVP P2 Windows	with safe	ety double	glazed ur	nit. Tough	ened oute	r pane. La	minated ir	nner pane.	. U-value	of window 1.3 W/m²K
		£466	£490	£519	£584	£642	£546	£578	£580	£602	
岁	BXP P2 Windows	with safe	ety double	glazed ur	nit. Tough	ened oute	r pane. La	minated ir	nner pane.	. U-value	of window 1.3 W/m²K
NATURAL PINE		£380	£396	£412	£460	£498	£428	£449	£519	£574	
NATUI	BDL P5, BDR	P5 Wir	ndow with	anti-burg	lary triple	glazed ui	nit. Class P	2A U-valu	e of windo	v 0.88V	V/m²K
		£919	£998				£1 079		-	£1 284	
	BVP P5 Window										
	DVD 0-	£726	£762	£799	£910	£984	£849	£885	£898	£922	
	BXP P5 Window									6053	
		£672	£704	£730	£821	£893	£769	£808	£886	£952	
	BDL/W P2, BD	PR/W	P2 Wir	ndows wit	h safety c	louble gla	zed unit. T	oughened	l outer par	ne. Lamir	nated inner pane. U-value of window 1.3 W/m²K
		£688	£756	£822	£918	£1 008	£806	£894	-	£964	
	BVW P2 Window	s with sa	fety doubl	e glazed ι	ınit. Tougl	nened out	er pane. L	aminated	inner pan	e. U-valu	e of window 1.3 W/m²K
		£536	£550	£580	£649	£712	£609	£642	£642	£662	
YLIC	BXW P2 Window	s with sat	fety doubl	e glazed ι	ınit. Tougl	nened out	er pane. L	aminated	inner pan	e. U-valu	e of window 1.3 W/m²K
WHITE ACRYLIC		£430	£450	£470	£529	£568	£490	£506	£587	£646	
WHIT	BDL/W P5, BD		P5 Wir						2A U-valu	e of wind	dow 0.88W/m²K
	D) // M D.E	£944	•				£1 104		•	•	
	BVW P5 Window										
	DVW DE we	£822	£854	£913		£1 122		£1 018			
	BXW P5 Window	f718	i-burglary £756	£796	ed unit. C £888	.iass P2A (£965	J-value of £822	£862		£1 018	
		2710	2730	2170	2000	2703	2022	2002	L/32	21010	
	BDL/U P2, BD	R/U F	2 Wind	dows with	safety do	uble glaze	ed unit. To	ughened o	outer pane	e. Lamina	ted inner pane. U-value of window 1.3 W/m²K
		£736	£776	£815		£1 036		£956	-	£998	
	BVU P2 Windows	s with safe	ety double	glazed ui	nit. Tough	ened oute	er pane. La	ıminated i	nner pane	. U-value	of window 1.3 W/m²K
		£532	£560	£592	£668	£735	£625	£662	£662	£684	
-ANE	BXU P2 Windows										of window 1.3 W/m²K
WHITE POLYURETHANE	201 (1125 22	£464	£482	£504	£562	£614	£522	£550	£629	£695	
POLY	BDL/U P5, BD								A U-value		ow 0.88W/m²K
	RVII DE ME I		£1 019						0.0/4//- 214	£1 278	
	BVU P5 Window	£834	-burglary 1 £886					window 0. £1 044		f1 070	
	BXU P5 Window									210/0	
	JAC I J WIIIdow	£722	-burgiary i	.ripie giaze	£888	£969	-value of \ £824	£874	£950	£1 027	
		_,	2,30	2, 30	_000	2,3,		_0,1	_,,,,	_,,	

CONSERVATION L-SHAPED COMBINATION ROOF WINDOWS

Designed for installation where a vertical wall meets the roof within the loft space.

	windows external dimensions [cm]	78x60	78x75	78x95	78x115	78x137	94x75	94x95	114x75	114x95
	effective glazing area [m²]	0.25	0.33	0.45	0.57	0.71	0.42	0.58	0.53	0.73
	size symbol	33	81	82	83	84	85	86	89	90
	BDL/C P2, BD	R/C P	2 Windo	ows with s	safety dou	ble glazec	l unit. Tou	ghened o	uter pane.	. Laminated inner pane. U-value of window 1.3 W/m²K
¥		£798	£864	£964	£1 056	£1 139	£944	£1 022	-	£1 080
AL PIN	BVP/C P2 Wind	ows with s	safety dou	ıble glazed	d unit. Tou	ighened o	uter pane	. Laminate	ed inner p	nane. U-value of window 1.3 W/m²K
NATURAL PINE		£600	£632	£668	£748	£824	£704	£742	£742	£768
2	BXP/C P2 Windo	ows with s	safety dou	ıble glaze	d unit. Tou	ghened o	uter pane	. Laminate	ed inner p	ane. U-value of window 1.3 W/m²K
		£514	£538	£562	£626	£684	£588	£614	£684	£748

BALCONY ROOF WINDOWS

BALCONY ROOF WINDOWS

Balcony roof windows give the effect of a balcony but at a fraction of the cost.



NOTE: THE PRICE SHOWN INCLUDE SINGLE FLASHING KIT - PLEASE CONTACT FAKRO SALES OFFICE FOR FURTHER DETAILS

SIDE HUNG ESCAPE ROOF WINDOWS

SIDE HUNG ESCAPE ROOF WINDOWS

Universal escape roof windows in natural pine and white polyurethane.

	windows external dimensions [cm]	55x98	66x78	66x98	66x118	78x118
	effective glazing area [m²] size symbol	0.29	0.28	0.38	0.47	0.59 06
щ.	FWP P2 Windows	with safe	ty double	glazed ui	nit. Tough	ened outer pane. Laminated inner pane. U-value of window 1.4 W/m²K
NATURAL PINE		£529	£529	£555	£599	£745
ATUR	FWP P5 Window	with anti-	burglary t	riple glaze	ed unit. Cl	ass P2A U-value of window 0.97 W/m²K
Z		£814	£807	£852	£917	£995
ANE	FWU P2 Window	s with safe	ety double	e glazed u	nit. Tough	ened outer pane. Laminated inner pane. U-value of window 1.4 W/m²K
HTE SETE/		£635	£618	£672	£720	£782
WHITE POLYURETHANE	FWU P5 Window	with anti-	-burglary	triple glaz	ed unit. Cl	ass P2A U-value of window 0.97 W/m²K
<u>a</u>		£878	£868	£915	£988	£1 085

CONSERVATION SIDE HUNG ESCAPE ROOF WINDOWS

Roof windows suitable for conservation areas - external colour black RAL 9005 with central mullion bar. In natural pine and white polyurethane.

	windows external dimensions [cm]	55x98	66x78	66x98	66x118	78x118
		ш	П	п	п	
	effective glazing area [m ²]	0.29	0.28	0.38	0.47	0.59
	size symbol	02	22	03	04	06
빌	FWP/C P2	Vindows with	safety do	uble glaze	ed unit. To	ughened outer pane. Laminated inner pane. U-value of window 1.4 W/m²K
AL PII		£800	£782	£819	£859	£924
NATURAL PINE	FWP/C P5	Window with	anti-burgla	ary triple o	glazed uni	t. Class P2A U-value of window 0.97 W/m²K
Z		£1 056	£1 045	£1 092	£1 158	£1 252
빌	FWU/C P2	Windows with	n safety do	uble glaze	ed unit. To	ughened outer pane. Laminated inner pane. U-value of window 1.4 W/m²K
		£874	£868	£906	£959	£1 036
WHITE POLYURETHANE	FWU/C P5	Window with	anti-burgl	ary triple	glazed un	it. Class P2A U-value of window 0.97 W/m²K
2		£1 122	£1 110	£1 178	£1 244	£1 338

ACCESS ROOF LIGHTS

ACCESS ROOF LIGHTS

Designed solely for uninhabited lofts.


dimensions [cm]	46x55	46x75
WGT Single glazed,	toughene	ed unit. U-value 1.7.
	£129	£140
WGI Single glazed, t	oughened	d unit. U-value 1.7.
	£154	£165
WGI/C Single glaze	d, tougher	ned unit. U-value 1.7.
	£202	£218

dimensions [cm]	54x83	54x98	86x87	
WLI Single glazed, to	oughened	unit. U-va	alue 1.7.	
	£240	£262	£275	
WLI/C Single glazed	l, tougher	ied unit. L	l-value 1.7.	
	£306	£320	£365	

SMOKE VENTILATION SYSTEMS

SMOKE VENTILATION SYSTEMS

Full smoke ventilation kit giving over 1m² of ventilation as required by law - EN 12101-2:2003



NOTE: SIZE 78x140 CONTAINS 2 CENTRE PIVOT ROOF WINDOWS **NOTE:** CONSERVATION STYLE AVAILABLE UPON REQUEST

FLASHINGS

STANDARD FL	ASHING	S													
dimensions [cm]	55x78	55x98	55x118	66x98	66x118	78x98	78x118	78x140	78x160	94x118			114x140		94x160
size symbol	01	02	16	03	04	05	06	07	13	08	09	10	11	12	80
EZV-A for interlo															
	£78	£82	£93	£93	£96	£96	£98	£98	£127	£100	£105	£114	£116	£119	£121
EZJ-A recessed sy	/le for interlo	ocking tile	es up to 45	mm											
	£110	£113	£121	£131	£129	£129	£134	£141	£169	£138	£157	£156	£167	£168	£171
ELV for non-interlo	cking tiles u	p to 10m	m												
	£78	£82	£93	£93	£96	£96	£98	£98	£127	£100	£105	£114	£116	£119	£121
ELJ recessed style f	or non-inter	locking ti	les up to 1	0mm											
	£110	£113	£121	£131	£129	£129	£134	£141	£169	£138	£157	£156	£167	£168	£171
EPV for plain tiles	up to 16mm														
	£78	£82	£93	£93	£96	£96	£98	£98	£127	£100	£105	£114	£116	£119	£121
EPJ recessed style f	or plain tiles	up to 16	mm												
	£110	£113	£121	£131	£129	£129	£134	£141	£169	£138	£157	£156	£167	£168	£171
EHN-A for interlo	ocking tiles u	up to 90m	ım												
	£87	£94	£99	£98	£103	£103	£108	£108	£123	£110	£113	£119	£123	£125	£127
ELV-T Therm	O for non-	interlocki	ng tiles up	to 10mn	n										
	£139	£156	£164	£164	£167	£167	£176	£187	£212	£192	£203	£203	£212	£203	£240
EPV-T Therm	10 for tiles	upto 10n	nm												
	£124	£137	£145	£145	£147	£147	£155	£160	£181	£168	£174	£176	£181	£177	£893
EHV-T Thern	10 for inte	rlockina t	iles up to 9	90mm											
	£124	£137	£145	£145	£147	£147	£155	£160	£181	£168	£174	£176	£181	£177	£210
EZA, ESA, El	HA for low	nitch roc	ofs - lifts wi	ndow ou	t of the ro	ofline by	10 dearee	5							
	£333	£344	£362	£362	£381	£377	£394	£411	£488	£421	£448	£448	£488	£448	£509
EKB & Kings	nan Ki														
= ND & Killigs	£77	£87	£94	£87	£94	£87	£94	£102	£108	£94	£102	£102	£108	£94	£108
EBV for steel pane		_0,			_, ,						v_		2.00	_, _,	
ED A 101 Steel balle	£119	£124	£127	£130	£145	£145	£148	£150	£174	£153	£155	£161	£174	£166	£176
	2113	L 124	1127	2130	£ 143	£ 143	7 140	2130	£1/4	7133	£ 133	7101	£1/4	2100	21/0

FLASHINGS FOR		PIVOT	PROS	KY		
dimensions [cm] size symbol	78x160 13	78x180 40	78x206 42	94x160 80	94x180 41	94x206 43
EZV-A for interlock	ing tiles u	p to 45mr	n			
	£127	£134	£165	£121	£160	£173
ELV for non-interlock	ing tiles u	p to 10mi	m			
	£127	£134	£165	£121	£160	£173
EPV for plain tiles up	to 16mm					
	£127	£134	£165	£121	£160	£173
EHN-A for interlock	king tiles ι	up to 90m	m			
	£123	£148	£169	£131	£172	£201

FLASHINGS FOR ROOF WINDOW		PIVOT	DUET	PROSI	(Y	
dimensions [cm] size symbol	78x206 CB	78x235 CC	78x255 CD	94x206 DB	94x235 DC	94x255 DD
EZV-A for interlock	ing tiles u	p to 45mr	n			
	£163	£179	£183	£183	£202	£218
ELV for non-interlock	ing tiles u	p to 10mi	m			
	£163	£179	£183	£183	£202	£218
EPV for plain tiles up	to 16mm					
	£163	£179	£183	£183	£202	£218
EHN-A for interloc	king tiles ι	ıp to 90m	m			
	£177	£192	£194	£201	£222	£242

CONSERVATION	ON STANI	DAPD	EI ACLI	NGS											
	_														
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98 03	66x118 04	78x98 05	78x118 06	78x140 07	78x160 13	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
EZV/C-A for in	terlocking tile	es up to 4	5mm												
	£100	£108	£118	£118	£121	£121	£124	£124	150	£129	£137	£145	£150	£147	£158
EZJ/C-A recess	sed syle for in	terlocking	g tiles up to	45mm											
	£142	£153	£162	£162	£171	£171	£173	£173	£210	£187	£196	£204	£210	£218	£227
ELV/C for non-in	nterlocking til	es up to 1	0mm												
	£100	£108	£118	£118	£121	£121	£124	£124	£150	£129	£137	£145	£150	£147	£158
ELJ/C recessed s	tyle for non-i	nterlockir	ng tiles up	to 10mm											
	£142	£153	£162	£162	£171	£171	£173	£173	£210	£187	£196	£204	£210	£218	£227
EPV/C for plain	tiles up to 16	mm													
	£100	£108	£118	£118	£121	£121	£124	£124	£150	£129	£137	£145	£150	£147	£158
EPJ/C recessed s	tyle for plain	tiles up to	16mm												
	£142	£153	£162	£162	£171	£171	£173	£173	£210	£187	£196	£204	£210	£218	£227
EHN-A/C for in	nterlocking ti	les up to	90mm												
	£122	£128	£132	£132	£139	£135	£145	£145	£172	£148	£153	£161	£172	£166	£174

CONSERVATION FLASHINGS FOR HIGH PIVOT PROSKY ROOF WINDOWS

dimensions [cm] size symbol	78x160 13	78x180 40	78x206 42	94x160 80	94x180 41	94x206 43
EZV-A/C for inter	locking tile	es up to 4	5mm			
	£150	£174	£188	£158	£203	£217
ELV/C for non-inter	locking til	es up to 1	0mm			
	£150	£174	£188	£158	£203	£217
EPV/C for plain tile	s up to 16	mm				
	£150	£174	£188	£158	£203	£217
EHN-A/C for inte	rlocking ti	les up to 9	90mm			
	£172	£192	£228	£174	£218	£262

dimensions [cm] size symbol	78x98 05	78x118 06	78x140 07	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12		
EUV-L/B for slate										
	226	238	256	250	253	253	264	261		
EUV/B for tiles										
	235	248	259	254	259	259	272	264		

CONSERVATION FLASHINGS FOR L-SHAPED COMBINATION ROOF WINDOWS

dimensions [cm] size symbol	78x98 05	78x118 06	78x140 07	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12		
EUV-L/B/C for s	late									
	235	248	259	254	259	259	272	264		
EUV/B/C for tiles										
	265	286	306	302	308	308	323	318		

COMBINATION FLASHING

COMBINATION	FLASH	ING													
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98 03	66x118 04	78x98 05	78x118 06	78x140 07	78x160 13	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
2 piece B2/1,	B1/2	- EZV-	A, EL	۷, EP۱	/-A										
	£195	£205	£233	£233	£240	£240	£245	£245	316	£250	£262	£285	£290	£298	£303
3 piece B3/1,	B1/3	- EZV-	A, EL	۷, EP۱	/-A										
	£293	£308	£349	£349	£360	£360	£368	£368	£474	£375	£392	£428	£435	£446	£454
4 piece B2/2	- EZV-	A, EL\	/, EPV	-A											
	£390	£410	£465	£465	£480	£480	£490	£490	£633	£500	£523	£570	£580	£595	£605
6 piece B3/2,	B2/3	- EZV-	A, EL	۷, EP۱	/-A										
	£585	£615	£698	£698	£720	£720	£735	£735	£949	£750	£785	£855	£870	£893	£908
2 piece B2/1,	B1/2	- EHN	-A												
	£216	£234	£247	£246	£258	£258	£270	£270	308	£276	£283	£299	£306	£312	£317
3 piece B3/1,	B1/3	- EHN	-A												
	£324	£351	£371	£369	£386	£386	£406	£406	£462	£413	£425	£448	£460	£467	£475
4 piece B2/2	- EHN	-A													
	£433	£469	£494	£492	£515	£515	£541	£541	£617	£551	£567	£597	£613	£623	£633
6 piece B3/2,	B2/3	- EHN	-A												
	£649	£703	£742	£738	£773	£773	£811	£811	£925	£827	£850	£896	£919	£935	£950

S5x78 S5x98 S5x118 66x98 66x118 78x98 78x118 78x140 78x160 94x118 94x140 114x118 114x140 134x98 9 9 10 11 12 12 12 12 12 12	ensions [cm]
2 piece B2/1, B1/2 - EZV-A/C, ELV/C, EPV-A/C £250 £270 £296 £296 £302 £302 £309 £309 £375 £322 £342 £362 £375 £368 3 piece B3/1, B1/3 - EZV-A/C, ELV/C, EPV-A/C £375 £404 £444 £444 £454 £454 £463 £463 £562 £483 £513 £542 £562 £552 4 piece B2/2 - EZV-A/C, ELV/C, EPV-A/C £500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1124 £966 £1025 £1085 £1124 £1104 £	
£250 £270 £296 £296 £302 £302 £309 £375 £322 £342 £362 £375 £368 3 piece B3/1, B1/3 - EZV-A/C, ELV/C, EPV-A/C £375 £404 £444 £444 £454 £454 £463 £463 £562 £483 £513 £542 £562 £552 4 piece B2/2 - EZV-A/C, ELV/C, EPV-A/C £500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £	Зуппрог
3 piece B3/1, B1/3 - EZV-A/C, ELV/C, EPV-A/C £375 £404 £444 £444 £454 £454 £463 £463 £562 £483 £513 £542 £562 £552 4 piece B2/2 - EZV-A/C, ELV/C, EPV-A/C £500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £	piece B2/1, B
£375 £404 £444 £444 £454 £454 £463 £463 £562 £483 £513 £542 £562 £552 4 piece B2/2 - EZV-A/C, ELV/C, EPV-A/C £500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £ 2 piece B2/1, B1/2 - EHN-A/C	
4 piece B2/2 - EZV-A/C, ELV/C, EPV-A/C £500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £ 2 piece B2/1, B1/2 - EHN-A/C	piece B3/1, B
£500 £539 £592 £592 £605 £605 £618 £618 £749 £644 £684 £723 £749 £736 6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £ 2 piece B2/1, B1/2 - EHN-A/C	
6 piece B3/2, B2/3 - EZV-A/C, ELV/C, EPV-A/C £749 £809 £887 £887 £907 £907 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £ 2 piece B2/1, B1/2 - EHN-A/C	piece B2/2 - F
£749 £809 £887 £887 £907 £907 £927 £927 £1 124 £966 £1 025 £1 085 £1 124 £1 104 £ 2 piece B2/1, B1/2 - EHN-A/C	
2 piece B2/1, B1/2 - EHN-A/C	piece B3/2, B
·	
·	piece B2/1, B
3 piece B3/1, B1/3 - EHN-A/C	piece B3/1, B
£324 £351 £371 £369 £386 £386 £406 £406 £462 £413 £425 £448 £460 £467	
4 piece B2/2 - EHN-A/C	piece B2/2 - F
£608 £641 £661 £661 £694 £674 £727 £727 £859 £740 £766 £806 £859 £832	
6 piece B3/2, B2/3 - EHN-A/C	piece B3/2, B
£649 £703 £742 £738 £773 £811 £811 £925 £827 £850 £896 £919 £935	

INSTALLATION ACCESSORIES

COMBINATION	FLASHI	NG													
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98 03	66x118 04	78x98 05	78x118 06	78x140 07	78x160 13	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
XDK XDP + XDS ins	ulating set														
	£63	£63	£63	£63	£63	£63	£63	£69	£74	£69	£69	£69	£69	£69	£74
XDP insulating colla	r														
	£38	£39	£42	£42	£43	£43	£44	£47	£48	£47	£48	£49	£50	£49	£50
XDS air-tight flashin	g														
	£39	£39	£39	£39	£39	£39	£39	£43	£45	£43	£43	£43	£43	£43	£45
XLC-F 40 & X	LC-P 4	0 intern	al lining												
	£360	£388	£395	£395	£420	£420	£438	£464	£517	£464	£476	£476	£501	£501	£532
XLC-F 30 & X	LC-P 3	0 intern	al lining												
	£278	£289	£295	£295	£312	£312	£329	£340	£386	£340	£357	£357	£374	£374	£403
XSP, XSW design	ned for eas	y and nea	at finishing	of the jo	ints betwe	en vertic	ally combi	ined wind	OWS						
	£28	£28	£28	£28	£28	£33	£33	£33	£33	£36	£36	£39	£39	£42	£36
FLAT ROOF SYS	TEM														
Gives the ability to	install a	pitched	d roof w	indow	on a flat	roof.									
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98 03	66x118 04	78x98 05	78x118 06	78x140 07	78x160 13	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
EFW kerb															
	£354	£386	£391	£394	£398	£418	£474	£481	£543	£489	£493	£510	£529	£539	£536

ACCESSORIES

EXTERNAL AWN	IING BL	.INDS	AND SI	HUTTE	RS										
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98 03	66x118 04	78x98 05	78x118 06	78x140 07	78x160 13	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
AMZ I new line aw	ning blind														
	£82	£82	£86	£86	£97	£100	£100	£103	£140	£111	£121	£124	£134	£132	£148
AMZ II new line av	vning blind	d													
	£109	£109	£119	£119	£131	£135	£135	£147	£189	£157	£163	£176	£186	£179	£208
AMZ Z-Wave	l (Elec	tric) r	new line a	wning blii	nd										
	£389	£389	£409	£409	£418	£424	£435	£446	£462	£451	£462	£473	£484	£473	£506
AMZ Z-Wave	II (Ele	ctric)	new line	awning b	lind										
	£420	£420	£442	£442	£451	£457	£469	£482	£499	£486	£499	£510	£523	£510	£546
AMZ Solar I ne	w line aw	ning blind	d												
	£550	£556	£565	£565	£578	£578	£583	£592	£603	£592	£603	£605	£616	£607	£623
AMZ Solar II r	new line av	vning blir	nd												
	£578	£583	£594	£594	£607	£607	£612	£622	£633	£622	£633	£636	£647	£638	£653
ARZ-H external shu	utter														
	£348	£355	£364	£364	£378	£373	£389	£389	£418	£405	£421	£426	£441	£430	£449
ARZ Z-Wave (Electr	ic) exte	ernal shutt	er											
	£389	£398	£407	£407	£426	£419	£441	£452	£472	£460	£475	£478	£494	£483	£501
ARZ Solar exte	rnal shutte	er													
	£668	£680	£691	£691	£709	£709	£719	£735	£743	£754	£761	£780	£761	-	-

INTERNAL BLIND	S														
dimensions [cm] size symbol	55x78 01	55x98 02	55x118 16	66x98	66x118 04	78x98 05	78x118 06	78x140 07	78x160	94x118 08	94x140 09	114x118 10	114x140 11	134x98 12	94x160 80
AJP venetian blind															
	£79	£81	£86	£86	£90	£88	£93	£99	£102	£101	£104	£109	£113	£104	£146
ARS I roller blinds															
	£50	£50	£53	£53	£54	£57	£58	£59	£61	£60	£61	£69	£71	£69	£71
ARS II roller blinds															
	£79	£80	£94	£95	£96	£98	£99	£101	£108	£105	£108	£112	£115	£110	£112
ARP I dimming roller		474	404	404	404		407	40.				4445	****	****	
ADDII	£76	£76	£91	£91	£91	£95	£95	£95	-	£104	£104	£112	£118	£112	•
ARP II dimming rolle	£107	£107	£128	£128	£128	£132	£132	£132	£161	£146	£146	£158	£170	£158	£165
ARP Z-Wave I						2132	2132	2132	2101	2140	2140	2150	2170	2130	2103
Title 2 video	£239	£243	£245	£245	£252	£252	£256	£261	-	£263	£266	£268	£275	£268	
ARP Z-Wave II	(Elec	tric)	dimming r	oller blin	ds										
	£254	£256	£260	£260	£263	£263	£268	£271	£299	£271	£282	£282	£286	£282	
ARF I blackout blinds	;														
	£83	£84	£101	£101	£101	£104	£107	£111	£121	£121	£121	£124	£140	£124	£140
ARF II blackout blind	ds														
	£122	£122	£140	£140	£140	£145	£149	£155	£167	£167	£171	£176	£195	£176	£195
ARF Print blackou	ıt blinds														
	£127	£127	£146	£146	£146	£150	£155	£161	£173	£173	£178	£183	£202	£183	£202
ARF Z-Wave I	-														
	£243	£245	£248	£248	£254	£254	£259	£263	£268	£266	£268	£271	£280	£270	£282
ARF Z-Wave II					(2/0	6360	(2/2	6360	(200	6360	(275	(200	(202	(200	(200
ARF Solar I black	£249	£252	£256	£256	£260	£260	£263	£268	£280	£268	£275	£280	£283	£280	£289
ARF Solal I black	£340	£343	£348	£348	£356	£356	£362	£369	£375	£372	£375	£380	£391	£378	£395
ARF Solar II blad														2070	2070
	£357	£360	£365	£365	£374	£374	£380	£387	£394	£391	£394	£399	£411	£397	£414
APS I pleated blinds															
	£77	£82	£87	£87	£91	£89	£94	£101	£111	£105	£111	£118	£129	£123	£134
APS II pleated blinds	5														
	£112	£118	£124	£124	£131	£128	£134	£143	£155	£149	£155	£164	£178	£170	£197
AMS 200 insect so	reen														
	£121	£125	£127	£127	£127	£137	£137	£137	£137	£143	£143	£143	£143	£148	£143
AMS 240 insect so	reen														
	-	-	-	£130	£130	£139	£139	£139	£139	£147	£147	£164	£164	£167	-

FLAT ROOF WINDOWS

FLAT ROOF WINDOWS - TYPE F

Type F flat roof windows are characterised by exceptional thermal insulation qualities and innovative design.

71					· '											
	windows external dimensions [cm]	60x60	60x90	70x70	80x80	90x60	90x90	90x120	100x100	100x150	120x90	120x120	120x220	140x140	150x100	200x100
	effective glazing area [m²]	0,23	0.37	0,33	0,46	0,37	0,6	0.83	0,77	1,21	0.83	1,16	2,23	1.63	1,21	1.64
	size symbol	01K	0,37 02K	03K	04K	31K	05K	06K	07K	10K	32K	08K	11K	09K	33K	34K
	DXF DU6 Window	w with h	ighly-ene	ergy effici	ent triple	glazed ui	nit. U-valu	ıe 0.7 W/r	n²K							
g		£1 105	£1 194	£1 225	£1 232	£1 295	£1 382	£1 535	£1 489	£1 839	£1 649	£1 785	£2 958	£2302	£1 965	£3 095
NON-OPENING	DXF DU8 Window	w with p	assive qu	adruple (glazed un	it. U-value	e 0.64 W/ı	m²K								
0-N-C		£1 402	£1 512	£1 546	£1 562	-	£1 728	£1 915	£1 884	£2 318	-	£2 234	£5 728	£4308	-	-
Z	DXF DU6 Sec	ure w	indow w	ith highly	-energy (efficient tr	riple glaze	ed unit. U-	value 0.7 V	V/m²K						
		-	-	-	-	-	£1 528	£1 689	£1 658	-	-	£1 970	-	-	-	-
	DMF DU6 Winds	ow with I	nighly-er	nergy effic	cient tripl	e glazed ι	unit. U-val	ue 0.7 W/	′m²K							
		£1 202	£1 299	£1 342	£1 352	-	£1 513	£1 659	£1 618	£2 010	-	£1 938	£3 088	£2 576	-	-
MANUAL	DMF DU8 Windo	ow with p	passive q	uadruple	glazed u	nit. U-valı	ue 0.64 W.	/m²K								
MA		£1 504	£1 627	£1 683	£1 693	-	£1 896	£2 075	£2 020	£2 502	-	£2 448	-		-	-
	DMF DU6 Sec	ure v	Vindow v	vith high	ly-energy	efficient	triple glaz	ed unit. L	J-value 0.7	W/m²K						
		-	-	-	-	-	£1 716	£1 890	£1 838		-	£2 212	-	-	-	
	DEF DU6 Window	w with hi	ghly-ene	ergy effici	ent triple	glazed ur	nit. U-valu	ie 0.7 W/n	n²K							
		£1 519	£1 604	£1 642	£1 649	£1 655	£1 823	£1 976	£1 933	£2 278	£2 075	£2 224	£3 796	£2 984	£2 495	£3 895
ELECTRIC	DEF DU8 Window	w with pa	assive qu	adruple o	glazed un	it. U-value	e 0.64 W/r	m²K								
EE		£1 844	£1 932	£1 996	£2 012	£2 005	£2 168	£2 388	£2 333	£2 767	£2 480	£2 690	•	-	£2 850	•
	DEF DU6 Sola	ar Wind	ow with	highly-er	nergy effic	cient triple	e glazed u	ınit. U-val	ue 0.7 W/n	n²K						
		£1 565	£1 652	£1 692	£1 699	£1 705	£1 878	£2 035	£1 990	£2 480	£2 095	£2 395	£3 909	£3 072	£2 545	£4 045

FLAT ROOF WINDOWS - TYPE G

Best-selling type G flat roof windows.

	windows external dimensions [cm]	60x60	60x90	70x70	80x80	90x90	90x120	100x100	100x150	120x120	120x220	140x140
	effective glazing area [m²]	0,23	0,37	0,33	0,46	0,6	0,83	0,77	1,21	1,16	2,23	1,63
	size symbol	01K	02K	03K	04K	05K	06K	07K	10K	08K	11K	09K
NON- OPENING	DXG P2 Window w	vith anti-bu	rglary doul	ble glazed	unit. U-val	ue of wind	low 0.92 W	/m²K				
OPE		£662	£722	£767	£769	£869	£1 002	£955	£1 244	£1 206	£2 200	£1 596
MANUAL	DMG P2 Window	with anti-b	urglary do	uble glazed	d unit. U-va	lue of win	dow 0.92 V	V/m²K				
MAN		£836	£933	£959	£994	£1 104	£1 326	£1 228	£1 816	£1 498	£2 760	£2 185
ELECTRIC	DEG P2 Window w	rith anti-bu	rglary doul	ble glazed	unit. U-valı	ue of wind	low 0.92 W	/m²K				
ELEC		£1 236	£1 289	£1 428	£1 329	£1 452	£1 765	£1 712	£2 100	£1 926	£3 675	£2 893

FLAT ROOF WINDOWS - TYPE Z

Type Z flat roof windows have a specially constructed glass segment allowing water drainage.

	windows external dimensions [cm]	60x60	60x90	70x70	80x80	90x60	90x90	90x120	100x100	120x90	120x120
	effective glazing area [m²]	0,23	0,37	0,33	0,46	0,37	0,6	0,83	0,77	0,83	1,16
	size symbol	01K	02K	03K	04K	31K	05K	06K	07K	32K	08K
Ş	DXZ-A P2 AM	Z/Z Win	dow witha	nti-burglar	y double g	glazed unit.	U-value of	window 0).95 W/m²K		
ENI		£1 365	£1 470	£1 522	£1 575	£1 470	£1 680	£1 890	£1 942	£1 890	£2 100
NON-OPENING	DXZ-B P2 AM	Z/Z Win	dow witha	nti-burglar	y double g	Jazed unit.	U-value of	window 0	.95 W/m ² K		
Z		£1 155	£1 208	£1 260	£1 312	£1 260	£1 365	£1 418	£1 470	£1 545	£1 575
	DMZ-A P2 AN	1Z/Z Wi	ndow with	anti-burgla	ary double	glazed uni	t. U-value d	of window	0.95 W/m²k	(
MANUAL		£1 475	£1 588	£1 645	£1 702	-	£1 758	£2 042	£2 098	-	£2 268
MA	DMZ-B P2 AN	1Z/Z Wi	ndow with	anti-burgla	ıry double	glazed unit	t. U-value c	of window	0.95 W/m ² K	,	
		£1 312	£1 365	£1 418	£1 470	-	£1 522	£1 732	£1 785	-	£1 942
	DEZ-A P2 AM	Z/Z Win	dow witha	nti-burglar	y double g	Jlazed unit.	U-value of	window 0	.95 W/m ² K		
ELECTRIC		£1 769	£1 905	£1 974	£2 042	-	£2 110	£2 449	£2 518	-	£2 722
ELEC	DEZ-B P2 AM	Z/Z Win	dow witha	nti-burglar	y double g	lazed unit.	U-value of	window 0	.95 W/m²K		
		£1 628	£1 732	£1 838	£1 942	-	£2 048	£2 258	£2 310	-	£2 572

FLAT ROOF WINDOWS - TYPE C

Domed roof windows Provides a large amount of natural light.

	windows external dimensions [cm]	60x60	60x90	70x70	80x80	90x60	90x90	90x120	100x100	100x150	120x90	120x120	120x220	140x140	150x100	200x100
	effective glazing area [m²]	0,23	0,37	0,33	0,46	0,37	0,6	0,83	0,77	1,21	0,83	1,16	2,23	1,63	1,21	1,64
	size symbol	01K	02K	03K	04K	31K	05K	06K	07K	10K	32K	08K	11K	09K	33K	34K
٩	DXC-C P2 DU	6 Windo	w with a	nti-burgl	ary doub	le glazed	unit. U-va	lue of wir	ndow 1.2 V	V/m²K						
		£558	£599	£642	£630	-	£725	£834	£787	£1 022	-	£985	£1 852	£1 376	-	-
NON-OPENING	DXC-C P4 Sec	ure w	indow w	vith anti-k	ourglary o	louble gla	zed unit.	U-value 1	.2 W/m ² K							
2		-				-	£948	£1 028	£1 002	-	-	£1 237		-	-	-
	DMC-C P2 DU	6 Wind	low with	anti-burç	glary dou	ble glazed	d unit. U-v	alue of w	indow 1.2	W/m²K						
NAL		£762	£844	£870	£874	-	£999	£1 116	£1 082	£1 388	-	£1 345	£2 378	£1 765	-	-
MANUAL	DMC-C P4 Se	cure \	Window v	with anti-	-burglary	double g	lazed unit	U-value	1.2 W/m²K	,						
		-	-	-	-	-	£1 145	£1 276	£1 242	-	-	£1 538		-	-	-
	DEC-C P2 DU	6 Windo	w with a	nti-burgl	ary doub	le glazed	unit. U-va	lue of wir	ndow 1.2 V	V/m²K						
TRIC		£1 122	£1 165	£1 222	£1 199	£1 255	£1300	£1 418	£1 368	£1 617	£1 545	£1 579	£2 990	£2 238	£1 765	-
ELECTRIC	DEC-C U8 (VS	G) Win	ndow wit	h quadru	ple glaze	d unit. U-	value of v	vindow 0.	72 W/m²K							
		£1 658	£1 735	£1 788	£1 799	£1 849	£1 978	£2 168	£2 105	£2 488	£2 289	£2 425			£2 629	£2 649


WALK-ON FLAT ROOF WINDOWS


Providing a surface level with the roof and a special non-slip coating.



SMOKE VENTILATION FLAT ROOF WINDOWS


Used for extraction of smoke and heat emitted in a building during a fire.





FLAT ROOF ACCESS WINDOWS

Provides safe and convenient access to the flat roof.



FLAT ROOF ACCESS DOOR

Provides safe and convenient access to the flat roof.



ACCESSORIES FLAT ROOF WINDOWS

INSTALLATION BASE

The XRD base allows you to rise the window above the flat roof by 15cm.

dimensions [cm] size symbol	60x60 01K	60x90 02K	70x70 03K	80x80 04K	90x60 31K	90x90 05K	90x120 06K	100x100 07K	100x150 10K	120x90 32K	120x120 08K	120x220 11K	140x140 09K	150x100 33K	200x100 34K
XRD															
	£1 105	£1 194	£1 225	£1 232	-	£1 382	£1 535	£1 489	£1 839	-	£1 785	£2 958	£2 302	-	-
XRD/W															
	£1 402	£1 512	£1 546	£1 562	-	£1 728	£1 915	£1 884	£2 318	-	£2 234	£5 728	£4308	-	-
XRD/A															
	-	-	-	-	-	£1 528	£1 689	£1 658		-	£1 970	-	-	-	-

EXTERNAL AWNING BLINDS

Comfortable, automatic operation of the blinds.

dimensions [cm] size symbol	60x60 01K	60x90 02K	70x70 03K	80x80 04K	90x60 31K	90x90 05K	90x120 06K	100x100 07K	100x150 10K	120x90 32K	120x120 08K	120x220 11K	140x140 09K	150x100 33K	200x100 34K
AMZ/F Solar															
	£656	£656	£678	£678	-	£695	£706	£695	£724	-	£911	£1 074	£845	-	-
AMZ/F Solar	II														
	£695	£695	£719	£719	-	£741	£752	£741	£770	-	£970	£1 145	£905	-	-
AMZ/C Z-Way	re I														
	£312	£320	£325	£330	-	£346	£634	£356	£680	-	£706	£782	£670	-	
AMZ/C Z-Wav	re II														
	£358	£365	£376	£379		£398	£725	£409	£774	-	£809	£892	£763		


INTERNAL BLACKOUT BLINDS

Blackout blinds suitable for flat roof windows.

dimensions [cm] size symbol	60x60 01K	60x90 02K	70x70 03K	80x80 04K	90x60 31K	90x90 05K	90x120 06K	100x100 07K	100x150 10K	120x90 32K	120x120 08K	120x220 11K	140x140 09K	150x100 33K	200x100 34K
ARF/D I															
	£83	£83	£90	£95	-	£102	£111	£111	£113	-	£137	-	-	-	-
ARF/D II															
	£92	£92	£97	£103	-	£110	£124	£124	£126	-	£138	-	-	-	-
ARF/D Z-Wav	e I														
	£307	£307	£314	£316	-	£325	£330	£330	£357	-	-	-	£373	-	-
ARF/D Z-Wav	e II														
	£315	£315	£320	£325	-	£332	£339	£339	£364	-		-	£380	-	-
ARF/D Solar I	l														
	£320	£320	£332	£334	-	£343	£346	£346	£373	-	-	£420	£396	-	-
ARF/D Solar I	II														
	£327	£327	£339	£341	-	£350	£353	£353	£381	-	-	£431	£404	-	•

LIGHT TUNNELS

LIGHT TUNNELS



FLAT ROOF LIGHT TUNNELS

light tunnel diameter [cm]	35	55		
tube length [cm]	210	210		
SFF flexible transmitting tube				
	£458	£768		
light tunnel diameter [cm]	35	55		
tube length [cm]	61	61		
SRF rigid transmitting tube				
	£569	£884		
	2009	2884		

ACCESSORIES

light tunnel diameter [cm] tube length [cm]	35 210	55 210		
SLM 30 tube extension kit, length 30cm				
	£70	£80		
SLM 60 tube extension kit, length 60cm				
	£83	£96		
SLM 90 tube extension kit, length 90cm				
	£95	£110		
SLM 120 tube extension kit, length 120cm				
	£86	£120		
SLM 210 tube extension kit, length 210cm				
	£145	£180		
SLO light kit				
	£59	£62		

light tunnel diameter [cm] tube length [cm]	35 210	55 210		
SRM 61 tube extension kit, length 61cm				
	£100	£132		
SRK elbow				
	£135	£260		
SLO light kit				
	£59	£62		







Fakro GB Ltd

Fakro House Astron Business Park Hearthcote Road Swadlincote DE11 9DW telephone: 01283 554755 fax: 01283 224545

www.fakro.co.uk e-mail:sales@fakrogb.com