


If ordering Hybrid radiators, please also see separate DBH price list


MAXI 2020 LST - PRICE LIST - UK 03/2023

DIMENSIONS (in mm)


Maxi 2020 wall model top and front grille options (WT)




Maxi 2020 floor model top and front grille options (FT)




Example with Jaga valve: to the wall.




Example with Jaga valve: to the floor.



Example: no TRV



Example from floor with TRV head at high level



Depth mm	Connection to floor d (mm)	Connection to wall A (mm)	Clearance h (mm)
130	53	29	100
180	78	53	120
230	103	79	150


CONNECTION

When ordering a Jaga Maxi 2020 radiator you will be asked where the valve will be placed as valve cut outs are required on order, see examples below.

Optional high level valve:

add to the code of the radiator /30 (left) or /60 (right)

Ex. MAXW.059 063 180.xxx/WT/60



ORDERING CODE

code	height	length	depth	colour	model
MAXW .	044	083	180 .	XXX	/WT
enter colour code ↴					

For example: using ordering code: MAXW 044 083 180 233 / WT will result in a Maxi 2020 wall model, with white casing, 440mm high, 830mm long and 180 deep.

COLOURS

Environmentally friendly, scratch-resistant, high UV resistant powder coating.

Standard colours:

- Traffic White RAL 9016 (233) glossy finish
- Sandblast Grey (001) fine texture metallic

Other colours available: see colour chart.

High UV resistance to ASTM G53.

Please note when using the low level valve configuration in conjunction with FT or FF casing model, clearance will be required between the casing side panel and the skirting (assuming skirting is to be fitted tight to casing) to allow for casing removal.

DELIVERY

Split deliveries option available.

Elements and brackets are stock items.

Casings made to order.

Please contact our customer service team to discuss your requirements.



HEIGHT 440 - WT WALL MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/WT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	478	223	14.6	0.80	831.40
	180	16	718	333	16.6	1.19	896.00
	230	21	964	441	18.5	1.60	962.10
830	130	11	704	329	19.2	1.06	904.50
	180	16	1057	490	21.9	1.58	988.10
	230	21	1418	649	24.3	2.13	1073.60
1030	130	11	929	434	23.8	1.33	970.80
	180	16	1396	647	27.2	1.98	1072.90
	230	21	1873	857	30.2	2.66	1177.70
1230	130	11	1155	539	28.4	1.60	1029.20
	180	16	1735	805	32.5	2.38	1147.80
	230	21	2328	1065	36.1	3.19	1269.90
1430	130	11	1381	645	33.0	1.86	1156.10
	180	16	2074	962	37.8	2.77	1290.50
	230	21	2782	1273	41.9	3.72	1466.10
1630	130	11	1606	750	37.7	2.13	1243.60
	180	16	2413	1119	43.0	3.17	1404.40
	230	21	3237	1481	47.8	4.26	1610.70
1830	130	11	1832	855	42.3	2.39	1303.30
	180	16	2752	1276	48.3	3.56	1480.10
	230	21	3692	1689	53.7	4.79	1705.40
2030	130	11	2057	960	46.9	2.66	1364.00
	180	16	3091	1434	53.6	3.96	1597.40
	230	21	4146	1897	59.5	5.32	1797.80

EN442 output at 20°C room temperature

HEIGHT 590 - WT WALL MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/WT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	573	271	17.7	0.80	916.00
	180	16	877	412	20.6	1.19	983.90
	230	21	1166	542	22.6	1.60	1051.80
830	130	11	844	400	23.3	1.06	997.70
	180	16	1290	607	27.2	1.58	1084.00
	230	21	1716	798	29.8	2.13	1173.10
1030	130	11	1114	528	28.9	1.33	1072.70
	180	16	1704	801	33.7	1.98	1176.30
	230	21	2267	1054	37.0	2.66	1283.30
1230	130	11	1384	655	34.5	1.60	1138.90
	180	16	2117	996	40.2	2.38	1259.80
	230	21	2817	1310	44.2	3.19	1384.30
1430	130	11	1655	784	40.1	1.86	1285.80
	180	16	2531	1190	46.8	2.77	1422.60
	230	21	3367	1566	51.4	3.72	1601.50
1630	130	11	1925	912	45.7	2.13	1382.50
	180	16	2944	1384	53.3	3.17	1545.30
	230	21	3917	1821	58.6	4.26	1755.40
1830	130	11	2196	1040	51.4	2.39	1449.40
	180	16	3358	1579	59.9	3.56	1629.80
	230	21	4467	2077	65.7	4.79	1856.60
2030	130	11	2466	1168	57.0	2.66	1518.50
	180	16	3771	1773	66.4	3.96	1755.40
	230	21	5017	2333	72.9	5.32	1957.80

EN442 output at 20°C room temperature

HEIGHT 740 - WT WALL MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/WT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	631	300	22.5	0.80	1001.50
	180	16	958	453	25.0	1.19	1071.10
	230	21	1347	635	27.1	1.60	1142.80
830	130	11	928	442	29.7	1.06	1090.80
	180	16	1410	667	32.9	1.58	1179.90
	230	21	1982	935	35.7	2.13	1271.90
1030	130	11	1225	583	36.8	1.33	1174.30
	180	16	1862	881	40.8	1.98	1280.60
	230	21	2617	1234	44.3	2.66	1389.90
1230	130	11	1523	725	44.0	1.60	1248.20
	180	16	2314	1094	48.7	2.38	1372.40
	230	21	3253	1534	52.9	3.19	1500.10
1430	130	11	1820	866	51.1	1.86	1415.50
	180	16	2766	1308	56.6	2.77	1555.90
	230	21	3888	1834	61.5	3.72	1737.00
1630	130	11	2118	1008	58.2	2.13	1520.90
	180	16	3218	1522	64.6	3.17	1685.90
	230	21	4523	2133	70.1	4.26	1897.90
1830	130	11	2415	1149	65.4	2.39	1596.30
	180	16	3669	1735	72.5	3.56	1778.30
	230	21	5158	2433	78.7	4.79	2008.50
2030	130	11	2713	1291	72.5	2.66	1673.00
	180	16	4121	1949	80.4	3.96	1912.20
	230	21	5794	2733	87.3	5.32	2117.90

EN442 output at 20°C room temperature

HEIGHT 440 - WF WALL MODEL, FRONT GRILLE - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/WF

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	334	159	14.0	0.80	896.00
	180	16	497	228	16.6	1.19	966.50
	230	21	620	284	19.0	1.60	1039.10
830	130	11	491	234	18.5	1.06	969.20
	180	16	732	336	21.9	1.58	1060.30
	230	21	913	419	25.0	2.13	1152.80
1030	130	11	649	309	22.9	1.33	1035.10
	180	16	967	444	27.2	1.98	1145.80
	230	21	1206	553	31.0	2.66	1258.80
1230	130	11	807	384	27.4	1.60	1093.40
	180	16	1201	551	32.5	2.38	1219.10
	230	21	1498	687	37.0	3.19	1348.20
1430	130	11	964	459	31.8	1.86	1223.10
	180	16	1436	659	37.8	2.77	1367.80
	230	21	1791	821	43.0	3.72	1555.30
1630	130	11	1122	534	36.2	2.13	1310.90
	180	16	1670	766	43.0	3.17	1482.70
	230	21	2084	955	49.1	4.26	1702.40
1830	130	11	1279	609	40.7	2.39	1370.30
	180	16	1905	874	48.3	3.56	1559.40
	230	21	2376	1089	55.1	4.79	1797.00
2030	130	11	1437	684	45.1	2.66	1430.40
	180	16	2140	982	53.6	3.96	1677.50
	230	21	2669	1223	61.1	5.32	1891.80

EN442 output at 20°C room temperature

HEIGHT 590 - WF WALL MODEL, FRONT GRILLE - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/WF

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	458	215	17.7	0.80	981.20
	180	16	664	307	20.5	1.19	1055.10
	230	21	868	403	23.1	1.60	1129.50
830	130	11	674	316	23.4	1.06	1062.60
	180	16	978	453	27.0	1.58	1155.30
	230	21	1277	592	30.5	2.13	1251.10
1030	130	11	890	417	29.0	1.33	1137.60
	180	16	1291	598	33.5	1.98	1249.50
	230	21	1686	782	37.8	2.66	1364.20
1230	130	11	1105	518	34.6	1.60	1202.80
	180	16	1605	743	40.0	2.38	1331.20
	230	21	2096	972	45.1	3.19	1463.00
1430	130	11	1321	619	40.3	1.86	1353.50
	180	16	1918	888	46.5	2.77	1500.10
	230	21	2505	1162	52.5	3.72	1690.50
1630	130	11	1537	720	45.9	2.13	1449.50
	180	16	2231	1033	53.0	3.17	1624.60
	230	21	2914	1352	59.8	4.26	1845.70
1830	130	11	1753	821	51.5	2.39	1516.50
	180	16	2545	1178	59.5	3.56	1708.40
	230	21	3324	1542	67.2	4.79	1948.20
2030	130	11	1969	923	57.2	2.66	1585.70
	180	16	2858	1323	66.0	3.96	1835.00
	230	21	3733	1731	74.5	5.32	2051.90

EN442 output at 20°C room temperature

HEIGHT 740 - WF WALL MODEL, FRONT GRILLE - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/WF

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	569	264	21.9	0.80	1065.90
	180	16	798	373	24.9	1.19	1142.10
	230	21	992	461	27.5	1.60	1220.20
830	130	11	838	389	28.9	1.06	1156.40
	180	16	1175	549	32.8	1.58	1251.10
	230	21	1461	678	36.3	2.13	1348.60
1030	130	11	1107	514	35.8	1.33	1238.70
	180	16	1552	725	40.7	1.98	1352.50
	230	21	1929	896	45.0	2.66	1470.50
1230	130	11	1375	639	42.8	1.60	1313.00
	180	16	1928	901	48.6	2.38	1443.80
	230	21	2397	1113	53.7	3.19	1578.80
1430	130	11	1644	764	49.7	1.86	1482.70
	180	16	2305	1077	56.5	2.77	1633.70
	230	21	2865	1330	62.5	3.72	1826.60
1630	130	11	1913	889	56.7	2.13	1587.40
	180	16	2681	1253	64.4	3.17	1764.80
	230	21	3333	1547	71.2	4.26	1989.60
1830	130	11	2181	1014	63.6	2.39	1663.20
	180	16	3058	1429	72.3	3.56	1857.90
	230	21	3801	1765	80.0	4.79	2100.30
2030	130	11	2450	1139	70.6	2.66	1739.90
	180	16	3435	1605	80.2	3.96	1992.20
	230	21	4270	1982	88.7	5.32	2210.90

EN442 output at 20°C room temperature

HEIGHT 440 - FT FLOOR MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.044 LLL Dep.XXX/FT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	391	180	13.0	0.80	847.60
	180	16	560	256	15.1	1.19	912.70
	230	21	722	328	16.9	1.60	980.10
830	130	11	575	265	17.2	1.06	919.00
	180	16	824	377	19.9	1.58	1004.10
	230	21	1063	483	22.3	2.13	1090.80
1030	130	11	759	349	21.3	1.33	984.70
	180	16	1088	497	24.7	1.98	1086.00
	230	21	1404	638	27.7	2.66	1190.50
1230	130	11	943	434	25.4	1.60	1040.60
	180	16	1352	618	29.5	2.38	1158.80
	230	21	1744	793	33.1	3.19	1280.60
1430	130	11	1127	518	29.6	1.86	1163.20
	180	16	1616	739	34.3	2.77	1298.40
	230	21	2085	947	38.5	3.72	1473.70
1630	130	11	1312	604	33.7	2.13	1250.40
	180	16	1880	860	39.1	3.17	1410.30
	230	21	2426	1102	43.8	4.26	1617.50
1830	130	11	1496	688	37.8	2.39	1307.10
	180	16	2144	980	43.9	3.56	1484.00
	230	21	2766	1257	49.2	4.79	1709.10
2030	130	11	1680	773	42.0	2.66	1366.10
	180	16	2408	1101	48.7	3.96	1598.90
	230	21	3107	1412	54.6	5.32	1799.40

EN442 output at 20°C room temperature

HEIGHT 590 - FT FLOOR MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/FT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	498	230	16.9	0.80	933.50
	180	16	732	337	19.1	1.19	1000.20
	230	21	948	434	21.1	1.60	1068.90
830	130	11	732	338	22.2	1.06	1013.40
	180	16	1078	496	25.2	1.58	1098.90
	230	21	1395	639	27.8	2.13	1188.00
1030	130	11	967	447	27.6	1.33	1085.20
	180	16	1423	654	31.3	1.98	1189.80
	230	21	1842	843	34.5	2.66	1296.40
1230	130	11	1202	556	33.0	1.60	1150.20
	180	16	1768	813	37.4	2.38	1271.80
	230	21	2289	1048	41.2	3.19	1396.50
1430	130	11	1437	664	38.3	1.86	1293.30
	180	16	2114	972	43.5	2.77	1430.40
	230	21	2736	1253	47.9	3.72	1610.60
1630	130	11	1671	772	43.7	2.13	1388.20
	180	16	2459	1131	49.5	3.17	1551.20
	230	21	3183	1458	54.6	4.26	1760.70
1830	130	11	1906	881	49.0	2.39	1454.00
	180	16	2804	1289	55.6	3.56	1633.10
	230	21	3630	1662	61.3	4.79	1860.20
2030	130	11	2141	989	54.4	2.66	1520.90
	180	16	3150	1448	61.7	3.96	1757.10
	230	21	4078	1867	68.0	5.32	1959.50

EN442 output at 20°C room temperature

HEIGHT 740 - FT FLOOR MODEL, TOP GRILLE - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/FT

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	594	278	21.0	0.80	1018.00
	180	16	885	414	23.4	1.19	1087.60
	230	21	1080	501	25.3	1.60	1159.40
830	130	11	874	410	27.7	1.06	1106.90
	180	16	1302	610	30.9	1.58	1195.30
	230	21	1590	737	33.3	2.13	1285.40
1030	130	11	1154	541	34.4	1.33	1187.60
	180	16	1720	806	38.3	1.98	1294.30
	230	21	2100	974	41.3	2.66	1404.40
1230	130	11	1434	672	41.1	1.60	1260.10
	180	16	2137	1001	45.7	2.38	1383.40
	230	21	2609	1210	49.3	3.19	1510.70
1430	130	11	1714	803	47.8	1.86	1423.00
	180	16	2555	1197	53.2	2.77	1563.10
	230	21	3119	1447	57.3	3.72	1744.30
1630	130	11	1994	934	54.4	2.13	1526.60
	180	16	2972	1392	60.6	3.17	1692.60
	230	21	3628	1683	65.4	4.26	1905.00
1830	130	11	2275	1066	61.1	2.39	1600.30
	180	16	3390	1588	68.1	3.56	1782.40
	230	21	4138	1919	73.4	4.79	2013.30
2030	130	11	2555	1197	67.8	2.66	1675.00
	180	16	3807	1783	75.5	3.96	1914.50
	230	21	4648	2156	81.4	5.32	2119.10

EN442 output at 20°C room temperature

HEIGHT 590 - FF FLOOR MODEL, FRONT GRILLES - OUTPUTS & PRICES

MAXW.059 LLL Dep.XXX/FF

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	378	174	16.3	0.80	998.30
	180	16	521	239	19.1	1.19	1071.10
	230	21	660	302	21.6	1.60	1145.20
830	130	11	557	257	21.4	1.06	1077.50
	180	16	767	352	25.1	1.58	1170.50
	230	21	971	445	28.5	2.13	1266.30
1030	130	11	735	339	26.6	1.33	1149.80
	180	16	1013	466	31.2	1.98	1262.60
	230	21	1282	587	35.3	2.66	1377.50
1230	130	11	913	421	31.8	1.60	1214.40
	180	16	1259	579	37.3	2.38	1342.30
	230	21	1593	730	42.2	3.19	1475.40
1430	130	11	1092	504	36.9	1.86	1360.30
	180	16	1504	691	43.3	2.77	1507.80
	230	21	1904	872	49.0	3.72	1698.70
1630	130	11	1270	586	42.1	2.13	1455.10
	180	16	1750	804	49.4	3.17	1630.10
	230	21	2216	1015	55.9	4.26	1851.60
1830	130	11	1448	668	47.3	2.39	1520.80
	180	16	1996	917	55.4	3.56	1712.40
	230	21	2527	1158	62.7	4.79	1952.20
2030	130	11	1627	751	52.4	2.66	1587.30
	180	16	2242	1030	61.5	3.96	1837.30
	230	21	2838	1300	69.6	5.32	2053.60

EN442 output at 20°C room temperature

HEIGHT 740 - FF FLOOR MODEL, FRONT GRILLES - OUTPUTS & PRICES

MAXW.074 LLL Dep.XXX/FF

	TWIN				WEIGHT	WATER CONTENT	PRICE
L mm	Depth mm	Type	Watts 75/65	Watts 55/45	kg	l	£ st. colour
630	130	11	476	222	20.4	0.80	1082.70
	180	16	660	307	23.4	1.19	1159.40
	230	21	831	385	26.1	1.60	1237.30
830	130	11	701	327	26.9	1.06	1171.50
	180	16	971	451	30.9	1.58	1267.40
	230	21	1222	566	34.3	2.13	1364.60
1030	130	11	926	431	33.4	1.33	1252.20
	180	16	1282	596	38.3	1.98	1366.70
	230	21	1614	748	42.6	2.66	1484.60
1230	130	11	1150	536	39.9	1.60	1324.40
	180	16	1594	741	45.7	2.38	1454.70
	230	21	2006	929	50.9	3.19	1589.10
1430	130	11	1375	641	46.4	1.86	1490.00
	180	16	1905	885	53.2	2.77	1641.40
	230	21	2398	1111	59.1	3.72	1834.00
1630	130	11	1600	746	52.9	2.13	1593.50
	180	16	2216	1030	60.6	3.17	1771.10
	230	21	2790	1293	67.4	4.26	1995.30
1830	130	11	1824	850	59.3	2.39	1667.50
	180	16	2527	1174	68.1	3.56	1860.80
	230	21	3182	1474	75.7	4.79	2103.30
2030	130	11	2049	955	65.8	2.66	1742.20
	180	16	2838	1319	75.5	3.96	1994.30
	230	21	3573	1655	84.0	5.32	2213.00

EN442 output at 20°C room temperature

VALVES, TRV HEADS AND ACCESSORIES

OUR SPECIALLY SHORTENED VALVES CAN BE CONCEALED WITHIN THE STANDARD CASING. OTHER VALVES MAY BE PARTIALLY VISIBLE.

SLEEVE COUPLING M24

Copper Tube

CODE	Tube Ø
5094.110	10/1
5094.115	15/1

Steel Tube for C.H

CODE	Tube Ø
5094.501	1/2"

Please note other couplings are available on request.

SLEEVE COUPLING 1/2"

Copper Tube

CODE	Tube Ø
5098.110	10/1
5098.115	15/1


Steel Tube for C.H

CODE	Tube Ø
5094.502	1/2"

Please note other couplings are available on request.

BASE GRILLE WT/WF ONLY

Same colour as casing. Grille covers length of active element only, not entire casing length.




CODE	H	L	D	Colour
5613	000	083*	130	233

*to suit casing length and depth

PENCIL PROOF GRILLE WT/FT ONLY

Same colour as casing.



CODE	H	L	D	Colour
5612	000	083*	230	


*to suit casing length and depth

ARTHRITIC AID



CODE
5090.ARTH


JAGA THERMOSTATIC VALVE – WALL (suitable for all LST Radiators)



Consists of the following :


- 5090.407 Type 06 Angled TRV
- 5090.111 Type 06 Angled Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework to wall (Same end 20/70 connections).



CODE	Description	Price £
5090.407	Jaga Type 06 TRV (M24)	29.10
5090.111	Angled Type 06 Lockshield Valve (M24)	16.50
5090.1125	TRV Head (White)	41.90


JAGA THERMOSTATIC VALVE – FLOOR (suitable for all LST Radiators)



Consists of the following :

- 5090.405 Angled TRV
- 5090.109 Straight Lockshield Valve
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard

To suit pipework from the floor (Same end 20/70 connections).



CODE	Description	Price £
5090.405	Jaga Angled TRV (1/2")	29.10
5090.109	Straight Lockshield Valve (1/2")	17.00
5090.1125	TRV Head (White)	41.90

HIGH LEVEL JAGA TOP VALVE



Consists of the following :

- 5090.13001 High Level TRV Set (including valve, capillary & head)
- 5090.1125 White TRV Head
- Adaptors to suit 15mm copper pipe as standard
- 5090.109 Straight Lockshield Valve (to floor) OR 5090.110 Angled Lockshield Valve (to wall)

To suit pipework from the floor (Same end 30/60 connections).



CODE	Description	Price £
5090.13001	Jaga High Level TRV Set (1/2")	149.40
5090.110	Angled Lockshield Valve (1/2")	16.50
5090.109	Straight Lockshield Valve (1/2")	17.00

TRV HEADS



CODE
5090.1125



CODE
5090.1150



CODE
5090.1151



CODE
5090.1152



CODE
5090.1161

CODE	Description	Price £
5090.1125	White (Heating)	41.90
5090.1150	White (Heating)	53.80
5090.1151	Chrome (Heating)	84.20
5090.1152	Silver (Heating)	59.90
5090.1161	Heimeier Thermostatic Head HC (Heating + Cooling)	85.90

EN442 output at 20°C room temperature

MAXI 2020 WT & WF WALL MODELS - PARTS

CASINGS WALL MODEL (.../WT)							
Height		440		590		740	
L	Depth	£	£	£	£	£	£
		st. colour	other	st. colour	other	st. colour	other
630	130	594.80	683.30	666.80	766.70	740.30	851.70
	180	620.20	713.10	696.60	800.70	773.50	888.90
	230	640.00	736.00	718.90	826.60	798.50	918.90
830	130	631.40	726.00	713.40	820.10	795.10	914.50
	180	653.00	750.90	738.30	849.40	823.20	946.30
	230	674.90	776.50	763.30	878.00	851.00	978.20
1030	130	662.30	761.70	753.20	866.40	844.00	970.40
	180	686.60	789.60	779.00	895.90	872.00	1003.00
	230	710.80	817.90	805.80	926.30	900.60	1035.40
1230	130	694.20	798.50	793.40	911.70	891.20	1025.60
	180	722.10	830.40	823.20	946.30	924.90	1062.70
	230	749.30	862.00	852.90	981.00	957.60	1101.20
1430	130	753.20	866.40	866.40	995.80	979.20	1126.80
	180	781.40	898.90	897.20	1031.80	1013.70	1165.40
	230	809.60	931.30	927.80	1067.60	1047.00	1204.20
1630	130	784.00	901.30	906.20	1042.20	1027.90	1182.30
	180	814.70	937.40	938.90	1080.40	1062.70	1222.60
	230	844.60	971.40	972.40	1118.30	1097.90	1262.50
1830	130	815.00	937.60	945.40	1087.30	1075.40	1237.10
	180	848.00	975.00	981.00	1127.90	1113.10	1280.10
	230	880.50	1012.60	1015.70	1167.80	1150.90	1322.90
2030	130	847.00	973.80	985.20	1133.10	1123.00	1291.90
	180	880.90	1012.90	1022.70	1176.00	1162.80	1337.70
	230	915.20	1052.80	1058.70	1218.00	1202.40	1382.30

Casings Ordering Code

Product Height Length Depth Colour Model

CMAX 044 063 230 233 /WT

Standard delivery is: colour 233, grille, single piece casing



CASINGS WALL MODEL (.../WF)							
Height		440		590		740	
L	Depth	£	£	£	£	£	£
		st. colour	other	st. colour	other	st. colour	other
630	130	659.10	758.00	732.10	841.70	805.00	925.70
	180	691.30	795.10	768.00	883.70	844.30	971.10
	230	717.90	825.80	797.10	916.60	876.20	1007.50
830	130	696.80	801.40	778.60	895.50	861.50	989.90
	180	726.00	834.60	810.30	932.00	895.00	1029.40
	230	754.80	869.00	842.10	968.50	928.30	1067.80
1030	130	727.30	837.10	818.60	941.30	908.70	1044.90
	180	760.10	874.10	852.90	981.00	945.40	1087.30
	230	792.40	911.50	887.30	1020.40	982.40	1129.40
1230	130	759.10	873.10	857.60	985.70	956.80	1100.30
	180	793.60	912.80	895.00	1029.40	996.80	1146.40
	230	828.40	952.50	932.30	1072.20	1036.70	1192.10
1430	130	821.10	943.60	933.90	1073.60	1047.00	1204.20
	180	860.20	989.10	975.70	1122.40	1092.10	1256.30
	230	899.70	1034.00	1018.00	1170.50	1137.30	1307.90
1630	130	852.00	979.50	973.80	1119.70	1095.10	1259.60
	180	894.40	1027.90	1018.90	1171.90	1142.80	1314.20
	230	936.90	1077.10	1063.40	1223.30	1190.50	1369.20
1830	130	882.80	1015.30	1012.60	1164.30	1142.80	1314.20
	180	927.80	1067.60	1060.60	1219.60	1193.10	1372.30
	230	973.30	1119.60	1108.30	1274.40	1243.50	1430.70
2030	130	914.00	1051.00	1052.80	1210.40	1190.70	1369.50
	180	962.40	1106.40	1103.10	1268.80	1243.50	1430.70
	230	1009.80	1161.50	1154.00	1327.20	1296.30	1490.40

Casings Ordering Code

Product Height Length Depth Colour Model

CMAX 059 083 180 233 /WF

Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER WALL MODEL (.../WT)				
Height		440	590	740
L	Depth	£	£	£
630	130	237.10	248.70	261.10
	180	281.50	294.10	305.90
	230	328.00	339.80	351.90
830	130	279.10	291.30	303.50
	180	341.30	352.80	364.70
	230	404.90	416.90	428.70
1030	130	314.80	326.70	338.70
	180	392.80	404.70	416.60
	230	473.70	485.50	497.60
1230	130	341.40	353.20	365.60
	180	432.80	444.90	456.40
	230	527.50	539.70	552.10
1430	130	409.80	428.00	445.50
	180	516.20	533.80	552.10
	230	664.00	682.10	699.90
1630	130	467.10	485.40	502.60
	180	597.10	615.30	633.20
	230	774.10	792.30	810.20
1830	130	495.60	513.70	531.00
	180	640.00	657.90	675.70
	230	833.30	850.30	868.80
2030	130	524.90	542.90	560.40
	180	724.50	742.20	760.40
	230	891.20	908.80	926.70

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAX 044 103 180 /WT

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

HEAT EXCHANGER WALL MODEL (.../WF)				
Height		440	590	740
L	Depth	£	£	£
630	130	237.10	248.70	261.10
	180	281.50	294.10	305.90
	230	328.00	339.80	351.90
830	130	279.10	291.30	303.50
	180	341.30	352.80	364.70
	230	404.90	416.90	428.70
1030	130	314.80	326.70	338.70
	180	392.80	404.70	416.60
	230	473.70	485.50	497.60
1230	130	341.40	353.20	365.60
	180	432.80	444.90	456.40
	230	527.50	539.70	552.10
1430	130	409.80	428.00	445.50
	180	516.20	533.80	552.10
	230	664.00	682.10	699.90
1630	130	467.10	485.40	502.60
	180	597.10	615.30	633.20
	230	774.10	792.30	810.20
1830	130	495.60	513.70	531.00
	180	640.00	657.90	675.70
	230	833.30	850.30	868.80
2030	130	524.90	542.90	560.40
	180	724.50	742.20	760.40
	230	891.20	908.80	926.70

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAX 044 103 180 /WF

Standard delivery is: heat exchanger, wall brackets, air vent, drain plug


MAXI 2020 FT & FF FLOOR MODELS - PARTS

CASINGS FLOOR MODEL (.../FT)							
Height		440		590		740	
L	Depth	£	£	£	£	£	£
		st. colour	other	st. colour	other	st. colour	other
630	130	610.70	702.60	684.50	787.00	757.20	870.00
	180	636.80	732.90	713.40	820.10	789.60	908.30
	230	658.40	756.90	736.30	847.00	815.00	937.60
830	130	646.10	743.40	728.90	838.80	811.10	932.90
	180	669.00	769.60	753.40	866.60	838.80	964.30
	230	692.40	796.30	778.60	895.50	864.70	995.10
1030	130	676.70	778.10	765.90	880.90	857.30	985.20
	180	700.00	804.50	792.40	911.50	886.60	1018.90
	230	723.70	832.20	819.00	941.60	915.20	1052.80
1230	130	705.90	811.90	804.20	924.90	903.20	1038.80
	180	732.90	842.90	834.60	959.90	935.60	1076.10
	230	760.10	874.10	864.70	995.10	968.20	1113.70
1430	130	760.60	874.30	873.40	1004.40	986.80	1134.80
	180	789.50	907.00	905.10	1040.80	1020.70	1174.20
	230	817.50	939.60	937.40	1077.30	1054.60	1212.90
1630	130	790.80	909.00	911.50	1048.30	1033.70	1188.70
	180	821.10	943.60	944.60	1085.90	1069.60	1230.60
	230	851.30	979.20	977.60	1124.20	1105.50	1270.90
1830	130	819.20	942.20	949.80	1092.10	1079.10	1241.40
	180	852.00	979.50	984.30	1131.90	1117.50	1284.90
	230	884.70	1017.30	1018.90	1171.90	1155.60	1328.30
2030	130	849.40	977.00	987.70	1135.60	1125.30	1293.50
	180	882.80	1015.30	1024.40	1178.40	1165.00	1339.50
	230	916.90	1054.60	1061.10	1220.00	1204.20	1384.60

Casings Ordering Code

Product Height Length Depth Colour Model

CMAX 044 083 130 233 /FT
Standard delivery is: colour 233, grille, single piece casing



CASINGS FLOOR MODEL (.../FF)							
Height		440		590		740	
L	Depth	£	£	£	£	£	£
		st. colour	other	st. colour	other	st. colour	other
630	130	N/A	N/A	749.70	861.30	821.80	944.90
	180	N/A	N/A	784.60	902.40	862.00	991.30
	230	N/A	N/A	813.20	935.10	893.60	1027.70
830	130	N/A	N/A	793.60	912.80	876.20	1007.50
	180	N/A	N/A	825.80	949.80	911.30	1047.40
	230	N/A	N/A	857.60	985.70	945.40	1087.30
1030	130	N/A	N/A	831.00	956.50	922.70	1060.60
	180	N/A	N/A	866.40	995.80	959.30	1103.10
	230	N/A	N/A	900.60	1035.40	996.80	1146.40
1230	130	N/A	N/A	869.60	999.80	968.20	1113.70
	180	N/A	N/A	906.40	1042.60	1007.50	1158.70
	230	N/A	N/A	944.10	1085.70	1047.00	1204.20
1430	130	N/A	N/A	941.30	1081.70	1054.60	1212.90
	180	N/A	N/A	983.40	1130.70	1100.00	1264.70
	230	N/A	N/A	1025.80	1180.10	1145.00	1316.20
1630	130	N/A	N/A	979.20	1126.80	1101.20	1266.10
	180	N/A	N/A	1024.40	1178.40	1148.70	1321.50
	230	N/A	N/A	1069.60	1230.60	1196.50	1376.30
1830	130	N/A	N/A	1017.30	1169.60	1146.70	1318.90
	180	N/A	N/A	1064.80	1223.70	1196.50	1376.30
	230	N/A	N/A	1111.90	1279.20	1246.00	1433.30
2030	130	N/A	N/A	1054.60	1212.90	1193.10	1372.30
	180	N/A	N/A	1105.50	1270.90	1245.80	1432.10
	230	N/A	N/A	1155.70	1329.60	1298.40	1493.00

Casings Ordering Code

Product Height Length Depth Colour Model

CMAX 074 103 180 233 /FF
Standard delivery is: colour 233, grille, single piece casing



HEAT EXCHANGER FLOOR MODEL (.../FT)				
Height		440	590	740
L	Depth	£	£	£
630	130	237.10	248.70	261.10
	180	281.50	294.10	305.90
	230	328.00	339.80	351.90
830	130	279.10	291.30	303.50
	180	341.30	352.80	364.70
	230	404.90	416.90	428.70
1030	130	314.80	326.70	338.70
	180	392.80	404.70	416.60
	230	473.70	485.50	497.60
1230	130	341.40	353.20	365.60
	180	432.80	444.90	456.40
	230	527.50	539.70	552.10
1430	130	409.80	428.00	445.50
	180	516.20	533.80	552.10
	230	664.00	682.10	699.90
1630	130	467.10	485.40	502.60
	180	597.10	615.30	633.20
	230	774.10	792.30	810.20
1830	130	495.60	513.70	531.00
	180	640.00	657.90	675.70
	230	833.30	850.30	868.80
2030	130	524.90	542.90	560.40
	180	724.50	742.20	760.40
	230	891.20	908.80	926.70

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAX 044 103 180 /FT
Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

HEAT EXCHANGER FLOOR MODEL (.../FF)				
Height		440	590	740
L	Depth	£	£	£
630	130	N/A	248.70	261.10
	180	N/A	294.10	305.90
	230	N/A	339.80	351.90
830	130	N/A	291.30	303.50
	180	N/A	352.80	364.70
	230	N/A	416.90	428.70
1030	130	N/A	326.70	338.70
	180	N/A	404.70	416.60
	230	N/A	485.50	497.60
1230	130	N/A	353.20	365.60
	180	N/A	444.90	456.40
	230	N/A	539.70	552.10
1430	130	N/A	428.00	445.50
	180	N/A	533.80	552.10
	230	N/A	682.10	699.90
1630	130	N/A	485.40	502.60
	180	N/A	615.30	633.20
	230	N/A	792.30	810.20
1830	130	N/A	513.70	531.00
	180	N/A	657.90	675.70
	230	N/A	850.30	868.80
2030	130	N/A	542.90	560.40
	180	N/A	742.20	760.40
	230	N/A	908.80	926.70

Heat Exchanger Ordering Code

Product Height Length Depth Model

HMAX 044 103 180 /FF
Standard delivery is: heat exchanger, wall brackets, air vent, drain plug

MAXI 2020 LST - PARTS

PENCIL-PROOF GRILLE			
Length mm	Depth mm	Code	Price £
630	130	5612.00006310	46.50
	180	5612.00006315	50.80
	230	5612.00006320	53.10
830	130	5612.00008310	48.70
	180	5612.00008315	55.10
	230	5612.00008320	57.90
1030	130	5612.00010310	51.20
	180	5612.00010315	59.20
	230	5612.00010320	63.80
1230	130	5612.00012310	56.20
	180	5612.00012315	65.20
	230	5612.00012320	70.70
1430	130	5612.00014310	62.30
	180	5612.00014315	72.30
	230	5612.00014320	78.60
1630	130	5612.00016310	63.80
	180	5612.00016315	75.20
	230	5612.00016320	81.90
1830	130	5612.00018310	65.40
	180	5612.00018315	78.00
	230	5612.00018320	85.20
2030	130	5612.00020310	67.10
	180	5612.00020315	81.20
	230	5612.00020320	88.80

BASE GRILLE			
Length mm	Depth mm	Code	Price £
630	130	56130.00006310	61.10
	180	56130.00008315	65.30
	230	56130.00006320	68.50
830	130	56130.00008310	64.40
	180	56130.00008315	70.40
	230	56130.00008320	73.20
1030	130	56130.00010310	67.10
	180	56130.00010315	74.60
	230	56130.00010320	78.60
1230	130	56130.00012310	72.30
	180	56130.00012315	81.30
	230	56130.00012320	87.20
1430	130	56130.00014310	81.20
	180	56130.00014315	91.20
	230	56130.00014320	97.10
1630	130	56130.00016310	83.10
	180	56130.00016315	94.40
	230	56130.00016320	92.80
1830	130	56130.00018310	85.20
	180	56130.00018315	97.70
	230	56130.00018320	103.50
2030	130	56130.00020310	86.50
	180	56130.00020315	100.30
	230	56130.00020320	107.70



☎ +44 1531 631 533
✉ jaga@jaga.co.uk
🌐 www.jaga.co.uk

📍 **JAGA UK**
Jaga House, Orchard Business Park,
Bromyard Road, Ledbury,
Herefordshire HR8 1LG

Notes relative to price list

1. May be subject to alteration without prior notification
2. List prices subject to trading terms
3. Does not include delivery
4. Subject to VAT at the prevailing rate