

Floors, walls and doors guide

altro.com

Contents

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Rolls	O
Altro Cantata™	12
Altro Orchestra™	14
Altro Orchestra™ Custom	18
Altro Operetta™	20
Altro Zodiac™	22
Altro Serenade™	24
Altro Wood™ adhesive-free	26
Altro Wood™	28
Altro Wood™ Comfort	30
Altro Suprema™	32
Altro XpressLay™	36
Altro Walkway™ 20	40
Altro Walkway™ 20 SD	44
Altro Classic™ 25	46
Altro Reliance™ 25	48
Altro Atlas™ 40	52
Altro Stronghold™ 30	54
Altro Aquarius™	56
Altro Pisces™	58
Altro Marine™	60
	00
Walls	
Hygienic wall sheets	
Altro Whiterock White™	62
Altro Whiterock Satins™	64
Altro Whiterock Chameleon™	68
Altro Whiterock™ wall designs	70
Altro Whiterock Digiclad™ (Custom)	72
Wall protection	
Altro Fortis Titanium™	74
Altro Fortis™ corner protection	76
Specialist wall solutions	
Altro Tegulis™	78
Altro Whiterock™ Imagination Wall	80
Altro Whiterock™ Whiteboard	82
Altro Walls ShowerKit™	84
Altro Whiterock™ recessed shelf	86
Altro Whiterock Splashbacks™	88
Altro Whiterock hand wash station™	92
Doors	
Altro Whiterock hygienic doorsets™	96
Altro Fortis doorsets™	97
Altro Fortis door protection™	98
Technical drawings	100
_	
Support	116



Altro Orchestra and Altro Whiterock wall designs



Altro Stronghold and Altro Whiterock White



Altro Pisces and Altro Tegulis

Choose by type of wall, floor or door

Designer ranges		Safety floors continued		Sustainable solutions	
LVTs Altra Encamble (1.4dP)	6	Heavy duty (2.5mm+)	10	Adhesive-free floors	4
Altro Ensemble (14dB) Floors Altro Cantata (14dB) Altro Orchestra (15dB) Altro Orchestra Custom (15dB) Altro Operetta (4dB) Altro Zodiac Altro Serenade (19dB) Floors with safety Altro Wood adhesive-free (14dB)	12 14 18 20 22 24	Altro Classic (2.5mm) Altro Reliance (2.5mm) Altro Atlas (4mm) Kitchens Altro Classic Altro Stronghold Bathrooms Altro Aquarius Altro Pisces Altro Marine	46 48 52 46 54 56 58 60	Altro Cantata (14dB) Adhesive-free floors with safety Altro Wood adhesive-free (14dB) Altro XpressLay Walls and doors Altro Whiterock White Altro Whiterock Satins Altro Whiterock Chameleon Altro Whiterock wall designs Altro Tegulis	1 2 3 6 6 6 6 7 7
Altro Wood Comfort (14dB) Altro Suprema	28 30 32	Heavy duty		Altro Walls ShowerKit Altro Whiterock reccessed shelf Altro Whiterock Splashbacks	8
Decorative wall sheets Altro Whiterock Satins Altro Whiterock Chameleon Altro Whiterock wall designs	64 68 70	Floors Altro Classic Altro Reliance Altro Atlas Wall protection	46 48 52	Altro Whiterock opidal isabets Altro Whiterock hygenic doorsets Altro Fortis doorsets Altro Fortis door protection	9 9
Altro Whiterock Digiclad (Custom) Altro Tegulis Altro Whiterock Imagination Wall Altro Whiterock Whitehoord	72 78 80 82	Altro Fortis Titanium Altro Fortis comer protection	74 76	Commercial kitchens Floors Altro Classic	4(
Altro Whiterock Whiteboard Acoustic floors	02	Doors Altro Fortis doorsets Altro Fortis door protection	97 98	Altro Stronghold Walls	54
LVTs Altro Ensemble (14dB) Floors	6	Walls and doors Hygienic wall sheets Altro Whiterock White	62	Altro Whiterock White Altro Whiterock Satins Altro Whiterock Chameleon Altro Whiterock wall designs	6: 6: 7:
Altro Cantata (14dB) Altro Orchestra (15dB) Altro Orchestra Custom (15dB)	12 14 18	Altro Whiterock Satins Altro Whiterock Chameleon Altro Whiterock wall designs	64 68 70	Altro Tegulis Altro Whiterock hygenic doorsets	78 90
Altro Operetta (4dB) Altro Serenade (19dB) Altro Wood adhesive-free (14dB) Altro Wood (4dB)	18 24 26 28	Altro Whiterock Digiclad (Custom) Altro Whiterock Imagination Wall Altro Whiterock Whiteboard Altro Walls ShowerKit	72 80 82 84	Wet rooms, showers and bathrooms	
Altro Wood Comfort (14dB)	30	Altro Whiterock recessed shelf Altro Whiterock Splashbacks Altro Whiterock hand wash station	86 88 92	Altro Aquarius Altro Pisces Altro Marine	58 60
Safety floors		Tile-effect wall sheets Altro Tegulis	78	Walls Altro Whiterock White	62
Floors Altro Wood adhesive-free (14dB) Altro Wood (4dB) Altro Wood Comfort (14dB) Altro Suprema Altro XpressLay Altro Walkway	26 28 30 32 36 40	Wall protection Altro Fortis Titanium Altro Fortis corner protection Doors Altro Whiterock hygienic doorsets Altro Fortis doorsets	74 76 96 97	Altro Whiterock Satins Altro Whiterock Chameleon Altro Whiterock wall designs Altro Whiterock Digiclad (Custom) Altro Tegulis Altro Walls ShowerKit Altro Whiterock recessed shelf	64 68 70 72 78 84
Altro Walkway SD	44	Altro Fortis door protection	98	Altro Whiterock Splashbacks	88

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people's needs at the heart of everything we do. It's a human-centred approach to designing for the demands of 21st century life.

It's a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.


With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors - LVTs



Altro Ensemble

Application areas:

- Communal areas
- Receptions
- Corridors
- Dining, bars
- Waiting areas Resident rooms
- Shops

Altro Ensemble is a modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From colour blocking to geometric patterns, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB sound reduction with added comfort underfoot, making it perfect for areas where design is key.

With four modular sizes, you can mix and match to create unique patterns utilising colour and design. Combine with Altro Whiterock wall designs for a unique interior statement.



Natural Rustic Oak M017W200L2000 | LRV 27









For full technical details @ altro.com

Floors - LVTs



Drift Oak M023W100L500 | LRV 40



Pearl Oak M007W100L500 | LRV 53



Red Vintage Timber M013W100L500 | LRV 21



Medium Limed Rustic Oak Village Oak M018W100L500 | LRV 17



M024W100L500 | LRV 21



Greige Rustic Oak M034W100L500 | LRV 35



Medium Grey Harmonious Oak M027W100L500 | LRV 21



Blue Vintage Timber M011W100L500 | LRV 42

Plank size

100 × 500 mm

Floors - LVTs



Drift Oak M023W125L1000 | LRV 40



Natural Pine M022W125L1000 | LRV 44



Pearl Oak

Leached Striking Oak M006W125L1000 | LRV 45 M007W125L1000 | LRV 53



White Vintage Timber M009W125L1000 | LRV 44



Natural Rustic Oak M017W125L1000 | LRV 27



Medium Limed Rustic Oak Blue Vintage Timber





Green Vintage Timber M012W125L1000 | LRV 29



Red Vintage Timber M013W125L1000 | LRV 21



Greige Striking Oak M033W125L1000 | LRV 16



Natural Striking Oak M032W125L1000 | LRV 26



Flamed Cherry M019W125L1000 | LRV 21



Village Oak M024W125L1000 | LRV 21



Valley Oak M025W125L1000 | LRV 16



Brown Limed Pine M030W125L1000 | LRV 23



Striking Oak

Tobacco Limed M008W125L1000 | LRV 18



Barrel Oak



Cabin Oak



Regal Walnut M021W125L1000 | LRV 8



Greige Rustic Oak M034W125L1000 | LRV 35



Medium Grey Harmonious Oak M027W125L1000 | LRV 21



Smoked Rustic Oak M035W125L1000 | LRV 12



Anthracite Limed Harmonious Oak M026W125L1000 | LRV 7

Floors - LVTs




Chilli Red



Sky Blue







Midnight Wood MP151W125L1000 | LRV 4



Hot Orange MA064W125L1000 | LRV 20

Plank size

125 × 1000 mm

Floors - LVTs



Greige Rustic Oak M034W200L2000 | LRV 35



Pearl Oak M007W200L2000 | LRV 53



Green Vintage Timber M012W200L2000 | LRV 29



Medium Limed Rustic Oak M018W200L2000 | LRV 17



Valley Oak M025W200L2000 | LRV 16



Village Oak M024W200L2000 | LRV 21



Smoked Rustic Oak M035W200L2000 | LRV 12



M030W200L2000 | LRV 23



M010W200L2000 | LRV 10

Plank size

200 × 2000 mm

Floors - LVTs



White Stone



Fossil Stone



Platinum Concrete



York Stone



Portland Stone



Pumice Stone





Pewter Concrete




Anthracite Concrete

l	ıle	size	
7			_



500 × 1000 mm



Altro Cantata

Application areas:

- Communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops


A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. New Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.



Hazelnut | AFP282009 WR418 / A1M239 / LRV 18

For full technical details @ altro.com


Floors




Frosted Glass AFP282005 WR388 / A1M388 / LRV 52



Mocha AFP282003 WR555 / A1M389 / LRV 40



Graphite AFP282002 WR390 / A1M390 / LRV 30




True Grit AFP282001 WR391 / A1M82 / LRV 17




Black Sand AFP282010 WR485 / A1M485 / LRV 7



Crème Caramel AFP282006 WR523 / A1M385 / LRV 50



Willow Tree AFP282007 WR399 / A1M399 / LRV 41



Bluebell AFP282004 WR398 / A1M398 / LRV 26



Sunrise AFP282008 WR393 / A1M393 / LRV 19




AFT284003 WR483 / A1M483 / LRV 44



Seal Grey AFC281002 WR435 / A1M390 / LRV 26




Bluefin AFC281001 WR438 / A1M486 / LRV 26



Milan AFT284002 WR482 / A1M482 / LRV 15



AFT284001 WR481 / A1M83 / LRV 16



AFT284004 WR484 / A1M484 / LRV 40



Elephant Grey AFC281003 WR436 / A1M487 / LRV 17



Altro Orchestra

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn, live and work. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by 15dB. It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move. Co-ordinates with other ranges. NEW Altro Orchestra features a reduced emboss to ensure easier cleaning without compromising its technical performance.









Bongo | CH2840U WR461 / A1M152 / LRV 27

For full technical details @ altro.com

Floors




Chimes | CH2836U WR457 / A1M335 / LRV 52




Oboe | CH2835U WR456 / A1M338 / LRV 34



Violin | CH2834U WR455 / A1M361 / LRV 31




Conga | CH2879U WR390 / A1M390 / LRV 30




Trombone | CH2839U WR460 / A1M484 / LRV 39




Flute | CH2833U WR454 / A1M86 / LRV 22



Drum | CH2837U Mar WR458 / A1M74 / LRV 18 WR3




Manon | CH2878U WR391 / A1M82 / LRV 17




Serpent* | CH2850U WR517 / A1M136 / LRV 56



Maraca | CH2855U WR499 / A1M136 / LRV 56



Musette | CH2856U WR515 / A1M136 / LRV 49



Volta* | CH2851U WR518 / A1M335 / LRV 48



Porter* | CH2854U WR498 / A1M483 / LRV 43



Notturna* | CH2853U WR497 / A1M369 / LRV 48



Chromatic* | CH2852U WR496 / A1M136 / LRV 49



Brass* | CH2842U WR483 / A1M483 / LRV 44



Woodwind* | CH2843U WR489 / A1M385 / LRV 45



String | CH2841U WR484 / A1M484 / LRV 40




Percussion | CH2844U WR490 / A1M86 / LRV 18



Turandot* | CH2847U WR482 / A1M482 / LRV 15



Orfeo* | CH2849U WR41 / A1M41 / LRV 9



Falstaff* | CH2846U WR493 / A1M493 / LRV 9



Othello* | CH2848U WR62 / A1M62 / LRV 9



Montezuma* | CH2845U WR485 / A1M485 / LRV 8



Reggae | CH2801U WR422 / A1M200 / LRV 48



Salsa | CH2802U WR423 / A1M200 / LRV 20



Flamenco | CH2806U WR427 / A1M200 / LRV 12



Jazz | CH2824U WR445 / A1M200 / LRV 15



Fusion | CH2813U WR434 / A1M200 / LRV 49



Soul | CH2817U WR438 / A1M200 / LRV 29



WR441 / A1M200 / LRV 30



Gospel | CH2821U WR442 / A1M200 / LRV 17



Metal | CH2818U WR439 / A1M84 / LRV 16



Chant | CH2814U WR435 / A1M390 / LRV 26



Club | CH2815U WR436 / A1M487 / LRV 17



Trumpet | CH2825U WR446 / A1M347 / LRV 37



Glockenspiel | CH2827U WR448 / A1M361 / LRV 23



Cello | CH2829U WR450 / A1M81 / LRV 24



Bassoon* | CH2831U WR452 / A1M84 / LRV 17



Rigoletto* | CH2876U WR519 / A1M392 / LRV 34



Traviata* | CH2877U WR520 / A1M338 / LRV 28



Guitar | CH2828U WR449 / A1M137 / LRV 29

Floors




Elektra | CH2870U WR511 / A1M392 / LRV 58



Carlotta* | CH2865U WR507 / A1M337 / LRV 26



Sitar | CH2869U WR510 / A1M347 / LRV 38



Macavity | CH2867U WR508 / A1M11 / LRV 57



Aurora | CH2857U WR500 / A1M136 / LRV 60



Seville* | CH2860U WR503 / A1M79 / LRV 45



Tosca | CH2862U WR494 / A1M494 / LRV 23




Reed | CH2874U WR513 / A1M85 / LRV 39



Polka | CH2859U WR502 / A1M390 / LRV 23



Marimba* | CH2863U WR505 / A1M390 / LRV 30



Fidelio* | CH2868U WR509 / A1M85 / LRV 35



Cornet | CH2864U WR506 / A1M82 / LRV 20



Nabucco* | CH2873U WR512 / A1M84 / LRV 24



Timpani | CH2861U WR504 / A1M417 / LRV 20



Kora* | CH2871U WR495 / A1M495 / LRV 8



Figaro | CH2858U WR501 / A1M82 / LRV 13



Altro Orchestra Custom

Application areas:

- Communal areas
- Receptions
- Corridors
- Therapy, spa areas
- Special needs schools
- Shops
- Exhibitions

With Altro Orchestra Custom it's possible to create a totally unique space, completely tailored to how the area will be used, and who is using it.

Choose a design from the Altro collection of images and patterns, or upload your own design using our simple step-by-step Custom service. It couldn't be simpler. Altro Orchestra Custom floors have the performance and guarantees you expect from Altro floor plus 15dB impact sound reduction and comfort underfoot.



Grass 1 | DPSCH0059










For full technical details \oplus altro.com





Altro Operetta


Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Designer looks with 4dB sound reduction. Robust option for medium to high traffic areas in entrances, patient/school corridors, retail. Co-ordinates with other ranges.

NEW Altro Operetta features a reduced emboss to ensure easier cleaning without compromising its technical performance.

Altro Operetta is a robust floor perfect for medium to high traffic areas that is easy to clean and maintain. Designed in line with the Bauhaus ethos that style is as important as function, it has multiple attractive, natural colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.



Beat | OP2155U WR499 / A1M136 / LRV 56

For full technical of




Floors




Acapella | OP2135U WR456 / A1M338 / LRV 34




Madrigal | OP2134U WR455 / A1M361 / LRV 31




Glee | OP2136U WR457 / A1M335 / LRV 52




Baroque | OP2133U WR454 / A1M86 / LRV 22




WR390 / A1M390 / LRV 30



Yeoman | OP2139U WR460 / A1M484 / LRV 39



Soprano | OP2137U WR458 / A1M74 / LRV 18



Lola | OP2178U WR391 / A1M82 / LRV 17



Pulse | OP2118U WR439 / A1M84 / LRV 16



Tempo | OP2115U WR436 / A1M487 / LRV 17



Clef | OP2125U WR446 / A1M347 / LRV 37



Canon | OP2129U WR450 / A1M81 / LRV 24



Drop | OP2127U WR448 / A1M361 / LRV 23



Quintet | OP2114U WR435 / A1M390 / LRV 26



Shake | OP2164U WR506 / A1M82 / LRV 20



Vivo | OP2162U WR494 / A1M494 / LRV 23



Allegra | OP2169U WR510 / A1M347 / LRV 38




Cabasa | OP2161U WR504 / A1M417 / LRV 20



Tutti | OP2157U WR500 / A1M136 / LRV 60




Beethoven | OP2159U WR502 / A1M390 / LRV 23



Black Forest | OP2158U WR501 / A1M82 / LRV 13



Stanza | OP2156U WR515 / A1M136 / LRV 49



Vagabond | OP2141U WR484 / A1M484 / LRV 40



Vamp | OP2144U WR490 / A1M86 / LRV 18

21



Altro Zodiac

Application areas:

- Communal areas
- Receptions
- Corridors, stairs
- Dining, bars
- Wards, waiting, treatment areas
- Resident rooms
- Classrooms
- Shops

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation. Altro Zodiac Smooth comes in a range of 24 colours, chosen to reflect your mood: warm, cool, neutral or vibrant. So express your true colours.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.











Oxygen | ZD2007U WR317 / A1M200 / LRV 41

For full technical details @ altro.com

Floors



Hologram | ZD2001U WR311 / A1M200 / LRV 57



Comet | ZD2003U WR313 / A1M200 / LRV 33



Capricorn | ZD2004U WR314 / A1M200 / LRV 10




Altro Serenade

Application areas:

- Resident rooms
- Bedrooms
- Play areas
- Classrooms
- Lecture theatres
- Libraries
- Hotels

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces. Available in multiple natural shades and five designs. Co-ordinates with other ranges.

NEW Altro Serenade features a reduced emboss to ensure easier cleaning without compromising its technical performance.




Encore | SE3929U WR450 / A1M81 / LRV 24




Floors




Chord | SE3934U WR455 / A1M361 / LRV 31



Anthem | SE3933U WR454 / A1M86 / LRV 22



Caldara | SE3939U WR460 / A1M484 / LRV 39



Moonlight | SE3937U WR458 / A1M74 / LRV 18



March | SE3925U WR446 / A1M347 / LRV 37



Opus | SE3927U WR448 / A1M361 / LRV 23



Metronome | SE3914U WR435 / A1M390 / LRV 26



Dulcimer | SE3955U WR499 / A1M136 / LRV 56



WR494 / A1M494 / LRV 23




Charm | SE3969U WR510 / A1M347 / LRV 38



Andante | SE3957U WR500 / A1M136 / LRV 60

For full technical details @ altro.com



Altro Wood adhesive-free

Application areas:

- Entrances, corridors, communal areas
- Dining, bars
- Domestic kitchens
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood and Altro Wood Comfort.

NEW Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Now with NEW matching design and colour options across the Altro Wood collection, giving you a consistent look in different areas with varying performance criteria.



Dusky Cherry | AFW280003 WR336 / A1M239 / LRV 22



















For full technical details

altro.com

Floors - Safety



Portuguese Oak AFW280013 WR335 / A1M335 / LRV 51



Frosted Oak AFW280001 WR335 / A1M335 / LRV 52



Post Oak AFW280016 WR350 / A1M483 / LRV 30



Champagne Oak AFW280010 WR338 / A1M338 / LRV 38



Summer Oak AFW280005 WR340 / A1M340 / LRV 37



Soft Maple AFW280002 WR339 / A1M339 / LRV 24



Caramel Oak H AFW280006 A WR353 / A1M225 / LRV 25 W



Honey Maple AFW280011 WR352 / A1M352 / LRV 27



Birnam Oak AFW280017 WR352 / A1M352 / LRV 21



Imperial Walnut AFW280009 WR341 / A1M160 / LRV 15



Bur Oak AFW280015 WR514 / A1M514 / LRV 21



Shaded Cherry AFW280004 WR337 / A1M337 / LRV 17



Oxford Oak Timeless Oak
AFW280014 AFW280007
WR339 / A1M339 / LRV 22 WR347 / A1M34



Timeless Oak Hol AFW280007 AFV WR347 / A1M347 / LRV 38 WR4



Holm Oak AFW280018 WR478 / A1M390 / LRV 26

27



Vintage Oak AFW280012 WR322 / A1M239 / LRV 19



Pitch Oak AFW280008 WR348 / A1M348 / LRV 7



Altro Wood

Application areas:

- Entrances, communal areas
- Corridors, stairs
- Dining, bars
- Domestic kitchens
- Wards
- Classrooms
- Shops
- Changing areas

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-effect vinyl safety flooring is now available in a range of designs with different plank sizes and shades including wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, making design simpler. Now with NEW matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Urban Cherry | WSA2003 WR337 / A1M337 / LRV 17













Floors - Safety



Ranch Oak | WSA2021 WR335 / A1M335 / LRV 51



Bleached Oak | WSA2001 WR335 / A1M335 / LRV 52



Sessile Oak | WSA2027 WR350 / A1M483 / LRV 30



Washed Oak | WSA2015 WR347 / A1M347 / LRV 38



Farmhouse Oak | WSA2004 WR338 / A1M338 / LRV 38



Rustic Oak | WSA2006 WR340 / A1M340 / LRV 37



Spring Maple | WSA2018 Oak Traditions | WSA2013 Bavarian Oak | WSA2026 WR352 / A1M352 / LRV 27



WR353 / A1M225 / LRV 25



WR514 / A1M514 / LRV 21



WR339 / A1M339 / LRV 22



Honey Oak | WSA2028 WR352 / A1M352 / LRV 21



Slate Oak | WSA2029 WR478 / A1M390 / LRV 26



WR336 / A1M239 / LRV 22 WR339 / A1M339 / LRV 24







Worn Oak | WSA2023 WR322 / A1M239 / LRV 19



Manor Oak | WSA2016 WR348 / A1M348 / LRV 7



Altro Wood Comfort

Application areas:

- Entrances, corridors, communal areas
- Bedrooms, quiet rooms, libraries
- Wards
- Classrooms

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.



Warm Maple | WSASC2805 WR339 / A1M339 / LRV 24













For full technical details @ altro.com

Floors - Safety



Soft Oak | WSASC2804 WR338 / A1M27 / LRV 38





Light Bamboo | WSASC2820 Field Oak | WSASC2806 WR463 / A1M392 / LRV 42 WR340 / A1M340 / LRV 37



Veteran Oak | WSASC2822 Classic Walnut | WSASC2807 WR339 / A1M339 / LRV 22



WR341 / A1M160 / LRV 15



Aged Oak | WSASC2815 WR347 / A1M347 / LRV 38



Antique Cherry WSASC2802 WR336 / A1M239 / LRV 22



Deep Cherry | WSASC2803 Royal Oak | WSASC2823 WR337 / A1M337 / LRV 17



WR322 / A1M239 / LRV 19



WR468 / A1M62 / LRV 10



Reclaimed Oak | WSASC2821 WR335 / A1M335 / LRV 51




Altro Suprema

Application areas:

- Entrances, corridors, stairs, dining, wards
- Domestic kitchens
- Classrooms
- Art rooms
- Treatment areas
- Clinics, vets
- Toilet, staff changing areas
- Early years wet play areas

Altro Suprema now features a range of stylish colours reflecting contemporary trends and diverse design needs. This non-sparkle, low-gloss safety flooring has sustained slip resistance and is available in a choice of chip or plain designs.

maintenance and a lasting attractive appearance, saving you time and cleaning costs. And it has superior stain, abrasion and scratch resistance, so you can use even light colours with confidence. Altro Suprema is manufactured and stocked in the UK. It is suitable for very heavy commercial use, foot and wheeled traffic in demanding commercial areas.


















Senna | SY20033 WR549 / A1M152 / LRV 31

For full technical details @ altro.com


Floors - Safety



Ornella | SY20024 WR534 / A1M11 / LRV 49



Roselle | SYI20025 WR534 / A1M11 / LRV 49



Evora | SYI20017 WR538 / A1M515 / LRV 37



Calla | SY20030 WR538 / A1M515 / LRV 37




Diantha | SY20007 WR527 / A1M265 / LRV 37



Pampas | SY20009 WR105 / A1M01 / LRV 62



Primula | SY20023 WR543 / A1M335 / LRV 50



Dicentra | SYI20022 WR543 / A1M335 / LRV 50



Hazel | SY20008 WR526 / A1M239 / LRV 22




Coleus | SYI20004 WR526 / A1M239 / LRV 22




Hibiscus | SY20005 WR79 / A1M191 / LRV 42



Cicely | SY20006 WR81 / A1M81 / LRV 28



Agave | SY20002 WR525 / A1M86 / LRV 19




Festuca | SYI20010 WR528 / A1M82 / LRV 15



Cardoon | SYI20003 WR301 / A1M82 / LRV 11



Italicum | SY20001 WR301 / A1M82 / LRV 12



Okame | SYI20020 WR541 / A1M294 / LRV 47



Amaranth | SY20026 WR535 / A1M149 / LRV 29



Dahlia | SY20019 WR540 / A1M303 / LRV 14



Cranebill | SY20011 WR529 / A1M238 / LRV 9




Zinnia | SY20016 WR537 / A1M44 / LRV 13



Freesia | SY20018 WR539 / A1M42 / LRV 26



Acer | SY20027 WR544 / A1M396 / LRV 52



Kolibri | SY20014 WR533 / A1M399 / LRV 35




Gerbera | SY20031 WR547 / A1M154 / LRV 20



Sorrel | SY20028 WR545 / A1M517 / LRV 11



Wilder | SY20021 WR542 / A1M516 / LRV 37



Clematis | SYI20029



Lotus | SY20015 WR546 / A1M228 / LRV 27 WR536 / A1M71 / LRV 14



Madara | SY20032 WR548 / A1M56 / LRV 19




Salvia | SY20012 WR530 / A1M73 / LRV 9



Gentian | SY20013 WR531 / A1M71 / LRV 16





Altro XpressLay

Application areas:


 General purpose, versatile safety where adhesive-free benefits are required

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.

This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is **adhesive-free** giving you same-day welding and allowing you to walk on the floor straight away.


Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring.

The range has 30 colours and matches with Altro Walkway 20.




Temple | XL2209P WR261 / A1M81 / LRV 27


Floors - Safety




Blizzard | XLI2255 WR79 / A1M191 / LRV 44




Cloud | XL2214 WR79 / A1M191 / LRV 41




Fog | XL22153 WR81 / A1M81 / LRV 27




Rock | XLI2204P WR84 / A1M84 / LRV 23




Pavement | XLI2207P WR83 / A1M83 / LRV14




Streetlight | XLI2205P WR287 / A1M79 / LRV 45



Whale | XLI2254 WR86 / A1M86 / LRV 20




Dolphin | XL2210 WR86 / A1M86 / LRV 21




Runway | XL2206P WR72 / A1M72 / LRV 9




Black | XL22892 WR100 / A1M100 / LRV 6



Skyline | XL22332 WR52 / A1M52 / LRV 24




Tarragon | XLI2252 WR52 / A1M52 / LRV 26



Waterfall | XL22912 WR155 / A1M135 / LRV 31



Blue | XL22412 WR71 / A1M71 / LRV 22



River | XLI2257 WR71 / A1M71 / LRV 22



Lupin | XLI2259 WR286 / A1M286 / LRV 17



Midnight | XL22421 WR72 / A1M72 / LRV 11



Nightfall | XLI2 WR72 / A1M72 / LRV 10



Coal | XLI2258 WR100 / A1M100 / LRV 6














For full techni

For full technical details @ altro.com




Swan | XLI2212P WR291 / A1M01 / LRV 75 WR105 / A1M01 / LRV 61 WR289 / A1M265 / LRV 40







Minster | XL2218P



Sand | XLI2251 WR20 / A1M20 / LRV 40



Bone | XL22215 WR20 / A1M20 / LRV 37



WR146 / A1M20 / LRV 30



Tundra | XL22910 WR153 / A1M239 / LRV 17




Savannah | XLI2250 WR153 / A1M239 / LRV 19



Tango | XL2231 WR42 / A1M42 / LRV 14



Cherry | XL22920 WR148 / A1M148 / LRV 10





Altro Walkway 20


Application areas:

 General purpose flooring for areas where occasional contamination from water is a concern

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.


Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.

You've loved working with Altro Walkway 20 for over 25 years because it's easy to cove and weld. It achieves PTV ≥ 36 on the pendulum test giving sustained slip resistance throughout the lifetime of the product. Altro Walkway 20 also includes Altro Easyclean Technology, and has superior chemical and stain resistance.




Tarragon | VMI2052 WR52 / A1M52 / LRV 26


Floors - Safety




Streetlight | VMI2005P WR287 / A1M79 / LRV 45




Blizzard | VMI2055 WR79 / A1M191 / LRV 44



Fog | VM20153 WR81 / A1M81 / LRV 27




Rock | VMI2004P WR84 / A1M84 / LRV 23




Pavement | VMI2007P WR83 / A1M83 / LRV14



Temple | VM2009P WR261 / A1M81 / LRV 27



Whale | VMI2054 WR86 / A1M86 / LRV 20




Dolphin | VM2010 WR86 / A1M86 / LRV 21




Black | VM20892 WR100 / A1M100 / LRV 6




Coal | VMI2058 WR100 / A1M100 / LRV 6



Cloud | VM2014 WR79 / A1M191 / LRV 41



Skyline | VM20332 WR52 / A1M52 / LRV 24




Waterfall | VM20912 WR155 / A1M135 / LRV 31



Blue | VM20412 WR71 / A1M71 / LRV 22



River | VMI2057 WR71 / A1M71 / LRV 22




Runway | VM2006P WR72 / A1M72 / LRV 9



Midnight | VM20421 WR72 / A1M72 / LRV 11



Nightfall | VMI2056 WR72 / A1M72 / LRV 10



Lupin | VMI2059 WR286 / A1M286 / LRV 17














For full technical details ## altro.com




Swan | VMI2012P WR291 / A1M01 / LRV 75




Winter | VMI2053 WR105 / A1M01 / LRV 61



Minster | VM2018P WR289 / A1M265 / LRV 40



Sand | VMI2051 WR20 / A1M20 / LRV 40




Bone | VM20215 WR20 / A1M20 / LRV 37



Biscuit | VM20907 WR146 / A1M20 / LRV 30




Tundra | VM20910 WR153 / A1M239 / LRV 17



Savannah | VMI2050 WR153 / A1M239 / LRV 19



Tango | VM2031 WR42 / A1M42 / LRV 14



Cherry | VM20920 WR148 / A1M148 / LRV 10





Altro Walkway 20 SD

Application areas:

- Computer/server suites
- Labs with static-sensitive equipment/gases
- Production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD WR81 / A1M81 / LRV 27













For full technical details # altro.com





Altro Classic 25

Application areas:

- Service corridors
- Serveries
- Behind bars
- Craft, design and technology areas
- Laundries
- Sluice rooms
- Sports changing rooms

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.

Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas – particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥45 and an R11 slip rating.

Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.



















Mushroom | X2542R11 WR24 / A1M27 / LRV 32

For full technical details

altro.com


Floors - Safety



Truffle | X2545R11 WR153 / A1M239 / LRV 17



Walnut | X2586R11 WR62 / A1M62 / LRV 10




Quarry Red | X2560R11 WR42 / A1M42 / LRV 13




Blackberry | X2547R11 WR100 / A1M100 / LRV 7




Anvil | X2594R11 WR101 / A1M72 / LRV 11




Pewter Grey | X2539R11 WR81 / A1M81 / LRV 26




Whisper | X2548R11 WR354 / A1M84 / LRV 24



Graphite | X2546R11 WR86 / A1M86 / LRV 21




Blue | X2541R11 WR71 / A1M71 / LRV 20



Aster | X2549R11 WR286 / A1M286 / LRV 17



Legend | X2544R11 WR231 / A1M73 / LRV 10




Altro Reliance 25

Application areas:

- Entrances, corridors, communal areas
- Sports changing rooms
- Laboratories
- Clinical areas
- Art rooms
- Laundries


Altro Reliance 25 gives you a palette of 27 colours for your toughest of areas. This robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.

Combine with Altro Fortis wall protection system for your toughest areas.




Stream | D2518 WR288 / A1M71 / LRV 22


Floors - Safety




Streetlight | D2505 WR287 / A1M79 / LRV 45



Rock | D2504 WR84 / A1M84 / LRV 23




Fog | D25153 WR81 / A1M81 / LRV 27




Pavement | D2507 WR83 / A1M83 / LRV 14




WR277 / A1M100 / LRV 5




Temple | D2509 WR261 / A1M81 / LRV 27






Pool | D2503 WR307 / A1M73 / LRV 10




Runway | D2506 WR72 / A1M72 / LRV 9




Twilight | D25910 WR39 / A1M34 / LRV 8



Roof Garden | D2500 WR262 / A1M154 / LRV 23



Skyline | D25332 WR52 / A1M52 / LRV 25



Storm | D25903 Mid WR82 / A1M82 / LRV 16 WR7



Midnight | D25421 WR72 / A1M72 / LRV 11



Jet | D2501 WR100 / A1M100 / LRV 6














For full technical details

altro.com




Ice Rink | D2514 WR291 / A1M01 / LRV 70




Statue | D2513 WR304 / A1M12 / LRV 62



Arena | D2510 WR297 / A1M20 / LRV 41




Bone | D25215 WR20 / A1M20 / LRV 37



Biscuit | D25904 WR146 / A1M20 / LRV 30




Plaza | D2512 WR27 / A1M27 / LRV 32



Monument | D2508 WR305 / A1M239 / LRV 23




Gallery | D2511 WR62 / A1M62 / LRV 10



Rust | D25907 WR150 / A1M238 / LRV 10



Forge | D2515 WR248 / A1M238 / LRV 9



Signal | D2516 WR300 / A1M42 / LRV 13





Altro Atlas 40

Application areas:

- Industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift (for more intense forklift use please choose a resin)
- Sports changing rooms where spikes and studs on shoes are used
- Mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.



Pewter Grey | X4039 WR81 / A1M81 / LRV 26















For full technical details @ altro.com

Floors - Safety







Quarry Red | X4060 WR42 / A1M42 / LRV 13



Walnut | X4086 WR62 / A1M62 / LRV 10



Anvil | X4094 WR101 / A1M72 / LRV 11



Altro Stronghold 30


Application areas:

- Commercial kitchens (not domestic)
- Food preparation and service areas where grease, oil, fats are present
- Sloping ramps
- Kitchen stairs

Water underfoot is treacherous enough - add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV ≥55, R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.

Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.



Torch | K30913 WR278 / A1M42 / LRV 16
















For full technical details @ altro.com


Floors - Safety



Monsoon | K30153 WR81 / A1M81 / LRV 24



Cannon | K30911 WR101 / A1M72 / LRV 11




Dolphin | K3010 WR86 / A1M86 / LRV 21




Midnight | K30421 WR72 / A1M72 / LRV 11




Abyss | K3001 WR100 / A1M100 / LRV 7




Star | K30912 WR79 / A1M191 / LRV 41




Oyster | K30215 WR20 / A1M20 / LRV 36




Biscuit | K30907 WR146 / A1M20 / LRV 30




Tundra | K30500 WR153 / A1M239 / LRV 17




Skyline | K30332 WR52 / A1M52 / LRV 24



WR472 / A1M381 / LRV 42



WR41 / A1M41 / LRV 14



Surf | K30412 WR71 / A1M71 / LRV 20



Altro Aquarius

Application areas:

- Bathrooms
- Showers
- Changing rooms (except where spikes/studs – then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

Achieving a PTV ≥50 (Slider 96) and Class B to DIN 51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments – bathrooms, changing areas, hospital wards.

No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.
















Treefrog | AQI2003 WR293 / A1M271 / LRV 33

For full technical details @ altro.com


Floors - Safety




Terrapin | AQI2009 WR289 / A1M265 / LRV 40



Vole | AQ2010 WR289 / A1M265 / LRV 43



Walrus | AQ2007 WR261 / A1M81 / LRV 29




Tern | AQI2008 WR261 / A1M81 / LRV 31




Hippo | AQI2013 WR301 / A1M82 / LRV 11




Iguana | AQ2021 WR297 / A1M20 / LRV 41




Otter | AQI2006 WR290 / A1M239 / LRV 26



Puffin | AQI2005 WR287 / A1M79 / LRV 46



Cygnet | AQ2004 WR287 / A1M79 / LRV 46




Salamander | AQI2011 WR294 / A1M294 / LRV 41




Swan | AQI2012 WR291 / A1M1 / LRV 75




Gosling | AQI2023 WR369 / A1M369 / LRV 59



Sea Snail | AQI2024 WR370 / A1M370 / LRV 50



Dragonfly | AQ2001 WR292 / A1M292 / LRV 33



Blue Penguin | AQI2002 WR288 / A1M71 / LRV 24



Coral Crab | AQI2014 WR300 / A1M42 / LRV 14




Spoonbill | AQI2016 WR303 / A1M303 / LRV 11



Mallard | AQI2015 WR302 / A1M302 / LRV 13



Newt | AQ2022 WR368 / A1M368 / LRV 10



Altro Pisces

Application areas:

- Bathrooms
- Showers
- Changing rooms (except where spikes/studs - then see 2.5mm+ options)
- Saunas
- Spas
- Wet rooms
- Home adaptation level access bathrooms

For 'home from home' environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN 51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥50 (Slider 96), a soft-look finish and 16 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slipresistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.
















Beach Hut | SB2012 WR395 / A1M395 / LRV 37


Floors - Safety




Lighthouse | SB2001 WR291 / A1M01 / LRV 70




Jellyfish | SB2005 WR388 / A1M388 / LRV 46



Porthole | SB2007 WR390 / A1M390 / LRV 30



Anchor | SB2008 WR391 / A1M82 / LRV 16




Houseboat | SB2015 WR398 / A1M398 / LRV 25



Fisherman | SB2009 WR392 / A1M392 / LRV 48




Seahorse | SB2011 WR394 / A1M394 / LRV 47



Windbreak | SB2016 WR399 / A1M399 / LRV 38



Deckchair | SB2013 WR396 / A1M396 / LRV 50



Sea Urchin | SB2014 WR397 / A1M397 / LRV 34




Breakwater | SB2003 WR386 / A1M20 / LRV 42




Cuttlefish | SB2002 WR385 / A1M385 / LRV 50



Driftwood | SB2004 WR389 / A1M389 / LRV 38 WR387 / A1M387 / LRV 32



Starfish | SB2010 WR393 / A1M393 / LRV 21





Altro Marine 20

Application areas:

- Shower cubicles
- Swimming pool foot bath
- Swimming pool surrounds

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.



Shark | IPT20812 WR201 / A1M84 / LRV 24

For full technical details @ altro.com

low WOC

Floors - Safety



Gull | T20813 WR79 / A1M191 / LRV 46




Cascade | IPT20809 WR105 / A1M01 / LRV 71




Reef | T20801 WR20 / A1M20 / LRV 41




Seagrass | IPT20814 WR137 / A1M137 / LRV 37



WR242 / A1M242 / LRV 19




Steam | IPT20807 WR85 / A1M85 / LRV 37



Rainfall | IPT20810 WR135 / A1M135 / LRV 43



Marlin | T20811 WR203 / A1M203 / LRV 34



Tide | IPT20808 WR71 / A1M71 / LRV 21




Altro Whiterock White

Application areas:

- Accident and emergency, critical care
- Commercial, social, student kitchens
- Laboratories, test areas
- Laundries, mortuaries
- Bathrooms

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.




White | W103-W104 LRV 89





For full technical details @ altro.com





Altro Whiterock Satins


Application areas:

- Hospital wards, treatment rooms
- Corridors
- Spas
- Ensuite bathrooms
- Staff changing rooms
- Kitchenettes

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed to meet the Equality Act 2010.




Glow | 215 LRV 50

For full technical details @ altro.com


Walls






Scarlett | 221 LRV 13










Altro Whiterock Chameleon

Application areas:

- High-end bathrooms
- Showers and changing rooms
- Foyers
- Serveries
- Retail

Make a bold statement with Altro Whiterock Chameleon – the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.


Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.



Liquorice | 6612V LRV 5

For full technical details altro.com

Walls







Altro Whiterock wall designs

Application areas:

- Public areas, receptions, foyers, lobbies
- Bedrooms in hotels and hospitals
- Cafés, restaurants and bars
- Bathrooms, showers and changing rooms

With natural wood, metal, stone and linen options, Altro Whiterock wall designs give an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, can be hot welded and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.



Rich Woodgrain | 9902



For full technical details @ altro.com

Walls



Winter Weave | 9909 LRV 58



Autumn Weave | 9910 LRV 43



Summer Weave | 9908 LRV 36



Soft Woodgrain | 9901 LRV 52



Warm Woodgrain | 9904 LRV 38



White Mineral | 9905 LRV 61



Cool Mineral | 9906 LRV 48



LRV 28

Urban Mineral | 9907 LRV 54



Brushed Steel | 9911



Antique Copper | 9912 LRV 10



Altro Whiterock Digiclad (Custom)

Application areas:

- Cafés, restaurants and bars
- Public areas, receptions, foyers, lobbies
- Retail, offices, commercial building spaces where looks count
- Bathrooms, showers and changing rooms

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad (Custom) is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad (Custom) ideal for areas where durability is important.








For full technical details @ altro.com





Altro Fortis Titanium

Application areas:


- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 10 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.

With an impervious, easy-to-wipe surface, Altro Fortis Titanium improves cleanability.


 $\ensuremath{^{**}}$ Conditions apply. Please contact us for more information.



Tan | FT/206 LRV 41

For full technical details @ altro.com

Walls








Altro Fortis corner protection

Application areas:

- Corridors, public areas
- Service areas
- Dry changing rooms
- Patient rooms

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.




Battleship | FT/208/E75X75 LRV 43

For full technical details

altro.com

Walls







Altro Tegulis

Application areas:

- Non-commercial kitchens
- Supermarket counters
- Bars/Cafe/Restaurants
- Spas
- Hotels

With numerous colour and tile-effect combinations, Altro Tegulis is perfect if you are looking to create a stylish, flexible look for walls. Created from 11 standard tile-effect options with multiple colour and design palettes. An innovative and functional wall system, with no grout to contend with and impervious to water, Altro Tegulis takes creative wall design to a new level.

With the look and feel of tiles, the custom-etched grout lines eliminate the cleaning, repair and hygiene issues often associated with tiles. Altro Tegulis is a grout-free alternative to ceramic tiles, and no grout means there is nowhere for mould to grow.



Antique Copper | 9912 LRV 9



For full technical details @ altro.com

Walls



White | WSR01 LRV 89




White Mineral | 9905 LRV 61






Warm Woodgrain | 9904 LRV 38

Tile-effect options




Stacked Metro tile 76mm x 292mm




Stacked tile 222mm x 389mm




Metro tile 76mm x 146mm




Metro tile 76mm x 292mm




Metro tile
102mm x 233mm



Square tile 106mm x 106mm



Mosaic tile 35mm x 35mm



Mosaic tile 53mm x 53mm



Chevron tile 69mm x 146mm



Herringbone tile 82mm x 165mm



Hexagon tile 112mm x 130mm




Altro Whiterock Imagination Wall

Application areas:

- Waiting areas
- Hospital wards
- Nurseries
- Activity centres

Altro Whiterock Imagination Wall gives children the chance to colour to their hearts' content - then you dry wipe away and they can start again! This new addition to the Altro Whiterock range is available in six imaginative scenes providing children with a low-maintenance creative outlet, while simultaneously protecting walls from scuffs and bumps commonly found in paediatric offices and classrooms. Altro Whiterock Imagination Wall blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas. Designed for use with non-toxic, washable, dry wipe markers, Altro Whiterock Imagination Wall can be easily cleaned for repeated use.



Space | WIM001



80

For full technical details @ altro.com

Walls











Aeroplanes | WIM005 Pirates | WIM006




Altro Whiterock Whiteboard

Application areas:

- Classrooms
- Meeting, training rooms
- Consultation rooms
- Play areas

Altro Whiterock Whiteboard is ideal for brainstorming, schedule development, formulas and other non-permanent record keeping. Functioning like a dry wipe board, you can write directly on the wall with a dry wipe marker. It blends the durability of Altro Whiterock with the versatility of dry wipe usage and can be integrated with other Altro Whiterock panels for designated dry wipe areas.



Whiteboard | WWB25001-WWB30001



For full technical details

altro.com





Altro Walls ShowerKit


Application areas:

- Bathrooms, ensuites
- Shower areas

Altro Walls ShowerKit: a pre-packaged Altro Whiterock wall cladding system that is easy to use, even in small areas.

- Perfect for a quick and easy installation
- Adhesive applied straight to a clean wall
- Install over existing prepared surfaces including tiles
- No grout, easy to clean
- Trims and pre-cut sheets for ease of handling and use
- Neat, discreet trims for a smooth, impervious installation
- Impact-resistant

It's the ideal solution for wet environments. It contains all you need to install around a shower tray or a bath including wall sheets, adhesive, silicone sealant and trims.



White | 01 LRV 80

For full technical details @ altro.com

Walls







Altro Whiterock recessed shelf


Application areas:

- Bathrooms, ensuites
- Shower areas

86

The Altro Whiterock recessed shelf is a pre-fabricated unit, using proven Altro Whiterock hygienic walls sheet. This unit is perfect for making bathing an easier and more familiar experience for residents and patients in social housing and healthcare applications such as mental health facilities and care homes. It is recessed into the wall and hot welded flush to adjoining Altro Whiterock wall sheets, ensuring a hygienic solution with no ledges or lips that could cause injury.

Available in four calming colours, this hygienic system provides a watertight, rust-proof shelf for shower toiletries, which is tamper-resistant and free from potential ligature points, helping to keep users safe.



White | A900/103 LRV 89

For full technical details @ altro.com

Walls







87

Linen | A900/41 LRV 83

Oyster | A900/32 LRV 70

Fawn | A900/206 LRV 41

guarantes)




Altro Whiterock Splashbacks

Application areas:

- Kitchens, kitchenettes
- Bistros
- Hospital wards
- Ensuite bathrooms
- Schools, nurseries
- Supermarket counters

Hygienic, low-maintenance, convenient and easy to install, Altro Whiterock Splashbacks are a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to co-ordinate or contrast,
Altro Whiterock Splashbacks come in a vast array of colours
and finishes complemented by colour-matched sealants.
Choose from Altro Whiterock White, Altro Whiterock Satins,
Altro Whiterock Chameleon and Altro Whiterock wall designs
ranges, pick your size, and away you go.



Ice Queen | 6629V LRV 36



For full technical details @ altro.com

Walls



89



Walls



Winter Weave | 9909 LRV 58



Autumn Weave | 9910 LRV 43



Summer Weave | 9908 LRV 36



Soft Woodgrain | 9901 LRV 52



Warm Woodgrain | 9904 LRV 38



White Mineral | 9905 LRV 61



Cool Mineral | 9906 LRV 48



Urban Mineral | 9907 Anti LRV 28 LRV




Antique Copper | 9912 LRV 10



Rich Woodgrain | 9902 LRV 14



Brushed Steel | 9911 LRV 54



Altro Whiterock hand wash station


Application areas:

- Critical hygiene areas
- A&E
- Commercial kitchens
- Changing areas
- Nursing homes
- Nurseries

92

- Doctor's surgeriesVets
- Community HealthcareLeisure centres

In areas where both surface and hand hygiene are imperative, you can now enjoy a fuss-free installation with the all-new pre-fabricated modular solution: Altro Whiterock hand wash station. HBN 00-10 compliant pre-fabricated modular solution encapsulated in Altro Whiterock wall sheet for hand washing. A choice of four modular configurations pre-thermoformed with no horizontal or vertical joints, complete with all required parts including access panels, taps and basin kit.




LRV 32



Walls




guarantee)



Urban | 210 LRV 28



Dakota | 209 LRV 6



Pure Innocence | 6601V LRV 92



Slip Stream | 6611V LRV 36



Night Fall | 6622V LRV 15




Sheer Glass | 6609V LRV 40



Ocean Deep | 6637 LRV 6



Ice Queen | 6629V LRV 36



Distant Thunder | 6634 LRV 18



Eau De Chic | 6605V LRV 48



Key Lime | 6635 LRV 50



Hawaiian Palm | 6638 LRV 22



Taxi Cab | 6636 LRV 58



Moulin Rouge | 6618V LRV 12



Juicy Lucy | 6620V LRV 20



Shocking Pink | 6616V LRV 15



Feng Shui | 6617V LRV 9

Walls



Winter Weave | 9909 LRV 58



Autumn Weave | 9910 LRV 43



Summer Weave | 9908 LRV 36



Soft Woodgrain | 9901 LRV 52



Warm Woodgrain | 9904 LRV 38



White Mineral | 9905 LRV 61



Cool Mineral | 9906 LRV 48




Urban Mineral | 9907 LRV 28




Antique Copper | 9912 LRV 10



Rich Woodgrain | 9902 LRV 14



Brushed Steel | 9911 LRV 54



Liquorice | 6612V LRV 5

Doors



Altro Whiterock hygienic doorsets

Application areas:

- Operating theatres, accident and emergency, clinical areas
- Commercial kitchens
- Laboratories
- · Receptions, foyers, lobbies
- Lounges
- High-end Bathrooms

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Encapsulated with PVCu, they're not only tough and impactdeflective, but also hygienic and low maintenance.


Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in Altro Whiterock wall designs or Altro Whiterock Satins, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.







Flint | 201

For colours see pages 70-71, 64-67. For full technical details \(\mathre{\omega} \) altro.com

Doors



Altro Fortis doorsets


Application areas:

- Service corridors
- Public corridors
- Loading areas
- Dry changing rooms

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.

Doorsets encapsulated with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



Pearl | FT/41 LRV 83



For colours see pages 74-75.
For full technical details

altro.com

Doors



Altro Fortis door protection


Application areas:

- Circulation, public areas
- Corridors
- Classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.

Available in 10 colours.



Almond | FT/32 LRV 70




For colours see pages 74-75.
For full technical details


altro.com



Straight laid




Sit-on cove



Technical drawings - Floors


Set-in cove skirting




Self-coved with cove former and capping seal

D4/03/05


101



Self-coved with cove former and captile strip C8 to wall tiles



Self-coved with cove former and capping seal C11 over floor tiles




Technical drawings - Floors

Self-coved with cove former to Altro wall system semi-rigid PVCu sheet


D8/03/05 Altro PVCu wall sheet

Self-coved to architrave




D9/03/05

Finished to gully angle



Transition with other floor surfaces



Technical drawings - Floors


Transition with clamping drain

Clamping ring


Sheet flooring dressed into outlet


Transition with clamping channel

D14/03/05




Transition with access covers






Altro wall system to window / door frame detail




WS2

Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail



Technical drawings - Walls

Altro wall system to boxing inspection cover detail



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail

AltroFix adhesive

2.5mm thick Altro PVCu sheet

Clear sillcone sealant A803

Altro Marine 20 2mm thick safety flooring

Cove former

Cove former


Shower tray

Shower tray detail for dementia-friendly environments available at www.altro.com


108

WF4

Altro wall system to Altro resilient flooring overlap detail



Altro wall system to Altro resin flooring detail



Technical drawings - Walls

Altro wall system to Altro resin flooring detail


Most sound and dry wall substrates

Altro PVCu wall sheet 2.5mm thick


Altro PVCu resin transition joint strip (G834/25) incorporating neoprenessed

Altro resin flooring self coved


Altro wall system with corner protector fixing detail



Altro wall sheet to Altro wall sheet detail




Altro wall sheet to Altro Whiterock FlexiJoint detail



Technical drawings - Walls


Concealed transition strip

WHTT2




Concealed transition strip

WHTT3



Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling

Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs

"We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability - but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved." Scott Myers, Managing Director, Pinnacle

More information is available on \oplus altro.com

Samples

If colour choice is critical, please request a sample of the material

© 01462 707 700





Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW 01462 707 700 and enquiries@altro.com

altro. Itro Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhesive-free, Altro Wood, Altro Wood Comfort, Altro Walkway, Altro Walkway, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock White, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Whiteboard, Altro Whiterock Polashbacks, Altro Whiterock Polashbacks,

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2023

