AkzoNobel

ARMSTEAD TRADE

GETS THE JOB DONE.



AkzoNobel

Introducing Armstead Trade Paints, manufactured by Akzonobel the makers of Dulux Trade, a professional range of products for both interior and exterior jobs.

Formulated with the professional in mind, every tin of **Armstead Trade** paint provides the perfect balance between quality and price. Get your hands on reliable coverage, and high opacity paint that has your back, even when budgets are tight.

Armstead Trade paint can take on many kinds of job, interior or exterior, commercial or domestic.

When it comes to colours, **Armstead Trade** paints can be accurately mixed into Dulux Trade and popular designer paint collections.

Armstead Trade has been relied on by the trade since 2014 and plays an important role in delivering value for money in tried and trusted formulations. Speak to your local Dulux Trade Representative to find out more about **Armstead Trade**, how you can become a stockist and what range would suit you and your customer best.


Turn over for details on some of the most loved products in the range.

Scan QR code to view videos on **Armstead Trade Paints**



AkzoNobel

THE RANGE



Accurately mix over 10,000*colours including Dulux Trade and popular designer colour collections into Armstead Trade Paints.



*Excludes solvent based products.

AkzoNobel, the AkzoNobel logo and Armstead are trademarks of the AkzoNobel group © AkzoNobel 2020 Pliolite® is a Trademark of Eliokem.

ARMSTEAD INTERIOR EMULSIONS

Accurately mix over 10,000*colours including Dulux Trade and popular designer colour collections into Armstead Trade Paints.

*Contract Matt is offered in Light Base only.

VALUE



BEST



BETTER



GOOD

PERFORMANCE

COLOUR

Promote colour mixing to enhance your value, now with the ability to **accurately mix over 10,000* colours including Dulux Trade and popular designer colour collections and bespoke colour matches into Armstead Trade Paints.**





*Excludes solvent based products.

AkzoNobel

INTERIOR EMULSIONS FOR WALLS & CEILINGS

	 CONTRACT MATT	 VINYL MATT	 VINYL SOFT SHEEN	 VINYL SILK	 ANTI-MOULD	 DURABLE MATT	 DURABLE ACRYLIC EGGSHELL
Durability	✪	✪ ✪	✪ ✪	✪ ✪	✪ ✪	✪ ✪ ✪	✪ ✪ ✪
Scrub rating	Class 5	Class 4	Class 2	Class 2	Class 2	Class 1	Class 1
Sheen level	2%	3%	8%	20%	5%	5%	20%
Coverage	Up to 15m²/litre	Up to 14m²/litre	Up to 14m²/litre	Up to 14m²/litre	Up to 14m²/litre	Up to 14m²/litre	Up to 15m²/litre
Application method	Brush, roller, spray	Brush, roller, spray	Brush, roller, spray	Brush, roller, spray	Brush, roller	Brush, roller, spray	Brush, roller, spray
USP	High opacity	Minimises surface imperfections	Wipeable emulsion with a soft sheen	Wipeable emulsion with a mid-sheen	Reduces growth of mould and algae	Tough matt finish	Tough mid-sheen finish
Suggested use	New plaster, walls and ceilings	Walls and ceilings	Walls & ceilings	Walls & ceilings	Walls and ceilings	High traffic areas	High traffic areas, wood and walls
Suitable for	Interior	Interior	Interior	Interior	Interior	Interior	Interior
Colour range	Over 4,500	Over 10,000	Over 10,000	Over 10,000	Over 4,500	Over 10,000	Over 10,000
Water or solvent based	Water	Water	Water	Water	Water	Water	Water
Pack sizes	10L	2.5L, 5L, 10L	2.5L, 5L	2.5L, 5L, 10L	2.5L, 5L	2.5L, 5L, 10L	2.5L, 5L

AkzoNobel

PRIMERS, UNDERCOATS AND TOPCOATS

For Wood, Metal and Masonry

	 METAL RED OXIDE PRIMER	 METAL PRIMER ZINC PHOSPHATE	 QUICK DRY WOOD PRIMER UNDERCOAT	 UNDERCOAT	 QUICK DRY SATIN	 SATIN	 QUICK DRY GLOSS	 HIGH GLOSS
Coverage	Up to 9m²/litre	Up to 9m²/litre	Up to 14m²/litre	Up to 15m²/litre	Up to 14m²/litre	Up to 16m²/litre	Up to 14m²/litre	Up to 16m²/litre
Application method	Brush, roller	Brush, roller	Brush, roller	Brush, roller	Brush, roller	Brush, roller	Brush, roller	Brush, roller
USP	Prevents the spread of corrosion	Inhibits rust	Excellent adhesion	Low sheen	Fast drying, mid-sheen	Self-undercoating	Fast drying, high-sheen	Durable high gloss finish
Suggested use	Ferrous metal surfaces	Metal	Interior wood	Wood, metal and suitably primed masonry surfaces	Wood, metal	Wood, metal	Wood and metal	Wood, metal and suitably primed masonry surfaces
Suitable for	Interior and exterior	Interior and exterior	Interior and exterior	Interior and exterior	Interior	Interior	Interior and exterior	Interior and exterior
Colour range	Red	White	White	White, Dark Grey, 18 tinted colours	Over 10,000	Brilliant White and over 3,000 colours	Over 10,000	Brilliant White, White, Black and over 3,000 colours
Water or solvent based	Solvent	Solvent	Water	Solvent	Water	Solvent	Water	Solvent
Pack sizes	2.5L	5L	1L, 2.5L, 5L	1L, 2.5L, 5L	1L, 2.5L, 5L	2.5L, 5L	1L, 2.5L, 5L	1L, 2.5L, 5L

AkzoNobel

FLOOR PAINTS & MASONRY PAINTS

	 ANTI-SLIP FLOOR PAINT	 FLOOR PAINT	 STABILISING PRIMER	 SMOOTH MASONRY PAINT	 PLIOLITE BASED MASONRY PAINT
Coverage	Up to 8m²/litre	Up to 16m²/litre	Up to 10m²/litre	Up to 12m²/litre	Up to 8m²/litre
Application method	Brush, roller	Brush, roller	Brush, roller	Brush, roller, spray	Brush, roller
USP	Textured protective floor finish. Ideal for ramps, staircases and walkways	Tough and durable smooth floor finish	Seals porous, dry & powdery surfaces. Resists alkali attack	Shower resistant in 30 minutes. Up to 15 years protection	Resistant to moisture and alkali attack. Up to 15 years protection
Suggested use	Concrete, wood, metal	Concrete, wood, metal	Rendered brick work and concrete	Rendered brick work and concrete	Rendered brick work and concrete
Suitable for	Interior and exterior	Interior	Exterior	Exterior	Exterior
Colour range	Grey, Red, Green, Yellow, Black	Grey, Red and over 159 tinted colours	Clear	Brilliant White, Magnolia, and over 800 tinted colours	Brilliant White, Magnolia, and over 120 tinted colours
Water or solvent based	Solvent	Solvent	Solvent	Water	Solvent
Pack sizes	5L	5L	5L	5L, 10L	5L