
ROBUST

ELITE-DOR



Up To 10-Years Warranty

Fire Rated

Smoke Rated

Low U Value

THE MOST VERSATILE STEEL DOOR SOLUTION

TWO PROVEN SOLUTIONS. ONE FLEXIBLE RANGE.

ELITE-DOR brings together the established OUTA-DOR and SECUR-DOR 2.1 ranges into one flexible steel doorset solution, making specification simpler while retaining the performance, security and configuration options required for a wide range of external applications.

Specifying Simplicity

With a broad choice of configurations, hardware, finishes and options, **ELITE-DOR** provides a flexible solution that can be specified to suit different applications, performance requirements and project needs.

By combining two closely related ranges into one, we're making our product offering easier to understand and simpler to specify – without compromising on quality or choice.



THE SAME...

- Fire rated for up to 2 hours.
- PAS 24 (2022) certified.
- 1.5W/(m^2K) as standard.
- Up to 10 years warranty.

BUT DIFFERENT...

- EW120 rated on request.
- Smoke rated to BS EN 1634-3.
- Available certified to LPS 1175 SR1.
- EI20 for additional peace of mind.




SPECIFICATION

WHY CHOOSE ELITE-DOR?



- **Simplified specification** – one consolidated range instead of two closely related product options.
- **Highly flexible** – configurable to suit a wide range of external applications and certification requirements.
- **Proven attributes** – all third party testing and certification for fire and security remains in place.
- **Multiple configurations** – a choice of sizes, hardware, vision panels, louvres and other options.
- **Performance options** – combine numerous features in one doorset, including thermal performance, fire resistance and certified security.
- **Robust steel construction** – manufactured from Magnelis® steel for superior corrosion resistance and up to 10 years warranty.

OVERVIEW



MATERIAL	Leaf: 1.2mm Magnelis® Frame: 1.5mm Magnelis®
THICKNESS	55mm
VISION PANELS	Yes - Certification requirements may affect available specification.
LOUVRES	Yes - Certification requirements may affect available specification.
SIDE PANELS	Yes - Certification requirements may affect available specification.
OVER PANELS	Yes - Certification requirements may affect available specification.
HARDWARE	Manual, automatic, panic, electronic lock. Range of door closers & limit stays available.
FRAMES	Certified options – C frame. Non-certified options – A, B, C, D, F & E
WARRANTY	10 years in C3 / non-corrosive environments. 5 years and 3 years respectively in C4 & C5 areas.

FIRE RATED SOLUTIONS

Up To 10-Years Warranty

ELITE-DOR	Non-Fire Rated	E60	E120	EW120	EI20
CONFIGURATION					
Single	✓	✓	✓	✓	✓
Double	✓	✓	✓	✓	✓
Unequal Split	✓				
SMOKE TESTED					
EN1634-3	✓	✓	✓	✓	✓
SECURITY RATING					
PAS 24 (2022)	✓	✓	✓	✓	✓
LPS1175 SR1	✓	✓	✓	✓	✓
THERMAL TRANSFERENCE (U VALUE)					
1.5W/(m²K)	✓	✓	✓	✓	✓
1.3W/(m²K)	✓	✓	✓	✓	✓
ADDITIONAL PANELS					
Side Panels	Glazed, Solid, Louvred	Solid			
Over Panels	Glazed, Solid, Louvred	Glazed, Solid			
APERTURES					
Vision Panels	✓	✓	✓		
Louvres	✓	✓			
APPLICATION					
Fire Exit	✓	✓	✓	✓	✓
Personnel	✓	✓	✓	✓	✓
Access Control	✓				

sales@robust-uk.com | 01782 592900

SECURITY RATED SOLUTIONS

Up To 10-Years Warranty

ELITE-DOR	PAS 24 (2022)	LPS1175 SR1
CONFIGURATION		
Single	✓	✓
Double	✓	
Unequal Split	✓	
FIRE RATING		
Non-Fire Rated	✓	✓
E60	✓	✓
E120	✓	✓
EW120	✓	✓
EI20	✓	✓
SMOKE TESTED		
EN1634-3	✓	✓
THERMAL TRANSFERENCE (U VALUE)		
1.5W/(m²K)	✓	✓
1.3W/(m²K)	✓	✓
ADDITIONAL PANELS		
Side Panels	Glazed	Solid
Over Panels	Glazed	Solid
APERTURES		
Vision Panels	✓	✓
Louvres	✓	✓
APPLICATION		
Fire Exit	✓	
Personnel	✓	✓
Access Control	✓	





sales@robust-uk.com | 01782 592900

EXPANDING THE POSSIBILITIES

ELITE-DOR gives architects, specifiers, contractors and door professionals one versatile range to work from, helping to simplify the specification process while providing the flexibility needed across different projects.

Get in touch with our estimators to discuss your next project, and our friendly and knowledgeable team will help to build the specification that meets your requirements.

Independent Third Party Testing

We've always proudly invested in testing, and work closely with the experts at Warrington Fire to ensure our products are independently proven to conform to the stated performance standards and current legislation.

Our evidenced product performance remains unrivalled, and customers have peace of mind that our products will perform how we say they do.





AFTER CARE

WARRANTY

Every **ELITE-DOR** is built to last. Manufactured from Magnelis® a premium material that delivers industry-leading corrosion resistance.

Thanks to this advanced coating technology, each door is covered by our corrosion warranty, with duration and coverage determined by the environmental conditions defined under BS EN 12944:



Years Warranty

C3 LOCATIONS
All areas not classified as C4 or C5.



Years Warranty

C4 LOCATIONS
Coastal towns or islands 300m to 2000m from the sea.



Years Warranty

C5 LOCATIONS
Marine environments within 300m of the sea.



If your **ELITE-DOR** is to be installed in a C4 or C5 location, then this must be declared when requesting a quotation to ensure that upgraded hardware and apertures are specified.

Please note that C4 and C5 PPC finishes provide additional environmental protection, but do not extend the overall anti-corrosion warranty.

All mechanical elements of your door - including hardware - are warrantied for 5 years.

For further details, please see our full warranty document which is available on request.

ABOUT MAGNELIS®



MAGNELIS®



GALVANISED STEEL

Pictured here are the results from our 1000 hour salt spray test, comparing Magnelis® alongside galvanised steel.

The results are clear; Magnelis® resists corrosion for much longer than standard galvanised products, which is reflected in our unrivalled 10 year anti-corrosion warranty.

So, how does it work? Magnelis® is a metallic coating with a unique composition of aluminium and magnesium. It forms a very dense, stable, and durable layer of protection, which prevents the underlying steel from coming into contact with the ambient environment. It therefore gives all shaped steel the same level of protection as flat surfaces.

Magnelis® is used as the base material for a number of our other doors, including **OUTA-DOR**, **TUFF-DOR 2.1** and **SECUR-DOR 2.1** - please ask our estimators if you'd like more information about any of these products.

ROBUST

Robust UK Ltd
Coaldale Road
Lymedale Business Park
Newcastle-under-Lyme
Staffordshire
ST5 9QX

01782 592900 | sales@robust-uk.com | www.robust-uk.com

V1.09.2026

PROTECTING
PEOPLE & PROPERTY