



TRADE PRICE GUIDE

MARCH 2020



TRUST MULTIKWIK







Product Key

Throughout this guide you will see the following symbols:

Traps

-  Adjustable
-  Resealing
- 50** All traps have a water seal depth of 75mm unless otherwise stated

WC connectors

Pipe:

- 1** Standard 99-105mm
- 2** Cast Iron 88-92mm
- 3** Old 74-77mm
- 4** Copper 105-108mm

Special colours

- C** Chrome
- ST** Stainless steel

For Multikwik
WC Connectors
turn to

PAGE 5

Sanitary

WC frames.....	6
Cisterns	6
WC seats	7
Flush plates	8
Flush buttons.....	11

PAGE 12

Traps

Bottle Traps	13
Universal Traps.....	13
Tubular Traps	14
Shower Waste Traps	14
Bath Waste Traps	14
Ventilation	15
Utility	15
Sink Waste Traps.....	16
Bath Waste Traps	16

PAGE 17

Compression waste

White compression waste	18
Chrome compression waste ...	18

PAGE 19

WC connectors

Modern pans (97-108mm)	20
Old pans (108-114mm)	22
Stainless steel pans (76-95mm)	23
Ancillaries	23

PAGE 24

Floor drainage

Linum.....	25
Shower gullies	25
Continuous channel	26



Multikwik®



HOTELS



OFFICES

SYSTEMS IDEAL FOR YOUR PROJECT



SANITARY SYSTEMS

STRENGTH YOU CAN **TRUST**

The Multikwik range of sanitary systems includes sanitary frames, concealed cisterns, flush and fill valves and a wide range of flush plates – all the things that offer reliable solutions for modern washrooms.



HOSPITALS & CARE HOMES



SCHOOLS




INFRASTRUCTURE (AIRPORTS, SERVICE STATIONS ETC.)



RESIDENTIAL




PROBLEM SOLVED





Proteus concealed cistern TRC1830

- Choice of 6/3 or 4/2 litre flush applications
- WRAS approved 
- Tested to 200,000 flushes
- Up to 30% water saving with dual flush
- 405mm wide and engineered to offer a unique space saving solution








SANITARY SYSTEMS / WC FRAMES, CISTERNS & FLUSH VALVES

	HEIGHT	PRODUCT CODE	BOX	PRICE (€) EACH
WC FRAME				
	985mm	TRM1985	1	289.51
	1120mm	TRM1120	1	289.51
<ul style="list-style-type: none">Supports up to 400kgOutlet: 110mm spigot6/3 litre flush volumes				
WASH BASIN FRAME				
	820mm	TRM2820	1	264.97
	985mm	TRM2985	1	264.97
	1120mm	TRM2020	1	264.97
<ul style="list-style-type: none">Outlet: 40mm pipe				
BIDET FRAME				
	820mm	TRM6820	1	254.10
	985mm	TRM6985	1	254.10
	1120mm	TRM6000	1	254.10

	HEIGHT	PRODUCT CODE	BOX	PRICE (€) EACH
ECONOMY CISTERN – SIDE FILL				
	1½" BSP	TRC1820	1	86.45
<ul style="list-style-type: none">Includes flush pipe, Multiflush (MFV2C) and side fill valve				
ECONOMY CISTERN – BOTTOM FILL				
	1½" BSP	TRC1821	1	86.45
<ul style="list-style-type: none">Includes flush pipe, Multiflush (MFV2C) and bottom fill valve				
CONCEALED CISTERN – DUAL FLUSH				
	2" BSP	TRV1820	1	151.81
PROTEUS CONCEALED CISTERN MECHANICAL				
	2" BSP	TRC1830	1	110.22
<ul style="list-style-type: none">Includes flush pipe, flush valve, fill valve and isolation valveIncludes MFVB7B dual flush buttonCable operation				

LOOKING FOR OUR
MULTIFLUSH VALVE?
PLEASE SEE PAGE 26



	PRODUCT CODE	BOX	PRICE (€) EACH
WEY WC SEAT			
	MKKN002	1	51.84
<ul style="list-style-type: none">Includes kwiknutsStainless steel hingesBevelled back			
HAMBLE WC SEAT			
	MKKN003	1	48.91
<ul style="list-style-type: none">Includes kwiknutsLong-life stainless steel hingesBevelled / contoured front			
MOORS WC SEAT			
	MKKN004	1	67.52
<ul style="list-style-type: none">Anti-bacterial coatingIncludes kwiknutsLong-life stainless steel hinges			
SOFT CLOSE WC SEAT			
	MKKN007	1	135.20
<ul style="list-style-type: none">Includes kwiknutsSoft close stainless steel hinges			





+

TRUSTMULTIKWIK >

WRAS approved
concealed cistern
with choice of 6/3
or 4/2 litre flush



PROTEUS CISTERN
TRC1830

SANITARY SYSTEMS / FLUSH PLATES & BUTTONS



IO INFRARED FLUSH PLATE

TRF1010IO 1122.56





- Dual flush via short range IR sensor
- Finish: Black
- Material: Toughened safety glass
- Hygienic contactless operation
- LED lighting – 7 adjustable colours
- User detection via long range sensors
- Automatic forced flushing
- Cleaning mode
- Interval flushing at selectable intervals
- Flush plate settings accessible via flush plate or service remote (sold separately)


HYDRA DUAL FLUSH PLATE





- Dual flush
- Material: Chrome metal frame
ABS button
Glass/Slate/ABS plate
- Illumination option available (Hydra Glow)
- Customisable
- Recessed mounted





PRODUCT CODE	PRICE (€) EACH
STAINLESS STEEL FRAME	
ECLIPSE DUAL FLUSH – WHITE	
 TRF1201E	96.13
▪ 121x181mm	


PRODUCT CODE	PRICE (€) EACH
ECLIPSE DUAL FLUSH – CHROME	
 TRF1202E	101.19
▪ 121x181mm	

PLASTIC FRAME	
ECLIPSE DUAL FLUSH – WHITE	
 TRF0400E	42.72
▪ 145x205mm	

ECLIPSE DUAL FLUSH – CHROME	
 TRF0427E	50.60
▪ 145x205mm	

ECLIPSE DUAL FLUSH – SATIN CHROME	
 TRF0428E	50.60
▪ 145x205mm	

GLASS FRAME	
ECLIPSE DUAL FLUSH – WHITE	
 TRF1215E	393.50
▪ Glass ▪ 121x181mm	

ECLIPSE DUAL FLUSH – BLACK	
 TRF1216E	393.50
▪ Glass ▪ 121x181mm	

HYDRA

White TRF1315H 194.55	Silver Grey TRF1317H 194.55	Anthracite Grey TRF1318H 194.55	Slate Grey TRF1319H 194.55	Frame Only TRF1301H 152.70
				
Customisable Hydra see below				

HYDRA GLOW

White TRF1215HI 505.58	Silver Grey TRF1217HI 505.58	Anthracite Grey TRF1218HI 505.58	Slate Grey TRF1219HI 505.58	Frame Only TRF1201HI 463.73
				
Customisable Hydra see below				

ROUGHING IN SET FOR HYDRA

TRF1200H 20.35

Required to allow installation of Hydra flush plates in a large commercial environment










Customisable Hydra

To complete the look, Multikwik offer a frame only customisable option for the Hydra flush plate. This choice allows for any wall tile to be installed into the plate, providing a sleek look to any modern bathroom.






64 finish combinations

In addition to the plate colour options above the following are available to order, as well as interchanging buttons

Red Glass	Black Glass	Black Granite	
			
Chrome	Satin Chrome	White	Black
			

SANITARY SYSTEMS / FLUSH PLATES & BUTTONS

PRODUCT CODE	PRICE (€) EACH	PRODUCT CODE	PRICE (€) EACH	PRODUCT CODE	PRICE (€) EACH
TELESTO DUAL FLUSH – WHITE					
 TRF0400L*	42.74	 TRF0427L*	56.22	 TRF0428L*	56.22
■ 121x181mm		■ 121x181mm		■ 121x181mm	
TITAN DUAL FLUSH – WHITE					
 TRF0400T	42.72	 TRF0427T	50.60	 TRF0428T	50.60
■ 145x205mm		■ 145x205mm		■ 145x205mm	
CRESCENT DUAL FLUSH – ST/STEEL					
 TRF0433C	140.54	 TRF0400C	42.72	 TRF0427C	50.60
■ 145x205mm		■ 145x207mm		■ 145x207mm	
ATLAS DUAL FLUSH – WHITE					
 TRF0400AT*	115.20	 TRF0427AT*	129.58	 TRF0428AT*	129.58
■ 121x181mm		■ 121x181mm		■ 121x181mm	
LUNA DUAL FLUSH – WHITE					
 TRF0400LU*	49.54	 TRF0427LU*	68.09	 TRF0428LU*	68.09
■ 135x190mm		■ 135x190mm		■ 135x190mm	
METIS DUAL FLUSH – WHITE					
 TRF0400ME*	49.54	 TRF0427ME*	68.09	 TRF0428ME*	68.09
■ 145x205mm		■ 145x205mm		■ 145x205mm	

PRODUCT CODE	PRICE (€) EACH	PRODUCT CODE	PRICE (€) EACH
SOLAR DUAL FLUSH – CHROME			
 TRF0427S	50.60	 TRF0428S	50.60
■ 153x207mm		■ 153x207mm	
ROUND BUTTON – SATIN CHROME			
 MFVB7B	9.33	 MFVB6B	9.33
■ Suited for a ø40mm hole		■ Suited for a ø40mm hole	
DUAL MULTIFLUSH BUTTON OVAL – CHROME			
 MFVB1B	9.33		
■ Suited for a ø40mm hole			



TRAPS

SECURITY YOU CAN **TRUST**

The Multikwik range has been created with and by plumbers – the people who know best about typical installation problems, installer preferences and what makes a reliable product.

Key:



Adjustable



Resealing

50

All traps have a water seal depth of 75mm unless otherwise stated

PROBLEM SOLVED

Universal all in one trap

SP032 | SP040

- Variable outlet adjusts 360°
- Adjustable inlet
- Ideal for installations where space is at a premium or pipework is misaligned



TRAPS

KEY: : Resealable : Adjustable : Seal Depth : Chrome : Stainless Steel

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
BOTTLE – STANDARD					
	32mm	B032	10	50	7.34
	40mm	B040	10	40	8.35
BOTTLE – RESEALING					
	32mm	B032R	10	50	9.62
	40mm	B040R	10	40	11.29
BOTTLE – ADJUSTABLE					
	32mm	B032A	10	40	8.91
	40mm	B040A	10	40	10.68
BOTTLE – ADJUSTABLE/RESEALING					
	32mm	B032RA	5	40	11.21
	40mm	B040RA	5	30	12.93
BOTTLE – ANTI-VAC					
	32mm	B032V	10	50	9.76
	40mm	B040V	10	50	11.54
BOTTLE – COMPACT					
	32mm	B032S	5	65	6.15
	40mm	B040S	5	50	7.08
BOTTLE – SLIMLINE					
	32mm	BS032	5	40	7.68

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
STRAIGHT THROUGH ADJUSTABLE					
	32mm	ST032	10	40	9.23
BOTTLE – ADJUSTABLE					
	32mm	B032ACR	1	20	34.27
BOTTLE – ADJUSTABLE/RESEALING					
	32mm	B032RACR	1	40	30.71
	40mm	B040RACR	1	40	32.11
UNIVERSAL ALL IN ONE					
	32mm	SP032	10	50	9.58
	40mm	SP040	10	40	10.72
RUNNING					
	32mm	RP032	5	50	9.57
	40mm	RP040	5	35	10.17
	50mm	RP050X	5	40	19.63
'P' TRAP					
	32mm	P032	10	60	6.39
	40mm	P040	10	40	7.57
	50mm	P050	5	50	13.89
'P' TRAP ADJUSTABLE					
	32mm	P032A	10	50	8.03
	40mm	P040A	10	40	9.22

TRAPS







KEY: : Resealable : Adjustable : Seal Depth : Chrome : Stainless Steel








	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
'S' TRAP					
	32mm	S032	10	60	7.70
	40mm	S040	10	40	8.95
TUBULAR SWIVEL TRAP					
	40mm	SWM040A	5	40	14.98
SHOWER COMPACT					
	40mm	S040C	10	40	19.93
SHOWER COMPACT					
	40mm	S040W	10	40	19.30
TRUSTMULTIKWIK					
<p>Resealing shower trap eliminates self-syphonage and eradicates gurgling in the system</p> <p>RESEALING SHOWER TRAP S5040CR</p>					

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
SHOWER – TRAP RESEALING					
	40mm	S5040CR	5	40	20.28
BATH – ONE PIECE					
	40mm	P1940	10	80	5.92
BATH – LOW LEVEL					
	40mm	P5040	10	40	7.55
BATH – LOW LEVEL ANTI VAC					
	40mm	P5040V	5	80	10.75
BATH – SWIVEL 'P' LOW LEVEL					
	40mm	P040L	5	40	8.76
BATH – STANDARD					
	40mm	P6040	5	35	7.55

TRAPS



KEY: : Resealable : Adjustable : Seal Depth








	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
BATH – LOW LEVEL					
	40mm	P5040F	1	20	18.48
					<ul style="list-style-type: none"> Flexible overflow pipe for ease of installation Plug tidy overflow to retain plug when not in use
BATH – STANDARD					
	40mm	P6040F	5	40	18.48
					<ul style="list-style-type: none"> Flexible overflow pipe for ease of installation Plug tidy overflow to retain plug when not in use
ANTI-VAC GURGLE MASTER					
	32mm	WV032	10	150	5.64
	40mm	WV040	10	100	5.64
					<ul style="list-style-type: none"> Anti-vac allows air into the waste pipe to prevent self-siphonage of the water trap seal and gurgling Quick installation with simple multifit-in-line assembly Install within 150mm of the trap
ANTI SYPHON UNIT					
	32mm	WW150	10	250	7.83
	40mm	WW151	10	250	8.35
					<ul style="list-style-type: none"> Anti-vac allows air into the waste pipe to prevent self-siphonage of the water trap seal and gurgling Use with any BS EN 1566/5255 solvent weld sockets To BS EN 12380
WASHING MACHINE					
	40mm	PWM040	5	30	11.46
					<ul style="list-style-type: none"> Includes 500mm standpipe, retaining clips, screws and raw plugs
UTILITY 'P' COMPACT – SINGLE NOZZLE					
	40mm	PWM040T	10	60	13.93
					<ul style="list-style-type: none"> Nozzle for connecting a washing machine or dishwasher
ADJUSTABLE UTILITY 'P' – SINGLE NOZZLE					
	40mm	PWM040S	10	30	12.62
					<ul style="list-style-type: none"> Adjustable inlet for installation flexibility For connecting a washing machine or dishwasher Non-return valve to prevent backflow in nozzle Min height: 250mm; max height: 310mm

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
ADJUSTABLE UTILITY 'P' – DOUBLE NOZZLE					
	40mm	PWM040D	10	40	13.36
					<ul style="list-style-type: none"> Adjustable inlet for installation flexibility Non-return valve to prevent backflow in nozzle Min height: 250mm; max height: 310mm For connecting two appliances
ADJUSTABLE UTILITY 'S' – SINGLE NOZZLE					
	40mm	SWM040S	10	30	14.25
					<ul style="list-style-type: none"> Adjustable inlet for installation flexibility Non-return valve to prevent backflow in nozzle Min height: 250mm; max height: 310mm For connecting a washing machine or dishwasher
ADJUSTABLE UTILITY 'S' – DOUBLE NOZZLE					
	40mm	SWM040D	5	25	15.96
					<ul style="list-style-type: none"> Adjustable inlet for installation flexibility Non-return valve to prevent backflow in nozzle Min height: 250mm; max height: 330mm For connecting two appliances
SPACE SAVER KIT					
	40mm	SBK040D	1	25	17.39
					<ul style="list-style-type: none"> Single bowl, double nozzle Flexible installation with full width and height adjustment
1½ BOWL KIT – SINGLE NOZZLE					
	40mm	XSB040S	1	35	17.36
					<ul style="list-style-type: none"> Flexible installation with full width and height adjustment
DOUBLE BOWL KIT – SINGLE NOZZLE					
	40mm	DBK040S	1	30	19.77
					<ul style="list-style-type: none"> Flexible installation with full width and height adjustment
EXTENDED DOUBLE BOWL KIT – DOUBLE NOZZLE					
	40mm	DBKDS040	1	25	22.32
					<ul style="list-style-type: none"> Flexible installation with full width and height adjustment

TRAPS

KEY: : Chrome : Stainless Steel

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
TRAP HEIGHT ADJUSTER – SINGLE NOZZLE					
	40mm	WA040S	5	90	4.51
					<ul style="list-style-type: none"> Non-return valve prevents backflow in nozzle For connecting a washing machine or dishwasher
TRAP HEIGHT ADJUSTER – DOUBLE NOZZLE					
	40mm	WA040D	5	50	6.22
					<ul style="list-style-type: none"> Non-return valve prevents backflow in nozzle For connecting a washing machine and dishwasher
SPACE SAVER					
	40mm	SBSK040	5	30	9.01
					<ul style="list-style-type: none"> Trap not included Space saving design: Pushes the trap and pipework to the back of the cupboard
NOZZLE – ANGLED					
	40mm	NK001	10	300	2.51
					<ul style="list-style-type: none"> Non-return valve to prevent backflow in nozzle Nozzle can be cut to suit a variety of applications To suit 1" & ¾" hose diameter
NOZZLE – STRAIGHT					
	40mm	NKT001	10	180	1.72
					<ul style="list-style-type: none"> Use with 40mm compression waste appliance hose connection
WASHING MACHINE TEE					
	40mm	WMT001	1	100	6.43
					<ul style="list-style-type: none"> 1½ BSP sink waste connection Can be inserted between an existing trap and outlet
FLEXIBLE CONNECTOR					
	40/32mm	WW170	1	1	6.64
					<ul style="list-style-type: none"> 350mm length. Cut ends to suit compression fittings

	SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
WASHING MACHINE – HOSE 1.5M					
	40mm	WW171	1	1	9.09
					<ul style="list-style-type: none"> Non kink hose with rest support for reliable installation
BASIC SINK WASTE AND OVERFLOW STANDARD KIT					
	40mm	CWS01	1	20	5.17
					<ul style="list-style-type: none"> Extendible overflow to suit various overflow heights Flexible overflow pipe
BATH WASTE AND OVERFLOW STANDARD KIT					
	40mm	CWB01	1	20	5.98
					<ul style="list-style-type: none"> Extendible overflow to suit various overflow heights Flexible overflow pipe
BATH WASTE AND OVERFLOW KIT					
	40mm	W040F	5	40	15.40
					<ul style="list-style-type: none"> Extendible overflow to suit various overflow heights Flexible overflow pipe Plug tidy overflow to retain the plug when not in use
BATH WASTE AND OVERFLOW KIT					
	40mm	WPU040C	1	5	62.98
					<ul style="list-style-type: none"> Extendible overflow to suit various overflow heights Flexible overflow pipe Includes pop up waste
SINK WASTE AND OVERFLOW KIT					
	40mm	W4070RF	5	40	17.72
					<ul style="list-style-type: none"> Extendible overflow to suit various overflow heights Flexible overflow pipe
SLOTTED BASIN WASTE OUTLET					
	32mm	SBW01	1	40	11.59
					<ul style="list-style-type: none"> Includes polyplug, chain and stay Slotted – for basins with an integral overflow

COMPRESSION WASTE

RELIABILITY YOU CAN **TRUST**

When designing and building any type of development, we know that costs and aesthetics can play a huge part in decision making.

PROBLEM SOLVED

Easy Boss

MKEB4032G | MKEB4032B

- Connects 32mm or 40mm solvent or push fit pipe to 110mm soil pipe
- No straps, ideal for limited access installations
- No solvent cement required for push-fit connection



COMPRESSION WASTE / PIPES & FITTINGS

KEY: **C** : Chrome **ST** : Stainless Steel

OVERFLOW CONDENSE ADAPTOR

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
40mm	EB40R	1	400	2.41



- Adapts to condense pipework
- Connects 40mm to 16.5 – 24mm

MULTIFLEX BEND

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	MFW32	1	50	9.64
40mm	MFW40	1	50	10.02



- Adjustable from 0 – 90° to meet the demands of almost any installation

REDUCER

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
40/32mm	WP124	1	200	3.68
50/40mm	WP225	1	130	4.96



STRAIGHT COUPLING

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP114	1	280	2.94
40mm	WP115	1	220	2.94
50mm	WP216	1	90	3.98



90° BEND

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP120	1	200	3.30
40mm	WP121	1	150	3.30
50mm	WP222	1	112	4.20



135° BEND

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP126	1	230	3.30
40mm	WP127	1	180	3.30
50mm	WP218	1	70	4.20



92.5° TEE

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP128	1	120	4.71
40mm	WP129	1	80	5.08
50mm	WP230	1	80	5.29



PIPE – CHROME

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
40mm	WP101C	1	10	15.57
32mm	WP102C	1	10	16.60
1.1m	WP105C	1	10	32.15
32mm	WP106C	1	10	34.23



- High quality mirror chrome finish

STRAIGHT COUPLING – CHROME

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP114C	1	100	8.83
40mm	WP115C	1	80	9.85



- High quality mirror chrome finish

PIPE CLIP – CHROME

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP141C	3	250	6.24
40mm	WP142C	3	250	7.26



- Price is for a pack of 3
- High quality mirror chrome finish

90° BEND – CHROME

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP120C	1	100	9.85
40mm	WP121C	1	80	10.90



- High quality mirror chrome finish

92.5° TEE – CHROME

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
40mm	WP129C	1	40	16.60



- High quality mirror chrome finish

PIPE COVER – CHROME


SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
32mm	WP153C	1	200	6.75
40mm	WP154C	1	200	7.77



- High quality mirror chrome finish

EASY BOSS CONNECTOR

SIZE	PRODUCT CODE	PACK	BOX	PRICE (£) EACH
Grey 110mm	MKEB4032G	32/40mm	1 30	25.29
Black 110mm	MKEB4032B	32/40mm	1 30	25.29



- For connection (push fit or solvent weld) to 110mm soil stacks

WC CONNECTORS

FLEXIBILITY YOU CAN **TRUST**

50 years ago we pioneered with a flexible WC connector, which replaced the cemented joint previously used – an innovative idea that changed plumbing.

Key:

Pipe:

- 1 Standard 99-105mm
- 2 Cast Iron 88-92mm
- 3 Old 74-77mm
- 4 Copper 105-108mm

For details on how to select the correct WC connector, turn to page 19.






PROBLEM SOLVED

Flexible WC connector MKC2

- Flexible for difficult installations
- Extends from 225mm to 550mm





WC CONNECTORS / MODERN				PIPE: 1: Standard 99-105mm 2: Cast Iron 88-92mm 3: Old 74-77mm 4: Copper 105-108mm					
		PRODUCT CODE	PACK BOX	PRICE (€) EACH			PRODUCT CODE	PACK BOX	PRICE (€) EACH
STRAIGHT									
1		MKS2	3 36	8.28	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div></div> <div>This connector is for new style pans only</div>				
		EXTENDED STRAIGHT							
1		MKS4	1 30	8.28	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div>				
		LONG ADJUSTABLE STRAIGHT							
1		MKLAS1	1 10	15.45	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>This connector is for new style pans only</div>				
		STRAIGHT – INCLUDING. VENT BOSS							
1		MKSB4	1 34	8.28	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>40mm boss</div>				
		18MM OFFSET							
1		MK02	1 30	8.28	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div>				
		40MM OFFSET							
1		MK04	1 30	8.28	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div>				
		MULTICLIK – FLEXIBLE STRAIGHT							
1		MKC2	3 12	30.19	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>Extends from 255 to 550mm</div> <div>Ideal when installing back to the wall, floor standing pans</div>				
		MULTICLIK 90° BEND							
1		MKC2B90	1 8	30.19	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>Extends from 375 to 710mm</div> <div>Converts a 'P' trap into an 'S' trap with adjustment for final connection</div>				
		MULTICLIK 90° BEND – INCLUDING. VENT BOSS							
1		MKC2BB90	1 8	35.43	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>Extends from 405 to 740mm</div> <div>Converts a 'P' trap into an 'S' trap with adjustment for final connection</div> <div>Must be used in a vertical position if venting boss is being used</div>				
		14° BEND							
1		MKB114	5 30	8.84	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div></div>				
		45° BEND							
1		MKB45	1 25	12.01	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div>Ideal for corner installations</div>				
		104° BEND							
1		MKB21104	1 15	14.40	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div></div>				
		90° BEND							
1		MKB2190	5 15	12.27	<div>WC spigot outer diameter: 97-108mm Soil pipe inner diameter: 99-105mm</div> <div></div>				

WC CONNECTORS / MODERN

PIPE: 1: Standard 99-105mm 2: Cast Iron 88-92mm 3: Old 74-77mm 4: Copper 105-108mm









PRODUCT CODE	PACK	BOX	PRICE (£) EACH
90° BEND – INCLUDING. VENT BOSS			
 MKBB2190	1	15	21.36
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm ■ 40mm venting boss ■ Must be used in a vertical position if venting boss is being used			
90° BEND – TALL			
 MKB3190	3	15	13.83
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm 			
90° BEND – INCLUDING. VENT BOSS			
 MKBB3190	1	10	22.67
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm ■ Includes 40mm compression venting boss ■ Must be used in a vertical position if venting boss is being used			
90° SPACE SAVER BEND			
 MKBAR90	1	12	15.45
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm ■ Can be cut to suit both horizontally and vertically ■ Ideal when replacing old BS1213 'S' trap pans			
RIGID 18MM OFFSET			
 MKR02	1	30	8.51
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm			
RIGID 14° BEND			
 MKRB14	1	30	8.51
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm			
RIGID 90° BEND			
 MKRB90	1	15	10.66
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm ■ Adjustable length: remove fined seal with a fine tooth saw and cut			

PRODUCT CODE	PACK	BOX	PRICE (£) EACH
RIGID STRAIGHT			
 MKRS2	1	30	8.51
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm			
RIGID 100MM OFFSET			
 MK0100	1	20	22.84
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm			
EXTENDED STRAIGHT – FOR 3½" SOIL			
 MKS7	1	30	8.28
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 88–92mm ■ Extension length: 15mm			
18MM OFFSET – FOR 3½" SOIL			
 MK07	1	30	8.28
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 88–92mm			
18MM OFFSET			
 MK01S	1	30	11.12
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 105–108mm			
14° BEND – FOR OVERSIZE SOIL			
 MKB114S	1	30	26.68
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 105–108mm			






WC CONNECTORS / OLD

PIPE: 1: Standard 99-105mm 2: Cast Iron 88-92mm 3: Old 74-77mm 4: Copper 105-108mm

PRODUCT CODE	PACK	BOX	PRICE (£) EACH
STRAIGHT			
 MKS1	5	30	8.28
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 99–105mm  ■ This connector is for old style pans only			
STRAIGHT – OLD BS1213 SYPHONIC PANS			
 MKS1A	1	30	9.67
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 99–105mm			
<div>  </div> <div> SELECTING THE RIGHT WC CONNECTOR </div> <div>   <div> ■ Measure the INNER diameter of your pipe ■ Measure the OUTER diameter of your spigot </div> <p>Then take a look at the dimensions provided for the individual connectors to find the best matches!</p> </div>			
<div> SELECTING THE RIGHT OFFSET </div> <div> Measure from the centre line of your pipe to the centre line of your WC spigot. </div> <div>  </div> <p>Remember, offsets should not be installed in an upwards position. Water should be able to run horizontally or down.</p>			

PRODUCT CODE	PACK	BOX	PRICE (£) EACH
18MM OFFSET – OLD BS1213 PANS			
 MK01	5	30	8.28
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 99–105mm 			
90° TIGHT KNUCKLE BEND – OLD BS1213 PANS			
 MKB21	1	20	14.40
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 99–105mm			
90° TIGHT KNUCKLE BEND – OLD BS1213 PANS			
 MKB22	1	15	14.85
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 99–105mm			
STRAIGHT – FOR 3½" SOIL			
 MKS3	1	30	8.28
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 88–92mm			
18MM OFFSET			
 MK03	1	30	8.28
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 88–92mm ■ Suitable old BS1213 pans to 3½" soil			
STRAIGHT – FOR 3" SOIL			
 MKS10	1	20	11.12
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 74–77mm			
90° TIGHT KNUCKLE BEND			
 MKB21S	1	20	26.68
WC spigot outer diameter: 108–114mm Soil pipe inner diameter: 105–108mm			

WC CONNECTORS / STAINLESS STEEL / ANCILLARIES

STAINLESS STEEL			
PRODUCT CODE	PACK	BOX	PRICE (£) EACH
STRAIGHT – UNDERSIZE SPIGOTS			
 1	MKS5	1 40	11.12
WC spigot outer diameter: 76–95mm Soil pipe inner diameter: 99–105mm			
EXTENDED STRAIGHT – UNDERSIZE SPIGOTS			
 1	MKS8	1 30	26.68
WC spigot outer diameter: 76–95mm Soil pipe inner diameter: 99–105mm ■ Extension length: 59mm			
18MM OFFSET – UNDERSIZE SPIGOTS			
 1	MK05	1 30	11.12
WC spigot outer diameter: 76–95mm Soil pipe inner diameter: 99–105mm			
14° BEND – UNDERSIZE SPIGOTS			
 1	MKB514	1 30	26.68
WC spigot outer diameter: 76–95mm Soil pipe inner diameter: 99–105mm			
14° BEND – UNDERSIZE SPIGOTS TO 3½” SOIL			
 2	MKB614	1 30	26.68
WC spigot outer diameter: 76–95mm Soil pipe inner diameter: 88–92mm			

ANCILLARIES			
PRODUCT CODE	PACK	BOX	PRICE (£) EACH
SOIL PIPE EXTENSION – FOR 4” SOIL			
 1	MKEA	5 20	7.24
Soil pipe inner diameter: 99–105mm ■ Can be cut to required length ■ Ideal for replacing 4” cast iron, clay and PVCu			
SOIL PIPE EXTENSION – FOR 3½” SOIL			
 2	MKEB	5 20	7.24
Soil pipe inner diameter: 88–92mm ■ Can be cut to required length ■ Ideal for replacing 3½” cast iron			
SOIL PIPE EXTENSION – FOR 3” SOIL			
 3	MKEG	1 20	8.28
Soil pipe inner diameter: 74–77mm ■ Can be cut to required length ■ Ideal for replacing 3” cast iron			
RIGID SOIL PIPE EXTENSION			
 1	MKREXT	1 20	7.77
WC spigot outer diameter: 97–108mm Soil pipe inner diameter: 99–105mm ■ Adjustable length: remove finned seal and cut with a fine tooth saw			
FLUSH PIPE CONNECTOR			
 1	MKFPC1	1 50	1.26
MULTILINK			
 1	MKL1	1 50	2.13
■ For connecting 2 or more pan connectors			

FLOOR DRAINAGE

ENDURANCE YOU CAN TRUST

Multikwik floor drainage solutions give you the support that you need to succeed on a tough job.

There is a solution for commercial high flow rate applications and domestic unobtrusive shower drainage, available for both tiled and vinyl flooring. Trust Multikwik to give you a choice of floor drainage applications.

PROBLEM SOLVED

Vertical shower gully

SG50SV | SG50WVV








- Unique locking ring feature prevents unintended access, but allows easy maintenance
- Stainless steel or ABS anti-slip lid
- Compact size – saving valuable room when space is at a premium



FLOOR DRAINAGE / LINNUM / SHOWER GULLIES

KEY: **C** : Chrome **ST** : Stainless Steel



LINNUM	SIZE	PRODUCT CODE	BOX	PRICE (€) EACH
SHOWER DRAIN BODY				
	650mm	L13560	1	303.01
	750mm	L13570	1	321.96
	950mm	L13590	1	378.77
<div> <div>50</div> <ul style="list-style-type: none"> Water seal depth: 50mm Min. height: 115mm; Max. height: 131mm For tiled flooring </div>				
GLASS FLOOR GRATE				
	650mm	L13564 WHITE	1	161.00
	650mm	L13563 BLACK	1	161.00
SOFT FLOOR GRATE				
	650mm	L13565	1	66.27
	750mm	L13575	1	85.23
	950mm	L13595	1	94.70
ELEGANCE FLOOR GRATE				
	650mm	L13566	1	75.76
	750mm	L13576	1	85.23
	950mm	L13596	1	94.70
SQUARE FLOOR GRATE				
	650mm	L13567	1	123.12
	750mm	L13577	1	142.04
	950mm	L13597	1	161.00
BUBBLE FLOOR GRATE				
	650mm	L13569	1	75.76
	750mm	L13579	1	85.23
	950mm	L13599	1	94.70
SHOWER GRID FRAME – SPARE				
	650mm	TRL428	1	340.90
	750mm	TRL429	1	340.90
	950mm	TRL430	1	340.90
<div> <div>ST</div> <ul style="list-style-type: none"> Stainless steel </div>				

SIZE	PRODUCT CODE	BOX	PRICE (€) EACH
SHOWER CLAMPING FRAME – SPARE			
	650mm TRL434	1	75.76
	750mm TRL435	1	75.76
	950mm TRL436	1	75.76
ST	■ For use with floor thickness spacer (TRL478)		
SHOWER GULLIES			
HORIZONTAL SHOWER GULLY – ST/STEEL			
	50mm seal depth		
	50mm SG50SHV	1	98.65
	75mm seal depth		
	50mm SG75SHV	1	98.65
ST	■ Vinyl flooring		
VERTICAL SHOWER GULLY – ST/STEEL			
	50mm seal depth		
	50mm SG50SVV	1	98.65
	75mm seal depth		
	50mm SG75SVV	1	98.65
ST	■ Vinyl flooring		
HORIZONTAL SHOWER GULLY ABS			
	50mm seal depth		
	50mm SG50WHV	1	91.27
	75mm seal depth		
	50mm SG75WHV	1	91.27
	■ Vinyl flooring		
VERTICAL SHOWER GULLY – ABS			
	50mm seal depth		
	50mm SG50WVV	1	91.27
	75mm seal depth		
	50mm SG75WVV	1	91.27
	■ Vinyl flooring		
VERTICAL SHOWER GULLY			
	50mm seal depth		
	50mm SG50VT	1	39.48
	75mm seal depth		
	50mm SG75VT	1	39.48
	■ Requires 'Grate and Riser' set		
	■ Tiled flooring		
HORIZONTAL SHOWER GULLY			
	50mm seal depth		
	50mm SG50HT	1	39.48
	75mm seal depth		
	50mm SG75HT	1	39.48
	■ Requires 'Grate and Riser' set		
	■ Tiled flooring		

FLOOR DRAINAGE / SHOWER GULLIES / CONTINUOUS CHANNEL

KEY: **C** : Chrome **ST** : Stainless Steel

PRODUCT CODE	BOX	PRICE (€) EACH
DUAL GRATE & RISER		
– SG1T	1	59.18
<div> <div>ST</div> <ul style="list-style-type: none"> Riser can be cut between 36.5-130mm Requires shower gully body Tiled flooring </div>		
SQUARE GRATE & RISER		
– SG2T	1	64.88
<div> <div>ST</div> <ul style="list-style-type: none"> Riser can be cut between 36.5-130mm Requires shower gully body Tiled flooring </div>		
CLASSIC GRATE & RISER		
– SG3T	1	59.14
<div> <div>ST</div> <ul style="list-style-type: none"> Riser can be cut between 36.5-130mm Requires shower gully body Tiled flooring </div>		
CLASSIC VANDAL RESISTANT GRATE & RISER		
– SG4T	1	59.18
<div> <div>ST</div> <ul style="list-style-type: none"> Riser can be cut between 36.5-130mm Requires shower gully body Screwed anti-vandal grate Tiled flooring </div>		
CONTINUOUS CHANNEL		
END CAP Ø40MM HORIZONTAL		
40mm L29036	1	9.47
<div> <ul style="list-style-type: none"> 40mm horizontal outlet </div>		
CONTINUOUS CHANNEL		
500mm L29142	1	284.08
<div> <div>ST</div> <ul style="list-style-type: none"> For tiled flooring only </div>		
CONTINUOUS CHANNEL – WITH OUTLET		
500mm L29143	1	284.08
<div> <div>ST</div> <ul style="list-style-type: none"> For tiled flooring only 50mm vertical outlet </div>		

SIZE	PRODUCT CODE	BOX	PRICE (€) EACH
CONTINUOUS CHANNEL			
150mm	L29158	1	132.58
<div> <div>ST</div> <ul style="list-style-type: none"> 40/50mm horizontal outlet </div>			
SPARES AND REPLACEMENTS			
MULTIFLUSH VALVE – 340MM CABLE			
1½" BSP	MFV1C	10	30.66
2" BSP	MFV3C	10	35.50
<div> <ul style="list-style-type: none"> Dual flush button Includes MFVB7B chrome dual flush button <div>WRAS APPROVED PRODUCT</div> </div>			
MULTIFLUSH VALVE – 800MM CABLE			
1½" BSP	MFV2C	10	37.12
2" BSP	MFV4C	10	41.96
<div> <ul style="list-style-type: none"> Dual flush button Includes MFVB7B chrome dual flush button <div>WRAS APPROVED PRODUCT</div> </div>			
CHANNEL SUPPORT SET – SPARE			
–	TRL426	1	54.11
<div>  </div>			
FLOOR THICKNESS SPACER – SPARE			
–	TRL478	1	27.06
<div>  <ul style="list-style-type: none"> Pack of 12 For use with Linnum shower clamping Accommodates three different heights </div>			
OUTLET ADAPTOR			
Linnum			
40mm	TRL487	1	27.06
50mm	TRL490	1	21.75
Continuous channel			
40mm	TRL489	1	8.70
50mm	TRL488	1	8.70
<div> <ul style="list-style-type: none"> To BSEN1566/5255 solvent waste </div>			

INDEX

PRODUCT CODE	PAGE
SANITARY	
MFVB1B	11
MFVB6B	11
MFVB7B	11
MFVP10K	11
MKKN002	7
MKKN003	7
MKKN004	7
MKKN007	7
TRC1820	6
TRC1821	6
TRC1830	6
TRF0400AT	10
TRF0400C	10
TRF0400E	8
TRF0400L	10
TRF0400LU	10
TRF0400ME	10
TRF0400T	10
TRF0427AT	10
TRF0427C	10
TRF0427E	8
TRF0427L	10
TRF0427LU	10
TRF0427ME	10
TRF0427S	11
TRF0427T	10
TRF0428AT	10
TRF0428E	8
TRF0428L	10
TRF0428LU	10
TRF0428ME	10
TRF0428S	11
TRF0428T	10
TRF0433C	10
TRF1010I0	8
TRF1200	9
TRF1201E	8
TRF1201HI	9
TRF1202E	8
TRF1215E	8
TRF1215HI	9
TRF1216E	8
TRF1217HI	9
TRF1218HI	9
TRF1219HI	9
TRF1301H	9
TRF1315H	9
TRF1317H	9
TRF1318H	9
TRF1319H	9
TRM1120	6
TRM1985	6
TRM2020	6
TRM2820	6
TRM2985	6

PRODUCT CODE	PAGE
TRM6000	6
TRM6820	6
TRM6985	6
TRV1820	6
TRAPS	
B032	13
B032A	13
B032ACR	13
B032R	13
B032RA	13
B032RACR	13
B032S	13
B032V	13
B040	13
B040A	13
B040R	13
B040RA	13
B040RACR	13
B040S	13
B040V	13
BS032	13
CWB01	16
CWS01	16
DBK040S	15
DBKS040	15
NK001	16
NKT001	16
P032	13
P032A	13
P040	13
P040A	13
P040L	14
P050	13
P1940	14
P5040	14
P5040F	15
P5040V	14
P6040	14
P6040F	15
PWM040	15
PWM040D	15
PWM040S	15
PWM040T	15
RP032	13
RP040	13
RP050X	13
S032	14
S040	14
S5040C	14
S5040CR	14
S5040W	14
SBK040D	15
SBSK040	16
SBW01	16
SP032	13

PRODUCT CODE	PAGE
SP040	13
ST032	13
SWM040A	14
SWM040D	15
SWM040S	15
W040F	16
W4070RF	16
WA040D	16
WA040S	16
WMT001	16
WPU040C	16
WV032	15
WW040	15
WW150	15
WW151	15
WW170	16
WW171	16
XSB040S	15
COMPRESSION WAST	
EB40R	18
MFW32	18
MFW40	18
MKEB4032B	18
MKEB4032G	18
WP101C	18
WP102C	18
WP105C	18
WP106C	18
WP114	18
WP114C	18
WP115	18
WP115C	18
WP120	18
WP120C	18
WP121	18
WP121C	18
WP124	18
WP126	18
WP127	18
WP128	18
WP129	18
WP129C	18
WP141C	18
WP142C	18
WP153C	18
WP154C	18
WP216	18
WP218	18
WP222	18
WP225	18
WP230	18
WC CONNECTORS	
MKB114	20

PRODUCT CODE	PAGE
MKB114S	21
MKB21	22
MKB21104	20
MKB2190	20
MKB21S	22
MKB22	22
MKB3190	21
MKB45	20
MKB514	23
MKB614	23
MKBAR90	21
MKB82190	21
MKB83190	21
MKC2	20
MKC2B90	20
MKC2BB90	20
MKEA	23
MKEB	23
MKEG	23
MKFCPC1	23
MKL1	23
MKLAS1	20
MK01	22
MK0100	21
MK01S	21
MK02	20
MK03	22
MK04	20
MK05	23
MK07	21
MKRB14	21
MKRB90	21
MKREXT	23
MKR02	21
MKRS2	21
MKS1	22
MKS10	22
MKS1A	22
MKS2	20
MKS3	22
MKS4	20
MKS5	23
MKS7	21
MKS8	23
MKSB4	20
FLOOR DRAINAGE	
L13560	25
L13563	25
L13564	25
L13565	25
L13566	25
L13567	25
L13569	25
L13570	25

PRODUCT CODE	PAGE
L13575	25
L13576	25
L13577	25
L13579	25
L13590	25
L13595	25
L13596	25
L13597	25
L13599	25
L29036	26
L29142	26
L29143	26
L29158	26
SG1T	26
SG2T	26
SG3T	26
SG4T	26
SG50HT	25
SG50SHV	25
SG50SVV	25
SG50VT	25
SG50WHV	25
SG50WVV	25
SG75HT	25
SG75SHV	25
SG75SVV	25
SG75VT	25
SG75WHV	25
SG75WVV	25
TRL428	25
TRL429	25
TRL430	25
TRL434	25
TRL435	25
TRL436	25
TRL478	26
SPARES	
MFV1C	26
MFV2C	26
MFV3C	26
MFV4C	26
TRL426	26
TRL487	26
TRL488	26
TRL489	26
TRL490	26

ORDER PAD – PHOTOCOPY FOR ORDERING**DELIVERY DETAILS:**

Full Name: _____

Address line 1: _____

Address line 2: _____

City: _____ County: _____

Postcode: _____ Contact Number: _____

I REQUIRE:

☐ I REQUIRE DELIVERY BY: ☐ I WISH TO COLLECT ON:

Send completed forms to customerservices@alixaxis.co.uk or call our sales line on 01622 852654

CUSTOMER INFORMATION

This price list supersedes all previous issues & all prices exclude VAT.

CE marking

For the latest copies of the Declaration of Performance certificates please go to our website.

Product photography

Photographs are for representation only and may vary to the actual product. Colours are a guide only.

Trademarks

The following are registered trademarks of Multikwik:

- Multikwik (*logo*)
- Multikwik
- Kwiknut
- Multiflex
- Multistop

Quality

Quality is one of our core principles:

- Products made with care under ISO9001 & ISO14001 certified system.
- **Multikwik** hold many 3rd party approvals, where appropriate these are detailed in the product listing.
- As part of our ongoing quality improvement processes, we reserve the right to alter our products & ranges without notice.

Conditions

The price guide does not constitute an offer. All goods are sold according to **Multikwik** standard Conditions of Sale, which are available on request. Goods are supplied strictly in accordance with these terms and conditions. We make every effort to maintain or reduce costs that are under our control, however fluctuating raw materials and fuel prices have a dramatic effect on our manufacturing costs. **We aim to provide you reasonable notice when we implement a price increase, but reserve the right to change prices without prior notice.**



© Multikwik 2020,
All Rights Reserved, E&OE

NOTES

The all new **Multikwik** price guide, featuring our widest ever selection of sanitary products, traps, WC connectors & more...

In every product we manufacture we aim to meet **Multikwik's** benchmark standards of:

- **Reliability**
- **Simplicity**
- **Speed of installation**
- **Problem solving features**

Some very simple reasons, why you can
TRUST MULTIKWIK



Sales hotline
01622 852 654

Support hotline
01622 852 798

Email
info@multikwik.com

Twitter
 @multikwik

 **TRUST MULTIKWIK**

WWW.MULTIKWIK.COM