




Plain Round Bollard 1200mm Above Ground 154mm - 204mm Diameter Stainless Steel



AUTOPA's range of Plain Round Stainless Steel Bollards is a simple and elegant way of controlling vehicle parking and access. Plain Round Stainless Steel Bollards are ideal for use around pedestrian precincts, shops, pavements, play and parking areas, as part of traffic calming measures, pedestrianisation schemes and as a deterrent to ram-raiders.

The complete range of Plain Round Stainless Steel Bollards is available in diameters from 154mm to 204mm and is available with extended legs for casting into concrete or with a flange plate for bolting down.

Plain Round Stainless Steel Bollards are available in Grade 304 or Grade 316 Stainless Steel.

<u>Part Number</u>	<u>Description</u>	<u>Weight (kg)</u>
138 125 158	154mm Stainless Steel - Bolt down	8kg
138 125 175	168mm Stainless Steel - Concrete In	10kg
138 125 212	204mm Stainless Steel - Bolt down	12kg
138 125 210	204mm Stainless Steel - Concrete In	12kg

Product details

- 2mm wall thickness
- Concrete in 400mm (below ground)
- 3 bolts required per bollard (bolt down)
- Round flange plate – 250mm x 5mm – 154mm and 168mm diameters
- Round flange plate – 305mm x 5mm – 204mm diameter

Installation & use

Bolt down to a suitable concrete surface.
Telescopic, removable and concrete in are supplied with welded fixing spikes to ensure firm ground anchorage into concrete.
Telescopic, removable and concrete in require a suitable excavated hole for installing into concrete.
Products are guaranteed for 12 months (if installed and used correctly).



www.autopa.co.uk
+44 (0)1788 550556

AUTOPA Limited
Cottage Leap, Rugby, Warwickshire CV21 3XP

