


Bowland Shelter Galvanised Steel Frame Open - PETG Sheet






The Bowland shelter is a free-standing, open sided shelter designed for on site assembly, constructed from galvanised mild steel. Complete with a 4mm PETG clear sheet curved roof.

Width of 3m, with lengths from 2m-5m, extension bays can be added to achieve the desired shelter length.

Bolt down as standard.





Part Number	<u>Description</u>	Weight (kg)
138 204 461	Bowland Shelter 2m	206kg
138 204 451	Bowland Shelter 3m	248kg
138 204 454	Bowland Shelter 4m	289kg
138 204 463	Bowland Shelter 5m	331kg
138 204 462	Bowland Shelter 2m extension bay	
138 204 452	Bowland Shelter 3m extension bay	
138 204 455	Bowland Shelter 4m extension bay	
138 204 464	Bowland Shelter 5m extension bay	

Product details

- Height 2449mm front, 1216mm rear
- Width 2890mm overall
- Length 2m, 3m, 4m, 5m and extensions

- Flange plate 1224mm x 300mm x 8mm
- · Each flange plate requires 8 bolts
- 4mm PETG clear sheet

Installation & use

This product is guaranteed for 12 months (if installed and used correctly)

Each shelter leg requires bolting down to a suitable concrete surface, using expanding anchor bolts

The area surrounding the installation must be flat and level with no nearby surface irregularities or gradient changes

On-site assembly requires construction skill



www.autopa.co.uk +44 (0)1788 550556

AUTOPA Limited Cottage Leap, Rugby, Warwickshire CV21 3XP





Bowland Shelter Galvanised Steel Frame Open - PETG Sheet







3 x 4 138 204 454



3 x 5 138 204 463



