

**AkzoNobel** 

**Professional Product Guide** 

PRESERVING & TRANSFORMING LANDSCAPE WOOD



# A BRIGHTER FUTURE AS A CONTRACTOR

Become a member of the Dulux Trade Contract Partnership scheme and your business will tick all the boxes when it comes to winning larger commercial and public sector projects. It's the UK's leading membership scheme for independently assessed, quality assured painting contractors. A clear demonstration of your commitment to:

- Consistently high quality workmanship
- Reliably outstanding professional service
- Continuous improvement
- Value for money
- Meeting sustainability goals

When building contractors, property owners and specifiers need a decorating project completed right first time, on time, on budget and with no room for error, they know they can rely on a Dulux Trade Contract Partner.

For more information, visit contractpartnership.co.uk





### For a quality job, trust your local Dulux Select Decorator

- Workmanship guaranteed\* for 2 years
- Your independent professional is assessed by **Dulux**
- Highest standards assured by the Dulux Code of Practice

Call Dulux now on 0333 222 7022 or visit the website: duluxselectdecorators.co.uk

\*Terms and conditions apply. See duluxselectdecorators.co.uk



With a wide range of formulations available, Cuprinol products are designed to both preserve landscape woods and transform their appearance.

Developed to deliver outstanding results that last, our products can take care of everything from fencing and decking to timber buildings and beyond.

For over 75 years the Cuprinol team has been working hard to keep Britain's wood looking good and our reputation as an authority and innovator in woodcare technology continues today. So you can expect the very best performance out of every stain, preserver, filler or treatment you choose from our range.

Plus when it comes to colours, we bring you an extensive range of shades in both semi-transparent and opaque finishes to help you bring more life to wood in the landscape

# CONTENTS

4

7



### LANDSCAPE

Fencing, cladding, decking and garden structures can be treated and transformed with the quality and colour available in the Cuprinol range.

# **TREATMENTS & FILLERS**

Preserving, filling and treating insect and fungal attack - every preparation job is supported by the best formulations from Cuprinol.

# 10

### **COLOUR RANGE**

A wide choice of colour ranges including semi-transparent and opaque, to enhance the appeal of wood and broaden your creative options.

# CUPRINOL PRODUCT SELECTOR GUIDE

In order to make choosing the right product quick and simple, our at-a-glance guide shows what each product is used for, the type of finish and whether it is solvent-based or water-based.



Landscape	PLACE OF APPLICATION					PRODUCT FINISH		
products	FENCES/ SHEDS	DECKING	FURNITURE	FASCIAS/ CLADDING	DECORATIVE STRUCTURES	Semi-transparent	Opaque	WATER/ SOLVENT-BASED
Cladding & Fence Opaque Finish	1		$\checkmark$	1	1		1	Solvent-based
Quick Drying Cladding & Fence Opaque Finish	1		1	1	1		1	Water-based
Garden Shades	1		1	1	1		1	Water-based
Exterior Wood Preserver <sup>(BP)#</sup>	1			1	1	1		Water-based
Ultimate Garden Wood Preserver#	1			1	1	1		Water-based
Ducksback	1						1	Water-based
Anti-Slip Decking Stain		1				1		Water-based
UV Guard Decking Oil		1				✓		Water-based

Treatments			WATER/			
& Fillers	FENCES/SHEDS	FURNITURE	JOINERY/ DOORS	REPAIRS	INTERIOR/ EXTERIOR	SOLVENT-BASED
5 Star Complete Wood Treatment <sup>(WB)#</sup>			✓		Interior	Water-based
Woodworm Killer <sup>(WB)#</sup>		1	1		Interior	Water-based
Ultra Tough Wood Filler				1	Interior & Exterior	Solvent-based
All Purpose Wood Filler				1	Interior & Exterior	Water-based
Ultimate Repair Hardener			1	1	Interior & Exterior	Solvent-based
Wood Preserver Clear <sup>(BP)#</sup>	1	1	1	1	Interior*	Solvent-based

\*See last page for full details. \*Occasionally wet or interior wood with risk of condensation.



Today, landscape design is a high profile topic and many people are prepared to invest in their exterior spaces. Cuprinol offers a wide product choice, quality formulations and an extensive colour range ensuring long lasting good looks with optimum protection for rough sawn and smooth planed timber.



In this section:

- Products for use on fencing, sheds, gates, garden furniture and decking
- Other products available in the Cuprinol range

# **OPAQUE FINISH** Opaque wood finish

Ideal for fencing, cladding, sheds and furniture



**CLADDING & FENCE** 

A high performance weather resistant opaque woodstain

SOLVENT-BASED

- Application by all methods
- For rough sawn or smooth fencing, cladding and garden structures

DRYING TIME	4-6 hours
RECOAT TIME	16 hours
COVERAGE	Smooth wood: up to 12m²/litre/coat. Rough sawn wood: up to 6m²/litre/coat
PACK SIZES	10 litre
COLOUR CHOICE	Available in 6 colours. See page 17

# **QUICK DRYING CLADDING & FENCE OPAQUE FINISH**

Opaque wood finish

Cuprinol

CLADDING & FENCE



- Water-based, quick drying
- Application by brush, roller or sprayer

DRYING TIME	1-2 hours	
RECOAT TIME	4 hours	
COVERAGE	Smooth wood: up to 12m²/litre/coat. Rough sawn wood: up to 6m²/litre/coat	
PACK SIZES	10 litre	
COLOUR CHOICE	Available in 6 colours. See page 17	

# **GARDEN SHADES**

Opaque wood finish available in a variety of colours

#### Ideal for all types of garden wood WATER-BASED • 6 years weather protection on wood Suitable for wood. terracotta, brick & stone • Matt finish Application by brush or sprayer 2-8 hours. Subsequent coats MUST be applied same DRYING TIME day no longer than 8 hours apart. Smooth planed wood and terracotta: Brush: up to 10-12m<sup>2</sup>/litre, Spray: 4-5m<sup>2</sup>/litre. COVERAGE Rough sawn wood, stone and brick:

#### Brush: up to 3-5m<sup>2</sup>/litre. Spray:2-3m<sup>2</sup>/litre.\* PACK SIZES 50ml, 1 litre, 2.5 litre, 5 litre Available in 90 colours. See page 18-19 COLOUR CHOICE for a selection

# **ULTIMATE GARDEN WOOD PRESERVER<sup>#</sup>**

High quality preserver giving five years colour and advance weather protection which prevents blue stain and decay

#### Ideal for fences and sheds



# DUCKSBACK

Wax enriched opaque wood finish



- Lasts longer and provides the weather, algae and UV rays

DRYING TIME	2-4 hours
COVERAGE	Up to 6m <sup>2</sup> /litre with 1 coat or 2 fence panel sides (6'x5'). Coverage can vary depending on application method and the condition and nature of the surface.
PACK SIZES	5 litre, 9 litre
COLOUR CHOICE	Available in 9 ready mixed colours. See cuprinoltrade.co.uk

#### \*For full weather protection apply 2-3 coats.

EXTERIOR WOOD PRESERVER(BP)#

Coloured wood preserver which penetrates and protects against blue stain and rot

#### Ideal for fences and sheds



- WATER-BASED
- Water repellent
- Brush application
- For rough sawn or smooth fencing, and garden structures such as fences, gates and sheds

DRYING TIME	Fully dry in 2-6 hours
RECOAT TIME	As soon as previous coat has soaked in
COVERAGE	Brush: up to 5m²/litre
PACK SIZES	2.5 litre, 5 litre, 25 litre
COLOUR CHOICE	Available in 5 ready mixed colours. See page 17

\*Above ground contact use only. #See last page for full details.

# **ANTI-SLIP DECKING STAIN**

Tough and durable anti-slip stain which colours and protects

### Ideal for use on decking

WATER-BASED



- Water repellent helps prevent decking splitting and cracking
- Vapour permeable resists cracking, peeling and flaking
- UV resistant
- Anti-slip finish with Deck Grip technology

DRYING TIME	4-6 hours
COVERAGE	Smooth wood: up to 16m²/litre/coat
PACK SIZES	2.5 litre, 5 Litre
COLOUR CHOICE	Available in 13 ready mixed colours. See page 17

# **UV GUARD DECKING OIL**

Penetrates deep into decks to nourish, enhance and protect against the weather

Ideal for use on decking

WATER-BASED



- Water repellent
- All weather protection
- Tinted formula revitalises the colour of weathered wood
- Replaces natural oils

DRYING TIME	1-2 days depending on conditions		
COVERAGE	Up to 5m²/litre/coat		
PACK SIZES	2.5 litre, 5 litre		
COLOUR CHOICE	Available in 4 ready mixed colours. See page 17		





# **TREATMENTS & FILLERS**

**Cuprinol** is a leading brand in the all important treatments and wood fillers sector\*. Without this calibre of professional quality preparation, wood is less than fully protected.



In this section:

 Products for use on all interior and exterior wood

\*Based on latest available BCF, RR and 2020 Research Trade Tracker - MAT Q3 2017



# 5 STAR COMPLETE WOOD TREATMENT<sup>(WB)#</sup>

A clear, low odour, deep penetrating treatment

# Ideal for interior use on sound wood and replacement timber



- Kills woodworm
- Prevents re-infestation

WATER-BASED

- Prevents wet rot
- Low odour formula
- Quick drying
- Long lasting


DRYING TIME	1 - 3 days under typical conditions. Treated wood should be allowed to dry for 3 days before laying certain types of floor coverings or hanging vinyl wallpaper, etc.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	Brush: upto 5m²/litre. Dipping: At least 3 minutes.
PACK SIZES	2.5 litre, 5 litre, 25 litre

# WOOD PRESERVER CLEAR(BP)#

A colourless all purpose preserver

#### Ideal for fences, sheds, furniture and joinery

#### SOLVENT-BASED



- Long lasting protection
- Deep penetrating
- Interior and exterior\* use
- Protection against blue stain
- For UV protection overcoat with a coloured treatment

DRYING TIME	1-5 days under average temperatures with good ventilation. Treated wood should be allowed to dry for 6-8 weeks before laying certain types of floor coverings or hanging vinyl wallpaper.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	Brush: 4-5m²/litre Dipping: Dip for at least 3 minutes
PACK SIZES	2.5 litre, 5 litre

\*See last page for full details. \*Occasionally wet or interior wood with risk of condensation.

# WOODWORM KILLER(WB)#

A clear, low odour, deep penetrating treatment

# Ideal for treatment against all forms of woodworm attack, eradicates woodworm and prevents re-infestation

WATER-BASED



- Prevents re-infestation
- Long lasting
- Low odour formulation

DRYING TIME	1 - 3 days under average temperature and with good ventilation, but longer under less favourable conditions. 6-8 weeks before laying certain types of floor covering.
RECOAT TIME	After previous coat has soaked into the timber
COVERAGE	3-4m²/litre
PACK SIZES	2.5 litre, 5 litre, 25 litre
COLOUR CHOICE	Clear

## **ULTIMATE REPAIR HARDENER**

A wood hardener for repairing timber decayed by wet rot, providing a firm base for filling

Ideal for joinery and doors



#### SOLVENT-BASED

- Solvent-based colourless treatment
- Binds loose wood fibres
- Ideal for use with Ultra Tough Wood Filler
- Can be used outdoors or indoors

DRYING TIME	6 hours minimum
COVERAGE	As required
PACK SIZES	500ml

# **ULTRA TOUGH WOOD FILLER**

A fast setting, high performance wood filler

#### Ideal for general repairs including deep holes

#### SOLVENT-BASED



- Gives long lasting weather resistant repair
- Can be screwed, sanded, filled and painted
- Resists shrinking, splitting and cracking

COVERAGE	As required
PACK SIZES	250gm, 500gm, 750gm
COLOUR CHOICE	Natural and White

# **ALL PURPOSE WOOD FILLER**

Solvent-free, low odour acrylic formulation

#### Ideal for general purpose wood repairs prior to painting - for interior and exterior use


#### WATER-BASED



- Formulated to flex with the natural movement of wood
- Non-flammable
- Solvent-free and low odour
- Can be sanded when dry
- Can be painted, stained or varnished

COVERAGE	As required
PACK SIZES	310ml cartridge tube and 250ml & 500ml tubs
COLOUR CHOICE	White, Natural, Medium and Dark

# PLANET POSSIBLE IS OUR COMMITMENT TO DOING MORE WITH LESS





At **Cuprinol**, we want to care for the planet as well as your garden that's why we are committed to doing more with less.

We've now moved much of our range to be water-based, reducing the solvents that go into the air, as well as making it easier for you to clean your brushes and applicators.

We make sure all our ingredients are responsibly sourced by working closely with our suppliers and independent experts to keep an eye on what we are doing. In our own operations we continuously strive to reduce our environmental impacts and all our UK sites use 100% renewable electricity. We are particularly proud to be recognised by the Carbon Trust for our reductions in carbon, waste and water.

We want to help you use less too. Please use our guides to calculate how much Cuprinol you need – our website has a nifty calculator to make this easy. Also check out our advice on how to clean up – it could save time and help reduce waste.

So use Cuprinol in your garden with confidence knowing we take care so you can just sit back and enjoy!



# COLOUR RANGE<sup>\*</sup>

**Cuprinol** products capture the colours of the landscape in a contemporary palette designed to broaden your colour horizons. Our range offers a wider than ever choice of woodstains and opaques, enabling you to create all kinds of effects from bright and bold to delicate and subtle.

<sup>+</sup>See last page for full details.



### **Ultimate Garden Wood Preserver#**

Red Cedar	Autumn Brown	Spruce Green	Country Oak
Golden Cedar	Golden Oak		

### Exterior Wood Preserver(BP)#



## **Quick Drying Cladding & Fence Opaque Finish** and Cladding & Fence Opaque Finish

Moorland Green	Autumn Cedar	Rich Brown	Rustic Walnut	
Dark Oak	Black			

## **5 Year Ducksback**

Forest Green Autumn Brown Harvest Brown Forest Oak	
Rich Cedar Autumn Gold Silver Copse™ Woodland Moss	

Black

## **Anti-Slip Decking Stain**



Natural

You can count on our colour expertise to

across a product range that encompasses

Preserver(BP)# to Anti-Slip Decking Stain, **Ducksback** fence treatments and our

bring you stunning, professional results

everything from Exterior Wood

array of Garden Shades.

## **UV Guard Decking Oil**

Natural	Natural Oak	Natural Pine	Natural Cedar

# **Opaque Colour Range Nature's Neutrals**

Cool Marble™	Pale Jasmine	Sandy Shell™	White Daisy™	Morning Breeze™	Sky Reflection™
Blue Slate™	Natural Stone	Heart Wood™	Country Cream™	Winters Well™	Forget-me-not
Silver Birch™	Malted Barley™	Forest Mushroom™	Summer Breeze™	Winters Night™	Sweet Blueberry™
Urban Slate™	Frosted Glass™	Woodland Mink™	Pollen Yellow™	Beaumont Blue™	Royal Peacock™
Black Ash™	Muted Clay™	Smooth Pebble™	Spring Shoots™	Inky Stone™	Barleywood
Warm Flax™	Warm Foliage™	First Leaves™	Jungle Lagoon™	Coastal Mist™	Seagrass
Ground Nutmeg™	Olive Garden™	Misty Lawn™	Fresh Rosemary™	Clouded Dawn™	Gated Forest™
Rustic Brick™	Shaded Glen™	Wild Eucalyptus™	Highland Marsh™	Misty Lake™	Sage
Deep Russet™	Forest Pine™	Willow	Pebble Trail™	Purple Slate™	Holly
Seasoned Oak	Old English Green	Somerset Green	Wild Thyme	Dusky Gem™	Iris

# **Opaque Colour Range Nature's Brights**

Mellow Moss™	Sunny Lime™	Mediterranean Glaze™	Terracotta	Summer Damson™	Porcelain Doll™
Fresh Daisy™	Green Orchid™	Lemon Slice™	Pale Thistle™	Rich Berry	Sweet Pea™
Fresh Pea™	Emerald Slate™	Buttercup Blast™	Raspberry Sorbet™	Crushed Chilli™	Berry Kiss™
Juice Grape™	Emerald Stone™	Dazzling Yellow™	Purple Pansy™	Rhubarb Compote™	Pink Honeysuckle™
Zingy Lime™	Beach Blue™	Honey Mango™	Lavender	Coral Splash™	Sweet Sundae™

**#Cuprinol** Wood Preserver Clear<sup>(BP)</sup>, **Cuprinol** Exterior Wood Preserver<sup>(BP)</sup> and **Cuprinol** Ultimate Garden Wood Preserver contain propiconazole and IPBC. **Cuprinol** 5 Star Complete Wood Treatment<sup>(FP)</sup> contains propiconazole and flufenoxuron. **Cuprinol** Woodworm Killer<sup>(F)</sup> contains flufenoxuron. **Use biocides safely.** Always read the label and product information before use.

#### **Contact Us**

To receive more information on **Cuprinol** products register online at **cuprinoltrade.co.uk** 

You can also request information, technical advice and help with product specification by calling **0333 222 7070** Email: <u>cuprinol.advice@akzonobel.com</u>

Or write to: Cuprinol Advice Centre, Akzonobel, Wexham Road, Slough, SL2 5DS

<sup>†</sup>We have produced paint colours as accurately as printing will allow. Unfortunately we cannot guarantee an exact colour match, and the colours contained in this guide should not be relied on as such. Please ensure that you use a colour tester on the actual surface to be painted before undertaking your decoration. This will give you a stronger indication of the appearance of the actual colour, which can be affected by the substrate and the texture of the surface. Please note that colour testers indicate the colour of the product only, and are not representative of the quality or sheen of the eventual product purchased.

AkzoNobel, Dulux, Cuprinol, the Tree device, Colour Palette, Dulux Trade Contract Partnership, Dulux Select Decorator, Ducksback, Planet Possible and all distinctive colour names are trade marks of the AkzoNobel group © AkzoNobel 2018.

