


RISER DOORS

INTEGRA 4000 Series RISER DOORS



Visually discreet, concealed metal riser doors for maintenance-free access to building services behind walls, for non-fire rated applications

Profab Access' INTEGRA 4000 Series range of riser doors provides access into jointless plaster, plasterboard wall and masonry walls where access to mechanical services is required. Specified in commercial, residential and public buildings where low maintenance access is required behind walls, they deliver the highest standards in security and practicality with minimal compromises on design.

BENEFITS



- Virtually invisible, for a clean, discreet design
- Seamless aesthetic finish
- Fast and simple to install, lockable
- Etch primed for decorating on site, to match adjacent finishes
- Single door (SD) and double door (DD) configurations
- High performance range, for vertical use with frame and lock options
- Fully recyclable at end of life

>> TYPICAL DOOR CONFIGURATIONS



Full height single and double doors.

Construction

- CNC manufactured to order
- 1.2 mm frame and 1.2 mm door in electro-galvanised mild steel
- 28 mm door depth
- Concealed continuous piano hinge
- Concealed 3 point lock (3PL) or Euro profile high security lock (3HS)
- Beaded frame (BF) or 25 mm picture frame (PF) to suit finishing requirements
- 3 mm even frame / door gap adjustment
- Fully powder coated matt RAL 9010, suitable for finishing on site
- CNC manufactured in the UK to ISO 9001:2015 and 14001:2015

Performance

23 dB acoustic shielded as standard

Options


- Single door (SD) and double door (DD) configurations
- Deep plaster frame (DPF) and dutch fold frame (DFF) on request
- EPDM gasket seal
- Euro profile high security cylinder key lock (3HS)
- Visible or concealed escutcheon with suction cup
- Different ironmongery options available
- Left or right hand opening
- Door closers
- Other RAL paint colours and textures available

MANUFACTURED TO ORDER

Our INTEGRA 4000 Series are made to order to suit site requirements in a range of configurations with a maximum leaf height of 3100 mm







>> MULTI-POINT LOCKING OPTIONS









3PL: THREE POINT LOCKING

- i. T bar key: used to unlatch and pull door leaf open
- ii. Locking assembly: engages top, bottom and lock sides
- iii. White plastic collar and plug as standard (stainless steel collar optional)


3HS: THREE POINT HIGH SECURITY LOCKING

- i. T bar key: used to unlatch and pull door leaf open
- ii. Secondary locking
- iii. Euro profile cylinder lock
- iv. Locking assembly: engages top, bottom and lock sides
- v. White plastic collar and plug as standard (stainless steel collar optional)

3HSCE: CONCEALED LOCKING

- i. Magnetic escutcheon sits over the face of the lock for a concealed aesthetic finish
- ii. Easily removed with a small rubber sucker

>> FRAME PROFILES



Choice of frame profiles to suit application

PF: PICTURE FRAME

Ideal for retro fitting and finished areas

BF: BEADED FRAME

Ideal for tape and jointing or skim-coat plastering

DPF: DEEP PLASTER FRAME

Ideal for wet plastering/float and set

DFF: DUTCH FOLDED FRAME

Ideal for masonry and blockwork

For more information about our full range of non-fire rated and third party CERTIFIRE fire rated access panels and riser doors visit: www.profabaccess.com

The INTEGRA 4000 Series range of riser doors are designed and manufactured by Profab

Access in our UK Factory

Our in-house manufacturing enables us to offer full flexibility in product design for projects that need to meet specific design criteria






The Profab Access INTEGRA 4000 Series range of riser doors is available to download now as BIM objects for use in your current and future projects









>> CAD DRAWINGS




Non-fire rated, beaded frame, metal door, 3 point lock, single door 4000-NFR-BF-MD-3PC-SD



Non fire rated, picture frame, metal door, 3 point lock, double door, EPDM gasket 4000-NFR-PF-MD-3PL-DD-EPDM



Non fire rated, beaded frame, metal door, 3 point high security lock, single door 4000-NFR-BF-MD-3HS-SD



Non fire rated, picture frame, metal door, 3 point high security lock, single door, EPDM gasket 4000-NFR-PF-MD-3HS-SD-EPDM

CAD files for all product variants are available – please contact: technical@profabaccess.com

All of our digital resources can be downloaded from: www.profabaccess.com

Profab Access reserve the right to amend any of our published information and specifications deemed necessary as part of our continuous product development and improvement policy, without prior notice.



Sales Enquiries +44(0) 1827 718 222 sales@profabaccess.com

sales@protabaccess.com

www.profabaccess.com

Technical Enquiries +44(0) 1827 719 051 technical@profabaccess.com







(a): profabaccess.com







Riversdale House Units C-D Riversdale Road Carlyon Road Industrial Estate Atherstone Warwickshire CV9 1FA United Kingdom