

INTEGRA 4000 UFR Series RISER DOORS



For all bespoke requirements, our technical team will assist you to determine the correct specification and dimensions for your project.

+44(0) 1827 719 051

technical@profabaccess.com

Visually discreet, fire rated up to 120 minutes, concealed metal riser doors delivering the highest standards in third party fire certification without compromising on architectural design

Profab Access' INTEGRA 4000 UFR Series range of riser doors provides access into jointless plaster, plasterboard wall and masonry walls where access to mechanical and electrical services is required. Specified in commercial, residential and public buildings where low maintenance access is required behind walls and ceilings, they deliver the highest standards in fire safety, security and practicality with minimal compromises on design.

» BENEFITS

- Tested by UL in accordance with UL 10B – Fire Tests of Door Assemblies Standard for Safety
- Virtually invisible, for a clean, discreet design
- Seamless aesthetic finish
- Fast and simple to install, lockable
- Etch primed for decorating on site, to match adjacent finishes
- Single door (SD) and double door (DD) configurations
- High performance range, for vertical use with frame and lock options
- Fully recyclable at end of life




SAFE ACCESS ALL AREAS

» TYPICAL DOOR CONFIGURATIONS

SD: Single Door

DD: Double Door



■ Locking door leaf

■ Non-locking door leaf

Full height single and double door leaf sets. 120 minutes fire rating. UL certification.

Construction

- CNC manufactured to order
- 1.5 mm frame and 1.2 mm door in electro-galvanised mild steel
- Fully welded rigid box section frame
- Rockwool core door leaf
- 12.5 mm FireLine board door leaf backing
- All-in-one acoustic, intumescent and smoke seal
- Concealed continuous piano hinge
- 3 point lock (3PL) or Euro profile high security lock (3HS)
- Beaded frame (BF) or 25 mm picture frame (PF) to suit finishing requirements
- 3 mm even frame / door gap adjustment
- Fully powder coated matt RAL 9010, suitable for finishing on site
- CNC manufactured in the UK to ISO 9001:2015 and 14001:2015

Performance

- UL Labs fire certificated to 120 minutes
- Tested in accordance with UL 10B – Fire Tests of Door Assemblies Standard for Safety
- 35 dB acoustic shielded as standard
- Airtight to Part L

Options

- Single door (SD) and double door (DD) configurations
- Euro profile high security cylinder key lock (3HS)
- Different ironmongery options available
- Left or right hand opening
- Other RAL paint colours and textures available

» MANUFACTURED TO ORDER

Our INTEGRA 4000 UFR Series are made to order to suit site requirements in a range of configurations with a maximum size of 900 x 2400 mm for a single door and 1800 x 2400 mm for a double door.



Picture frame



Beaded frame



3 point lock



High security 3 point lock



Paint



RAL



Fire rated 2 hour



R25149



» MULTI-POINT LOCKING OPTIONS




3PL: THREE POINT LOCKING

- i. T bar key: used to unlatch and pull door leaf open
- ii. Locking assembly: engages top, bottom and lock sides
- iii. White plastic collar and plug as standard (stainless steel collar optional)

3HS: THREE POINT HIGH SECURITY LOCKING

- i. T bar key: used to unlatch and pull door leaf open
- ii. Secondary locking
- iii. Euro profile cylinder lock
- iv. Locking assembly: engages top, bottom and lock sides
- v. White plastic collar and plug as standard (stainless steel collar optional)

» FRAME PROFILES



Choice of frame profiles to suit application

PF: PICTURE FRAME

Ideal for retro fitting and finished areas

BF: BEADED FRAME

Ideal for tape and jointing or skim-coat plastering

For more information about our full range of third party fire rated access panels and riser doors visit: www.profabaccess.com

The INTEGRA 4000 UFR Series range of riser doors are fire tested to ensure fire integrity and are third party certified.



Ask us for our latest test reports and certification to ensure legal compliance

The INTEGRA 4000 UFR Series range of riser doors are designed and manufactured by Profab Access in our UK Factory


Our in-house manufacturing enables us to offer full flexibility in product design for projects that need to meet specific design criteria




The Profab Access INTEGRA 4000 UFR Series range of riser doors is available to download now as BIM objects for use in your current and future projects




» CAD DRAWINGS




2 hour UL fire rated, picture frame, metal door, 3 point lock, single door 4000-2UFR-PF-MD-3PL-SD



2 hour UL fire rated, beaded frame, metal door, 3 point high security lock, double door 4000-2UFR-BF-MD-3HS-DD



2 hour UL fire rated, beaded frame, metal door, 3 point lock, single door 4000-2UFR-BF-MD-3PL-SD



2 hour UL fire rated, picture frame, metal door, 3 point high security lock, double door 4000-2UFR-PF-MD-3HS-DD

CAD files for all product variants are available – please contact: technical@profabaccess.com

All of our digital resources can be downloaded from: www.profabaccess.com

Profab Access reserve the right to amend any of our published information and specifications deemed necessary as part of our continuous product development and improvement policy, without prior notice.

» CONTACT US

Sales Enquiries

+44(0) 1827 718 222

sales@profabaccess.com

www.profabaccess.com

Technical Enquiries

+44(0) 1827 719 051

technical@profabaccess.com



Riversdale House
Units C-D Riversdale Road
Carlyon Road Industrial Estate
Atherstone
Warwickshire CV9 1FA
United Kingdom

: [profab-access-ltd](https://www.linkedin.com/company/profab-access-ltd)

: [@accesspanels](https://twitter.com/accesspanels)

: [profabaccesspanels](https://www.facebook.com/profabaccesspanels)

: [profabaccess.com](http://www.profabaccess.com)



FS 668263 EMS 668264

