


# Schlüter® - PROFILES and -SYSTEMS

Illustrated price list PS 23

Great Britain · Effective 1st April 2023



2023



# The perfect trio for 2023...

## Illustrated price list BEKOTEC-THERM



## Illustrated price list LIPROTEC

# ...competent in all areas

## Products eligible for custom coatings

MyDesign by Schlüter-Systems	16–31	
------------------------------	-------	--

My Schlüter®-KERDI-LINE	32–35	
-------------------------	-------	--

## Technology and design with Schlüter-PROFILES

Edge profiles for floor coverings	36–51	
-----------------------------------	-------	--

Wall corner and edge profiles, bathroom accessories	52–113	
--	--------	--

Stair nosing profiles	114–123	
-----------------------	---------	--

Movement and control joint profiles	124–155	
-------------------------------------	---------	--

Profiles for vinyl wall and floor coverings	156–163	
---	---------	--

## Waterproofing / uncoupling / heating / drainage / shower systems / sound insulation / reattachment

Waterproofing, uncoupling, drainage, heating, sound insulation	164–181	
---	---------	--

Removable fleece	182–183	
------------------	---------	--

Waterproofing for walls and floors, drainage, shower shelves	184–263	
---	---------	--

## Substrates for tiles

Panels, niche sets, profiles and accessories	264–279	
--	---------	--

## Balconies and terraces

Balcony edge profiles, drainage channels, drainage and paver supports	280–321	
--	---------	--

## Covering assembly technology

Studded screed panels	322–329	
-----------------------	---------	--

## Installation accessories

Accessories and tools	330–333	
-----------------------	---------	--

## Appendix

Schlüter-PROFILES with radius perforations	334	
--	-----	--

Colour code system	335–337	
--------------------	---------	--

Key	338	
-----	-----	--



## A

Schlüter®-ARCLINE-APE	93
Schlüter®-ARCLINE-APW	92
Schlüter®-ARCLINE-BAK	94
Schlüter®-ARCLINE-DEL	93

## B

Schlüter®-BARA-ESOT	318
Schlüter®-BARA-FAP	316
Schlüter®-BARA-HV	315
Schlüter®-BARA-RAK	304
Schlüter®-BARA-RAKE	305
Schlüter®-BARA-RAKEG	306
Schlüter®-BARA-RAP	316
Schlüter®-BARA-RHA	313
Schlüter®-BARA-RK	312
Schlüter®-BARA-RKB	310
Schlüter®-BARA-RKK	307
Schlüter®-BARA-RKKE	309
Schlüter®-BARA-RKL	314
Schlüter®-BARA-RKLT	317
Schlüter®-BARA-RT	311
Schlüter®-BARA-RTK	301
Schlüter®-BARA-RTKE	302
Schlüter®-BARA-RTKEG	303
Schlüter®-BARA-RTP	318
Schlüter®-BARA-RW	308
Schlüter®-BARA-RWL	313
Schlüter®-BARA-STU	319
Schlüter®-BARIN-R	321
Schlüter®-BARIN-SR	320
Schlüter®-BEKOTEC-DRAIN	328
Schlüter®-BEKOTEC-BRS	329
Schlüter®-BEKOTEC-BTS	329
Schlüter®-BEKOTEC-EN	324
Schlüter®-BEKOTEC-EN-F	325
Schlüter®-BEKOTEC-EN-FK	327
Schlüter®-BEKOTEC-EN-FTS	326

## C

Schlüter®-CLEAN-CP	332
--------------------	-----

## D

✱ Schlüter®-DECO	96
Schlüter®-DECO-DE	97
✱ Schlüter®-DECO-SG	104, 230
Schlüter®-DESIGNBASE-CQ	108
Schlüter®-DESIGNBASE-SL-A	106
Schlüter®-DESIGNBASE-SL-E	105
✱ Schlüter®-DESIGNLINE	102
✱ Schlüter®-DILEX-AHK	149

Schlüter®-DILEX-AHK-TS	148
✱ Schlüter®-DILEX-AHKA	150
Schlüter®-DILEX-AKWS	128
Schlüter®-DILEX-AS	137
Schlüter®-DILEX-BT	130
Schlüter®-DILEX-BT/MT	134
Schlüter®-DILEX-BT/OT	134
Schlüter®-DILEX-BT/VTS	134
Schlüter®-DILEX-BTO	131
Schlüter®-DILEX-BTS	131
Schlüter®-DILEX-BWA	137
Schlüter®-DILEX-BWB	129
Schlüter®-DILEX-BWS	129
Schlüter®-DILEX-DFP	155
Schlüter®-DILEX-EDP	126
Schlüter®-DILEX-EF	138
Schlüter®-DILEX-EHK	145
Schlüter®-DILEX-EK	140
Schlüter®-DILEX-EKE	138
Schlüter®-DILEX-EKSB	128
Schlüter®-DILEX-EMP	152
Schlüter®-DILEX-EP	154
Schlüter®-DILEX-EZ 6 + 9	130
Schlüter®-DILEX-EZ 70	154
Schlüter®-DILEX-HK	141
Schlüter®-DILEX-HKS	144
Schlüter®-DILEX-HKU	146
Schlüter®-DILEX-HKW	142
Schlüter®-DILEX-HVD	155
Schlüter®-DILEX-KS	127
Schlüter®-DILEX-KSA	136
Schlüter®-DILEX-KSBT	132
Schlüter®-DILEX-MOP	153
Schlüter®-DILEX-MP	153
Schlüter®-DILEX-RF	139
✱ Schlüter®-DITRA	167, 287
Schlüter®-DITRA-DRAIN 4	169, 287
Schlüter®-DITRA-DRAIN 8	169, 288
Schlüter®-DITRA-HEAT	171
Schlüter®-DITRA-HEAT-DUO	171
✱ Schlüter®-DITRA-HEAT-DUO-PS	177
Schlüter®-DITRA-HEAT-E-CT	180
✱ Schlüter®-DITRA-HEAT-E-DUO-S	174
✱ Schlüter®-DITRA-HEAT-E-DUO-WS	175
Schlüter®-DITRA-HEAT-E-HK	179
Schlüter®-DITRA-HEAT-E-KARO	179
Schlüter®-DITRA-HEAT-E-R	178
Schlüter®-DITRA-HEAT-E-R3	178

Schlüter®-DITRA-HEAT-E-R4	178
✱ Schlüter®-DITRA-HEAT-E-R6	178
✱ Schlüter®-DITRA-HEAT-E-S	172
✱ Schlüter®-DITRA-HEAT-E-WS	173
Schlüter®-DITRA-HEAT-E-ZS	180
✱ Schlüter®-DITRA-HEAT-PS	177
Schlüter®-DITRA-SOUND	181

## E

Schlüter®-ECK-E	99
Schlüter®-ECK-K	100
Schlüter®-ECK-KHK	101, 143
Schlüter®-ECK-KI	98

## F

Schlüter®-FINEC-A	88
Schlüter®-FINEC-E	85
✱ Schlüter®-FINEC-SQ	89
Schlüter®-FINEC-TS	86

## I

Schlüter®-INDEC	97
-----------------	----

## J

✱ Schlüter®-JOLLY	77
✱ Schlüter®-JOLLY-A	80
✱ Schlüter®-JOLLY-AC	82
Schlüter®-JOLLY-P	83
✱ Schlüter®-JOLLY-TS	78

## K

Schlüter®-KERDI	186, 286
Schlüter®-KERDI-BOARD	267
Schlüter®-KERDI-BOARD-E	274
Schlüter®-KERDI-BOARD-N	268
Schlüter®-KERDI-BOARD-NLT	270
Schlüter®-KERDI-BOARDS-NLT-BR	272
Schlüter®-KERDI-BOARD-U	274
Schlüter®-KERDI-BOARD-V	274
Schlüter®-KERDI-BOARD-ZA	277
Schlüter®-KERDI-BOARD-ZB	277
Schlüter®-KERDI-BOARD-ZC	276
Schlüter®-KERDI-BOARD-ZDK	279
Schlüter®-KERDI-BOARD-ZFP	279
Schlüter®-KERDI-BOARD-ZS	278
Schlüter®-KERDI-BOARD-ZSA	279
Schlüter®-KERDI-BOARD-ZSD	278
Schlüter®-KERDI-BOARD-ZT	278
Schlüter®-KERDI-BOARD-ZW	276
Schlüter®-KERDI-COLL-L	192, 275
Schlüter®-KERDI-CP	191
Schlüter®-KERDI-DRAIN	234, 248
Schlüter®-KERDI-DRAIN sets	245, 249

Schlüter®-KERDI-DRAIN-BASE.....	246		
Schlüter®-KERDI-DRAIN-BS .....	247		
Schlüter®-KERDI-DRAIN-KD 10.....	246		
Schlüter®-KERDI-DRAIN-KD 10 SF .....	247		
Schlüter®-KERDI-DRAIN-R 10 GT.....	246		
Schlüter®-KERDI-DRAIN-R/-RL.....	248		
Schlüter®-KERDI-DRAIN-SP-E.....	299		
Schlüter®-KERDI-DRAIN-ZBS.....	221, 247		
Schlüter®-KERDI-FIX.....	123, 192		
Schlüter®-KERDI-FLEX.....	187		
Schlüter®-KERDI-KEBA .....	187, 275		
Schlüter®-KERDI-KERECK .....	188		
Schlüter®-KERDI-KERECK-F .....	188		
Schlüter®-KERDI-KERS .....	188		
Schlüter®-KERDI-KM .....	190		
Schlüter®-KERDI-LINE-A sets.....	210		
Schlüter®-KERDI-LINE-A/-B/-C .....	206		
Schlüter®-KERDI-LINE-BS.....	221		
Schlüter®-KERDI-LINE-D.....	209		
Schlüter®-KERDI-LINE-D-G3.....	217		
Schlüter®-KERDI-LINE-F 40 .....	212		
Schlüter®-KERDI-LINE-F-G3 .....	217		
Schlüter®-KERDI-LINE-FC.....	209		
Schlüter®-KERDI-LINE-G3.....	215		
Schlüter®-KERDI-LINE-GTM .....	222, 247		
Schlüter®-KERDI-LINE-GTO .....	221		
Schlüter®-KERDI-LINE-H.....	213		
Schlüter®-KERDI-LINE-H 50 G2.....	214		
Schlüter®-KERDI-LINE-SR.....	222		
Schlüter®-KERDI-LINE-STYLE .....	205		
Schlüter®-KERDI-LINE-V .....	218		
Schlüter®-KERDI-LINE-V 50 G2.....	220		
✱ Schlüter®-KERDI-LINE-VARIO COVE .....	200		
✱ Schlüter®-KERDI-LINE-VARIO WAVE .....	198		
✱ Schlüter®-KERDI-LINE-VARIO-DSE.....	201		
✱ Schlüter®-KERDI-LINE-VARIO-H 40 .....	202		
✱ Schlüter®-KERDI-LINE-VARIO-H 50 .....	203		
✱ Schlüter®-KERDI-LINE-VARIO-S.....	201		
Schlüter®-KERDI-MV.....	189		
Schlüter®-KERDI-PAS .....	189		
Schlüter®-KERDI-SHOWER-LT.....	223		
Schlüter®-KERDI-SHOWER-LTS .....	224		
Schlüter®-KERDI-SHOWER-SK/-SKB .....	250		
Schlüter®-KERDI-SHOWER-T.....	251		
Schlüter®-KERDI-SHOWER-TS .....	251		
Schlüter®-KERDI-SHOWER-TT .....	252		
Schlüter®-KERDI-TS.....	190		
Schlüter®-KERDI-TS-ZC.....	191		
		<b>P</b>	
		Schlüter®-PROCUT-PSF.....	333
		Schlüter®-PROCUT-TSM .....	333
		<b>Q</b>	
		Schlüter®-QUADEC-A .....	60
		Schlüter®-QUADEC-AC.....	63
		Schlüter®-QUADEC-E .....	56
		Schlüter®-QUADEC-FS .....	103
		Schlüter®-QUADEC-MC .....	55
		Schlüter®-QUADEC-PQ.....	64
		Schlüter®-QUADEC-TS.....	58
		<b>R</b>	
		Schlüter®-REFLEECE .....	183
		Schlüter®-REMA .....	332
		Schlüter®-RENO-RAMP .....	50
		Schlüter®-RENO-RAMP-K .....	50
		Schlüter®-RENO-T .....	51
		Schlüter®-RENO-TK.....	46
		Schlüter®-RENO-U .....	49
		Schlüter®-RENO-V.....	47
		Schlüter®-RENO-VB .....	48
		Schlüter®-RENO-VT.....	48, 134
		Schlüter®-RONDEC-A .....	70
		Schlüter®-RONDEC-AC.....	72
		✱ Schlüter®-RONDEC-DB .....	73
		Schlüter®-RONDEC-E .....	66
		Schlüter®-RONDEC-MC.....	65
		Schlüter®-RONDEC-PRG.....	75
		Schlüter®-RONDEC-PRO .....	74
		✱ Schlüter®-RONDEC-STEP .....	110
		Schlüter®-RONDEC-STEP-CT .....	111
		Schlüter®-RONDEC-TS.....	68
		Schlüter®-RUMA.....	332
		<b>S</b>	
		Schlüter®-SCHIENE.....	39
		Schlüter®-SCHIENE-A.....	42
		Schlüter®-SCHIENE-AC .....	43
		Schlüter®-SCHIENE-BASIC .....	45
		Schlüter®-SCHIENE-ES.....	44
		Schlüter®-SCHIENE-STEP .....	113
		Schlüter®-SCHIENE-STEP-EB.....	112
		Schlüter®-SCHIENE-TS .....	40
		Schlüter®-SCHIENE-V .....	45
		Schlüter®-SHELF-E-S1.....	254
		Schlüter®-SHELF-E-S2.....	256
		Schlüter®-SHELF-E-S3.....	258
		Schlüter®-SHELF-N .....	260
		Schlüter®-SHELF-W .....	262
		✱ Schlüter®-SHOWERPROFILE-R .....	225
		✱ Schlüter®-SHOWERPROFILE-S .....	226
		Schlüter®-SHOWERPROFILE-WS.....	228
		Schlüter®-SHOWERPROFILE-WSK .....	229
		<b>T</b>	
		Schlüter®-TERRAZZO.....	51
		Schlüter®-TREP-E .....	117
		Schlüter®-TREP-EFK .....	121
		Schlüter®-TREP-EK .....	121
		Schlüter®-TREP-FL.....	119
		Schlüter®-TREP-G/-GL.....	118
		Schlüter®-TREP-GK/-GLK.....	122
		Schlüter®-TREP-S/-B.....	116
		Schlüter®-TROBA.....	291
		Schlüter®-TROBA-LEVEL-AP 1.....	294
		Schlüter®-TROBA-LEVEL-LV 3.....	295
		Schlüter®-TROBA-LEVEL-PL 10.....	293
		Schlüter®-TROBA-LEVEL-PLA 30.....	294
		Schlüter®-TROBA-LEVEL-PLA 70.....	295
		Schlüter®-TROBA-LEVEL-PLS 6.....	295
		Schlüter®-TROBA-LEVEL-PLV 60.....	294
		Schlüter®-TROBA-LINE-TL .....	296
		Schlüter®-TROBA-LINE-TL/H .....	299
		Schlüter®-TROBA-LINE-TLK-E .....	299
		Schlüter®-TROBA-LINE-TLR.....	297
		Schlüter®-TROBA-LINE-TLR-E .....	298
		Schlüter®-TROBA-PLUS.....	289
		Schlüter®-TROBA-PLUS-G .....	290
		Schlüter®-TROBA-STELZ-DR .....	292
		Schlüter®-TROBA-STELZ-MR.....	292
		Schlüter®-TROBA-ZFK.....	291
		Schlüter®-TROWEL.....	333
		<b>V</b>	
		Schlüter®-VINPRO-RO .....	161
		Schlüter®-VINPRO-S .....	160
		Schlüter®-VINPRO-STEP .....	162
		Schlüter®-VINPRO-STEP-R.....	163
		Schlüter®-VINPRO-T .....	158
		Schlüter®-VINPRO-U .....	159
		<b>W</b>	
		Schlüter®-WINKEL.....	48




## EDGE PROFILES FOR FLOOR COVERINGS



Schlüter®-SCHIENE  
Page 39–43



Schlüter®-SCHIENE-ES  
Page 44



Schlüter®-SCHIENE-BASIC  
Page 45



Schlüter®-SCHIENE-V  
Page 45



Schlüter®-RENO-TK  
Page 46



Schlüter®-RENO-V  
Page 47



Schlüter®-RENO-U  
Page 49



Schlüter®-RENO-RAMP  
Page 50



Schlüter®-RENO-RAMP-K  
Page 50



Schlüter®-RENO-T  
Page 51



Schlüter®-TERRAZZO  
Page 51

## WALL CORNER AND EDGE PROFILES, BATHROOM ACCESSORIES



Schlüter®-QUADEC  
Page 55–64



Schlüter®-RONDEC  
Page 65–75




Schlüter®-JOLLY  
Page 77–83



Schlüter®-FINEC  
Page 85–90



Schlüter®-ARCLINE  
Page 92–95



Schlüter®-DECO  
Page 96–97



Schlüter®-INDEC  
Page 97



Schlüter®-ECK  
Page 98–100



Schlüter®-ECK-KHK  
Page 101, 143



Schlüter®-DESIGNLINE  
Page 102



Schlüter®-QUADEC-FS  
Page 103




Schlüter®-DECO-SG  
Page 104, 230



Schlüter®-DESIGNBASE  
Page 105–108



Schlüter®-RONDEC-STEP  
Page 110–111



Schlüter®-SCHIENE-STEP  
Page 112–113

## STAIR NOSING PROFILES



Schlüter®-TREP-S/-B  
Page 116



Schlüter®-TREP-TAP  
Page 116



Schlüter®-TREP-E  
Page 117



Schlüter®-TREP-G/-GL  
Page 118



Schlüter®-TREP-FL  
Page 119



Schlüter®-TREP-EK  
Page 121



Schlüter®-TREP-EFK  
Page 121



Schlüter®-TREP-GK/-GLK  
Page 122

## MOVEMENT AND CONTROL JOINT PROFILES



Schlüter®-DILEX-EDP  
Page 126



Schlüter®-DILEX-KS  
Page 127



Schlüter®-DILEX-EKSB  
Page 128



Schlüter®-DILEX-AKWS  
Page 128



Schlüter®-DILEX-BWB  
Page 129



Schlüter®-DILEX-BWS  
Page 129



Schlüter®-DILEX-EZ 6 + 9  
Page 130



Schlüter®-DILEX-BT  
Page 130



Schlüter®-DILEX-BTO  
Page 131



Schlüter®-DILEX-BTS  
Page 131



Schlüter®-DILEX-KSBT  
Page 132



Schlüter®-DILEX-KSA  
Page 136



Schlüter®-DILEX-BWA  
Page 137



Schlüter®-DILEX-AS  
Page 137



Schlüter®-DILEX-EF  
Page 138



Schlüter®-DILEX-EKE  
Page 138



Schlüter®-DILEX-RF  
Page 139



Schlüter®-DILEX-EK  
Page 140



Schlüter®-DILEX-HK  
Page 141



Schlüter®-DILEX-HKW  
Page 142



## MOVEMENT AND CONTROL JOINT PROFILES (CONT.)



**Schlüter®-DILEX-HKS**  
Page 144



**Schlüter®-DILEX-EHK**  
Page 145



**Schlüter®-DILEX-HKU**  
Page 146



**Schlüter®-DILEX-AHK-TS**  
Page 148



**Schlüter®-DILEX-AHK**  
Page 149



✦ **Schlüter®-DILEX-AHKA**  
Page 150



✦ **Schlüter®-DILEX-EMP**  
Page 152



**Schlüter®-DILEX-MP**  
Page 153



**Schlüter®-DILEX-MOP**  
Page 153



**Schlüter®-DILEX-EZ 70**  
Page 154



**Schlüter®-DILEX-EP**  
Page 154



**Schlüter®-DILEX-DFP**  
Page 155

## PROFILES FOR VINYL WALL AND FLOOR COVERINGS



**Schlüter®-VINPRO-T**  
Page 158



**Schlüter®-VINPRO-U**  
Page 159



**Schlüter®-VINPRO-S**  
Page 160



**Schlüter®-VINPRO-RO**  
Page 161



**Schlüter®-VINPRO-STEP**  
Page 162



**Schlüter®-VINPRO-STEP-R**  
Page 163


## WATERPROOFING, UNCOUPLING, DRAINAGE, HEATING, SOUND INSULATION



**Schlüter®-DITRA**  
Page 167, 287




**Schlüter®-DITRA-DRAIN**  
Page 169, 287–288



**Schlüter®-DITRA-HEAT**  
Page 171



**Schlüter®-DITRA-HEAT-E**  
Page 172–175



**Schlüter®-DITRA-HEAT-PS**  
Page 177



**Schlüter®-DITRA-HEAT-E accessories**  
Page 178–180



**Schlüter®-DITRA-SOUND**  
Page 181

## REMOVABLE FLEECE



**Schlüter®-REFLEECE**  
Page 183

## WATERPROOFING FOR WALLS AND FLOORS, DRAINAGE, SHOWER SHELVES



**Schlüter®-KERDI**  
Page 186, 286



**Schlüter®-KERDI-KEBA/-FLEX**  
Page 187



**Schlüter®-KERDI-KERECK**  
Page 188



**Schlüter®-KERDI-KERS**  
Page 188



**Schlüter®-KERDI-MV/-PAS**  
Page 189



**Schlüter®-KERDI-KM**  
Page 190



**Schlüter®-KERDI-TS**  
Page 190



**Schlüter®-KERDI-CP**  
Page 191




**Schlüter®-KERDI-COLL-L**  
Page 192, 275



**Schlüter®-KERDI-FIX**  
Page 123, 192



**Schlüter®-KERDI-LINE-VARIO**  
Page 198–203



**Schlüter®-KERDI-LINE-STYLE**  
Page 205



## WATERPROOFING FOR WALLS AND FLOORS, DRAINAGE, SHOWER SHELVES (CONT.)




Schlüter®-KERDI-LINE-A/-B/-C  
Page 206



Schlüter®-KERDI-LINE-FC  
Page 209



Schlüter®-KERDI-LINE-D  
Page 209



Schlüter®-KERDI-LINE-A sets  
Page 210



Schlüter®-KERDI-LINE  
Page 212–220



Schlüter®-KERDI-LINE accessories  
Page 221–222



Schlüter®-KERDI-LINE-SR  
Page 222



Schlüter®-KERDI-SHOWER-LT/-LTS  
Page 223–224



Schlüter®-SHOWERPROFILE-R ✪  
Page 225



Schlüter®-SHOWERPROFILE-S ✪  
Page 226




Schlüter®-SHOWERPROFILE-WS/-WSK  
Page 228–229



Schlüter®-DECO-SG/-SGC ✪  
Page 104, 230



Schlüter®-KERDI-DRAIN  
Page 234–244



Schlüter®-KERDI-DRAIN sets (exterior)  
Page 245



Schlüter®-KERDI-DRAIN accessories  
Page 246–248



Schlüter®-KERDI-DRAIN sets (interior)  
Page 249



Schlüter®-KERDI-SHOWER-SK/-SKB  
Page 250



Schlüter®-KERDI-SHOWER-T/-TS/-TT  
Page 251–252



Schlüter®-SHELF-E-S1  
Page 254



Schlüter®-SHELF-E-S2  
Page 256



Schlüter®-SHELF-E-S3  
Page 258



Schlüter®-SHELF-N  
Page 260



Schlüter®-SHELF-W  
Page 262

## TILE BACKERBOARD



**Schlüter®-KERDI-BOARD**  
Page 267



**Schlüter®-KERDI-BOARD-N**  
Page 268




**Schlüter®-KERDI-BOARD-NLT/-NLT-BR**  
Page 270–273



**Schlüter®-KERDI-BOARD-V**  
Page 274



**Schlüter®-KERDI-BOARD-E**  
Page 274



**Schlüter®-KERDI-BOARD-U**  
Page 274



**Schlüter®-KERDI-BOARD-ZW**  
Page 276



**Schlüter®-KERDI-BOARD-ZC**  
Page 276



**Schlüter®-KERDI-BOARD-ZA**  
Page 277




**Schlüter®-KERDI-BOARD-ZB**  
Page 277



**Schlüter®-KERDI-BOARD-ZSD**  
Page 278



**Schlüter®-KERDI-BOARD-ZT**  
Page 278



**Schlüter®-KERDI-BOARD-ZS**  
Page 278



**Schlüter®-KERDI-BOARD-ZDK**  
Page 279



**Schlüter®-KERDI-BOARD-ZSA**  
Page 279



**Schlüter®-KERDI-BOARD-ZFP**  
Page 279

## BALCONY AND TERRACE ASSEMBLY SYSTEMS



**Schlüter®-TROBA-PLUS**  
Page 289



**Schlüter®-TROBA-PLUS-G**  
Page 290



**Schlüter®-TROBA**  
Page 291



**Schlüter®-TROBA-ZFK**  
Page 291



**Schlüter®-TROBA-STELZ**  
Page 292



**Schlüter®-TROBA-LEVEL**  
Page 293–295




**Schlüter®-TROBA-LINE-TL**  
Page 296



**Schlüter®-TROBA-LINE-TLR**  
Page 297



**Schlüter®-TROBA-LINE-TLR-E**  
Page 298



**Schlüter®-TROBA-LINE-TLK-E**  
Page 299




**Schlüter®-TROBA-LINE-TL/H**  
Page 299



**Schlüter®-KERDI-DRAIN-SP-E**  
Page 299



## BALCONY AND TERRACE ASSEMBLY SYSTEMS (CONT.)




**Schlüter®-BARA-RTK**  
Page 301



**Schlüter®-BARA-RTKE**  
Page 302




**Schlüter®-BARA-RTKEG**  
Page 303




**Schlüter®-BARA-RAK**  
Page 304



**Schlüter®-BARA-RAKE**  
Page 305



**Schlüter®-BARA-RAKEG**  
Page 306



**Schlüter®-BARA-RKK**  
Page 307




**Schlüter®-BARA-RW**  
Page 308



**Schlüter®-BARA-RKKE**  
Page 309



**Schlüter®-BARA-RKB**  
Page 310



**Schlüter®-BARA-RT**  
Page 311



**Schlüter®-BARA-RK**  
Page 312



**Schlüter®-BARA-RWL**  
Page 313



**Schlüter®-BARA-RHA**  
Page 313



**Schlüter®-BARA-RKL**  
Page 314



**Schlüter®-BARA-HV**  
Page 315



**Schlüter®-BARA-RAP**  
Page 316



**Schlüter®-BARA-FAP**  
Page 316



**Schlüter®-BARA-RKLT**  
Page 317



**Schlüter®-BARA-RTP**  
Page 318



**Schlüter®-BARA-ESOT**  
Page 318



**Schlüter®-BARA-STU**  
Page 319



**Schlüter®-BARIN**  
Page 320–321

## COVERING ASSEMBLIES




**Schlüter®-BEKOTEC-EN**  
Page 324



**Schlüter®-BEKOTEC-EN-F**  
Page 325



**Schlüter®-BEKOTEC-EN-FTS**  
Page 326



**Schlüter®-BEKOTEC-EN-FK**  
Page 327



**Schlüter®-BEKOTEC-DRAIN**  
Page 328



**Schlüter®-BEKOTEC accessories**  
Page 329

## INSTALLATION ACCESSORIES




**Schlüter®-REMA**  
Page 332



**Schlüter®-CLEAN-CP**  
Page 332



**Schlüter®-RUMA**  
Page 332



**Schlüter®-TROWEL**  
Page 333



**Schlüter®-PROCUT-PSF**  
Page 333



**Schlüter®-PROCUT-TSM**  
Page 333



# Schlüter®-Systems

As individual as our customers

Individual requirements call for custom solutions. Schlüter-Systems has long offered its customers numerous options to give projects a personal touch. From drainage channels with personal engravings to profiles and shelves with custom coatings and special product prints, many of our products can be precisely adapted to the needs of designers and home owners – not just in large quantities, but also in small quantities. Do you have a project with special requirements? Your Schlüter sales representative will be pleased to show you which options are available.



RAL colours

MyDesign by Schlüter-Systems

16–24

Print

MyDesign by Schlüter-Systems

26–31

Engraving

My Schlüter®-KERDI-LINE

32–35





# MyDesign by Schlüter-Systems

## Profiles and SHELF in your exclusive colour selection

Schlüter-Systems offers its customers a wide range of colour coatings for aluminium profiles. These choices were recently expanded by the addition of the Schlüter-TRENDLINE programme, which comprises especially nuanced colour variants. In most cases, this enables unobtrusive edge protection solutions in colours matching the tile covering.

However, designers or developers sometimes have special colour requests that fall outside of the available Schlüter standard colour range. For instance, the corporate design guidelines of a company may specify certain colours or developers may have unusual colour schemes in mind.

Those custom colour preferences can now be implemented with MyDesign by Schlüter-Systems! Effective immediately, a wide range of products is available in individual colour choices, in addition to our extensive colour palette of TRENDLINE and powder coating options. Customers can now choose from an impressive 190 colours of the RAL classic colour chart.

The following pages explain which profiles are available with custom coatings and how you can order them. The product advisors of our sales service and our Customer Service Department will be pleased to assist you with any questions you may have about MyDesign by Schlüter-Systems. You can also find the respective contact information on our website. We look forward to helping you with your Schlüter-MyDesign projects.







# MyDesign by Schlüter-Systems

## Easy custom orders

The following pages explain which products can be ordered in RAL colours for MyDesign by Schlüter-Systems. Please note that custom coatings are subject to a one-time MyDesign surcharge for each colour. You can then have any number of profiles, accessories and SHELF products from the MyDesign programme coated in this colour. The MyDesign surcharge is £ 340.59 per colour.

Simply follow the four steps in the "Price" section to determine the cost of your custom coated MyDesign products.

### Order

Find the right article number in three steps:

- |   |                                |
|---|--------------------------------|
| 1. Select the product from the MyDesign programme         | e.g. QUADDEC-AC (C / Q ...* A) |
| 2. Select height   add to art. no.                        | e.g. 4.5 mm   C / Q 45 A       |
| 3. Select RAL Classic colour and specify it in your order | e.g. RAL 6001                  |

Your sales advisor will be pleased to assist you with your order.  
For further details, please visit our website at [qr.schluter.co.uk/mydesign.aspx](http://qr.schluter.co.uk/mydesign.aspx)

### Price

Calculate your price in four steps:

1. Select the price of the desired product (profile, corner, connector or shelf)\*\*
2. Add the MyDesign surcharge A | B £ 2.92 | £ 5.84 per unit or metre
3. MyDesign surcharge (one-time set-up cost per colour) £ 340.59\*
4. If applicable, you can find the surcharge for radius perforation on page 334.


\* not eligible for discounts

\*\* for reference take the prices of the products with the surface AC

### Calculation help

1. PRODUCT	2. SURCHARGE	3. SET-UP COST	PRICE			
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>

## Finishing profile | corner



## Schlüter®-QUADEC-AC



colour coated aluminium  
 profile length: 2.50 m/3.00 m, height: 4.5 mm, 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external/internal corner in heights of 4.5 mm, 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (4.5–12.5 mm)	C / Q ...* A	A
profile 3.00 m (6–12.5 mm)	C / Q ...* A/300	A
profile 2.50 m, radius perforation (4.5–12.5 mm)	C / R / Q ...* A	A
profile 3.00 m, radius perforation (6–12.5 mm)	C / R / Q ...* A/300	A
90° external/internal corner (4.5–12.5 mm)	C / EV / Q ...* A	A

\* To complete the art. no., add the height (e.g. C / Q 45 A)

You can find the full Schlüter-QUADEC-AC product line on page 63.

## Finishing profile | corner



## Schlüter®-RONDEC-AC




colour coated aluminium  
 profile length: 2.50 m/3.00 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external corner, 90° internal corner in heights of 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (6–12.5 mm)	C / RO ...* A	A
profile 3.00 m (6–12.5 mm)	C / RO ...* A/300	A
profile 2.50 m, radius perforation (6–12.5 mm)	C / R / RO ...* A	A
profile 3.00 m, radius perforation (6–12.5 mm)	C / R / RO ...* A/300	A
90° external corner (6–12.5 mm)	C / EV / RO ...* A	A
90° internal corner (6–12.5 mm)	C / IV / RO ...* A	A

\* To complete the art. no., add the height (e.g. C / RO 60 A)

You can find the full Schlüter-RONDEC-AC product line on page 72 (profiles) and page 71 (corners).

## Finishing profile



## Schlüter®-RONDEC-DB-AC



colour coated aluminium  
 profile length: 2.50 m

Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / DB 14 A	A

You can find the full Schlüter-RONDEC-DB product line on page 73.

## Finishing profile | corner



## Schlüter®-JOLLY-AC



colour coated aluminium  
 profile length: 2.50 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm, 14 mm, 16 mm, 21 mm  
 profile length: 3.00 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external corner in heights of 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm, 14 mm, 16 mm, 21 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (6–21 mm)	C / J ...* A	A
profile 3.00 m (6–12.5 mm)	C / J ...* A/300	A
profile 2.50 m, radius perforation (6–21 mm)	C / R / J ...* A	A
profile 3.00 m, radius perforation (6–12.5 mm)	C / R / J ...* A/300	A
90° external corner (6–21 mm)	C / EV / J ...* A	A

\* To complete the art. no., add the height (e.g. C / J 60 A)

You can find the full Schlüter-JOLLY-AC product line on page 82.



## Finishing profile | corner set



### Schlüter®-FINEC-AC

colour coated aluminium  
profile length: 2.50 m, height: 2.5 mm, 4.5 mm, 7 mm, 9 mm, 11 mm, 12.5 mm  
corner set, height: 2.5 mm, 4.5 mm, 7 mm, 9 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (2.5–12.5 mm)	C / F ...* A	A
corner set (2.5–12.5 mm)	C / ES / F ...* A	A

\* To complete the art. no., add the height (e.g. C / F 25 A)  
You can find the full Schlüter-FINEC-A product line on page 88.

## Finishing profile | corner




### Schlüter®-FINEC-SQ-AC

colour coated aluminium  
profile length: 2.50 m, height: 11 mm, 12.5 mm, 15 mm  
90° external/internal corner in heights of 4.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (11–15 mm)	C / FSQ ...* A	A
90° external/internal corner (4.5 mm)	C / EV / Q 45 A	A

\* To complete the art. no., add the height (e.g. C / F SQ 110 A)  
You can find the full Schlüter-FINEC-SQ product line on pages 89–90.

## Finishing profile



### Schlüter®-DECO-AC

colour coated aluminium  
profile length: 2.50 m, height: 8 mm, 10 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–12.5 mm)	C / A ...* D	A
profile 2.50 m, radius perforation (8–12.5 mm)	C / R / A ...* D	A

\* To complete the art. no., add the height (e.g. C / A 80 D)  
You can find the full Schlüter-DECO product line on page 96.

## Attachment profile




### Schlüter-DECO-SG-AC

colour coated aluminium, B = 12 mm / 15 mm  
profile length: 2.50 m, height: 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–12.5 mm), width 12 mm	C / SG ...* A 12	A
profile 2.50 m (8–12.5 mm), width 15 mm	C / SG ...* A 15	A

\* To complete the art. no., add the height (e.g. C / SG 80 A 12)  
You can find the full Schlüter-DECO-SG product line on page 104.

## Border profile




### Schlüter®-DESIGNLINE-AC

colour coated aluminium  
profile length: 2.50 m

Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / DL 625 A	A

You can find the full Schlüter-DESIGNLINE product line on page 102.

## Skirting profile | corner | end cap | connector



## Schlüter®-DESIGNBASE-SL-AC




colour coated aluminium  
profile length: 2.50 m, height: 60 mm, 80 mm  
90° external corner, 90° internal corner, left end cap, right end cap, connector in heights of 60 mm, 80 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (60–80 mm)	C / DB SL ...* A	A
90° external corner (60–80 mm)	C / ED / DB SL ...* A	A
90° internal corner (60–80 mm)	C / ID / DB SL ...* A	A
end cap, left (60–80 mm)	C / EL / DB SL ...* A	A
end cap, right (60–80 mm)	C / ER / DB SL ...* A	A
connector (60–80 mm)	C / V / DB SL ...* A	A

\* To complete the art. no., add the height (e.g. C / DB SL 60 A)

You can find the full Schlüter-DESIGNBASE-SL-A product line on pages 106–107.

## Shelf



## Schlüter®-SHELF-E-S1-AC



colour coated aluminium  
shelf in design options FLORAL, CURVE, PURE, SQUARE, WAVE

Version	Art. No.	MyDesign surcharge
FLORAL design	C / SE S1 D5 A	B
CURVE design	C / SE S1 D6 A	B
PURE design	C / SE S1 D7 A	B
SQUARE design	C / SE S1 D3 A	B
WAVE design	C / SE S1 D10 A	B

You can find the full Schlüter-SHELF-E-S1 product line on pages 254–255.

## Shelf



## Schlüter®-SHELF-E-S2-AC




colour coated aluminium  
shelf in design options FLORAL, CURVE, PURE, SQUARE, WAVE

Version	Art. No.	MyDesign surcharge
FLORAL design	C / SE S2 D5 A	B
CURVE design	C / SE S2 D6 A	B
PURE design	C / SE S2 D7 A	B
SQUARE design	C / SE S2 D3 A	B
WAVE design	C / SE S2 D10 A	B

You can find the full Schlüter-SHELF-E-S2 product line on pages 256–257.

## Shelf



## Schlüter®-SHELF-E-S3-AC



colour coated aluminium  
shelf in design options FLORAL, CURVE, PURE, SQUARE, WAVE

Version	Art. No.	MyDesign surcharge
FLORAL design	C / SE S3 D5 A	B
CURVE design	C / SE S3 D6 A	B
PURE design	C / SE S3 D7 A	B
SQUARE design	C / SE S3 D3 A	B
WAVE design	C / SE S3 D10 A	B

You can find the full Schlüter-SHELF-E-S3 product line on pages 258–259.



## Shelf

### Schlüter®-SHELF-N-S1-AC

colour coated aluminium  
shelf in design options FLORAL, CURVE, PURE, SQUARE, WAVE




Version	Art. No.	MyDesign surcharge
FLORAL design	C / SN S1 D5 A	B
CURVE design	C / SN S1 D6 A	B
PURE design	C / SN S1 D7 A	B
SQUARE design	C / SN S1 D3 A	B
WAVE design	C / SN S1 D10 A	B

You can find the full Schlüter-SHELF-N product line on pages 260–261.

## Shelf

### Schlüter®-SHELF-W-S1-AC

colour coated aluminium  
shelf in design options FLORAL, CURVE, PURE, SQUARE, WAVE



Version	Art. No.	MyDesign surcharge
FLORAL design	C / SW S1 D5 A	B
CURVE design	C / SW S1 D6 A	B
PURE design	C / SW S1 D7 A	B
SQUARE design	C / SW S1 D3 A	B
WAVE design	C / SW S1 D10 A	B

You can find the full Schlüter-SHELF-W product line on pages 262–263.

## Edge profile | corner | connector

### Schlüter®-BARA-RAK

colour coated aluminium  
profile length: 2.50 m  
90° external corner, 135° external corner, 90° internal corner, connectors



Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / RAK 50 A	B
90° external corner	C / E90 / RAK 50 A	B
135° external corner	C / E135 / RAK 50 A	B
90° internal corner	C / I90 / RAK 50 A	B
connector	C / V / RT 30 A	A

You can find the full Schlüter-BARA-RAK product line on page 304.

## Edge profile | corner | connector

### Schlüter®-BARA-RAKE

colour coated aluminium  
profile length: 2.50 m, height: 10 mm, 15 mm, 18 mm, 21 mm  
90° external corner, 135° external corner, 90° internal corner,  
connectors in heights of 10 mm, 15 mm, 18 mm, 21 mm



Version	Art. No.	MyDesign surcharge
profile 2.50 m (10–21 mm)	C / RAKE ...* A	B
90° external corner (10–21 mm)	C / E90 / RAKE ...* A	B
135° external corner (10–21 mm)	C / E135 / RAKE ...* A	B
90° internal corner (10–21 mm)	C / I90 / RAKE ...* A	B
connector (10–21 mm)	C / V / RTKE ...* A	A

\* To complete the art. no., add the height (e.g. C / RAKE 10 A)

You can find the full Schlüter-BARA-RAKE product line on page 305.

## Edge profile | corner | connector

**Schlüter®-BARA-RAKEG**

colour coated aluminium  
 profile length: 2.50 m, height: 4 mm, 10 mm, 15 mm, 18 mm, 21 mm  
 90° external corner, 135° external corner, 90° internal corner,  
 connectors in heights of 4 mm, 10 mm, 15 mm, 18 mm, 21 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (4–21 mm)	C / RAKEG ...* A	B
90° external corner (4–21 mm)	C / E90 / RAKEG ...* A	B
135° external corner (4–21 mm)	C / E135 / RAKEG ...* A	B
90° internal corner (4–21 mm)	C / I90 / RAKEG ...* A	B
connector (4–21 mm)	C / V / RTKE ...* A	A

\* To complete the art. no., add the height (e.g. C / RAKEG 4 A)

You can find the full Schlüter-BARA-RAKEG product line on page 306.

## Edge profile | corner | connector

**Schlüter®-BARA-RKK**

colour coated aluminium  
 profile length: 2.50 m, height: 10 mm, 15 mm, 18 mm  
 90° external corner, 135° external corner, 90° internal corner, connectors in heights of 10 mm, 15 mm, 18 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (10–18 mm)	C / RKK ...* A	B
90° external corner (10–18 mm)	C / E90 / RKK ...* A	B
135° external corner (10–18 mm)	C / E135 / RKK ...* A	B
90° internal corner (10–18 mm)	C / I90 / RKK ...* A	B
connector (10–18 mm)	C / V / RKK ...* A	A

\* To complete the art. no., add the height (e.g. C / RKK 10 A)

You can find the full Schlüter-BARA-RKK product line on page 307.

## Edge profile | corner | connector

**Schlüter®-BARA-RKKE**

colour coated aluminium profile length: 2.50 m, height: 8 mm, 10 mm, 15 mm, 18 mm, 21 mm, 23 mm  
 90° external corner, 135° external corner, 90° internal corner,  
 connectors in heights of 8 mm, 10 mm, 15 mm, 18 mm, 21 mm, 23 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–23 mm)	C / RKKE ...* A	B
90° external corner (8–23 mm)	C / E90 / RKKE ...* A	B
135° external corner (8–23 mm)	C / E135 / RKKE ...* A	B
90° internal corner (8–23 mm)	C / I90 / RKKE ...* A	B
connector (8–23 mm)	C / V / RKK ...* A	A

\* To complete the art. no., add the height (e.g. C / RKKE 8 A)

You can find the full Schlüter-BARA-RKKE product line on page 309.



## Edge profile | corner | connector



### Schlüter®-BARA-RKB



colour coated aluminium  
profile length: 2.50 m  
90° external corner, 135° external corner, 90° internal corner, connectors

Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / RKB 3 A	B
90° external corner	C / E90 / RKB 3 A	B
135° external corner	C / E135 / RKB 3 A	B
90° internal corner	C / I90 / RKB 3 A	B
connector	C / V / RKB 3 A	A

You can find the full Schlüter-BARA-RKB product line on page 310.

## Edge profile | corner | connector



### Schlüter®-BARA-RK



colour coated aluminium  
profile length: 2.50 m  
90° external corner, 135° external corner, 90° internal corner, connectors

Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / RK 65 A	B
90° external corner	C / E90 / RK 65 A	B
135° external corner	C / E135 / RK 65 A	B
90° internal corner	C / I90 / RK 65 A	B
connector	C / V / RK 65 A	A

You can find the full Schlüter-BARA-RK product line on page 312.

## Edge profile | corner | connector



### Schlüter®-BARA-RKL



colour coated aluminium  
profile length: 2.50 m, height: 30 mm, 35 mm, 40 mm, 50 mm, 75 mm  
90° external corner, 135° external corner, 90° internal corner,  
connectors in heights of 30 mm, 35 mm, 40 mm, 50 mm, 75 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (30–75 mm)	C / RKL ...* A	B
90° external corner (30–75 mm)	C / E90 / RKL ...* A	B
135° external corner (30–75 mm)	C / E135 / RKL ...* A	B
90° internal corner (30–75 mm)	C / I90 / RKL ...* A	B
connector (30–75 mm)	C / V / RKL ...* A	A

\* To complete the art. no., add the height (e.g. C / RKL 30 A)

You can find the full Schlüter-BARA-RKL product line on pages 314–315.





# MyDesign by Schlüter-Systems

## Print profiles with your favourite design

State-of-the-art printing technology is the key to modern tile production and enables the creation of remarkably realistic wood and marble surfaces. This offers designers an opportunity to give their creativity free reign.


With the introduction of the textured TRENDLINE range, Schlüter-Systems took a large step toward blending profiles and tiles. Now we are going even further: Popular wall and skirting tiles can now be optimally adjusted to the tile design with modern printing technology. This results in a perfect integration of effective edge protection in the tile covering.

Customers looking to accentuate tiles in skirtings or wall areas can even have their favourite designs printed to create a custom appearance.

Whichever method you choose, the modern printing technology of Schlüter-Systems is a step ahead in covering design with profiles.

The following pages explain which profiles are available with custom prints and how you can order them. The product advisors of our sales service and our Customer Service Department will be pleased to assist you with any questions you may have about MyDesign by Schlüter-Systems. You can also find the respective contact information on our website. We look forward to helping you with your Schlüter-MyDesign projects.







# MyDesign by Schlüter-Systems

## Easy custom orders

The following pages explain which products can be ordered with custom prints for MyDesign by Schlüter-Systems. Please note that custom prints are subject to a one-time MyDesign surcharge for each design. You can then have any number of profiles and accessories from the MyDesign programme printed with this design. The MyDesign surcharge is £ 416.25 per design.

Simply follow the four steps in the "Price" section to determine the cost of your custom-printed MyDesign products.

### Order

Create your custom product in five steps:

- |  |                                 |
|--|---------------------------------|
| 1. Select a profile from the MyDesign programme    | e.g. QUADDEC-AC (C / Q ...* DP) |
| 2. Select height   add to art. no.                 | e.g. 6 mm   C / Q 60 DP         |
| 3. Select corner, end cap or connector             | e.g. C / EV / Q 60 DP           |
| 4. Submit tile pattern or file with desired design |                                 |
| 5. Approve the printing proof                      |                                 |

Your sales advisor will be pleased to assist you with your order.  
For further details, please visit our website at [qr.schluter.co.uk/mydesign.aspx](http://qr.schluter.co.uk/mydesign.aspx)

### Price

Calculate your price in four steps:

- |   |                               |
|---|-------------------------------|
| 1. Select the price of the desired profile**            |                               |
| 2. Add MyDesign surcharge C                             | £ 15.26 per metre             |
| 3. Price of desired corners / end caps / connectors     | fixed price £ 26.36 per piece |
| 4. MyDesign surcharge (one-time set-up cost per design) | £ 416.25*                     |

\* not eligible for discounts

\*\* for reference take the prices of the products with the surface AC

### Calculation help

1. Product	2. Surcharge	3. Accessories	4. Set-up cost	Price		
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>
<input type="text"/>	+	<input type="text"/>	+	<input type="text"/>	=	<input type="text"/>

## Finishing profile | corner



## Schlüter®-QUADEC-AC



colour coated aluminium  
 profile length: 2.50 m/3.00 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external/internal corner in heights of 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (6–12.5 mm)	C / Q ...* DP	C
profile 3.00 m (6–12.5 mm)	C / Q ...* DP/300	C
90° external/internal corner (6–12.5 mm)	C / EV / Q ...* DP	Fixed price

\* To complete the art. no., add the height (e.g. C / Q 60 DP)

You can find the full Schlüter-QUADEC-AC product line on page 63.

## Finishing profile | corner



## Schlüter®-RONDEC-AC




colour coated aluminium  
 profile length: 2.50 m/3.00 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external corner, 90° internal corner in heights of 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (6–12.5 mm)	C / RO ...* DP	C
profile 3.00 m (6–12.5 mm)	C / RO ...* DP/300	C
90° external corner (6–12.5 mm)	C / EV / ...* DP	Fixed price
90° internal corner (6–12.5 mm)	C / IV / RO ...* DP	Fixed price

\* To complete the art. no., add the height (e.g. C / RO 60 DP)

You can find the full Schlüter-RONDEC-AC product line on page 72 (profiles) and page 71 (corners).

## Finishing profile | corner



## Schlüter®-JOLLY-AC



colour coated aluminium  
 profile length: 2.50 m/3.00 m, height: 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm  
 90° external corner in heights of 6 mm, 8 mm, 10 mm, 11 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (6–12.5 mm)	C / J ...* DP	C
profile 3.00 m (6–12.5 mm)	C / J ...* DP/300	C
90° external corner (6–12.5 mm)	C / EV / J ...* DP	Fixed price

\* To complete the art. no., add the height (e.g. C / J 60 DP)

You can find the full Schlüter-JOLLY-AC product line on page 82.

## Border profile



## Schlüter®-DESIGNLINE-AC



colour coated aluminium  
 profile length: 2.50 m

Version	Art. No.	MyDesign surcharge
profile 2.50 m	C / DL 625 DP	C

You can find the full Schlüter-DESIGNLINE product line on page 102.



## Skirting profile | corner | end cap | connector



### Schlüter®-DESIGNBASE-SL-AC ★

colour coated aluminium  
 profile length: 2.50 m, height: 60 mm  
 90° external corner, 90° internal corner, left end cap, right end cap, connector in heights of 60 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (60 mm)	C / DB SL 60 DP	C
90° external corner (60 mm)	C / ED / DB SL 60 DP	Fixed price
90° internal corner (60 mm)	C / ID / DB SL 60 DP	Fixed price
end cap, left (60 mm)	C / EL / DB SL 60 DP	Fixed price
end cap, right (60 mm)	C / ER / DB SL 60 DP	Fixed price
connector (60 mm)	C / V / DB SL 60 DP	Fixed price

You can find the full Schlüter-DESIGNBASE-SL-A product line on pages 106–107.

## Finishing profile | corner



### Schlüter®-RONDEC-STEP-AC ★


colour coated aluminium  
 profile length: 2.50 m, height: 8 mm, 10 mm, 12.5 mm  
 90° external corner, 135° external corner, 90° internal corner,  
 135° internal corner in heights of 8 mm, 10 mm, 12.5 mm

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–12.5 mm)	C / RS ...* DP 39	C
90° external corner (8–12.5 mm)	C / E90 RS ...* DP 39	Fixed price
135° external corner (8–12.5 mm)	C / E135 RS ...* DP 39	Fixed price
90° internal corner (8–12.5 mm)	C / I90 RS ...* DP 39	Fixed price
135° internal corner (8–12.5 mm)	C / I135 RS ...* DP 39	Fixed price

\* To complete the art. no., add the height (e.g. C / RS 80 DP 39)

You can find the full Schlüter-RONDEC-STEP product line on page 110.

## Cove shaped profile | corner | end cap



### Schlüter®-DILEX-AHK-AC ★


colour coated aluminium  
 profile length: 2.50 m, height: 8 mm, 10 mm, 12.5 mm  
 90° external corner, 135° external corner, 90° internal corner, 135° internal corner, end cap

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–12.5 mm)	C / AHK 1S ...* DP	C
90° external corner (for connection with RONDEC)	C / E90 / AHK 1S / DP	Fixed price
90° external corner (for connection with QUADDEC)	C / E90 Q / AHK 1S / DP	Fixed price
135° external corner	C / E135 / AHK 1S / DP	Fixed price
90° internal corner	C / I90 / AHK 1S / DP	Fixed price
135° internal corner	C / I135 / AHK 1S / DP	Fixed price
end cap	C / E / AHK 1S / DP	Fixed price

\* To complete the art. no., add the height (e.g. C / AHK 1S 80 DP)

You can find the full Schlüter-DILEX-AHK product line on pages 149–150.

## Cove shaped profile | corner | end cap


**Schlüter®-DILEX-AHKA-AC**


colour coated aluminium  
 profile length: 2.50 m, height: 8 mm, 10 mm, 12.5 mm, 15 mm  
 90° external corner, 135° external corner, 90° internal corner, 135° internal corner, left end cap, right end cap

Version	Art. No.	MyDesign surcharge
profile 2.50 m (8–15 mm)	C / AHKA ...* DP	C
90° external corner	C / E90 / AHKA / DP	Fixed price
135° external corner	C / E135 / AHKA / DP	Fixed price
90° internal corner	C / I90 / AHKA / DP	Fixed price
135° internal corner	C / I135 / AHKA / DP	Fixed price
end cap, left	C / EL / AHKA / DP	Fixed price
end cap, right	C / ER / AHKA / DP	Fixed price

\* To complete the art. no., add the height (e.g. C / AHKA 80 DP)

You can find the full Schlüter-DILEX-AHKA product line on pages 150–151.



# My Schlüter®-KERDI-LINE

## Custom engraving on frames and grates

As an alternative to colour coatings and prints from the MyDesign by Schlüter-Systems programme, engravings are a further option to add a personal touch to Schlüter products. We offer modern laser engraving for the stainless steel frames and grates of the KERDI-LINE product line. Set design accents with logos, images and text, boost your brand identity, or simply bring out a smile to start the day.

Hotel chains that want to remind guests of their comfortable features in the shower, tradespeople who want to be remembered alongside manufacturer brands, or parents who want their children to have a friendly start of the day. Whatever your motivation, Schlüter-KERDI-LINE lets you leave your mark. Discover the possibilities.



**YOUR  
BRAND**





# My Schlüter®-KERDI-LINE

## Easy custom orders

The following page explains which products can be ordered with a custom My Schlüter-KERDI-LINE engraving. With My KERDI-LINE, you can add personalised engravings to the grates and frames of our linear drains KERDI-LINE-A/-B/-C.

The next page lists the engraving surcharges for the grate and frame combinations shown on pages 206–207.

Simply follow the two steps in the “Price” section to determine the cost of your custom engraving.



## Order

**Find the right article number in three steps:**

- |  |                                   |
|--|-----------------------------------|
| 1. Select the product from the My KERDI-LINE programme | e.g. KERDI-LINE-A (KLA 19 EB 100) |
| 2. Select the desired engraving style                  | e.g. deep engraving (G1)          |
| 3. Add engraving code to the article number            | e.g. KLA 19 EB 100 G1             |

Your sales advisor will be pleased to assist you with your order.

## Price

**Calculate your price in two steps:**


1. Select the price of the desired grate and frame combination
2. Select the applicable My KERDI-LINE surcharge\*

\* not eligible for discounts

### Note:

My Schlüter-KERDI-LINE engravings are not available on polished or colour coated grates and frames or on Schlüter-KERDI-LINE-STYLE grates.

## Grate and frame combination

**Schlüter®-KERDI-LINE-A 19 mm**

with deep engraving, grate only (G1)

Art. No.	Surcharge £ / U.
...* G1	<b>54.57</b>

with surface engraving, grate only (G2)

Art. No.	Surcharge £ / U.
...* G2	<b>66.71</b>

with crosshatch engraving, grate only (G3)

Art. No.	Surcharge £ / U.
...* G3	<b>36.38</b>

with deep engraving on grate + crosshatch engraving on frame (G1R)

Art. No.	Surcharge £ / U.
...* G1R	<b>87.94</b>

with surface engraving on grate + crosshatch engraving on frame (G2R)

Art. No.	Surcharge £ / U.
...* G2R	<b>100.07</b>

with crosshatch engraving on grate and frame (G3R)

Art. No.	Surcharge £ / U.
...* G3R	<b>69.73</b>

with crosshatch engraving, frame only (GR)

Art. No.	Surcharge £ / U.
...* GR	<b>33.35</b>

**Schlüter®-KERDI-LINE-B 19 mm**

with crosshatch engraving, frame only (GR)

Art. No.	Surcharge £ / U.
...* GR	<b>33.35</b>

**Schlüter®-KERDI-LINE-C 19 mm**

with crosshatch engraving, frame only (GR)

Art. No.	Surcharge £ / U.
...* GR	<b>33.35</b>



deep engraving



surface engraving



crosshatch engraving

\* Add art. no. (e.g. KLA 19 EB 70 G1R)



# Schlüter-profiles

## Edge profiles for floor coverings

Profiles, such as the original Schlüter-SCHIENE, finish tiled surfaces and protect the external edges of ceramic tile and natural stone coverings from mechanical impact. The profiles of the Schlüter-RENO range create a smooth transition between adjoining floor coverings. All our floor finishing profiles contribute to the lasting aesthetic appeal of floor coverings.





## Finishing profiles

Schlüter®-SCHIENE	39
Schlüter®-SCHIENE-TS	40
Schlüter®-SCHIENE-A	42
Schlüter®-SCHIENE-AC	43
Schlüter®-SCHIENE-ES	44
Schlüter®-SCHIENE-BASIC	45
Schlüter®-SCHIENE-V	45

## Transition profiles

Schlüter®-RENO-TK	46
Schlüter®-RENO-V	47
Schlüter®-RENO-VT	48
Schlüter®-RENO-VB	48
Schlüter®-RENO-U	49
Schlüter®-RENO-RAMP	50
Schlüter®-RENO-RAMP-K	50
Schlüter®-RENO-T	51

## Separator profiles

Schlüter®-TERRAZZO	51
--------------------	----

## Angle profiles

Schlüter®-WINKEL	48
------------------	----



# Schlüter<sup>®</sup>-SCHIENE

The details make the difference

Schlüter-SCHIENE is rightfully considered a classic among finishing profiles. Its intelligent design is still the best example of the professional detail Schlüter-Systems is known for:

- ✓ 87 degree angled finishing leg
- ✓ Cove shape for high flexural strength
- ✓ Reinforced header with 5 degree slope
- ✓ Patented joint spacer

The details add up to perfect protection for your premium tile coverings.




## Finishing profile

## Schlüter®-SCHIENE



Schlüter-SCHIENE is a special profile for finishing and protecting the edges of tiled surfaces. It is also ideally suited for use with other covering materials and applications. The joint spacer creates a uniform grout joint with the tile. Schlüter-SCHIENE-E does not have a joint spacer.

(Product data sheet 1.1)



## Schlüter®-SCHIENE-M



brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
–	–	–	–
3	M 30	<b>8.52</b>	120
4.5	M 45	<b>8.52</b>	120
6	M 60	<b>8.64</b>	120
–	–	–	–
8	M 80	<b>9.19</b>	120
9	M 90	<b>9.52</b>	120
10	M 100	<b>9.71</b>	120
11	M 110	<b>10.48</b>	120
12.5	M 125	<b>10.71</b>	120
–	–	–	–
15	M 150	<b>11.52</b>	120
16	M 160	<b>12.51</b>	120
17.5	M 175	<b>12.76</b>	120
20	M 200	<b>13.47</b>	120
–	–	–	–
22.5	M 225	<b>15.82</b>	120
25	M 250	<b>16.86</b>	120
–	–	–	–
30	M 300	<b>18.63</b>	120
<b>L = 1.00 m</b>			
4.5	M 45/100	<b>9.06</b>	240
6	M 60/100	<b>9.19</b>	240
8	M 80/100	<b>9.78</b>	240
10	M 100/100	<b>10.24</b>	240
12.5	M 125/100	<b>11.26</b>	240
15	M 150/100	<b>12.06</b>	240

## Schlüter®-SCHIENE-A



aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2	A 20	<b>3.55</b>	120
3	A 30	<b>3.55</b>	120
4.5	A 45	<b>3.55</b>	120
6	A 60	<b>3.55</b>	120
7	A 70	<b>3.61</b>	120
8	A 80	<b>3.69</b>	120
9	A 90	<b>3.73</b>	120
10	A 100	<b>3.86</b>	120
11	A 110	<b>4.12</b>	120
12.5	A 125	<b>4.34</b>	120
14	A 140	<b>4.65</b>	120
15	A 150	<b>4.89</b>	120
16	A 160	<b>5.14</b>	120
17.5	A 175	<b>5.48</b>	120
20	A 200	<b>5.61</b>	120
21	A 210	<b>5.93</b>	120
22.5	A 225	<b>6.19</b>	120
25	A 250	<b>6.47</b>	120
27.5	A 275	<b>6.75</b>	120
30	A 300	<b>7.14</b>	120
<b>L = 1.00 m</b>			
4.5	A 45/100	<b>4.12</b>	240
6	A 60/100	<b>4.12</b>	240
8	A 80/100	<b>4.25</b>	240
10	A 100/100	<b>4.42</b>	240
12.5	A 125/100	<b>4.89</b>	240
15	A 150/100	<b>5.48</b>	240

## Schlüter®-SCHIENE-AE



anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2	AE 20	<b>4.89</b>	120
3	AE 30	<b>4.89</b>	120
4.5	AE 45	<b>4.93</b>	120
6	AE 60	<b>5.14</b>	120
7	AE 70	<b>5.31</b>	120
8	AE 80	<b>5.39</b>	120
9	AE 90	<b>5.61</b>	120
10	AE 100	<b>5.72</b>	120
11	AE 110	<b>6.12</b>	120
12.5	AE 125	<b>6.36</b>	120
14	AE 140	<b>6.75</b>	120
15	AE 150	<b>7.00</b>	120
16	AE 160	<b>7.50</b>	120
17.5	AE 175	<b>7.64</b>	120
20	AE 200	<b>8.59</b>	120
21	AE 210	<b>9.00</b>	120
22.5	AE 225	<b>9.14</b>	120
25	AE 250	<b>9.47</b>	120
27.5	AE 275	<b>9.88</b>	120
30	AE 300	<b>10.44</b>	120
<b>L = 1.00 m</b>			
4.5	AE 45/100	<b>5.49</b>	240
6	AE 60/100	<b>5.68</b>	240
8	AE 80/100	<b>5.93</b>	240
10	AE 100/100	<b>6.31</b>	240
12.5	AE 125/100	<b>6.98</b>	240
15	AE 150/100	<b>7.70</b>	240

## Schlüter®-SCHIENE-MC



chrome plated brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	MC 60	<b>28.04</b>	120
8	MC 80	<b>29.07</b>	120
10	MC 100	<b>29.43</b>	120
11	MC 110	<b>29.65</b>	120
12.5	MC 125	<b>29.90</b>	120

## Note:

Schlüter-SCHIENE-M / -A / -AE profiles in sizes 2 mm, 3 mm and 4.5 mm do not have a joint spacer.

For technical reasons, products that are only one metre in length are not available with radius perforations.

For 3 metre length, add "/300" to art. no. (e.g. M 60/300).





### Schlüter®-SCHIENE-E



stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2	E 20	8.92	120
3	E 30	9.29	120
4.5	E 45	10.00	120
6	E 60	10.40	120
7	E 70	10.60	120
8	E 80	10.71	120
9	E 90	11.06	120
10	E 100	11.26	120
11	E 110	11.88	120
12.5	E 125	12.29	120
14	E 140	12.85	120
15	E 150	13.47	120
16	E 160	14.01	120
17.5	E 175	14.33	120
20	E 200	14.82	120
22.5	E 225	15.53	120
25	E 250	16.30	120
30	E 300	17.29	120
	<b>L = 1.00 m</b>		
6	E 60 / 100	10.93	240
8	E 80 / 100	11.26	240
10	E 100 / 100	11.83	240
11	E 110 / 100	12.49	240
12.5	E 125 / 100	12.87	240

### Schlüter®-SCHIENE-E V4A



stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	E 45/V4A	11.06	120
6	E 60/V4A	11.63	120
8	E 80/V4A	11.83	120
10	E 100/V4A	12.48	120
11	E 110/V4A	13.22	120
12.5	E 125/V4A	13.64	120
14	E 140/V4A	14.25	120
15	E 150/V4A	14.97	120
16	E 160/V4A	15.54	120
17.5	E 175/V4A	15.88	120
20	E 200/V4A	16.47	120
22.5	E 225/V4A	17.26	120
25	E 250/V4A	18.15	120
30	E 300/V4A	19.23	120

### Schlüter®-SCHIENE-EB



brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	E 60 EB	15.53	120
8	E 80 EB	15.86	120
10	E 100 EB	16.42	120
11	E 110 EB	17.28	120
12.5	E 125 EB	17.44	120

#### Note:

For technical reasons, products that are only one metre in length are not available with radius perforations.

For 3 metre length, add "/300" to art. no. (e.g. M 60/300).


## Finishing profile

### Schlüter®-SCHIENE-TS



Schlüter-SCHIENE-TS is a decorative profile made of aluminium with a special textured finish that matches modern tile designs. The 87 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacer creates a uniform grout joint with the tile.

(Product data sheet 1.1)



### Schlüter®-SCHIENE-TSI



textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSI	13.18	120
8	A 80 TSI	13.77	120
10	A 100 TSI	14.38	120
11	A 110 TSI	14.68	120
12.5	A 125 TSI	14.99	120

### Schlüter®-SCHIENE-TSC



textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSC	13.18	120
8	A 80 TSC	13.77	120
10	A 100 TSC	14.38	120
11	A 110 TSC	14.68	120
12.5	A 125 TSC	14.99	120

### Schlüter®-SCHIENE-TSBG



textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSBG	13.18	120
8	A 80 TSBG	13.77	120
10	A 100 TSBG	14.38	120
11	A 110 TSBG	14.68	120
12.5	A 125 TSBG	14.99	120

**Schlüter®-SCHIENE-TSB**

textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSB	<b>13.18</b>	120
8	A 80 TSB	<b>13.77</b>	120
10	A 100 TSB	<b>14.38</b>	120
11	A 110 TSB	<b>14.68</b>	120
12.5	A 125 TSB	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSSG**

textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSSG	<b>13.18</b>	120
8	A 80 TSSG	<b>13.77</b>	120
10	A 100 TSSG	<b>14.38</b>	120
11	A 110 TSSG	<b>14.68</b>	120
12.5	A 125 TSSG	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSG**

textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSG	<b>13.18</b>	120
8	A 80 TSG	<b>13.77</b>	120
10	A 100 TSG	<b>14.38</b>	120
11	A 110 TSG	<b>14.68</b>	120
12.5	A 125 TSG	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSOB**

textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSOB	<b>13.18</b>	120
8	A 80 TSOB	<b>13.77</b>	120
10	A 100 TSOB	<b>14.38</b>	120
11	A 110 TSOB	<b>14.68</b>	120
12.5	A 125 TSOB	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSLA**

textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSLA	<b>13.18</b>	120
8	A 80 TSLA	<b>13.77</b>	120
10	A 100 TSLA	<b>14.38</b>	120
11	A 110 TSLA	<b>14.68</b>	120
12.5	A 125 TSLA	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSDA**

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 TSDA	<b>13.18</b>	120
8	A 80 TSDA	<b>13.77</b>	120
10	A 100 TSDA	<b>14.38</b>	120
11	A 110 TSDA	<b>14.68</b>	120
12.5	A 125 TSDA	<b>14.99</b>	120

**Schlüter®-SCHIENE-TSR**

textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
–	–	–	–
–	–	–	–
6	A 60 TSR	<b>13.18</b>	120
8	A 80 TSR	<b>13.77</b>	120
10	A 100 TSR	<b>14.38</b>	120
11	A 110 TSR	<b>14.68</b>	120
12.5	A 125 TSR	<b>14.99</b>	120

**Schlüter®-SCHIENE-MBW**

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	A 30 MBW	<b>6.53</b>	120
4.5	A 45 MBW	<b>6.69</b>	120
6	A 60 MBW	<b>6.81</b>	120
8	A 80 MBW	<b>7.22</b>	120
10	A 100 MBW	<b>7.78</b>	120
11	A 110 MBW	<b>8.02</b>	120
12.5	A 125 MBW	<b>8.29</b>	120

**Schlüter®-SCHIENE-MGS**

colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	A 30 MGS	<b>6.53</b>	120
4.5	A 45 MGS	<b>6.69</b>	120
6	A 60 MGS	<b>6.81</b>	120
8	A 80 MGS	<b>7.22</b>	120
10	A 100 MGS	<b>7.78</b>	120
11	A 110 MGS	<b>8.02</b>	120
12.5	A 125 MGS	<b>8.29</b>	120

For 3 metre length, add "/300" to art. no. (e.g. A 60 MBW/300).

## Available finishes | colours



For an overview of finishes and colours, please see page 335.

**i**  
The profile is suitable for use in interior spaces with minor mechanical stresses.




## Finishing profile

### Schlüter®-SCHIENE-A



Schlüter-SCHIENE-A is a decorative aluminium profile that is available in a variety of anodised and refined finishes. The 87 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 1.1)



#### Schlüter®-SCHIENE-ACG



polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 ACG	<b>12.62</b>	120
8	A 80 ACG	<b>13.01</b>	120
10	A 100 ACG	<b>13.36</b>	120
11	A 110 ACG	<b>13.58</b>	120
12.5	A 125 ACG	<b>13.78</b>	120

#### Schlüter®-SCHIENE-ACGB



brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 ACGB	<b>12.62</b>	120
8	A 80 ACGB	<b>13.01</b>	120
10	A 100 ACGB	<b>13.36</b>	120
11	A 110 ACGB	<b>13.58</b>	120
12.5	A 125 ACGB	<b>13.78</b>	120

For 3 metre length, add "/300" to art. no.  
(e.g. A 60 ACG/300).

#### Schlüter®-SCHIENE-AM



matte brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AM	<b>10.34</b>	120
8	A 80 AM	<b>10.66</b>	120
10	A 100 AM	<b>10.95</b>	120
11	A 110 AM	<b>11.13</b>	120
12.5	A 125 AM	<b>11.30</b>	120

#### Schlüter®-SCHIENE-AMG



polished brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AMG	<b>12.62</b>	120
8	A 80 AMG	<b>13.01</b>	120
10	A 100 AMG	<b>13.36</b>	120
11	A 110 AMG	<b>13.58</b>	120
12.5	A 125 AMG	<b>13.78</b>	120

#### Schlüter®-SCHIENE-AMGB



brushed brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AMGB	<b>12.62</b>	120
8	A 80 AMGB	<b>13.01</b>	120
10	A 100 AMGB	<b>13.36</b>	120
11	A 110 AMGB	<b>13.58</b>	120
12.5	A 125 AMGB	<b>13.78</b>	120

#### Schlüter®-SCHIENE-AK



matte copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AK	<b>10.34</b>	120
8	A 80 AK	<b>10.66</b>	120
10	A 100 AK	<b>10.95</b>	120
11	A 110 AK	<b>11.13</b>	120
12.5	A 125 AK	<b>11.30</b>	120

#### Schlüter®-SCHIENE-AKG



polished copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AKG	<b>12.62</b>	120
8	A 80 AKG	<b>13.01</b>	120
10	A 100 AKG	<b>13.36</b>	120
11	A 110 AKG	<b>13.58</b>	120
12.5	A 125 AKG	<b>13.78</b>	120

#### Schlüter®-SCHIENE-AKGB



brushed copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AKGB	<b>12.62</b>	120
8	A 80 AKGB	<b>13.01</b>	120
10	A 100 AKGB	<b>13.36</b>	120
11	A 110 AKGB	<b>13.58</b>	120
12.5	A 125 AKGB	<b>13.78</b>	120

#### Schlüter®-SCHIENE-AT



matte titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AT	<b>10.34</b>	120
8	A 80 AT	<b>10.66</b>	120
10	A 100 AT	<b>10.95</b>	120
11	A 110 AT	<b>11.13</b>	120
12.5	A 125 AT	<b>11.30</b>	120

#### Schlüter®-SCHIENE-ATG



polished titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 ATG	<b>12.62</b>	120
8	A 80 ATG	<b>13.01</b>	120
10	A 100 ATG	<b>13.36</b>	120
11	A 110 ATG	<b>13.58</b>	120
12.5	A 125 ATG	<b>13.78</b>	120

#### Schlüter®-SCHIENE-ATGB



brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 ATGB	<b>12.62</b>	120
8	A 80 ATGB	<b>13.01</b>	120
10	A 100 ATGB	<b>13.36</b>	120
11	A 110 ATGB	<b>13.58</b>	120
12.5	A 125 ATGB	<b>13.78</b>	120

**Schlüter®-SCHIENE-ABGB**

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 ABGB	<b>12.62</b>	120
8	A 80 ABGB	<b>13.01</b>	120
10	A 100 ABGB	<b>13.36</b>	120
11	A 110 ABGB	<b>13.58</b>	120
12.5	A 125 ABGB	<b>13.78</b>	120

**Schlüter®-SCHIENE-AGRB**

brushed chrome graphite anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AGRB	<b>12.62</b>	120
8	A 80 AGRB	<b>13.01</b>	120
10	A 100 AGRB	<b>13.36</b>	120
11	A 110 AGRB	<b>13.58</b>	120
12.5	A 125 AGRB	<b>13.78</b>	120

**Schlüter®-SCHIENE-AGSG**

polished chrome black anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	A 60 AGSG	<b>12.62</b>	120
8	A 80 AGSG	<b>13.01</b>	120
10	A 100 AGSG	<b>13.36</b>	120
11	A 110 AGSG	<b>13.58</b>	120
12.5	A 125 AGSG	<b>13.78</b>	120

For an overview of finishes and colours, please see page 335.


**i**

The profile is suitable for use in interior spaces with minor mechanical stresses.

## Finishing profile

**Schlüter®-SCHIENE-AC**

Schlüter-SCHIENE-AC is a decorative profile made of colour coated aluminium. The 87 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 1.1)

**Schlüter®-SCHIENE-AC**

colour coated aluminium


H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	A 30 ...*	<b>6.51</b>	120
4.5	A 45 ...*	<b>6.69</b>	120
6	A 60 ...*	<b>6.81</b>	120
8	A 80 ...*	<b>7.21</b>	120
10	A 100 ...*	<b>7.78</b>	120
11	A 110 ...*	<b>8.02</b>	120
12.5	A 125 ...*	<b>8.29</b>	120

**i**

The profile is suitable for use in interior spaces with minor mechanical stresses.

For 3 metre length, add "/300" to art. no. (e.g. A 60 GS/300).

To complete the art. no., add the colour (e.g. A 30 BW)



\* Colours L = 2.50 m: BH - BW - G - GM - GS - HB - HG - MBW - MGS - PG - RB - SB - W

Colours L = 3.00 m: BW - GS - MBW - PG - W

For an overview of finishes and colours, please see page 335.



# Schlüter®-SCHIENE-ES

By far the best

- ✓ Consistent exact joint patterns
- ✓ Quick and precise installation
- ✓ Separation of tile adhesive and grout
- ✓ The only stainless steel profile with a joint spacer
- ✓ Proven and patented joint spacer technology
- ✓ Available in “stainless steel” and “brushed stainless steel” finishes
- ✓ The joint spacer – discover the difference




## Finishing profile

### Schlüter®-SCHIENE-ES



Schlüter-SCHIENE-ES is a stainless steel finishing profile for ceramic tile and natural stone coverings. It features an integrated joint spacer that defines a joint chamber with the covering material.

(Product data sheet 1.1)



#### Schlüter®-SCHIENE-ES



stainless steel V2A with joint spacer

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ES 80	10.71	120
10	ES 100	11.26	120
11	ES 110	11.88	120
12.5	ES 125	12.29	120
<b>L = 1.00 m</b>			
8	ES 80 / 100	11.26	240
10	ES 100 / 100	11.83	240
11	ES 110 / 100	12.49	240
12.5	ES 125 / 100	12.87	240

#### Schlüter®-SCHIENE-ES-EB



brushed stainless steel V2A with joint spacer

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ES 80 EB	15.86	120
10	ES 100 EB	16.42	120
11	ES 110 EB	17.28	120
12.5	ES 125 EB	17.44	120

For 3 metre length, add “/300” to art. no. (e.g. ES 80/300).

#### Note:


For technical reasons, products that are only one metre in length are not available with radius perforations.

## Finishing profile

## Schlüter®-SCHIENE-BASIC



Schlüter-SCHIENE-BASIC is a finishing profile for tile coverings or other rigid covering materials with a right angled transition from the anchoring leg to the finishing leg and a right angle head design.



## Schlüter®-SCHIENE-BASIC-M

brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
–	–	–	–
8	MBS 80	<b>8.12</b>	120
10	MBS 100	<b>8.58</b>	120
–	–	–	–
12.5	MBS 125	<b>9.32</b>	120
L = 1.00 m			
–	–	–	–
8	MBS 80/100	<b>8.64</b>	240
10	MBS 100/100	<b>9.13</b>	240
–	–	–	–
12.5	MBS 125/100	<b>9.84</b>	240

## Schlüter®-SCHIENE-BASIC-A

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	ABS 60	<b>2.99</b>	120
8	ABS 80	<b>3.12</b>	120
10	ABS 100	<b>3.45</b>	120
11	ABS 110	<b>3.57</b>	120
12.5	ABS 125	<b>3.69</b>	120
L = 1.00 m			
6	ABS 60/100	<b>3.55</b>	240
8	ABS 80/100	<b>3.69</b>	240
10	ABS 100/100	<b>3.97</b>	240
11	ABS 110/100	<b>4.10</b>	240
12.5	ABS 125/100	<b>4.25</b>	240

## Schlüter®-SCHIENE-BASIC-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	AEBS 60	<b>4.42</b>	120
8	AEBS 80	<b>4.65</b>	120
10	AEBS 100	<b>4.86</b>	120
11	AEBS 110	<b>5.01</b>	120
12.5	AEBS 125	<b>5.22</b>	120


For 3 metre length, add "/300" to art. no.  
(e.g. ABS 60/300).

## Finishing profile

## Schlüter®-SCHIENE-V



Schlüter-SCHIENE-V is a finishing profile for wooden floors or other rigid covering materials such as terrazzo, with a right angled transition from the anchoring leg to the finishing leg. The evenly shaped finishing leg allows for grinding of the covering.



## Schlüter®-SCHIENE-AV

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	A 100 V	<b>5.59</b>	120
12.5	A 125 V	<b>5.74</b>	120
26	A 260 V	<b>8.33</b>	120




## Transition profile

### Schlüter®-RENO-TK



Schlüter-RENO-TK provides a smooth transition between tiled surfaces and adjoining carpeting or other coverings of a lower height. In addition, it effectively protects the edges of the adjacent floor coverings.  
(Product data sheet 1.4)



#### Schlüter®-RENO-MTK



brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	MTK 80	13.70	60
10	MTK 100	14.80	60
12.5	MTK 125	20.04	60
<b>L = 1.00 m</b>			
8	MTK 80/100	14.30	60
10	MTK 100/100	15.37	60
12.5	MTK 125/100	20.60	60

#### Schlüter®-RENO-ATK



aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ATK 80	5.53	60
10	ATK 100	5.93	60
12.5	ATK 125	7.86	60
<b>L = 1.00 m</b>			
8	ATK 80/100	6.16	60
10	ATK 100/100	6.54	60
12.5	ATK 125/100	8.49	60

#### Schlüter®-RENO-AETK



anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AETK 80	8.57	60
10	AETK 100	8.90	60
12.5	AETK 125	10.54	60
<b>L = 1.00 m</b>			
8	AETK 80/100	9.16	60
10	AETK 100/100	9.52	60
12.5	AETK 125/100	11.18	60

#### Schlüter®-RENO-ETK

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ETK 80	14.59	60
10	ETK 100	16.50	60
11	ETK 110	18.00	60
12.5	ETK 125	18.80	60
<b>L = 1.00 m</b>			
8	ETK 80/100	15.46	60
10	ETK 100/100	17.36	60
11	ETK 110/100	18.85	60
12.5	ETK 125/100	19.60	60

#### Schlüter®-RENO-EBTK

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EBTK 80	18.98	60
10	EBTK 100	21.49	60
11	EBTK 110	23.25	60
12.5	EBTK 125	24.44	60
<b>L = 1.00 m</b>			
8	EBTK 80/100	19.81	60
10	EBTK 100/100	22.32	60
11	EBTK 110/100	24.21	60
12.5	EBTK 125/100	25.28	60

#### Note:

For technical reasons, products that are only one metre in length are not available with radius perforations.

# Schlüter®-RENO-V

## Transition profile with variable anchoring leg




- ✓ Prevents trip hazards
- ✓ Hinged anchoring leg for variable adjustment
- ✓ Protects the edges of the covering
- ✓ Neatly covers carpet or vinyl edges
- ✓ Available in six profile heights and three leg widths
- ✓ Support profile and anchoring leg can be individually combined

### Transition profile

## Schlüter®-RENO-V



Schlüter-RENO-V is a profile with a variable transition leg for smoothly joining floor coverings of different heights. The joint spacer creates a uniform grout joint with the tile. (Product data sheet 1.7)



### Schlüter®-RENO-AV

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AVT 80 B20	<b>13.74</b>	40
10	AVT 100 B20	<b>14.08</b>	40
12.5	AVT 125 B30	<b>15.93</b>	40
15	AVT 150 B30	<b>16.10</b>	40
17.5	AVT 175 B40	<b>18.58</b>	40
20	AVT 200 B40	<b>19.14</b>	40
	<b>L = 1.00 m</b>		
8	AVT 80 B20/100	<b>14.99</b>	60
10	AVT 100 B20/100	<b>15.20</b>	60
12.5	AVT 125 B30/100	<b>17.13</b>	60
15	AVT 150 B30/100	<b>17.31</b>	60
17.5	AVT 175 B40/100	<b>19.80</b>	60
20	AVT 200 B40/100	<b>20.40</b>	60

### Schlüter®-RENO-AEV

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AEVT 80 B20	<b>21.23</b>	40
10	AEVT 100 B20	<b>21.62</b>	40
12.5	AEVT 125 B30	<b>23.61</b>	40
15	AEVT 150 B30	<b>24.16</b>	40
17.5	AEVT 175 B40	<b>26.99</b>	40
20	AEVT 200 B40	<b>28.34</b>	40
	<b>L = 1.00 m</b>		
8	AEVT 80 B20/100	<b>22.41</b>	60
10	AEVT 100 B20/100	<b>22.82</b>	60
12.5	AEVT 125 B30/100	<b>24.80</b>	60
15	AEVT 150 B30/100	<b>25.23</b>	60
17.5	AEVT 175 B40/100	<b>28.13</b>	60
20	AEVT 200 B40/100	<b>29.54</b>	60



## Transition profile

### Schlüter®-RENO-VT

Schlüter-RENO-VT is the support profile for the variable transition leg Schlüter-RENO-VB. Both products can be combined in both lengths.  
(Product data sheet 1.7)

#### Schlüter®-RENO-AVT


floor support profile, aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AVT 80	<b>6.92</b>	60
10	AVT 100	<b>7.25</b>	60
12.5	AVT 125	<b>7.67</b>	60
15	AVT 150	<b>7.86</b>	60
17.5	AVT 175	<b>8.23</b>	60
20	AVT 200	<b>8.77</b>	60

#### Schlüter®-RENO-AEVT

floor support profile, anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AEVT 80	<b>9.23</b>	60
10	AEVT 100	<b>9.68</b>	60
12.5	AEVT 125	<b>10.18</b>	60
15	AEVT 150	<b>10.73</b>	60
17.5	AEVT 175	<b>11.26</b>	60
20	AEVT 200	<b>12.73</b>	60



Prices for Schlüter-RENO-VT and -VB in lengths of 1 m are available upon request (please indicate art. no., e.g. AVT 80/100).

## Transition profile

### Schlüter®-RENO-VB

Schlüter-RENO-VB is the variable transition leg that can be combined with the support profile Schlüter-RENO-VT in all sizes.  
(Product data sheet 1.7)

#### Schlüter®-RENO-AVB


aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
20	AVB 20	<b>3.64</b>	60
30	AVB 30	<b>5.01</b>	60
40	AVB 40	<b>7.37</b>	60

#### Schlüter®-RENO-AEVB

anodised aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
20	AEVB 20	<b>9.01</b>	60
30	AEVB 30	<b>10.54</b>	60
40	AEVB 40	<b>12.99</b>	60



Prices for Schlüter-RENO-VT and -VB in lengths of 1 m are available upon request (please indicate art. no., e.g. AVT 80/100).

## Angle profile

### Schlüter®-WINKEL



Schlüter-WINKEL is a solid, non perforated angle profile for use in a variety of applications.

#### Schlüter®-WINKEL-A

aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
AW 15 x 30 x 2	<b>5.93</b>	60
AW 20 x 20 x 2	<b>5.26</b>	60
AW 30 x 30 x 2	<b>8.13</b>	60
AW 30 x 30 x 3	<b>11.95</b>	60
AW 40 x 20 x 2	<b>8.09</b>	60
AW 40 x 40 x 3	<b>16.00</b>	60


## Transition profile

## Schlüter®-RENO-U



Schlüter-RENO-U is a profile for creating stepless transitions between floor coverings of different heights. The joint spacer creates a uniform grout joint with the tile. Schlüter-RENO-EU, -EBU and -MU do not have a joint spacer.

(Product data sheet 1.2)



## Schlüter®-RENO-MU

brass

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
—	—	—	—	—
8	12.5	MU 80	<b>16.33</b>	60
10	16.5	MU 100	<b>18.29</b>	60
12.5	22	MU 125	<b>24.23</b>	60
15	27.5	MU 150	<b>26.80</b>	60
—	—	—	—	—
L = 1.00 m				
8	12.5	MU 80/100	<b>17.21</b>	60
10	16.5	MU 100/100	<b>19.14</b>	60
12.5	22	MU 125/100	<b>25.09</b>	60

## Schlüter®-RENO-AU

aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3.5	9	AU 35	<b>6.09</b>	60
8	12.5	AU 80	<b>6.36</b>	60
10	16.5	AU 100	<b>7.10</b>	60
12.5	22	AU 125	<b>9.11</b>	60
15	27.5	AU 150	<b>10.18</b>	60
17.5	27	AU 175	<b>11.40</b>	60
L = 1.00 m				
8	12.5	AU 80/100	<b>7.25</b>	60
10	16.5	AU 100/100	<b>7.92</b>	60
12.5	22	AU 125/100	<b>9.95</b>	60

## Schlüter®-RENO-AEU

anodised aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3.5	9	AEU 35	<b>8.66</b>	60
8	12.5	AEU 80	<b>9.34</b>	60
10	16.5	AEU 100	<b>10.18</b>	60
12.5	22	AEU 125	<b>12.37</b>	60
15	27.5	AEU 150	<b>13.84</b>	60
17.5	27	AEU 175	<b>14.99</b>	60
L = 1.00 m				
8	12.5	AEU 80/100	<b>10.18</b>	60
10	16.5	AEU 100/100	<b>11.18</b>	60
12.5	22	AEU 125/100	<b>13.23</b>	60

## Schlüter®-RENO-EU

stainless steel V2A

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	13	EU 80	<b>17.69</b>	60
10	17.5	EU 100	<b>19.44</b>	60
11	20	EU 110	<b>20.84</b>	60
12.5	23	EU 125	<b>21.50</b>	60
15	28	EU 150	<b>23.35</b>	60
17.5	33.5	EU 175	<b>25.45</b>	60
20	44.5	EU 200	<b>27.74</b>	60
L = 1.00 m				
8	13	EU 80/100	<b>18.55</b>	60
10	17.5	EU 100/100	<b>20.24</b>	60
11	20	EU 110/100	<b>21.68</b>	60
12.5	23	EU 125/100	<b>22.33</b>	60

## Schlüter®-RENO-EBU

brushed stainless steel V2A

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	13	EBU 80	<b>22.49</b>	60
10	17.5	EBU 100	<b>25.21</b>	60
11	20	EBU 110	<b>27.16</b>	60
12.5	23	EBU 125	<b>27.91</b>	60
15	28	EBU 150	<b>29.75</b>	60
17.5	33.5	EBU 175	<b>32.37</b>	60
20	44.5	EBU 200	<b>35.27</b>	60
L = 1.00 m				
8	13	EBU 80/100	<b>23.32</b>	60
10	17.5	EBU 100/100	<b>26.06</b>	60
11	20	EBU 110/100	<b>27.99</b>	60
12.5	23	EBU 125/100	<b>28.78</b>	60




## Transition profile

### Schlüter®-RENO-RAMP



Schlüter-RENO-RAMP is a profile for creating stepless transitions from heavily trafficked tile coverings to adjoining coverings of a lower height. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 1.2)



### Schlüter®-RENO-RAMP-AE

anodised aluminium


H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	50	AERP 60 B50	21.63	60
10	64	AERP 100 B65	22.97	60
12.5	64	AERP 125 B65	23.53	60
12.5	89	AERP 125 B90	27.38	60
15	89	AERP 150 B90	29.81	60
20	89	AERP 200 B90	35.42	60

## Transition profile

### Schlüter®-RENO-RAMP-K



Schlüter-RENO-RAMP-K is a profile for creating stepless transitions between heavily trafficked tile coverings to adjoining coverings of a lower height. The profile can be retrofitted between the covering material and the substrate for subsequent height adjustment.  
(Product data sheet 1.2)



### Schlüter®-RENO-RAMP-K

anodised aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
12.5	64	AERPK 125 B65	20.00	60




## Transition profile

## Schlüter®-RENO-T



Schlüter-RENO-T is retrofitted to adjoin different types of floor coverings of the same height.

(Product data sheet 1.3)



## Schlüter®-RENO-T-M

brass

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
14	T 9/14 M	<b>7.67</b>	120
25	T 9/25 M	<b>13.09</b>	120
L = 1.00 m			
14	T 9/14 M/100	<b>8.29</b>	120
25	T 9/25 M/100	<b>13.70</b>	120

## Schlüter®-RENO-T-A

aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
14	T 9/14 A	<b>3.02</b>	120
25	T 9/25 A	<b>3.80</b>	120
L = 1.00 m			
14	T 9/14 A/100	<b>3.57</b>	120
25	T 9/25 A/100	<b>4.42</b>	120

## Schlüter®-RENO-T-AE

anodised aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
14	T 9/14 A E	<b>4.85</b>	120
25	T 9/25 A E	<b>5.22</b>	120
L = 1.00 m			
14	T 9/14 A E/100	<b>5.42</b>	120
25	T 9/25 A E/100	<b>5.82</b>	120

## Schlüter®-RENO-T-E

stainless steel V2A

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
14	T 9/14 E	<b>11.12</b>	120
25	T 9/25 E	<b>14.36</b>	120
L = 1.00 m			
14	T 9/14 E/100	<b>11.72</b>	120
25	T 9/25 E/100	<b>14.96</b>	120

## Schlüter®-RENO-T-EB

brushed stainless steel V2A

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
14	T 9/14 EB	<b>14.45</b>	120
25	T 9/25 EB	<b>18.69</b>	120
L = 1.00 m			
14	T 9/14 EB/100	<b>15.28</b>	120
25	T 9/25 EB/100	<b>19.48</b>	120

**Note:**


The profiles Schlüter-RENO-T-M / -T-A / -T-AE can be formed to a curve without any special perforations, using the profile forming machine Schlüter-RUMA.

## Separator profile

## Schlüter®-TERRAZZO




Schlüter-TERRAZZO is a decorative divider profile of solid brass that is incorporated into terrazzo coverings.



## Schlüter®-TERRAZZO-M

brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
30	TM 4 x 30	<b>12.05</b>	120





# Schlüter-profiles

Wall corner and edge profiles, bathroom accessories

Edge protection is not a question of taste. Beautifully crafted tile coverings are too precious to neglect their protection. Reliably secure the results of your labour with edge protection profiles by Schlüter-Systems. Their wide variety of shapes, colours and finishes give you full freedom of design.





## Finishing profiles

Schlüter®-QUADEC	55–64
Schlüter®-RONDEC	65–75
Schlüter®-JOLLY	77–83
Schlüter®-FINEC	85–90
Schlüter®-DECO	96–97
Schlüter®-INDEC	97
Schlüter®-RONDEC-STEP	110–111
Schlüter®-SCHIENE-STEP	112–113

## Profile systems with bathroom accessories

Schlüter®-ARCLINE	92–95
-------------------	-------

## Corner profiles

Schlüter®-ECK	98–100
---------------	--------

## Cove-shaped profiles

Schlüter®-ECK-KHK	101
-------------------	-----

## Border profiles for coverings

Schlüter®-DESIGNLINE	102
----------------------	-----

## Decorative profiles

Schlüter®-QUADEC-FS	103
---------------------	-----

## Mounting profiles

Schlüter®-DECO-SG	104
-------------------	-----

## Skirting profiles

Schlüter®-DESIGNBASE	105–108
----------------------	---------



# Schlüter-profiles


“Heavy metal” for tiles

The ideal choice for combining dependable edge protection with an elegant look that matches chrome plated or stainless steel fittings. Whether stainless steel or chrome plated brass, Schlüter-QUADEC guarantees lasting enjoyment of tile coverings.




## Finishing profile

## Schlüter®-QUADEC-MC



Schlüter-QUADEC-MC is a high-quality chrome plated brass finishing profile for external corners and edges of tiled walls. The visible area of the profile forms a right angled external corner.

(Product data sheet 2.10)



## Schlüter®-QUADEC-MC

chrome plated brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 MC	<b>32.20</b>	120
8	Q 80 MC	<b>34.05</b>	120
10	Q 100 MC	<b>35.47</b>	120
11	Q 110 MC	<b>36.58</b>	120
12.5	Q 125 MC	<b>37.48</b>	120
15	Q 150 MC	<b>39.48</b>	120

## Corner

## Schlüter®-QUADEC-MC/EV


90° external/internal corner,  
solid chrome plated brass

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / Q 60 MC	<b>18.55</b>	50
8	EV / Q 80 MC	<b>18.97</b>	50
10	EV / Q 100 MC	<b>20.44</b>	50
11	EV / Q 110 MC	<b>20.77</b>	50
12.5	EV / Q 125 MC	<b>20.95</b>	50
15	EV / Q 150 MC	<b>21.72</b>	50

## Schlüter®-QUADEC-MC/ED

90° external/internal corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / Q 60 MC	<b>4.22</b>	50
8	ED / Q 80 MC	<b>4.22</b>	50
10	ED / Q 100 MC	<b>4.22</b>	50
11	ED / Q 110 MC	<b>4.22</b>	50
12.5	ED / Q 125 MC	<b>4.22</b>	50
15	ED / Q 150 MC	<b>4.22</b>	50



The variable corner pieces can be used for internal and external corners.




## Finishing profile

### Schlüter®-QUADEC-E



Schlüter-QUADEC-E is a stainless steel finishing profile that offers excellent edge protection for external corners of tiled walls. The visible area of the profile forms a right angled external corner for tile coverings.  
(Product data sheet 2.10)



#### Schlüter®-QUADEC-E



stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 E	12.34	120
6	Q 60 E	13.15	120
7	Q 70 E	13.70	120
8	Q 80 E	14.17	120
9	Q 90 E	14.90	120
10	Q 100 E	15.18	120
11	Q 110 E	15.53	120
12.5	Q 125 E	16.11	120
14	Q 140 E	16.68	120
15	Q 150 E	17.16	120

#### Schlüter®-QUADEC-EB



brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
—	—	—	—
6	Q 60 EB	17.28	120
7	Q 70 EB	17.83	120
8	Q 80 EB	18.60	120
9	Q 90 EB	19.38	120
10	Q 100 EB	19.93	120
11	Q 110 EB	20.74	120
12.5	Q 125 EB	21.18	120
14	Q 140 EB	22.28	120
15	Q 150 EB	22.63	120

#### Schlüter®-QUADEC-EP



polished stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
—	—	—	—
6	Q 60 EP	24.11	120
—	—	—	—
8	Q 80 EP	25.12	120
—	—	—	—
10	Q 100 EP	26.12	120
—	—	—	—
12.5	Q 125 EP	28.15	120
—	—	—	—
15	Q 150 EP	30.14	120

#### Schlüter®-QUADEC-E V4A



stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 E / V4A	14.63	120
8	Q 80 E / V4A	15.79	120
10	Q 100 E / V4A	16.91	120
12.5	Q 125 E / V4A	17.86	120

#### Note:

Schlüter-QUADEC-E/-EB profiles in heights of 14/15 mm are not available with radius perforation.

Schlüter-QUADEC-EP profiles in heights of 15 mm are not available with radius perforation.

For 3 metre length, add "/300" to art. no. (e.g. Q 60 E/300).

## Corner | end cap | connector

#### Schlüter®-QUADEC-E/EV

90° external/internal corner,  
solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 E	21.49	50
6	EV / Q 60 E	21.94	50
7	EV / Q 70 E	22.24	50
8	EV / Q 80 E	22.53	50
9	EV / Q 90 E	23.83	50
10	EV / Q 100 E	24.30	50
11	EV / Q 110 E	24.61	50
12.5	EV / Q 125 E	24.85	50
14	EV / Q 140 E	25.31	50
15	EV / Q 150 E	25.45	50

#### Schlüter®-QUADEC-E/ED

90° external/internal corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 E	4.26	50
6	ED / Q 60 E	4.26	50
7	ED / Q 70 E	4.27	50
8	ED / Q 80 E	4.26	50
9	ED / Q 90 E	4.26	50
10	ED / Q 100 E	4.26	50
11	ED / Q 110 E	4.26	50
12.5	ED / Q 125 E	4.26	50
14	ED / Q 140 E	4.26	50
15	ED / Q 150 E	4.26	50




**Schlüter®-QUADEC-EB/EV**90° external/internal corner,  
brushed solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / Q 60 EB	<b>25.49</b>	50
7	EV / Q 70 EB	<b>25.83</b>	50
8	EV / Q 80 EB	<b>26.12</b>	50
9	EV / Q 90 EB	<b>27.07</b>	50
10	EV / Q 100 EB	<b>28.24</b>	50
11	EV / Q 110 EB	<b>28.41</b>	50
12.5	EV / Q 125 EB	<b>28.83</b>	50
14	EV / Q 140 EB	<b>29.06</b>	50
15	EV / Q 150 EB	<b>29.52</b>	50

**Schlüter®-QUADEC-EB/ED**90° external/internal corner,  
brushed die cast metal appearance


H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / Q 60 EB	<b>6.24</b>	50
7	ED / Q 70 EB	<b>6.24</b>	50
8	ED / Q 80 EB	<b>6.24</b>	50
9	ED / Q 90 EB	<b>6.24</b>	50
10	ED / Q 100 EB	<b>6.24</b>	50
11	ED / Q 110 EB	<b>6.24</b>	50
12.5	ED / Q 125 EB	<b>6.24</b>	50
14	ED / Q 140 EB	<b>6.24</b>	50
15	ED / Q 150 EB	<b>6.24</b>	50



The variable corner pieces can be used for internal and external corners.

**Schlüter®-QUADEC-EB/EK\***end cap,  
brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EK / Q 60 EB	<b>2.19</b>	50
7	EK / Q 70 EB	<b>2.19</b>	50
8	EK / Q 80 EB	<b>2.19</b>	50
9	EK / Q 90 EB	<b>2.19</b>	50
10	EK / Q 100 EB	<b>2.19</b>	50
11	EK / Q 110 EB	<b>2.19</b>	50
12.5	EK / Q 125 EB	<b>2.19</b>	50
14	EK / Q 140 EB	<b>2.19</b>	50
15	EK / Q 150 EB	<b>2.19</b>	50



Schlüter-QUADEC-EB/EK

\* Suitable for Schlüter-QUADEC-E, V2A.

**Schlüter®-QUADEC-EP/EV**90° external/internal corner,  
polished solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / Q 60 EP	<b>24.43</b>	50
8	EV / Q 80 EP	<b>25.92</b>	50
10	EV / Q 100 EP	<b>27.80</b>	50
12.5	EV / Q 125 EP	<b>30.14</b>	50
15	EV / Q 150 EP	<b>33.49</b>	50

**Schlüter®-QUADEC-EP/ED**90° external/internal corner,  
polished die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / Q 60 EP	<b>4.33</b>	50
8	ED / Q 80 EP	<b>4.33</b>	50
10	ED / Q 100 EP	<b>4.33</b>	50
12.5	ED / Q 125 EP	<b>4.33</b>	50
15	ED / Q 150 EP	<b>4.33</b>	50

**Schlüter®-QUADEC-EV V4A**90° external/internal corner,  
solid stainless steel V4A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / Q 60 E/V4A	<b>24.37</b>	50
8	EV / Q 80 E/V4A	<b>24.97</b>	50
10	EV / Q 100 E/V4A	<b>27.04</b>	50
12.5	EV / Q 125 E/V4A	<b>27.62</b>	50

**Schlüter®-RONDEC-E/V**

connector for stainless steel profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60 E	<b>2.16</b>	50
8	V / RO 80 E	<b>2.16</b>	50
10	V / RO 100 E	<b>2.16</b>	50
11	V / RO 110 E	<b>2.16</b>	50
12.5	V / RO 125 E	<b>2.16</b>	50



Suitable for Schlüter-RONDEC and -QUADEC profiles.




## Finishing profile

### Schlüter®-QUADEC-TS



Schlüter-QUADEC-TS is a high-quality finishing profile made of aluminium with a special textured coating for external wall corners and the edges of tile coverings. The visible area of the profile forms a right angled external corner. The joint spacer creates a uniform grout joint with the tile.

(Product data sheet 2.10)



#### Schlüter®-QUADEC-TSI



textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSI	13.77	120
6	Q 60 TSI	14.38	120
8	Q 80 TSI	15.57	120
10	Q 100 TSI	16.78	120
11	Q 110 TSI	17.38	120
12.5	Q 125 TSI	18.28	120

#### Schlüter®-QUADEC-TSC



textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSC	13.77	120
6	Q 60 TSC	14.38	120
8	Q 80 TSC	15.57	120
10	Q 100 TSC	16.78	120
11	Q 110 TSC	17.38	120
12.5	Q 125 TSC	18.28	120

#### Schlüter®-QUADEC-TSBG



textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSBG	13.77	120
6	Q 60 TSBG	14.38	120
8	Q 80 TSBG	15.57	120
10	Q 100 TSBG	16.78	120
11	Q 110 TSBG	17.38	120
12.5	Q 125 TSBG	18.28	120

#### Schlüter®-QUADEC-TSB



textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSB	13.77	120
6	Q 60 TSB	14.38	120
8	Q 80 TSB	15.57	120
10	Q 100 TSB	16.78	120
11	Q 110 TSB	17.38	120
12.5	Q 125 TSB	18.28	120

#### Schlüter®-QUADEC-TSSG



textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSSG	13.77	120
6	Q 60 TSSG	14.38	120
8	Q 80 TSSG	15.57	120
10	Q 100 TSSG	16.78	120
11	Q 110 TSSG	17.38	120
12.5	Q 125 TSSG	18.28	120

#### Schlüter®-QUADEC-TSG



textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSG	13.77	120
6	Q 60 TSG	14.38	120
8	Q 80 TSG	15.57	120
10	Q 100 TSG	16.78	120
11	Q 110 TSG	17.38	120
12.5	Q 125 TSG	18.28	120

#### Schlüter®-QUADEC-TSOB



textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSOB	13.77	120
6	Q 60 TSOB	14.38	120
8	Q 80 TSOB	15.57	120
10	Q 100 TSOB	16.78	120
11	Q 110 TSOB	17.38	120
12.5	Q 125 TSOB	18.28	120

#### Schlüter®-QUADEC-TSLA



textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSLA	13.77	120
6	Q 60 TSLA	14.38	120
8	Q 80 TSLA	15.57	120
10	Q 100 TSLA	16.78	120
11	Q 110 TSLA	17.38	120
12.5	Q 125 TSLA	18.28	120

#### Schlüter®-QUADEC-TSDA



textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSDA	13.77	120
6	Q 60 TSDA	14.38	120
8	Q 80 TSDA	15.57	120
10	Q 100 TSDA	16.78	120
11	Q 110 TSDA	17.38	120
12.5	Q 125 TSDA	18.28	120

#### Schlüter®-QUADEC-TSR



textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 TSR	13.77	120
6	Q 60 TSR	14.38	120
8	Q 80 TSR	15.57	120
10	Q 100 TSR	16.78	120
11	Q 110 TSR	17.38	120
12.5	Q 125 TSR	18.28	120

#### Schlüter®-QUADEC-MBW



colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 MBW	7.11	120
6	Q 60 MBW	7.54	120
8	Q 80 MBW	8.46	120
10	Q 100 MBW	9.22	120
11	Q 110 MBW	10.34	120
12.5	Q 125 MBW	11.54	120

#### Schlüter®-QUADEC-MGS




colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 MGS	7.11	120
6	Q 60 MGS	7.54	120
8	Q 80 MGS	8.46	120
10	Q 100 MGS	9.22	120
11	Q 110 MGS	10.34	120
12.5	Q 125 MGS	11.54	120

For 3 metre length, add "/300" to art. no. (e.g. Q 60 TSI/300).

## Corner | connector


**Schlüter®-QUADEC-TS/EV**

90° external/internal corner, aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...**	<b>11.39</b>	50
6	EV / Q 60 ...**	<b>11.39</b>	50
8	EV / Q 80 ...**	<b>11.39</b>	50
10	EV / Q 100 ...**	<b>11.39</b>	50
11	EV / Q 110 ...**	<b>11.39</b>	50
12.5	EV / Q 125 ...**	<b>11.39</b>	50

**Schlüter®-QUADEC-AC/EV**

90° external/internal corner for QUADEC-MBW/-MGS, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...*	<b>11.39</b>	50
6	EV / Q 60 ...*	<b>11.39</b>	50
8	EV / Q 80 ...*	<b>11.39</b>	50
10	EV / Q 100 ...*	<b>11.39</b>	50
11	EV / Q 110 ...*	<b>11.39</b>	50
12.5	EV / Q 125 ...*	<b>11.39</b>	50

**Schlüter®-QUADEC-AC/ED**

90° external corner for QUADEC-MBW/-MGS, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 ...*	<b>4.23</b>	50
6	ED / Q 60 ...*	<b>4.23</b>	50
8	ED / Q 80 ...*	<b>4.23</b>	50
10	ED / Q 100 ...*	<b>4.23</b>	50
11	ED / Q 110 ...*	<b>4.23</b>	50
12.5	ED / Q 125 ...*	<b>4.23</b>	50



To complete the art. no., add the finish/colour (e.g. ED / Q 45 MGS)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

**Schlüter®-RONDEC-A/V**

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60	<b>1.17</b>	50
8	V / RO 80	<b>1.17</b>	50
10	V / RO 100	<b>1.17</b>	50
11	V / RO 110	<b>1.17</b>	50
12.5	V / RO 125	<b>1.17</b>	50

**Schlüter®-QUADEC-A/V**

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / Q 60	<b>1.17</b>	50



Schlüter®-RONDEC-A/V – suitable for Schlüter®-RONDEC and -QUADEC profiles. Except H = 6 mm; RONDEC and QUADEC connector is available in that case.

## Available finishes | colours



For an overview of finishes and colours, please see page 335.



# Schlüter®-QUADEC-A

Versatility<sup>3</sup> – anodised aluminium finishes

- ✓ High-quality anodised aluminium profiles
- ✓ Five different colour choices
- ✓ Four different finishes:
  - Matte
  - Polished
  - Brushed
  - Cross brushed




## Finishing profile

### Schlüter®-QUADEC-A



Schlüter-QUADEC-A is a high-quality anodised aluminium finishing profile for external corners and edges of tiled walls. The visible area of the profile forms a right angled external corner. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 2.10)



#### Schlüter®-QUADEC-AE



anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 AE	6.04	120
6	Q 60 AE	6.32	120
8	Q 80 AE	6.82	120
10	Q 100 AE	7.44	120
11	Q 110 AE	7.75	120
12.5	Q 125 AE	8.01	120

#### Schlüter®-QUADEC-ACG



polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 ACG	13.65	120
6	Q 60 ACG	14.34	120
8	Q 80 ACG	15.09	120
10	Q 100 ACG	15.97	120
11	Q 110 ACG	16.79	120
12.5	Q 125 ACG	17.82	120

#### Schlüter®-QUADEC-ACGB



brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 ACGB	13.92	120
6	Q 60 ACGB	14.58	120
8	Q 80 ACGB	16.33	120
10	Q 100 ACGB	17.21	120
11	Q 110 ACGB	17.61	120
12.5	Q 125 ACGB	18.01	120

**Schlüter®-QUADEC-AT**

matte titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 AT	<b>6.36</b>	120
6	Q 60 AT	<b>6.68</b>	120
8	Q 80 AT	<b>7.26</b>	120
10	Q 100 AT	<b>7.90</b>	120
11	Q 110 AT	<b>8.26</b>	120
12.5	Q 125 AT	<b>8.71</b>	120

**Schlüter®-QUADEC-ATG**

polished titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 ATG	<b>13.65</b>	120
6	Q 60 ATG	<b>14.34</b>	120
8	Q 80 ATG	<b>15.09</b>	120
10	Q 100 ATG	<b>15.97</b>	120
11	Q 110 ATG	<b>16.79</b>	120
12.5	Q 125 ATG	<b>17.82</b>	120

**Schlüter®-QUADEC-ATGB**

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 ATGB	<b>13.92</b>	120
6	Q 60 ATGB	<b>14.58</b>	120
8	Q 80 ATGB	<b>16.33</b>	120
10	Q 100 ATGB	<b>17.21</b>	120
11	Q 110 ATGB	<b>17.61</b>	120
12.5	Q 125 ATGB	<b>18.01</b>	120

**Schlüter®-QUADEC-AEX**

cross brushed anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 AEX	<b>14.58</b>	120
8	Q 80 AEX	<b>16.33</b>	120
10	Q 100 AEX	<b>17.21</b>	120
11	Q 110 AEX	<b>17.68</b>	120
12.5	Q 125 AEX	<b>18.01</b>	120

**Schlüter®-QUADEC-AMX**

cross brushed brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 AMX	<b>14.58</b>	120
8	Q 80 AMX	<b>16.33</b>	120
10	Q 100 AMX	<b>17.21</b>	120
11	Q 110 AMX	<b>17.68</b>	120
12.5	Q 125 AMX	<b>18.01</b>	120

**Schlüter®-QUADEC-ATX**

cross brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 ATX	<b>14.58</b>	120
8	Q 80 ATX	<b>16.33</b>	120
10	Q 100 ATX	<b>17.21</b>	120
11	Q 110 ATX	<b>17.68</b>	120
12.5	Q 125 ATX	<b>18.01</b>	120

**Schlüter®-QUADEC-AQGX**

cross brushed quartz grey anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Q 60 AQGX	<b>14.58</b>	120
8	Q 80 AQGX	<b>16.33</b>	120
10	Q 100 AQGX	<b>17.21</b>	120
11	Q 110 AQGX	<b>17.68</b>	120
12.5	Q 125 AQGX	<b>18.01</b>	120

For 3 metre length, add "/300" to art. no. (e.g. Q 60 AE/300).

**Corner | connector****Schlüter®-QUADEC-A/EV**90° external/internal corner,  
solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...*	<b>7.71</b>	50
6	EV / Q 60 ...**	<b>7.90</b>	50
8	EV / Q 80 ...**	<b>8.23</b>	50
10	EV / Q 100 ...**	<b>8.56</b>	50
11	EV / Q 110 ...**	<b>8.75</b>	50
12.5	EV / Q 125 ...**	<b>8.92</b>	50

**Schlüter®-QUADEC-A/ED**90° external corner,  
aluminium appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 ...*	<b>4.22</b>	50
6	ED / Q 60 ...*	<b>4.22</b>	50
8	ED / Q 80 ...*	<b>4.22</b>	50
10	ED / Q 100 ...*	<b>4.22</b>	50
11	ED / Q 110 ...*	<b>4.22</b>	50
12.5	ED / Q 125 ...*	<b>4.22</b>	50

**Schlüter®-RONDEC-A/V**

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
—	—	—	—
6	V / RO 60	<b>1.17</b>	50
8	V / RO 80	<b>1.17</b>	50
10	V / RO 100	<b>1.17</b>	50
11	V / RO 110	<b>1.17</b>	50
12.5	V / RO 125	<b>1.17</b>	50

**Schlüter®-QUADEC-A/V**

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / Q 60	<b>1.17</b>	50

Schlüter-**RONDEC-A/V** – suitable for  
Schlüter-**RONDEC** and -**QUADEC** profiles.  
Except H = 6 mm; **RONDEC** and **QUADEC** connector  
is available in that case.**To complete the art. no., add the finish (e.g. ED / Q 45 ACGB)**

\* Finishes: ACG - ACGB - AE - AT - ATG - ATGB

\*\* Finishes: ACG - ACGB - AE - AEX - AMX - AQGX - AT - ATG - ATGB - ATX

For an overview of finishes and colours, please see page 335.



# Schlüter-profiles

Black and White

The rich texture of the finishes matte brilliant white (MBW) and matte graphite black (MGS) offers a completely new appearance that perfectly complements classic tiles and stylish new designs with textured finishes.






Finishing profile

Schlüter®-QUADEC-AC



Schlüter-QUADEC-AC is a high-quality colour coated aluminium finishing profile for external corners and the edges of tiled coverings. The visible area of the profile forms a right angled external corner. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 2.10)



Schlüter®-QUADEC-AC

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	Q 45 ...*	7.07	120
6	Q 60 ...**	7.52	120
8	Q 80 ...**	8.45	120
10	Q 100 ...**	9.19	120
11	Q 110 ...**	10.34	120
12.5	Q 125 ...**	11.51	120

**MyDesign by Schlüter-Systems**  
Custom prints or coating in 190 RAL Classic colours available. More details from page 16.

For 3 metre length, add "/300" to art. no. (e.g. Q 60 BW/300).

Corner | connector

Schlüter®-QUADEC-AC/ED


90° external corner, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 ...*	4.22	50
6	ED / Q 60 ...**	4.22	50
8	ED / Q 80 ...**	4.22	50
10	ED / Q 100 ...**	4.22	50
11	ED / Q 110 ...**	4.22	50
12.5	ED / Q 125 ...**	4.22	50

Schlüter®-QUADEC-AC/EV

90° external/internal corner for QUADEC-MBW-MGS, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...***	11.39	50
6	EV / Q 60 ...***	11.39	50
8	EV / Q 80 ...***	11.39	50
10	EV / Q 100 ...***	11.39	50
11	EV / Q 110 ...***	11.39	50
12.5	EV / Q 125 ...***	11.39	50



Schlüter®-RONDEC-A/V

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60	1.17	50
8	V / RO 80	1.17	50
10	V / RO 100	1.17	50
11	V / RO 110	1.17	50
12.5	V / RO 125	1.17	50

Schlüter®-QUADEC-A/V

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / Q 60	1.17	50



Schlüter-RONDEC-A/V – suitable for Schlüter-RONDEC and -QUADEC profiles. Except H = 6 mm; RONDEC and QUADEC connector is available in that case.

To complete the art. no., add the colour (e.g. EV / Q 45 MBW)



\* Colours: BW - G - MBW - MGS - PG - PW - QG - VG - W

\*\* Colours: BW - GS - MBW - MGS - PG - QG - VG - W

\*\*\* Colours: MBW - MGS

Colours L = 3.00 m: BW - GS - MBW - MGS - PG - QG - VG - W

For an overview of finishes and colours, please see page 335.






## Finishing profile

### Schlüter®-QUADEC-PQ



Schlüter-QUADEC-PQ is a finishing profile of coloured PVC for external wall corners and the edges of tile coverings. The visible area of the profile forms a right angled external corner. The joint spacer creates a uniform grout joint with the tile.

(Product data sheet 2.10)



### Schlüter®-QUADEC-PQ

coloured PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	PQ 60 ...*	2.85	240
8	PQ 80 ...*	3.01	240
10	PQ 100 ...*	3.20	240
11	PQ 110 ...*	3.27	240
12.5	PQ 125 ...*	3.45	240

## Corner

### Schlüter®-QUADEC-PQ/E

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
6	E / PQ 60 ...*	1.80	50
8	E / PQ 80 ...*	1.80	50
10	E / PQ 100 ...*	1.80	50
11	E / PQ 110 ...*	1.80	50
12.5	E / PQ 125 ...*	1.80	50



To complete the art. no., add the colour (e.g. E / PQ 60 PG)



\* Colours: BH - BW - GS - PG - SP - W


For an overview of finishes and colours, please see page 335.

## Finishing profile

### Schlüter®-RONDEC-MC



Schlüter-RODEC-MC is a symmetrically rounded profile for external wall corners or the edges of coverings, made of brass with a chrome plated finish.  
(Product data sheet 2.1)



### Schlüter®-RONDEC-MC

chrome plated brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 MC	<b>30.71</b>	120
8	RO 80 MC	<b>32.42</b>	120
10	RO 100 MC	<b>33.79</b>	120
11	RO 110 MC	<b>34.59</b>	120
12.5	RO 125 MC	<b>35.67</b>	120

## Corner

### Schlüter®-RONDEC-MC/EV

90° external corner,  
solid chrome plated brass

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 MC	<b>15.74</b>	50
8	EV / RO 80 MC	<b>16.44</b>	50
10	EV / RO 100 MC	<b>17.15</b>	50
11	EV / RO 110 MC	<b>17.36</b>	50
12.5	EV / RO 125 MC	<b>17.82</b>	50

### Schlüter®-RONDEC-MC/ED

90° external corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 MC	<b>3.43</b>	50
8	ED / RO 80 MC	<b>3.43</b>	50
10	ED / RO 100 MC	<b>3.43</b>	50
11	ED / RO 110 MC	<b>3.43</b>	50
12.5	ED / RO 125 MC	<b>3.43</b>	50



### Schlüter®-RONDEC-MC/IV

90° internal corner,  
solid chrome plated brass

H (mm)	Art. No.	£ / U.	P (Unit)
6	IV / RO 60 MC	<b>15.74</b>	50
8	IV / RO 80 MC	<b>16.44</b>	50
10	IV / RO 100 MC	<b>17.15</b>	50
11	IV / RO 110 MC	<b>17.36</b>	50
12.5	IV / RO 125 MC	<b>17.82</b>	50

### Schlüter®-RONDEC-MC/ID

90° internal corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 MC	<b>3.43</b>	50
8	ID / RO 80 MC	<b>3.43</b>	50
10	ID / RO 100 MC	<b>3.43</b>	50
11	ID / RO 110 MC	<b>3.43</b>	50
12.5	ID / RO 125 MC	<b>3.43</b>	50






## Finishing profile

### Schlüter®-RONDEC-E



Schlüter-RODEC-E is a symmetrically rounded profile for external wall corners or the edges of coverings, made of stainless steel with different finishes.  
(Product data sheet 2.1)



#### Schlüter®-RONDEC-E



stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	RO 45 E	12.89	120
6	RO 60 E	13.15	120
7	RO 70 E	13.77	120
8	RO 80 E	14.17	120
9	RO 90 E	14.78	120
10	RO 100 E	15.18	120
11	RO 110 E	15.77	120
12.5	RO 125 E	16.11	120
15	RO 150 E	17.72	120
<b>L = 1.00 m</b>			
6	RO 60 E/100	13.70	120
8	RO 80 E/100	14.73	120
10	RO 100 E/100	15.75	120
12.5	RO 125 E/100	16.69	120

#### Schlüter®-RONDEC-EB



brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
—	—	—	—
6	RO 60 EB	17.28	120
7	RO 70 EB	18.02	120
8	RO 80 EB	18.60	120
9	RO 90 EB	19.32	120
10	RO 100 EB	19.93	120
11	RO 110 EB	20.53	120
12.5	RO 125 EB	21.18	120
15	RO 150 EB	23.27	120

#### Schlüter®-RONDEC-EP



polished stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
—	—	—	—
6	RO 60 EP	25.48	120
—	—	—	—
8	RO 80 EP	26.49	120
—	—	—	—
10	RO 100 EP	27.53	120
—	—	—	—
12.5	RO 125 EP	28.58	120
15	RO 150 EP	29.91	120

#### Note:

For technical reasons, products that are only one metre in length are not available with radius perforations.

For 3 metre length, add "/300" to art. no. (e.g. RO 60 E/300).

#### Schlüter®-RONDEC-E V4A



stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 E/V4A	14.86	120
8	RO 80 E/V4A	15.97	120
10	RO 100 E/V4A	17.12	120
12.5	RO 125 E/V4A	18.24	120

## Corner | end cap | connector

#### Schlüter®-RONDEC-E/EV

90° external corner,  
solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / RO 45 E	21.94	50
6	EV / RO 60 E	21.94	50
7	EV / RO 70 E	22.53	50
8	EV / RO 80 E	22.53	50
9	EV / RO 90 E	24.30	50
10	EV / RO 100 E	24.30	50
11	EV / RO 110 E	24.85	50
12.5	EV / RO 125 E	24.85	50
15	EV / RO 150 E	31.18	50

#### Schlüter®-RONDEC-E/ED

90° external corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / RO 45 E	3.45	50
6	ED / RO 60 E	3.45	50
7	ED / RO 70 E	3.45	50
8	ED / RO 80 E	3.45	50
9	ED / RO 90 E	3.45	50
10	ED / RO 100 E	3.45	50
11	ED / RO 110 E	3.45	50
12.5	ED / RO 125 E	3.45	50
15	ED / RO 150 E	3.45	50

#### Schlüter®-RONDEC-E/ID

90° internal corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ID / RO 45 E	3.45	50
6	ID / RO 60 E	3.45	50
7	ID / RO 70 E	3.45	50
8	ID / RO 80 E	3.45	50
9	ID / RO 90 E	3.45	50
10	ID / RO 100 E	3.45	50
11	ID / RO 110 E	3.45	50
12.5	ID / RO 125 E	3.45	50
15	ID / RO 150 E	3.45	50

**Schlüter®-RONDEC-EB/EV**

 90° external corner,  
brushed solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 EB	<b>25.49</b>	50
7	EV / RO 70 EB	<b>26.03</b>	50
8	EV / RO 80 EB	<b>26.12</b>	50
9	EV / RO 90 EB	<b>27.64</b>	50
10	EV / RO 100 EB	<b>28.24</b>	50
11	EV / RO 110 EB	<b>28.67</b>	50
12.5	EV / RO 125 EB	<b>28.83</b>	50
15	EV / RO 150 EB	<b>36.22</b>	50

**Schlüter®-RONDEC-EB/ED**

 90° external corner,  
brushed die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 EB	<b>5.44</b>	50
7	ED / RO 70 EB	<b>5.44</b>	50
8	ED / RO 80 EB	<b>5.44</b>	50
9	ED / RO 90 EB	<b>5.44</b>	50
10	ED / RO 100 EB	<b>5.44</b>	50
11	ED / RO 110 EB	<b>5.44</b>	50
12.5	ED / RO 125 EB	<b>5.44</b>	50
15	ED / RO 150 EB	<b>5.44</b>	50

**Schlüter®-RONDEC-EB/ID**


 90° internal corner,  
brushed die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 EB	<b>5.44</b>	50
7	ID / RO 70 EB	<b>5.44</b>	50
8	ID / RO 80 EB	<b>5.44</b>	50
9	ID / RO 90 EB	<b>5.44</b>	50
10	ID / RO 100 EB	<b>5.44</b>	50
11	ID / RO 110 EB	<b>5.44</b>	50
12.5	ID / RO 125 EB	<b>5.44</b>	50
15	ID / RO 150 EB	<b>5.44</b>	50

**Schlüter®-RONDEC-EB/EK\***

 end cap,  
brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EK / RO 45 EB	<b>2.19</b>	50
6	EK / RO 60 EB	<b>2.19</b>	50
7	EK / RO 70 EB	<b>2.19</b>	50
8	EK / RO 80 EB	<b>2.19</b>	50
9	EK / RO 90 EB	<b>2.19</b>	50
10	EK / RO 100 EB	<b>2.19</b>	50
11	EK / RO 110 EB	<b>2.19</b>	50
12.5	EK / RO 125 EB	<b>2.19</b>	50
15	EK / RO 150 EB	<b>2.19</b>	50



Schlüter-RONDEC-EB/EK

\* Suitable for Schlüter-RONDEC-E and -EB profiles.

**Schlüter®-RONDEC-EP/EV**

 90° external corner,  
polished solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 EP	<b>25.96</b>	50
8	EV / RO 80 EP	<b>26.63</b>	50
10	EV / RO 100 EP	<b>28.78</b>	50
12.5	EV / RO 125 EP	<b>29.37</b>	50
15	EV / RO 150 EP	<b>36.90</b>	50

**Schlüter®-RONDEC-EP/ED**

 90° external corner,  
polished die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 EP	<b>3.52</b>	50
8	ED / RO 80 EP	<b>3.52</b>	50
10	ED / RO 100 EP	<b>3.52</b>	50
12.5	ED / RO 125 EP	<b>3.52</b>	50
15	ED / RO 150 EP	<b>3.52</b>	50

**Schlüter®-RONDEC-EP/ID**

 90° internal corner,  
polished die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 EP	<b>3.52</b>	50
8	ID / RO 80 EP	<b>3.52</b>	50
10	ID / RO 100 EP	<b>3.52</b>	50
12.5	ID / RO 125 EP	<b>3.52</b>	50
15	ID / RO 150 EP	<b>3.52</b>	50

**Schlüter®-RONDEC-E V4A/EV**

 90° external corner,  
solid stainless steel V4A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 E/V4A	<b>24.37</b>	50
8	EV / RO 80 E/V4A	<b>24.97</b>	50
10	EV / RO 100 E/V4A	<b>26.99</b>	50
12.5	EV / RO 125 E/V4A	<b>27.61</b>	50


**Schlüter®-RONDEC-E/V**

connector for stainless steel profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60 E	<b>2.16</b>	50
8	V / RO 80 E	<b>2.16</b>	50
10	V / RO 100 E	<b>2.16</b>	50
11	V / RO 110 E	<b>2.16</b>	50
12.5	V / RO 125 E	<b>2.16</b>	50



Suitable for Schlüter-RONDEC and -QUADEC profiles.




## Finishing profile

### Schlüter®-RONDEC-TS



Schlüter-**RONDEC-TS** is a symmetrically rounded profile with integrated joint spacer for external wall corners and the edges of tile coverings, made of aluminium with a specially textured coating. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 2.1)



#### Schlüter®-RONDEC-TSI

textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSI	13.77	120
8	RO 80 TSI	14.68	120
10	RO 100 TSI	15.57	120
11	RO 110 TSI	16.19	120
12.5	RO 125 TSI	17.10	120

#### Schlüter®-RONDEC-TSC

textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSC	13.77	120
8	RO 80 TSC	14.68	120
10	RO 100 TSC	15.57	120
11	RO 110 TSC	16.19	120
12.5	RO 125 TSC	17.10	120

#### Schlüter®-RONDEC-TSBG

textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSBG	13.77	120
8	RO 80 TSBG	14.68	120
10	RO 100 TSBG	15.57	120
11	RO 110 TSBG	16.19	120
12.5	RO 125 TSBG	17.10	120

#### Schlüter®-RONDEC-TSB

textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSB	13.77	120
8	RO 80 TSB	14.68	120
10	RO 100 TSB	15.57	120
11	RO 110 TSB	16.19	120
12.5	RO 125 TSB	17.10	120

#### Schlüter®-RONDEC-TSSG

textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSSG	13.77	120
8	RO 80 TSSG	14.68	120
10	RO 100 TSSG	15.57	120
11	RO 110 TSSG	16.19	120
12.5	RO 125 TSSG	17.10	120

#### Schlüter®-RONDEC-TSG

textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSG	13.77	120
8	RO 80 TSG	14.68	120
10	RO 100 TSG	15.57	120
11	RO 110 TSG	16.19	120
12.5	RO 125 TSG	17.10	120

#### Schlüter®-RONDEC-TSOB

textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSOB	13.77	120
8	RO 80 TSOB	14.68	120
10	RO 100 TSOB	15.57	120
11	RO 110 TSOB	16.19	120
12.5	RO 125 TSOB	17.10	120

#### Schlüter®-RONDEC-TSLA

textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSLA	13.77	120
8	RO 80 TSLA	14.68	120
10	RO 100 TSLA	15.57	120
11	RO 110 TSLA	16.19	120
12.5	RO 125 TSLA	17.10	120

#### Schlüter®-RONDEC-TSDA

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSDA	13.77	120
8	RO 80 TSDA	14.68	120
10	RO 100 TSDA	15.57	120
11	RO 110 TSDA	16.19	120
12.5	RO 125 TSDA	17.10	120

#### Schlüter®-RONDEC-TSR

textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 TSR	13.77	120
8	RO 80 TSR	14.68	120
10	RO 100 TSR	15.57	120
11	RO 110 TSR	16.19	120
12.5	RO 125 TSR	17.10	120

#### Schlüter®-RONDEC-MBW

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 MBW	7.22	120
8	RO 80 MBW	8.04	120
10	RO 100 MBW	8.81	120
11	RO 110 MBW	9.93	120
12.5	RO 125 MBW	10.99	120


#### Schlüter®-RONDEC-MGS

colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 MGS	7.22	120
8	RO 80 MGS	8.04	120
10	RO 100 MGS	8.81	120
11	RO 110 MGS	9.93	120
12.5	RO 125 MGS	10.99	120

For 3 metre length, add "/300" to art. no. (e.g. RO 60 TSI/300).

## Corner



### Schlüter®-RONDEC-TS/EV

90° external corner aluminium, textured natural

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 ...*	<b>11.39</b>	50
8	EV / RO 80 ...*	<b>11.39</b>	50
10	EV / RO 100 ...*	<b>11.39</b>	50
11	EV / RO 110 ...*	<b>11.39</b>	50
12.5	EV / RO 125 ...*	<b>11.39</b>	50

### Schlüter®-RONDEC-TS/IV

90° internal corner aluminium, textured natural

H (mm)	Art. No.	£ / U.	P (Unit)
6	IV / RO 60 ...*	<b>11.39</b>	50
8	IV / RO 80 ...*	<b>11.39</b>	50
10	IV / RO 100 ...*	<b>11.39</b>	50
11	IV / RO 110 ...*	<b>11.39</b>	50
12.5	IV / RO 125 ...*	<b>11.39</b>	50

### Schlüter®-RONDEC-AC/ED

90° external corner for RONDEC-MBW/-MGS, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 ...**	<b>3.43</b>	50
8	ED / RO 80 ...**	<b>3.43</b>	50
10	ED / RO 100 ...**	<b>3.43</b>	50
11	ED / RO 110 ...**	<b>3.43</b>	50
12.5	ED / RO 125 ...**	<b>3.43</b>	50

### Schlüter®-RONDEC-AC/ID

90° internal corner for RONDEC-MBW/-MGS, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 ...**	<b>3.43</b>	50
8	ID / RO 80 ...**	<b>3.43</b>	50
10	ID / RO 100 ...**	<b>3.43</b>	50
11	ID / RO 110 ...**	<b>3.43</b>	50
12.5	ID / RO 125 ...**	<b>3.43</b>	50



To complete the art. no., add the finish/colour (e.g. ID / RO 60 MGS)

\* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

\*\* Finishes/colours: MBW - MGS

## Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-RONDEC-A



Schlüter-RONDEC-A is a symmetrically rounded profile with an integrated joint spacer for external wall corners or edges of coverings, made of aluminium with different anodised finishes. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 2.1)



#### Schlüter®-RONDEC-AE



anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AE	<b>6.02</b>	120
8	RO 80 AE	<b>6.51</b>	120
9	RO 90 AE	<b>6.81</b>	120
10	RO 100 AE	<b>7.10</b>	120
11	RO 110 AE	<b>7.34</b>	120
12.5	RO 125 AE	<b>7.60</b>	120
15	RO 150 AE	<b>8.06</b>	120

#### Schlüter®-RONDEC-ACG



polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 ACG	<b>13.68</b>	120
8	RO 80 ACG	<b>14.35</b>	120
9	RO 90 ACG	<b>14.79</b>	120
10	RO 100 ACG	<b>15.23</b>	120
11	RO 110 ACG	<b>16.10</b>	120
12.5	RO 125 ACG	<b>16.98</b>	120
15	RO 150 ACG	<b>17.68</b>	120

#### Schlüter®-RONDEC-ACGB



brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 ACGB	<b>13.88</b>	120
8	RO 80 ACGB	<b>15.56</b>	120
9	RO 90 ACGB	<b>15.95</b>	120
10	RO 100 ACGB	<b>16.41</b>	120
11	RO 110 ACGB	<b>16.75</b>	120
12.5	RO 125 ACGB	<b>17.17</b>	120
15	RO 150 ACGB	<b>17.94</b>	120

#### Schlüter®-RONDEC-AM



matte brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AM	<b>6.33</b>	120
8	RO 80 AM	<b>6.93</b>	120
10	RO 100 AM	<b>7.51</b>	120
12.5	RO 125 AM	<b>8.29</b>	120

#### Schlüter®-RONDEC-AMG



polished brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AMG	<b>13.68</b>	120
8	RO 80 AMG	<b>14.35</b>	120
10	RO 100 AMG	<b>15.23</b>	120
12.5	RO 125 AMG	<b>16.98</b>	120

#### Schlüter®-RONDEC-AMGB



brushed brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AMGB	<b>13.88</b>	120
8	RO 80 AMGB	<b>15.56</b>	120
10	RO 100 AMGB	<b>16.41</b>	120
12.5	RO 125 AMGB	<b>17.17</b>	120

#### Schlüter®-RONDEC-AK



matte copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AK	<b>6.33</b>	120
8	RO 80 AK	<b>6.93</b>	120
10	RO 100 AK	<b>7.51</b>	120
12.5	RO 125 AK	<b>8.29</b>	120

#### Schlüter®-RONDEC-AKG



polished copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AKG	<b>13.68</b>	120
8	RO 80 AKG	<b>14.35</b>	120
10	RO 100 AKG	<b>15.23</b>	120
12.5	RO 125 AKG	<b>16.98</b>	120

#### Schlüter®-RONDEC-AKGB



brushed copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AKGB	<b>13.88</b>	120
8	RO 80 AKGB	<b>15.56</b>	120
10	RO 100 AKGB	<b>16.41</b>	120
12.5	RO 125 AKGB	<b>17.17</b>	120

#### Schlüter®-RONDEC-AT



matte titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AT	<b>6.33</b>	120
8	RO 80 AT	<b>6.93</b>	120
10	RO 100 AT	<b>7.51</b>	120
12.5	RO 125 AT	<b>8.29</b>	120

#### Schlüter®-RONDEC-ATG



polished titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 ATG	<b>13.68</b>	120
8	RO 80 ATG	<b>14.35</b>	120
10	RO 100 ATG	<b>15.23</b>	120
12.5	RO 125 ATG	<b>16.98</b>	120

#### Schlüter®-RONDEC-ATGB



brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 ATGB	<b>13.88</b>	120
8	RO 80 ATGB	<b>15.56</b>	120
10	RO 100 ATGB	<b>16.41</b>	120
12.5	RO 125 ATGB	<b>17.17</b>	120

#### Note:

The Schlüter-RONDEC-A profile in a height of 15 mm is not available with radius perforation. For 3 metre length, add "/300" to art. no. (e.g. RO 60 AE/300).

**Schlüter®-RONDEC-AGSB**


brushed graphite black anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	RO 60 AGSB	<b>13.88</b>	120
8	RO 80 AGSB	<b>15.56</b>	120
10	RO 100 AGSB	<b>16.41</b>	120
12.5	RO 125 AGSB	<b>17.17</b>	120


**Corner | connector**
**Schlüter®-RONDEC-A/EV**

 90° external corner,  
solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / RO 60 ...*	<b>7.90</b>	50
8	EV / RO 80 ...*	<b>8.23</b>	50
9	EV / RO 90 ...**	<b>8.44</b>	50
10	EV / RO 100 ...*	<b>8.56</b>	50
11	EV / RO 110 ...**	<b>8.68</b>	50
12.5	EV / RO 125 ...*	<b>8.92</b>	50
15	EV / RO 150 ...**	<b>9.18</b>	50

**Schlüter®-RONDEC-A/ED**

 90° external corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 ...***	<b>3.43</b>	50
8	ED / RO 80 ...***	<b>3.43</b>	50
9	ED / RO 90 ...**	<b>3.43</b>	50
10	ED / RO 100 ...***	<b>3.43</b>	50
11	ED / RO 110 ...**	<b>3.43</b>	50
12.5	ED / RO 125 ...***	<b>3.43</b>	50
15	ED / RO 150 ...**	<b>3.43</b>	50


**Schlüter®-RONDEC-A/IV**

 90° internal corner,  
solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	IV / RO 60 ...*	<b>7.90</b>	50
8	IV / RO 80 ...*	<b>8.23</b>	50
9	IV / RO 90 ...**	<b>8.44</b>	50
10	IV / RO 100 ...*	<b>8.56</b>	50
11	IV / RO 110 ...**	<b>8.68</b>	50
12.5	IV / RO 125 ...*	<b>8.92</b>	50
15	IV / RO 150 ...**	<b>9.18</b>	50

**Schlüter®-RONDEC-A/ID**

 90° internal corner,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 ...**	<b>3.43</b>	50
8	ID / RO 80 ...**	<b>3.43</b>	50
9	ID / RO 90 ...**	<b>3.43</b>	50
10	ID / RO 100 ...**	<b>3.43</b>	50
11	ID / RO 110 ...**	<b>3.43</b>	50
12.5	ID / RO 125 ...**	<b>3.43</b>	50
15	ID / RO 150 ...**	<b>3.43</b>	50


**Schlüter®-RONDEC-A/V**

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60	<b>1.17</b>	50
8	V / RO 80	<b>1.17</b>	50
10	V / RO 100	<b>1.17</b>	50
11	V / RO 110	<b>1.17</b>	50
12.5	V / RO 125	<b>1.17</b>	50



Schlüter-RODEC-A/V – suitable for Schlüter-RODEC and -QUADEC profiles. Except H = 6 mm; RONDEC and QUADEC connector is available in that case.


**To complete the art. no., add the finish (e.g. EV / RO 60 ACGB)**

\* Finishes: ACG - ACGB - AE - AGSB - AK - AKG - AKGB - AM - AMG - AMGB - AT - ATG - ATGB

\*\* Finishes: ACG - ACGB - AE

\*\*\* Finishes: ACG - ACGB - AE - AT - ATG - ATGB

For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-RONDEC-AC



Schlüter-RODEC-AC is a symmetrically rounded profile with integrated joint spacer for external wall corners and the edges of coverings, made of colour coated aluminium. The joint spacer creates a uniform grout joint with the tile.

(Product data sheet 2.1)



#### Schlüter®-RONDEC-AC



colour coated aluminium

H (mm)		L = 2.50 m Art. No.	£ / m	KV (Unit)
6	Ⓢ	RO 60 ...*	7.21	120
8	Ⓢ	RO 80 ...*	8.04	120
10	Ⓢ	RO 100 ...*	8.78	120
11	Ⓢ	RO 110 ...**	9.93	120
12.5	Ⓢ	RO 125 ...*	10.98	120

**MyDesign by Schlüter-Systems**  
Custom prints or coating in 190 RAL Classic colours available. More details from page 16.

For 3 metre length, add "/300" to art. no. (e.g. RO 60 BW/300).

## Corner | connector

#### Schlüter®-RONDEC-AC/ED

90° external corner, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ED / RO 60 ...*	3.43	50
8	ED / RO 80 ...*	3.43	50
10	ED / RO 100 ...*	3.43	50
11	ED / RO 110 ...**	3.43	50
12.5	ED / RO 125 ...*	3.43	50

#### Schlüter®-RONDEC-AC/ID

90° internal corner, die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
6	ID / RO 60 ...*	3.43	50
8	ID / RO 80 ...*	3.43	50
10	ID / RO 100 ...*	3.43	50
11	ID / RO 110 ...**	3.43	50
12.5	ID / RO 125 ...*	3.43	50



#### Schlüter®-RONDEC-A/V

connector for aluminium profiles

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / RO 60	1.17	50
8	V / RO 80	1.17	50
10	V / RO 100	1.17	50
11	V / RO 110	1.17	50
12.5	V / RO 125	1.17	50



Schlüter-RODEC-A/V – suitable for Schlüter-RODEC and -QUADEC profiles. Except H = 6 mm; RONDEC and QUADEC connector is available in that case.

To complete the art. no., add the colour (e.g. ID / RO 60 GM)



\* Colours L = 2.50 m: BH - BW - G - GM - GS - HB - HG - MBW - MGS - PG - W

\*\* Colours L = 2.50 m: BH - BW - MBW - MGS - PG - W

Colours L = 3.00 m: BW - MBW - MGS - PG - W

For an overview of finishes and colours, please see page 335.




Finishing profile

Schlüter®-RONDEC-DB



Schlüter-RODEC-DB is a decorative profile with a prominently rounded contour for wall and skirting edges.  
(Product data sheet 2.5)



Schlüter®-RONDEC-DB-A

aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB 14 A	8.05	120

Schlüter®-RONDEC-DB-AE

anodised aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB 14 AE	10.77	120

Schlüter®-RONDEC-DB-AM

matte brass anodised aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB 14 AM	10.77	120

Schlüter®-RONDEC-DB-AC

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB 14 ...*	12.40	120



To complete the art. no., add the colour (e.g. DB 14 MBW)



\* Colours: BW - MBW - MGS

For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-RONDEC-PRO



Schlüter-RODEC-PRO is a decorative profile made of coloured PVC for creating symmetrically rounded external corners in tile coverings and finished edges of tiled skirtings and coverings, which protects the edges of tiles from mechanical damage. The joint spacer creates a uniform grout joint with the tile. (Product data sheet 2.1)



### Schlüter®-RONDEC-PRO

coloured PVC

H (mm)		L = 2.50 m Art. No.	£ / m	KV (Unit)
6	⊗	PRO 60 ...*	2.85	240
8	⊗	PRO 80 ...*	3.01	240
10	⊗	PRO 100 ...*	3.20	240
11	⊗	PRO 110 ...**	3.32	240
12.5	⊗	PRO 125 ...**	3.45	240

For 3 metre length, add "/300" to art. no. (e.g. PRO 60 BW/300).

## Corner



### Schlüter®-RONDEC-PRO/E

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
6	E / PRO 60 ...*	1.80	50
8	E / PRO 80 ...*	1.80	50
10	E / PRO 100 ...*	1.80	50
11	E / PRO 110 ...**	1.80	50
12.5	E / PRO 125 ...**	1.80	50

### Schlüter®-RONDEC-PRO/I

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
6	I / PRO 60 ...*	1.80	50
8	I / PRO 80 ...*	1.80	50
10	I / PRO 100 ...*	1.80	50
11	I / PRO 110 ...**	1.80	50
12.5	I / PRO 125 ...**	1.80	50

To complete the art. no., add the colour (e.g. I / PRO 60 CA)



\* Colours L = 2.50 m: AP - BH - BW - CA - G - GS - HB - HG - NB - PG - SP - W

\*\* Colours L = 2.50 m: BW - GS - PG - SP - W

Colours L = 3.00 m: BW - PG - W


For an overview of finishes and colours, please see page 335.

## Finishing profile

### Schlüter®-RONDEC-PRG



Schlüter-PRG is a decorative profile made of coloured PVC for creating symmetrically rounded external corners in tile coverings and finished edges of tiled skirtings and coverings, which protects the edges of tiles from mechanical damage.  
(Product data sheet 2.1)



### Schlüter®-RONDEC-PRG

coloured PVC

H (mm)		L = 2.50 m Art. No.	£ / m	KV (Unit)
6	⊕	PRG 60 ...*	2.85	240
8	⊕	PRG 80 ...*	3.01	240
10	⊕	PRG 100 ...*	3.20	120
12.5	⊕	PRG 125 ...*	3.45	120

For 3 metre length, add "/300" to art. no. (e.g. PRG 60 BW/300).

## Corner



### Schlüter®-RONDEC-PRG/E

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
6	E / PRG 60 ...*	1.80	50
8	E / PRG 80 ...*	1.80	50
10	E / PRG 100 ...*	1.80	50
12.5	E / PRG 125 ...*	1.80	50

### Schlüter®-RONDEC-PRG/I

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
6	I / PRG 60 ...*	1.80	50
8	I / PRG 80 ...*	1.80	50
10	I / PRG 100 ...*	1.80	50
12.5	I / PRG 125 ...*	1.80	50

To complete the art. no., add the colour (e.g. I / PRG 60 BW)

BW PG W

\* Colours: BW - PG - W

For an overview of finishes and colours, please see page 335.




# Schlüter®-JOLLY

A popular classic – remade for you

JOLLY wall finishing profiles are among the most popular products in our range. We have now redesigned JOLLY for faster installation and even more appealing outcomes. Result:

- ✓ **New geometry with 90 degree angle**
- ✓ **New corners with plug-in connectors**
- ✓ **No more mitre cuts needed**
- ✓ **Corners made of solid materials**
- ✓ **Corners fit on the right and left side**




Finishing profile

Schlüter®-JOLLY



Schlüter-JOLLY is a decorative metal profile to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner connections.  
(Product data sheet 2.3)



Schlüter®-JOLLY-MC

chrome plated brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 MC	25.65	120
8	J 80 MC	26.19	120
10	J 100 MC	26.70	120
11	J 110 MC	27.22	120
12.5	J 125 MC	27.75	120

Schlüter®-JOLLY-EB

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 EB	15.70	120
8	J 80 EB	16.00	120
10	J 100 EB	16.32	120
11	J 110 EB	16.63	120
12.5	J 125 EB	16.95	120

Schlüter®-JOLLY-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AE	4.97	120
8	J 80 AE	5.18	120
10	J 100 AE	5.50	120
11	J 110 AE	5.76	120
12.5	J 125 AE	6.13	120

For 3 metre length, add "/300" to art. no. (e.g. J 60 AE/300).

Corner | connector

Schlüter®-JOLLY-MC/EV

90° external corner, solid chrome plated brass

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 MC	16.63	50
8	EV / J 80 MC	16.63	50
10	EV / J 100 MC	16.63	50
11	EV / J 110 MC	16.63	50
12.5	EV / J 125 MC	16.63	50

Schlüter®-JOLLY-EB/EV

90° external corner, brushed solid stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 EB	22.49	50
8	EV / J 80 EB	22.49	50
10	EV / J 100 EB	22.49	50
11	EV / J 110 EB	22.49	50
12.5	EV / J 125 EB	22.49	50

Schlüter®-JOLLY-AE/EV


90° external corner, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 AE	13.42	50
8	EV / J 80 AE	13.42	50
10	EV / J 100 AE	13.42	50
11	EV / J 110 AE	13.42	50
12.5	EV / J 125 AE	13.42	50

Schlüter®-JOLLY/V

connector for JOLLY profiles (4 units)

Art. No.	£ / Package	P (Package)
V / JPP 4	2.87	50



**i** The scope of supply for corner pieces includes the connection pins.

For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-JOLLY-TS



Schlüter-JOLLY-TS is a decorative profile to finish and protect tiled external wall corners and other tiled edges, e.g. in tiled skirtings. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The profiles are made from powder-coated, textured aluminium. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner connections.

(Product data sheet 2.3)



#### Schlüter®-JOLLY-TSI



textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSI	12.08	120
8	J 80 TSI	12.88	120
10	J 100 TSI	13.15	120
11	J 110 TSI	13.42	120
12.5	J 125 TSI	13.94	120
★14	J 140 TSI	14.50	120
★16	J 160 TSI	15.04	120
★21	J 210 TSI	15.58	120

#### Schlüter®-JOLLY-TSC



textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSC	12.08	120
8	J 80 TSC	12.88	120
10	J 100 TSC	13.15	120
11	J 110 TSC	13.42	120
12.5	J 125 TSC	13.94	120

#### Schlüter®-JOLLY-TSBG



textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSBG	12.08	120
8	J 80 TSBG	12.88	120
10	J 100 TSBG	13.15	120
11	J 110 TSBG	13.42	120
12.5	J 125 TSBG	13.94	120

#### Schlüter®-JOLLY-TSB



textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSB	12.08	120
8	J 80 TSB	12.88	120
10	J 100 TSB	13.15	120
11	J 110 TSB	13.42	120
12.5	J 125 TSB	13.94	120

#### Schlüter®-JOLLY-TSSG



textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSSG	12.08	120
8	J 80 TSSG	12.88	120
10	J 100 TSSG	13.15	120
11	J 110 TSSG	13.42	120
12.5	J 125 TSSG	13.94	120
★14	J 140 TSSG	14.50	120
★16	J 160 TSSG	15.04	120
★21	J 210 TSSG	15.58	120

#### Schlüter®-JOLLY-TSG



textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSG	12.08	120
8	J 80 TSG	12.88	120
10	J 100 TSG	13.15	120
11	J 110 TSG	13.42	120
12.5	J 125 TSG	13.94	120

#### Schlüter®-JOLLY-TSOB



textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSOB	12.08	120
8	J 80 TSOB	12.88	120
10	J 100 TSOB	13.15	120
11	J 110 TSOB	13.42	120
12.5	J 125 TSOB	13.94	120
14	J 140 TSOB	14.50	120
16	J 160 TSOB	15.04	120
21	J 210 TSOB	15.58	120

#### Schlüter®-JOLLY-TSLA



textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSLA	12.08	120
8	J 80 TSLA	12.88	120
10	J 100 TSLA	13.15	120
11	J 110 TSLA	13.42	120
12.5	J 125 TSLA	13.94	120

#### Schlüter®-JOLLY-TSDA



textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSDA	12.08	120
8	J 80 TSDA	12.88	120
10	J 100 TSDA	13.15	120
11	J 110 TSDA	13.42	120
12.5	J 125 TSDA	13.94	120

For 3 metre length, add "/300" to art. no. (e.g. J 60 TSI/300).

### Schlüter®-JOLLY-TSR



textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 TSR	12.08	120
8	J 80 TSR	12.88	120
10	J 100 TSR	13.15	120
11	J 110 TSR	13.42	120
12.5	J 125 TSR	13.94	120

### Schlüter®-JOLLY-MBW



colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 MBW	6.28	120
8	J 80 MBW	6.65	120
10	J 100 MBW	7.19	120
11	J 110 MBW	7.46	120
12.5	J 125 MBW	7.77	120

### Schlüter®-JOLLY-MGS



colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 MGS	6.28	120
8	J 80 MGS	6.65	120
10	J 100 MGS	7.19	120
11	J 110 MGS	7.46	120
12.5	J 125 MGS	7.77	120

For 3 metre length, add "/300" to art. no. (e.g. J 60 TSI/300).

## Corner | connector

### Schlüter®-JOLLY-TS/EV


90° external corner aluminium, textured natural

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 ...*	13.42	50
8	EV / J 80 ...*	13.42	50
10	EV / J 100 ...*	13.42	50
11	EV / J 110 ...*	13.42	50
12.5	EV / J 125 ...*	13.42	50
★ 14	EV / J 140 ...**	15.58	50
★ 16	EV / J 160 ...**	15.58	50
★ 21	EV / J 210 ...**	15.58	50

### Schlüter®-JOLLY-AC/EV

90° external corner for JOLLY-MBW/-MGS, colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 ...***	12.88	50
8	EV / J 80 ...***	12.88	50
10	EV / J 100 ...***	12.88	50
11	EV / J 110 ...***	12.88	50
12.5	EV / J 125 ...***	12.88	50



### Schlüter®-JOLLY/V



connector for JOLLY profiles (4 units)

Art. No.	£ / Package	P (Package)
V / JPP 4	2.87	50



To complete the art. no., add the finish/colour (e.g. EV / J 60 MGS)

\* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

\*\* Finishes/colours: TSI - TSOB - TSSG

\*\*\* Finishes/colours: MBW - MGS

## Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-JOLLY-A



Schlüter-JOLLY-A is a decorative profile made of anodised aluminium to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner connections.

(Product data sheet 2.3)



#### Schlüter®-JOLLY-ACG



polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 ACG	12.08	120
8	J 80 ACG	12.88	120
10	J 100 ACG	13.15	120
11	J 110 ACG	13.42	120
12.5	J 125 ACG	13.94	120

#### Schlüter®-JOLLY-ACGB



brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 ACGB	12.08	120
8	J 80 ACGB	12.88	120
10	J 100 ACGB	13.15	120
11	J 110 ACGB	13.42	120
12.5	J 125 ACGB	13.94	120

For 3 metre length, add "/300" to art. no.  
(e.g. J 60 ACG/300).

#### Schlüter®-JOLLY-AM



matte brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AM	10.15	120
8	J 80 AM	10.47	120
10	J 100 AM	10.74	120
11	J 110 AM	11.01	120
12.5	J 125 AM	11.28	120

#### Schlüter®-JOLLY-AMG



polished brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AMG	12.08	120
8	J 80 AMG	12.88	120
10	J 100 AMG	13.15	120
11	J 110 AMG	13.42	120
12.5	J 125 AMG	13.94	120

#### Schlüter®-JOLLY-AMGB



brushed brass anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AMGB	12.08	120
8	J 80 AMGB	12.88	120
10	J 100 AMGB	13.15	120
11	J 110 AMGB	13.42	120
12.5	J 125 AMGB	13.94	120

#### Schlüter®-JOLLY-AK



matte copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AK	10.15	120
8	J 80 AK	10.47	120
10	J 100 AK	10.74	120
11	J 110 AK	11.01	120
12.5	J 125 AK	11.28	120

#### Schlüter®-JOLLY-AKG



polished copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AKG	12.08	120
8	J 80 AKG	12.88	120
10	J 100 AKG	13.15	120
11	J 110 AKG	13.42	120
12.5	J 125 AKG	13.94	120

#### Schlüter®-JOLLY-AKGB



brushed copper/bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AKGB	12.08	120
8	J 80 AKGB	12.88	120
10	J 100 AKGB	13.15	120
11	J 110 AKGB	13.42	120
12.5	J 125 AKGB	13.94	120

#### Schlüter®-JOLLY-AT



matte titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AT	10.15	120
8	J 80 AT	10.47	120
10	J 100 AT	10.74	120
11	J 110 AT	11.01	120
12.5	J 125 AT	11.28	120

#### Schlüter®-JOLLY-ATG



polished titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 ATG	12.08	120
8	J 80 ATG	12.88	120
10	J 100 ATG	13.15	120
11	J 110 ATG	13.42	120
12.5	J 125 ATG	13.94	120

#### Schlüter®-JOLLY-ATGB



brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 ATGB	12.08	120
8	J 80 ATGB	12.88	120
10	J 100 ATGB	13.15	120
11	J 110 ATGB	13.42	120
12.5	J 125 ATGB	13.94	120

**Schlüter®-JOLLY-ABGB** 

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 ABGB	<b>12.08</b>	120
8	J 80 ABGB	<b>12.88</b>	120
10	J 100 ABGB	<b>13.15</b>	120
11	J 110 ABGB	<b>13.42</b>	120
12.5	J 125 ABGB	<b>13.94</b>	120

**Schlüter®-JOLLY-AGRB** 

brushed chrome graphite anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AGRB	<b>12.08</b>	120
8	J 80 AGRB	<b>12.88</b>	120
10	J 100 AGRB	<b>13.15</b>	120
11	J 110 AGRB	<b>13.42</b>	120
12.5	J 125 AGRB	<b>13.94</b>	120

**Schlüter®-JOLLY-AGSG** 

polished chrome black anodised aluminium



H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	J 60 AGSG	<b>12.08</b>	120
8	J 80 AGSG	<b>12.88</b>	120
10	J 100 AGSG	<b>13.15</b>	120
11	J 110 AGSG	<b>13.42</b>	120
12.5	J 125 AGSG	<b>13.94</b>	120

Corner | connector

**Schlüter®-JOLLY-A/EV** 

90° external corner, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 ...*	<b>14.50</b>	50
8	EV / J 80 ...*	<b>14.50</b>	50
10	EV / J 100 ...*	<b>14.50</b>	50
11	EV / J 110 ...*	<b>14.50</b>	50
12.5	EV / J 125 ...*	<b>14.50</b>	50



 The scope of supply for corner pieces includes the connection pins.

**Schlüter®-JOLLY/V** 

connector for JOLLY profiles (4 units)

Art. No.	£ / Package	P (Package)
V / JPP 4	<b>2.87</b>	50



To complete the art. no., add the finish (e.g. EV / J 60 ACG)

\* Finishes: ABGB - ACG - ACGB - AGRB - AGSG - AK - AKG - AKGB - AM - AMG - AMGB - AT - ATG - ATGB

For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-JOLLY-AC



Schlüter-JOLLY-AC is a decorative profile made of colour-coated aluminium to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The 90 degree angled finishing leg safeguards tiles against mechanical damage. The joint spacers on both sides create a uniform grout joint with the tile. The geometric profile undercutting offers additional bonding surface for the grout. The innovative plug-in connection of the corner pieces results in neat, visually appealing corner connections.



#### Schlüter®-JOLLY-AC



colour coated aluminium

H (mm)		L = 2.50 m Art. No.	£ / m	KV (Unit)
6	☺	J 60 ...*	6.28	120
8	☺	J 80 ...*	6.65	120
10	☺	J 100 ...*	7.19	120
11	☺	J 110 ...*	7.46	120
12.5	☺	J 125 ...*	7.77	120
★ 14		J 140 ...**	8.00	120
★ 16		J 160 ...**	8.33	120
★ 21		J 210 ...**	8.70	120

(Product data sheet 2.3)




For 3 metre length, add "/300" to art. no. (e.g. J 60 G/300).

## Corner | connector

### Schlüter®-JOLLY-AC/EV

90° external corner,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
6	EV / J 60 ...*	12.88	50
8	EV / J 80 ...*	12.88	50
10	EV / J 100 ...*	12.88	50
11	EV / J 110 ...*	12.88	50
12.5	EV / J 125 ...*	12.88	50
★ 14	EV / J 140 ...**	15.40	50
★ 16	EV / J 160 ...**	15.40	50
★ 21	EV / J 210 ...**	15.40	50



To complete the art. no., add the colour (e.g. J 60 MBW)



\* Colours L = 2.50 m: BW - G - GM - GS - MBW - MGS - PG - SB - W

\*\* Colours L = 2.50 m: BW - MBW - MGS

Colours L = 3.00 m: BW - GS - MBW - MGS - PG - W

For an overview of finishes and colours, please see page 335.

### Schlüter®-JOLLY/V



connector for JOLLY profiles (4 units)

Art. No.	£ / Package	P (Package)
V / JPP 4	2.87	50




## Finishing profile

### Schlüter®-JOLLY-P



Schlüter-JOLLY-P is a decorative profile made of coloured PVC to finish and protect tiled external wall corners and other tiled edges, e.g. tiled skirting. The joint spacer creates a uniform grout joint with the tile.  
(Product data sheet 2.3)



### Schlüter®-JOLLY-P

coloured PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	...* 45	2.65	240
6	...** 60	2.65	240
8	...** 80	2.85	240
10	...** 100	3.01	240
11	...** 110	3.27	240
12.5	...*** 125	3.68	240

For 3 metre length, add "/300" to art. no. (e.g. BW 60/300).

To complete the art. no., add the colour (e.g. W 45)



\* Colours L = 2.50 m: BW - HG - W

\*\* Colours L = 2.50 m: BH - BW - GS - HG - PG - SP - W

\*\*\* Colours L = 2.50 m: BW - HG - PG - W

Colours L = 3.00 m: BW - PG - W

For an overview of finishes and colours, please see page 335.



# Schlüter®-FINEC

Fine attention to detail

Less is more. True to this motto, Schlüter-FINEC creates an elegant, slim corner profile for perfect wall design. Schlüter-FINEC combines high material quality with minimalist design. Available in:

- ✓ **Stainless steel**
- ✓ **Anodised aluminium**
- ✓ **Textured coated aluminium**
- ✓ **Colour coated aluminium**
- ✓ **All variants also available as corner sets**




## Finishing profile

## Schlüter®-FINEC-E



Schlüter-FINEC-E is a high-quality finishing profile made of stainless steel for the external edges of tile coverings, mosaics or rendered surfaces. The finishing leg of the profile protects the covering edges from mechanical damage and creates an elegant, slim corner detail. FINEC-E made of stainless steel is also suitable for use in staircases as a slim edge protection for tiles and rendered surface coatings.

(Product data sheet 2.17)



## Schlüter®-FINEC-E

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 E	<b>9.89</b>	120
7	F 70 E	<b>11.67</b>	120
9	F 90 E	<b>12.34</b>	120
11	F 110 E	<b>13.13</b>	120
12.5	F 125 E	<b>13.56</b>	120



## Corner set

## Schlüter®-FINEC-E/ES

corner set, stainless steel V2A

H (mm)	Art. No.	£ / Set	P (Set)
4.5	ES / F 45 E	<b>34.50</b>	50
7	ES / F 70 E	<b>34.50</b>	50
9	ES / F 90 E	<b>34.50</b>	50
11	ES / F 110 E	<b>34.50</b>	50
12.5	ES / F 125 E	<b>34.50</b>	50

**Note:**

The corner set includes three parts with L = 10 cm, respectively.






## Finishing profile

### Schlüter®-FINEC-TS



Schlüter-FINEC-TS is a high-quality finishing profile made of anodised aluminium with a special coating structure and texture for the external edges of tile coverings, mosaics or rendered surfaces. The finishing leg of the profile protects the covering edges from mechanical damage and creates an elegant, slim corner detail.

(Product data sheet 2.17)



#### Schlüter®-FINEC-TSI

textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSI	<b>13.67</b>	120
7	F 70 TSI	<b>14.64</b>	120
9	F 90 TSI	<b>14.90</b>	120
11	F 110 TSI	<b>15.82</b>	120
12.5	F 125 TSI	<b>16.56</b>	120

#### Schlüter®-FINEC-TSC

textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSC	<b>13.67</b>	120
7	F 70 TSC	<b>14.64</b>	120
9	F 90 TSC	<b>14.90</b>	120
11	F 110 TSC	<b>15.82</b>	120
12.5	F 125 TSC	<b>16.56</b>	120

#### Schlüter®-FINEC-TSBG

textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSBG	<b>13.67</b>	120
7	F 70 TSBG	<b>14.64</b>	120
9	F 90 TSBG	<b>14.90</b>	120
11	F 110 TSBG	<b>15.82</b>	120
12.5	F 125 TSBG	<b>16.56</b>	120

#### Schlüter®-FINEC-TSB

textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSB	<b>13.67</b>	120
7	F 70 TSB	<b>14.64</b>	120
9	F 90 TSB	<b>14.90</b>	120
11	F 110 TSB	<b>15.82</b>	120
12.5	F 125 TSB	<b>16.56</b>	120

#### Schlüter®-FINEC-TSSG

textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSSG	<b>13.67</b>	120
7	F 70 TSSG	<b>14.64</b>	120
9	F 90 TSSG	<b>14.90</b>	120
11	F 110 TSSG	<b>15.82</b>	120
12.5	F 125 TSSG	<b>16.56</b>	120

#### Schlüter®-FINEC-TSG

textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSG	<b>13.67</b>	120
7	F 70 TSG	<b>14.64</b>	120
9	F 90 TSG	<b>14.90</b>	120
11	F 110 TSG	<b>15.82</b>	120
12.5	F 125 TSG	<b>16.56</b>	120

#### Schlüter®-FINEC-TSOB

textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSOB	<b>13.67</b>	120
7	F 70 TSOB	<b>14.64</b>	120
9	F 90 TSOB	<b>14.90</b>	120
11	F 110 TSOB	<b>15.82</b>	120
12.5	F 125 TSOB	<b>16.56</b>	120

#### Schlüter®-FINEC-TSLA

textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSLA	<b>13.67</b>	120
7	F 70 TSLA	<b>14.64</b>	120
9	F 90 TSLA	<b>14.90</b>	120
11	F 110 TSLA	<b>15.82</b>	120
12.5	F 125 TSLA	<b>16.56</b>	120

#### Schlüter®-FINEC-TSDA

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	F 45 TSDA	<b>13.67</b>	120
7	F 70 TSDA	<b>14.64</b>	120
9	F 90 TSDA	<b>14.90</b>	120
11	F 110 TSDA	<b>15.82</b>	120
12.5	F 125 TSDA	<b>16.56</b>	120

#### Schlüter®-FINEC-TSR

textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
-	-	-	-
4.5	F 45 TSR	<b>13.67</b>	120
7	F 70 TSR	<b>14.64</b>	120
9	F 90 TSR	<b>14.90</b>	120
11	F 110 TSR	<b>15.82</b>	120
12.5	F 125 TSR	<b>16.56</b>	120

#### Schlüter®-FINEC-MBW

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2.5	F 25 MBW	<b>6.53</b>	120
4.5	F 45 MBW	<b>6.76</b>	120
7	F 70 MBW	<b>7.13</b>	120
9	F 90 MBW	<b>7.24</b>	120
11	F 110 MBW	<b>7.36</b>	120
12.5	F 125 MBW	<b>7.60</b>	120

#### Schlüter®-FINEC-MGS

colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
-	-	-	-
4.5	F 45 MGS	<b>6.76</b>	120
7	F 70 MGS	<b>7.13</b>	120
9	F 90 MGS	<b>7.24</b>	120
11	F 110 MGS	<b>7.36</b>	120
12.5	F 125 MGS	<b>7.60</b>	120

Corner set



Schlüter®-FINEC-TS/ES

corner set,  
aluminium, textured

H (mm)	Art. No.	£ / Set	P (Set)
4.5	ES / F 45 ...*	<b>22.75</b>	50
7	ES / F 70 ...*	<b>22.75</b>	50
9	ES / F 90 ...*	<b>22.75</b>	50
11	ES / F 110 ...*	<b>22.75</b>	50
12.5	ES / F 125 ...*	<b>22.75</b>	50



Schlüter®-FINEC-TS/ES

corner set,  
colour coated aluminium

H (mm)	Art. No.	£ / Set	P (Unit)
2.5	ES / F 25 ...**	<b>18.63</b>	50
4.5	ES / F 45 ...***	<b>18.63</b>	50
7	ES / F 70 ...***	<b>18.63</b>	50
9	ES / F 90 ...***	<b>18.63</b>	50
11	ES / F 110 ...***	<b>18.63</b>	50
12.5	ES / F 125 ...***	<b>18.63</b>	50

**Note:**

The corner set includes three parts with L = 10 cm, respectively.

To complete the art. no., add the finish/colour (e.g. ES / F 25 MBW)

\* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

\*\* Finishes/colours: MBW

\*\*\* Finishes/colours: MBW - MGS

Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-FINEC-A



Schlüter-FINEC-A is a high-quality finishing profile made of anodised or colour coated aluminium for the external edges of tile coverings, mosaics or rendered surfaces. The finishing leg of the profile protects the covering edges from mechanical damage and creates an elegant, slim corner detail.  
(Product data sheet 2.17)



### Schlüter®-FINEC-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2.5	F 25 AE	<b>6.01</b>	120
4.5	F 45 AE	<b>6.05</b>	120
7	F 70 AE	<b>6.34</b>	120
9	F 90 AE	<b>6.76</b>	120
11	F 110 AE	<b>7.28</b>	120
12.5	F 125 AE	<b>7.54</b>	120



### Schlüter®-FINEC-AC

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2.5	F 25 ...*	<b>6.53</b>	120
4.5	F 45 ...**	<b>6.76</b>	120
7	F 70 ...**	<b>7.13</b>	120
9	F 90 ...**	<b>7.24</b>	120
11	F 110 ...**	<b>7.36</b>	120
12.5	F 125 ...**	<b>7.60</b>	120

## Corner set

### Schlüter®-FINEC-AE/ES

corner set,  
anodised aluminium

H (mm)	Art. No.	£ / Set	P (Set)
2.5	ES / F 25 AE	<b>18.63</b>	50
4.5	ES / F 45 AE	<b>18.63</b>	50
7	ES / F 70 AE	<b>18.63</b>	50
9	ES / F 90 AE	<b>18.63</b>	50
11	ES / F 110 AE	<b>18.63</b>	50
12.5	ES / F 125 AE	<b>18.63</b>	50



### Schlüter®-FINEC-AC/ES

corner set,  
colour coated aluminium

H (mm)	Art. No.	£ / Set	P (Set)
2.5	ES / F 25 ...*	<b>18.63</b>	50
4.5	ES / F 45 ...**	<b>18.63</b>	50
7	ES / F 70 ...**	<b>18.63</b>	50
9	ES / F 90 ...**	<b>18.63</b>	50
11	ES / F 110 ...**	<b>18.63</b>	50
12.5	ES / F 125 ...**	<b>18.63</b>	50

#### Note:

The corner set includes three parts with L = 10 cm, respectively.

To complete the art. no., add the colour (e.g. ES / F 25 MBW)



\* Colours: MBW

\*\* Colours: MBW - MGS

For an overview of finishes and colours, please see page 335.






Finishing profile

Schlüter®-FINEC-SQ



Schlüter-FINEC-SQ is a high-quality finishing profile made of anodised, colour coated or textured aluminium for the external edges of tile coverings. The profile protects the covering edges from mechanical damage and creates an elegant, slim square corner detail. (Product data sheet 2.17)



**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

**Schlüter®-FINEC-SQ-AE** ★

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 AE	6.80	120
12.5	F SQ 125 AE	7.33	120
15	F SQ 150 AE	7.85	120

**Schlüter®-FINEC-SQ-TSI** ★

textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSI	15.17	120
12.5	F SQ 125 TSI	15.54	120
15	F SQ 150 TSI	15.84	120

**Schlüter®-FINEC-SQ-TSC** ★

textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSC	15.17	120
12.5	F SQ 125 TSC	15.54	120
15	F SQ 150 TSC	15.84	120

**Schlüter®-FINEC-SQ-TSBG** ★

textured natural beige grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSBG	15.17	120
12.5	F SQ 125 TSBG	15.54	120
15	F SQ 150 TSBG	15.84	120

**Schlüter®-FINEC-SQ-TSB** ★

textured natural beige

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSB	15.17	120
12.5	F SQ 125 TSB	15.54	120
15	F SQ 150 TSB	15.84	120

**Schlüter®-FINEC-SQ-TSSG** ★

textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSSG	15.17	120
12.5	F SQ 125 TSSG	15.54	120
15	F SQ 150 TSSG	15.84	120

**Schlüter®-FINEC-SQ-TSG** ★

textured natural grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSG	15.17	120
12.5	F SQ 125 TSG	15.54	120
15	F SQ 150 TSG	15.84	120

**Schlüter®-FINEC-SQ-TSOB** ★

textured natural bronze

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSOB	15.17	120
12.5	F SQ 125 TSOB	15.54	120
15	F SQ 150 TSOB	15.84	120

**Schlüter®-FINEC-SQ-TSLA** ★

textured natural light anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSLA	15.17	120
12.5	F SQ 125 TSLA	15.54	120
15	F SQ 150 TSLA	15.84	120

**Schlüter®-FINEC-SQ-TSDA** ★

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSDA	15.17	120
12.5	F SQ 125 TSDA	15.54	120
15	F SQ 150 TSDA	15.84	120

**Schlüter®-FINEC-SQ-TSR** ★

textured natural rustic brown

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 TSR	15.17	120
12.5	F SQ 125 TSR	15.54	120
15	F SQ 150 TSR	15.84	120

**Schlüter®-FINEC-SQ-MBW** ★

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 MBW	9.11	120
12.5	F SQ 125 MBW	9.65	120
15	F SQ 150 MBW	10.19	120

**Schlüter®-FINEC-SQ-MGS** ★

colour coated aluminium, matte graphite black

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
11	F SQ 110 MGS	9.11	120
12.5	F SQ 125 MGS	9.65	120
15	F SQ 150 MGS	10.19	120



## Corner



### Schlüter®-QUADEC-A/EV

90° external/internal corner,  
solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 AE	<b>7.71</b>	50

### Schlüter®-QUADEC-A/ED

90° external corner,  
aluminium appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 E	<b>4.26</b>	50

### Schlüter®-QUADEC-TS/EV

90° external/internal corner,  
aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...*	<b>11.39</b>	50

### Schlüter®-QUADEC-AC/EV


90° external/internal corner for QUADEC-MBW/-MGS,  
solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	EV / Q 45 ...**	<b>11.39</b>	50

### Schlüter®-QUADEC-AC/ED

90° external corner for QUADEC-MBW/-MGS,  
die cast metal appearance

H (mm)	Art. No.	£ / U.	P (Unit)
4.5	ED / Q 45 ...**	<b>4.23</b>	50



**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours  
available. More details from page 16.

To complete the art. no., add the finish/colour (e.g. EV / Q 45 TSBG)

\* Finishes/colours: TSB - TSBG - TSC - TSDA - TSG - TSI - TSLA - TSOB - TSR - TSSG

\*\* Finishes/colours: MBW - MGS

## Available finishes | colours



For an overview of finishes and colours, please see page 335.

# Schlüter®-ARCLINE

Adaptive profiles for customised bathroom design

Schlüter-ARCLINE – the profile system for attaching high-quality accessories – stands for creative design, adaptable for greater bathroom functionality. Due to their special “No drill” design, Schlüter-ARCLINE profiles keep tiles and the underlying waterproofing assembly permanently protected. The profile offers innovative options for adaptive, customised bathroom design. The design of tiles, profiles and glass support panels can be combined to contrast or for blended aesthetics.

- ✓ High-quality aluminium Schlüter-profiles
- ✓ Luxury brand accessories by KEUCO
- ✓ Decorative coloured ESG glass
- ✓ Individual bathroom design
- ✓ Adaptable positioning of accessories
- ✓ No drill design
- ✓ No damage to tiles or underlying waterproofing
- ✓ System combines adaptability, flexibility and design






## Attachment profile

### Schlüter®-ARCLINE-APW



Schlüter-ARCLINE-APW is a decorative profile for joint design in tiled wall coverings and forms a narrow shadow gap. It is particularly well suited for attaching Schlüter-ARCLINE-BAK accessories for customised bathroom design. The profile is supplied with a decorative plastic insert in the profile colour, which can be used to conceal the shadow joint if desired.

(Product data sheet 2.18)



#### Schlüter®-ARCLINE-APW-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALW 80 AE	20.63	120
11	ALW 110 AE	22.04	120

#### Schlüter®-ARCLINE-APW-AC

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALW 80 MBW	23.17	120
11	ALW 110 MBW	24.30	120

#### Schlüter®-ARCLINE-APW-TSC

textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALW 80 TSC	25.98	120
11	ALW 110 TSC	27.13	120

#### Schlüter®-ARCLINE-APW-TSDA

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALW 80 TSDA	25.98	120
11	ALW 110 TSDA	27.13	120

#### Note:

Please note the technical information in our data sheets for the installation of Schlüter-ARCLINE products. A minimum installation height of 70 cm above the floor is recommended for ARCLINE profiles when installing Schlüter-ARCLINE-BAK-TB products.

## End cap | connector

#### Schlüter®-ARCLINE-APW/EK


end cap

H (mm)	Art. No.	£ / U.	P (Unit)
8	EK / ALW 80 ...*	6.22	50
11	EK / ALW 110 ...*	6.22	50

#### Schlüter®-ARCLINE-AL/V

connector (set = 2 pcs.)

Art. No.	£ / Set	P (Set)
V / AL	2.83	50



EK / ALW

To complete the art. no., add the finish/colour (e.g. EK / ALW 80 TSC)

\* Finishes/colours: AE - MBW - TSC - TSDA


For an overview of finishes and colours, please see page 335.

Attachment profile | end cap | connector

**Schlüter®-ARCLINE-APE**



Schlüter-ARCLINE-APE is a decorative profile for joint design at external corner edges or skirtings and forms a narrow shadow gap. Designed for attaching Schlüter-ARCLINE-BAK accessories for customised design. The profile is supplied with a decorative plastic insert in the profile colour, which can be used to conceal the shadow joint if desired. (Product data sheet 2.19)



**Schlüter®-ARCLINE-APE-AE**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALE 80 AE	19.49	120
11	ALE 110 AE	20.90	120

**Schlüter®-ARCLINE-APE-AC**

colour coated aluminium, matte brilliant white

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALE 80 MBW	21.20	120
11	ALE 110 MBW	22.61	120

**Schlüter®-ARCLINE-APE-TSC**

textured natural cream

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALE 80 TSC	23.17	120
11	ALE 110 TSC	25.43	120

**Schlüter®-ARCLINE-APE-TSDA**

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ALE 80 TSDA	23.17	120
11	ALE 110 TSDA	25.43	120

**Schlüter®-ARCLINE-APE/EK**

end cap

H (mm)	Art. No.	£ / U.	P (Unit)
8	EK / ALE 80 ...*	6.22	50
11	EK / ALE 110 ...*	6.22	50

**Schlüter®-ARCLINE-AL/V**

connector (set = 2 pcs.)

Art. No.	£ / Set	P (Set)
V / AL	2.83	50

To complete the art. no., add the finish/colour (e.g. EK / ALE 80 TSC)

\* Finishes/colours: AE - MBW - TSC - TSDA

For an overview of finishes and colours, please see page 335.




EK / ALE

Decorative insert

**Schlüter®-ARCLINE-DEL**



Schlüter-ARCLINE-DEL is a protective decorative insert for the Schlüter-ARCLINE-APW and -APE profiles. The four colour options can create a deliberate contrast or be combined to match insert-with-profile, to complement tile and stone trends. (Product data sheet 2.18)



**Schlüter®-ARCLINE-DEL**

decorative insert

L = 2.50 m Art. No.	£ / m	KV (Unit)
AL DEL / ...*	3.96	60

To complete the art. no., add the colour (e.g. AL DEL / DA)



\* Colours: C - DA - GAE - MBW

For an overview of finishes and colours, please see page 335.



## Bathroom accessories

### Schlüter®-ARCLINE-BAK



Schlüter-ARCLINE-BAK are designer bathroom accessories made by KEUCO, which are pre-mounted on 6 mm coloured ESG safety glass. The glass panels have a rear bracket that easily clicks into Schlüter-ARCLINE profiles for adjustable positioning. The accessories from the KEUCO design series EDITION 400, EDITION 11 and PLAN are available in a variety of colour palettes and cover a broad range of styles. (Product data sheet 2.20)

**i**  
The accessories can only be installed in conjunction with Schlüter-ARCLINE profiles.

### Schlüter®-ARCLINE-BAK with KEUCO PLAN design collection



#### Schlüter®-ARCLINE-BAK-H

towel hook on glass support panel, PLAN series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL PLAN H ...*	242.95	10



#### Schlüter®-ARCLINE-BAK-HR

towel ring on glass support panel, PLAN series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL PLAN HR ...*	367.27	10



#### Schlüter®-ARCLINE-BAK-BH

towel rail on glass support panel, PLAN series

Dimensions: 220 x 700 mm Art. No.	£ / U.	P (Unit)
AL PLAN BH 1 ...*	367.27	10



#### Schlüter®-ARCLINE-BAK-RH

toilet paper holder on glass support panel, PLAN series

Dimensions: 220 x 220 mm Art. No.	£ / U.	P (Unit)
AL PLAN RH ...*	242.95	10



#### Note:

Please note the technical information in our data sheets for the installation of Schlüter-ARCLINE products. A minimum installation height of 70 cm above the floor is recommended for ARCLINE profiles when installing Schlüter-ARCLINE-BAK-TB products.

#### Schlüter®-ARCLINE-BAK-TB

toilet brush set on glass support panel, PLAN series

Dimensions: 600 x 170 mm Art. No.	£ / U.	P (Unit)
AL PLAN TB ...*	435.05	10

Schlüter®-ARCLINE-BAK with KEUCO EDITION 400 / EDITION 11 design collection



**Schlüter®-ARCLINE-BAK-A**

shelf on glass support panel,  
EDITION 400 series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL E400 A ...*	305.12	10



**Schlüter®-ARCLINE-BAK-AW**

shelf with glass wiper on glass support panel,  
EDITION 400 series


Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL E400 AW ...*	367.27	10



**Schlüter®-ARCLINE-BAK-AK**

storage basket on glass support panel,  
EDITION 11 series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL E11 AK ...*	412.47	10



**Schlüter®-ARCLINE-BAK-H**

dual towel hook on glass support panel,  
EDITION 400 series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL E400 H ...*	288.15	10



**Schlüter®-ARCLINE-BAK-HR**

towel ring on glass support panel,  
EDITION 400 series

Dimensions: 220 x 380 mm Art. No.	£ / U.	P (Unit)
AL E400 HR ...*	339.01	10



**Schlüter®-ARCLINE-BAK-BH**

towel rail on glass support panel,  
EDITION 400 series

Dimensions: 220 x 700 mm Art. No.	£ / U.	P (Unit)
AL E400 BH 1 ...*	384.21	10



**Schlüter®-ARCLINE-BAK-RH**

toilet paper holder on glass support panel,  
EDITION 400 series

Dimensions: 220 x 220 mm Art. No.	£ / U.	P (Unit)
AL E400 RH ...*	265.56	10



**Schlüter®-ARCLINE-BAK-TB**

toilet brush set on glass support panel,  
EDITION 400 series

Dimensions: 600 x 170 mm Art. No.	£ / U.	P (Unit)
AL E400 TB ...*	372.91	10

To complete the art. no., add the glass colour (e.g. AL E400 TB DA)



\* Colours: C - DA - MBW

For an overview of finishes and colours, please see page 335.




## Finishing profile

### Schlüter®-DECO



Schlüter-DECO is a profile with a 6 mm wide visible surface for decorative joint design in tile coverings. Schlüter-DECO-M and -MC can also be used as finishing profiles for external wall corners. Schlüter-DECO of aluminium, brass and stainless steel is also suitable for designing floor coverings.  
(Product data sheet 1.6)



#### Schlüter®-DECO-E

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	E 80 D	15.01	120
9	E 90 D	15.22	120
10	E 100 D	15.47	120
11	E 110 D	15.63	120
12.5	E 125 D	16.00	120
14	E 140 D	16.28	120
16	E 160 D	16.79	120
18.5	E 185 D	17.35	120
21	E 210 D	17.84	120
25	E 250 D	18.83	120
30	E 300 D	19.95	120

#### Schlüter®-DECO-MC

chrome plated brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	MC 90 D	35.22	120
11	MC 110 D	36.27	120
12.5	MC 125 D	36.95	120

#### Schlüter®-DECO-M

brass

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	M 90 D	16.10	120
11	M 110 D	16.77	120
12.5	M 125 D	17.71	120

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

#### Schlüter®-DECO-A

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	A 80 D	6.16	120
10	A 100 D	6.54	120
12.5	A 125 D	7.10	120

#### Schlüter®-DECO-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AE 80 D	8.13	120
10	AE 100 D	8.73	120
12.5	AE 125 D	9.39	120

#### Schlüter®-DECO-AC

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	...* 80 D	9.62	120
10	...* 100 D	10.41	120
12.5	...* 125 D	11.19	120

## Corner

#### Schlüter®-DECO-MC/EV

90° external corner,  
solid chrome plated brass

H (mm)	Art. No.	£ / U.	P (Unit)
9	EV / MC 90 D	19.50	50
11	EV / MC 110 D	19.50	50
12.5	EV / MC 125 D	19.50	50



Schlüter-DECO-MC/EV



To complete the art. no., add the colour (e.g. MGS 80 D)




\* Colours: BW - MBW - MGS

For an overview of finishes and colours, please see page 335.

## Finishing profile

**Schlüter®-DECO-DE**


Schlüter-DECO-DE is a high-quality stainless steel finishing profile for 135 degree external wall corners in tile coverings and provides excellent edge protection. (Product data sheet 2.14)


**Schlüter®-DECO-DE-E-S**

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	DE 80 ES	<b>15.98</b>	120
10	DE 100 ES	<b>16.48</b>	120
11	DE 110 ES	<b>16.92</b>	120
12.5	DE 125 ES	<b>17.45</b>	120

**Schlüter®-DECO-DE-EB-S**


brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	DE 80 EBS	<b>20.45</b>	120
10	DE 100 EBS	<b>21.09</b>	120
11	DE 110 EBS	<b>21.57</b>	120
12.5	DE 125 EBS	<b>22.30</b>	120

## Finishing profile

**Schlüter®-INDEC**


Schlüter-INDEC is a high-quality finishing profile of anodised aluminium for external wall corners and the edges of tile coverings. The visible area of the profile forms a recessed decorative groove. (Product data sheet 2.12)


**Schlüter®-INDEC-AE**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	IN 80 AE	<b>9.85</b>	120
10	IN 100 AE	<b>10.30</b>	120
11	IN 110 AE	<b>11.88</b>	120
12.5	IN 125 AE	<b>12.27</b>	120

**Schlüter®-INDEC-ACG**

polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	IN 80 ACG	<b>17.35</b>	120
10	IN 100 ACG	<b>17.88</b>	120
11	IN 110 ACG	<b>18.75</b>	120
12.5	IN 125 ACG	<b>19.59</b>	120



## Corner

**Schlüter®-INDEC/EV**

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	ED / IN 80 ...*	<b>4.46</b>	50
10	ED / IN 100 ...*	<b>4.46</b>	50
11	ED / IN 110 ...*	<b>4.46</b>	50
12.5	ED / IN 125 ...*	<b>4.46</b>	50

To complete the art. no., add the finish (e.g. ED / IN 80 AE)

\* Finishes: ACG - AE

For an overview of finishes and colours, please see page 335.



# Schlüter corner profiles

A reliable solution for corners and edges

The following pages contain many special profile varieties for wall coverings:

- ✓ Edge protection for residential and commercial spaces
- ✓ Edge protection for external and internal edges and corners
- ✓ Edge protection and decoration for countertops and vanities
- ✓ Decorative and border profiles for coverings




## Corner profile

### Schlüter®-ECK-KI



Schlüter-ECK-KI is a stainless steel corner profile that is retrofitted to the internal corners of tiled walls or other wall coverings. (Product data sheet 2.7)



#### Schlüter®-ECK-KI-E

stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KI15 E/300	22.93	60
	L = 2.50 m		
15	KI15 E	22.93	60
	L = 2.00 m		
15	KI15 E/200	22.93	60
	L = 1.50 m		
15	KI15 E/150	22.93	60

#### Schlüter®-ECK-KI-EB


brushed stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KI15 EB/300	29.83	60
	L = 2.50 m		
15	KI15 EB	29.83	60
	L = 2.00 m		
15	KI15 EB/200	29.83	60
	L = 1.50 m		
15	KI15 EB/150	29.83	60

## Corner profile

**Schlüter®-ECK-E**


Schlüter-ECK-E is a stainless steel corner profile for external wall corners of tiled surfaces that offers durable edge protection. The perforated anchoring legs are embedded in the tile adhesive during tile installation. (Product data sheet 2.6)


**Schlüter®-ECK-E**

stainless steel V2A

H (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
6	E37 V2A 60/300	<b>33.20</b>	60
8	E37 V2A 80/300	<b>34.52</b>	60
11	E37 V2A 110/300	<b>35.95</b>	60
<b>L = 2.50 m</b>			
6	E37 V2A 60/250	<b>33.20</b>	60
8	E37 V2A 80/250	<b>34.52</b>	60
11	E37 V2A 110/250	<b>35.95</b>	60
<b>L = 2.00 m</b>			
6	E37 V2A 60/200	<b>33.20</b>	60
8	E37 V2A 80/200	<b>34.52</b>	60
11	E37 V2A 110/200	<b>35.95</b>	60
<b>L = 1.50 m</b>			
6	E37 V2A 60/150	<b>33.20</b>	60
8	E37 V2A 80/150	<b>34.52</b>	60
11	E37 V2A 110/150	<b>35.95</b>	60

**Schlüter®-ECK-EB**

brushed stainless steel V2A

H (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
6	E37 V2A EB 60/300	<b>43.18</b>	60
8	E37 V2A EB 80/300	<b>44.88</b>	60
11	E37 V2A EB 110/300	<b>46.74</b>	60
<b>L = 2.50 m</b>			
6	E37 V2A EB 60/250	<b>43.18</b>	60
8	E37 V2A EB 80/250	<b>44.88</b>	60
11	E37 V2A EB 110/250	<b>46.74</b>	60
<b>L = 2.00 m</b>			
6	E37 V2A EB 60/200	<b>43.18</b>	60
8	E37 V2A EB 80/200	<b>44.88</b>	60
11	E37 V2A EB 110/200	<b>46.74</b>	60
<b>L = 1.50 m</b>			
6	E37 V2A EB 60/150	<b>43.18</b>	60
8	E37 V2A EB 80/150	<b>44.88</b>	60
11	E37 V2A EB 110/150	<b>46.74</b>	60

**Schlüter®-ECK-E V4A**

stainless steel V4A

H (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
8	E37 V4A 80/300	<b>37.95</b>	60
11	E37 V4A 110/300	<b>39.53</b>	60
<b>L = 2.50 m</b>			
8	E37 V4A 80/250	<b>37.95</b>	60
11	E37 V4A 110/250	<b>39.53</b>	60
<b>L = 2.00 m</b>			
8	E37 V4A 80/200	<b>37.95</b>	60
11	E37 V4A 110/200	<b>39.53</b>	60
<b>L = 1.50 m</b>			
8	E37 V4A 80/150	<b>37.95</b>	60
11	E37 V4A 110/150	<b>39.53</b>	60

**Schlüter®-ECK-E-S**


stainless steel V2A, 135° angle

H (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
6	E37 E 60 S/300	<b>33.20</b>	60
8	E37 E 80 S/300	<b>34.52</b>	60
11	E37 E 110 S/300	<b>35.95</b>	60
<b>L = 2.50 m</b>			
6	E37 E 60 S	<b>33.20</b>	60
8	E37 E 80 S	<b>34.52</b>	60
11	E37 E 110 S	<b>35.95</b>	60

**Schlüter®-ECK-EB-S**

brushed stainless steel V2A, 135° angle

H (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
6	E37 EB 60 S/300	<b>43.18</b>	60
8	E37 EB 80 S/300	<b>44.88</b>	60
11	E37 EB 110 S/300	<b>46.74</b>	60
<b>L = 2.50 m</b>			
6	E37 EB 60 S	<b>43.18</b>	60
8	E37 EB 80 S	<b>44.88</b>	60
11	E37 EB 110 S	<b>46.74</b>	60




## Corner profile

### Schlüter®-ECK-K



Schlüter-ECK-K is a stainless steel corner profile that is retrofitted to the external corners of tiled walls or other wall coverings.  
(Product data sheet 2.7)



#### Schlüter®-ECK-K-E

stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	K15 V2A/300	22.93	60
32	K32 V2A/300	33.51	60
50	K50 V2A/300	43.07	60
	L = 2.50 m		
15	K15 V2A/250	22.93	60
32	K32 V2A/250	33.51	60
50	K50 V2A/250	43.07	60
	L = 2.00 m		
15	K15 V2A/200	22.93	60
32	K32 V2A/200	33.51	60
50	K50 V2A/200	43.07	60
	L = 1.50 m		
15	K15 V2A/150	22.93	60
32	K32 V2A/150	33.51	60
50	K50 V2A/150	43.07	60

#### Schlüter®-ECK-K-EB

brushed stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	K15 V2A EB/300	29.83	60
32	K32 V2A EB/300	43.56	60
50	K50 V2A EB/300	56.01	60
	L = 2.50 m		
15	K15 V2A EB/250	29.83	60
32	K32 V2A EB/250	43.56	60
50	K50 V2A EB/250	56.01	60
	L = 2.00 m		
15	K15 V2A EB/200	29.83	60
32	K32 V2A EB/200	43.56	60
50	K50 V2A EB/200	56.01	60
	L = 1.50 m		
15	K15 V2A EB/150	29.83	60
32	K32 V2A EB/150	43.56	60
50	K50 V2A EB/150	56.01	60

#### Schlüter®-ECK-K-E V4A

stainless steel V4A

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
32	K32 V4A/250	36.88	60
	L = 2.00 m		
32	K32 V4A/200	36.88	60
	L = 1.50 m		
32	K32 V4A/150	36.88	60

#### Schlüter®-ECK-K-E-S

stainless steel V2A, 135° angle


B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
32	K32 ES/300	33.51	60
	L = 2.50 m		
32	K32 ES	33.51	60
	L = 2.00 m		
32	K32 ES/200	33.51	60
	L = 1.50 m		
32	K32 ES/150	33.51	60

Cove-shaped profile

Schlüter®-ECK-KHK



Schlüter-ECK-KHK is a cove shaped, stainless steel corner profile that is retrofitted to the internal corners of tiled walls or other wall coverings.  
(Product data sheet 2.7)



Schlüter®-ECK-KHK-E

stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KHK15 E/300	22.93	60
	L = 2.50 m		
15	KHK15 E	22.93	60
	L = 2.00 m		
15	KHK15 E/200	22.93	60
	L = 1.50 m		
15	KHK15 E/150	22.93	60

Schlüter®-ECK-KHK-EB

brushed stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KHK15 EB/300	29.83	60
	L = 2.50 m		
15	KHK15 EB	29.83	60
	L = 2.00 m		
15	KHK15 EB/200	29.83	60
	L = 1.50 m		
15	KHK15 EB/150	29.83	60

Corner | connector

Schlüter®-ECK-KHK-E/E


90° external corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / KHK15 E	7.58	50


Schlüter®-ECK-KHK-EB/E

90° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / KHK15 EB	8.37	50



I2 = 2 way



I3 = 3 way

Schlüter®-ECK-KHK-E/I

90° internal corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
I/2 KHK15 E	7.58	50
I/3 KHK15 E	7.58	50

Schlüter®-ECK-KHK-EB/I

90° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I/2 KHK15 EB	8.37	50
I/3 KHK15 EB	8.37	50

Schlüter®-ECK-KHK-E/V

connector,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / KHK15 E	7.58	50

Schlüter®-ECK-KHK-EB/V

connector,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / KHK15 EB	8.37	50






## Border profile

### Schlüter®-DESIGNLINE



Schlüter-DESIGNLINE is a border profile for creating attractive wall coverings. The range of profiles can be combined with the corresponding Schlüter-RONDEC, -QUADEC or -JOLLY profiles for external wall corners. (Product data sheet 2.2)



#### Schlüter®-DESIGNLINE-MC

chrome plated brass

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 MC	33.32	120

#### Schlüter®-DESIGNLINE-E

polished stainless steel V2A

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 E	23.71	120

#### Schlüter®-DESIGNLINE-EB

brushed stainless steel V2A

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 EB	27.28	120

#### Schlüter®-DESIGNLINE-AME

anodised aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 ...*	11.67	120

#### Schlüter®-DESIGNLINE-AGE

polished chrome anodised aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 ...**	21.50	120

#### Schlüter®-DESIGNLINE-AGBE

brushed chrome anodised aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 ...***	22.65	120

#### Schlüter®-DESIGNLINE-AC

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
DL 625 ...****	13.41	120



To complete the art. no., add the finish/colour (e.g. DL 625 MBW)

\* Finishes/colours: AE - AK - AM - AT

\*\* Finishes/colours: ACG - AKG - AMG - ATG

\*\*\* Finishes/colours: ACGB - AKGB - AMGB - ATGB

\*\*\*\* Finishes/colours: BW - MBW - MGS

For an overview of finishes and colours, please see page 335.

#### Note:


The Schlüter-DESIGNLINE range matches all -RONDEC, -QUADEC and -JOLLY profiles with the same art. no. finish code.

## Decorative profile

**Schlüter®-QUADEC-FS**

Schlüter-QUADEC-FS is a decorative profile for finishing the edges of borders or ornamental tile segments.

(Product data sheet 2.11)

**Schlüter®-QUADEC-FS**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	QF 8/50 ...*	40.89	120

## Corner

**Schlüter®-QUADEC-FS/E**

90° external/internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	EV / QF 8/50 ...*	28.64	50



The variable corner pieces can be used for internal and external corners.

To complete the art. no., add the finish (e.g. EV / QF 8/50 AT)

\* Finishes: AE - AT

For an overview of finishes and colours, please see page 335.




## Attachment profile

### Schlüter®-DECO-SG



Schlüter-DECO-SG is a decorative profile for joint design in tile coverings. It forms either a 12 mm or 15 mm wide shadow gap. The profile is ideal for holding and fixing glass elements in the floor and wall area.  
(Product data sheet 2.16)



#### Schlüter®-DECO-SG-EB

brushed stainless steel V4A, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 EB 12	<b>46.49</b>	120
10	SG 100 EB 12	<b>48.82</b>	120
11	SG 110 EB 12	<b>51.15</b>	120
12.5	SG 125 EB 12	<b>53.46</b>	120

#### Schlüter®-DECO-SG-EB

brushed stainless steel V4A, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 EB 15	<b>49.97</b>	120
10	SG 100 EB 15	<b>52.29</b>	120
11	SG 110 EB 15	<b>54.62</b>	120
12.5	SG 125 EB 15	<b>56.96</b>	120

#### Schlüter®-DECO-SG-AE

anodised aluminium, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 AE 12	<b>16.71</b>	120
10	SG 100 AE 12	<b>17.18</b>	120
11	SG 110 AE 12	<b>17.58</b>	120
12.5	SG 125 AE 12	<b>18.00</b>	120

#### Schlüter®-DECO-SG-AE

anodised aluminium, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 AE 15	<b>19.20</b>	120
10	SG 100 AE 15	<b>19.49</b>	120
11	SG 110 AE 15	<b>20.18</b>	120
12.5	SG 125 AE 15	<b>20.63</b>	120



#### Schlüter-DECO-SG-AC

colour coated aluminium, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 BW 12	<b>19.43</b>	120
10	SG 100 BW 12	<b>19.89</b>	120
11	SG 110 BW 12	<b>20.35</b>	120
12.5	SG 125 BW 12	<b>20.81</b>	120

#### Schlüter-DECO-SG-AC

colour coated aluminium, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 BW 15	<b>22.66</b>	120
10	SG 100 BW 15	<b>23.13</b>	120
11	SG 110 BW 15	<b>23.59</b>	120
12.5	SG 125 BW 15	<b>24.05</b>	120

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.


For an overview of finishes and colours, please see page 335.

Skirting profile

Schlüter®-DESIGNBASE-SL-E



Schlüter-DESIGNBASE-SL-E is a high-quality stainless steel profile to quickly create skirting covers in areas subjected to higher stresses. It is attached to the wall area with a suitable adhesive. The supplied connectors, also made of stainless steel, enable quick and convenient installation. Optionally, the profile can be equipped with a sealing lip that is available as an accessory to protect the perimeter movement joint from moisture and to reduce the transmission of impact sound. (Product data sheet 16.2)



Schlüter®-DESIGNBASE-SL-EB

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
110	DB SL 110 EB	41.85	60
160	DB SL 160 EB	52.29	60

Corner | end cap | connector | sealing lip

Schlüter®-DESIGNBASE-SL-EB/E 90°

90° external corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
110	E 90 / DB SL 110 EB	40.68	50
160	E 90 / DB SL 160 EB	43.00	50



Schlüter®-DESIGNBASE-SL-EB/I 90°

90° internal corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
110	I 90 / DB SL 110 EB	40.68	50
160	I 90 / DB SL 160 EB	43.00	50

Schlüter®-DESIGNBASE-SL-EB/EK

left end cap, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
110	EL / DB SL 110 EB	29.06	50
160	EL / DB SL 160 EB	30.21	50



Schlüter®-DESIGNBASE-SL-EB/EK


right end cap, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
110	ER / DB SL 110 EB	29.06	50
160	ER / DB SL 160 EB	30.21	50

Schlüter®-DESIGNBASE-SL-EB/V

connector, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
110	V / DB SL 110 EB	17.43	50
160	V / DB SL 160 EB	18.59	50



Schlüter®-DESIGNBASE-SL/ZS

sealing lip

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB ZS LLE	5.23	60

Colour:

DB ZS LLE = transparent






## Skirting profile

### Schlüter®-DESIGNBASE-SL-A



Schlüter-DESIGNBASE-SL-A is a profile made of high-quality coated or anodised aluminium for quickly creating decorative skirtings. The profile is simply attached to the wall area with a suitable adhesive. Optionally, the profile can be equipped with a sealing lip that is available as an accessory to protect the perimeter movement joint from moisture and to reduce the transmission of impact sound. (Product data sheet 16.2)



#### Schlüter®-DESIGNBASE-SL-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
60	DB SL 60 AE	<b>13.18</b>	60
80	DB SL 80 AE	<b>16.78</b>	60

#### Schlüter®-DESIGNBASE-SL-AEEB

brushed stainless steel appearance,  
anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
60	DB SL 60 AEEB	<b>22.77</b>	60
80	DB SL 80 AEEB	<b>32.62</b>	60

#### Schlüter®-DESIGNBASE-SL-AC

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
60	DB SL 60 MBW	<b>17.38</b>	60
80	DB SL 80 MBW	<b>21.59</b>	60

## Corner | end cap | connector | sealing lip

#### Schlüter®-DESIGNBASE-SL-AE/ED

90° external corner,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ED / DB SL 60 AE	<b>11.96</b>	50
80	ED / DB SL 80 AE	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AEEB/ED

90° external corner,  
brushed stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ED / DB SL 60 AEEB	<b>11.96</b>	50
80	ED / DB SL 80 AEEB	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AC/ED

90° external corner,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ED / DB SL 60 MBW	<b>11.96</b>	50
80	ED / DB SL 80 MBW	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AE/ID

90° internal corner,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ID / DB SL 60 AE	<b>11.96</b>	50
80	ID / DB SL 80 AE	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AEEB/ID

90° internal corner,  
stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ID / DB SL 60 AEEB	<b>11.96</b>	50
80	ID / DB SL 80 AEEB	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AC/ID

90° internal corner,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ID / DB SL 60 MBW	<b>11.96</b>	50
80	ID / DB SL 80 MBW	<b>11.96</b>	50

### Note:

For reasons associated with production technology, the internal corners (ID / DB SL 60 AEEB and ID / DB SL 80 AEEB) are not available in brushed versions.

#### Schlüter®-DESIGNBASE-SL-AE/EK

end cap left,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EL / DB SL 60 AE	<b>11.96</b>	50
80	EL / DB SL 80 AE	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AEEB/EK

end cap left,  
brushed stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EL / DB SL 60 AEEB	<b>11.96</b>	50
80	EL / DB SL 80 AEEB	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AC/EK

end cap left,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EL / DB SL 60 MBW	<b>11.96</b>	50
80	EL / DB SL 80 MBW	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AE/EK

end cap right,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ER / DB SL 60 AE	<b>11.96</b>	50
80	ER / DB SL 80 AE	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AEEB/EK

end cap right,  
brushed stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ER / DB SL 60 AEEB	<b>11.96</b>	50
80	ER / DB SL 80 AEEB	<b>11.96</b>	50

#### Schlüter®-DESIGNBASE-SL-AC/EK

end cap right,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	ER / DB SL 60 MBW	<b>11.96</b>	50
80	ER / DB SL 80 MBW	<b>11.96</b>	50

### Schlüter®-DESIGNBASE-SL-AE/V

connector,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	V / DB SL 60 AE	<b>11.96</b>	50
80	V / DB SL 80 AE	<b>11.96</b>	50

#### Available coloured finishes:


MBW

Colours: MBW

### Schlüter®-DESIGNBASE-SL-AEEB/V

connector,  
brushed stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	V / DB SL 60 AEEB	<b>11.96</b>	50
80	V / DB SL 80 AEEB	<b>11.96</b>	50



### Schlüter®-DESIGNBASE-SL-AC/V

connector,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	V / DB SL 60 MBW	<b>11.96</b>	50
80	V / DB SL 80 MBW	<b>11.96</b>	50

**MyDesign by Schlüter-Systems**  
Custom prints or coating in 190 RAL Classic colours available. More details from page 16.


### Schlüter®-DESIGNBASE-SL/ZS

sealing lip

L = 2.50 m Art. No.	£ / m	KV (Unit)
DB ZS LL	<b>4.72</b>	60
★ DB ZS LL 3/LG	<b>5.83</b>	60

#### Colours:

DB ZS LL = transparent  
DB ZS LL 3/LG = light grey



#### Note:

New, extended sealing lip DB ZS LL 3/LG for absorbing screed shrinkage in new construction.



#### Note:

Schlüter-DESIGNBASE-SL-A can be shaped into a curved format with the Schlüter-RUMA forming machine, subject to the material and radius required. Please contact us for advice. Skirting boards with LED lighting can be created with Schlüter-DESIGNBASE-QD, see LT price list for details.



## Skirting profile



### Schlüter®-DESIGNBASE-CQ



Schlüter®-DESIGNBASE-CQ/O

Schlüter-DESIGNBASE-CQ is a profile made of high-quality coated or anodised aluminium for creating decorative skirtings. The integrated chambers of the height-adjustable plastic support profile are designed to conceal cables. Cable outlets are available as accessories. The optionally available aluminium angle allows for creating a shadow joint in flush-mounted assemblies. The profile can additionally be equipped with a sealing lip that is also available as an accessory to protect the perimeter movement joint from moisture and to reduce the transmission of impact sound.

(Product data sheet 16.3)



#### Schlüter®-DESIGNBASE-CQ-AE

anodised aluminium set

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Set)
60	DB CQ 60 AE	<b>28.16</b>	60
80	DB CQ 80 AE	<b>29.96</b>	60

#### Schlüter®-DESIGNBASE-CQ-AEEB

brushed stainless steel appearance,  
anodised aluminium set

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Set)
60	DB CQ 60 AEEB	<b>34.77</b>	60
80	DB CQ 80 AEEB	<b>38.35</b>	60

#### Schlüter®-DESIGNBASE-CQ-AC


colour coated aluminium set

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Set)
60	DB CQ 60 MBW	<b>32.35</b>	60
80	DB CQ 80 MBW	<b>35.95</b>	60

#### Schlüter®-DESIGNBASE-CQ/SG

shadow joint angle profile

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
12.5	DB SG 125 AE	<b>8.33</b>	60
12.5	DB SG 125 MBW	<b>12.54</b>	60
12.5	DB SG 125 AEEB	<b>17.38</b>	60



#### Note:

The set consists of the profile Schlüter-DESIGNBASE-CQ, a PVC support profile, and mounting materials.

## Corner | end cap | cable outlet | sealing lip

#### Schlüter®-DESIGNBASE-CQ-AE/EV

90° external/internal corner / end cap,  
anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EV / DB CQ 60 AE	<b>18.58</b>	50
80	EV / DB CQ 80 AE	<b>18.58</b>	50

#### Schlüter®-DESIGNBASE-CQ-AEEB/EV

90° external/internal corner / end cap,  
brushed stainless steel appearance, anodised aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EV / DB CQ 60 AEEB	<b>19.79</b>	50
80	EV / DB CQ 80 AEEB	<b>19.79</b>	50

#### Schlüter®-DESIGNBASE-CQ-AC/EV

90° external/internal corner / end cap,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
60	EV / DB CQ 60 MBW	<b>19.16</b>	50
80	EV / DB CQ 80 MBW	<b>19.16</b>	50

#### Schlüter®-DESIGNBASE-CQ-AE/O

cable outlet, width: 15 cm

H (mm)	Art. No.	£ / U.	P (Unit)
60	DB COQ 60 AE/15	<b>14.38</b>	60
80	DB COQ 80 AE/15	<b>14.99</b>	60

#### Schlüter®-DESIGNBASE-CQ-AEEB/O

cable outlet, width: 15 cm

H (mm)	Art. No.	£ / U.	P (Unit)
60	DB COQ 60 AEEB/15	<b>15.57</b>	60
80	DB COQ 80 AEEB/15	<b>16.19</b>	60

#### Schlüter®-DESIGNBASE-CQ-AC/O


cable outlet, width: 15 cm

H (mm)	Art. No.	£ / U.	P (Unit)
60	DB COQ 60 MBW/15	<b>14.68</b>	60
80	DB COQ 80 MBW/15	<b>15.42</b>	60

#### Schlüter®-DESIGNBASE-CQ/Z

sealing lip

L = 2.50 m Art. No.	£ / m	P (Unit)
DB ZCL / MBW	<b>6.61</b>	60
DB ZCL / PG	<b>6.61</b>	60



#### Colours:

DB ZSL / MBW = matte brilliant white  
DB ZSL / PG = pastel grey

#### Available coloured finishes:

MBW

Colours: MBW

# Durable beauty

## Ceramic tile worktops


Worktops with ceramic coverings add beauty to any kitchen. They not only are easy to care for and highly durable, but also create substantial aesthetic appeal. To keep the high-value structural elements permanently beautiful, the assembly should have elegant edge protection against mechanical impacts. Schlüter-SCHIENE-STEP and -RONDEC-STEP are two full profile lines that were specifically developed for this purpose.






## Finishing profile

### Schlüter®-RONDEC-STEP



Schlüter-RODEC-STEP is an edge profile for countertops or shelves with tile coverings. The upper edge has a rounded look. (Product data sheet 2.8)



#### Schlüter®-RONDEC-STEP-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RS 80 AE 39	<b>25.37</b>	60
10	RS 100 AE 39	<b>25.93</b>	60
12.5	RS 125 AE 39	<b>26.44</b>	60

#### Schlüter®-RONDEC-STEP-ACGB

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RS 80 ACGB 39	<b>31.37</b>	60
10	RS 100 ACGB 39	<b>31.90</b>	60
12.5	RS 125 ACGB 39	<b>32.36</b>	60

#### Schlüter®-RONDEC-STEP-AC

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RS 80 ...* 39	<b>27.98</b>	60
10	RS 100 ...* 39	<b>28.91</b>	60
12.5	RS 125 ...* 39	<b>29.83</b>	60

## Corner

#### Schlüter®-RONDEC-STEP/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E90 RS 80 ...** 39	<b>28.49</b>	50
10	E90 RS 100 ...** 39	<b>28.49</b>	50
12.5	E90 RS 125 ...** 39	<b>28.49</b>	50

#### Schlüter®-RONDEC-STEP/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E135 RS 80 ...** 39	<b>28.49</b>	50
10	E135 RS 100 ...** 39	<b>28.49</b>	50
12.5	E135 RS 125 ...** 39	<b>28.49</b>	50



#### Schlüter®-RONDEC-STEP-AC/E 90°

90° external corner, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
8	E90 RS 80 ...* 39	<b>27.29</b>	50
10	E90 RS 100 ...* 39	<b>27.29</b>	50
12.5	E90 RS 125 ...* 39	<b>27.29</b>	50

#### Schlüter®-RONDEC-STEP-AC/E 135°

135° external corner, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
8	E135 RS 80 ...* 39	<b>27.29</b>	50
10	E135 RS 100 ...* 39	<b>27.29</b>	50
12.5	E135 RS 125 ...* 39	<b>27.29</b>	50

**MyDesign by Schlüter-Systems**  
Custom prints available.  
More details from page 26.

#### Schlüter®-RONDEC-STEP/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	I90 RS 80 ...** 39	<b>28.49</b>	50
10	I90 RS 100 ...** 39	<b>28.49</b>	50
12.5	I90 RS 125 ...** 39	<b>28.49</b>	50

#### Schlüter®-RONDEC-STEP/I 135°

135° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	I135 RS 80 ...** 39	<b>28.49</b>	50
10	I135 RS 100 ...** 39	<b>28.49</b>	50
12.5	I135 RS 125 ...** 39	<b>28.49</b>	50



#### Schlüter®-RONDEC-STEP-AC/I 90°

90° internal corner, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
8	I90 RS 80 ...* 39	<b>27.29</b>	50
10	I90 RS 100 ...* 39	<b>27.29</b>	50
12.5	I90 RS 125 ...* 39	<b>27.29</b>	50

#### Schlüter®-RONDEC-STEP-AC/I 135°

135° internal corner, solid aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
8	I135 RS 80 ...* 39	<b>27.29</b>	50
10	I135 RS 100 ...* 39	<b>27.29</b>	50
12.5	I135 RS 125 ...* 39	<b>27.29</b>	50

To complete the art. no., add the finish/colour (e.g. I135 RS 80 MBW 39)




\* Finishes/colours: MBW - MGS  
\*\* Finishes/colours: ACGB - AE


For an overview of finishes and colours, please see page 335.

## Finishing profile

## Schlüter®-RONDEC-STEP-CT



Schlüter-RODEC-STEP-CT is an edge profile for countertops or shelves with tile coverings. The open face area of the profile can reflect the colour of the surface and is also suitable for holding other decorative elements. (Product data sheet 2.8)



## Schlüter®-RONDEC-STEP-CT-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RC 80 AE 39	<b>41.73</b>	60
10	RC 100 AE 39	<b>42.66</b>	60
12.5	RC 125 AE 39	<b>43.54</b>	60

## Schlüter®-RONDEC-STEP-CT-ACGB

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RC 80 ACGB 39	<b>45.23</b>	60
10	RC 100 ACGB 39	<b>46.13</b>	60
12.5	RC 125 ACGB 39	<b>46.98</b>	60

## Corner

## Schlüter®-RONDEC-STEP-CT/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E90 RC 80 ...* 39	<b>28.49</b>	10
10	E90 RC 100 ...* 39	<b>28.49</b>	10
12.5	E90 RC 125 ...* 39	<b>28.49</b>	10

## Schlüter®-RONDEC-STEP-CT/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E135 RC 80 ...* 39	<b>28.49</b>	10
10	E135 RC 100 ...* 39	<b>28.49</b>	10
12.5	E135 RC 125 ...* 39	<b>28.49</b>	10



## Schlüter®-RONDEC-STEP-CT/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	I90 RC 80 ...* 39	<b>28.49</b>	10
10	I90 RC 100 ...* 39	<b>28.49</b>	10
12.5	I90 RC 125 ...* 39	<b>28.49</b>	10

## Schlüter®-RONDEC-STEP-CT/I 135°

135° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	I135 RC 80 ...* 39	<b>28.49</b>	10
10	I135 RC 100 ...* 39	<b>28.49</b>	10
12.5	I135 RC 125 ...* 39	<b>28.49</b>	10



To complete the art. no., add the finish (e.g. I135 RC 80 AE 39)

\* Finishes: ACGB - AE

For an overview of finishes and colours, please see page 335.



## Finishing profile | corner | connector

### Schlüter®-SCHIENE-STEP-EB



Schlüter-SCHIENE-STEP-EB is a high-quality finishing profile made of brushed stainless steel. Thanks to its variable geometry, this profile can be used for a number of applications such as countertops, stair steps, or to finish “tile on tile” restoration projects. (Product data sheet 2.15)

#### Profile height H1 = 11 mm




#### Schlüter®-SCHIENE-STEP-EB



brushed stainless steel V2A, H1 = 11 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	SS 60 EB 11	<b>34.66</b>	60
12.5	SS 125 EB 11	<b>35.62</b>	60



#### Schlüter®-SCHIENE-STEP-EB/V


connector,  
brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	V / SS 60 EB 11	<b>13.88</b>	50
12.5	V / SS 125 EB 11	<b>13.88</b>	50



V / SS EB

#### Profile height H1 = 30 mm




#### Schlüter®-SCHIENE-STEP-EB



brushed stainless steel V2A, H1 = 30 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	SS 90 EB 30	<b>38.78</b>	60
11	SS 110 EB 30	<b>39.70</b>	60
12.5	SS 125 EB 30	<b>40.67</b>	60



#### Schlüter®-SCHIENE-STEP-EB/E 90°

90° external corner,  
brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
9	E90 / SS 90 EB 30	<b>15.75</b>	50
11	E90 / SS 110 EB 30	<b>15.75</b>	50
12.5	E90 / SS 125 EB 30	<b>15.75</b>	50

#### Schlüter®-SCHIENE-STEP-EB/V


connector,  
brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
9	V / SS 90 EB 30	<b>13.88</b>	50
11	V / SS 110 EB 30	<b>13.88</b>	50
12.5	V / SS 125 EB 30	<b>13.88</b>	50

#### Note:

90° external corner can also function as an end cap.

Profile height H1 = 39 mm




**Schlüter®-SCHIENE-STEP-EB**



brushed stainless steel V2A, H1 = 39 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	SS 60 EB 39	<b>46.66</b>	60
9	SS 90 EB 39	<b>48.55</b>	60
11	SS 110 EB 39	<b>49.50</b>	60
12.5	SS 125 EB 39	<b>51.07</b>	60



**Schlüter®-SCHIENE-STEP-EB/E 90°**


90° external corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	E90 / SS 60 EB 39	<b>15.75</b>	50
9	E90 / SS 90 EB 39	<b>15.75</b>	50
11	E90 / SS 110 EB 39	<b>15.75</b>	50
12.5	E90 / SS 125 EB 39	<b>15.75</b>	50

**Schlüter®-SCHIENE-STEP-EB/I 90°**

90° internal corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	I90 / SS 60 EB 39	<b>15.75</b>	50
9	I90 / SS 90 EB 39	<b>15.75</b>	50
11	I90 / SS 110 EB 39	<b>15.75</b>	50
12.5	I90 / SS 125 EB 39	<b>15.75</b>	50



**Schlüter®-SCHIENE-STEP-EB/E 135°**

135° external corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	E135 / SS 60 EB 39	<b>15.75</b>	50
9	E135 / SS 90 EB 39	<b>15.75</b>	50
11	E135 / SS 110 EB 39	<b>15.75</b>	50
12.5	E135 / SS 125 EB 39	<b>15.75</b>	50

**Schlüter®-SCHIENE-STEP-EB/I 135°**

135° internal corner, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
6	I135 / SS 60 EB 39	<b>15.75</b>	50
9	I135 / SS 90 EB 39	<b>15.75</b>	50
11	I135 / SS 110 EB 39	<b>15.75</b>	50
12.5	I135 / SS 125 EB 39	<b>15.75</b>	50


**Schlüter®-SCHIENE-STEP-EB/V**

connector, brushed stainless steel V2A


H (mm)	Art. No.	£ / U.	P (Unit)
6	V / SS 60 EB 39	<b>13.88</b>	50
9	V / SS 90 EB 39	<b>13.88</b>	50
11	V / SS 110 EB 39	<b>13.88</b>	50
12.5	V / SS 125 EB 39	<b>13.88</b>	50

Finishing profile

**Schlüter®-SCHIENE-STEP**



Schlüter-SCHIENE-STEP is an edge profile for countertops or shelves with tile coverings. (Product data sheet 2.15)



**Schlüter®-SCHIENE-STEP-AE**

anodised aluminium, H1 = 30 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SS 80 AE 30	<b>24.77</b>	60
10	SS 100 AE 30	<b>25.15</b>	60
12.5	SS 125 AE 30	<b>25.93</b>	60
15	SS 150 AE 30	<b>26.55</b>	60

**Schlüter®-SCHIENE-STEP-AE**

anodised aluminium, H1 = 39 mm


H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SS 80 AE 39	<b>25.43</b>	60
10	SS 100 AE 39	<b>25.81</b>	60
12.5	SS 125 AE 39	<b>26.55</b>	60
15	SS 150 AE 39	<b>27.03</b>	60



# Schlüter-profiles

## Stair nosing profiles

The edges of stairs are exposed to heavy mechanical stresses and represent a high risk for injuries. Schlüter-TREP profiles, which can also be retrofitted, are a safety enhancement because of their slip-resistant design and excellent visibility. They protect the edges of stairs from damage to keep stair tile coverings intact. Schlüter-TREP profiles are ideally suited for combination with the Schlüter-LIPROTEC illuminated profile technology.





## Stair nosing profiles

Schlüter®-TREP-S/-B	116
Schlüter®-TREP-E	117
Schlüter®-TREP-G/-GL	118
Schlüter®-TREP-FL	119

## Stair nosing profiles for retrofit installation

Schlüter®-TREP-EK	121
Schlüter®-TREP-EFK	121
Schlüter®-TREP-GK/-GLK	122

## Installation adhesive

Schlüter®-KERDI-FIX	123
---------------------	-----




## Stair nosing profile

### Schlüter®-TREP-S/-B



Schlüter-TREP-S/-B are aluminium or stainless steel stair nosing profiles with a replaceable thermoplastic tread. They are available with a wide (TREP-B) or narrow (TREP-S) tread.

(Product data sheet 3.2)



#### Schlüter®-TREP-B

wide aluminium support profile (52 mm), R 9

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	...* 8 B	25.80	60
10	...* 10 B	27.33	60
12.5	...* 12 B	28.54	60
15	...* 15 B	30.11	60
25	...* 25 B	30.80	60
<b>L = 1.50 m</b>			
8	...* 8 B/150	25.80	60
10	...* 10 B/150	27.33	60
12.5	...* 12 B/150	28.54	60
15	...* 15 B/150	30.11	60
25	...* 25 B/150	30.80	60
<b>L = 1.00 m</b>			
8	...* 8 B/100	26.61	60
10	...* 10 B/100	28.17	60
12.5	...* 12 B/100	29.49	60
15	...* 15 B/100	30.95	60
25	...* 25 B/100	31.67	60

#### Schlüter®-TREP-S

narrow aluminium support profile (26 mm), R 9

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	...* 8 S	18.48	60
10	...* 10 S	19.01	60
12.5	...* 12 S	19.80	60
<b>L = 1.50 m</b>			
8	...* 8 S/150	18.48	60
10	...* 10 S/150	19.01	60
12.5	...* 12 S/150	19.80	60
<b>L = 1.00 m</b>			
8	...* 8 S/100	19.46	60
10	...* 10 S/100	19.89	60
12.5	...* 12 S/100	20.68	60

#### Note:

R 9 = Slip resistance class according to DIN 51 130

#### Schlüter®-TREP-S-E

narrow stainless steel support profile V2A (26 mm), R 9

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	...* 8 SE	25.89	60
10	...* 10 SE	26.69	60
12.5	...* 12 SE	27.46	60
<b>L = 1.50 m</b>			
8	...* 8 SE/150	25.89	60
10	...* 10 SE/150	26.69	60
12.5	...* 12 SE/150	27.46	60
<b>L = 1.00 m</b>			
8	...* 8 SE/100	26.84	60
10	...* 10 SE/100	27.57	60
12.5	...* 12 SE/100	28.45	60

#### Schlüter®-TREP-TAP

cover profile

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
50	TAP 50 AE	13.38	60
<b>L = 1.50 m</b>			
50	TAP 50 AE/150	13.38	60
<b>L = 1.00 m</b>			
50	TAP 50 AE/100	13.38	60

#### Schlüter®-TREP-TAP-R

cover profile for riser, grooved

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
61	TAP R61 AE	13.93	60
<b>L = 1.50 m</b>			
61	TAP R61 AE/150	13.93	60

#### Accessories for TREP-B

##### Schlüter®-TREP-B/EK

end cap, wide (52 mm)

Art. No.	£ / U.	P (Unit)
E 52 / ...*	1.97	50

##### Schlüter®-TREP-B/EL

spare part:  
wide insert (52 mm)

L = 2.50 m Art. No.	£ / m	KV (Unit)
PE 52 / ...*	7.15	60

#### Accessories for TREP-S/-S-E

##### Schlüter®-TREP-S/EK

end cap, narrow (26 mm)

Art. No.	£ / U.	P (Unit)
E 26 / ...*	1.24	50

##### Schlüter®-TREP-S/EL

spare part:  
narrow insert (26 mm)


L = 2.50 m Art. No.	£ / m	KV (Unit)
PE 26 / ...*	6.05	60



To complete the art. no., add the colour  
(e.g. PE 26 / HB)



\* Colours: CG - G - GS - HB - NB




Stair nosing profile

Schlüter®-TREP-E



Schlüter-TREP-E is a stainless steel stair nosing profile with an anti-slip surface.  
(Product data sheet 3.3)



Schlüter®-TREP-E

stainless steel V2A, R 10 V 6

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2	TE 20	16.87	60
3	TE 30	17.07	60
5	TE 50	17.43	60
8	TE 80	17.96	60
11	TE 110	18.50	60
13	TE 130	18.98	60
16	TE 160	19.44	60
25	TE 250	21.06	60

Schlüter®-TREP-E

stainless steel V2A, R 10 V 6

H (mm)	L = 1.50 m Art. No.	£ / m	KV (Unit)
2	TE 20/150	16.87	60
3	TE 30/150	17.07	60
5	TE 50/150	17.43	60
8	TE 80/150	17.96	60
11	TE 110/150	18.50	60
13	TE 130/150	18.98	60
16	TE 160/150	19.44	60
25	TE 250/150	21.06	60

Schlüter®-TREP-E

stainless steel V2A, R 10 V 6

H (mm)	L = 1.00 m Art. No.	£ / m	KV (Unit)
2	TE 20/100	17.80	60
3	TE 30/100	17.96	60
5	TE 50/100	18.29	60
8	TE 80/100	18.83	60
11	TE 110/100	19.44	60
13	TE 130/100	19.82	60
16	TE 160/100	20.37	60
25	TE 250/100	21.98	60

Schlüter®-TREP-E V4A

stainless steel V4A, R 10 V 6

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	TE 80/V4A	19.73	60
11	TE 110/V4A	20.36	60
13	TE 130/V4A	20.86	60
16	TE 160/V4A	21.35	60

Schlüter®-TREP-E V4A

stainless steel V4A, R 10 V 6

H (mm)	L = 1.50 m Art. No.	£ / m	KV (Unit)
8	TE 80/150/V4A	19.73	60
11	TE 110/150/V4A	20.36	60
13	TE 130/150/V4A	20.86	60
16	TE 160/150/V4A	21.35	60

Schlüter®-TREP-E V4A

stainless steel V4A, R 10 V 6

H (mm)	L = 1.00 m Art. No.	£ / m	KV (Unit)
8	TE 80/100/V4A	20.76	60
11	TE 110/100/V4A	21.35	60
13	TE 130/100/V4A	21.73	60
16	TE 160/100/V4A	22.38	60

End cap

Schlüter®-TREP-E V4A/EK

end cap, stainless steel V4A

Art. No.	£ / U.	P (Unit)
E / TE	2.40	50



TREP-E V4A/EK

Can also be used with V2A profiles.

Note:

R 10 V 6 = Slip resistance class according to DIN 51 130  
For 3 metre length, add "/300" to art. no. (e.g. TE 80/300).




## Stair nosing profile

### Schlüter®-TREP-G/-GL



Schlüter-TREP-G is a stair nosing profile made of brushed stainless steel with an adhered, anti-slip tread.  
(Product data sheet 3.5)



#### Schlüter®-TREP-G-B

brushed stainless steel V2A,  
wide (55 mm), R 11

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	GB EB 90 ...*	50.50	60
11	GB EB 110 ...*	52.65	60
13	GB EB 130 ...*	54.79	60
15	GB EB 150 ...*	57.33	60
L = 1.50 m			
9	GB EB 90 ...*/150	50.50	60
11	GB EB 110 ...*/150	52.65	60
13	GB EB 130 ...*/150	54.79	60
15	GB EB 150 ...*/150	57.33	60
L = 1.00 m			
9	GB EB 90 ...*/100	51.54	60
11	GB EB 110 ...*/100	53.74	60
13	GB EB 130 ...*/100	55.91	60
15	GB EB 150 ...*/100	59.88	60

#### Schlüter®-TREP-G-S

brushed stainless steel V2A,  
narrow (30 mm), R 11

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	GS EB 90 ...*	40.40	60
11	GS EB 110 ...*	42.52	60
13	GS EB 130 ...*	45.04	60
15	GS EB 150 ...*	46.85	60
L = 1.50 m			
9	GS EB 90 ...*/150	40.40	60
11	GS EB 110 ...*/150	42.52	60
13	GS EB 130 ...*/150	45.04	60
15	GS EB 150 ...*/150	46.85	60
L = 1.00 m			
9	GS EB 90 ...*/100	41.46	60
11	GS EB 110 ...*/100	43.63	60
13	GS EB 130 ...*/100	46.15	60
15	GS EB 150 ...*/100	47.95	60

#### Accessories for TREP-G-B

##### Schlüter®-TREP-G-B/EK

end cap, wide

Art. No.	£ / U.	P (Unit)
E/GB EB	3.00	50

##### Schlüter®-TREP-G-B/KB

spare part:  
self adhesive tape, wide, R 11

44 mm x 18.3 m Art. No.	£ / m	P (Roll)
GB KB 183 ...*	9.47	60

##### Schlüter®-TREP-GL-B/KB

spare part:  
self adhesive tape, wide, R 10

44 mm x 6 m Art. No.	£ / m	P (Roll)
GLB KB 60 ...*	10.71	60

#### Schlüter®-TREP-GL-B

brushed stainless steel V2A,  
wide (55 mm), R 10

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	GLB EB 90 ...*	50.50	60
11	GLB EB 110 ...*	52.65	60
13	GLB EB 130 ...*	54.79	60
15	GLB EB 150 ...*	57.33	60
L = 1.50 m			
9	GLB EB 90 ...*/150	50.50	60
11	GLB EB 110 ...*/150	52.65	60
13	GLB EB 130 ...*/150	54.79	60
15	GLB EB 150 ...*/150	57.33	60
L = 1.00 m			
9	GLB EB 90 ...*/100	51.54	60
11	GLB EB 110 ...*/100	53.74	60
13	GLB EB 130 ...*/100	55.91	60
15	GLB EB 150 ...*/100	59.88	60

#### Schlüter®-TREP-GL-S

brushed stainless steel V2A,  
narrow (30 mm), R 10

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	GLS EB 90 ...*	40.40	60
11	GLS EB 110 ...*	42.52	60
13	GLS EB 130 ...*	45.04	60
15	GLS EB 150 ...*	46.85	60
L = 1.50 m			
9	GLS EB 90 ...*/150	40.40	60
11	GLS EB 110 ...*/150	42.52	60
13	GLS EB 130 ...*/150	45.04	60
15	GLS EB 150 ...*/150	46.85	60
L = 1.00 m			
9	GLS EB 90 ...*/100	41.46	60
11	GLS EB 110 ...*/100	43.63	60
13	GLS EB 130 ...*/100	46.15	60
15	GLS EB 150 ...*/100	47.95	60

#### Accessories for TREP-G-S

##### Schlüter®-TREP-G-S/EK

end cap, narrow

Art. No.	£ / U.	P (Unit)
E/GS EB	2.66	50

##### Schlüter®-TREP-G-S/KB

spare part:  
self adhesive tape, narrow, R 11

19 mm x 18.3 m Art. No.	£ / m	P (Roll)
GS KB 183 ...*	6.31	60

##### Schlüter®-TREP-GL-S/KB

spare part:  
self adhesive tape, narrow, R 10

19 mm x 6 m Art. No.	£ / m	P (Roll)
GLS KB 60 ...*	7.42	60

#### Note:

R 10 / R 11 = Slip resistance class according to DIN 51 130

To complete the art. no., add the colour  
(e.g. GLS KB 60 T)



\* Colours: GS - T




## Stair nosing profile

**Schlüter®-TREP-FL**


Schlüter-TREP-FL is a stair nosing profile in florentine design made of aluminium with a special anti-slip tread or stainless steel to create safe and attractive stair treads. It is designed for stairs with tile or natural stone coverings.

(Product data sheet 3.4)


**Schlüter®-TREP-FL-AE**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	FL 90 AE	<b>15.37</b>	60
11	FL 110 AE	<b>15.37</b>	60
12.5	FL 125 AE	<b>15.37</b>	60
	<b>L = 1.50 m</b>		
9	FL 90 AE/150	<b>15.37</b>	60
11	FL 110 AE/150	<b>15.37</b>	60
12.5	FL 125 AE/150	<b>15.37</b>	60
	<b>L = 1.00 m</b>		
9	FL 90 AE/100	<b>16.13</b>	60
11	FL 110 AE/100	<b>16.13</b>	60
12.5	FL 125 AE/100	<b>16.13</b>	60

**Schlüter®-TREP-FL-E**

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	FL 90 E	<b>20.76</b>	60
11	FL 110 E	<b>20.76</b>	60
12.5	FL 125 E	<b>20.76</b>	60
	<b>L = 1.50 m</b>		
9	FL 90 E/150	<b>20.76</b>	60
11	FL 110 E/150	<b>20.76</b>	60
12.5	FL 125 E/150	<b>20.76</b>	60
	<b>L = 1.00 m</b>		
9	FL 90 E/100	<b>21.46</b>	60
11	FL 110 E/100	<b>21.46</b>	60
12.5	FL 125 E/100	<b>21.46</b>	60

**Schlüter®-TREP-FL-EB**

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	FL 90 EB	<b>25.91</b>	60
11	FL 110 EB	<b>25.91</b>	60
12.5	FL 125 EB	<b>25.91</b>	60
	<b>L = 1.50 m</b>		
9	FL 90 EB/150	<b>25.91</b>	60
11	FL 110 EB/150	<b>25.91</b>	60
12.5	FL 125 EB/150	<b>25.91</b>	60
	<b>L = 1.00 m</b>		
9	FL 90 EB/100	<b>26.77</b>	60
11	FL 110 EB/100	<b>26.77</b>	60
12.5	FL 125 EB/100	<b>26.77</b>	60

For 3 metre length, add "/300" to art. no. (e.g. FL 90 AE/300).

## End cap

**Schlüter®-TREP-FL-AE/EK**


end cap, anodised aluminium

Art. No.	£ / U.	P (Unit)
E / FL AE	<b>2.32</b>	50

**Schlüter®-TREP-FL-EB/EK\***

end cap, brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / FL EB	<b>2.40</b>	50



\* Suitable for Schlüter-TREP-FL-E and -EB.




# Schlüter®-TREP

Safety can be retrofitted

The installation of stair nosing profiles is not always a consideration during the initial construction of stairs. Schlüter-TREP profiles are also available for retrofit installation to help you enhance the safety of stairs at a later point. Schlüter-KERDI-FIX ensures the permanently safe installation of these profiles:

- ✓ **Schlüter-TREP-EK**  
with anti-slip tread
- ✓ **Schlüter-TREP-EFK**  
for attachment in milled grooves
- ✓ **Schlüter-TREP-GK/-TREP-GLK**  
with adhered tread




Stair nosing profile

**Schlüter®-TREP-EK**



Schlüter-TREP-EK is a stainless steel stair nosing profile with a special anti-slip tread to create safe and attractive stair treads. It can be retrofitted to steps with tile or natural stone coverings.  
(Product data sheet 3.3)



**Schlüter®-TREP-EK**

stainless steel V2A, R 10 V 6

L = 2.50 m Art. No.	£ / m	KV (Unit)
TEK	16.15	60

**Schlüter®-TREP-EK**

stainless steel V2A, R 10 V 6

L = 1.50 m Art. No.	£ / m	KV (Unit)
TEK/150	16.15	60

**Schlüter®-TREP-EK**

stainless steel V2A, R 10 V 6

L = 1.00 m Art. No.	£ / m	KV (Unit)
TEK/100	17.01	60

**Note:**


R 10 V 6 = Slip resistance class according to DIN 51 130

Stair nosing profile

**Schlüter®-TREP-EFK**



Schlüter-TREP-EFK is a stainless steel stair nosing profile with a special anti-slip tread to create safe and attractive stair treads. It can be adhered with installation adhesive in the corresponding milled grooves or retrofitted on stair steps.  
(Product data sheet 3.3)



**Schlüter®-TREP-EFK**

stainless steel V4A, R 10 V 6

L = 2.50 m Art. No.	£ / m	KV (Unit)
TEF 56K/V4A	22.49	60

**Note:**

R 10 V 6 = Slip resistance class according to DIN 51 130




## Stair nosing profile

### Schlüter®-TREP-GK/-GLK



Schlüter-TREP-GK is a stair nosing profile made of brushed stainless steel with an adhered, anti-slip tread. It can be retrofitted to steps with tile or natural stone coverings. (Product data sheet 3.5)



#### Schlüter®-TREP-GK-B

brushed stainless steel V2A, wide (59 mm), R 11

L = 2.50 m Art. No.	£ / m	KV (Unit)
GB EBK ...*	43.28	60
L = 1.50 m		
GB EBK ...*/150	43.28	60
L = 1.00 m		
GB EBK ...*/100	44.36	60

#### Schlüter®-TREP-GK-S

brushed stainless steel V2A, narrow (34 mm), R 11

L = 2.50 m Art. No.	£ / m	KV (Unit)
GS EBK ...*	35.32	60
L = 1.50 m		
GS EBK ...*/150	35.32	60
L = 1.00 m		
GS EBK ...*/100	36.43	60

#### Accessories for TREP-GK-B

##### Schlüter®-TREP-G-B/KB

spare part:  
self adhesive tape, wide, R 11

44 mm x 18.3 m Art. No.	£ / m	P (Roll)
GB KB 183 ...*	9.47	60

##### Schlüter®-TREP-GL-B/KB

spare part:  
self adhesive tape, wide, R 10

44 mm x 6 m Art. No.	£ / m	P (Roll)
GLB KB 60 ...*	10.71	60

#### Schlüter®-TREP-GLK-B

brushed stainless steel V2A, wide (59 mm), R 10

L = 2.50 m Art. No.	£ / m	KV (Unit)
GLB EBK ...*	43.28	60
L = 1.50 m		
GLB EBK ...*/150	43.28	60
L = 1.00 m		
GLB EBK ...*/100	44.36	60

#### Schlüter®-TREP-GLK-S

brushed stainless steel V2A, narrow (34 mm), R 10

L = 2.50 m Art. No.	£ / m	KV (Unit)
GLS EBK ...*	35.32	60
L = 1.50 m		
GLS EBK ...*/150	35.32	60
L = 1.00 m		
GLS EBK ...*/100	36.43	60

#### Accessories for TREP-GK-S

##### Schlüter®-TREP-G-S/KB

spare part:  
self adhesive tape, narrow, R 11

19 mm x 18.3 m Art. No.	£ / m	P (Roll)
GS KB 183 ...*	6.31	60

##### Schlüter®-TREP-GL-S/KB

spare part:  
self adhesive tape, narrow, R 10

19 mm x 6 m Art. No.	£ / m	P (Roll)
GLS KB 60 ...*	7.42	60

#### Note:

R 10 / R 11 = Slip resistance class according to DIN 51 130

To complete the art. no., add the colour (e.g. GLS KB 60 T)



\* Colours: GS - T

For an overview of finishes and colours, please see page 335.

Installation adhesive

**Schlüter®-KERDI-FIX**



Schlüter-KERDI-FIX is an MS polymer based elastic adhesive. It is suited for adjoining profiles and Schlüter-KERDI-BOARD as well as sealing the abutments and joint areas of Schlüter-KERDI waterproofing membrane sections.

*(Product data sheet 8.3)*



**Schlüter®-KERDI-FIX**


MS polymer adhesive

Fill volume (ml)	Art. No.	£ / U.	P (Unit)
290	KERDIFIX / BW	<b>21.66</b>	12
290	KERDIFIX / G	<b>21.66</b>	12

**Colours:**

BW = brilliant white

G = grey






# Schlüter-profiles

## Movement and control joint profiles

The profiles of our Schlüter-DILEX range offer maintenance-free and functional solutions for all relevant movement joints in tile coverings. The range includes profile types for movement joints and control joints, as well as edge and transition joints. All profiles are installed at the same time as the tile covering. Our DILEX profiles are available in various material combinations to match the anticipated mechanical or chemical stresses on the covering.



## Movement joint profiles

Schlüter®-DILEX-EDP	126
Schlüter®-DILEX-KS	127
Schlüter®-DILEX-EKSB	128
Schlüter®-DILEX-AKWS	128
Schlüter®-DILEX-BWB	129
Schlüter®-DILEX-BWS	129
Schlüter®-DILEX-EMP	152
Schlüter®-DILEX-EP	154

## Tension relief and decorative profiles

Schlüter®-DILEX-EZ 6 + 9	130
Schlüter®-DILEX-EZ 70	154

## Structural movement profiles

Schlüter®-DILEX-BT	130
Schlüter®-DILEX-BTO	131
Schlüter®-DILEX-BTS	131
Schlüter®-DILEX-KSBT	127
Schlüter®-DILEX-BT/MT	134
Schlüter®-DILEX-BT/OT	134
Schlüter®-RENO-VT	134
Schlüter®-DILEX-BT/VTS	134

## Joining profiles

Schlüter®-DILEX-KSA	136
Schlüter®-DILEX-BWA	137
Schlüter®-DILEX-AS	137

## Corner joint profiles

Schlüter®-DILEX-EF	138
Schlüter®-DILEX-EKE	138

## Edge joint profiles

Schlüter®-DILEX-RF	139
Schlüter®-DILEX-EK	140

## Cove-shaped profiles

Schlüter®-DILEX-HK	141
Schlüter®-DILEX-HKW	142
Schlüter®-ECK-KHK	143
Schlüter®-DILEX-HKS	144
Schlüter®-DILEX-EHK	145
Schlüter®-DILEX-HKU	146–147
Schlüter®-DILEX-AHK-TS	148
Schlüter®-DILEX-AHK	149–150
Schlüter®-DILEX-AHKA	150–151

## Expansion joint profiles

Schlüter®-DILEX-MP	153
Schlüter®-DILEX-MOP	153
Schlüter®-DILEX-DFP	155

## Accessories

Schlüter®-DILEX-HVD	155
---------------------	-----



# Schlüter®-DILEX

## Control joint profiles

According to the recognised building standards, tile coverings must be divided into control joint grids. Schlüter-DILEX profiles are the perfect solution:

- ✓ Permanently maintenance-free
- ✓ Concurrent with tile installation
- ✓ Weatherproof and temperature-resistant
- ✓ Suitable for internal and external applications




### Movement joint profile

#### Schlüter®-DILEX-EDP



Schlüter-DILEX-EDP is a stainless steel movement joint profile, which absorbs horizontal movement through a tongue and groove connection.

(Product data sheet 4.16)



#### Schlüter®-DILEX-EDP

stainless steel V2A


H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EDP 80	<b>36.18</b>	40
9	EDP 90	<b>35.95</b>	40
10	EDP 100	<b>36.28</b>	40
11	EDP 110	<b>36.60</b>	40
12.5	EDP 125	<b>38.05</b>	40
14	EDP 140	<b>38.57</b>	40
16	EDP 160	<b>39.49</b>	40
18.5	EDP 185	<b>40.47</b>	40
21	EDP 210	<b>41.38</b>	40
25	EDP 250	<b>43.04</b>	40
30	EDP 300	<b>44.01</b>	40

Movement joint profile

Schlüter®-DILEX-KS



Schlüter-DILEX-KS is a movement profile with edge protection consisting of lateral anchoring legs made of aluminium or stainless steel, which are connected to a replaceable movement zone made of soft synthetic material. (Product data sheet 4.8)



Schlüter®-DILEX-AKSN

aluminium

H (mm)	L = 2.50 m Art. No.	€ / m	KV (Unit)
8	AKSN 80 ...*	19.28	40
10	AKSN 100 ...*	19.89	40
11	AKSN 110 ...*	20.23	40
12.5	AKSN 125 ...*	20.60	40
14	AKSN 140 ...*	21.50	40
16	AKSN 160 ...*	23.07	40

Schlüter®-DILEX-EKSN

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	€ / m	KV (Unit)
8	EKSN 80 ...*	39.06	40
10	EKSN 100 ...*	39.49	40
11	EKSN 110 ...*	39.86	40
12.5	EKSN 125 ...*	40.73	40
14	EKSN 140 ...*	41.45	40
16	EKSN 160 ...*	42.61	40
18.5	EKSN 185 ...*	43.66	40
21	EKSN 210 ...*	44.80	40
25	EKSN 250 ...*	46.93	40
30	EKSN 300 ...*	48.97	40

Schlüter®-DILEX-EKSN V4A

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	€ / m	KV (Unit)
8	EKSN 80 ...* / V4A	42.92	40
10	EKSN 100 ...* / V4A	43.43	40
11	EKSN 110 ...* / V4A	44.04	40
12.5	EKSN 125 ...* / V4A	44.80	40
14	EKSN 140 ...* / V4A	45.63	40
16	EKSN 160 ...* / V4A	46.80	40

Accessories

Schlüter®-DILEX-KS/EL

spare part: insert

L = 2.50 m Art. No.	€ / m	KV (Unit)
KSE / ...*	4.48	40



KS/EL

Schlüter®-DILEX-KS/K

cross joint insert (150 x 150 mm)

Art. No.	€ / U.	P (Unit)
KS EK / ...*	20.19	50






To complete the art. no., add the colour (e.g. KSE / PG)



\* Colours: C - DA - FG - G - GS - HB - PG - SG

For an overview of finishes and colours, please see page 335.






## Movement joint profile

### Schlüter®-DILEX-EKSB



Schlüter-DILEX-EKSB is a movement joint profile with edge protection for floor coatings and other thin floor coverings. It consists of lateral stainless steel anchoring legs that are connected to a fixed elastic insert of soft synthetic material.

(Product data sheet 4.8)



#### Schlüter®-DILEX-EKSB

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2.5	EKSB 25 ...*	<b>29.89</b>	40
4.5	EKSB 45 ...*	<b>31.28</b>	40
6	EKSB 60 ...*	<b>32.57</b>	40

#### Schlüter®-DILEX-EKSB V4A

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
2.5	EKSB 25 ...* / V4A	<b>32.84</b>	40
4.5	EKSB 45 ...* / V4A	<b>34.42</b>	40
6	EKSB 60 ...* / V4A	<b>35.80</b>	40

To complete the art. no., add the colour (e.g. EKSB 25 HB / V4A)



\* Colours: G - GS - HB - PG

For an overview of finishes and colours, please see page 335.


## Movement joint profile

### Schlüter®-DILEX-AKWS



Schlüter-DILEX-AKWS is a movement joint profile with lateral aluminium anchoring legs connected to a movement zone made of soft synthetic material.

(Product data sheet 4.18)



#### Schlüter®-DILEX-AKWS

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AKWS 80 ...*	<b>18.16</b>	60
9	AKWS 90 ...*	<b>18.48</b>	60
10	AKWS 100 ...*	<b>18.89</b>	60
11	AKWS 110 ...*	<b>19.06</b>	60
12.5	AKWS 125 ...*	<b>19.46</b>	60
14	AKWS 140 ...*	<b>19.80</b>	60
16	AKWS 160 ...*	<b>20.04</b>	60
21	AKWS 210 ...*	<b>20.76</b>	60

To complete the art. no., add the colour (e.g. AKWS 80 PG)



\* Colours: G - GS - HB - PG


For an overview of finishes and colours, please see page 335.

## Movement joint profile

**Schlüter®-DILEX-BWB**


Schlüter-DILEX-BWB is a movement joint profile with lateral sections of rigid, recycled plastic. The top movement zone is made of soft CPE and forms the 10 mm wide visible area.

(Product data sheet 4.6)


**Schlüter®-DILEX-BWB**

PVC / CPE

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	BWB 60 ...*	<b>6.73</b>	60
8	BWB 80 ...**	<b>6.90</b>	60
10	BWB 100 ...**	<b>7.04</b>	60
12.5	BWB 125 ...**	<b>7.24</b>	60
15	BWB 150 ...***	<b>8.32</b>	60
20	BWB 200 ...***	<b>8.99</b>	60

To complete the art. no., add the colour (e.g. BWB 60 G)



\* Colours: BW - C - DA - FG - G - GS - HB - PG - SG

\*\* Colours: BW - C - DA - FG - G - GS - HB - PG - SG - SP

\*\*\* Colours: G


For an overview of finishes and colours, please see page 335.

## Movement joint profile

**Schlüter®-DILEX-BWS**


Schlüter-DILEX-BWS is a movement joint profile with lateral sections of rigid, recycled plastic. The movement zone consists of soft CPE and forms the 5 mm wide visible area.

(Product data sheet 4.7)


**Schlüter®-DILEX-BWS**

PVC / CPE

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	BWS 45 ...*	<b>6.20</b>	120
6	BWS 60 ...**	<b>6.20</b>	120
8	BWS 80 ...*	<b>6.20</b>	120
9	BWS 90 ...*	<b>6.54</b>	120
10	BWS 100 ...*	<b>6.54</b>	120
11	BWS 110 ...*	<b>6.54</b>	120
12.5	BWS 125 ...*	<b>6.54</b>	120

To complete the art. no., add the colour (e.g. BWS 45 HB)



\* Colours: BW - C - DA - FG - G - GS - HB - PG - SG - SP

\*\* Colours: BW - C - DA - FG - G - GS - HB - PG - SG

For an overview of finishes and colours, please see page 335.




## Tension relief and decorative profile

### Schlüter®-DILEX-EZ 6 + 9



Schlüter-DILEX-EZ 6 + 9 combine decorative design with a stress-relieving function for tile and natural stone surfaces laid in a thin bed of adhesive.  
(Product data sheet 4.1)



#### Schlüter®-DILEX-EZ 6

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
6	EZ C/CG 6	<b>4.68</b>	120
6	EZ M/G 6	<b>4.68</b>	120

#### Schlüter®-DILEX-EZ 9

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9	EZ C/CG 9	<b>5.12</b>	120
9	EZ M/G 9	<b>5.12</b>	120


C/CG = chrome inlay / yellow  
M/G = brass inlay / grey

## Structural movement profile

### Schlüter®-DILEX-BT



Schlüter-DILEX-BT is a structural expansion joint made of aluminium with lateral joint connections to a sliding telescopic centre section. This allows for absorption of three-dimensional movement.  
(Product data sheet 4.20)



#### Schlüter®-DILEX-BT-A

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ABT 80	<b>37.35</b>	40
10	ABT 100	<b>37.88</b>	40
12.5	ABT 125	<b>38.81</b>	40
15	ABT 150	<b>39.20</b>	40
17.5	ABT 175	<b>39.78</b>	40
20	ABT 200	<b>40.98</b>	40

#### Schlüter®-DILEX-BT-AE


anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AEBT 80	<b>52.57</b>	40
10	AEBT 100	<b>53.42</b>	40
12.5	AEBT 125	<b>54.45</b>	40
15	AEBT 150	<b>55.32</b>	40
17.5	AEBT 175	<b>56.48</b>	40
20	AEBT 200	<b>59.31</b>	40

## Structural movement profile

**Schlüter®-DILEX-BTO**


Schlüter-DILEX-BTO is a structural movement profile made of aluminium for floor to wall transitions. The lateral joint connection of the sliding middle section of the profile is able to absorb three dimensional movement. (Product data sheet 4.20)


**Schlüter®-DILEX-BTO-A**

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	ABT 80/0 125	<b>38.32</b>	40
10	ABT 100/0 125	<b>38.58</b>	40
12.5	ABT 125/0 125	<b>38.95</b>	40
15	ABT 150/0 125	<b>39.20</b>	40
17.5	ABT 175/0 125	<b>39.49</b>	40
20	ABT 200/0 125	<b>40.11</b>	40

**Schlüter®-DILEX-BTO-AE**


anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AEBT 80/0 125	<b>54.23</b>	40
10	AEBT 100/0 125	<b>54.62</b>	40
12.5	AEBT 125/0 125	<b>55.19</b>	40
15	AEBT 150/0 125	<b>55.59</b>	40
17.5	AEBT 175/0 125	<b>56.20</b>	40
20	AEBT 200/0 125	<b>57.60</b>	40

## Structural movement profile

**Schlüter®-DILEX-BTS**


Schlüter-DILEX-BTS is a structural movement profile made of aluminium for retrofitting in finished coverings. The lateral joint connection of the sliding middle section of the profile is able to absorb three dimensional movement. (Product data sheet 4.20)


**Schlüter®-DILEX-BTS-A**

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	ABTS 100	<b>38.81</b>	60

**Schlüter®-DILEX-BTS-AE**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	AEBTS 100	<b>54.45</b>	60




## Structural movement profile

### Schlüter®-DILEX-KSBT



Schlüter-DILEX-KSBT is a structural movement profile with edge protection, consisting of side anchoring legs of aluminium or stainless steel connected to a 20 mm or 30 mm wide movement zone of soft synthetic rubber. (Product data sheet 4.19)



#### Schlüter®-DILEX-AKSBT 20

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AKS 80 BT 20 ...*	<b>21.27</b>	40
10	AKS 100 BT 20 ...*	<b>21.88</b>	40
11	AKS 110 BT 20 ...*	<b>22.20</b>	40
12.5	AKS 125 BT 20 ...*	<b>22.58</b>	40
14	AKS 140 BT 20 ...*	<b>23.53</b>	40

#### Schlüter®-DILEX-EKSBT 20

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	KS V2A 80 BT 20 ...*	<b>41.04</b>	40
10	KS V2A 100 BT 20 ...*	<b>41.52</b>	40
11	KS V2A 110 BT 20 ...*	<b>42.40</b>	40
12.5	KS V2A 125 BT 20 ...*	<b>42.78</b>	40
14	KS V2A 140 BT 20 ...*	<b>43.48</b>	40
16	KS V2A 160 BT 20 ...*	<b>44.66</b>	40
18.5	KS V2A 185 BT 20 ...*	<b>45.70</b>	40
21	KS V2A 210 BT 20 ...*	<b>46.80</b>	40
25	KS V2A 250 BT 20 ...*	<b>48.97</b>	40
30	KS V2A 300 BT 20 ...*	<b>51.02</b>	40

#### Schlüter®-DILEX-EKSBT 20 V4A

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	KS V4A 80 BT 20 ...*	<b>45.17</b>	40
10	KS V4A 100 BT 20 ...*	<b>45.70</b>	40
11	KS V4A 110 BT 20 ...*	<b>46.42</b>	40
12.5	KS V4A 125 BT 20 ...*	<b>47.05</b>	40
14	KS V4A 140 BT 20 ...*	<b>47.86</b>	40
16	KS V4A 160 BT 20 ...*	<b>49.09</b>	40

#### Schlüter®-DILEX-AKSBT 30

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AKS 80 BT 30 ...*	<b>23.27</b>	40
10	AKS 100 BT 30 ...*	<b>23.86</b>	40
11	AKS 110 BT 30 ...*	<b>24.40</b>	40
12.5	AKS 125 BT 30 ...*	<b>24.56</b>	40
14	AKS 140 BT 30 ...*	<b>25.49</b>	40

#### Schlüter®-DILEX-EKSBT 30

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	KS V2A 80 BT 30 ...*	<b>43.17</b>	40
10	KS V2A 100 BT 30 ...*	<b>43.56</b>	40
11	KS V2A 110 BT 30 ...*	<b>44.39</b>	40
12.5	KS V2A 125 BT 30 ...*	<b>44.80</b>	40
14	KS V2A 140 BT 30 ...*	<b>45.51</b>	40
16	KS V2A 160 BT 30 ...*	<b>46.70</b>	40
18.5	KS V2A 185 BT 30 ...*	<b>47.73</b>	40
21	KS V2A 210 BT 30 ...*	<b>48.89</b>	40
25	KS V2A 250 BT 30 ...*	<b>51.02</b>	40
30	KS V2A 300 BT 30 ...*	<b>53.10</b>	40

#### Schlüter®-DILEX-EKSBT 30 V4A

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	KS V4A 80 BT 30 ...*	<b>47.47</b>	40
10	KS V4A 100 BT 30 ...*	<b>47.92</b>	40
11	KS V4A 110 BT 30 ...*	<b>48.67</b>	40
12.5	KS V4A 125 BT 30 ...*	<b>49.30</b>	40
14	KS V4A 140 BT 30 ...*	<b>50.09</b>	40
16	KS V4A 160 BT 30 ...*	<b>51.37</b>	40

To complete the art. no., add the colour (e.g. KS V4A 80 BT 30 GS)



\* Colours: C - DA - FG - G - GS - HB - SG

For an overview of finishes and colours, please see page 335.

### Accessories for KSBT 20

#### Schlüter®-DILEX-KSBT 20/K

cross joint insert (200 x 200 mm)

Art. No.	£ / U.	P (Unit)
KSG 20 K / ...*	21.21	50



#### Schlüter®-DILEX-KSBT 20/EL

spare part: insert

L = 2.50 m Art. No.	£ / m	KV (Unit)
KSG 20 ...*	7.37	40

### Accessories for KSBT 30

#### Schlüter®-DILEX-KSBT 30/K

cross joint insert (200 x 200 mm)


Art. No.	£ / U.	P (Unit)
KSG 30 K / ...*	21.78	50



#### Schlüter®-DILEX-KSBT 30/VE

brushed stainless steel V2A insert

L = 2.50 m Art. No.	£ / m	KV (Unit)
KSBT VE	17.60	40



#### Schlüter®-DILEX-KSBT 30/EL

spare part: insert




L = 2.50 m Art. No.	£ / m	KV (Unit)
KSG 30 ...*	8.63	40

To complete the art. no., add the colour (e.g. KSG 30 GS)



\* Colours: C - DA - FG - G - GS - HB - SG

For an overview of finishes and colours, please see page 335.





## Structural movement profile

### Schlüter®-DILEX-BT/MT

Schlüter-DILEX-BT/MT is the centre section of the structural movement profile and can be combined with Schlüter-DILEX-BT/OT or -RENO-VT of all sizes.

(Product data sheet 4.20)

#### Schlüter®-DILEX-BT-A/MT


centre section, aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
37.5	ABT 30 MT	<b>20.40</b>	60

#### Schlüter®-DILEX-BT-AE/MT

centre section, anodised aluminium

B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
37.5	AEBT 30 MT	<b>29.98</b>	60



### Schlüter®-DILEX-BT/OT

Schlüter-DILEX-BT/OT is the wall support profile of the structural movement joint and can be combined with Schlüter-DILEX-BT/MT and -RENO-VT in any length.

(Product data sheet 4.20)

#### Schlüter®-DILEX-BT-A/OT


wall support profile, aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
12.5	ABTO 125	<b>7.67</b>	60

#### Schlüter®-DILEX-BT-AE/OT

wall support profile, anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
12.5	AEBTO 125	<b>10.61</b>	60



### Schlüter®-RENO-VT

Schlüter-RENO-VT is the floor support profile of the structural movement joint and can be combined with Schlüter-DILEX-BT/MT and -BT/OT in any length.

(Product data sheet 1.7)

#### Schlüter®-RENO-AVT


floor support profile, aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AVT 80	<b>6.92</b>	60
10	AVT 100	<b>7.25</b>	60
12.5	AVT 125	<b>7.67</b>	60
15	AVT 150	<b>7.86</b>	60
17.5	AVT 175	<b>8.23</b>	60
20	AVT 200	<b>8.77</b>	60

#### Schlüter®-RENO-AEVT

floor support profile, anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AEVT 80	<b>9.23</b>	60
10	AEVT 100	<b>9.68</b>	60
12.5	AEVT 125	<b>10.18</b>	60
15	AEVT 150	<b>10.73</b>	60
17.5	AEVT 175	<b>11.26</b>	60
20	AEVT 200	<b>12.73</b>	60



#### Note:

The VT profile is also used as a variable support profile for the Schlüter-RENO-V profile range (see page 47).

### Schlüter®-DILEX-BT/VTS

Schlüter-DILEX-BT/VTS is a renovation support profile for structural movement joints and can be combined with Schlüter-DILEX-BT/MT.

(Product data sheet 4.20)

#### Schlüter®-DILEX-BT-A/VTS


renovation support profile, aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	AVTS 100	<b>7.67</b>	60

#### Schlüter®-DILEX-BT-AE/VTS

renovation support profile, anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	AEVTS 100	<b>10.18</b>	60



# Schlüter edge and connection joints

## A neat solution

Creating clean edge and connection joints is not an easy task. After all, these features must effectively prevent stresses in the covering as well as sound bridges. Schlüter-Systems provide profiles for this purpose:

- ✓ In various materials
- ✓ For different absorptions of movement
- ✓ With replaceable movement zones
- ✓ With or without cove shapes
- ✓ Durable and maintenance-free






## Joining profile

### Schlüter®-DILEX-KSA



Schlüter-DILEX-KSA is a connection profile with edge protection. The profile's anchoring legs, made of aluminium or stainless steel, are connected to a replaceable movement zone made of soft PVC. The profile is used for creating transitions between coverings and fixed structures such as window frames. (Product data sheet 4.8)



#### Schlüter®-DILEX-AKSA

aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AKSA 80 ...*	<b>11.52</b>	40
10	AKSA 100 ...*	<b>11.94</b>	40
11	AKSA 110 ...*	<b>12.17</b>	40
12.5	AKSA 125 ...*	<b>12.36</b>	40
14	AKSA 140 ...*	<b>12.90</b>	40

#### Schlüter®-DILEX-EKSA

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EKSA 80 ...*	<b>23.42</b>	40
10	EKSA 100 ...*	<b>23.70</b>	40
11	EKSA 110 ...*	<b>24.04</b>	40
12.5	EKSA 125 ...*	<b>24.44</b>	40
14	EKSA 140 ...*	<b>24.89</b>	40
16	EKSA 160 ...*	<b>25.54</b>	40
18.5	EKSA 185 ...*	<b>26.18</b>	40
21	EKSA 210 ...*	<b>26.87</b>	40
25	EKSA 250 ...*	<b>28.16</b>	40
30	EKSA 300 ...*	<b>29.38</b>	40

#### Schlüter®-DILEX-EKSA V4A

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EKSA 80 ...* / V4A	<b>25.78</b>	40
10	EKSA 100 ...* / V4A	<b>26.06</b>	40
11	EKSA 110 ...* / V4A	<b>26.54</b>	40
12.5	EKSA 125 ...* / V4A	<b>26.87</b>	40
14	EKSA 140 ...* / V4A	<b>27.34</b>	40
16	EKSA 160 ...* / V4A	<b>28.10</b>	40

## Accessories

### Schlüter®-DILEX-KSA/EL

spare part: insert

L = 2.50 m Art. No.	£ / m	KV (Unit)
KSAE / ...*	<b>4.48</b>	40



To complete the art. no., add the colour (e.g. KSAE / GS)



\* Colours: G - GS - HB - PG


For an overview of finishes and colours, please see page 335.

Joining profile

**Schlüter®-DILEX-BWA**



Schlüter-DILEX-BWA provides a flexible connection between tiled surfaces and existing coverings or structures, such as door and window frames.  
(Product data sheet 4.9)



**Schlüter®-DILEX-BWA**

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4.5	BWA 45 ...*	6.14	120
6	BWA 60 ...*	6.20	120
8	BWA 80 ...*	6.29	120
10	BWA 100 ...*	6.46	120
12.5	BWA 125 ...*	6.65	120

To complete the art. no., add the colour (e.g. BWA 45 G)



\* Colours: BW - C - DA - FG - G - GS - HB - PG - SG


For an overview of finishes and colours, please see page 335.

Joining profile

**Schlüter®-DILEX-AS**



Schlüter-DILEX-AS is a joining profile for creating flexible joints to fixtures such as shower trays, baths, door and window frames.  
(Product data sheet 4.10)



**Schlüter®-DILEX-AS**

PVC

L = 2.50 m Art. No.	£ / m	KV (Unit)
AS 20 BW	9.03	90

Corner | End cap

**Schlüter®-DILEX-AS/I**

90° internal corner

Art. No.	£ / U.	P (Unit)
I / AS 20 BW	1.37	10

**Schlüter®-DILEX-AS/EK**

end cap

Art. No.	£ / Set	P (Set)
EK / AS 20 BW	2.74	10

set = 1 x left, 1 x right




## Corner joint profile

### Schlüter®-DILEX-EF



Schlüter-DILEX-EF is a flexible, single piece corner profile of rigid and soft PVC for internal wall corners or floor to wall transitions, which can be used for non-floating covering assemblies.

(Product data sheet 4.13)



#### Schlüter®-DILEX-EF

PVC / CPE

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EF 80 ...*	6.72	60
10	EF 100 ...*	6.72	60
12.5	EF 125 ...*	6.72	60
15	EF 150 ...*	6.72	60

To complete the art. no., add the colour (e.g. EF 80 G)



\* Colours: BW - G - HB - PG - SP

For an overview of finishes and colours, please see page 335.


## Corner joint profile

### Schlüter®-DILEX-EKE



Schlüter-DILEX-EKE is a flexible, single piece corner profile of rigid or soft PVC for internal wall corners or floor-wall transitions. It features an integrated joint chamber and is suitable for use with non-floating covering assemblies.

(Product data sheet 4.13)



#### Schlüter®-DILEX-EKE

PVC / CPE, U = mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EKE U 8 / 0 7 ...*	6.72	60
9	EKE U 9 / 0 8 ...*	6.72	60
11	EKE U 11 / 0 10 ...*	6.72	60
13	EKE U 13 / 0 12 ...*	6.72	60
15	EKE U 15 / 0 14 ...*	6.72	60

To complete the art. no., add the colour (e.g. EKE U 8 / 0 7 G)



\* Colours: BW - G - GS - HB - PG - SP


For an overview of finishes and colours, please see page 335.

## Edge joint profile

**Schlüter®-DILEX-RF**


Schlüter-DILEX-RF is a two part corner profile made of recycled, rigid PVC and soft CPE for durable, flexible and maintenance free perimeter joints between floors and walls.

(Product data sheet 4.14)


**Schlüter®-DILEX-RF**

PVC / CPE, O = 8 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RF U 100 / O 80 ...*	<b>11.52</b>	60
12.5	RF U 125 / O 80 ...*	<b>11.52</b>	60
15	RF U 150 / O 80 ...*	<b>11.52</b>	60
18	RF U 180 / O 80 ...*	<b>11.52</b>	60
22	RF U 220 / O 80 ...*	<b>11.52</b>	60

**Schlüter®-DILEX-RF**

PVC / CPE, O = 10 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RF U 100 / O 100 ...*	<b>11.52</b>	60
12.5	RF U 125 / O 100 ...*	<b>11.52</b>	60
15	RF U 150 / O 100 ...*	<b>11.52</b>	60
18	RF U 180 / O 100 ...*	<b>11.52</b>	60
22	RF U 220 / O 100 ...*	<b>11.52</b>	60

**Schlüter®-DILEX-RF**

PVC / CPE, O = 12.5 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RF U 100 / O 125 ...*	<b>11.52</b>	60
12.5	RF U 125 / O 125 ...*	<b>11.52</b>	60
15	RF U 150 / O 125 ...*	<b>11.52</b>	60
18	RF U 180 / O 125 ...*	<b>11.52</b>	60
22	RF U 220 / O 125 ...*	<b>11.52</b>	60

**Schlüter®-DILEX-RF**

PVC / CPE, O = 15 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RF U 100 / O 150 ...*	<b>11.52</b>	60
12.5	RF U 125 / O 150 ...*	<b>11.52</b>	60
15	RF U 150 / O 150 ...*	<b>11.52</b>	60
18	RF U 180 / O 150 ...*	<b>11.52</b>	60
22	RF U 220 / O 150 ...*	<b>11.52</b>	60

**Schlüter®-DILEX-RF**

PVC / CPE, O = 18 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RF U 100 / O 180 ...*	<b>11.52</b>	60
12.5	RF U 125 / O 180 ...*	<b>11.52</b>	60
15	RF U 150 / O 180 ...*	<b>11.52</b>	60
18	RF U 180 / O 180 ...*	<b>11.52</b>	60
22	RF U 220 / O 180 ...*	<b>11.52</b>	60

To complete the art. no., add the colour (e.g. RF U 100 / O 180 PG)



\* Colours: G - PG

For an overview of finishes and colours, please see page 335.




## Edge joint profile

### Schlüter®-DILEX-EK



Schlüter-DILEX-EK is a two part profile made of rigid and soft plastic with a tongue and groove connection and an integrated joint chamber for creating durable, flexible and maintenance free perimeter joints between floors and walls or floors and skirtings.  
(Product data sheet 4.14)



#### Schlüter®-DILEX-EK

PVC / CPE, O = 7 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EK U 8 / 0 7 ...*	11.52	60
11	EK U 11 / 0 7 ...*	11.52	60
15	EK U 15 / 0 7 ...**	11.52	60

#### Schlüter®-DILEX-EK

PVC / CPE, O = 10 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EK U 8 / 0 10 ...*	11.52	60
11	EK U 11 / 0 10 ...*	11.52	60
15	EK U 15 / 0 10 ...**	11.52	60

#### Schlüter®-DILEX-EK

PVC / CPE, O = 14 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	EK U 8 / 0 14 G	11.52	60
11	EK U 11 / 0 14 G	11.52	60
15	EK U 15 / 0 14 G	11.52	60

To complete the art. no., add the colour (e.g. EK U 8 / 0 10 G)



\* Colours: BW - G - GS - HB - PG

\*\* Colours: G


For an overview of finishes and colours, please see page 335.

## Cove-shaped profile

**Schlüter®-DILEX-HK**


Schlüter-DILEX-HK is a cove-shaped profile of rigid recycled PVC with a cove of soft plastic and an integrated joint chamber for wall to floor joints, which conforms to special hygienic and cleaning requirements such as those of the food processing industry or industrial kitchens.

(Product data sheet 4.11)


**Schlüter®-DILEX-HK**

PVC / CPE, 0 = 9 mm

L = 2.50 m Art. No.	£ / m	KV (Unit)
HK U12 / 09 ...*	12.40	60

## Corner | end cap | connector

**Schlüter®-DILEX-HK/E**

90° external corner

Art. No.	£ / U.	P (Unit)
A / HK / ...*	3.90	50

**Schlüter®-DILEX-HK/I**

90° internal corner

Outlets	Art. No.	£ / U.	P (Unit)
2	I / HK 2 R18 / ...*	3.90	50
3	I / HK 3 R18 / ...*	3.90	50



I2 = 2 way



I3 = 3 way

**Schlüter®-DILEX-HK/EK**

end cap

Art. No.	£ / U.	P (Unit)
ER / HK / G	2.91	50
EL / HK / G	2.91	50

ER = right / EL = left

**Schlüter®-DILEX-HK/V**

connector

Art. No.	£ / U.	P (Unit)
V / HK	1.67	50



To complete the art. no., add the colour (e.g. I / HK 2 R18 / HB)



\* Colours: BW - G - HB

For an overview of finishes and colours, please see page 335.




## Cove-shaped profile

### Schlüter®-DILEX-HKW



Schlüter-DILEX-HKW is a cove-shaped profile for internal wall corners and wall to floor joints in applications where only slight movement occurs.  
(Product data sheet 4.12)



### Schlüter®-DILEX-HKW

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
7	HKW U 7 / 0 7 ...*	8.66	60
9	HKW U 9 / 0 9 ...*	8.66	60
11	HKW U 11 / 0 11 ...*	8.66	60

## Corner | End cap

### Schlüter®-DILEX-HKW/E

90° external corner

Art. No.	£ / U.	P (Unit)
A / HKW / ...*	3.90	50

### Schlüter®-DILEX-HKW/I

90° internal corner

Outlets	Art. No.	£ / U.	P (Unit)
2	I / HKW 2 R18 / ...*	3.90	50
3	I / HKW 3 R18 / ...*	3.90	50



I2 = 2 way



I3 = 3 way

### Schlüter®-DILEX-HKW/EK

end cap

Art. No.	£ / U.	P (Unit)
E / HKW / G	2.91	50



To complete the art. no., add the colour (e.g. I / HKW 2 R18 / G)

BW G HB PG

\* Colours: BW - G - HB - PG


For an overview of finishes and colours, please see page 335.

## Cove-shaped profile

**Schlüter®-ECK-KHK**


Schlüter-ECK-KHK is a cove shaped, stainless steel corner profile that is retrofitted to the internal corners of tiled walls or other wall coverings.

(Product data sheet 2.7)


**Schlüter®-ECK-KHK-E**

stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KHK15 E/300	22.93	60
	L = 2.50 m		
15	KHK15 E	22.93	60
	L = 2.00 m		
15	KHK15 E/200	22.93	60
	L = 1.50 m		
15	KHK15 E/150	22.93	60

**Schlüter®-ECK-KHK-EB**

brushed stainless steel V2A

B (mm)	L = 3.00 m Art. No.	£ / m	KV (Unit)
15	KHK15 EB/300	29.83	60
	L = 2.50 m		
15	KHK15 EB	29.83	60
	L = 2.00 m		
15	KHK15 EB/200	29.83	60
	L = 1.50 m		
15	KHK15 EB/150	29.83	60

## Corner | connector

**Schlüter®-ECK-KHK-E/E**

90° external corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / KHK15 E	7.58	50

**Schlüter®-ECK-KHK-EB/E**

90° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / KHK15 EB	8.37	50

**Schlüter®-ECK-KHK-E/I**


90° internal corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
I/2 KHK15 E	7.58	50
I/3 KHK15 E	7.58	50

**Schlüter®-ECK-KHK-EB/I**

90° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I/2 KHK15 EB	8.37	50
I/3 KHK15 EB	8.37	50



I2 = 2 way

I3 = 3 way

**Schlüter®-ECK-KHK-E/V**

connector, stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / KHK15 E	7.58	50

**Schlüter®-ECK-KHK-EB/V**

connector, brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / KHK15 EB	8.37	50



E / KHK I/2 KHK I/3 KHK V / KHK




## Cove-shaped profile

### Schlüter®-DILEX-HKS



Schlüter-DILEX-HKS is a cove shaped, stainless steel profile with a maintenance free movement zone for floor to wall connections with tile coverings.  
(Product data sheet 4.15)



#### Schlüter®-DILEX-HKS-E

stainless steel V2A, O = 7 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V2A U 8 / 0 7 ...*	48.28	40
10	HKS V2A U 10 / 0 7 ...*	48.82	40
12.5	HKS V2A U 12 / 0 7 ...*	49.43	40
14	HKS V2A U 14 / 0 7 ...*	49.71	40
16	HKS V2A U 16 / 0 7 ...*	50.03	40
18	HKS V2A U 18 / 0 7 ...*	50.53	40
21	HKS V2A U 21 / 0 7 ...*	51.02	40
25	HKS V2A U 25 / 0 7 ...*	51.93	40
30	HKS V2A U 30 / 0 7 ...*	52.54	40

#### Schlüter®-DILEX-HKS-E

stainless steel V2A, O = 9 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V2A U 8 / 0 9 ...*	48.28	40
10	HKS V2A U 10 / 0 9 ...*	48.82	40
12.5	HKS V2A U 12 / 0 9 ...*	49.43	40
14	HKS V2A U 14 / 0 9 ...*	49.71	40
16	HKS V2A U 16 / 0 9 ...*	50.03	40
18	HKS V2A U 18 / 0 9 ...*	50.53	40
21	HKS V2A U 21 / 0 9 ...*	51.02	40
25	HKS V2A U 25 / 0 9 ...*	51.93	40
30	HKS V2A U 30 / 0 9 ...*	52.54	40

#### Schlüter®-DILEX-HKS-E

stainless steel V2A, O = 11 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V2A U 8 / 0 11 ...*	48.28	40
10	HKS V2A U 10 / 0 11 ...*	48.82	40
12.5	HKS V2A U 12 / 0 11 ...*	49.43	40
14	HKS V2A U 14 / 0 11 ...*	49.71	40
16	HKS V2A U 16 / 0 11 ...*	50.03	40
18	HKS V2A U 18 / 0 11 ...*	50.53	40
21	HKS V2A U 21 / 0 11 ...*	51.02	40
25	HKS V2A U 25 / 0 11 ...*	51.93	40
30	HKS V2A U 30 / 0 11 ...*	52.54	40

#### Schlüter®-DILEX-HKS-E V4A

stainless steel V4A, O = 7 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V4A U 8 / 0 7 ...*	53.12	40
10	HKS V4A U 10 / 0 7 ...*	53.68	40
12.5	HKS V4A U 12 / 0 7 ...*	54.41	40
14	HKS V4A U 14 / 0 7 ...*	54.68	40
16	HKS V4A U 16 / 0 7 ...*	55.08	40

#### Schlüter®-DILEX-HKS-E V4A

stainless steel V4A, O = 9 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V4A U 8 / 0 9 ...*	53.12	40
10	HKS V4A U 10 / 0 9 ...*	53.68	40
12.5	HKS V4A U 12 / 0 9 ...*	54.41	40
14	HKS V4A U 14 / 0 9 ...*	54.68	40
16	HKS V4A U 16 / 0 9 ...*	55.08	40

#### Schlüter®-DILEX-HKS-E V4A

stainless steel V4A, O = 11 mm

U (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	HKS V4A U 8 / 0 11 ...*	53.12	40
10	HKS V4A U 10 / 0 11 ...*	53.68	40
12.5	HKS V4A U 12 / 0 11 ...*	54.41	40
14	HKS V4A U 14 / 0 11 ...*	54.68	40
16	HKS V4A U 16 / 0 11 ...*	55.08	40

## Corner

#### Schlüter®-DILEX-HKS-E/E 90°

90° prefabricated corner,  
stainless steel V2A

Art. No.	£ / Set	P (Set)
E90 V2A ...**	41.45	50

#### Schlüter®-DILEX-HKS-E V4A/E 90°

90° prefabricated corner,  
stainless steel V4A

Art. No.	£ / Set	P (Set)
E90 V4A ...**	41.45	50



#### Note:

For prefabricated pieces (internal/external corners and connectors), please see Schlüter-DILEX-EHK.

To complete the art. no., add the colour (e.g. HKS V4A U 8 / 0 11 GS)




\* to complete the art. no., add U... / O... and the colour (e.g. E90 V2A U 10 / 0 11 G). Colours: G - GS - HB - PG  
For an overview of finishes and colours, please see page 335.

## Cove-shaped profile

**Schlüter®-DILEX-EHK**


Schlüter-DILEX-EHK is a stainless steel cove-shaped profile for internal wall corners or for floor to wall transitions with hygiene requirements.

(Product data sheet 4.15)


**Schlüter®-DILEX-EHK**

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
7	EHK U 7 / 0 7	<b>27.46</b>	40
9	EHK U 9 / 0 9	<b>27.69</b>	40
11	EHK U 11 / 0 11	<b>28.50</b>	40

**Schlüter®-DILEX-EBHK**

brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
7	EBHK U 7 / 0 7	<b>35.70</b>	40
9	EBHK U 9 / 0 9	<b>36.78</b>	40
11	EBHK U 11 / 0 11	<b>37.88</b>	40

**Schlüter®-DILEX-EHK V4A**

stainless steel V4A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
7	EHK U 7 / 0 7 / V4A	<b>29.55</b>	40
9	EHK U 9 / 0 9 / V4A	<b>30.40</b>	40
11	EHK U 11 / 0 11 / V4A	<b>31.39</b>	40
16	EHK U 16 / 0 16 / V4A	<b>34.07</b>	40

## Corner | connector, stainless steel V4A

**Schlüter®-DILEX-EHK/E**

90° external corner,  
stainless steel V4A

Art. No.	£ / U.	P (Unit)
A / EHK 2 R18	<b>7.83</b>	50

**Schlüter®-DILEX-EHK/E 135°**

135° external corner,  
stainless steel V4A

Art. No.	£ / U.	P (Unit)
E 135 / EHK 2 R18	<b>7.83</b>	50

**Schlüter®-DILEX-EHK/V**

connector,  
stainless steel V4A

Art. No.	£ / U.	P (Unit)
V / EHK	<b>7.83</b>	50

**Schlüter®-DILEX-EHK/I**

90° internal corner,  
stainless steel V4A

Art. No.	£ / U.	P (Unit)
I / EHK 2 R18	<b>7.83</b>	50
I / EHK 3 R18	<b>7.83</b>	50

**Schlüter®-DILEX-EHK/I 135°**

135° internal corner,  
stainless steel V4A

Art. No.	£ / U.	P (Unit)
I 135 / EHK 2 R18	<b>7.83</b>	50



I2 = 2 way

I3 = 3 way

## Corner | connector, brushed stainless steel V2A

**Schlüter®-DILEX-EBHK/E**

90° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
A / EBHK 2 R18	<b>10.13</b>	50

**Schlüter®-DILEX-EBHK/E 135°**

135° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
E 135 / EB HK 2 R18	<b>10.13</b>	50

**Schlüter®-DILEX-EBHK/V**

connector,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / EBHK	<b>10.13</b>	50

**Schlüter®-DILEX-EBHK/I**

90° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I / EBHK 2 R18	<b>10.13</b>	50
I / EBHK 3 R18	<b>10.13</b>	50

**Schlüter®-DILEX-EBHK/I 135°**

135° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I 135 / EB HK 2 R18	<b>10.13</b>	50

**Note:**

The accessories of Schlüter-DILEX-EHK are made of V4A stainless steel and can also be combined with V2A profiles (does not apply to brushed stainless steel = EBHK). We recommend Schlüter-DILEX-HKW/EK plastic end caps.






## Cove-shaped profile

### Schlüter®-DILEX-HKU



Schlüter-DILEX-HKU is a cove-shaped profile entirely made of stainless steel for internal wall corners and floor wall transitions with stringent hygiene requirements. Due to its inner anchoring leg, the profile can be variably used for different tile thicknesses. (Product data sheet 4.22)



#### Schlüter®-DILEX-HKU 10-E

stainless steel V2A

L = 2.50 m Art. No.	£ / m	KV (Unit)
HKUR 10 E	25.89	40

#### Schlüter®-DILEX-HKU 10-EB

brushed stainless steel V2A

L = 2.50 m Art. No.	£ / m	KV (Unit)
HKUR 10 EB	28.36	40

#### Schlüter®-DILEX-HKU 10-E V4A

stainless steel V4A

L = 2.50 m Art. No.	£ / m	KV (Unit)
HKUR 10 E / V4A	38.84	40

## Corner | end cap | connector, stainless steel V4A

#### Schlüter®-DILEX-HKU 10-E/EQ

90° external corner, stainless steel V4A

Art. No.	£ / U.	P (Unit)
EQ / HKUR 10 E	7.63	50

#### Schlüter®-DILEX-HKU 10-E 135°

135° external corner, stainless steel V4A

Art. No.	£ / U.	P (Unit)
E135 / HKUR 10 E	7.63	50

#### Note:

The accessories of Schlüter-DILEX-HKU 10 are made of V4A stainless steel and can also be combined with V2A profiles (does not apply to brushed stainless steel = HKU-EB).

#### Schlüter®-DILEX-HKU 10-E/I

90° internal corner, stainless steel V4A

Art. No.	£ / U.	P (Unit)
I / HKUR 3 R 10 E	7.63	50

#### Schlüter®-DILEX-HKU 10-E/I 135°

135° internal corner, stainless steel V4A

Art. No.	£ / U.	P (Unit)
I135 / HKUR 10 E	7.63	50

#### Schlüter®-DILEX-HKU 10-E/EK

end cap, stainless steel V4A

Art. No.	£ / U.	P (Unit)
EK / HKUR 10 E	6.54	50

#### Schlüter®-DILEX-HKU 10-E/V

connector, stainless steel V4A

Art. No.	£ / U.	P (Unit)
V / HKUR 10 E	7.63	50



Corner | end cap | connector, brushed stainless steel V2A

**Schlüter®-DILEX-HKU 10-EB/EQ**

90° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
EQ / HKUR 10 EB	<b>8.38</b>	50

**Schlüter®-DILEX-HKU 10-EB 135°**

135° external corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
E135 / HKUR 10 EB	<b>8.38</b>	50

**Schlüter®-DILEX-HKU 10-EB/I**

90° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I / HKU 3 R 10 EB	<b>8.38</b>	50

**Schlüter®-DILEX-HKU 10-EB/I 135°**

135° internal corner,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
I135 / HKUR 10 EB	<b>8.38</b>	50



**Schlüter®-DILEX-HKU 10-EB/EK**

end cap,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
EK / HKUR 10 EB	<b>7.73</b>	50

**Schlüter®-DILEX-HKU 10-EB/V**

connector,  
brushed stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / HKUR 10 EB	<b>8.38</b>	50




Cove-shaped profile

**Schlüter®-DILEX-HKU 36-E**

stainless steel V2A

L = 2.50 m Art. No.	£ / m	KV (Unit)
HKUR 36 E	<b>30.62</b>	40



Corner | end cap | connector

**Schlüter®-DILEX-HKU 36-E/E**

90° external corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
E / HKUR 36 E	<b>8.71</b>	50

**Schlüter®-DILEX-HKU 36-E/I**

90° internal corner,  
stainless steel V2A

Art. No.	£ / U.	P (Unit)
I / HKU 3 R 36 10 E	<b>8.71</b>	50

**Schlüter®-DILEX-HKU 36-E/V**


connector, stainless steel V2A

Art. No.	£ / U.	P (Unit)
V / HKUR 36 E	<b>8.71</b>	50

**Schlüter®-DILEX-HKU 36/VI**

connector, interior

Art. No.	£ / U.	P (Unit)
VI / HKUR 36	<b>3.82</b>	50



**Schlüter®-DILEX-HKU 36/EK**

end cap, PVC

Art. No.	£ / U.	P (Unit)
EK / HKUR 36 E	<b>3.82</b>	50






## Cove-shaped profile

### Schlüter®-DILEX-AHK-TS



Schlüter-DILEX-AHK-TS is a cove-shaped profile made of aluminium with a special TRENDLINE textured finish. It is suitable for internal wall corners, countertops and shelving with tile and stone coverings. The profile can be combined with Schlüter-RONDDEC, -JOLLY, -SCHIENE or -QUADEC profiles in matching textured finishes. (Product data sheet 4.21)



#### Schlüter®-DILEX-AHK-TSI

textured natural ivory

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 TSI	23.56	40
10	AHK 1S 100 TSI	24.45	40
12.5	AHK 1S 125 TSI	25.37	40

#### Schlüter®-DILEX-AHK-TSSG

textured natural stone grey

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 TSSG	23.56	40
10	AHK 1S 100 TSSG	24.45	40
12.5	AHK 1S 125 TSSG	25.37	40

#### Schlüter®-DILEX-AHK-TSDA

textured natural dark anthracite

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 TSDA	23.56	40
10	AHK 1S 100 TSDA	24.45	40
12.5	AHK 1S 125 TSDA	25.37	40

## Corner | end cap | connector

#### Schlüter®-DILEX-AHK-TS/E

90° external corner  
(for connection with RONDEC)

Art. No.	£ / U.	P (Unit)
E90 / AHK 1S / ...*	24.63	50

#### Schlüter®-DILEX-AHK-TS/E 90 Q

90° external corner  
(for connection with QUADEC)

Art. No.	£ / U.	P (Unit)
E90 Q / AHK 1S / ...*	24.63	50

#### Schlüter®-DILEX-AHK-TS/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / AHK 1S / ...*	24.63	50

#### Schlüter®-DILEX-AHK-TS/I

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / AHK 1S / ...*	24.63	50

#### Schlüter®-DILEX-AHK-TS/I 135°

135° internal corner

Art. No.	£ / U.	P (Unit)
I135 / AHK 1S / ...*	24.63	50

#### Schlüter®-DILEX-AHK-TS/EK

end cap

Art. No.	£ / U.	P (Unit)
E / AHK 1S / ...*	15.81	50



#### Schlüter®-DILEX-AHK/V

connector

Art. No.	£ / U.	P (Unit)
V / AHK	3.80	50

To complete the art. no., add the finish (e.g. E / AHK 1S / TSI)

\* Finishes: TSDA - TSI - TSSG


For an overview of finishes and colours, please see page 335.



## Cove-shaped profile

**Schlüter®-DILEX-AHK**


Schlüter-DILEX-AHK is a cove-shaped aluminium profile for internal wall corners, countertops and shelving with tile and stone coverings. It is available in a variety of anodised finishes or in colour coated aluminium.  
(Product data sheet 4.21)


**Schlüter®-DILEX-AHK-AE**

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 AE	<b>18.55</b>	40
10	AHK 1S 100 AE	<b>19.25</b>	40
12.5	AHK 1S 125 AE	<b>20.02</b>	40

**Schlüter®-DILEX-AHK-ACG**

polished chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 ACG	<b>35.33</b>	40
10	AHK 1S 100 ACG	<b>36.50</b>	40
12.5	AHK 1S 125 ACG	<b>37.39</b>	40

**Schlüter®-DILEX-AHK-ACGB**

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 ACGB	<b>27.27</b>	40
10	AHK 1S 100 ACGB	<b>27.96</b>	40
12.5	AHK 1S 125 ACGB	<b>28.85</b>	40

**Schlüter®-DILEX-AHK-AC**

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHK 1S 80 ...*	<b>18.04</b>	40
10	AHK 1S 100 ...*	<b>18.96</b>	40
12.5	AHK 1S 125 ...*	<b>19.89</b>	40




## Corner | end cap | connector


**Schlüter®-DILEX-AHK/E**

 90° external corner  
(for connection with RONDEC)

Art. No.	£ / U.	P (Unit)
E90 / AHK 1S / ...**	<b>24.60</b>	50


**Schlüter®-DILEX-AHK/E 90 Q**

 90° external corner  
(for connection with QUADEC)

Art. No.	£ / U.	P (Unit)
E90 Q / AHK 1S / ...**	<b>24.60</b>	50


**Schlüter®-DILEX-AHK-AC/E**

90° external corner (for connection with RONDEC)

Art. No.	£ / U.	P (Unit)
E90 / AHK 1S / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHK-AC/E 90 Q**

90° external corner (for connection with QUADEC)

Art. No.	£ / U.	P (Unit)
E90 Q / AHK 1S / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHK/E 135°**

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / AHK 1S / ...**	<b>24.60</b>	50

**Schlüter®-DILEX-AHK-AC/E 135°**

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / AHK 1S / ...*	<b>24.44</b>	50

To complete the art. no., add the finish/colour (e.g. E135 / AHK 1S / BW)

\* Finishes/colours: BW - MBW - MGS

\*\* Finishes/colours: ACG - ACGB - AE

For an overview of finishes and colours, please see page 335.



### Schlüter®-DILEX-AHK/I

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / AHK 1S / ...**	24.60	50

### Schlüter®-DILEX-AHK-AC/I



90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / AHK 1S / ...*	24.44	50

### Schlüter®-DILEX-AHK/V

connector

Art. No.	£ / U.	P (Unit)
V / AHK	3.80	50

### Schlüter®-DILEX-AHK/I 135°

135° internal corner

Art. No.	£ / U.	P (Unit)
I135 / AHK 1S / ...**	24.60	50

### Schlüter®-DILEX-AHK-AC/I 135°



135° internal corner

Art. No.	£ / U.	P (Unit)
I135 / AHK 1S / ...*	24.44	50

### Schlüter®-DILEX-AHK/EK

end cap

Art. No.	£ / U.	P (Unit)
E / AHK 1S / ...**	15.79	50

### Schlüter®-DILEX-AHK-AC/EK



end cap

Art. No.	£ / U.	P (Unit)
E / AHK 1S / ...*	18.46	50



To complete the art. no., add the finish/colour (e.g. E / AHK 1S / BW)



\* Finishes/colours: BW - MBW - MGS

\*\* Finishes/colours: ACG - ACGB - AE

For an overview of finishes and colours, please see page 335.


## Cove-shaped profile



### Schlüter®-DILEX-AHKA



Schlüter-DILEX-AHKA is a cove-shaped aluminium profile for internal wall corners, countertops and shelving with tiled coverings. It is available in a variety of anodised finishes or colour coated aluminium and can be connected to existing coverings on one side. (Product data sheet 4.21)



### Schlüter®-DILEX-AHKA-AE

anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHKA 80 AE	18.55	40
10	AHKA 100 AE	19.25	40
12.5	AHKA 125 AE	20.02	40
15	AHKA 150 AE	20.60	40

### Schlüter®-DILEX-AHKA-ACGB

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHKA 80 ACGB	27.27	40
10	AHKA 100 ACGB	27.96	40
12.5	AHKA 125 ACGB	28.85	40
15	AHKA 150 ACGB	29.73	40

### Schlüter®-DILEX-AHKA-AC



colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	AHKA 80 ...*	18.04	40
10	AHKA 100 ...*	18.96	40
12.5	AHKA 125 ...*	19.89	40
15	AHKA 150 ...*	20.81	40



## Corner | End cap

**Schlüter®-DILEX-AHKA/E**

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / AHKA / ...**	<b>24.60</b>	50

**Schlüter®-DILEX-AHKA/E 135°**

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / AHKA / ...**	<b>24.60</b>	50

**Schlüter®-DILEX-AHKA-AC/E** ★

90° external corner

Art. No.	£ / U.	KV (Unit)
E90 / AHKA / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHKA-AC/E 135°** ★

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / AHKA / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHKA/I**

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / AHKA / ...**	<b>24.60</b>	50

**Schlüter®-DILEX-AHKA/I 135°**

135° internal corner

Art. No.	£ / U.	P (Unit)
I135 / AHKA / ...**	<b>24.60</b>	50

**Schlüter®-DILEX-AHKA-AC/I** ★

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / AHKA / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHKA-AC/I 135°** ★

135° internal corner

Art. No.	£ / U.	KV (Unit)
I135 / AHKA / ...*	<b>24.44</b>	50

**Schlüter®-DILEX-AHKA/EL**

end cap, left

Art. No.	£ / U.	P (Unit)
EL / AHKA / ...**	<b>15.79</b>	50

**Schlüter®-DILEX-AHKA/ER**

end cap, right

Art. No.	£ / U.	P (Unit)
ER / AHKA / ...**	<b>15.79</b>	50

**Schlüter®-DILEX-AHKA-AC/EL** ★

end cap, left

Art. No.	£ / U.	KV (Unit)
EL / AHKA / ...*	<b>18.46</b>	50

**Schlüter®-DILEX-AHKA-AC/ER** ★

end cap, right

Art. No.	£ / U.	P (Unit)
ER / AHKA / ...*	<b>18.46</b>	50



E90 / AHKA   E135 / AHKA   I90 / AHKA   I135 / AHKA   ER / AHKA   EL / AHKA

To complete the art. no., add the finish/colour (e.g. EL / AHKA / BW)

BW   MBW   MGS

\* Finishes/colours: BW - MBW - MGS

\*\* Finishes/colours: ACGB - AE

For an overview of finishes and colours, please see page 335.





# Profiles for mortar and screed laying

## Classic solution for expansion joints

Whether you need to divide screed zones or want to create expansion joints in conventional screed installation – the DILEX programme always has a matching solution:

- ✓ Made of stainless steel
- ✓ Made of rigid PVC
- ✓ In different profile heights
- ✓ Permanently maintenance-free




### Movement joint profile

#### Schlüter®-DILEX-EMP



Schlüter-DILEX-EMP is a stainless steel movement joint profile for screeds with a tongue and groove connection to absorb horizontal movements.  
(Product data sheet 4.17)



#### Schlüter®-DILEX-EMP


stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
35	EMP 35	<b>35.01</b>	60
50	EMP 50	<b>39.84</b>	60
65	EMP 65	<b>44.74</b>	60

## Expansion joint profile | extension

**Schlüter®-DILEX-MP**


Schlüter-DILEX-MP is an expansion profile with undercut sidewalls made of rigid, recycled PVC and a soft CPE expansion zone covering the sidewalls, complete with extension profiles for use in screed installation.  
(Product data sheet 4.3)


**Schlüter®-DILEX-MP 35**

PVC / CPE

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
35	MP 35 ...*	5.12	120

**Schlüter®-DILEX-MP/V**

extension

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
15	MPV 15	3.00	120
25	MPV 25	3.17	120

To complete the art. no., add the colour (e.g. MP 35 GS)




\* Colours: G - GS - HB - ZR

For an overview of finishes and colours, please see page 335.

## Expansion joint profile

**Schlüter®-DILEX-MOP**


Schlüter-DILEX-MOP is an expansion joint profile with serrated sidewalls made of rigid, recycled PVC and a grey, soft PVC expansion zone for use in screed applications.  
(Product data sheet 4.4)


**Schlüter®-DILEX-MOP**

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
35	MOP 35 G	3.83	120
50	MOP 50 G	4.94	120
65	MOP 65 G	5.43	120




## Tension relief and decorative profile

### Schlüter®-DILEX-EZ 70



Schlüter-DILEX-EZ 70 is a decorative stress relief profile with undercut sidewalls made of rigid PVC and a soft PVC expansion zone for use in screed installation. The extension segments can be removed to adjust the profile to the height of the assembly.  
(Product data sheet 4.2)



### Schlüter®-DILEX-EZ 70

PVC

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
70	EZ G 70	12.06	120


G = grey

## Movement joint profile, screed

### Schlüter®-DILEX-EP



Schlüter-DILEX-EP is a movement joint profile for installation in floating or bonded screeds. The side sections consist of rigid, recycled plastic connected on the top and bottom with soft, grey CPE movement zones.  
(Product data sheet 4.5)



### Schlüter®-DILEX-EP


PVC / CPE

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
30	EP 30	11.92	40
40	EP 40	12.32	40
50	EP 50	12.99	40

## Expansion joint profile, screed

**Schlüter®-DILEX-DFP**


Schlüter-DILEX-DFP is a movement joint profile to be installed at door areas or used to divide screed areas.  
(Product data sheet 9.1)


**Schlüter®-DILEX-DFP**

PE foam

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
100	DFP 10/250	<b>15.98</b>	40

**Schlüter®-DILEX-DFP**


PE foam

H (mm)	L = 1.00 m Art. No.	£ / m	P (Unit)
60	DFP 6/100	<b>12.10</b>	20
80	DFP 8/100	<b>14.18</b>	20
100	DFP 10/100	<b>16.55</b>	20

## Insert to prevent vertical height displacement

**Schlüter®-DILEX-HVD**


Schlüter-DILEX-HVD are dowel inserts for installation in the screed, to help prevent height displacement between two screed sections in the area of a movement joint.


**Schlüter®-DILEX-HVD**

steel

Art. No.	£ / Package	P (Package)
HVD / 10	<b>21.25</b>	10

Package = 10 units



# Schlüter-profiles

## Profiles for vinyl wall and floor coverings

A growing number of installers and retailers are adding resilient coverings, such as those made of vinyl, to their product offerings. As the inventors of Schlüter-SCHIENE – the original finishing profile, we are pleased to offer Schlüter-VINPRO, a unique range of finishing and transition profiles designed especially for LVT coverings. Whether on floors, walls or stair steps: Schlüter-VINPRO is available for resilient coverings in the proven quality expected from Schlüter.





## Transition profiles

Schlüter®-VINPRO-T 158

Schlüter®-VINPRO-U 159

## Finishing profiles

Schlüter®-VINPRO-S 160

Schlüter®-VINPRO-RO 161

## Stair nosing profiles

Schlüter®-VINPRO-STEP 162

Schlüter®-VINPRO-STEP-R 163



# Schlüter®-VINPRO

Profiles for vinyl floor and wall coverings

- ✓ Protects the edges of coverings in floors, walls and staircases
- ✓ Quick and simple to install
- ✓ Prevents trip edges at the transition to different floor coverings and heights
- ✓ Available in the following finishes:
  - brushed chrome anodised aluminium (ACGB)
  - brushed titanium anodised aluminium (ATGB)
  - brushed antique bronze anodised aluminium (ABGB)




## Transition profile

### Schlüter®-VINPRO-T



Schlüter-VINPRO-T is a retrofitted profile to adjoin different types of resilient floor coverings of the same height (e.g. LVT, vinyl coverings).  
(Product data sheet 18.2)



#### Schlüter®-VINPRO-T-ACGB

brushed chrome anodised aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	14	VPT 3/14 ACGB	5.31	120
3	25	VPTL 3/25 ACGB	6.11	120

#### Schlüter®-VINPRO-T-ATGB

brushed titanium anodised aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	14	VPT 3/14 ATGB	5.31	120
3	25	VPTL 3/25 ATGB	6.11	120

#### Schlüter®-VINPRO-T-ABGB

brushed antique bronze anodised aluminium

H (mm)	B (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	14	VPT 3/14 ABGB	5.31	120
3	25	VPTL 3/25 ABGB	6.11	120


For an overview of finishes and colours, please see page 335.

## Transition profile

**Schlüter®-VINPRO-U**


Schlüter-VINPRO-U is a profile to create step-less transitions from resilient floor coverings (e.g. LVT, vinyl coverings) to floor coverings at a lower height.

(Product data sheet 18.3)


**Schlüter®-VINPRO-U-ACGB**

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPU 30 ACGB	<b>8.89</b>	120
4	VPU 40 ACGB	<b>9.04</b>	120
5	VPU 50 ACGB	<b>9.32</b>	120
5.5	VPUL 55 ACGB	<b>9.76</b>	120
6	VPUL 60 ACGB	<b>10.35</b>	120
6.5	VPUL 65 ACGB	<b>10.72</b>	120
7	VPUL 70 ACGB	<b>11.26</b>	120
7.5	VPUL 75 ACGB	<b>11.79</b>	120
8	VPUL 80 ACGB	<b>12.60</b>	120
8.5	VPUL 85 ACGB	<b>13.40</b>	120
9	VPUL 90 ACGB	<b>14.20</b>	120
10	VPUL 100 ACGB	<b>15.01</b>	120
11	VPUL 110 ACGB	<b>15.81</b>	120
12.5	VPUL 125 ACGB	<b>16.61</b>	120

**Schlüter®-VINPRO-U-ATGB**

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPU 30 ATGB	<b>8.89</b>	120
4	VPU 40 ATGB	<b>9.04</b>	120
5	VPU 50 ATGB	<b>9.32</b>	120
5.5	VPUL 55 ATGB	<b>9.76</b>	120
6	VPUL 60 ATGB	<b>10.35</b>	120
6.5	VPUL 65 ATGB	<b>10.72</b>	120
7	VPUL 70 ATGB	<b>11.26</b>	120
7.5	VPUL 75 ATGB	<b>11.79</b>	120
8	VPUL 80 ATGB	<b>12.60</b>	120
8.5	VPUL 85 ATGB	<b>13.40</b>	120
9	VPUL 90 ATGB	<b>14.20</b>	120
10	VPUL 100 ATGB	<b>15.01</b>	120
11	VPUL 110 ATGB	<b>15.81</b>	120
12.5	VPUL 125 ATGB	<b>16.61</b>	120

**Schlüter®-VINPRO-U-ABGB**

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPU 30 ABGB	<b>8.89</b>	120
4	VPU 40 ABGB	<b>9.04</b>	120
5	VPU 50 ABGB	<b>9.32</b>	120
5.5	VPUL 55 ABGB	<b>9.76</b>	120
6	VPUL 60 ABGB	<b>10.35</b>	120
6.5	VPUL 65 ABGB	<b>10.72</b>	120
7	VPUL 70 ABGB	<b>11.26</b>	120
7.5	VPUL 75 ABGB	<b>11.79</b>	120
8	VPUL 80 ABGB	<b>12.60</b>	120
8.5	VPUL 85 ABGB	<b>13.40</b>	120
9	VPUL 90 ABGB	<b>14.20</b>	120
10	VPUL 100 ABGB	<b>15.01</b>	120
11	VPUL 110 ABGB	<b>15.81</b>	120
12.5	VPUL 125 ABGB	<b>16.61</b>	120




## Finishing profile

### Schlüter®-VINPRO-S



Schlüter-VINPRO-S is an edge profile for resilient coverings (e.g. LVT, vinyl coverings). It is designed to protect the edge of coverings at the transition to other coverings of the same or similar height or at the finishing edge of skirtings.

(Product data sheet 18.1)



#### Schlüter®-VINPRO-S-ACGB

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPS 30 ACGB	<b>7.90</b>	120
4	VPS 40 ACGB	<b>7.98</b>	120
5	VPS 50 ACGB	<b>8.03</b>	120
5.5	VPSL 55 ACGB	<b>8.57</b>	120
6	VPSL 60 ACGB	<b>8.90</b>	120
6.5	VPSL 65 ACGB	<b>9.22</b>	120
7	VPSL 70 ACGB	<b>9.54</b>	120
7.5	VPSL 75 ACGB	<b>9.86</b>	120
8	VPSL 80 ACGB	<b>10.19</b>	120
8.5	VPSL 85 ACGB	<b>10.51</b>	120
9	VPSL 90 ACGB	<b>10.83</b>	120
10	VPSL 100 ACGB	<b>11.15</b>	120
11	VPSL 110 ACGB	<b>11.47</b>	120
12.5	VPSL 125 ACGB	<b>11.79</b>	120

#### Schlüter®-VINPRO-S-ATGB

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPS 30 ATGB	<b>7.90</b>	120
4	VPS 40 ATGB	<b>7.98</b>	120
5	VPS 50 ATGB	<b>8.03</b>	120
5.5	VPSL 55 ATGB	<b>8.57</b>	120
6	VPSL 60 ATGB	<b>8.90</b>	120
6.5	VPSL 65 ATGB	<b>9.22</b>	120
7	VPSL 70 ATGB	<b>9.54</b>	120
7.5	VPSL 75 ATGB	<b>9.86</b>	120
8	VPSL 80 ATGB	<b>10.19</b>	120
8.5	VPSL 85 ATGB	<b>10.51</b>	120
9	VPSL 90 ATGB	<b>10.83</b>	120
10	VPSL 100 ATGB	<b>11.15</b>	120
11	VPSL 110 ATGB	<b>11.47</b>	120
12.5	VPSL 125 ATGB	<b>11.79</b>	120

#### Schlüter®-VINPRO-S-ABGB

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPS 30 ABGB	<b>7.90</b>	120
4	VPS 40 ABGB	<b>7.98</b>	120
5	VPS 50 ABGB	<b>8.03</b>	120
5.5	VPSL 55 ABGB	<b>8.57</b>	120
6	VPSL 60 ABGB	<b>8.90</b>	120
6.5	VPSL 65 ABGB	<b>9.22</b>	120
7	VPSL 70 ABGB	<b>9.54</b>	120
7.5	VPSL 75 ABGB	<b>9.86</b>	120
8	VPSL 80 ABGB	<b>10.19</b>	120
8.5	VPSL 85 ABGB	<b>10.51</b>	120
9	VPSL 90 ABGB	<b>10.83</b>	120
10	VPSL 100 ABGB	<b>11.15</b>	120
11	VPSL 110 ABGB	<b>11.47</b>	120
12.5	VPSL 125 ABGB	<b>11.79</b>	120





Example: Skirting detail

## Finishing profile

**Schlüter®-VINPRO-RO**


Schlüter-VINPRO-RO is a finishing and edge protection profile for creating symmetrically rounded corners with resilient coverings (e.g. LVT, vinyl coverings).  
(Product data sheet 18.5)


**Schlüter®-VINPRO-RO-ACGB**

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPRO 30 ACGB	<b>9.32</b>	120
4	VPRO 40 ACGB	<b>9.60</b>	120
5	VPRO 50 ACGB	<b>9.90</b>	120
5.5	VPROL 55 ACGB	<b>10.45</b>	120
6	VPROL 60 ACGB	<b>11.26</b>	120
6.5	VPROL 65 ACGB	<b>12.07</b>	120
7	VPROL 70 ACGB	<b>12.60</b>	120
7.5	VPROL 75 ACGB	<b>13.13</b>	120
8	VPROL 80 ACGB	<b>13.68</b>	120
8.5	VPROL 85 ACGB	<b>14.20</b>	120
9	VPROL 90 ACGB	<b>14.75</b>	120
10	VPROL 100 ACGB	<b>15.28</b>	120
11	VPROL 110 ACGB	<b>15.81</b>	120
12.5	VPROL 125 ACGB	<b>16.35</b>	120

**Schlüter®-VINPRO-RO-ATGB**

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPRO 30 ATGB	<b>9.32</b>	120
4	VPRO 40 ATGB	<b>9.60</b>	120
5	VPRO 50 ATGB	<b>9.90</b>	120
5.5	VPROL 55 ATGB	<b>10.45</b>	120
6	VPROL 60 ATGB	<b>11.26</b>	120
6.5	VPROL 65 ATGB	<b>12.07</b>	120
7	VPROL 70 ATGB	<b>12.60</b>	120
7.5	VPROL 75 ATGB	<b>13.13</b>	120
8	VPROL 80 ATGB	<b>13.68</b>	120
8.5	VPROL 85 ATGB	<b>14.20</b>	120
9	VPROL 90 ATGB	<b>14.75</b>	120
10	VPROL 100 ATGB	<b>15.28</b>	120
11	VPROL 110 ATGB	<b>15.81</b>	120
12.5	VPROL 125 ATGB	<b>16.35</b>	120

**Schlüter®-VINPRO-RO-ABGB**

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPRO 30 ABGB	<b>9.32</b>	120
4	VPRO 40 ABGB	<b>9.60</b>	120
5	VPRO 50 ABGB	<b>9.90</b>	120
5.5	VPROL 55 ABGB	<b>10.45</b>	120
6	VPROL 60 ABGB	<b>11.26</b>	120
6.5	VPROL 65 ABGB	<b>12.07</b>	120
7	VPROL 70 ABGB	<b>12.60</b>	120
7.5	VPROL 75 ABGB	<b>13.13</b>	120
8	VPROL 80 ABGB	<b>13.68</b>	120
8.5	VPROL 85 ABGB	<b>14.20</b>	120
9	VPROL 90 ABGB	<b>14.75</b>	120
10	VPROL 100 ABGB	<b>15.28</b>	120
11	VPROL 110 ABGB	<b>15.81</b>	120
12.5	VPROL 125 ABGB	<b>16.35</b>	120




## Stair nosing profile

### Schlüter®-VINPRO-STEP



Schlüter-VINPRO-STEP is a finishing and edge protection profile for resilient coverings (e.g. LVT, vinyl coverings) on stairs. The profile has a rectangular shape and features an anti-slip textured footer.

(Product data sheet 18.4)



### Schlüter®-VINPRO-STEP-ACGB

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPST 30 ACGB	<b>9.38</b>	120
4	VPST 40 ACGB	<b>9.60</b>	120
5	VPST 50 ACGB	<b>9.90</b>	120
5.5	VPSTL 55 ACGB	<b>10.99</b>	120
6	VPSTL 60 ACGB	<b>11.36</b>	120
6.5	VPSTL 65 ACGB	<b>11.74</b>	120
7	VPSTL 70 ACGB	<b>12.11</b>	120
7.5	VPSTL 75 ACGB	<b>12.49</b>	120
8	VPSTL 80 ACGB	<b>12.87</b>	120
8.5	VPSTL 85 ACGB	<b>13.24</b>	120
9	VPSTL 90 ACGB	<b>13.61</b>	120
10	VPSTL 100 ACGB	<b>14.04</b>	120
11	VPSTL 110 ACGB	<b>14.27</b>	120
12.5	VPSTL 125 ACGB	<b>14.58</b>	120

### Schlüter®-VINPRO-STEP-ATGB

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPST 30 ATGB	<b>9.38</b>	120
4	VPST 40 ATGB	<b>9.60</b>	120
5	VPST 50 ATGB	<b>9.90</b>	120
5.5	VPSTL 55 ATGB	<b>10.99</b>	120
6	VPSTL 60 ATGB	<b>11.36</b>	120
6.5	VPSTL 65 ATGB	<b>11.74</b>	120
7	VPSTL 70 ATGB	<b>12.11</b>	120
7.5	VPSTL 75 ATGB	<b>12.49</b>	120
8	VPSTL 80 ATGB	<b>12.87</b>	120
8.5	VPSTL 85 ATGB	<b>13.24</b>	120
9	VPSTL 90 ATGB	<b>13.61</b>	120
10	VPSTL 100 ATGB	<b>14.04</b>	120
11	VPSTL 110 ATGB	<b>14.27</b>	120
12.5	VPSTL 125 ATGB	<b>14.58</b>	120

### Schlüter®-VINPRO-STEP-ABGB

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPST 30 ABGB	<b>9.38</b>	120
4	VPST 40 ABGB	<b>9.60</b>	120
5	VPST 50 ABGB	<b>9.90</b>	120
5.5	VPSTL 55 ABGB	<b>10.99</b>	120
6	VPSTL 60 ABGB	<b>11.36</b>	120
6.5	VPSTL 65 ABGB	<b>11.74</b>	120
7	VPSTL 70 ABGB	<b>12.11</b>	120
7.5	VPSTL 75 ABGB	<b>12.49</b>	120
8	VPSTL 80 ABGB	<b>12.87</b>	120
8.5	VPSTL 85 ABGB	<b>13.24</b>	120
9	VPSTL 90 ABGB	<b>13.61</b>	120
10	VPSTL 100 ABGB	<b>14.04</b>	120
11	VPSTL 110 ABGB	<b>14.27</b>	120
12.5	VPSTL 125 ABGB	<b>14.58</b>	120


## Stair nosing profile

**Schlüter®-VINPRO-STEP-R**


Schlüter-VINPRO-STEP-R is a finishing and edge profile for resilient coverings (e.g. LVT, vinyl coverings) on stairs. The top portion of the profile features a chamfered 10 mm textured footer with rounded front edge, which conceals the cut edge of resilient floor coverings.

The extended vertical section along the riser ensures optimum visibility. The tapered conical anchoring leg of VINPRO-STEP-R has evenly spaced drillings along the profile length for screw attachment. However, the anchoring leg can also be adhered to the substrate with an installation adhesive such as Schlüter-KERDI-FIX.

(Product data sheet 18.4)


**Schlüter®-VINPRO-STEP-R-ACGB**

brushed chrome anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPSTRL 30 ACGB	<b>14.20</b>	120
4	VPSTRL 40 ACGB	<b>14.48</b>	120
5	VPSTRL 50 ACGB	<b>14.58</b>	120
5.5	VPSTRL 55 ACGB	<b>14.75</b>	120
6	VPSTRL 60 ACGB	<b>15.01</b>	120
6.5	VPSTRL 65 ACGB	<b>15.55</b>	120
7	VPSTRL 70 ACGB	<b>16.09</b>	120
7.5	VPSTRL 75 ACGB	<b>16.61</b>	120
8	VPSTRL 80 ACGB	<b>14.48</b>	120
8.5	VPSTRL 85 ACGB	<b>17.68</b>	120
9	VPSTRL 90 ACGB	<b>18.23</b>	120
10	VPSTRL 100 ACGB	<b>18.76</b>	120
11	VPSTRL 110 ACGB	<b>19.29</b>	120
12.5	VPSTRL 125 ACGB	<b>20.10</b>	120

**Schlüter®-VINPRO-STEP-R-ATGB**

brushed titanium anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPSTRL 30 ATGB	<b>14.20</b>	120
4	VPSTRL 40 ATGB	<b>14.48</b>	120
5	VPSTRL 50 ATGB	<b>14.58</b>	120
5.5	VPSTRL 55 ATGB	<b>14.75</b>	120
6	VPSTRL 60 ATGB	<b>15.01</b>	120
6.5	VPSTRL 65 ATGB	<b>15.55</b>	120
7	VPSTRL 70 ATGB	<b>16.09</b>	120
7.5	VPSTRL 75 ATGB	<b>16.61</b>	120
8	VPSTRL 80 ATGB	<b>14.48</b>	120
8.5	VPSTRL 85 ATGB	<b>17.68</b>	120
9	VPSTRL 90 ATGB	<b>18.23</b>	120
10	VPSTRL 100 ATGB	<b>18.76</b>	120
11	VPSTRL 110 ATGB	<b>19.29</b>	120
12.5	VPSTRL 125 ATGB	<b>20.10</b>	120

**Schlüter®-VINPRO-STEP-R-ABGB**

brushed antique bronze anodised aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
3	VPSTRL 30 ABGB	<b>14.20</b>	120
4	VPSTRL 40 ABGB	<b>14.48</b>	120
5	VPSTRL 50 ABGB	<b>14.58</b>	120
5.5	VPSTRL 55 ABGB	<b>14.75</b>	120
6	VPSTRL 60 ABGB	<b>15.01</b>	120
6.5	VPSTRL 65 ABGB	<b>15.55</b>	120
7	VPSTRL 70 ABGB	<b>16.09</b>	120
7.5	VPSTRL 75 ABGB	<b>17.16</b>	120
8	VPSTRL 80 ABGB	<b>14.48</b>	120
8.5	VPSTRL 85 ABGB	<b>17.68</b>	120
9	VPSTRL 90 ABGB	<b>18.23</b>	120
10	VPSTRL 100 ABGB	<b>18.76</b>	120
11	VPSTRL 110 ABGB	<b>19.29</b>	120
12.5	VPSTRL 125 ABGB	<b>20.10</b>	120



# Schlüter®-DITRA

Waterproofing, uncoupling, drainage,  
heating, sound insulation

The uncoupling mats and bonded waterproofing assemblies of the Schlüter-DITRA product family have been proven solutions all over the world for more than 25 years. They enable the installation of tiles even in unfavourable conditions. For example, Schlüter-DITRA-DRAIN, the first-ever passive capillary bonded drainage matting, uncouples and ventilates the covering to ensure reliable, fast curing of the tile adhesive, including underneath large format tile and stone. Schlüter-DITRA-HEAT-E allows for the quick and cost-effective electrical heating of individual tiled areas.





Bonded uncoupling	
Schlüter®-DITRA	167
Bonded uncoupling and drainage	
Schlüter®-DITRA-DRAIN	169
Bonded uncoupling and heating	
Schlüter®-DITRA-HEAT	171
Schlüter®-DITRA-HEAT-E	172–175
Schlüter®-DITRA-HEAT-PS	177
Temperature control	
Schlüter®-DITRA-HEAT-E-R	178
Heating cable	
Schlüter®-DITRA-HEAT-E-HK	179
Impact sound insulation	
Schlüter®-DITRA-SOUND	181
Accessories	
Schlüter®-DITRA-HEAT-E-KARO	179
Schlüter®-DITRA-HEAT-E-CT	180
Schlüter®-DITRA-HEAT-E-ZS	180



# Schlüter®-DITRA

The original. Now even better.




The DITRA membrane with its functional versatility has been a proven universal substrate for tile assemblies all over the world. Now DITRA has a new geometry to make it even easier to install. All benefits at a glance:

- ✓ **Quick, dependable and easy to install**
- ✓ **EasyCut imprinted gridlines – Quick and easy cuts**
- ✓ **EasyFill design – Easier application of tile adhesive with integrated air release vents**
- ✓ **Modified undercutting for improved tile adhesive bonding**
- ✓ **Easy roll-out characteristics**
- ✓ **Proven functions:**
  - Waterproofing
  - Uncoupling and crack bridging
  - Vapour pressure equalisation
  - Load transfer
  - Heat distribution


## Bonded uncoupling

## Schlüter®-DITRA



Schlüter-DITRA is a polypropylene membrane with square, dovetailed EasyFill recesses and an anchoring fleece laminated to the underside. In conjunction with tiled coverings, Schlüter-DITRA forms an uncoupling, bonded waterproofing and vapour pressure equalisation layer.

(Product data sheet 6.1)



## Schlüter®-DITRA



polypropylene rolls

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
5.1 x 0.995 = 5	D 5M	<b>21.24</b>	22
30.2 x 0.995 = 30	D 30M	<b>17.63</b>	6

**Tool tip:**

Schlüter-TROWEL, 4 x 4 notching,  
see page 333.





# Schlüter®-DITRA-DRAIN

With larger tile sizes



Large tile formats can be demanding, starting with the installation process. Schlüter-DITRA-DRAIN is there to help. Designed to ventilate the entire covering and promote the quick curing of the tile adhesive. But that is not all – as this summary of all functions shows:


- ✓ Vapour pressure equalisation
- ✓ Bonded uncoupling
- ✓ Adhesive drainage

## Bonded drainage

## Schlüter®-DITRA-DRAIN 4



Schlüter-DITRA-DRAIN 4 is an impact resistant polyethylene mat with a special stud structure on one side and a polypropylene webbing laminated on the upper side. It is a universal substrate for tile coverings, which serves as an uncoupling layer and a permanently effective passive capillary drainage mat. (Product data sheet 6.2)



## Schlüter®-DITRA-DRAIN 4

polyethylene rolls

L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
10	DITRA-DRAIN 10M	21.97	12
25	DITRA-DRAIN 25M	19.82	6


**Tool tip:**

Schlüter-TROWEL, 6 x 6 notching,  
see page 333.

## Schlüter®-DITRA-DRAIN-STU


self-adhesive joint tape

L (m)	width = 90 mm Art. No.	£ / m	P (Unit)
5	STUV KB 90/ 5M	7.40	10
30	STUV KB 90/30M	6.51	10




## Bonded drainage

## Schlüter®-DITRA-DRAIN 8



Schlüter-DITRA-DRAIN 8 is an impact resistant polyethylene mat with a special stud structure. It features a fleece fabric on the underside for bonding with the tile adhesive and a special fleece on the top. Schlüter-DITRA-DRAIN 8 is a universal substrate for tile coverings, which serves as an uncoupling layer and a permanently effective passive capillary bonded drainage mat. (Product data sheet 6.2)



## Schlüter®-DITRA-DRAIN 8

polyethylene rolls

L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
12.5	DITRA-DRAIN 8 12M	21.07	6

## Schlüter®-DITRA-DRAIN-STU

self-adhesive joint tape

L (m)	width = 90 mm Art. No.	£ / m	P (Unit)
5	STUV KB 90/ 5M	7.40	10
30	STUV KB 90/30M	6.51	10

**Tool tip:**

Schlüter-TROWEL, 4 x 4 notching,  
see page 333.



# Schlüter®-DITRA-HEAT-E


## Warm feet guaranteed

If you think an electrical floor and wall heating system is too expensive, re-calculate your investment with Schlüter-DITRA-HEAT-E. The system's quick heat-up response and precise control makes it easy to have warm feet without draining your wallet. The simple press-to-fit heating cables within the uncoupling membrane layer saves considerable time during installation.

- ✓ The pleasant room climate is suitable for allergy sufferers
- ✓ Precise customisable control
- ✓ Cost-effective, durable and maintenance-free
- ✓ Now even easier to cut and install
- ✓ Uncouples the covering from the substrate
- ✓ Impact sound reduction with Schlüter-DITRA-HEAT-DUO
- ✓ Also suitable for waterproofing




## Bonded uncoupling | heating

**Schlüter®-DITRA-HEAT**

Schlüter-DITRA-HEAT is a polypropylene membrane with a cut back stud structure and an anchoring fleece laminated on the underside. It is a universal substrate for tile coverings, which serves as an uncoupling layer, bonded waterproofing and vapour barrier, designed for the attachment of the matching heating cables for floor and wall heating solution.

(Product data sheet 6.4)

**Schlüter®-DITRA-HEAT-MA**

polypropylene mats

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Unit)
0.8 x 0.98 = 0.78	DH5 MA	<b>22.01</b>	100

**Tool tip:**

Schlüter-TROWEL, 6 x 6 notching, see page 333.

**Schlüter®-DITRA-HEAT**

polypropylene rolls

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
12.76 x 0.98 = 12.5	DH5 12M	<b>19.55</b>	6




## Bonded uncoupling | heating

**Schlüter®-DITRA-HEAT-DUO**

Schlüter-DITRA-HEAT-DUO is a polypropylene membrane with a cut back stud structure and a special, 2 mm anchoring fleece laminated on the underside. The unique thermal break fleece, in addition to reducing impact sound by up to 13 dB, enables faster heating response. A universal substrate for tile coverings, which serves as a bonded waterproofing, uncoupling, crack bridging, and vapour pressure equalisation layer. Designed for the attachment of the matching system heating cables for a floor and wall solution.

(Product data sheet 6.4)

**Schlüter®-DITRA-HEAT-DUO-MA**

polypropylene mats with 2 mm thermal break fleece

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Unit)
0.8 x 0.98 = 0.78	DH D 8 MA	<b>26.68</b>	100

**Tool tip:**

Schlüter-TROWEL, 6 x 6 notching, see page 333.

**Schlüter®-DITRA-HEAT-DUO**

polypropylene rolls with 2 mm thermal break fleece

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
10.2 x 0.98 = 10	DH D 810 M	<b>23.66</b>	6





Bonded uncoupling | heating



## Schlüter®-DITRA-HEAT-E-S



Schlüter-DITRA-HEAT-E-S are complete sets for electrical heating of floor and wall coverings. They contain the uncoupling mats Schlüter-DITRA-HEAT-MA, the heating cables Schlüter-DITRA-HEAT-E-HK, and the touch-screen thermostat Schlüter-DITRA-HEAT-E-R or the touch-screen thermostat Schlüter-DITRA-HEAT-E-R6 with WiFi connection and optional voice control. Where necessary, the uncoupled area can be expanded with additional Schlüter-DITRA-HEAT membranes. (Product data sheet 6.4)

### All sets include:

- Schlüter-DITRA-HEAT-MA uncoupling mats, see table
- Heating cable Schlüter-DITRA-HEAT-E-HK; see table (installation around every 3rd stud  $\triangleq$  136 W/m<sup>2</sup> / installation around every 2nd stud  $\triangleq$  200 W/m<sup>2</sup>)
- 1 x Schlüter-DITRA-HEAT-E-R touchscreen thermostat or DITRA-HEAT-E-R6 touchscreen thermostat with WiFi connection and optional voice control
- 2 x junction boxes
- 1 x conduit (3 m)

## Schlüter®-DITRA-HEAT-E-S

complete set for floor and wall

Schlüter®-DITRA-HEAT-MA		Schlüter®-DITRA-HEAT-E-HK				Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated floor 136 W/m <sup>2</sup> *		Heated wall 200 W/m <sup>2</sup> **				
		m <sup>2</sup>	W	m <sup>2</sup>	W			
4	3.1	2.2	300	1.5	300	DH S3	<b>507.63</b>	9
7	5.4	3.8	525	2.6	525	DH S1	<b>676.84</b>	4
10	7.8	5.5	750	3.7	750	DH S2	<b>840.20</b>	4

## Schlüter®-DITRA-HEAT-E-S



complete set for floor and wall installation with WiFi connection and optional voice control

Schlüter®-DITRA-HEAT-MA		Schlüter®-DITRA-HEAT-E-HK				Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated floor 136 W/m <sup>2</sup> *		Heated wall 200 W/m <sup>2</sup> **				
		m <sup>2</sup>	W	m <sup>2</sup>	W			
4	3.1	2.2	300	1.5	300	DH RT6 S3	<b>533.64</b>	9
7	5.4	3.8	525	2.6	525	DH RT6 S1	<b>700.63</b>	4
10	7.8	5.5	750	3.7	750	DH RT6 S2	<b>864.23</b>	4

\* for use in floor and wall areas    \*\* for use in wall areas only

## Bonded uncoupling | heating



## Schlüter®-DITRA-HEAT-E-WS



Schlüter-DITRA-HEAT-E-WS are complete sets for electrical heating of wall coverings. They contain the uncoupling mats Schlüter-DITRA-HEAT-MA, the heating cables Schlüter-DITRA-HEAT-E-HK, and the touch-screen thermostat Schlüter-DITRA-HEAT-E-R or the touch-screen thermostat Schlüter-DITRA-HEAT-E-R6 with WiFi connection and optional voice control. Where necessary, the uncoupled area can be expanded with additional Schlüter-DITRA-HEAT membranes. (Product data sheet 6.4)

## All sets include:

- Schlüter-DITRA-HEAT-MA uncoupling mats, see table
- Heating cable Schlüter-DITRA-HEAT-E-HK; see table (installation around every 2nd stud  $\pm$  200 W/m<sup>2</sup>)
- 1 x Schlüter-DITRA-HEAT-E-R touchscreen thermostat or  
DITRA-HEAT-E-R6 touchscreen thermostat with WiFi connection and optional voice control
- 2 x junction boxes
- 1 x conduit (3 m)

## Schlüter®-DITRA-HEAT-E-WS

complete wall installation system

Schlüter®-DITRA-HEAT-MA		Schlüter®-DITRA-HEAT-E-HK		Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated wall 200 W/m <sup>2</sup>				
		m <sup>2</sup>	W			
3	2.3	1.8	375	DH WS2	<b>542.63</b>	9
4	3.1	2.6	525	DH WS1	<b>641.84</b>	9

## Schlüter®-DITRA-HEAT-E-WS



complete set for wall installation with WiFi connection and optional voice control

Schlüter®-DITRA-HEAT-MA		Schlüter®-DITRA-HEAT-E-HK		Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated wall 200 W/m <sup>2</sup>				
		m <sup>2</sup>	W			
3	2.3	1.8	375	DH RT6 WS2	<b>566.81</b>	9
4	3.1	2.5	525	DH RT6 WS1	<b>666.33</b>	9



## Bonded uncoupling | heating



### Schlüter®-DITRA-HEAT-E-DUO-S



Schlüter-DITRA-HEAT-E-DUO-S are complete sets for electrical heating of floor and wall coverings. They contain the uncoupling mats Schlüter-DITRA-HEAT-DUO-MA (0.8 x 0.98 m), the heating cables Schlüter-DITRA-HEAT-E-HK, and the touchscreen thermostat Schlüter-DITRA-HEAT-E-R or the touchscreen thermostat Schlüter-DITRA-HEAT-E-R6 with WiFi connection and optional voice control. Due to the unique anchoring fleece, the uncoupling mat not only reduces impact sound, but also provides a quicker heat-up response. Where necessary, the uncoupled area can be expanded with additional Schlüter-DITRA-HEAT-DUO membranes.

(Product data sheet 6.4)

#### All sets include:

- Schlüter-DITRA-HEAT-DUO-MA uncoupling mats, see table
- Heating cable Schlüter-DITRA-HEAT-E-HK; see table  
(installation around every 3rd stud  $\triangleq$  136 W/m<sup>2</sup> / installation around every 2nd stud  $\triangleq$  200 W/m<sup>2</sup>)
- 1 x Schlüter-DITRA-HEAT-E-R touchscreen thermostat or  
DITRA-HEAT-E-R6 touchscreen thermostat with WiFi connection and optional voice control
- 2 x junction boxes
- 1 x conduit (3 m)

### Schlüter®-DITRA-HEAT-E-DUO-S

complete set for floor and wall

Schlüter®-DITRA-HEAT-DUO-MA		Schlüter®-DITRA-HEAT-E-HK				Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated floor 136 W/m <sup>2</sup> *		Heated wall 200 W/m <sup>2</sup> **				
		m <sup>2</sup>	W	m <sup>2</sup>	W			
2	1.5	1.1	150	0.7	150	DH D S1	<b>451.61</b>	9
3	2.3	1.6	225	1	225	DH D S2	<b>501.79</b>	9
4	3.1	2.2	300	1.5	300	DH D S3	<b>542.63</b>	9
5	3.9	2.7	375	1.8	375	DH D S4	<b>600.99</b>	8
6	4.7	3.3	450	2.2	450	DH D S5	<b>659.33</b>	8
7	5.4	3.8	525	2.6	525	DH D S6	<b>725.84</b>	5
8	6.2	4.4	600	2.9	600	DH D S7	<b>784.19</b>	5
9	7	5	675	3.3	675	DH D S8	<b>854.21</b>	4
10	7.8	5.5	750	3.7	750	DH D S9	<b>904.39</b>	4

### Schlüter®-DITRA-HEAT-E-DUO-S



complete set for floor and wall installation with WiFi connection and optional voice control

Schlüter®-DITRA-HEAT-DUO-MA		Schlüter®-DITRA-HEAT-E-HK				Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated floor 136 W/m <sup>2</sup> *		Heated wall 200 W/m <sup>2</sup> **				
		m <sup>2</sup>	W	m <sup>2</sup>	W			
2	1.5	1.1	150	0.7	150	DH D RT6 S1	<b>478.73</b>	9
3	2.3	1.6	225	1	225	DH D RT6 S2	<b>526.77</b>	9
4	3.1	2.2	300	1.5	300	DH D RT6 S3	<b>566.81</b>	9
5	3.9	2.7	375	1.8	375	DH D RT6 S4	<b>625.15</b>	8
6	4.7	3.3	450	2.2	450	DH D RT6 S5	<b>683.48</b>	8
7	5.4	3.8	525	2.6	525	DH D RT6 S6	<b>749.83</b>	5
8	6.2	4.4	600	2.9	600	DH D RT6 S7	<b>808.18</b>	5
9	7	5	675	3.3	675	DH D RT6 S8	<b>877.95</b>	4
10	7.8	5.5	750	3.7	750	DH D RT6 S9	<b>930.56</b>	4

\* for use in floor and wall areas \*\* for use in wall areas only

## Bonded uncoupling | heating



## Schlüter®-DITRA-HEAT-E-DUO-WS



Schlüter-DITRA-HEAT-E-DUO-WS are complete sets for electrical heating of wall coverings. They contain the uncoupling mats Schlüter-DITRA-HEAT-DUO-MA (0.8 x 0.98 m), the heating cables Schlüter-DITRA-HEAT-E-HK, and the touchscreen thermostat Schlüter-DITRA-HEAT-E-R or the touchscreen thermostat Schlüter-DITRA-HEAT-E-R6 with WiFi connection and optional voice control. Thanks to its special anchoring fleece, the uncoupling mat facilitates a quicker heat-up response. Where necessary, the uncoupled area can be expanded with additional Schlüter-DITRA-HEAT-DUO membranes.

(Product data sheet 6.4)

## All sets include:

- Schlüter-DITRA-HEAT-DUO-MA uncoupling mats, see table
- Heating cable Schlüter-DITRA-HEAT-E-HK; see table (installation around every 2nd stud  $\Delta$  200 W/m<sup>2</sup>)
- 1 x Schlüter-DITRA-HEAT-E-R touchscreen thermostat or  
DITRA-HEAT-E-R6 touchscreen thermostat with WiFi connection and optional voice control
- 2 x junction boxes
- 1 x conduit (3 m)

## Schlüter®-DITRA-HEAT-E-DUO-WS

complete wall installation system

Schlüter®-DITRA-HEAT-DUO-MA		Schlüter®-DITRA-HEAT-E-HK		Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated wall 200 W/m <sup>2</sup>				
		m <sup>2</sup>	W			
3	2.3	1.8	375	DH D S11	<b>553.59</b>	9
4	3.1	2.6	525	DH D S10	<b>656.41</b>	9

## Schlüter®-DITRA-HEAT-E-DUO-WS



complete set for wall installation with WiFi connection and optional voice control

Schlüter®-DITRA-HEAT-DUO-MA		Schlüter®-DITRA-HEAT-E-HK		Art. No.	£ / Set	P (Set)
Number of mats	Uncoupled area in m <sup>2</sup>	Heated wall 200 W/m <sup>2</sup>				
		m <sup>2</sup>	W			
3	2.3	1.8	375	DH D RT6 S11	<b>578.24</b>	9
4	3.1	2.6	525	DH D RT6 S10	<b>681.20</b>	9



# Schlüter®-DITRA-HEAT-PS

Easy to install with Peel & Stick technology

With suitable substrates, Peel & Stick variants can simplify installation and save valuable time and materials compared to conventional DITRA-HEAT. Since the new DITRA-HEAT-PS (Peel & Stick) features a fleece covered in pressure sensitive adhesive laminated to the underside, no tile adhesive is required underneath the mat. That saves significant amounts of material and time. All other functions of the proven DITRA-HEAT mat remain unchanged.

- ✓ **No need to use tile adhesive to bond to substrate**
- ✓ **Quick and easy to install**
- ✓ **Easy to reposition during installation**
- ✓ **Saves time and material**
- ✓ **Immediately load bearing after installation**
- ✓ **Uncouples the covering from the substrate**
- ✓ **Easy installation of matching heating cables**
- ✓ **Also available as DITRA-HEAT-DUO-PS with additional impact sound insulation and faster heat-up response**




## Peel &amp; Stick bonded uncoupling | heating

**Schlüter®-DITRA-HEAT-PS**

Schlüter-DITRA-HEAT-PS is a polypropylene membrane with a cut back stud structure and a fleece covered in pressure sensitive adhesive laminated to the underside. After peeling off the release film, DITRA-HEAT-PS can be installed on suitable substrates without the use of tile adhesive. Designed to facilitate attachment of the matching heating cables for floor heating it should be used as an uncoupling layer, and a waterproofing and vapour barrier, when installing tiles and other floor coverings.

(Product data sheet 6.5)

**Schlüter®-DITRA-HEAT-MA-PS** ★

Peel & Stick polypropylene mats

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Unit)
0.8 x 0.98 = 0.78	DH PS 5 MA	<b>28.51</b>	100

**Schlüter®-DITRA-HEAT-PS** ★

Peel & Stick polypropylene rolls


L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
12.76 x 0.98 = 12.5	DH PS 512 M	<b>25.11</b>	6

## Peel &amp; Stick bonded uncoupling | heating

**Schlüter®-DITRA-HEAT-DUO-PS**

Schlüter-DITRA-HEAT-DUO-PS is a polypropylene membrane with a cut back stud structure and a special 2 mm fleece covered in pressure sensitive adhesive laminated to the underside. After peeling off the release film, DITRA-HEAT-DUO-PS can be installed on suitable substrates without the use of tile adhesive. The watertight membrane accommodates heating cables and forms an uncoupling and vapour pressure equalisation layer. The unique thermal break fleece, in addition to reducing impact sound by up to 14 dB, enables faster heating response.

(Product data sheet 6.5)

**Schlüter®-DITRA-HEAT-DUO-MA-PS** ★

Peel & Stick polypropylene mats with 2 mm thermal fleece

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Unit)
0.8 x 0.98 = 0.78	DH D PS 8 MA	<b>33.99</b>	100

**Schlüter®-DITRA-HEAT-DUO-PS** ★

Peel & Stick polypropylene rolls with 2 mm thermal fleece

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
10.2 x 0.98 = 10	DH D PS 810 M	<b>30.87</b>	6

**Note:**

DITRA-HEAT PS/-DUO-PS is waterproof and suitable for use in wetrooms, provided the abutting joints are sealed with KERDI-KEBA and KERDI-COLL-L. The products do not have ETA (European Technical Assessment) or abP (German technical approval) certification. If such a certification is required, we recommend using the original DITRA-HEAT which is bonded to the substrate with cementitious tile adhesive.



## Thermostat

### Schlüter®-DITRA-HEAT-E-R6



Schlüter-DITRA-HEAT-E-R6 is an all-in-one thermostat with WiFi connection and optional voice control. It controls floor and wall coverings that are electrically heated with Schlüter-DITRA-HEAT-E. As an alternative, the system can be operated via the 2" (5.1 cm) touchscreen display, with the Schlüter-HEAT-CONTROL app for iOS and Android or by voice control with Amazon Alexa or Google Assistant. The thermostat controls either the surface or room temperature based on a time schedule. An additional sensor, which is installed but left unconnected, is included within the box.

(Product data sheet 6.4)

#### Schlüter®-DITRA-HEAT-E-R6



touchscreen thermostat (230 V) with two remote sensors, WiFi and Voice Control function

Art. No.	£ / Set	P (Set)
DH E RT 6 / BW	298.14	10

### Schlüter®-DITRA-HEAT-E-R



Schlüter-DITRA-HEAT-E-R is a thermostat for controlling floor and wall coverings that are electrically heated with Schlüter-DITRA-HEAT-E. The system is operated via a 2" (5.1 cm) touchscreen display. The thermostat controls either the surface or room temperature based on a time schedule. An additional sensor, which is installed but left unconnected, is included within the box.

(Product data sheet 6.4)

#### Schlüter®-DITRA-HEAT-E-R

touchscreen thermostat (230 V) with two remote sensors

Art. No.	£ / Set	P (Set)
DH E RT 2 / BW	209.73	10

### Schlüter®-DITRA-HEAT-E-R3



Schlüter-DITRA-HEAT-E-R3 is a thermostat for controlling floor and wall coverings that are electrically heated with Schlüter-DITRA-HEAT-E. The system is operated via a 3.5" (8.9 cm) touchscreen display. The thermostat controls either the surface or room temperature based on a time schedule. An additional sensor, which is installed but left unconnected, is included within the box.

(Product data sheet 6.4)

#### Schlüter®-DITRA-HEAT-E-R3

touchscreen thermostat (230 V) with two remote sensors

Art. No.	£ / Set	P (Set)
DH E RT 3 / BW	278.65	10

### Schlüter®-DITRA-HEAT-E-R4



Schlüter-DITRA-HEAT-E-R4 is an analogue thermostat for the electrical temperature regulation of wall and floor coverings with Schlüter-DITRA-HEAT-E. The user-friendly thermostat has an on/off switch and a dial for adjusting the temperature set-point. An additional sensor, which is installed but left unconnected, is included within the box.

(Product data sheet 6.4)

#### Schlüter®-DITRA-HEAT-E-R4

thermostat (230 V) on/off switch with two remote sensors

Art. No.	£ / Set	P (Set)
DH E RT 4 / BW	156.39	10

#### Note:

The remote sensor should be installed within the Schlüter-DITRA-HEAT uncoupling mat. Although two remote sensors are included, only one should be connected to the thermostat whilst the other is left unconnected as a spare.

## Heating cable

## Schlüter®-DITRA-HEAT-E-HK



Schlüter-DITRA-HEAT-E-HK is an electrical heating cable with a unilateral connection for installation in the uncoupling mat Schlüter-DITRA-HEAT.

(Product data sheet 6.4)

## Schlüter®-DITRA-HEAT-E-HK

heating cable

L (m)	Heated floor 136 W/m <sup>2</sup> *	Heated wall 200 W/m <sup>2</sup> **	Watts	Art. No.	£ / U.	P (Unit)
	m <sup>2</sup>	m <sup>2</sup>				
4	0.4	0.25	50	DH E HK 4	111.13	10
6.76	0.6	0.43	85	DH E HK 6	118.07	10
12.07	1.1	0.7	150	DH E HK 12	183.29	10
17.66	1.6	1	225	DH E HK 17	216.69	10
23.77	2.2	1.5	300	DH E HK 23	241.47	10
29.87	2.7	1.8	375	DH E HK 29	284.81	10
35.97	3.3	2.2	450	DH E HK 35	328.14	10
41.56	3.8	2.6	525	DH E HK 41	365.30	10
47.67	4.4	2.9	600	DH E HK 47	418.55	10
53.77	5	3.3	675	DH E HK 53	464.38	10
59.87	5.5	3.7	750	DH E HK 59	495.33	10
71.57	6.6	4.4	900	DH E HK 71	569.62	10
83.77	7.7	5.1	1050	DH E HK 83	668.67	10
95.47	8.8	5.9	1200	DH E HK 95	761.55	10
107.67	10	6.6	1350	DH E HK 107	835.85	10
136.16	12.7	8.4	1700	DH E HK 136	1001.92	10
164.07	15	10	2050	DH E HK 164	1198.46	10
192.27	17.7	11.8	2400	DH E HK 192	1402.21	10
216.27	20	13.2	2700	DH E HK 216	1575.98	10
244.37	22.7	15.1	3050	DH E HK 244	1767.74	10

\* for use in floor and wall areas \*\* for use in wall areas only

**Note:**

Heating cables must not be shortened. When selecting the heating cable, please note that the table indicates the heated space in m<sup>2</sup>, not the room size. To determine the heated space, deduct unheated zones such as perimeter areas and storage space from the room size.

## Heating cable dispenser

## Schlüter®-DITRA-HEAT-E-KARO



Schlüter-DITRA-HEAT-E-KARO is a simple, easily transportable cable dispenser for the efficient installation of DITRA-HEAT-E heating cables. It is suitable for all available lengths of DITRA-HEAT heating cable.

## Schlüter®-DITRA-HEAT-E-KARO

heating cable dispenser

Art. No.	£ / U.	P (Unit)
DH ZK A	337.96	5



## Testing tool

### Schlüter®-DITRA-HEAT-E-CT



Schlüter-DITRA-HEAT-E-CT is a test device for measuring and checking the resistance of the electrical heating cables Schlüter-DITRA-HEAT-E-HK and the remote sensors supplied with Schlüter-DITRA-HEAT-E thermostats. Designed to monitor the resistance of the heating cables during the entire installation phase, alerting the installer with an audible alarm in the event of damage.

(Product data sheet 6.4)

#### Schlüter®-DITRA-HEAT-E-CT

cable tester

Art. No.	£ / U.	P (Unit)
DH E CT	35.78	10

## Installation set

### Schlüter®-DITRA-HEAT-E-ZS



Schlüter-DITRA-HEAT-E-ZS is an installation set comprising a conduit (2.5 m), junction box, and sensor sleeve. It can be used if the installation of the remote sensor in the conduit is preferred.

(Product data sheet 6.4)


#### Schlüter®-DITRA-HEAT-E-ZS

installation set for thermostat

Art. No.	£ / Set	P (Set)
DH E ZS 1	14.38	10

# Schlüter®-DITRA-SOUND

## Impact sound insulation under tiles



Noises generated at the floor level cause impact sound. Schlüter-DITRA-SOUND effectively reduces impact sound by up to 13 dB (A) in renovation projects. This is the equivalent of more than 50% of perceived impact sound. The heavy duty membrane combines the following properties:


- ✓ Impact sound/room noise insulation
- ✓ Crack-bridging
- ✓ Load distribution (load induction)

## Impact sound insulation

## Schlüter®-DITRA-SOUND



Schlüter-DITRA-SOUND is a heavy duty membrane made of polyethylene with an anchoring fleece laminated on both sides. DITRA-SOUND provides bonded sound insulation in tiled floor assemblies. (Product data sheet 6.3)



## Schlüter®-DITRA-SOUND

heavy duty PE mat

H (mm)	55 x 75 cm = 0.41 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
3.5	DITRA-S 355	28.44	400

package = 5 units

**Tool tip:**

Schlüter-TROWEL, 4 x 4 notching,  
see page 333.

## Schlüter®-DITRA-SOUND

heavy duty PE mat project bundling

H (mm)	55 x 75 cm = 0.41 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
3.5	DITRA-S 355 LV	27.29	400

**Note:**

DITRA-S 355 LV is available in bundled format for large scale projects. In this case, Schlüter-DITRA-SOUND is delivered without packaging to reduce the volume of disposable packaging materials.

## Impact protection | edge insulation strip



## Schlüter®-DITRA-SOUND-KB

joint covering strip

38 mm x 50 m Art. No.	£ / U.	P (Unit)
DS KB 38	14.62	10



## Schlüter®-DITRA-SOUND-RSK

edge insulation strip

6 x 30 mm x 10 m Art. No.	£ / m	P (Unit)
DS RSK 630	1.38	20




# Schlüter<sup>®</sup>-REFLEECE

## Removable fleece

Exhibition halls, trade fair venues and retail stores are among the application areas with frequently changing floor coverings. Easy removal is an important concern.


Schlüter-REFLEECE offers a practical solution. The self-adhesive fleece is a tile underlayment that separates the tile adhesive from the existing substrate. It enables the simple removal of coverings without leaving any residue or damaging the sub-floor. Schlüter-REFLEECE also reduces impact sound by 9 dB (as specified by DIN EN ISO 10140) and is made of recycled PET bottles.



## Removable fleece

**Schlüter®-REFLEECE**

Schlüter-REFLEECE is a fleece mat made of recycled PET with a bonding layer laminated on the underside. It is suitable for creating removable floor coverings made of tiles and natural stone. The self-adhesive underside easily detaches from the substrate during removal without damaging the sub-floor. (Product data sheet 20.1)

**Schlüter®-REFLEECE**

PET rolls

1 x 30 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
REFL 30M	17.04	6

**Schlüter®-DITRA-SOUND-KB**

joint covering strip

38 mm x 50 m Art. No.	£ / U.	P (Unit)
DS KB 38	14.62	10






# Schlüter®-KERDI

Waterproofing for walls and floors,  
drainage, shower shelves

Schlüter-KERDI is a waterproofing membrane that is integrated into the tile assembly. Thanks to the convenient imprinted gridlines, the product is particularly easy to install. KERDI is part of a complete product system with sealing bands, corners, and pipe collars. The sealing adhesive Schlüter-KERDI-COLL-L for abutting joints and connections completes the waterproofing system from a single source. While the floor drain systems Schlüter-KERDI-DRAIN or Schlüter-KERDI-LINE provide proper drainage, the modular Schlüter-KERDI-SHOWER system is designed for installing floor-level showers.





## Schlüter®-KERDI

Bonded waterproofing	186–188
Accessories	189–192

## Schlüter®-KERDI-LINE

KERDI-LINE designs	194–195
Drainage profiles	198–200
Grate and frame combination	205–209, 217
Complete sets – linear, floor-level shower	210
Linear drainage – horizontal drain body	202–203, 212–216
Linear drainage – vertical drain body	218–220
Accessories	201, 221–222

## Schlüter®-KERDI-DRAIN

KERDI-DRAIN designs	232
Point drainage – interior	234–239
Point drainage – exterior	240–244
Complete sets – loose installation in exterior spaces	245
Drainage sets	249
Accessories	246–248

## Schlüter®-KERDI-SHOWER

Sloped trays for KERDI-LINE	223–224
Sloped trays for KERDI-DRAIN	251–252
KERDI-DRAIN waterproofing sets	250

## Schlüter®-SHOWERPROFILE

Triangular profile	226
Profiles for floor-level showers	225, 228–230

## Schlüter®-SHELF

Shelves	254–263
---------	---------



# Schlüter®-KERDI

## Bonded waterproofing you can count on



Schlüter-KERDI has been a proven bonded waterproofing solution for tile and natural stone coverings for over 30 years. Together with our waterproofing membranes, sealing bands, pre-formed parts and the KERDI-COLL-L sealing adhesive, our products form a complete system for permanently safe and dependable bonded waterproofing. Now available in the three membrane widths 100 cm – 150 cm – 200 cm.


### Bonded waterproofing

## Schlüter®-KERDI



Schlüter-KERDI is a polyethylene waterproofing membrane with an anchoring fleece laminated on both sides. It is suitable for waterproofing in conjunction with tiled surfaces on walls and floors. The high water vapour diffusion resistance of Schlüter-KERDI-DS makes it suitable as a vapour barrier in bonded floor assemblies with tile coverings.

(Product data sheet 8.1)



### Schlüter®-KERDI 200

polyethylene rolls

L (m)	m <sup>2</sup>	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
5	5	KERDI 200 / 5M	21.76	75
10	10	KERDI 200 / 10M	19.67	50
30	30	KERDI 200	17.85	20
<b>width = 1.50 m</b>				
20	30	KERDI 200 150 / 20M	17.85	20
<b>width = 2.00 m</b>				
15	30	KERDI 200 200 / 15M	17.85	20

### Schlüter®-KERDI-DS


polyethylene rolls, vapour barrier

L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
30	KERDI-DS	20.63	25

#### Tool tip:


Schlüter-TROWEL, 4 x 4 notching, see page 333.

## Sealing tape

**Schlüter®-KERDI-KEBA**

Schlüter-KERDI-KEBA is a sealing band to seal mat connections and wall to floor connections.

(Product data sheet 8.1)

**Schlüter®-KERDI-KEBA**

polyethylene rolls


B (mm)	roll = 30 m Art. No.	£ / m	PL (Roll)
85	KEBA 100 / 85	<b>2.44</b>	336
125	KEBA 100 / 125	<b>3.64</b>	210
150	KEBA 100 / 150	<b>3.84</b>	210
185	KEBA 100 / 185	<b>5.00</b>	168
250	KEBA 100 / 250	<b>6.47</b>	126

**Schlüter®-KERDI-KEBA/5M**

polyethylene rolls


B (mm)	roll = 5 m Art. No.	£ / m	P (Roll)
85	KEBA 100 / 85 / 5M	<b>3.46</b>	10
125	KEBA 100 / 125 / 5M	<b>4.58</b>	10
150	KEBA 100 / 150 / 5M	<b>4.90</b>	10
185	KEBA 100 / 185 / 5M	<b>5.96</b>	10
250	KEBA 100 / 250 / 5M	<b>7.46</b>	10

## Sealing tape

**Schlüter®-KERDI-FLEX**

Schlüter-KERDI-FLEX is a waterproofing band for sealing movement joints.

(Product data sheet 8.1)

**Schlüter®-KERDI-FLEX**

polyethylene rolls

B (mm)	roll = 30 m Art. No.	£ / m	PL (Roll)
125	FLEX 125 / 30	<b>6.20</b>	210
250	FLEX 250 / 30	<b>11.30</b>	126

**Schlüter®-KERDI-FLEX/5M**


polyethylene rolls

B (mm)	roll = 5 m Art. No.	£ / m	P (Roll)
125	FLEX 125 / 5M	<b>8.11</b>	10
250	FLEX 250 / 5M	<b>13.11</b>	10



## Corner seal

### Schlüter®-KERDI-KERECK



Schlüter-KERDI-KERECK are pre-cut sections to produce internal and external corners. They are also suitable for corner formations that are not perfectly square. (Product data sheet 8.1)

#### Schlüter®-KERDI-KERECK/A

external corner, pre-cut section

Thickness (mm)	set = 5 units Art. No.	£ / Set	P (Set)
0.1	KERECK 5 A	25.70	10


#### Schlüter®-KERDI-KERECK/I

internal corner, pre-cut section

Thickness (mm)	set = 5 units Art. No.	£ / Set	P (Set)
0.1	KERECK 5 I	22.03	10

## Corner seal

### Schlüter®-KERDI-KERECK-F



Schlüter-KERDI-KERECK-F are completely seam sealed, prefabricated parts to create internal and external corners. (Product data sheet 8.1)

#### Schlüter®-KERDI-KERECK-F/A

90° external corner, prefabricated

Thickness (mm)	set = 2 units Art. No.	£ / Set	P (Set)
	0.1		
0.1	set = 10 units	86.57	10
	KERECK / FA10		

#### Schlüter®-KERDI-KERECK-F/I

90° internal corner, prefabricated

Thickness (mm)	set = 2 units Art. No.	£ / Set	P (Set)
	0.1		
0.1	set = 10 units	71.84	10
	KERECK / FI10		

#### Schlüter®-KERDI-KERECK-F/I 135°

135° internal corner, prefabricated


Thickness (mm)	set = 2 units Art. No.	£ / Set	P (Set)
0.1	KERECK 135 FI2	20.79	10

## Corner seal


### Schlüter®-KERDI-KERS



Schlüter-KERDI-KERS are seam sealed pre-fabricated parts for secure waterproofing of corner areas of Schlüter-KERDI-SHOWER. (Product data sheet 8.1)



Schlüter-KERDI-KERS, left



Schlüter-KERDI-KERS, right

#### Schlüter®-KERDI-KERS

internal corner, prefabricated, left

H (mm)	Art. No.	£ / U.	P (Unit)
20	KERS 20 L	14.11	10
28	KERS 28 L	14.11	10

#### Schlüter®-KERDI-KERS

internal corner, prefabricated, right

H (mm)	Art. No.	£ / U.	P (Unit)
20	KERS 20 R	14.11	10
28	KERS 28 R	14.11	10

#### Note:

Schlüter-KERDI-KERS 20 products are suitable for showers with side lengths of 80 - 110 cm. Schlüter-KERDI-KERS 28 products are suitable for showers with side lengths of 110 - 150 cm.

## Waterproofing collar

### Schlüter®-KERDI-MV

Schlüter-KERDI-MV are prefabricated collars for DIN 18534-compliant waterproofing of pipe penetrations. Thanks to their fleece-free inner zone, the collars are suitable for use with multiple pipe diameters (see table).

(Product data sheet 8.1)

#### Schlüter®-KERDI-MV



collar with fleece-free inner zone (includes: 1 unit)

Ø mm	For pipe diameter (mm)	Art. No.	£ / U.	P (Unit)
9	12 – 30	KMV 9	<b>9.04</b>	10
15	22 – 40	KMV 15	<b>9.04</b>	10
21	30 – 60	KMV 21	<b>10.06</b>	10
35	45 – 80	KMV 35	<b>10.74</b>	10
65	75 – 140	KMV 65	<b>13.56</b>	10
15	22 – 40	KMV 15 D	<b>16.22</b>	10

#### Schlüter®-KERDI-MV

collar with fleece-free inner zone (includes: 10 units)

Ø mm	For pipe diameter (mm)	Art. No.	£ / Package	P (Package)
15	22 – 40	KMV 15/10	<b>72.67</b>	10
15	22 – 40	KMV 15 D/10	<b>133.49</b>	10



KMV 9



KMV 15



KMV 21



KMV 35



KMV 65



KMV 15 D\*

\* centre line 150 mm

## Waterproofing collar

### Schlüter®-KERDI-PAS

Schlüter-KERDI-PAS sets comprise a pre-fabricated collar and a special plastic sleeve. The collar and this special sleeve are attached at pipe protrusions for secure waterproofing (DIN 18534) of installed plumbing components. The collar and this special sleeve are attached at pipe protrusions to enable safe DIN 18534-compliant waterproofing of the subsequently installed tap extension.

(Product data sheet 8.1)

#### Schlüter®-KERDI-PAS

set incl. collar and installation aid (includes: 1 set)

Ø mm	For pipe diameter (mm)	Art. No.	£ / Set	P (Set)
15	22 – 40	KMV 15 PAS	<b>11.01</b>	10
15	22 – 40	KMV 15 D PAS	<b>18.94</b>	10

#### Schlüter®-KERDI-PAS

set incl. collar and installation aid (includes: 10 sets)

Ø mm	For pipe diameter (mm)	Art. No.	£ / Package	P (Package)
15	22 – 40	KMV 15 PAS/10	<b>88.52</b>	10
15	22 – 40	KMV 15 D PAS/10	<b>149.60</b>	10



KMV 15 PAS




KMV 15 D PAS\*

\* centre line 150 mm



## Waterproofing collar

### Schlüter®-KERDI-KM



Schlüter-KERDI-KM are prefabricated collars for pipe openings.  
(Product data sheet 8.1)


#### Schlüter®-KERDI-KM

pipe collar diameter = 22 mm for 25 mm pipes


Thickness (mm)	set = 5 units Art. No.	£ / Set	P (Set)
0.1	KM 5117 / 22	<b>8.96</b>	10

## Waterproofing set

### Schlüter®-KERDI-TS



Schlüter-KERDI-TS is a set for creating reliable waterproof connections of building components such as bathtubs and shower trays made of steel enamel, acrylic or mineral casting (according to DIN 18534-1) to the Schlüter-KERDI waterproofing system. It includes a sealing band made of polyethylene with double-sided fleece fabric and self-adhesive sound insulation strip as well as installation materials.  
(Product data sheet 8.9)



#### Schlüter®-KERDI-TS

complete set for waterproof connection

L (m)	Art. No.	£ / Set	P (Set)
2	KE TS / 200	<b>80.95</b>	10
2.8	KE TS / 280	<b>97.83</b>	10
3.8	KE TS / 380	<b>115.31</b>	10

#### Complete set includes:

- 2 / 2.8 / 3.8 m sealing tape
- 290 ml Schlüter-KERDI-FIX installation adhesive
- 2 cleaning cloths
- 1 / 2 / 2 corner piece(s)



#### Schlüter®-KERDI-TSB

basic set for waterproof connection

L (m)	Art. No.	£ / Set	P (Set)
10	KE TSB / 1000	<b>188.60</b>	10

#### Basic set includes:

- 10 m sealing tape
- 8 cleaning cloths
- 6 corner pieces



## Waterproofing set

## Schlüter®-KERDI-TS-ZC




Schlüter-KERDI-TS-ZC is an expansion set for the reliable waterproof connection of building components such as bathtubs and shower trays for special installation situations (see drawing) in conjunction with the Schlüter-KERDI-TS waterproofing set. It consists of a waterproofing collar and a corner installation piece.

(Product data sheet 8.9)

## Schlüter®-KERDI-TS-ZC

flexible corner seal

Art. No.	£ / Set	P (Set)
KE TS ZC	11.59	10



Installation examples

**The set comprises the following components:**

- 1 PE collar, fleece-laminated on both sides, 120 x 120 mm
- 1 corner piece


## Cutting protection

## Schlüter®-KERDI-CP



Schlüter-KERDI-CP is a cutting protection that can be shortened to any length and protects the connection seal when the silicone joint is renovated at a later time. The versatile folding profile can be installed directly in the adhesive bed or into freshly applied Schlüter-KERDI-FIX.

(Product data sheet 8.9)



## Schlüter®-KERDI-CP

polypropylene cutting protection

L (m)	Art. No.	£ / U.	P (Unit)
2	KE CP / 200	9.25	10
2.8	KE CP / 280	12.81	10
3.8	KE CP / 380	16.90	10
10	KE CP / 1000	37.27	10






## Sealing adhesive

### Schlüter®-KERDI-COLL-L



Schlüter-KERDI-COLL-L is a two component sealant adhesive based on a solvent free acrylate dispersion and a reactive cementitious powder. It is suitable for adhering and sealing overlaps of Schlüter-KERDI membranes. In addition, Schlüter-KERDI-COLL-L can be used to tightly adhere the sealing band Schlüter-KERDI-KEBA on bonded waterproofing assemblies made with suitable Schlüter-Systems products as well as on Schlüter-BARA edging profiles.


(Product data sheet 8.4)



#### Schlüter®-KERDI-COLL-L

two-component sealing adhesive

Weight (kg)	Art. No.	£ / kg	PL (Unit)
1.85	KERDI-COLL-L 185	<b>13.14</b>	110
4.25	KERDI-COLL-L	<b>10.81</b>	75



## Installation adhesive

### Schlüter®-KERDI-FIX



Schlüter-KERDI-FIX is an MS polymer based elastic adhesive. It is suited for adjoining profiles and Schlüter-KERDI-BOARD as well as sealing the abutments and joint areas of Schlüter-KERDI waterproofing membrane sections.

(Product data sheet 8.3)



#### Schlüter®-KERDI-FIX

MS polymer adhesive

Fill volume (ml)	Art. No.	£ / U.	P (Unit)
290	KERDIFIX / BW	<b>21.66</b>	12
290	KERDIFIX / G	<b>21.66</b>	12



# Schlüter®-KERDI-LINE

## Elegant drainage



Linear drainage bring elegance and functionality to floor-level showers. Schlüter-KERDI-LINE are complete systems that include all components for draining floor-level shower areas. My Schlüter-KERDI-LINE adds a personal touch: Customers can choose to add an individual engraving to the grate and/or frame of the drainage channel.

- ✓ Up to 14 channel lengths
- ✓ Low assembly heights
- ✓ Complete sets with waterproofing collar
- ✓ Nine different channel covers
- ✓ Schlüter-KERDI-LINE-STYLE in three elegant designs with slim contour frames
- ✓ Stainless steel grates and frames, individually customisable
- ✓ Flexibly adjustable to tile thicknesses
- ✓ Now individually customisable
- ✓ Extensive assortment, including tapered profiles and splashguard profiles




# Schlüter®-KERDI-LINE

## All designs at a glance

This overview illustrates the versatile Schlüter-Systems design options for linear drainage. Whether you choose a classic profile frame or the innovative VARIO drain, you are guaranteed to install our proven Schlüter quality.

Schlüter®-KERDI-LINE-VARIO: Individually customisable drain profiles



COVE design



WAVE design

Schlüter®-KERDI-LINE-STYLE: Elegant design grates with contour frame



FLORAL design



CURVE design



PURE design

Schlüter®-KERDI-LINE: The classics in a profile frame

Design  
A, B and C  
available  
in MGS


Design A: SOLID



Design B: SQUARE



Design C: FRAMED TILE



Design D: TILE (frameless)





# Schlüter®-KERDI-LINE-VARIO

## Drainage has never been more adaptable


Our adaptable system for linear drainage in level entry showers. The stylish drainage profiles which can easily be cut to precisely match your requirement are connected to a slim drain body. The integrated elasticated KERDI collar provides a waterproof seal between the drain and the adjacent substrate. The 360 degree rotatable drain offers optimum flexibility during installation.

- ✓ Slim drainage profiles blending unobtrusively with the tile covering
- ✓ High-quality materials: brushed stainless steel or TRENDLINE powder coated aluminium
- ✓ Drainage profiles (120 cm / 180 cm), can be individually cut to size, height-adjustable
- ✓ Matching end caps included with the drainage profiles
- ✓ Low assembly height
- ✓ Integrated odour trap
- ✓ Secure waterproofing connection with elasticated KERDI collar
- ✓ Self-cleaning drain body, rotatable by 360 degrees
- ✓ Sound insulation element
- ✓ High drain capacity
- ✓ Proven KERDI-LINE quality



The Schlüter-KERDI-LINE-VARIO drain profile directs the waste water into a slim wave shaped drain body with an elasticated waterproofing collar. The combination of drain adapter with integrated elasticated waterproofing collar and wave shaped drain channels the waste water horizontally into the on-site drainage system. A screeded tiled shower floor with a 2% gradient should be provided to allow water to run into the drainage profile.

Schlüter-DECO-SG keeps shower screens in their correct positions. Schlüter-KERDI and -DITRA ensure waterproofing in the wall and floor area. Abutting joints are sealed with Schlüter-KERDI-KEBA sealing bands, using Schlüter-KERDI-COLL-L.



- |  |              |
|--|--------------|
| ① Schlüter®-KERDI-LINE-VARIO-H wave-shaped drain | Page 202–203 |
| ② Schlüter®-KERDI-LINE-VARIO drainage profile    | Page 198–200 |
| ③ Sloped screed                                  | –            |
| ④ Schlüter®-DITRA                                | Page 167     |
| ⑤ Schlüter®-KERDI 200                            | Page 186     |
| ⑥ Schlüter®-KERDI-KEBA                           | Page 187     |
| ⑦ Schlüter®-KERDI-COLL-L                         | Page 192     |
| ⑧ Schlüter®-DECO-SG                              | Page 230     |




## Drainage profile

### Schlüter®-KERDI-LINE-VARIO WAVE



Schlüter-KERDI-LINE-VARIO WAVE is a W shaped drainage profile, which can be cut to size, for use with a Schlüter-KERDI-LINE-VARIO-H body. It is available in either brushed stainless steel V4A (material no. 1.4404 = AISI 316L) or one of eight TRENDLINE powder coated aluminium finishes. A 140 mm opening allows water to flow into the drain. The opening is concealed by a removable cover panel. The drainage profile is supplied with two matching end caps. The installation height can be adjusted to the thickness of the floor covering by use of tile adhesive.

*(Product data sheet 8.10)*




### Schlüter®-KERDI-LINE-VARIO WAVE 34

drainage profile, WAVE design (D 10), textured aluminium

L (cm)	H = 8 mm Art. No.	£ / Set	P (Set)
120	KL VR D10 MBW 120	<b>186.67</b>	10
120	KL VR D10 MGS 120	<b>186.67</b>	10
120	KL VR D10 TSBG 120	<b>192.32</b>	10
120	KL VR D10 TSC 120	<b>192.32</b>	10
120	KL VR D10 TSDA 120	<b>192.32</b>	10
120	KL VR D10 TSI 120	<b>192.32</b>	10
120	KL VR D10 TSOB 120	<b>192.32</b>	10
120	KL VR D10 TSSG 120	<b>192.32</b>	10
★ 180	KL VR D10 MBW 180	<b>209.22</b>	10
★ 180	KL VR D10 MGS 180	<b>209.22</b>	10
★ 180	KL VR D10 TSBG 180	<b>214.08</b>	10
★ 180	KL VR D10 TSC 180	<b>214.08</b>	10
★ 180	KL VR D10 TSDA 180	<b>214.08</b>	10
★ 180	KL VR D10 TSI 180	<b>214.08</b>	10
★ 180	KL VR D10 TSOB 180	<b>214.08</b>	10
★ 180	KL VR D10 TSSG 180	<b>214.08</b>	10

Suitable for covering thicknesses of 6–15 mm (with DITRA or DITRA-HEAT) and 6–12 mm (with DITRA-HEAT-DUO).

In conjunction with the frame extension KL VR DSE 14, suitable for covering thicknesses up to 25 mm (with DITRA or DITRA-HEAT) and up to 22 mm (with DITRA-HEAT-DUO); see page 201.



**Schlüter®-KERDI-LINE-VARIO WAVE 42** ★


drainage profile, WAVE design (D 10), brushed stainless steel V4A

L (cm)	H = 10 mm Art. No.	£ / Set	P (Set)
120	KL VR1 D10 EB 120	<b>277.34</b>	10
180	KL VR1 D10 EB 180	<b>311.39</b>	10

Suitable for covering thicknesses of 8–18 mm (with DITRA or DITRA-HEAT) and 8–15 mm (with DITRA-HEAT-DUO).

In conjunction with the frame extension KL VR DSE 23, suitable for covering thicknesses up to 28 mm (with DITRA or DITRA-HEAT) and up to 25 mm (with DITRA-HEAT-DUO); see page 201.

The KERDI-LINE-VARIO WAVE 42 profile in the stainless steel version supports the use of wheelchairs in showers.

**Schlüter®-KERDI-LINE-VARIO WAVE 42** ★

drainage profile, WAVE design (D 10), textured aluminium

L (cm)	H = 8 mm Art. No.	£ / Set	P (Set)
120	KL VR1 D10 MBW 120	<b>194.62</b>	10
120	KL VR1 D10 MGS 120	<b>194.62</b>	10
120	KL VR1 D10 TSBG 120	<b>199.49</b>	10
120	KL VR1 D10 TSC 120	<b>199.49</b>	10
120	KL VR1 D10 TSDA 120	<b>199.49</b>	10
120	KL VR1 D10 TSI 120	<b>199.49</b>	10
120	KL VR1 D10 TSOB 120	<b>199.49</b>	10
120	KL VR1 D10 TSSG 120	<b>199.49</b>	10
180	KL VR1 D10 MBW 180	<b>218.95</b>	10
180	KL VR1 D10 MGS 180	<b>218.95</b>	10
180	KL VR1 D10 TSBG 180	<b>223.81</b>	10
180	KL VR1 D10 TSC 180	<b>223.81</b>	10
180	KL VR1 D10 TSDA 180	<b>223.81</b>	10
180	KL VR1 D10 TSI 180	<b>223.81</b>	10
180	KL VR1 D10 TSOB 180	<b>223.81</b>	10
180	KL VR1 D10 TSSG 180	<b>223.81</b>	10


Suitable for covering thicknesses of 6–15 mm (with DITRA or DITRA-HEAT) and 6–12 mm (with DITRA-HEAT-DUO).

In conjunction with the frame extension KL VR DSE 23, suitable for covering thicknesses up to 25 mm (with DITRA or DITRA-HEAT) and up to 22 mm (with DITRA-HEAT-DUO); see page 201.

The profiles KERDI-LINE-VARIO WAVE 42 profiles can be fitted with an optional hair trap KL VR S 23; see page 201.

**Note:**

The drainage profiles of the Schlüter-KERDI-LINE-VARIO series can only be combined with the Schlüter-KERDI-LINE-VARIO-H drain bodies. Two end caps are included in the set.

**Available finishes | colours**

For an overview of finishes and colours, please see page 335.







## Drainage profile

### Schlüter®-KERDI-LINE-VARIO COVE



Schlüter-KERDI-LINE-VARIO COVE is a cove-shaped drainage profile, which can be cut to size, for use with a Schlüter-KERDI-LINE-VARIO-H body. It is available in either brushed stainless steel V4A (material no. 1.4404 = AISI 316L) or one of eight TRENDLINE powder coated aluminium finishes. An opening 8 mm wide and 140 mm long allows water to flow into the drain. The drainage profile is supplied with two matching end caps. The installation height can be adjusted to the thickness of the floor covering by use of tile adhesive. This profile supports the use of wheelchairs in showers.

(Product data sheet 8.10)



### Schlüter®-KERDI-LINE-VARIO COVE 26

drainage profile, COVE design (D 9), brushed stainless steel V4A

L (cm)	H = 7 mm Art. No.	£ / Set	P (Set)
120	KL VR D9 EB 120	<b>221.07</b>	10
★ 180	KL VR D9 EB 180	<b>257.88</b>	10

### Schlüter®-KERDI-LINE-VARIO COVE 26

drainage profile, COVE design (D 9), textured aluminium

L (cm)	H = 8 mm Art. No.	£ / Set	P (Set)
120	KL VR D9 MBW 120	<b>164.04</b>	10
120	KL VR D9 MGS 120	<b>164.04</b>	10
120	KL VR D9 TSBG 120	<b>169.69</b>	10
120	KL VR D9 TSC 120	<b>169.69</b>	10
120	KL VR D9 TSDA 120	<b>169.69</b>	10
120	KL VR D9 TSI 120	<b>169.69</b>	10
120	KL VR D9 TSOB 120	<b>169.69</b>	10
120	KL VR D9 TSSG 120	<b>169.69</b>	10
★ 180	KL VR D9 MBW 180	<b>184.89</b>	10
★ 180	KL VR D9 MGS 180	<b>184.89</b>	10
★ 180	KL VR D9 TSBG 180	<b>189.76</b>	10
★ 180	KL VR D9 TSC 180	<b>189.76</b>	10
★ 180	KL VR D9 TSDA 180	<b>189.76</b>	10
★ 180	KL VR D9 TSI 180	<b>189.76</b>	10
★ 180	KL VR D9 TSOB 180	<b>189.76</b>	10
★ 180	KL VR D9 TSSG 180	<b>189.76</b>	10

#### Note:

The drainage profiles of the Schlüter-KERDI-LINE-VARIO series can only be combined with the Schlüter-KERDI-LINE-VARIO-H drain bodies.

Two end caps are included in the set.

Suitable for covering thicknesses of 6–15 mm (with DITRA or DITRA-HEAT) and 6–12 mm (with DITRA-HEAT-DUO).

In conjunction with the frame extension KL VR DSE 14, suitable for covering thicknesses up to 25 mm (with DITRA or DITRA-HEAT) and up to 22 mm (with DITRA-HEAT-DUO); see page 201.

## Available finishes | colours



For an overview of finishes and colours, please see page 335.

## Extension

## Schlüter®-KERDI-LINE-VARIO-DSE



KL VR DSE 14

Schlüter-KERDI-LINE-VARIO-DSE is a frame extension set that enables the use of the corresponding drainage profiles with coverings that are 10 mm thicker than that usually allowed with Schlüter-KERDI-LINE-VARIO WAVE or Schlüter-KERDI-LINE-VARIO COVE drainage profiles.

(Product data sheet 8.10)



KL VR DSE 23

## Schlüter®-KERDI-LINE-VARIO-DSE ★

extension for KERDI-LINE-VARIO

Art. No.	£ / U.	P (Unit)
KL VR DSE 14	15.09	10

**Note:**

The extension KL VR DSE 14 is designed for combination with the drainage profiles of the COVE and WAVE 34 series.

## Schlüter®-KERDI-LINE-VARIO-DSE ★

extension for KERDI-LINE-VARIO

Art. No.	£ / Set	P (Set)
KL VR DSE 23	17.52	10

**Note:**

The extension KL VR DSE 23 can only be combined with the drainage profiles of the WAVE 42 series.

## Hair trap

## Schlüter®-KERDI-LINE-VARIO-S



Schlüter-KERDI-LINE-VARIO-S is an optionally available hair trap for the WAVE 42 profile series, which in addition to its primary function also reliably prevents small parts such as jewellery from being flushed down the drain.

(Product data sheet 8.10)

## Schlüter®-KERDI-LINE-VARIO-S ★

hair trap for KERDI-LINE-VARIO WAVE 42

Art. No.	£ / U.	P (Unit)
KL VR S 23	14.60	10





## Linear drainage, horizontal

### Schlüter®-KERDI-LINE-VARIO-H 40



Schlüter-KERDI-LINE-VARIO-H 40 is a complete set for linear floor-level showers. It comprises a drain adapter with an integrated elasticated KERDI waterproofing collar. To enable an especially low assembly height, the waterproof adapter comes fully inserted into the sealed wave shaped drain. The adapter is additionally secured with a clamping ring. KERDI-LINE-VARIO-H 40 is suited for installation in an intermediate position and especially along walls. The high flow rate in the drain body results in a self-cleaning effect. The sound insulation element included in the set reliably prevents sound transmission to the surrounding building structures and serves as a positioning aid for direct installation in a wall. (Product data sheet 8.10)



#### Set components:

- 1 protective lid
- 2 water inspection nozzle
- 3 corner seal  
(for upright wall connection)
- 4 drainage profile connector with elasticated waterproofing collar
- 5 clamping ring
- 6 gasket
- 7 drain body DN 40 with odour trap
- 8 sound insulation element
- 9 adapter DN 40/50

### Schlüter®-KERDI-LINE-VARIO-H 40



linear wave shaped drain set with DN 40 horizontal outlet

Art. No.	£ / Set	P (Set)
KL VR H40 G5	204.35	10

#### Note:

The drain is only suitable for use with Schlüter-KERDI-LINE-VARIO drainage profiles.

#### Technical data:

Drain	DN 40
Drain capacity	*
Water trap height	25 mm
Installation height	65 mm

\* Drain capacity varies depending on the chosen profile.

COVE 26: 0.45 l/s

WAVE 34: 0.45 l/s



WAVE 42: 0.5 l/s

## Linear drainage, horizontal

## Schlüter®-KERDI-LINE-VARIO-H 50



Schlüter-KERDI-LINE-VARIO-H 50 is a complete set for linear floor-level showers. It comprises a drain adapter with an integrated elasticated KERDI waterproofing collar that can be cut to size to meet on-site height requirements as well as a horizontal drain with integrated odour trap that can be rotated by 360 degrees. The drain can be attached to the floor with the supplied installation set. KERDI-LINE-VARIO-H 50 is suited for installation in an intermediate position and especially along walls. The high flow rate in the drain body results in a self-cleaning effect. The sound insulation element included in the set reliably prevents sound transmission to the surrounding building structures and serves as a positioning aid for direct installation in a wall. (Product data sheet 8.10)

**Set components:**

- 1 protective lid
- 2 water inspection nozzle
- 3 corner seal  
(for upright wall connection)
- 4 drainage profile connector, can be cut to size, with elasticated waterproofing collar
- 5 clamping ring
- 6 gasket
- 7 drain body DN 50 with odour trap
- 8 sound insulation element

**Schlüter®-KERDI-LINE-VARIO-H 50**

linear wave shaped drain set with DN 50 horizontal outlet

Art. No.	£ / Set	P (Set)
KL VR H50 A G5	218.95	10

**Note:**

The drain is only suitable for use with Schlüter-KERDI-LINE-VARIO drainage profiles.

**Technical data:**


Drain	DN 50
Drain capacity	0.8 l/s
Water trap height	50 mm
Installation height	89 mm



# Schlüter®-KERDI-LINE

## Fully matched complete system


The Schlüter-KERDI-LINE linear drainage channels come with either horizontal or vertical exits for connection to the building drainage system. Schlüter-KERDI-SHOWER sloped trays are a quick way to create level and waterproof substrates for tile installation. Schlüter-SHOWERPROFILE is designed to conceal exposed edges in the shower and provides a reliable splashguard. Schlüter-DECO-SG keeps shower screens in their correct positions. Schlüter-KERDI and -DITRA ensure waterproofing in the wall and floor area. Abutting joints are sealed with Schlüter-KERDI-KEBA sealing tapes, using Schlüter-KERDI-COLL-L.



- |   |          |
|---|----------|
| ① Schlüter®-KERDI-LINE channels             | Page 212 |
| ② Schlüter®-KERDI-LINE grate and frame sets | Page 205 |
| ③ Schlüter®-KERDI-SHOWER                    | Page 223 |
| ④ Schlüter®-DITRA                           | Page 167 |
| ⑤ Schlüter®-KERDI 200                       | Page 186 |
| ⑥ Schlüter®-KERDI-KEBA                      | Page 187 |
| ⑦ Schlüter®-SHOWERPROFILE-R                 | Page 225 |
| ⑧ Schlüter®-SHOWERPROFILE-S                 | Page 226 |
| ⑨ Schlüter®-SHOWERPROFILE-WS/-WSK           | Page 228 |
| ⑩ Schlüter®-DECO-SG                         | Page 230 |





## Grate and frame combination

## Schlüter®-KERDI-LINE-STYLE



Schlüter-KERDI-LINE-STYLE are contour frames with elegant design covers made of brushed stainless steel to match Schlüter-KERDI-LINE channel bodies. The slim contour frame is seamlessly height-adjustable to accommodate covering materials in thicknesses from 6 to 18 mm. The covers are available in the design variants FLORAL, CURVE and PURE.

(Product data sheet 8.7)



## Schlüter®-KERDI-LINE-IF-E

FLORAL design, 23 mm frame, stainless steel V4A, brushed

L (cm)	H = 23 mm Art. No.	£ / Set	P (Set)
50	KLIFE 23 EB 50	317.43	10
60	KLIFE 23 EB 60	329.41	10
70	KLIFE 23 EB 70	341.40	10
80	KLIFE 23 EB 80	365.35	10
90	KLIFE 23 EB 90	389.31	10
100	KLIFE 23 EB 100	413.28	10
110	KLIFE 23 EB 110	437.23	10
120	KLIFE 23 EB 120	461.19	10

## Schlüter®-KERDI-LINE-IF-F

CURVE design, 23 mm frame, stainless steel V4A, brushed

L (cm)	H = 23 mm Art. No.	£ / Set	P (Set)
50	KLIFF 23 EB 50	305.47	10
60	KLIFF 23 EB 60	317.43	10
70	KLIFF 23 EB 70	329.41	10
80	KLIFF 23 EB 80	347.39	10
90	KLIFF 23 EB 90	365.35	10
100	KLIFF 23 EB 100	383.32	10
110	KLIFF 23 EB 110	401.27	10
120	KLIFF 23 EB 120	419.24	10

## Schlüter®-KERDI-LINE-IF-G

PURE design, 23 mm frame, stainless steel V4A, brushed

L (cm)	H = 23 mm Art. No.	£ / Set	P (Set)
50	KLIFG 23 EB 50	341.40	10
60	KLIFG 23 EB 60	353.39	10
70	KLIFG 23 EB 70	365.35	10
80	KLIFG 23 EB 80	383.32	10
90	KLIFG 23 EB 90	401.27	10
100	KLIFG 23 EB 100	419.24	10
110	KLIFG 23 EB 110	437.23	10
120	KLIFG 23 EB 120	461.19	10

## Note:


H = 23 mm for covering thicknesses 6 - 18 mm

Covers and frames cannot be combined with Schlüter-KERDI-LINE-A/-B/-C/-D.







## Grate and frame combination

### Schlüter®-KERDI-LINE-A/-B/-C



Schlüter-KERDI-LINE are profile frames made of brushed, polished or colour coated stainless steel with classic grate covers that match Schlüter-KERDI-LINE channel bodies. The profile frames are seamlessly height adjustable to accommodate covering materials in thicknesses from 3 to 25 mm. The covers are available in the design variants SOLID (A), SQUARE (B) and FRAMED TILE (C).  
(Product data sheet 8.7)



#### Schlüter®-KERDI-LINE-A

SOLID design, 19 mm frame, stainless steel V4A, brushed

L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLA 19 EB 50	245.51	10
60	KLA 19 EB 60	252.02	10
70	KLA 19 EB 70	258.41	10
80	KLA 19 EB 80	264.94	10
90	KLA 19 EB 90	271.32	10
100	KLA 19 EB 100	277.72	10
110	KLA 19 EB 110	284.53	10
120	KLA 19 EB 120	291.11	10
130	KLA 19 EB 130	377.37	10
140	KLA 19 EB 140	394.59	10
150	KLA 19 EB 150	408.15	10
160	KLA 19 EB 160	429.99	10
170	KLA 19 EB 170	447.85	10
180	KLA 19 EB 180	463.05	10

#### Schlüter®-KERDI-LINE-B

SQUARE design, 19 mm frame, stainless steel V4A, brushed

L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLB 19 EB 50	245.51	10
60	KLB 19 EB 60	252.02	10
70	KLB 19 EB 70	258.41	10
80	KLB 19 EB 80	264.94	10
90	KLB 19 EB 90	271.32	10
100	KLB 19 EB 100	277.72	10
110	KLB 19 EB 110	284.53	10
120	KLB 19 EB 120	291.11	10
130	KLB 19 EB 130	377.37	10
140	KLB 19 EB 140	394.59	10
150	KLB 19 EB 150	408.15	10
160	KLB 19 EB 160	429.99	10
170	KLB 19 EB 170	447.85	10
180	KLB 19 EB 180	463.05	10

#### Schlüter®-KERDI-LINE-C

FRAMED TILE design, 19 mm frame, stainless steel V4A, brushed

L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLCA 19 EB 50	245.51	10
60	KLCA 19 EB 60	252.02	10
70	KLCA 19 EB 70	258.41	10
80	KLCA 19 EB 80	264.94	10
90	KLCA 19 EB 90	271.32	10
100	KLCA 19 EB 100	277.72	10
110	KLCA 19 EB 110	284.53	10
120	KLCA 19 EB 120	291.11	10
130	KLCA 19 EB 130	377.37	10
140	KLCA 19 EB 140	394.59	10
150	KLCA 19 EB 150	408.15	10
160	KLCA 19 EB 160	429.99	10
170	KLCA 19 EB 170	447.85	10
180	KLCA 19 EB 180	463.05	10


#### Note:

H = 19 mm for covering thicknesses 3 - 15 mm

**i**  
The profile frames Schlüter-KERDI-LINE-A/-B/-C are also available with custom engravings. More information can be found from page 32.

#### Note:

Tile pan (design C), suitable for tile thicknesses up to 15 mm



### Schlüter®-KERDI-LINE-A

SOLID design, 30 mm frame,  
stainless steel V4A, brushed

L (cm)	H = 30 mm Art. No.	£ / Set	P (Set)
50	KLA 30 EB 50	253.07	10
60	KLA 30 EB 60	259.16	10
70	KLA 30 EB 70	265.70	10
80	KLA 30 EB 80	273.44	10
90	KLA 30 EB 90	278.93	10
100	KLA 30 EB 100	285.77	10
110	KLA 30 EB 110	292.46	10
120	KLA 30 EB 120	297.94	10




### Schlüter®-KERDI-LINE-B

SQUARE design, 30 mm frame,  
stainless steel V4A, brushed

L (cm)	H = 30 mm Art. No.	£ / Set	P (Set)
50	KLB 30 EB 50	253.07	10
60	KLB 30 EB 60	259.16	10
70	KLB 30 EB 70	265.70	10
80	KLB 30 EB 80	273.44	10
90	KLB 30 EB 90	278.93	10
100	KLB 30 EB 100	285.77	10
110	KLB 30 EB 110	292.46	10
120	KLB 30 EB 120	297.94	10

#### Note:


H = 30 mm for covering thicknesses  
13 - 25 mm



### Schlüter®-KERDI-LINE-A

SOLID design, 19 mm frame,  
polished stainless steel V4A


L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLA 19 EP 50	242.62	10
60	KLA 19 EP 60	249.08	10
70	KLA 19 EP 70	255.38	10
80	KLA 19 EP 80	261.82	10
90	KLA 19 EP 90	268.14	10
100	KLA 19 EP 100	274.46	10
110	KLA 19 EP 110	281.21	10
120	KLA 19 EP 120	287.69	10



### Schlüter®-KERDI-LINE-B

SQUARE design, 19 mm frame,  
polished stainless steel V4A

L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLB 19 EP 50	242.62	10
60	KLB 19 EP 60	249.08	10
70	KLB 19 EP 70	255.38	10
80	KLB 19 EP 80	261.82	10
90	KLB 19 EP 90	268.14	10
100	KLB 19 EP 100	274.46	10
110	KLB 19 EP 110	281.21	10
120	KLB 19 EP 120	287.69	10



### Schlüter®-KERDI-LINE-C

FRAMED TILE design, 19 mm frame,  
polished stainless steel V4A

L (cm)	H = 19 mm Art. No.	£ / Set	P (Set)
50	KLCA 19 EP 50	233.66	10
60	KLCA 19 EP 60	239.91	10
70	KLCA 19 EP 70	245.96	10
80	KLCA 19 EP 80	252.17	10
90	KLCA 19 EP 90	258.27	10
100	KLCA 19 EP 100	264.33	10
110	KLCA 19 EP 110	270.83	10
120	KLCA 19 EP 120	277.09	10

#### Note:

Tile pan (design C), suitable for tile  
thicknesses up to 15 mm




#### Note:

H = 19 mm for covering thicknesses  
3 - 15 mm





## Grate and frame combination



### Schlüter®-KERDI-LINE-A

SOLID design, 19 mm frame, colour coated stainless steel V4A, matte graphite black

L (cm)	H = 19 mm Art. No.	€ / Set	P (Set)
50	KLA 19 MGS 50	288.30	10
60	KLA 19 MGS 60	295.99	10
70	KLA 19 MGS 70	303.45	10
80	KLA 19 MGS 80	311.12	10
90	KLA 19 MGS 90	318.65	10
100	KLA 19 MGS 100	326.15	10
110	KLA 19 MGS 110	334.14	10
120	KLA 19 MGS 120	341.87	10

### Schlüter®-KERDI-LINE-B

SQUARE design, 19 mm frame, colour coated stainless steel V4A, matte graphite black

L (cm)	H = 19 mm Art. No.	€ / Set	P (Set)
50	KLB 19 MGS 50	288.30	10
60	KLB 19 MGS 60	295.99	10
70	KLB 19 MGS 70	303.45	10
80	KLB 19 MGS 80	311.12	10
90	KLB 19 MGS 90	318.65	10
100	KLB 19 MGS 100	326.15	10
110	KLB 19 MGS 110	334.14	10
120	KLB 19 MGS 120	341.87	10

### Schlüter®-KERDI-LINE-C

FRAMED TILE design, 19 mm frame, colour coated stainless steel V4A, matte graphite black


L (cm)	H = 19 mm Art. No.	€ / Set	P (Set)
50	KLCA 19 MGS 50	288.30	10
60	KLCA 19 MGS 60	295.99	10
70	KLCA 19 MGS 70	303.45	10
80	KLCA 19 MGS 80	311.12	10
90	KLCA 19 MGS 90	318.65	10
100	KLCA 19 MGS 100	326.15	10
110	KLCA 19 MGS 110	334.14	10
120	KLCA 19 MGS 120	341.87	10

#### Note:

H = 19 mm for covering thicknesses  
3 - 15 mm


#### Note:

Tile pan (design C), suitable for tile  
thicknesses up to 15 mm




## Accessories

## Schlüter®-KERDI-LINE-FC



Schlüter-KERDI-LINE-FC is a stainless steel insert for the optical appearance between drain frames and grates of multiple Schlüter-KERDI-LINE linear drains when positioned in serial alignment, both in the contour frame and in the profile frame.  
(Product data sheet 8.7)



## Schlüter®-KERDI-LINE-FC

frame connector,  
stainless steel V4A, brushed

Art. No.	£ / U.	P (Unit)
V / KL EB 35	13.14	10

## Schlüter®-KERDI-LINE-FC

frame connector,  
stainless steel V4A, polished

Art. No.	£ / U.	P (Unit)
V / KL EP 35	13.81	10


## Schlüter®-KERDI-LINE-FC

frame connector,  
colour coated stainless steel V4A, matte graphite black


Art. No.	£ / U.	P (Unit)
V / KL MGS 35	16.94	10

## Covering support

## Schlüter®-KERDI-LINE-D



Schlüter-KERDI-LINE-D is a frameless channel cover to match Schlüter-KERDI-LINE channel bodies. The covering support features a fleece fabric for bonding with the tile adhesive and is universally suitable for all covering thicknesses.  
(Product data sheet 8.7)



## Schlüter®-KERDI-LINE-D

TILE design (frameless), stainless steel V4A

L (cm)	Art. No.	£ / U.	P (Unit)
49	KLD E 50	91.93	10
59	KLD E 60	97.08	10
69	KLD E 70	104.02	10
79	KLD E 80	110.24	10
89	KLD E 90	116.10	10
99	KLD E 100	123.37	10
109	KLD E 110	130.63	10
119	KLD E 120	136.48	10
129	KLD E 130	201.50	10
139	KLD E 140	207.66	10
149	KLD E 150	216.71	10
159	KLD E 160	226.90	10
169	KLD E 170	235.70	10
179	KLD E 180	254.68	10



## Note:

The length of the selected covering support must match the channel length.

Schlüter-KERDI-LINE-D cannot be combined with the off-centre vertical drainage Schlüter-KERDI-LINE-VOS.




## Complete set

### Schlüter®-KERDI-LINE-A sets



Schlüter-KERDI-LINE-A sets are complete sets for linear floor-level showers with a horizontal drain. The linear drain set can be positioned centrally or at the perimeter of the shower area. The perimeter of the channel body consists of an adhesive flange that is coated with a collar made of Schlüter-KERDI. It ensures the reliable connection of the channel body to the bonded waterproofing assembly, both in the floor area and on upright walls. The set also includes a brushed stainless steel design grate Schlüter-KERDI-LINE-A to match the channel bodies.  
(Product data sheet 8.7)



#### Schlüter®-KERDI-LINE-A set


stainless steel V4A linear drain with odour trap, horizontal DN 40 drain, incl. SOLID design grate with 19 mm frame, brushed stainless steel V4A

L (cm)	L1 (cm)	Art. No.	£ / Set	PL (Set)
80	85	KLA 19 EB 80 S1	<b>522.04</b>	10
90	95	KLA 19 EB 90 S1	<b>536.37</b>	10

frame height 19 mm for covering thicknesses 3 - 15 mm



#### Technical data:

Drain	DN 40
Drain capacity	0.5 l/s
Water trap height	25 mm
Installation height	78 mm
Width of cover incl. frame	74 mm



#### Set components:

- 1 grate and frame combination with design grate SOLID
- 2 corner seal (for lateral wall connection)
- 3 two-part odour trap
- 4 channel body with sealing collar
- 5 drain body
- 6 drain pipe
- 7 channel support
- 8 DN 40 to DN 50 adapter





No off-the-shelf solution: Set bathroom accents your customers will love with elegant drainage channels, illuminated wall panels and niches with and without LED lighting. You can find the corresponding products KERDI-LINE-VARIO (from page 198) and KERDI-BOARD niches (from page 268) in this price list, while the LT 23 price list includes detailed information about Schlüter-LIPROTEC accent lighting. Of course you can also find all information on our website at [www.schluter.co.uk](http://www.schluter.co.uk)







## Linear drainage, horizontal

### Schlüter®-KERDI-LINE-F 40




Schlüter-KERDI-LINE-F 40 is a complete set for linear, floor level showers with horizontal drain. It can be positioned at intermediate or perimeter locations in the floor and is particularly well suited for restoration and modernisation projects due to its low assembly height of just 60 mm. A collar made of Schlüter-KERDI is pre-adhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly. (Product data sheet 8.7)



#### Set components:


- 1 corner seal  
(for lateral wall connection)
- 2 channel body with sealing collar and channel support
- 3 lip seal
- 4 drain body with odour trap




### Schlüter®-KERDI-LINE-F 40

stainless steel V4A linear drainage set with integrated odour trap, horizontal DN 40 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLF 40 GE 50	<b>273.43</b>	10
60	65	KLF 40 GE 60	<b>284.53</b>	10
70	75	KLF 40 GE 70	<b>295.60</b>	10
80	85	KLF 40 GE 80	<b>306.69</b>	10
90	95	KLF 40 GE 90	<b>318.45</b>	10
100	105	KLF 40 GE 100	<b>330.20</b>	10
110	115	KLF 40 GE 110	<b>339.22</b>	10
120	125	KLF 40 GE 120	<b>349.58</b>	10



Schlüter-KERDI collar,  
level for intermediate installation



Schlüter-KERDI collar,  
upright for wall installation

#### Technical data:

Drain	DN 40
Drain capacity	0.45 l/s
Water trap height	25 mm
Installation height	60 mm
Width of cover incl. frame	74 mm

#### Note:


Please see pages 205–209 for matching grate and frame combinations or covering supports.

## Linear drainage, horizontal


## Schlüter®-KERDI-LINE-H



Schlüter-KERDI-LINE-H is a complete set for linear floor level showers with a horizontal drain. It can be positioned at intermediate or perimeter locations in the floor. The edge of the channel body consists of an adhesive flange that is coated with a collar made of Schlüter-KERDI. It ensures the reliable connection of the channel body to the bonded waterproofing assembly, both in the floor area and on upright walls. It can be universally used for intermediate installation in floor or at wall areas.




(Product data sheet 8.7)



## Set components:

- 1 corner seal  
(for lateral wall connection)
- 2 two-part odour trap
- 3 channel body with sealing collar
- 4 drain body
- 5 drain pipe
- 6 channel support
- 7 DN 40 to DN 50 adapter  
(for KERDI-LINE-H 40 only)



## Technical data:

Drain	DN 40	DN 50
Drain capacity	0.5 l/s	0.6 l/s
Water trap height	25 mm	30 mm
Installation height	78 mm	97 mm
Width of cover incl. frame	74 mm	74 mm

## Schlüter®-KERDI-LINE-H 40

stainless steel V4A linear drainage set with odour trap, horizontal DN 40 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLH 40 GE 50	<b>272.97</b>	10
60	65	KLH 40 GE 60	<b>284.04</b>	10
70	75	KLH 40 GE 70	<b>295.09</b>	10
80	85	KLH 40 GE 80	<b>306.15</b>	10
90	95	KLH 40 GE 90	<b>317.90</b>	10
100	105	KLH 40 GE 100	<b>329.67</b>	10
110	115	KLH 40 GE 110	<b>338.67</b>	10
120	125	KLH 40 GE 120	<b>349.02</b>	10
130	135	KLH 40 GE 130	<b>463.05</b>	10
140	145	KLH 40 GE 140	<b>475.30</b>	10
150	155	KLH 40 GE 150	<b>489.51</b>	10
160	165	KLH 40 GE 160	<b>507.06</b>	10
170	175	KLH 40 GE 170	<b>522.60</b>	10
180	185	KLH 40 GE 180	<b>540.45</b>	10

## Schlüter®-KERDI-LINE-H 50

stainless steel V4A linear drainage set with odour trap, horizontal DN 50 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLH 50 GE 50	<b>272.97</b>	10
60	65	KLH 50 GE 60	<b>284.04</b>	10
70	75	KLH 50 GE 70	<b>295.09</b>	10
80	85	KLH 50 GE 80	<b>306.15</b>	10
90	95	KLH 50 GE 90	<b>317.90</b>	10
100	105	KLH 50 GE 100	<b>329.67</b>	10
110	115	KLH 50 GE 110	<b>338.67</b>	10
120	125	KLH 50 GE 120	<b>349.02</b>	10
130	135	KLH 50 GE 130	<b>463.05</b>	10
140	145	KLH 50 GE 140	<b>475.30</b>	10
150	155	KLH 50 GE 150	<b>489.51</b>	10
160	165	KLH 50 GE 160	<b>507.06</b>	10
170	175	KLH 50 GE 170	<b>522.60</b>	10
180	185	KLH 50 GE 180	<b>540.45</b>	10

## Note:

Please see pages 205–209 for matching grate and frame combinations or covering supports.





## Linear drainage, horizontal

### Schlüter®-KERDI-LINE-H 50 G2



Schlüter-KERDI-LINE-H 50 G2 is a complete set for linear floor-level showers with a horizontal drain. It can be positioned at intermediate or perimeter locations in the floor and features a drain capacity  $\geq 0.8$  l/s according to DIN EN 1253 as well as a water trap height of 50 mm in the odour trap unit. A collar made of Schlüter-KERDI is pre-adhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly.

(Product data sheet 8.7)



### Schlüter®-KERDI-LINE-H 50 G2

stainless steel V4A linear drainage set with odour trap, horizontal DN 50 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLH 50 G2E 50	<b>343.03</b>	10
60	65	KLH 50 G2E 60	<b>355.50</b>	10
70	75	KLH 50 G2E 70	<b>367.98</b>	10
80	85	KLH 50 G2E 80	<b>374.23</b>	10
90	95	KLH 50 G2E 90	<b>386.70</b>	10
100	105	KLH 50 G2E 100	<b>399.17</b>	10
110	115	KLH 50 G2E 110	<b>405.41</b>	10
120	125	KLH 50 G2E 120	<b>417.88</b>	10
130	135	KLH 50 G2E 130	<b>530.14</b>	10
140	145	KLH 50 G2E 140	<b>542.62</b>	10
150	155	KLH 50 G2E 150	<b>555.10</b>	10
160	165	KLH 50 G2E 160	<b>573.80</b>	10
170	175	KLH 50 G2E 170	<b>586.27</b>	10
180	185	KLH 50 G2E 180	<b>604.99</b>	10

#### Set components:


- 1 corner seal  
(for upright wall connection)
- 2 channel body with sealing collar and channel support
- 3 two-part odour trap
- 4 adapter
- 5 drain body

#### Technical data:

Drain	DN 50
Drain capacity	0.8 l/s
Water trap height	50 mm
Installation height	120 mm
Width of cover incl. frame	74 mm

#### Note:


Please see pages 205–209 for matching grate and frame combinations or covering supports.





## Linear drainage, horizontal

**i**  
Drain is designed for the UK market only!  
Outside diameter 43 mm

## Schlüter®-KERDI-LINE-G3




Schlüter-KERDI-LINE-G3 is a low-height linear drain constructed of stainless steel. This drain is available with central, offset and dual outlets and is suitable for perimeter or intermediate installation. As is standard for Schlüter linear drains, it also comes with a pre-adhered collar made of Schlüter-KERDI to create a reliable connection to the bonded waterproofing assembly.



## Schlüter®-KERDI-LINE-G3

centre outlet, stainless steel V4A linear drainage

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KL F 43 G3E 50	<b>314.14</b>	10
60	65	KL F 43 G3E 60	<b>325.78</b>	10
70	75	KL F 43 G3E 70	<b>337.42</b>	10
80	85	KL F 43 G3E 80	<b>349.04</b>	10
90	95	KL F 43 G3E 90	<b>360.68</b>	10
100	105	KL F 43 G3E 100	<b>372.31</b>	10
110	115	KL F 43 G3E 110	<b>383.95</b>	10
120	125	KL F 43 G3E 120	<b>395.59</b>	10




## Schlüter®-KERDI-LINE-G3

left offset outlet, stainless steel V4A linear drainage

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
70	75	KL FOL 43 G3E 70	<b>372.31</b>	10
80	85	KL FOL 43 G3E 80	<b>383.95</b>	10
90	95	KL FOL 43 G3E 90	<b>395.59</b>	10
100	105	KL FOL 43 G3E 100	<b>407.23</b>	10
110	115	KL FOL 43 G3E 110	<b>418.86</b>	10
120	125	KL FOL 43 G3E 120	<b>430.49</b>	10

## Set components:

- 1 corner seal  
(for upright wall connection)
- 2 channel body with sealing collar
- 3 odour seal
- 4 EPDM gasket
- 5 drain body
- 6 channel support




## Technical data:

Drain	BS 40 (outside diameter 43 mm)
Drain capacity	0.45 l/s (single drain) 0.8 l/s (double drain)
Water trap height	50 mm
Installation height	78 mm
Width of cover incl. frame	74 mm




**i**  
 Drain is designed for the UK market only!  
 Outside diameter 43 mm



### Schlüter®-KERDI-LINE-G3

right offset outlet, stainless steel V4A linear drainage

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
70	75	KL FOR 43 G3E 70	<b>372.31</b>	10
80	85	KL FOR 43 G3E 80	<b>383.95</b>	10
90	95	KL FOR 43 G3E 90	<b>395.59</b>	10
100	105	KL FOR 43 G3E 100	<b>407.23</b>	10
110	115	KL FOR 43 G3E 110	<b>418.86</b>	10
120	125	KL FOR 43 G3E 120	<b>430.49</b>	10



### Schlüter®-KERDI-LINE-G3

dual offset outlet, stainless steel V4A linear drainage

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
100	105	KL F20 43 G3E 100	<b>488.68</b>	10
110	115	KL F20 43 G3E 110	<b>500.30</b>	10
120	125	KL F20 43 G3E 120	<b>511.93</b>	10

#### Set components:

- 1 corner seal  
(for upright wall connection)
- 2 channel body with sealing collar
- 3 odour seal
- 4 EPDM gasket
- 5 drain body
- 6 channel support

#### Technical data:


Drain	BS 40 (outside diameter 43 mm)
Drain capacity	0.45 l/s (single drain) 0.8 l/s (double drain)
Water trap height	50 mm
Installation height	78 mm
Width of cover incl. frame	74 mm

#### Note:


Schlüter-KERDI-LINE-G3 can only be combined with the grate and frame combinations Design A, Design B and KERDI-LINE-STYLE.

## Covering support

### Schlüter®-KERDI-LINE-D-G3



Schlüter-KERDI-LINE-D-G3 is a frameless channel cover to match Schlüter-KERDI-LINE-G3 channel bodies. The covering support features a fleece fabric for bonding with the tile adhesive and is universally suitable for all covering thicknesses.




#### Note:

The length of the selected covering support must match the channel length.

### Schlüter®-KERDI-LINE-D-G3

TILE design (frameless), stainless steel V4A

L (cm)	Art. No.	£ / U.	P (Unit)
49	KLD G3E 50	<b>91.93</b>	10
59	KLD G3E 60	<b>97.08</b>	10
69	KLD G3E 70	<b>104.02</b>	10
79	KLD G3E 80	<b>110.24</b>	10
89	KLD G3E 90	<b>116.10</b>	10
99	KLD G3E 100	<b>123.37</b>	10
109	KLD G3E 110	<b>130.63</b>	10
119	KLD G3E 120	<b>136.48</b>	10



## Installation accessories

### Schlüter®-KERDI-LINE-F-G3



Schlüter-KERDI-LINE-F-G3 Timber Accessory is an accessory set for installing the drainage channel Schlüter-KERDI-LINE-G3 in a suspended wooden ceiling with use of the sloped tray Schlüter-KERDI-SHOWER-LTS (KSLT 1365 / 2000 S).

### Schlüter®-KERDI-LINE-F-G3

installation accessories for the linear drainage Schlüter-KERDI-LINE-G3

Art. No.	£ / Set	P (Set)
KL F 43 G3 TA	<b>46.25</b>	10





## Linear drainage, vertical

### Schlüter®-KERDI-LINE-V



Schlüter-KERDI-LINE-V is a complete set for linear floor-level showers with a vertical drain. It can be positioned at intermediate or perimeter locations in the floor. The perimeter of the channel body consists of an adhesive flange that is coated with a collar made of Schlüter-KERDI. It ensures the reliable connection of the channel body to the bonded waterproofing assembly, both in the floor area and on upright walls.


(Product data sheet 8.7)



### Schlüter®-KERDI-LINE-V

stainless steel V4A linear drainage set with odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLV 50 GE 50	272.97	10
60	65	KLV 50 GE 60	284.04	10
70	75	KLV 50 GE 70	295.09	10
80	85	KLV 50 GE 80	306.15	10
90	95	KLV 50 GE 90	317.90	10
100	105	KLV 50 GE 100	329.67	10
110	115	KLV 50 GE 110	338.67	10
120	125	KLV 50 GE 120	349.02	10
130	135	KLV 50 GE 130	463.05	10
140	145	KLV 50 GE 140	475.30	10
150	155	KLV 50 GE 150	489.51	10
160	165	KLV 50 GE 160	507.06	10
170	175	KLV 50 GE 170	522.60	10
180	185	KLV 50 GE 180	540.45	10




### Schlüter®-KERDI-LINE-VS

stainless steel V4A linear drainage set without odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLV 50 GSE 50	272.97	10
60	65	KLV 50 GSE 60	284.04	10
70	75	KLV 50 GSE 70	295.09	10
80	85	KLV 50 GSE 80	306.15	10
90	95	KLV 50 GSE 90	317.90	10
100	105	KLV 50 GSE 100	329.67	10
110	115	KLV 50 GSE 110	338.67	10
120	125	KLV 50 GSE 120	349.02	10
130	135	KLV 50 GSE 130	463.05	10
140	145	KLV 50 GSE 140	475.30	10
150	155	KLV 50 GSE 150	489.51	10
160	165	KLV 50 GSE 160	507.06	10
170	175	KLV 50 GSE 170	522.60	10
180	185	KLV 50 GSE 180	540.45	10


#### Set components:

- 1 corner seal  
(for lateral wall connection)
- 2 channel body with sealing collar
- 3 channel support
- 4 drain pipe DN 50 (L = 250 mm)
- 5 trap section
- 6 two-part odour trap
- 7 drain body




#### Note:

Please see pages 205–209 for matching grate and frame combinations or covering supports.



**Set components:**

- 1 corner seal  
(for lateral wall connection)
- 2 channel body with sealing collar
- 3 channel support
- 4 drain pipe DN 50 (L = 250 mm)
- 5 trap section

**Schlüter®-KERDI-LINE-VOS**

stainless steel linear drainage set V4A without odour trap, off-centre drainage, vertical drain DN 50

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
70	75	KLVO 50 GSE 70	<b>350.93</b>	10
80	85	KLVO 50 GSE 80	<b>361.85</b>	10
90	95	KLVO 50 GSE 90	<b>377.06</b>	10
100	105	KLVO 50 GSE 100	<b>390.64</b>	10
110	115	KLVO 50 GSE 110	<b>398.88</b>	10
120	125	KLVO 50 GSE 120	<b>410.12</b>	10

Schlüter-KERDI collar,  
level for intermediate installationSchlüter-KERDI collar,  
upright for wall installation**Technical data:**

	-V	-VS/-VOS
Drain	DN 50	DN 50
Drain capacity	0.8 l/s	1.0 l/s
Water trap height	30 mm	50 mm
Installation height	24 mm	24 mm
Width of cover incl. frame	74 mm	74 mm

**Note:**

Please see pages 205–208 for matching grate and frame combinations. KERDI-LINE-VOS cannot be combined with KERDI-LINE-D.





## Linear drainage, vertical

### Schlüter®-KERDI-LINE-V 50 G2




Schlüter-KERDI-LINE-V 50 G2 is a complete set for linear floor-level showers with a vertical drain. It can be positioned at intermediate or perimeter locations in the floor and features a drain capacity  $\geq 0.8$  l/s according to DIN EN 1253 and a water trap height of 50 mm in the odour trap unit. A collar made of Schlüter-KERDI is pre-adhered to the adhesive flange of the channel body for reliable connection to the bonded waterproofing assembly. (Product data sheet 8.7)



#### Set components:

- 1 corner seal  
(for lateral wall connection)
- 2 channel body with sealing collar
- 3 channel support
- 4 drain pipe
- 5 two-part odour trap
- 6 adapter
- 7 drain body



### Schlüter®-KERDI-LINE-V 50 G2

stainless steel V4A linear drainage set with odour trap, vertical DN 50 drain

L (cm)	L1 (cm)	Art. No.	£ / Set	P (Set)
50	55	KLV 50 G2E 50	<b>343.03</b>	10
60	65	KLV 50 G2E 60	<b>355.50</b>	10
70	75	KLV 50 G2E 70	<b>367.98</b>	10
80	85	KLV 50 G2E 80	<b>374.23</b>	10
90	95	KLV 50 G2E 90	<b>386.70</b>	10
100	105	KLV 50 G2E 100	<b>399.17</b>	10
110	115	KLV 50 G2E 110	<b>405.41</b>	10
120	125	KLV 50 G2E 120	<b>417.88</b>	10
130	135	KLV 50 G2E 130	<b>530.14</b>	10
140	145	KLV 50 G2E 140	<b>542.62</b>	10
150	155	KLV 50 G2E 150	<b>555.10</b>	10
160	165	KLV 50 G2E 160	<b>573.80</b>	10
170	175	KLV 50 G2E 170	<b>586.27</b>	10
180	185	KLV 50 G2E 180	<b>604.99</b>	10

#### Technical data:

Drain	DN 50
Drain capacity	1.0 l/s
Water trap height	50 mm
Installation height	48 mm
Width of cover incl. frame	74 mm


#### Note:

Please see pages 205–209 for matching grate and frame combinations or covering supports.

## Fire protection insert

**Schlüter®-KERDI-LINE-BS**

Schlüter-KERDI-LINE-BS is an approved fire protection insert with clamping ring, which prevents the spread of fire between floor levels in conjunction with the vertical stainless steel linear drainage KL V 50 G2. (Product data sheet 8.7)

**Schlüter®-KERDI-LINE-BS**

fire protection insert with clamping ring

Art. No.	£ / U.	P (Unit)
KL BS	150.83	10

## Fire protection insert

**Schlüter®-KERDI-DRAIN-ZBS**

Schlüter-KERDI-DRAIN-ZBS is a conduit gasket for fire protection. It is an alternative to mortar and serves, in conjunction with the vertical floor drain set KD BAV 50 GVB or the vertical stainless steel linear drainage KLV 50 G2, as a fire insulation seal of the core hole drilling (Ø 160 mm), while also preventing sound bridges. The product is only approved for fire protection in conjunction with KD BS or KL BS. (Product data sheet 8.2)

**Schlüter®-KERDI-DRAIN-ZBS**

conduit gasket with fire protection function

Art. No.	£ / U.	P (Unit)
KD ZBS	156.83	10

## Odour seal

**Schlüter®-KERDI-LINE-GTO**

Schlüter-KERDI-LINE-GTO is a waterless odour trap. It can easily replace the wet trap in our linear drains, being intended for situations when infrequent use of the drain could result in the water in a wet trap evaporating. With a drain capacity of at least 0.4 l/s, it can also permanently replace the standard odour trap unit. (Product data sheet 8.7)

**Schlüter®-KERDI-LINE-GTO**

waterless odour trap

Art. No.	£ / U.	P (Unit)
KL GTO	29.11	10

**Note:**

Not suitable for Schlüter-KERDI-LINE-F/-VS/-VOS.



## Odour seal

### Schlüter®-KERDI-LINE-GTM



Schlüter-KERDI-LINE-GTM is a replacement odour seal for use with Schlüter-KERDI-DRAIN-R10 GT and Schlüter-KERDI-LINE-GTO.

(Product data sheet 8.7)

### Schlüter®-KERDI-LINE-GTM

replacement odour seal

Art. No.	£ / U.	P (Unit)
KL GTM	15.73	10


## Sound insulation membrane

### Schlüter®-KERDI-LINE-SR



Schlüter-KERDI-LINE-SR is an insulating membrane made of a special fleece fabric with acoustic reduction properties. When properly installed, assemblies with Schlüter-KERDI-LINE and KERDI-LINE-SR meet the requirements of the relevant European standards to comply with noise insulation in shower areas.

(Product data sheet 8.7)



### Schlüter®-KERDI-LINE-SR

PES fleece mat (includes: 1 mat)

Thickness (mm)	Art. No.	£ / U.	P (Unit)
10	KL SR 250	20.90	5

### Schlüter®-KERDI-LINE-SR

PES fleece mat (includes: 4 mats)

Thickness (mm)	Art. No.	£ / Package	P (Package)
10	KL SR 1000	70.41	5

### Schlüter®-DITRA-SOUND-KB

joint covering strip

38 mm x 50 m Art. No.	£ / U.	P (Unit)
DS KB 38	14.62	10

Dimensions of individual mats: 0.5 m x 0.5 m = 0.25 m<sup>2</sup>



#### Note:


Please refer to our Planning Tool for certified system assemblies.

## Sloped tray

## Schlüter®-KERDI-SHOWER-LT



Schlüter-KERDI-SHOWER-LT is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to the centre-installed linear drainage Schlüter-KERDI-LINE. The sloped tray is installed on a level, flat, load bearing substrate and fitted to the drainage channel on both sides. In cases of vertical drainage, the sloped tray can also be installed directly on suitable substrates. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray. (Product data sheet 8.8)




## Schlüter®-KERDI-SHOWER-LT

sloped tray for linear drainage, for installation in the centre of tiled areas

L x B (cm)	H (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
100 x 100	32	2	KSLT 1000	<b>164.04</b>	10
122 x 122	34	2	KSLT 1220	<b>192.32</b>	10
139 x 139	36	2	KSLT 1395	<b>231.91</b>	10

**Note:**

Schlüter-KERDI-SHOWER-LT to match Schlüter-KERDI-LINE-H and KERDI-LINE-V – not suitable for Schlüter-KERDI-LINE-F.






## Sloped tray

### Schlüter®-KERDI-SHOWER-LTS



Schlüter-KERDI-SHOWER-LTS is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to the linear drainage Schlüter-KERDI-LINE positioned along walls. The sloped tray is installed on a level, flat, load bearing substrate and fitted to the drainage channel. In cases of vertical drainage, the sloped tray can also be installed directly on suitable substrates. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray.


(Product data sheet 8.8)



#### Schlüter®-KERDI-SHOWER-LTS

sloped tray for linear drainage, for installation in wall transition areas, square


L x B (cm)	H (mm)	H1 (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
100 x 100	42	22	2	KSLT 1000 S	<b>164.04</b>	10
122 x 122	46	22	2	KSLT 1220 S	<b>192.32</b>	10
139 x 139	50	22	2	KSLT 1395 S	<b>231.91</b>	10



#### Schlüter®-KERDI-SHOWER-LTS

sloped tray for linear drainage, for installation in wall transition areas, short side

L x B (cm)	H (mm)	H1 (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
139 x 91	50	22	2	KSLT 915 / 1395 S	<b>186.67</b>	10
183 x 91	58	22	2	KSLT 915 / 1830 S	<b>243.23</b>	10
193 x 96	60	22	2	KSLT 965 / 1930 S	<b>254.54</b>	10
200 x 136	39	13	1.25	KSLT 1365 / 2000 S*	<b>265.85</b>	10




\* Matches Schlüter-KERDI-LINE-H – not suitable for Schlüter-KERDI-LINE-F and KERDI-LINE-V. The slope for this board is 1.25 %. It cannot be combined with Schlüter-SHOWERPROFILE-S.

#### Schlüter®-KERDI-SHOWER-LTS

sloped tray for linear drainage, for installation in wall transition areas, long side

L x B (cm)	H (mm)	H1 (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
96 x 193	41	22	2	KSLT 1930 / 965 S	<b>254.54</b>	10



#### Note:

Schlüter-KERDI-SHOWER-LTS (except KSLT 1365 /2000 S\*) to match Schlüter-KERDI-LINE-H and KERDI-LINE-V – not suitable for Schlüter-KERDI-LINE-F.


## Wall transition profile

## Schlüter®-SHOWERPROFILE-R



Schlüter-SHOWERPROFILE-R is a two-part wall transition profile for covering the wall area exposed due to the use of a wedge with a linear drainage channel. The profile is available in textured coated or brushed stainless steel. A fleece fabric is laminated on the underside for bonding with the tile adhesive. Due to the two-part design, Schlüter-SHOWERPROFILE-R can be seamlessly adjusted to any height between 23 and 45 mm (available in two versions).


(Product data sheet 14.1)



## Schlüter®-SHOWERPROFILE-RA

two-part wall transition profile,  
brushed stainless steel V4A

H (mm)	L = 1.40 m Art. No.	£ / U.	KV (Unit)
23-35	SPRA 23 EB/140	<b>78.95</b>	40
33-45	SPRA 33 EB/140	<b>86.57</b>	40
	L = 1.00 m		
23-35	SPRA 23 EB/100	<b>63.77</b>	40
33-45	SPRA 33 EB/100	<b>69.84</b>	40



## Schlüter®-SHOWERPROFILE-RA

two-part wall transition profile,  
colour coated stainless steel V4A

H (mm)	L = 1.40 m Art. No.	£ / U.	KV (Unit)
23-35	SPRA 23 ...*/140	<b>92.50</b>	40
23-35	SPRA 23 ...**/140	<b>89.73</b>	40
33-45	SPRA 33 ...*/140	<b>99.90</b>	40
33-45	SPRA 33 ...**/140	<b>97.13</b>	40
	L = 1.00 m		
23-35	SPRA 23 ...*/100	<b>74.93</b>	40
23-35	SPRA 23 ...**/100	<b>72.61</b>	40
33-45	SPRA 33 ...*/100	<b>83.25</b>	40
33-45	SPRA 33 ...**/100	<b>80.94</b>	40

To complete the art. no., add the finish/colour (e.g. SPRA 23 TSC/140)

\* Finishes/colours: TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG

\*\* Finishes/colours: MBW - MGS

## Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Triangular profile

### Schlüter®-SHOWERPROFILE-S



Schlüter-SHOWERPROFILE-S is a triangular profile made of a brushed or textured stainless steel flat profile with a 2% slope for covering the sloped edges of floor-level showers. A fleece fabric is laminated on the reverse of the profile for bonding with the tile adhesive. A matching hard PVC support profile is available in different heights and features a U shaped installation channel. The triangular profile can be shortened as necessary on the short and/or long side to accommodate height adjustment. The triangular profile can be used on the left or right side of the floor transition or below the tiles of a lateral wall.

(Product data sheet 14.1)



#### Schlüter®-SHOWERPROFILE-SPS 50

PVC triangular support profile, brushed stainless steel V4A, H1= 6 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
5	SPSA 50 EB/200	<b>102.22</b>	40
	L = 1.60 m		
5	SPSA 50 EB/160	<b>78.32</b>	40
	L = 1.20 m		
5	SPSA 50 EB/120	<b>57.17</b>	40

#### Schlüter®-SHOWERPROFILE-SPS 100

PVC triangular support profile, brushed stainless steel V4A, H1= 10 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
10	SPSB 100 EB/200	<b>108.43</b>	40
	L = 1.60 m		
10	SPSB 100 EB/160	<b>73.08</b>	40
	L = 1.20 m		
10	SPSB 100 EB/120	<b>55.80</b>	40

#### Schlüter®-SHOWERPROFILE-SPS 125

PVC triangular support profile, brushed stainless steel V4A, H1= 10 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
12.5	SPSB 125 EB/200	<b>108.43</b>	40
	L = 1.60 m		
12.5	SPSB 125 EB/160	<b>73.08</b>	40
	L = 1.20 m		
12.5	SPSB 125 EB/120	<b>55.80</b>	40

#### Schlüter®-SHOWERPROFILE-SPS 50 ★

PVC triangular support profile, colour coated stainless steel V4A, H1= 6 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
5	SPSA 50 ...*/200	<b>127.19</b>	40
5	SPSA 50 ...**/200	<b>129.50</b>	40
	L = 1.60 m		
5	SPSA 50 ...*/160	<b>89.73</b>	40
5	SPSA 50 ...**/160	<b>92.50</b>	40
	L = 1.20 m		
5	SPSA 50 ...*/120	<b>65.68</b>	40
5	SPSA 50 ...**/120	<b>67.53</b>	40

#### Schlüter®-SHOWERPROFILE-SPS 100 ★

PVC triangular support profile, colour coated stainless steel V4A, H1= 10 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
10	SPSB 100 ...*/200	<b>134.13</b>	40
10	SPSB 100 ...**/200	<b>138.75</b>	40
	L = 1.60 m		
10	SPSB 100 ...*/160	<b>91.58</b>	40
10	SPSB 100 ...**/160	<b>94.35</b>	40
	L = 1.20 m		
10	SPSB 100 ...*/120	<b>72.15</b>	40
10	SPSB 100 ...**/120	<b>74.00</b>	40

#### Schlüter®-SHOWERPROFILE-SPS 125 ★

PVC triangular support profile, colour coated stainless steel V4A, H1= 10 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
12.5	SPSB 125 ...*/200	<b>134.13</b>	40
12.5	SPSB 125 ...**/200	<b>138.75</b>	40
	L = 1.60 m		
12.5	SPSB 125 ...*/160	<b>91.58</b>	40
12.5	SPSB 125 ...**/160	<b>94.35</b>	40
	L = 1.20 m		
12.5	SPSB 125 ...*/120	<b>72.15</b>	40
12.5	SPSB 125 ...**/120	<b>74.00</b>	40

To complete the art. no., add the finish/colour (e.g. SPSB 125 MGS/200)


\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSG - TSI - TSOB - TSSG

## Available finishes | colours




For an overview of finishes and colours, please see page 335.




**SPS 50**

H = Profile height  
SPS 50 is suitable for tile thicknesses of 6–9 mm




Triangular profile 120 cm: H2 = 30 mm, H1 = 6 mm  
Triangular profile 160 cm: H2 = 38 mm, H1 = 6 mm  
Triangular profile 200 cm: H2 = 46 mm, H1 = 6 mm




**SPS 100**

H = Profile height  
SPS 100 is suitable for tile thicknesses of 10–18 mm




Triangular profile 120 cm: H2 = 34 mm, H1 = 10 mm  
Triangular profile 160 cm: H2 = 42 mm, H1 = 10 mm  
Triangular profile 200 cm: H2 = 50 mm, H1 = 10 mm




**SPS 125**

H = Profile height  
SPS 125 is suitable for tile thicknesses of 12.5–20 mm



Triangular profile 120 cm: H2 = 34 mm, H1 = 10 mm  
Triangular profile 160 cm: H2 = 42 mm, H1 = 10 mm  
Triangular profile 200 cm: H2 = 50 mm, H1 = 10 mm

2% = 2 mm / 10 cm



**Note:**

Tapered profiles with higher support profiles in the heights 15, 18 and 22 mm are available upon request for larger tile thicknesses.




## Splashguard profile

### Schlüter®-SHOWERPROFILE-WS



Schlüter-SHOWERPROFILE-WS is a two piece profile of anodised aluminium that serves as a splashguard in floor level showers. The support profile is embedded in the tile adhesive during tile installation. It can be fitted with a semi-circular or upright straight lip to protect against splashing. Both variations are suitable for wheelchair use. (Product data sheet 14.2)



### Schlüter®-SHOWERPROFILE-WS

support profile, anodised aluminium

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWS 19 AE / 300	22.50	40
L = 2.50 m		
SPWS 19 AE	22.50	40
L = 1.00 m		
SPWS 19 AE / 100	23.43	40

## Lip

### Schlüter®-SHOWERPROFILE-WSL


straight lip

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWSL 30 T / 300	13.97	40
L = 2.50 m		
SPWSL 30 T	13.97	40
L = 1.00 m		
SPWSL 30 T / 100	13.97	40


### Schlüter®-SHOWERPROFILE-WSC

semi-circular lip

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWSC 16 GS / 300	11.60	40
L = 2.50 m		
SPWSC 16 GS	11.60	40
L = 1.00 m		
SPWSC 16 GS / 100	11.60	40



SHOWERPROFILE-WS + WSL



SHOWERPROFILE-WS + -WSC


## Splashguard profile

### Schlüter®-SHOWERPROFILE-WSK



Schlüter-SHOWERPROFILE-WSK is a two-part profile of anodised aluminium that serves as a splashguard in floor-level showers. The support profile is retrofitted to existing coverings. It can be fitted with a semi-circular or upright straight lip to protect against splashing. Both variations are suitable for wheelchair use.

(Product data sheet 14.2)



### Schlüter®-SHOWERPROFILE-WSK

support profile, anodised aluminium

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWSK 52 AE / 300	26.32	40
L = 2.50 m		
SPWSK 52 AE	26.32	40
L = 1.00 m		
SPWSK 52 AE / 100	27.27	40

## Lip | end cap

### Schlüter®-SHOWERPROFILE-WSL


straight lip

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWSL 30 T / 300	13.97	40
L = 2.50 m		
SPWSL 30 T	13.97	40
L = 1.00 m		
SPWSL 30 T / 100	13.97	40


### Schlüter®-SHOWERPROFILE-WSC

semi-circular lip

L = 3.00 m Art. No.	£ / m	KV (Unit)
SPWSC 16 GS / 300	11.60	40
L = 2.50 m		
SPWSC 16 GS	11.60	40
L = 1.00 m		
SPWSC 16 GS / 100	11.60	40



SHOWERPROFILE-WSK + -WSL




SHOWERPROFILE-WSK + -WSC

### Schlüter®-SHOWERPROFILE-WSK/EK

end cap

Art. No.	£ / U.	P (Unit)
EK / SPWSK 52 AE	3.67	50



SHOWERPROFILE-WSK/-EK




## Attachment profile



### Schlüter®-DECO-SG



Schlüter-DECO-SG is a decorative profile for joint design in tile coverings. It forms either a 12 mm or 15 mm wide shadow gap. The profile is ideal for holding and fixing glass elements in the floor and wall area.  
(Product data sheet 2.16)



#### Schlüter®-DECO-SG-AE

anodised aluminium, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 AE 12	<b>16.71</b>	120
10	SG 100 AE 12	<b>17.18</b>	120
11	SG 110 AE 12	<b>17.58</b>	120
12.5	SG 125 AE 12	<b>18.00</b>	120

#### Schlüter®-DECO-SG-EB

brushed stainless steel V4A, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 EB 12	<b>46.49</b>	120
10	SG 100 EB 12	<b>48.82</b>	120
11	SG 110 EB 12	<b>51.15</b>	120
12.5	SG 125 EB 12	<b>53.46</b>	120

#### Schlüter-DECO-SG-AC

colour coated aluminium, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 BW 12	<b>19.43</b>	120
10	SG 100 BW 12	<b>19.89</b>	120
11	SG 110 BW 12	<b>20.35</b>	120
12.5	SG 125 BW 12	<b>20.81</b>	120

#### Schlüter®-DECO-SG-AE

anodised aluminium, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 AE 15	<b>19.20</b>	120
10	SG 100 AE 15	<b>19.49</b>	120
11	SG 110 AE 15	<b>20.18</b>	120
12.5	SG 125 AE 15	<b>20.63</b>	120

#### Schlüter®-DECO-SG-EB

brushed stainless steel V4A, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 EB 15	<b>49.97</b>	120
10	SG 100 EB 15	<b>52.29</b>	120
11	SG 110 EB 15	<b>54.62</b>	120
12.5	SG 125 EB 15	<b>56.96</b>	120


#### Schlüter-DECO-SG-AC

colour coated aluminium, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SG 80 BW 15	<b>22.66</b>	120
10	SG 100 BW 15	<b>23.13</b>	120
11	SG 110 BW 15	<b>23.59</b>	120
12.5	SG 125 BW 15	<b>24.05</b>	120



**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.



#### Schlüter®-DECO-SGC-AE

anodised aluminium, B = 12 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SGC 80 AE 12	<b>17.94</b>	120
10	SGC 100 AE 12	<b>18.36</b>	120
11	SGC 110 AE 12	<b>18.83</b>	120
12.5	SGC 125 AE 12	<b>19.30</b>	120

#### Schlüter®-DECO-SGC-AE

anodised aluminium, B = 15 mm

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	SGC 80 AE 15	<b>20.77</b>	120
10	SGC 100 AE 15	<b>21.02</b>	120
11	SGC 110 AE 15	<b>21.76</b>	120
12.5	SGC 125 AE 15	<b>22.23</b>	120

**i**  
For use in corners with adjoining plaster walls

# Schlüter®-KERDI-DRAIN

## Drainage information summary

- ✓ Floor drain system for centre point drainage
- ✓ Secure connection to bonded waterproofing assemblies with Schlüter-KERDI
- ✓ Various grate and frame combinations
- ✓ Design grates made of brushed stainless steel
- ✓ Horizontal and vertical drainage
- ✓ Includes Schlüter-KERDI collar for connecting to the bonded waterproofing assembly





# Schlüter®-KERDI-DRAIN

## Floor-level showers with point drainage

The Schlüter-KERDI-DRAIN point drainage channels wastewater to the building drainage system either horizontally or vertically. Schlüter-KERDI-SHOWER sloped trays are a quick way to create level and waterproof substrates for tile installation. Schlüter-SHOWERPROFILE is designed to conceal exposed edges in the shower and provides a reliable splashguard. Schlüter-DECO-SG keeps shower screens in their correct positions. Schlüter-KERDI and -DITRA ensure waterproofing in the wall and floor area. Abutting joints are sealed with Schlüter-KERDI-KEBA sealing tapes, using Schlüter-KERDI-COLL-L.

(Product data sheet 8.2)

### Resilient and proven: Our classics



Design 1: CLASSIC




Design 1: CLASSIC




Design 1: CLASSIC ROUND



Design 2: TRAPEZOID




Design 3: SQUARE



Design 4: TILE


### Schlüter®-KERDI-DRAIN-STYLE





Design 5: FLORAL



Design 6: CURVE



Design 7: PURE



- ① Schlüter®-KERDI-DRAIN drain body
- ② Schlüter®-KERDI-DRAIN grate and frame sets
- ③ Schlüter®-KERDI-SHOWER
- ④ Schlüter®-DITRA
- ⑤ Schlüter®-KERDI 200
- ⑥ Schlüter®-KERDI-KEBA
- ⑦ Schlüter®-SHOWERPROFILE-WS/-WSK
- ⑧ Schlüter®-DECO-SG
- ⑨ Schlüter®-DILEX-RF

- Page 235–245
- Page 235–245
- Page 251–252
- Page 167
- Page 186
- Page 187
- Page 228–229
- Page 230
- Page 139

The following pages feature all combination options for grate and frame sets and horizontal or vertical floor drain sets. This is followed by a section with components for special applications and replacement parts.



# Schlüter®-KERDI-DRAIN

## Horizontal drain with odour trap

### Point drainage in interior spaces

**Grate and frame set**

- ① stainless steel grate with frame
- ② height adjustment ring

**Floor drain**

- ③ Schlüter-KERDI collar
- ④ bonding flange
- ⑤ drain body in screed

**Note:**  
Order floor drain set and grate/frame set separately.

### Special notes on grates

**KERDI-DRAIN-BASE only:**  
All grates feature an odour trap and gasket seal.

All grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap, as the odour trap is integrated into the floor drain set. All grates include a dirt trapping screen, except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.

### Grate design


- Design 1 CLASSIC
- Design 1 CLASSIC ROUND
- Design 2 TRAPEZOID
- Design 3 SQUARE
- Design 4 TILE
- Design 5 FLORAL
- Design 6 CURVE
- Design 7 PURE

**DN 40/50**

Drain capacity: 0.4 l/s, Min. assembly height: 75 (70) mm

Floor drain

Schlüter®-KERDI-DRAIN-BASE



Art. No.	£ / U.
KD BH 40	67.32

+	Grate/frame set with odour seal	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 SGV	69.35
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 SGV	84.13
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 SGV	74.33
	Design 1, stainless steel	10 x 10	KD R10 ED1 GV	69.35
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 SGV	94.23
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2 GV	117.77
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3 GV	117.77
	Design 4, covering support	10 x 10	KD R10 ED4 GV	69.35
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5 GV	114.73
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6 GV	114.73
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7 GV	117.05

**DN 50**

Drain capacity: 0.6 l/s, Min. assembly height: 97 mm

Floor drain




Art. No.	£ / U.
KD BH 50 GV	100.99

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 S	63.51
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5	104.24
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6	104.24
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7	106.57

**DN 50/70**

Drain capacity: 0.8 l/s, Min. assembly height: 115 mm

Floor drain



Art. No.	£ / U.
KD BH 5070 GVB	108.26

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 SB	72.06



# Schlüter®-KERDI-DRAIN

## Vertical drain with odour trap

Point drainage in interior spaces

**Grate and frame set**

- ① stainless steel grate with frame
- ② height adjustment ring

**Floor drain**

- ③ two-part odour trap
- ④ Schlüter-KERDI collar
- ⑤ thin-set floor drain

**Note:**  
Order floor drain set and grate/frame set separately.

Special features of grates – odour trap in the floor drain set



All grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap, as the odour trap is integrated into the floor drain set. All grates include a dirt trapping screen, except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



Grate design



**DN 50**

Drain capacity: 0.6 l/s

Floor drain



Art. No.	£ / U.
KD BV 50 GV	75.40

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 S	63.51
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5	104.24
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6	104.24
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7	106.57

**DN 50**

Drain capacity: 0.6 l/s

Floor drain



Art. No.	£ / U.
KD BV 50 GVB	108.26

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 S	63.51
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5	104.24
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6	104.24
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7	106.57

**DN 50**

Drain capacity: 1.8 l/s

Floor drain



Art. No.	£ / U.
KD BAV 50 GVB	115.11

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 SB	72.06

P = 10 units



# Schlüter®-KERDI-DRAIN


Vertical drain with odour trap

Point drainage in interior spaces

## DN 50

Drain capacity: 0.6 l/s

Floor drain



Art. No.	£ / U.
KD BV 50	56.53

+	Grate/frame set with odour seal	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 SGV	69.35
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 SGV	84.13
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 SGV	74.33
	Design 1, stainless steel	10 x 10	KD R10 ED1 GV	69.35
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 SGV	94.23
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2 GV	117.77
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3 GV	117.77
	Design 4, covering support	10 x 10	KD R10 ED4 GV	69.35
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5 GV	114.73
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6 GV	114.73
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7 GV	117.05

## DN 70

Drain capacity: 0.6 l/s

Floor drain




Art. No.	£ / U.
KD BV 70	56.53

+	Grate/frame set with odour seal	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 SGV	69.35
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 SGV	84.13
	Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 SGV	74.33
	Design 1, stainless steel	10 x 10	KD R10 ED1 GV	69.35
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 SGV	94.23
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2 GV	117.77
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3 GV	117.77
	Design 4, covering support	10 x 10	KD R10 ED4 GV	69.35
	Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5 GV	114.73
	Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6 GV	114.73
	Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7 GV	117.05

**DN 100**

Drain capacity: 0.6 l/s

Floor drain



Grate/frame set with odour seal	L x B (cm)	Art. No.	£ / U.
Design 1, stainless steel with screws	10 x 10	KD R10 ED1 SGV	<b>69.35</b>
Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 SGV	<b>84.13</b>
Design 1, polished stainless steel with screws	10 x 10	KD R10 EPD1 SGV	<b>74.33</b>
Design 1, stainless steel	10 x 10	KD R10 ED1 GV	<b>69.35</b>
Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 SGV	<b>94.23</b>
Design 2, brushed stainless steel	10 x 10	KD R10 ED2 GV	<b>117.77</b>
Design 3, brushed stainless steel	10 x 10	KD R10 ED3 GV	<b>117.77</b>
Design 4, covering support	10 x 10	KD R10 ED4 GV	<b>69.35</b>
Design 5, brushed stainless steel	10 x 10	KD IF 10 EB D5 GV	<b>114.73</b>
Design 6, brushed stainless steel	10 x 10	KD IF 10 EB D6 GV	<b>114.73</b>
Design 7, brushed stainless steel	10 x 10	KD IF 10 EB D7 GV	<b>117.05</b>

Art. No.	£ / U.
KD BV 100	<b>56.53</b>

P = 10 units

## Special features of grates – odour trap in the grate and frame set



All grates feature an odour trap and gasket seal.

## Grate design

Design 1  
CLASSICDesign 1  
CLASSIC  
ROUNDDesign 2  
TRAPEZOIDDesign 3  
SQUAREDesign 4  
TILEDesign 5  
FLORALDesign 6  
CURVEDesign 7  
PURE



# Schlüter®-KERDI-DRAIN

## Horizontal drain without odour trap

### Point drainage in exterior spaces

**Grate and frame set**

- ① stainless steel grate with frame
- ② height adjustment ring

**Floor drain**

- ③ Schlüter-KERDI collar
- ④ bonding flange
- ⑤ U shaped component
- ⑥ Schlüter-TROBA-PLUS 8 drainage collar
- ⑦ stainless steel flange
- ⑧ drain body with sealing connection

**Note:**  
Order floor drain set and grate/frame set separately.

### Special notes on grates



All floor drain grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap. All grates include a dirt trapping screen, except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



### Grate design



Design 1  
CLASSIC



Design 1  
CLASSIC  
ROUND



Design 2  
TRAPEZOID



Design 3  
SQUARE



Design 4  
TILE

## DN 50

Floor drain



Art. No.

£ / U.


KD BH 50 B

105.25

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

## DN 50

Floor drain



Art. No.

£ / U.

KD BH 50 MSBB

205.54

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

P = 10 units

**Note:** With sealing connection for bituminous and plastic membranes.



# Schlüter®-KERDI-DRAIN

## Vertical drain without odour trap

### Point drainage in exterior spaces

**Grate and frame set**

- ① stainless steel grate with frame
- ② height adjustment ring

**Floor drain**

- ③ Schlüter-KERDI collar
- ④ bonding flange
- ⑤ drain body without odour trap

**Note:**  
Order floor drain set and grate/frame set separately.

### Special notes on grates



All floor drain grates have a frame extension (except for KD R10 ED4) and height adjustment option. These grates have no odour trap. All grates include a dirt trapping screen, except for KD R10 ED4, KD R15 ED1 S, KD R15 ED1 SB and KD R15 ED1 SR.



### Grate design



Design 1  
CLASSIC



Design 1  
CLASSIC  
ROUND



Design 2  
TRAPEZOID



Design 3  
SQUARE



Design 4  
TILE

## DN 50

Floor drain



Art. No.

£ / U.

KD BV 50

56.53

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

## DN 70

Floor drain



Art. No.

£ / U.


KD BV 70

56.53

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

## DN 100

Floor drain



Art. No.

£ / U.

KD BV 100

56.53

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

P = 10 units



# Schlüter®-KERDI-DRAIN

Vertical drain without odour trap

Point drainage in exterior spaces

## DN 50

Floor drain



Art. No.

£ / U.


KD BV 50 B

105.25

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

## DN 50

Floor drain



Art. No.

£ / U.

KD BV 50 MSBB

205.54

+	Grate and frame set	L x B (cm)	Art. No.	£ / U.
	Design 1, stainless steel with screws	10 x 10	KD R10 ED1 S	59.24
	Design 1, stainless steel V4A with screws	10 x 10	KD R10 V4A D1 S	74.05
	Design 1, stainless steel	10 x 10	KD R10 ED1	59.24
	Design 1, stainless steel, bronze oil-rubbed finish, with screws	10 x 10	KD R10 EOB D1 S	84.13
	Design 1, stainless steel with screws	15 x 15	KD R15 ED1 S	80.76
	Design 1, stainless steel with screws (round)	15 x 15	KD R15 ED1 SR	80.76
	Design 2, brushed stainless steel	10 x 10	KD R10 ED2	107.68
	Design 3, brushed stainless steel	10 x 10	KD R10 ED3	107.68
	Design 4, covering support	10 x 10	KD R10 ED4	59.24

P = 10 units

**Note:** With sealing connection for bituminous and plastic membranes.

## Grate design



Design 1  
CLASSIC



Design 1  
CLASSIC  
ROUND



Design 2  
TRAPEZOID



Design 3  
SQUARE




Design 4  
TILE

# Schlüter®-KERDI-DRAIN

## Complete sets for loose installation in exterior spaces

Point drainage | horizontal drain

DN 50




### Set includes:

- Floor drain
- Sealing connection for bituminous and plastic membranes
- Insert for loose installation
- Grate, Design 1 (KD R15 ED1 S), stainless steel with screws

Art. No.	£ / U.
KD BH 50 ASLVB	238.10

Point drainage | vertical drain

DN 50



### Set includes:

- Floor drain
- Sealing connection for bituminous and plastic membranes
- Insert for loose installation
- Grate, Design 1 (KD R15 ED1 S), stainless steel with screws

Art. No.	£ / U.
KD BV 50 ASLVB	238.10

P = 10 units



## Odour seal

### Schlüter®-KERDI-DRAIN-R 10 GT



Schlüter-KERDI-DRAIN-R 10 GT is a waterless odour trap for use with all 10 x 10 cm grate and frame sets. It can easily replace the wet trap in our linear drains, being intended for situations when infrequent use of the drain could result in the water in a wet trap evaporating. With a drain capacity of at least 0.4 l/s, it can also permanently replace the standard odour trap unit.

(Product data sheet 8.2)


#### Schlüter®-KERDI-DRAIN-R 10 GT

waterless odour trap

Art. No.	£ / U.	P (Unit)
KD R10 GT	31.44	10

## Waterproofing collar

### Schlüter®-KERDI-DRAIN-KD 10



KD 10 MO 900 1800



KD 10 M

#### Schlüter®-KERDI-DRAIN-DR

KERDI collar (d = 17.5 cm)

L x B (cm)	Art. No.	£ / U.	P (Unit)
45 x 45	KD 10 M	6.29	10
90 x 90	KD 10 M 900	27.87	10
100 x 100	KD 10 M 1000	31.02	10
120 x 120	KD 10 M 1200	38.35	10
150 x 150	KD 10 M 1500	51.81	10

#### Schlüter®-KERDI-DRAIN-DR

KERDI collar, off centre drainage

L x B (cm)	Art. No.	£ / U.	P (Unit)
180 x 90	KD 10 MO 900 1800	43.32	10

## Floor drain

### Schlüter®-KERDI-DRAIN-BASE



Schlüter-KERDI-DRAIN-BASE is a drain body for combination with the insert KD BV 100 and a grate and frame set with odour trap and gasket seal.

(Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN-BASE

drain body

DN (mm)	Art. No.	£ / U.	P (Unit)
40	KD 10 BH 40/50	37.03	10

## Odour seal

### Schlüter®-KERDI-LINE-GTM



Schlüter-KERDI-LINE-GTM is a replacement odour seal for use with Schlüter-KERDI-DRAIN-R10 GT and Schlüter-KERDI-LINE-GTO. (Product data sheet 8.7)

#### Schlüter®-KERDI-LINE-GTM

replacement odour seal

Art. No.	£ / U.	P (Unit)
KL GTM	15.73	10

## Fire protection insert

### Schlüter®-KERDI-DRAIN-BS



Schlüter-KERDI-DRAIN-BS is an approved fire protection insert, which prevents the spread of fire between floor levels in conjunction with the vertical floor drain set KD BAV 50 GVB. (Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN-BS

fire protection insert

Art. No.	£ / U.	P (Unit)
KD BS	131.61	10

## Fire protection insert

### Schlüter®-KERDI-DRAIN-ZBS



Schlüter-KERDI-DRAIN-ZBS is a conduit gasket for fire protection. It is an alternative to mortar and serves, in conjunction with the vertical floor drain set KD BAV 50 GVB or the vertical stainless steel linear drainage KLV 50 G2, as a fire insulation seal of the core hole drilling (Ø 160 mm), while also preventing sound bridges. The product is only approved for fire protection in conjunction with KD BS or KL BS.

(Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN-ZBS

conduit gasket with fire protection function

Art. No.	£ / U.	P (Unit)
KD ZBS	156.83	10

## Dirt trapping screen

### Schlüter®-KERDI-DRAIN-KD 10 SF



Schlüter-KERDI-DRAIN-KD 10 SF is a dirt trapping screen that simplifies the regular cleaning of floor drains.

(Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN-KD 10 SF

spare part: dirt trapping screen

Art. No.	£ / U.	P (Unit)
KD 10 SF	11.42	10



## Grate for retrofit

### Schlüter®-KERDI-DRAIN-R/-RL

Schlüter-KERDI-DRAIN-R/-RL are renovation grates that can be installed into the tile covering above existing floor drains in building renovation projects.

(Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN-R

grate for retrofit 15 x 15 cm

Art. No.	£ / U.	P (Unit)
KD 15 R	<b>89.57</b>	10



Drain grate for installation over existing floor drains in renovation projects.

#### Schlüter®-KERDI-DRAIN-RL

grate for retrofit, with centre hole, 15 x 15 cm

Art. No.	£ / U.	P (Unit)
KD 15 RL	<b>89.57</b>	10



Drain grate for retrofit installation to existing floor drains, which need to be connected to a continuous drain pipe.

## Drainage grate (without frame)

### Schlüter®-KERDI-DRAIN

Grates without frame for replacement in existing installations.

(Product data sheet 8.2)

#### Schlüter®-KERDI-DRAIN grates

spare part: individual grates for standard frames

L x B (cm)	Art. No.	£ / U.	P (Unit)
10 x 10	KD GR 10 E D1 S	<b>39.05</b>	10
10 x 10	KD GR 10 V4A D1 S	<b>53.85</b>	10
10 x 10	KD GR 10 EP D1 S	<b>43.14</b>	10
10 x 10	KD GR 10 E D1	<b>39.05</b>	10
10 x 10	KD GR 10 E D2	<b>87.49</b>	10
10 x 10	KD GR 10 E D3	<b>87.49</b>	10
10 x 10	KD GR 10 E D4	<b>39.05</b>	10
15 x 15	KD GR 15 E D1 S	<b>60.60</b>	10
15 x 15	KD GR 15 E D1 SR	<b>60.60</b>	10

#### Schlüter®-KERDI-DRAIN-STYLE grates

spare part: individual grates for contour frames

L x B (cm)	Art. No.	£ / U.	P (Unit)
10 x 10	KD GIF 10 EB D5	<b>86.77</b>	10
10 x 10	KD GIF 10 EB D6	<b>86.77</b>	10
10 x 10	KD GIF 10 EB D7	<b>89.11</b>	10

#### Note:

Covers are only interchangeable within the corresponding frame design.

L x B = cm corresponds to frame size



KD GR 10 E D1 S  
CLASSIC



KD GR 10 V4A D1 S  
CLASSIC




KD GR 10 EP D1 S  
CLASSIC



KD GR 10 E D1  
CLASSIC



KD GR 10 E D2  
TRAPEZOID



KD GR 10 E D3  
SQUARE



KD GR 10 E D4  
TILE



KD GIF 10 EB D5  
FLORAL



KD GIF 10 EB D6  
CURVE



KD GIF 10 EB D7  
PURE



KD GR 15 E D1 S  
CLASSIC




KD GR 15 E D1 SR  
CLASSIC ROUND

## Point drainage set, interior

## Schlüter®-KERDI-DRAIN sets




Schlüter-KERDI-DRAIN sets are complete sets for installing floor drain systems with reliable connections to bonded waterproofing assemblies with Schlüter-KERDI or other bonded waterproofing systems in interior areas. They are available in 3 variants. (Product data sheet 8.2)



KD 10H 40 GV ED1 S



KD 10V 50 GV ED1 S



KD 10V 50 GV ED3

## Schlüter®-KERDI-DRAIN set

drainage set with horizontal drain

Art. No.	£ / Set	PL (Set)
KD 10 H40 GV ED1 S	127.36	10

drainage set with vertical drain

Art. No.	£ / Set	PL (Set)
KD 10 V50 GV ED1 S	125.51	10
KD 10 V50 GV ED3	163.73	10

**KD 10 H40 GV ED1 S contains:**

- horizontal connection floor drain Schlüter-KERDI-DRAIN-BASE DN 40/50 (drain capacity 0.4 l/s), min. assembly height: 75 (70) mm
- grate and frame combination with stainless steel CLASSIC design grate with screws, size 10 x 10 cm
- grate with odour trap and lip seal

**KD 10 V50 GV ED1 S contains:**

- vertical connection floor drain Schlüter-KERDI-DRAIN DN 50 (drain capacity 0.6 l/s)
- integrated odour trap
- grate and frame combination with stainless steel CLASSIC design grate with screws, size 10 x 10 cm
- incl. grate extension, height adjustment and dirt trap

**KD 10 V50 GV ED3 contains:**

- vertical connection floor drain Schlüter-KERDI-DRAIN DN 50 (drain capacity 0.6 l/s)
- integrated odour trap
- grate and frame combination with brushed stainless steel SQUARE design grate, size 10 x 10 cm
- incl. grate extension, height adjustment and dirt trap





## Point drainage set, interior

### Schlüter®-KERDI-SHOWER-SK/-SKB



Schlüter-KERDI-SHOWER-SK is a waterproofing set for floor-level showers. It includes Schlüter-KERDI for waterproofing the wall areas of showers as well as the corresponding prefabricated parts for internal corners and pipe sleeves. The set also includes Schlüter-KERDI-KEBA sealing band for waterproofing the abutting joints of the membranes and floor-wall transitions and Schlüter-KERDI-COLL-L sealing adhesive for waterproofing the sealing band and prefabricated parts. The waterproofing set Schlüter-KERDI-SHOWER-SKB also comes with a Schlüter-KERDI-DRAIN-BASE floor drain. Schlüter-KERDI-SHOWER-SK is suitable for conventional floor-level showers and for combination with the floor components Schlüter-KERDI-SHOWER-LT, -LTS, -T, -TS, and -TT. (Product data sheet 8.6)

#### Schlüter®-KERDI-SHOWER-SK

waterproofing set

L x B (cm)	Art. No.	£ / Set	PL (Set)
90 x 90 / 100 x 100	KSS 5	191.84	9
120 x 120 / 150 x 150	KSS 10	334.59	9

#### Schlüter-KERDI-SHOWER-SK (KSS 5) contains:

- 1 x Schlüter-KERDI 200, 1 m x 5 m
- 2 x Schlüter-KERDI-KERECK-F/I
- 1 x Schlüter-KERDI-KEBA, 12.5 cm x 10 m
- 1 x Schlüter-KERDI-COLL-L, 1.85 kg
- 2 x Schlüter-KERDI-KM, Ø 150 mm

#### Schlüter-KERDI-SHOWER-SK (KSS 10) contains:

- 1 x Schlüter-KERDI 200, 1 m x 10 m
- 2 x Schlüter-KERDI-KERECK-F/I
- 1 x Schlüter-KERDI-KEBA, 12.5 cm x 12.5 m
- 1 x Schlüter-KERDI-COLL-L, 4.25 kg
- 2 x Schlüter-KERDI-KM, Ø 150 mm

#### Schlüter®-KERDI-SHOWER-SKB

waterproofing set with floor drain

L x B (cm)	Art. No.	£ / Set	PL (Set)
90 x 90 / 100 x 100	KSS 5 KD10 EH 40	328.48	9
120 x 120 / 150 x 150	KSS 10 KD10 EH 40	471.21	9

#### Schlüter-KERDI-SHOWER-SKB (KSS 5 KD10 EH 40) contains:

- 1 x Schlüter-KERDI 200, 1 m x 5 m
- 2 x Schlüter-KERDI-KERECK-F/I
- 1 x Schlüter-KERDI-KEBA, 12.5 cm x 10 m
- 1 x Schlüter-KERDI-COLL-L, 1.85 kg
- 2 x Schlüter-KERDI-KM, Ø 150 mm
- 1 x Schlüter-KERDI-DRAIN-BASE set, consisting of: floor drain set "KD BH 40" and grate and frame set "KD R10 ED1 SGV"

#### Schlüter-KERDI-SHOWER-SKB (KSS 10 KD10 EH 40) contains:




- 1 x Schlüter-KERDI 200, 1 m x 10 m
- 2 x Schlüter-KERDI-KERECK-F/I
- 1 x Schlüter-KERDI-KEBA, 12.5 cm x 12.5 m
- 1 x Schlüter-KERDI-COLL-L, 4.25 kg
- 2 x Schlüter-KERDI-KM, Ø 150 mm
- 1 x Schlüter-KERDI-DRAIN-BASE set, consisting of: floor drain set "KD BH 40" and grate and frame set "KD R10 ED1 SGV"

## Sloped tray

**Schlüter®-KERDI-SHOWER-T**

Schlüter-KERDI-SHOWER-T is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to a centre-installed point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray is installed on a level, flat, load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.

(Product data sheet 8.6)

**Schlüter®-KERDI-SHOWER-T**

sloped tray for centre drainage



L x B (cm)	H (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
152 x 152	30	2	KST 1525	<b>237.55</b>	10
183 x 183	32	2	KST 1830	<b>254.54</b>	10
152 x 96	29	2	KST 965 / 1525	<b>192.32</b>	10
152 x 122	28	2	KST 1220 / 1525	<b>197.98</b>	10
183 x 122	32	2	KST 1220 / 1830	<b>214.96</b>	10

## Sloped tray

**Schlüter®-KERDI-SHOWER-TS**

Schlüter-KERDI-SHOWER-TS is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to an off-centre point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray is installed on a level, flat, load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.

(Product data sheet 8.6)

**Schlüter®-KERDI-SHOWER-TS**

sloped tray for off-centre drainage

L x B (cm)	H (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
152 x 96	28	1	KST 965 / 1525 S	<b>175.35</b>	10




## Sloped tray

### Schlüter®-KERDI-SHOWER-TT



Schlüter-KERDI-SHOWER-TT is a sloped tray made of compression-resistant polystyrene with pre-adhered Schlüter-KERDI waterproofing. In showers, it creates a sufficient slope to a centre-installed or off-centre point drain. It is designed to accommodate the floor drains Schlüter-KERDI-DRAIN. The sloped tray is installed on a level, flat, load bearing substrate and fitted to a prepared KERDI-DRAIN drain. Where necessary the trays can be cut to size with a utility knife, using the pre-marked cutting grooves on the underside of the tray, taking care to maintain a uniform gradient on all sides.




(Product data sheet 8.6)



### Schlüter®-KERDI-SHOWER-TT

sloped tray for centre drainage

L x B (cm)	H (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
91 x 91	22	2	KST 915 BF	<b>124.44</b>	10
101 x 101	23	2	KST 1015 BF	<b>135.75</b>	10
122 x 122	25	2	KST 1220 BF	<b>175.35</b>	10
96 x 81	23	2	KST 965 / 810 BF	<b>197.98</b>	10
122 x 91	25	2	KST 915 / 1220 BF	<b>209.28</b>	10



### Schlüter®-KERDI-SHOWER-TT

sloped tray for off-centre drainage

L x B (cm)	H (mm)	Slope (%)	Art. No.	£ / U.	P (Unit)
96 x 96	26	2	KST 965 NA / BF	<b>197.98</b>	10

# Schlüter®-SHELF

Attractive, stable and quick to install

Schlüter-SHELF is a stylish addition to showers and much more. The shelf in elegant STYLE design offers practical storage for existing or yet to be installed tiles.

- ✓ **Brushed stainless steel or TRENDLINE powder coated aluminium**
- ✓ **Five elegant, modern designs: FLORAL, CURVE, PURE, SQUARE and WAVE**
- ✓ **Five different formats**






## Shelf




### Schlüter®-SHELF-E-S1



Schlüter-SHELF-E-S1 are triangular shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S1 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls. (Product data sheet 17.1)



**i**  
Also suitable for retrofit installation



#### Schlüter®-SHELF-E-S1-EB

shelf, CURVE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S1 D6 EB	94.34	10

#### Schlüter®-SHELF-E-S1-EB



shelf, FLORAL design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S1 D5 EB	100.23	10

#### Schlüter®-SHELF-E-S1-EB

shelf, PURE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S1 D7 EB	98.90	10



#### Schlüter®-SHELF-E-S1-EB


shelf, SQUARE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S1 D3 EB	98.90	10

#### Schlüter®-SHELF-E-S1-EB

shelf, WAVE design,  
brushed stainless steel


Art. No.	£ / U.	P (Unit)
SE S1 D10 EB	98.90	10



### Schlüter®-SHELF-E-S1-AC

shelf, FLORAL design,  
colour coated aluminium


Art. No.	£ / U.	P (Unit)
SE S1 D5 ...*	73.70	10



### Schlüter®-SHELF-E-S1-AC

shelf, CURVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D6 ...*	67.95	10



### Schlüter®-SHELF-E-S1-AC

shelf, PURE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D7 ...*	75.23	10

### Schlüter®-SHELF-E-S1-TS

shelf, FLORAL design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D5 ...**	80.25	10

### Schlüter®-SHELF-E-S1-TS


shelf, CURVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D6 ...**	74.53	10

### Schlüter®-SHELF-E-S1-TS

shelf, PURE design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SE S1 D7 ...**	80.89	10



### Schlüter®-SHELF-E-S1-AC

shelf, SQUARE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D3 ...*	75.23	10



### Schlüter®-SHELF-E-S1-AC

shelf, WAVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D10 ...*	75.23	10

### Schlüter®-SHELF-E-S1-TS

shelf, SQUARE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D3 ...**	80.89	10

### Schlüter®-SHELF-E-S1-TS

shelf, WAVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S1 D10 ...**	80.89	10



To complete the art. no., add the finish/colour  
(e.g. SE S1 D10 TSC)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSI -  
TSOB - TSSG

## Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Shelf




### Schlüter®-SHELF-E-S2



Schlüter-SHELF-E-S2 are pentagonal shelves for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S2 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls. (Product data sheet 17.1)



**i**  
Also suitable for retrofit installation



#### Schlüter®-SHELF-E-S2-EB

shelf, FLORAL design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S2 D5 EB	106.13	10

#### Schlüter®-SHELF-E-S2-EB



shelf, CURVE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S2 D6 EB	100.23	10

#### Schlüter®-SHELF-E-S2-EB

shelf, PURE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S2 D7 EB	114.38	10



#### Schlüter®-SHELF-E-S2-EB


shelf, SQUARE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S2 D3 EB	114.38	10


#### Schlüter®-SHELF-E-S2-EB

shelf, WAVE design,  
brushed stainless steel


Art. No.	£ / U.	P (Unit)
SE S2 D10 EB	114.38	10



FLORAL



CURVE



PURE

**Schlüter®-SHELF-E-S2-AC**shelf, FLORAL design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D5 ...*	<b>76.59</b>	10

**Schlüter®-SHELF-E-S2-AC**shelf, CURVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D6 ...*	<b>71.97</b>	10

**Schlüter®-SHELF-E-S2-AC**shelf, PURE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D7 ...*	<b>83.69</b>	10

**Schlüter®-SHELF-E-S2-TS**shelf, FLORAL design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SE S2 D5 ...**	<b>83.13</b>	10

**Schlüter®-SHELF-E-S2-TS**shelf, CURVE design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SE S2 D6 ...**	<b>78.54</b>	10

**Schlüter®-SHELF-E-S2-TS**shelf, PURE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D7 ...**	<b>91.03</b>	10



SQUARE



WAVE

**Schlüter®-SHELF-E-S2-AC**shelf, SQUARE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D3 ...*	<b>83.69</b>	10

**Schlüter®-SHELF-E-S2-AC**shelf, WAVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D10 ...*	<b>83.69</b>	10

**Schlüter®-SHELF-E-S2-TS**shelf, SQUARE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D3 ...**	<b>91.03</b>	10

**Schlüter®-SHELF-E-S2-TS**shelf, WAVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S2 D10 ...**	<b>91.03</b>	10

To complete the art. no., add the finish/colour  
(e.g. SE S2 D10 TSC)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSI -  
TSOB - TSSG

## Available finishes | colours



For an overview of finishes and colours, please see page 335.




## Shelf



### Schlüter®-SHELF-E-S3



Schlüter-SHELF-E-S3 are quadrangular shelves with asymmetrical side lengths for installation in corners. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. The shelves can be integrated into the tile assembly during tile installation or retrofitted into the joints of tiled walls, using the 2 mm attachment tabs. SHELF-E-S3 are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls. (Product data sheet 17.1)



**i**  
Also suitable for retrofit installation



#### Schlüter®-SHELF-E-S3-EB

shelf, FLORAL design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S3 D5 EB	112.02	10

#### Schlüter®-SHELF-E-S3-EB



shelf, CURVE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S3 D6 EB	106.13	10

#### Schlüter®-SHELF-E-S3-EB

shelf, PURE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S3 D7 EB	110.53	10



#### Schlüter®-SHELF-E-S3-EB


shelf, SQUARE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SE S3 D3 EB	110.53	10

#### Schlüter®-SHELF-E-S3-EB

shelf, WAVE design,  
brushed stainless steel


Art. No.	£ / U.	P (Unit)
SE S3 D10 EB	110.53	10



FLORAL

**Schlüter®-SHELF-E-S3-AC**shelf, FLORAL design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D5 ...*	<b>79.46</b>	10



CURVE

**Schlüter®-SHELF-E-S3-AC**shelf, CURVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D6 ...*	<b>73.70</b>	10



PURE

**Schlüter®-SHELF-E-S3-AC**shelf, PURE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D7 ...*	<b>79.18</b>	10

**Schlüter®-SHELF-E-S3-TS**shelf, FLORAL design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SE S3 D5 ...**	<b>85.99</b>	10

**Schlüter®-SHELF-E-S3-TS**shelf, CURVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D6 ...**	<b>80.25</b>	10

**Schlüter®-SHELF-E-S3-TS**shelf, PURE design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SE S3 D7 ...**	<b>84.85</b>	10



SQUARE

**Schlüter®-SHELF-E-S3-AC**shelf, SQUARE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D3 ...*	<b>79.18</b>	10



WAVE

**Schlüter®-SHELF-E-S3-AC**shelf, WAVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D10 ...*	<b>79.18</b>	10

**Schlüter®-SHELF-E-S3-TS**shelf, SQUARE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D3 ...**	<b>84.85</b>	10

**Schlüter®-SHELF-E-S3-TS**shelf, WAVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SE S3 D10 ...**	<b>84.85</b>	10

To complete the art. no., add the finish/colour  
(e.g. SE S3 D10 TSC)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSI -  
TSOB - TSSG

## Available finishes | colours



For an overview of finishes and colours, please see page 335.






## Shelf

### Schlüter®-SHELF-N



Schlüter-SHELF-N are rectangular shelves for use in prefabricated Schlüter-KERDI-BOARD-N niches. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE, in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. They are precisely fitted as a shelf in KERDI-BOARD niches during tile installation.

(Product data sheet 17.1)



#### Schlüter®-SHELF-N-S1-EB

shelf, FLORAL design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SN S1 D5 EB	104.36	10

#### Schlüter®-SHELF-N-S1-EB



shelf, CURVE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SN S1 D6 EB	97.28	10

#### Schlüter®-SHELF-N-S1-EB

shelf, PURE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SN S1 D7 EB	104.73	10



#### Schlüter®-SHELF-N-S1-EB

shelf, SQUARE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SN S1 D3 EB	104.73	10


#### Schlüter®-SHELF-N-S1-EB

shelf, WAVE design,  
brushed stainless steel


Art. No.	£ / U.	P (Unit)
SN S1 D10 EB	104.73	10

#### Note:


You can find more information about Schlüter-KERDI-BOARD-N niches on page 268–273.



FLORAL



CURVE



PURE

**Schlüter®-SHELF-N-S1-AC**shelf, FLORAL design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D5 ...*	73.70	10

**Schlüter®-SHELF-N-S1-AC**shelf, CURVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D6 ...*	63.34	10

**Schlüter®-SHELF-N-S1-AC**shelf, PURE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D7 ...*	75.23	10

**Schlüter®-SHELF-N-S1-TS**shelf, FLORAL design,  
textured aluminium


Art. No.	£ / U.	KV (Unit)
SN S1 D5 ...**	80.25	10

**Schlüter®-SHELF-N-S1-TS**shelf, CURVE design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SN S1 D6 ...**	68.79	10

**Schlüter®-SHELF-N-S1-TS**shelf, PURE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D7 ...**	80.89	10



SQUARE



WAVE

**Schlüter®-SHELF-N-S1-AC**shelf, SQUARE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D3 ...*	75.23	10

**Schlüter®-SHELF-N-S1-AC**shelf, WAVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D10 ...*	75.23	10

**Schlüter®-SHELF-N-S1-TS**shelf, SQUARE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D3 ...**	80.89	10

**Schlüter®-SHELF-N-S1-TS**shelf, WAVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SN S1 D10 ...**	80.89	10

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours  
available. More details from page 16.

To complete the art. no., add the finish/colour  
(e.g. SN S1 D10 TSC)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSI -  
TSOB - TSSG

## Available finishes | colours



For an overview of finishes and colours, please see page 335.







## Shelf

### Schlüter®-SHELF-W



Schlüter-SHELF-W are rectangular shelves for wall surfaces. They are available in the design variants FLORAL, CURVE, PURE, SQUARE and WAVE in the finish choices brushed stainless steel or TRENDLINE powder coated aluminium. Their trapezoid perforated anchoring legs are integrated into the tile assembly during tile installation. They are suitable as shelves in shower areas, but can also be integrated into other tiled areas such as tiled kitchen walls.

(Product data sheet 17.1)



#### Schlüter®-SHELF-W-S1-EB

shelf, FLORAL design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SW S1 D5 EB	141.50	10

#### Schlüter®-SHELF-W-S1-EB



shelf, CURVE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SW S1 D6 EB	129.70	10

#### Schlüter®-SHELF-W-S1-EB

shelf, PURE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SW S1 D7 EB	145.45	10



#### Schlüter®-SHELF-W-S1-EB


shelf, SQUARE design,  
brushed stainless steel

Art. No.	£ / U.	P (Unit)
SW S1 D3 EB	145.45	10


#### Schlüter®-SHELF-W-S1-EB

shelf, WAVE design,  
brushed stainless steel


Art. No.	£ / U.	P (Unit)
SW S1 D10 EB	145.45	10



FLORAL



CURVE



PURE

**Schlüter®-SHELF-W-S1-AC**shelf, FLORAL design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D5 ...*	106.50	10

**Schlüter®-SHELF-W-S1-AC**shelf, CURVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D6 ...*	95.01	10

**Schlüter®-SHELF-W-S1-AC**shelf, PURE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D7 ...*	107.47	10

**Schlüter®-SHELF-W-S1-TS**shelf, FLORAL design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SW S1 D5 ...**	112.93	10

**Schlüter®-SHELF-W-S1-TS**shelf, CURVE design,  
textured aluminium


Art. No.	£ / U.	P (Unit)
SW S1 D6 ...**	101.48	10

**Schlüter®-SHELF-W-S1-TS**shelf, PURE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D7 ...**	113.13	10



SQUARE



WAVE

**Schlüter®-SHELF-W-S1-AC**shelf, SQUARE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D3 ...*	107.47	10

**Schlüter®-SHELF-W-S1-AC**shelf, WAVE design,  
colour coated aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D10 ...*	107.47	10

**Schlüter®-SHELF-W-S1-TS**shelf, SQUARE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D3 ...**	113.13	10

**Schlüter®-SHELF-W-S1-TS**shelf, WAVE design,  
textured aluminium

Art. No.	£ / U.	P (Unit)
SW S1 D10 ...**	113.13	10

To complete the art. no., add the finish/colour  
(e.g. SW S1 D10 TSC)

\* Finishes/colours: MBW - MGS

\*\* Finishes/colours: TSBG - TSC - TSDA - TSI -  
TSOB - TSSG

## Available finishes | colours



For an overview of finishes and colours, please see page 335.



# Schlüter®-KERDI-BOARD

## Much more than a structural panel

Easy to transport and install, completely waterproof: After working with Schlüter-KERDI-BOARD, you will never want to go without these advantages again. Our assortment includes the right solution for every task – from pipe coverings to pre-assembled, illuminated wall niches. There are unlimited creative options.





## Backerboard

Schlüter®-KERDI-BOARD	267
Schlüter®-KERDI-BOARD-V	274

## Niche sets

Schlüter®-KERDI-BOARD-N	268
Schlüter®-KERDI-BOARD-NLT	270
Schlüter®-KERDI-BOARD-NLT-BR	272

## Waterproofing

Schlüter®-KERDI-KEBA	275
Schlüter®-KERDI-COLL-L	275

## Profiles

Schlüter®-KERDI-BOARD-ZW	276
Schlüter®-KERDI-BOARD-ZC	276
Schlüter®-KERDI-BOARD-ZA	277
Schlüter®-KERDI-BOARD-ZB	277

## Accessories

Schlüter®-KERDI-BOARD-E	274
Schlüter®-KERDI-BOARD-U	274
Schlüter®-KERDI-BOARD-ZSD	278
Schlüter®-KERDI-BOARD-ZT	278
Schlüter®-KERDI-BOARD-ZS	278
Schlüter®-KERDI-BOARD-ZDK	279
Schlüter®-KERDI-BOARD-ZSA	279
Schlüter®-KERDI-BOARD-ZFP	279




# Schlüter®-KERDI-BOARD

## Universal tile underlayment

The substrates encountered in many new construction and renovation projects are not suitable for tile coverings, particularly in high-moisture areas. They frequently require extensive additional work and waterproofing measures. Schlüter-KERDI-BOARD makes it easy to create a substrate that is ready for tile installation – whether on masonry, wood or metal stud structures or mixed/existing substrates in renovation projects. Moreover, the material is well-suited for building stand-alone partition walls, shelves or panels.


- ✓ Bonded waterproofing system with official abP technical approval
- ✓ European approval as a bonded waterproofing system with CE mark
- ✓ Waterproof and temperature-resistant
- ✓ Vapour barrier
- ✓ Thermally-insulating
- ✓ Low in emissions
- ✓ Free of cement/fibreglass
- ✓ Level, dimensionally stable and non-bending
- ✓ Dust-free and easy to cut (utility knife)
- ✓ Imprinted gridlines
- ✓ Fleece surface for bonding in thin-bed tile adhesive
- ✓ Lightweight, easy to transport
- ✓ Universally suitable for all substrates
- ✓ Pleasant feel



## Substrate panel

**Schlüter®-KERDI-BOARD**


Schlüter-KERDI-BOARD is a universal substrate for the installation of tiles on walls of any kind and can also be used in bonded waterproofing assemblies. (Product data sheet 12.1)


**Schlüter®-KERDI-BOARD**

substrate panel

H (mm)	62.5 x 260 cm = 1.62 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
5	KB 5 625 2600	<b>35.09</b>	140
9	KB 9 625 2600	<b>36.78</b>	80
12.5	KB 12 625 2600	<b>38.54</b>	60
19	KB 19 625 2600	<b>40.25</b>	42
28	KB 28 625 2600	<b>44.70</b>	28
38	KB 38 625 2600	<b>50.21</b>	21
50	KB 50 625 2600	<b>56.41</b>	15

**Schlüter®-KERDI-BOARD**

mixed pallets

composition	L = 2.60 m Art. No.	£ / U.
20 x 5 mm, 20 x 9 mm, 20 x 12.5 mm, 12 x 19 mm	KB 2600 MP1	<b>4358.69</b>
8 x 28 mm, 6 x 38 mm, 6 x 50 mm	KB 2600 MP2	<b>1615.37</b>
10 x 5 mm, 10 x 9 mm, 10 x 12.5 mm, 6 x 19 mm, 4 x 28 mm, 3 x 38 mm, 3 x 50 mm	KB 2600 MP3	<b>2987.00</b>

**Schlüter®-KERDI-BOARD**

substrate panel

H (mm)	62.5 x 125 cm = 0.78 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
5	KB 5 625 1250	<b>35.09</b>	140
9	KB 9 625 1250	<b>36.78</b>	80
12.5	KB 12 625 1250	<b>38.54</b>	60
19	KB 19 625 1250	<b>40.25</b>	42
28	KB 28 625 1250	<b>44.70</b>	28
38	KB 38 625 1250	<b>50.21</b>	21
50	KB 50 625 1250	<b>56.41</b>	15

**Schlüter®-KERDI-BOARD**

mixed pallets

composition	L = 1.25 m Art. No.	£ / U.
20 x 5 mm, 20 x 9 mm, 20 x 12.5 mm, 12 x 19 mm	KB 1250 MP1	<b>2099.02</b>
8 x 28 mm, 6 x 38 mm, 6 x 50 mm	KB 1250 MP2	<b>777.80</b>
10 x 5 mm, 10 x 9 mm, 10 x 12.5 mm, 6 x 19 mm, 4 x 28 mm, 3 x 38 mm, 3 x 50 mm	KB 1250 MP3	<b>1438.45</b>

**Dimensions and packaging data of Schlüter®-KERDI-BOARD**

Panel thickness	5 mm	9 mm	12.5 mm	19 mm	28 mm	38 mm	50 mm
Packaging unit (PU)	10 panels	10 panels	10 panels	6 panels	4 panels	3 panels	3 panels
Pallet content	14 PU (140 panels)	8 PU (80 panels)	6 PU (60 panels)	7 PU (42 panels)	7 PU (28 panels)	7 PU (21 panels)	5 PU (15 panels)
<b>Format 125 x 62.5 cm</b>							
m <sup>2</sup> / pallet	109.20	62.40	46.80	32.76	21.84	16.38	11.70
kg / panel	0.843	0.961	1.055	1.167	1.399	1.657	1.966
<b>Format 260 x 62.5 cm</b>							
m <sup>2</sup> / pallet	226.80	129.60	97.20	68.04	45.36	34.02	24.30
kg / panel	1.755	1.998	2.194	2.428	2.911	3.447	4.090



## Niche set

### Schlüter®-KERDI-BOARD-N




Schlüter-KERDI-BOARD-N are prefabricated installation components made of KERDI-BOARD for creating niches and shelves for wall areas. These niches can be integrated into the Schlüter-KERDI waterproofing system as a bonded waterproofing assembly. The niches are available in different dimensions. The rectangular niches can be installed either vertically or horizontally. The shelf component in the two large niches can be variably positioned and can be omitted if desired, for example to create broad niches in horizontal format. All niches are supplied with a pre-fabricated KERDI collar.

(Product data sheet 12.1)

**i**  
Our Schlüter-SHELF-N shelves can be found on page 260 and 261.

## Dimensions of niches



**Note:** The specified values represent the external dimensions of the niches. The intermediate shelf of niches C and D can be positioned freely.



### Schlüter®-KERDI-BOARD-N

niche set

	B x H x T (mm)	Shelf depth (mm)	Adjustable shelf	Art. No.	£ / U.	PL (Unit)
A	305 x 152 x 89	12.5	–	KB 12 N 305 152 A	<b>60.81</b>	20
B	305 x 305 x 89	12.5	–	KB 12 N 305 305 A	<b>76.10</b>	20
C	305 x 508 x 89	12.5	1	KB 12 N 305 508 A1	<b>112.47</b>	20
D	305 x 711 x 89	12.5	1	KB 12 N 305 711 A1	<b>152.18</b>	20




# Schlüter®-KERDI-BOARD-NLT

Schlüter-KERDI-BOARD-NLT are prefabricated niche sets made of KERDI-BOARD with plug-and-play LIPROTEC-LED technology. They are used to create illuminated niches and storage surfaces for all kinds of wall areas. These niches can be integrated into the Schlüter-KERDI waterproofing system as a bonded waterproofing assembly. The niches are available in different dimensions and lighting options. The rectangular niches are available with illumination either on the long or the narrow side. The LED module can either be positioned at the front edge, in the centre or at the rear of the wall that is to be tiled. The LED module can either be positioned at the front edge, in the centre or at the rear of the wall that is to be tiled. The scope of supply includes all components required for the installation, as well as the cable connection, power supply and sealing collar.

(Product data sheet 12.2)

## Dimensions of niches



**Note:** The intermediate shelf of niches B and C can be positioned freely.

## Set includes:



**i** Bluetooth controls also available separately!

## Niche set with LED lighting

## Schlüter®-KERDI-BOARD-NLT

niche set with LED lighting

	B x H x T (mm)	Type of light	Art. No.	£ / Set	PL (Set)
A	305 x 305 x 89	warm white	KB 12 NL TP1 AE 1	<b>271.22</b>	20
		neutral white	KB 12 NL TP1 AE 2	<b>271.22</b>	20
		RGB + white	KB 12 NL TP1 AE 9	<b>305.12</b>	20
B	305 x 508 x 89	warm white	KB 12 NL TP2 AE 1	<b>305.12</b>	20
		neutral white	KB 12 NL TP2 AE 2	<b>305.12</b>	20
		RGB + white	KB 12 NL TP2 AE 9	<b>339.01</b>	20
C	305 x 711 x 89	warm white	KB 12 NL TP3 AE 1	<b>350.31</b>	20
		neutral white	KB 12 NL TP3 AE 2	<b>350.31</b>	20
		RGB + white	KB 12 NL TP3 AE 9	<b>384.21</b>	20
D	508 x 305 x 89	warm white	KB 12 NL TP4 AE 1	<b>333.37</b>	20
		neutral white	KB 12 NL TP4 AE 2	<b>333.37</b>	20
		RGB + white	KB 12 NL TP4 AE 9	<b>350.31</b>	20
E	711 x 305 x 89	warm white	KB 12 NL TP5 AE 1	<b>406.82</b>	20
		neutral white	KB 12 NL TP5 AE 2	<b>406.82</b>	20
		RGB + white	KB 12 NL TP5 AE 9	<b>423.77</b>	20

**Note:** The dimensions represent interior clearance dimensions. The first length specification is the illuminated length.

## Technical data of the included LED modules

NLT 9 (RGB+W)		NLT 1 (warm white)		NLT 2 (neutral white)	
Dimensions of LED (B x H)	17 x 14.5 mm	Dimensions of LED (B x H)	12 x 10.5 mm	Dimensions of LED (B x H)	12 x 10.5 mm
Rated output (W/m)	See LT 23 page 80	Rated output (W/m)	See LT 23 page 80	Rated output (W/m)	See LT 23 page 80
EEC	F	EEC	E	EEC	E
Number of LED (u./m)	112	Number of LED (u./m)	280	Number of LED (u./m)	280
Colour temperature (Kelvin)	RGB+W (2700 K)	Colour temperature (Kelvin)	3000 K	Colour temperature (Kelvin)	4900 K
CRI	90	CRI	92	CRI	92
Included power supply	230 V. 15 W	Included power supply	230 V. 15 W	Included power supply	230 V. 15 W
Included cable	3 m	Included cable	3 m	Included cable	3 m





## Schlüter®-KERDI-BOARD-NLT-BR

Schlüter-KERDI-BOARD-NLT-BR are prefabricated niche sets made of KERDI-BOARD with plug-and-play LIPROTEC-LED RGB+W technology and with Bluetooth/wireless receivers. The various light colours can be selected either via the supplied remote control or via suitable Bluetooth-compatible smartphones or tablets. They are used to create illuminated niches and storage surfaces for all kinds of wall areas. These niches can be integrated into the Schlüter-KERDI waterproofing system as a bonded waterproofing assembly.

The niches are available in different dimensions. The rectangular niches are available with illumination either on the long or the narrow side. The RGB+W LED module can either be positioned at the front edge, centre or at the rear wall that is to be tiled. The scope of supply includes all components required for the installation, as well as the cable connection, power supply, LIPROTEC-PEBR 4 Bluetooth control and sealing collar. We recommend using a standard light switch for convenience.

*(Product data sheet 12.2)*



### Set includes:



**Note:** The different niche variants are listed on page 270.  
The intermediate shelf of niches B and C can be positioned freely.

## Niche set with LED lighting and controller

**Schlüter®-KERDI-BOARD-NLT-BR**

niche set with LED lighting and controller

	B x H x T (mm)	Type of light	Art. No.	£ / Set	PL (Set)
A	305 x 305 x 89	RGB + white	KB 12 NL TP1 AE 9 BR	<b>503.42</b>	20
B	305 x 508 x 89	RGB + white	KB 12 NL TP2 AE 9 BR	<b>537.36</b>	20
C	305 x 711 x 89	RGB + white	KB 12 NL TP3 AE 9 BR	<b>582.61</b>	20
D	508 x 305 x 89	RGB + white	KB 12 NL TP4 AE 9 BR	<b>548.67</b>	20
E	711 x 305 x 89	RGB + white	KB 12 NL TP5 AE 9 BR	<b>622.19</b>	20

**Note:**

The dimensions represent interior clearance dimensions. The first length specification is the illuminated length.

## Technical data of the included LED modules

**NLT 9 (RGB+W)**

Dimensions of LED (B x H)	17 x 14.5 mm
Rated output (W/m)	See LT 23 page 80
EEC	F
Number of LED (u./m)	112
CRI	90
Included power supply	230 V. 15 W
Included cable	3 m

**i**  
Detailed technical information about Schlüter-KERDI-BOARD-NLT / -NLT-BR can be found in our Schlüter-LIPROTEC illustrated price list.

## Technical data of the included Bluetooth control

**LT PEBR 4**

Receiver/remote control transmission standard	Bluetooth/radio
Max. range	10 m
Input voltage	24 V, DC
Max. total load in the LIPROTEC system	90 W
Max. length LED strips	6 m
Degree of protection	IP63
Ambient temperature	-20 °C to +50 °C



**i**  
Our Schlüter-SHELF-N shelves can be found on page 260 and 261.



## Substrate panel

### Schlüter®-KERDI-BOARD-V



Schlüter-KERDI-BOARD-V is a substrate and construction panel with vertical grooves for creating curved substrates for tile installation.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-V

substrate panel with vertical grooves

H (mm)	62.5 x 260 cm = 1.62 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
9	KB 9 625 2600 V	<b>46.69</b>	80
12.5	KB 12 625 2600 V	<b>48.45</b>	60
19	KB 19 625 2600 V	<b>50.14</b>	42
28	KB 28 625 2600 V	<b>54.62</b>	28
38	KB 38 625 2600 V	<b>60.11</b>	21
50	KB 50 625 2600 V	<b>66.33</b>	15

## Angle component

### Schlüter®-KERDI-BOARD-E



Schlüter-KERDI-BOARD-E is an angled component for creating corner formations and pipe panelling.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-E

angle component, 260 x 62.5 cm

H (mm)	31 x 31 cm Art. No.	£ / U.	PL (Unit)
12.5	KB 12 625 2600 E	<b>84.88</b>	60
19	KB 19 625 2600 E	<b>87.62</b>	42
28	KB 28 625 2600 E	<b>94.93</b>	28



#### Schlüter®-KERDI-BOARD-E/-U

combined package with precut L and U shaped Schlüter-KERDI-BOARD panels to conceal pipes or electrical conduit

composition	L = 2.60 m Art. No.	£ / U.
2 x KB 19 625 2600 E 2 x KB 19 625 2600 U 20 2 x KB 19 625 2600 U 30	KB RK 2600 MP1	<b>615.17</b>

## Pipe cover

### Schlüter®-KERDI-BOARD-U



Schlüter-KERDI-BOARD-U is a U shaped component for creating pipe panelling.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-U

U shaped component, 260 x 62.5 cm

H (mm)	21 x 20 x 21 cm Art. No.	£ / U.	PL (Unit)
19	KB 19 625 2600 U 20	<b>109.99</b>	42

#### Schlüter®-KERDI-BOARD-U

U shaped component, 260 x 62.5 cm

H (mm)	16 x 30 x 16 cm Art. No.	£ / U.	PL (Unit)
19	KB 19 625 2600 U 30	<b>109.99</b>	42


#### Schlüter®-KERDI-BOARD-E/-U

combined package with precut L and U shaped Schlüter-KERDI-BOARD panels to conceal pipes or electrical conduit

composition	L = 2.60 m Art. No.	£ / U.
2 x KB 19 625 2600 E 2 x KB 19 625 2600 U 20 2 x KB 19 625 2600 U 30	KB RK 2600 MP1	<b>615.17</b>


Sealing tape

**Schlüter®-KERDI-KEBA**



Schlüter-KERDI-KEBA is a sealing band to seal mat connections and wall to floor connections.

(Product data sheet 8.1)



**Schlüter®-KERDI-KEBA**

polyethylene rolls

B (mm)	roll = 30 m Art. No.	£ / m	PL (Roll)
85	KEBA 100 / 85	<b>2.44</b>	336
125	KEBA 100 / 125	<b>3.64</b>	210
150	KEBA 100 / 150	<b>3.84</b>	210
185	KEBA 100 / 185	<b>5.00</b>	168
250	KEBA 100 / 250	<b>6.47</b>	126

**Schlüter®-KERDI-KEBA/5M**

polyethylene rolls

B (mm)	roll = 5 m Art. No.	£ / m	P (Roll)
85	KEBA 100 / 85 / 5M	<b>3.46</b>	10
125	KEBA 100 / 125 / 5M	<b>4.58</b>	10
150	KEBA 100 / 150 / 5M	<b>4.90</b>	10
185	KEBA 100 / 185 / 5M	<b>5.96</b>	10
250	KEBA 100 / 250 / 5M	<b>7.46</b>	10


Sealing adhesive

**Schlüter®-KERDI-COLL-L**



Schlüter-KERDI-COLL-L is a two component sealant adhesive based on a solvent free acrylate dispersion and a reactive cementitious powder. It is suitable for adhering and sealing overlaps of Schlüter-KERDI membranes. In addition, Schlüter-KERDI-COLL-L can be used to tightly adhere the sealing band Schlüter-KERDI-KEBA on bonded waterproofing assemblies made with suitable Schlüter-Systems products as well as on Schlüter-BARA edging profiles.


(Product data sheet 8.4)



**Schlüter®-KERDI-COLL-L**

two-component sealing adhesive

Weight (kg)	Art. No.	£ / kg	PL (Unit)
1.85	KERDI-COLL-L 185	<b>13.14</b>	110
4.25	KERDI-COLL-L	<b>10.81</b>	75





## Angle profile

### Schlüter®-KERDI-BOARD-ZW



Schlüter-KERDI-BOARD-ZW is a 30 x 30 mm stainless steel angle profile with two trapezoid perforated anchoring legs. It is used for connecting and stabilising structures made of Schlüter-KERDI-BOARD panels. It is either attached with screws or thin-bed adhesive. (Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-ZW

stainless steel angle profile, 30 x 30 mm

L (cm)	Art. No.	£ / U.	KV (Unit)
15	KB ZW 30 E/15	<b>1.50</b>	120

#### Schlüter®-KERDI-BOARD-ZW

stainless steel angle profile, 30 x 30 mm

L (cm)	Art. No.	£ / m	KV (Unit)
250	KB ZW 30 E	<b>9.01</b>	120

## U-shaped profile | corner | joint covering piece

### Schlüter®-KERDI-BOARD-ZC



Schlüter-KERDI-BOARD-ZC is a U-shaped profile of brushed stainless steel with trapezoid perforations in one anchoring leg. It is particularly suited for the connection of kitchen work tops, vanities, and similar surfaces. (Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-ZC

U-shaped profile with trapezoid perforations on one side, brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
38	KB ZC 38 EB	<b>21.26</b>	40
50	KB ZC 50 EB	<b>23.23</b>	40

#### Schlüter®-KERDI-BOARD-ZC/E

corner piece with trapezoid perforations on one side, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
38	E/KB ZC 38 EB	<b>19.16</b>	10
50	E/KB ZC 50 EB	<b>19.16</b>	10



KERDI-BOARD-ZC/E

#### Schlüter®-KERDI-BOARD-Z/V

joint covering piece, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
38	V/KB Z 38 EB	<b>6.04</b>	50
50	V/KB Z 50 EB	<b>6.04</b>	50



KERDI-BOARD-Z/V

#### Schlüter®-KERDI-BOARD-ZI/V

internal joint covering piece, brushed stainless steel V2A


H (mm)	Art. No.	£ / U.	P (Unit)
38	V/KB ZI 38 E	<b>3.75</b>	50
50	V/KB ZI 50 E	<b>3.75</b>	50



KERDI-BOARD-ZI/V

## U-shaped profile | corner | joint covering piece

### Schlüter®-KERDI-BOARD-ZA



Schlüter-KERDI-BOARD-ZA is a U-shaped profile of brushed stainless steel with trapezoid perforations in both anchoring legs. It is particularly suited for visible edges of partition walls and shelves.

(Product data sheet 12.1)

### Schlüter®-KERDI-BOARD-ZA

U-shaped profile with trapezoid perforations on both sides, brushed stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
19	KB ZA 19 EB	<b>18.07</b>	40
28	KB ZA 28 EB	<b>19.50</b>	40
38	KB ZA 38 EB	<b>21.26</b>	40
50	KB ZA 50 EB	<b>23.23</b>	40

### Schlüter®-KERDI-BOARD-ZA/E

U shaped corner piece with trapezoid perforations on both sides, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
38	E/KB ZA 38 EB	<b>19.16</b>	10
50	E/KB ZA 50 EB	<b>19.16</b>	10



KERDI-BOARD-ZA/E

### Schlüter®-KERDI-BOARD-Z/V

joint covering piece, brushed stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
19	V/KB Z 19 EB	<b>6.04</b>	50
28	V/KB Z 28 EB	<b>6.04</b>	50
38	V/KB Z 38 EB	<b>6.04</b>	50
50	V/KB Z 50 EB	<b>6.04</b>	50



KERDI-BOARD-Z/V

### Schlüter®-KERDI-BOARD-ZI/V

internal joint covering piece, brushed stainless steel V2A


H (mm)	Art. No.	£ / U.	P (Unit)
19	V/KB ZI 19 E	<b>3.75</b>	50
28	V/KB ZI 28 E	<b>3.75</b>	50
38	V/KB ZI 38 E	<b>3.75</b>	50
50	V/KB ZI 50 E	<b>3.75</b>	50



KERDI-BOARD-ZI/V

## U-shaped profile

### Schlüter®-KERDI-BOARD-ZB



Schlüter-KERDI-BOARD-ZB is a U-shaped profile of stainless steel with trapezoid perforations in three anchoring legs. It is used for connecting and stabilising structures made of Schlüter-KERDI-BOARD panels.

(Product data sheet 12.1)

### Schlüter®-KERDI-BOARD-ZB

U-shaped profile with trapezoid perforations on three sides, stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
19	KB ZB 19 E	<b>15.57</b>	40
28	KB ZB 28 E	<b>16.82</b>	40
38	KB ZB 38 E	<b>18.19</b>	40
50	KB ZB 50 E	<b>19.94</b>	40



## Anchor

### Schlüter®-KERDI-BOARD-ZSD



Schlüter-KERDI-BOARD-ZSD are galvanised steel or stainless steel anchors for the additional mechanical fastening of Schlüter-KERDI-BOARD to the substrate.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-ZSD

anchor stainless steel

L (cm)	Art. No.	£ / Package	P (Package)
9	KB ZSD 90 E	25.92	10
11	KB ZSD 110 E	29.95	10

Package = 25 units

#### Schlüter®-KERDI-BOARD-ZSD

anchor galvanised steel

L (cm)	Art. No.	£ / Package	P (Package)
9	KB ZSD 90 Z	13.91	10
11	KB ZSD 110 Z	16.01	10

Package = 25 units

## Washer

### Schlüter®-KERDI-BOARD-ZT



Schlüter-KERDI-BOARD-ZT are galvanised steel or stainless steel washers for the attachment of Schlüter-KERDI-BOARD to stud frame structures.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-ZT

washer, stainless steel,  $\varnothing = 36$  mm

Art. No.	£ / Package	P (Package)
KB ZT 36 E	57.06	10

Package = 100 units

#### Schlüter®-KERDI-BOARD-ZT

washer, galvanised  $\varnothing = 36$  mm

Art. No.	£ / Package	P (Package)
KB ZT 36 Z	20.38	10

Package = 100 units

## Drywall screws

### Schlüter®-KERDI-BOARD-ZS



Schlüter-KERDI-BOARD-ZS are installation screws for the attachment of Schlüter-KERDI-BOARD to stud frame structures.  
(Product data sheet 12.1)

#### Schlüter®-KERDI-BOARD-ZS

35 mm fine thread self tapping screw

Art. No.	£ / Package	P (Package)
KB ZS 35 FB	6.31	10

Package = 200 units

#### Schlüter®-KERDI-BOARD-ZS

55 mm fine thread self tapping screw

Art. No.	£ / Package	P (Package)
KB ZS 55 FB	3.86	10

Package = 100 units

#### Schlüter®-KERDI-BOARD-ZS

75 mm coarse thread screw

Art. No.	£ / Package	P (Package)
KB ZS 75 G	5.79	10

Package = 100 units

## Adhesive tape

**Schlüter®-KERDI-BOARD-ZDK**

Schlüter-KERDI-BOARD-ZDK is a double sided adhesive tape for the attachment of Schlüter-KERDI-BOARD in joint areas.  
(Product data sheet 12.1)

**Schlüter®-KERDI-BOARD-ZDK**

double sided adhesive tape

B (mm)	L = 10 m Art. No.	£ / U.	P (Unit)
12	KB ZDK 12/10M	<b>8.59</b>	10
19	KB ZDK 19/10M	<b>13.31</b>	10
30	KB ZDK 30/10M	<b>20.96</b>	10

## Reinforcement

**Schlüter®-KERDI-BOARD-ZSA**


Schlüter-KERDI-BOARD-ZSA is a self adhesive tape for joint reinforcement where suitable trowel-applied covering materials or plaster is used over Schlüter-KERDI-BOARD.  
(Product data sheet 12.1)

**Schlüter®-KERDI-BOARD-ZSA**

joint reinforcement

100 mm x 45 m Art. No.	£ / U.	P (Unit)
KB ZSA 100/45M	<b>15.29</b>	10

## Flat profile

**Schlüter®-KERDI-BOARD-ZFP**

Schlüter-KERDI-BOARD-ZFP is a flat plastic profile that is adhered behind the U-shaped profile to ensure strong reinforcement for attaching fittings; e.g. door hardware.  
(Product data sheet 12.1)

**Schlüter®-KERDI-BOARD-ZFP**

flat plastic profile

35 mm x 2.50 m Art. No.	£ / m	P (Unit)
KB ZFP 35	<b>4.22</b>	10



# Schlüter-Systems

## Balcony and terrace assembly systems

The Schlüter balcony system comprises a complete range of Schlüter-BARA profiles for edge finishing and Schlüter-BARIN gutter components for the drainage of ceramic and natural stone assemblies on balconies and terraces. The system is designed to match the drainage system Schlüter-TROBA, the uncoupling and bonded waterproofing system Schlüter-DITRA, and the innovative, passive capillary bonded drainage system Schlüter-DITRA-DRAIN.



## Overview of balcony and terrace assemblies

Sample assemblies 282–285

## Uncoupling and bonded waterproofing

Schlüter®-KERDI 286

Schlüter®-DITRA 287

## Bonded drainage

Schlüter®-DITRA-DRAIN 4 287

Schlüter®-DITRA-DRAIN 8 288

Schlüter®-TROBA-PLUS 289

Schlüter®-TROBA-PLUS-G 290

Schlüter®-TROBA 291

## Support systems and installation aids

Schlüter®-TROBA-STELZ 292

Schlüter®-TROBA-LEVEL 293–295

## Drainage channels

Schlüter®-TROBA-LINE-TL 296

Schlüter®-TROBA-LINE-TLR 297

Schlüter®-TROBA-LINE-TLR-E 298

## Edge support profiles

Schlüter®-BARA-RTK 301

Schlüter®-BARA-RTKE 302

Schlüter®-BARA-RTKEG 303

Schlüter®-BARA-RKLT 317

Schlüter®-BARA-RTP 318

## Edge profiles

Schlüter®-BARA-RAK 304

Schlüter®-BARA-RAKE 305

Schlüter®-BARA-RAKEG 306

Schlüter®-BARA-RKK 307

Schlüter®-BARA-RW 308

Schlüter®-BARA-RKKE 309

Schlüter®-BARA-RKB 310

Schlüter®-BARA-RT 311

Schlüter®-BARA-RK 312

Schlüter®-BARA-RWL 313

Schlüter®-BARA-RHA 313

Schlüter®-BARA-RKL 314

Schlüter®-BARA-RAP 316

Schlüter®-BARA-FAP 316

## Skirting support profiles

Schlüter®-BARA-ESOT 318

## Gutter systems

Schlüter®-BARIN-SR 320

Schlüter®-BARIN-R 321

## Accessories

Schlüter®-TROBA-ZFK 291

Schlüter®-TROBA-LINE-TLK-E 299

Schlüter®-TROBA-LINE-TL/H 299

Schlüter®-KERDI-DRAIN-SP-E 299


Schlüter®-BARA-HV 315

Schlüter®-BARA-STU 319



## Balcony construction with the bonded waterproofing assembly Schlüter®-DITRA


Schlüter-DITRA is a bonded waterproofing assembly with tile covering. The membrane's bonded uncoupling function neutralises the stresses occurring between the substrate and the covering due to temperature fluctuations. Due to the vapour pressure equalisation function of DITRA, the residual moisture of the substrate (e.g. in green screeds) is safely drained away. Abutting joints and connections to walls and structural elements are created with the sealing band Schlüter-KERDI-KEBA and Schlüter-KERDI-COLL-L.



- ① Sloped substrate –
- ② Schlüter®-BARA-RTKEG Seite 303
- ③ Schlüter®-DITRA Seite 287
- ④ Schlüter®-KERDI-KEBA Seite 187
- Schlüter®-KERDI-COLL-L Seite 192
- ⑤ Schlüter®-DILEX-EKE Seite 138
- Schlüter®-DILEX-EF Seite 138
- Schlüter®-DILEX-EK Seite 140
- Schlüter®-DILEX-RF Seite 139
- ⑥ Schlüter®-RONDEC Seite 72
- Schlüter®-JOLLY Seite 82
- Schlüter®-QUADEC Seite 63
- ⑦ Schlüter®-BARIN Seite 320
- ⑧ Tile or natural stone covering –

## Balcony construction with the bonded drainage assembly Schlüter®-DITRA-DRAIN

The bonded waterproofing assembly Schlüter-KERDI protects the support structure against permeating moisture. The passive capillary bonded drainage membrane Schlüter-DITRA-DRAIN is installed in an adhesive between the waterproofing layer and the tile covering. This results in broad subaeration of the top covering, which in turn promotes the quick and even drying/curing of the adhesive. The uncoupling function of DITRA-DRAIN neutralises any occurring stresses.



- ① Sloped substrate –
- ② Schlüter®-BARA-RTKEG Page 302
- ③ Schlüter®-KERDI 200 Page 286
- ④ Schlüter®-KERDI-KEBA Page 187
- Schlüter®-KERDI-COLL-L Page 192
- ⑤ Schlüter®-DITRA-DRAIN 4 Page 287
- ⑥ Schlüter®-DITRA-DRAIN 8 Page 288
- ⑦ Schlüter®-DILEX-EKE Page 138
- Schlüter®-DILEX-EF Page 138
- Schlüter®-DILEX-EK Page 140
- Schlüter®-DILEX-RF Page 139
- ⑧ Schlüter®-BARIN Page 320
- ⑨ Tile or natural stone covering –

## Thin covering assembly over waterproofing layers according to DIN 18531


A waterproofing assembly that meets the requirements of DIN 18531 protects the support structure. Schlüter-TROBA-PLUS is installed as a drainage membrane between this support structure and the thin-layer Schlüter-BEKOTEC-DRAIN screed. The passive capillary bonded drainage membrane Schlüter-DITRA-DRAIN provides broad ventilation of the top covering, which promotes the quick and even curing of the adhesive.



- |   |  |
|---|--|
| ① Sloped substrate  | -  |
| ② Waterproofing   | -  |
| ③ Schlüter®-BARA-RTK  | Page 301                                     |
| ④ Schlüter®-TROBA-PLUS  | Page 289                                     |
| ⑤ Schlüter®-BEKOTEC-DRAIN   | Page 328                                     |
| ⑥ Schlüter®-KERDI-KEBA<br>Schlüter®-KERDI-COLL-L  | Page 187<br>Page 192                         |
| ⑦ Schlüter®-DITRA-DRAIN 4   | Page 287                                     |
| ⑧ Schlüter®-DILEX-EKE<br>Schlüter®-DILEX-EF<br>Schlüter®-DILEX-EK<br>Schlüter®-DILEX-RF | Page 138<br>Page 138<br>Page 140<br>Page 139 |
| ⑨ Schlüter®-RONDEC<br>Schlüter®-JOLLY<br>Schlüter®-QUADEC                               | Page 70<br>Page 82<br>Page 63                |
| ⑩ Schlüter®-BARA-RT   | Page 311                                     |
| ⑪ Schlüter®-BARIN   | Page 320                                     |
| ⑫ Tile or natural stone covering  | -  |

## Thin covering assembly over waterproofing layers in mortar beds according to DIN 18531

A waterproofing assembly that meets the requirements of DIN 18531 protects the support structure. Schlüter-TROBA-PLUS 8G is installed as a drainage membrane between the waterproofing layer and the load distribution layer (screed) to drain away seepage. This load distribution layer of cementitious or pervious mortar is installed as a thin layer, using the Schlüter-BEKOTEC-DRAIN system. The natural stone pavers are embedded in the fresh mortar.




- |                                  |          |
|----------------------------------|----------|
| ① Sloped substrate               | -        |
| ② Waterproofing                  | -        |
| ③ Schlüter®-BARA-RTK             | Page 301 |
| ④ Schlüter®-TROBA-PLUS 8G        | Page 290 |
| ⑤ Schlüter®-BEKOTEC-DRAIN        | Page 328 |
| ⑥ Schlüter®-BARA-RT              | Page 311 |
| ⑦ Schlüter®-BARIN                | Page 320 |
| ⑧ Schlüter®-TROBA-LINE-TL        | Page 296 |
| ⑨ Tile or natural stone covering | -        |



## Covering assembly over waterproofing layers according to DIN 18531


A waterproofing assembly that meets the requirements of DIN 18531 protects the support structure. Schlüter-TROBA-PLUS is installed as a drainage membrane between the waterproofing layer and the screed. The passive capillary bonded drainage and uncoupling membrane Schlüter-DITRA-DRAIN provides broad ventilation of the top covering, which promotes the quick and even curing of the adhesive.



- ① Sloped substrate –
- ② Waterproofing –
- ③ Schlüter®-BARA-RTK Page 301
- ④ Schlüter®-TROBA-PLUS Page 289
- ⑤ Schlüter®-KERDI-KEBA Page 187
- Schlüter®-KERDI-COLL-L Page 192
- ⑥ Schlüter®-DITRA-DRAIN 4 Page 287
- Schlüter®-DITRA-DRAIN 8 Page 288
- ⑦ Schlüter®-DILEX-EKE Page 138
- Schlüter®-DILEX-EF Page 138
- Schlüter®-DILEX-EK Page 140
- Schlüter®-DILEX-RF Page 139
- ⑧ Schlüter®-RONDEC Page 72
- Schlüter®-JOLLY Page 82
- Schlüter®-QUADEC Page 63
- ⑨ Schlüter®-BARA-RW Page 308
- ⑩ Schlüter®-BARIN Page 320
- ⑪ Tile or natural stone covering –

## Unbonded installation over Schlüter®-TROBA-PLUS 8G


The high-impact area drainage Schlüter-TROBA-PLUS 8G forms the support layer for self-supporting pavers and guarantees the quick drainage of seepage entering through the open joints between the pavers over the drainage assembly created with Schlüter-KERDI 200. Schlüter-TROBA-STELZ-DR are used as casting mould rings to create evenly spaced support points of mortar for the self-supporting pavers. The casting mould rings can be removed after the installation of the mortar and reused in other applications.



- ① Sloped substrate –
- ② Schlüter®-BARA-RTK Page 301
- ③ Schlüter®-KERDI 200 Page 286
- ④ Schlüter®-TROBA-PLUS 8G Page 290
- ⑤ Schlüter®-TROBA-STELZ-DR Page 292
- ⑥ Schlüter®-TROBA-LINE-TL Page 296
- ⑦ Schlüter®-BARA-RT Page 311
- ⑧ Schlüter®-BARIN Page 320
- ⑨ Tile or natural stone pavers –

## Covering assembly over pedestal supports


The variably combinable Schlüter-TROBA-LEVEL pedestal supports create a full-area sub structure for coverings made of self-supporting, large format paver elements. Depending on the requirements of the construction site, the level and slope of the surface can be precisely adjusted. Additionally, the assembly ensures the fast drainage of water permeating through the open paver joints.



- ① Sloped substrate –
- ② Waterproofing – where required area drainage can be provided with Schlüter®-TROBA-PLUS –
- ③ Schlüter®-BARA-RTK Page 301
- ④ Schlüter®-BARA-RWL Page 313
- ⑤ Schlüter®-TROBA-PLUS Page 289
- ⑥ Schlüter®-TROBA-LEVEL-PLA 30 Page 294
- ⑦ Schlüter®-TROBA-LEVEL-PLV 60 Page 294
- ⑧ Schlüter®-KERDI-KEBA Page 187  
Schlüter®-KERDI-COLL-L Page 192
- ⑨ Schlüter®-RONDEC Page 72  
Schlüter®-JOLLY Page 82  
Schlüter®-QUADEC Page 63
- ⑩ Schlüter®-BARIN Page 320
- ⑪ Tile or natural stone pavers –

## Covering assembly over gravel/crushed stone

The area drainage membrane Schlüter-TROBA serves as a protection and separating layer over the waterproofing assembly and protects it from the impression of individual gravel pieces. Additionally, the product prevents the formation of “ice concrete” when water freezes on the waterproofing assembly. It also allows for the permanently effective drainage of water permeating through the open joints between the self-supporting pavers. Thanks to the special shape of the trapezoid-shaped studs, loads are directly transferred to the waterproof substrate.



- ① Sloped substrate –
- ② Waterproofing –
- ③ Schlüter®-BARA-RKLT Page 317
- ④ Schlüter®-TROBA Page 291
- ⑤ Gravel or crushed stone layer –
- ⑥ Schlüter®-BARIN Page 320
- ⑦ Schlüter®-TROBA-LINE-TL Page 296
- ⑧ Tile or natural stone pavers –



# Permanent installation

## With waterproofing and uncoupling

Given the consistent weather exposure in outdoor areas, waterproofing and uncoupling of unbonded tile coverings on balconies and terraces is especially relevant. The proven system solutions Schlüter-DITRA and Schlüter-DITRA-DRAIN enable the tile covering to move independently of the substrate to avoid the build-up of stresses in the assembly. These systems have been used successfully in outdoor areas all over the world for many years.




Photo: Ströher GmbH

### Bonded waterproofing

#### Schlüter®-KERDI



Schlüter-KERDI is a polyethylene waterproofing membrane with an anchoring fleece laminated on both sides. It is particularly well suited for outdoor waterproofing below surface drainage assemblies with Schlüter-TROBA-PLUS or bonded drainage assemblies with Schlüter-DITRA-DRAIN.  
(Product data sheet 8.1)



#### Schlüter®-KERDI 200

polyethylene rolls

L (m)	m <sup>2</sup>	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
5	5	KERDI 200 / 5M	<b>21.76</b>	75
10	10	KERDI 200 / 10M	<b>19.67</b>	50
30	30	KERDI 200	<b>17.85</b>	20
<b>width = 1.50 m</b>				
20	30	KERDI 200 150 / 20M	<b>17.85</b>	20
<b>width = 2.00 m</b>				
15	30	KERDI 200 200 / 15M	<b>17.85</b>	20

#### Schlüter®-KERDI-DS

polyethylene rolls, vapour barrier


L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
30	KERDI-DS	<b>20.63</b>	25

#### Tool tip:

Schlüter-TROWEL, 4 x 4 notching, see page 333.


## Bonded uncoupling

## Schlüter®-DITRA



Schlüter-DITRA is a polypropylene membrane with square, dovetailed EasyFill recesses and an anchoring fleece laminated to the underside. In conjunction with tiled coverings, Schlüter-DITRA forms an uncoupling, bonded waterproofing and vapour pressure equalisation layer.

(Product data sheet 6.1)



## Schlüter®-DITRA



polypropylene rolls

L x B = m <sup>2</sup>	Art. No.	£ / m <sup>2</sup>	PL (Roll)
5.1 x 0.995 = 5	D 5M	<b>21.24</b>	22
30.2 x 0.995 = 30	D 30M	<b>17.63</b>	6

## Tool tip:

Schlüter-TROWEL, 4 x 4 notching, see page 333.




## Bonded drainage

## Schlüter®-DITRA-DRAIN 4



Schlüter-DITRA-DRAIN 4 is an impact resistant polyethylene mat with a special stud structure on one side and a polypropylene webbing laminated on the upper side. It is a universal substrate for tile coverings, which serves as an uncoupling layer and a permanently effective passive capillary drainage mat.

(Product data sheet 6.2)



## Schlüter®-DITRA-DRAIN 4

polyethylene rolls

L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
10	DITRA-DRAIN 10M	<b>21.97</b>	12
25	DITRA-DRAIN 25M	<b>19.82</b>	6


## Tool tip:

Schlüter-TROWEL, 6 x 6 notching, see page 333.

## Schlüter®-DITRA-DRAIN-STU

self-adhesive joint tape


L (m)	width = 90 mm Art. No.	£ / m	P (Unit)
5	STUV KB 90/ 5M	<b>7.40</b>	10
30	STUV KB 90/30M	<b>6.51</b>	10






## Bonded drainage

### Schlüter®-DITRA-DRAIN 8



Schlüter-DITRA-DRAIN 8 is an impact resistant polyethylene mat with a special stud structure. It features a fleece fabric on the underside for bonding with the tile adhesive and a special fleece on the top. Schlüter-DITRA-DRAIN 8 is a universal substrate for tile coverings, which serves as an uncoupling layer and a permanently effective passive capillary bonded drainage mat. (Product data sheet 6.2)



#### Schlüter®-DITRA-DRAIN 8

polyethylene rolls

L (m)	width = 1.00 m Art. No.	£ / m <sup>2</sup>	PL (Roll)
12.5	DITRA-DRAIN 8 12M	21.07	6

#### Schlüter®-DITRA-DRAIN-STU

self-adhesive joint tape

L (m)	width = 90 mm Art. No.	£ / m	P (Unit)
5	STUV KB 90/ 5M	7.40	10
30	STUV KB 90/30M	6.51	10

#### Tool tip:

Schlüter-TROWEL, 4 x 4 notching, see page 333.

## Large formats

### Systematic installation



Large tile and stone formats in thicknesses of 2 cm (20 mm) are common for balconies and terraces, installed as unbonded applications with open joints. Schlüter-Systems has all the right materials for these installations in external areas. These include Schlüter-TROBA-LEVEL (see from page 293), Schlüter-TROBA-PLUS 8G (see page 290) and Schlüter-TROBA-STELZ-DR (see page 292) as well as Schlüter-BARA-RKL (see page 314).

# Schlüter®-TROBA-PLUS

## Quick installation – high impact resistance



- ✓ Surface drainage for exterior coverings
- ✓ Passive capillary drainage
- ✓ Full-area stiling 8 or 12 mm
- ✓ Full load transfer up to 39 t/m<sup>2</sup>


### Drainage

## Schlüter®-TROBA-PLUS



Schlüter-TROBA-PLUS is a durable and reliable sub surface drainage system that prevents the possibility of capillary action. The closely positioned conical studs can withstand heavy loads and are covered by a water permeable fleece webbing. The studded mat raises the entire surface assembly, creating a continuous drainage area.

(Product data sheet 7.2)



### Schlüter®-TROBA-PLUS 8

polyethylene rolls

H (mm)	12.5 x 1 m = 12.5 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Roll)
8	TROBA-PLUS 8	18.36	6

### Schlüter®-TROBA-PLUS 12

polyethylene rolls

H (mm)	10 x 1 m = 10 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Roll)
12	TROBA-PLUS 12	20.27	6

### Schlüter®-DITRA-DRAIN-STU

self-adhesive joint tape

L (m)	width = 90 mm Art. No.	£ / m	P (Unit)
5	STUV KB 90/ 5M	7.40	10
30	STUV KB 90/30M	6.51	10



# Schlüter®-TROBA-PLUS-G

## Passive capillary surface drainage

Proven product for safe drainage of any moisture from balconies and terraces:

- ✓ Particularly well suited for combination with pervious mortar
- ✓ Passive capillary surface drainage
- ✓ High loading capacity up to 39 t/m<sup>2</sup>
- ✓ Covering is fully supported due to truncated conical studs
- ✓ Continuous sub surface space provides ventilation and drainage




© Villeroy & Boch

### Drainage

## Schlüter®-TROBA-PLUS-G



Schlüter-TROBA-PLUS-G is a durable and reliable sub surface drainage system that prevents the possibility of capillary action. The closely positioned conical studs can withstand heavy loads and are covered by a water permeable fleece webbing. The studded mat raises the entire surface assembly, creating a continuous drainage area. Schlüter-TROBA-PLUS 8G is especially suitable for combination with drainage screeds. (Product data sheet 7.2)



### Schlüter®-TROBA-PLUS 8G

polyethylene rolls


H (mm)	12.5 x 1 m = 12.5 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Roll)
8	TROBA-PLUS 8G	21.44	6

## Drainage

## Schlüter®-TROBA



Schlüter-TROBA is a separation and drainage layer for use above a horizontal waterproofing layer and below a screed or gravel layer. It consists of a pressure stable polyethylene sheet with perforated studs for reliable drainage. Tile applications above screeds require the installation of Schlüter-DITRA as an uncoupling and waterproofing membrane. (Product data sheet 7.1)



## Schlüter®-TROBA-MA

polyethylene mats

1 x 1 m = 1 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Unit)
TROBA-MA	16.78	220

## Schlüter®-TROBA-RO

polyethylene rolls


20 x 1 m = 20 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	PL (Roll)
TROBA-RO	16.31	6

## Tile spacer

## Schlüter®-TROBA-ZFK



Schlüter-TROBA-ZFK are spacers that ensure an even joint appearance of unbonded assemblies of ceramic, natural stone or concrete pavers in gravel or split stone beds, for example over Schlüter-TROBA. The joint width is 3 mm, the height of the spacers is 15 mm. A height of 30 mm can be achieved by clipping the tile spacers together. (Product data sheet 7.6)



## Schlüter®-TROBA-ZFK

tile spacer (3 mm)

H (mm)	Art. No.	£ / Package	P (Package)
15	TZ FK 3	17.20	60

Package = 50 units




## Support system

### Schlüter®-TROBA-STELZ-MR



Schlüter-TROBA-STELZ-MR are plastic rings that provide assistance in laying large format pavers on balconies and terraces. The 25 mm high plastic rings are positioned at the cross joints where the pavers meet and are filled with mortar.

(Product data sheet 7.3)



### Schlüter®-TROBA-STELZ-MR

plastic ring

Art. No.	£ / U.	PL (Unit)
TROBA-STELZ	1.36	3000


Package = 50 units

### Schlüter®-TROBA-STELZ-DR



Schlüter-TROBA-STELZ-DR are formwork rings for thin bed mortar installed over Schlüter-TROBA-PLUS. After the installation of mortar, the rings can either remain in place or be removed and reused.

(Product data sheet 7.5)



### Schlüter®-TROBA-STELZ-DR

plastic ring

Art. No.	£ / Package	P (Package)
TROBA-STELZ-DR	10.84	100

Package = 10 units

# Schlüter®-TROBA-LEVEL

## Unbonded installation – reliable millimetre precision



With Schlüter-TROBA-LEVEL, you can quickly install self-supporting pavers on balconies and terraces with lasting precision. The small number of different product components can be variably combined to reliably level virtually any slope and construction site situation. Starting from assembly heights of 3 mm!

- ✓ **Levelling uneven areas, e.g. above welded waterproofing joints**
- ✓ **Stable installation with millimetre-precision levelling**
- ✓ **Anti-twist protection**
- ✓ **Vibration lock – prevents twisting in case of vibrations**


### Support system

#### Schlüter®-TROBA-LEVEL-PL 10



Schlüter-TROBA-LEVEL-PL 10 are stackable supports for tiles and pavers – regardless of their format and thickness. They are made of a special synthetic material with sound insulation effect and can be installed directly over the waterproofing assembly. The 3 mm connectors enable consistent joint appearance and are able to absorb movements in the covering. TROBA-LEVEL-PL 10 can be stacked up to a height of 200 mm and can also be combined with other supports of the product range.

(Product data sheet 7.6)



#### Schlüter®-TROBA-LEVEL-PL 10

PE supports, diameter 120 mm

H (mm)	Art. No.	£ / U.	P (Unit)
10	TL PL 10	2.84	100




## Support system

### Schlüter®-TROBA-LEVEL-PLA 30



Schlüter-TROBA-LEVEL-PLA 30 are height adapters for supported tile and paver coverings. From an assembly height of 50 mm, one or more TROBA-LEVEL-PLA 30 adapters can be inserted between two Schlüter-TROBA-LEVEL-PL 10 paver supports. TROBA-LEVEL-PLA 30 can be stacked up to a height of 300 mm and can be combined with the paver supports TROBA-LEVEL-PLV 60 and TROBA-LEVEL-LV 3. (Product data sheet 7.6)



#### Schlüter®-TROBA-LEVEL-PLA 30

PE adapter, diameter 120 mm


H (mm)	Art. No.	£ / U.	P (Unit)
30	TL PLA 30	3.44	52



### Schlüter®-TROBA-LEVEL-AP 1



Schlüter-TROBA-LEVEL-AP 1 levelling shims help to adjust the pavers in various slope situations. Differences in tile and paver thickness, uneven areas in the ground or a minor slope can be adjusted by up to 10 mm per corner. (Product data sheet 7.6)



#### Schlüter®-TROBA-LEVEL-AP 1

PE levelling shims, cut into quarters


H (mm)	Art. No.	£ / Package	P (Package)
1	TL AP 1	37.26	8

Package = 250 units

### Schlüter®-TROBA-LEVEL-PLV 60



Schlüter-TROBA-LEVEL-PLV 60 are adjustable supports that can be variably adjusted from 60 - 130 mm with an adjustment ring, utilising the two opposing threads. The identical support at the head (diameter 120 mm) enables individual stacking in combination with TROBA-LEVEL-PL 10 and -PLA 30. If necessary, TROBA-LEVEL-AP 1 levelling shims can be used for precision adjustment and slope levelling. Assembly heights up to 520 mm can be achieved by stacking two or more TROBA-LEVEL-PLV 60 units. The support head is equipped with 3 mm connectors and features an additional perimeter spacer. (Product data sheet 7.6)



#### Schlüter®-TROBA-LEVEL-PLV 60

PP support, bottom plate diameter 200 mm


H (mm)	Art. No.	£ / U.	P (Unit)
60-130	TL PLV 60	11.00	48

## Support system

**Schlüter®-TROBA-LEVEL-LV 3**

Schlüter-TROBA-LEVEL-LV 3 are paver supports for load distribution in conjunction with TROBA-LEVEL-PL 10, -PLA 30 and -AP 1. The paver supports also allow for creating structures with low assembly heights. TROBA-LEVEL-LV 3 can be cut to size and features 3 mm connectors.

(Product data sheet 7.6)

**Schlüter®-TROBA-LEVEL-LV 3**


PP supports, diameter 200 mm

H (mm)	Art. No.	£ / U.	P (Unit)
3	TL LV 3	4.58	100

**Schlüter®-TROBA-LEVEL-PLA 70**

Schlüter-TROBA-LEVEL-PLA 70 are height adapters for supported tile and paver coverings. They are screwed into the paver support bottom of TROBA-LEVEL-PLV 60.

(Product data sheet 7.6)

**Schlüter®-TROBA-LEVEL-PLA 70**


PP adapter

H (mm)	Art. No.	£ / U.	P (Unit)
70	TL PLA 70	6.99	30

**Schlüter®-TROBA-LEVEL-PLS 6**

Schlüter-TROBA-LEVEL-PLS 6 are waterproof layer protection pads made of granulated rubber. The paver support bottom of TROBA-LEVEL-PLV 60 or TROBA-LEVEL-LV 3 must be attached in the slit cuts of the protective pads TROBA-LEVEL-PLS 6 (6 mm). In the case of PVC waterproofing assemblies, the aluminium separating layer of the protective pads must be installed face down. If using TROBA-LEVEL-PL 10, these must be placed in the centre of the pads.

(Product data sheet 7.6)

**Schlüter®-TROBA-LEVEL-PLS 6**

granulated rubber

H (mm)	Art. No.	£ / Package	P (Package)
6	TL PLS 6	29.25	5

Package = 10 units




## Drainage channel | reinforcement

### Schlüter®-TROBA-LINE-TL



Schlüter-TROBA-LINE-TL is a stainless steel drainage channel that can be installed at low levels to create doorsill or wall connections on balconies and terraces to prevent water accumulation. This can also be used as an area drainage channel.  
(Product data sheet 7.4)



#### Schlüter®-TROBA-LINE-TL

stainless steel V2A perforated channel,  
B = 75 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TL2 V2A 75/200	<b>212.56</b>	60
40	TL4 V2A 75/200	<b>253.07</b>	60
L = 1.50 m			
20	TL2 V2A 75/150	<b>164.12</b>	60
40	TL4 V2A 75/150	<b>194.58</b>	60
L = 1.00 m			
20	TL2 V2A 75/100	<b>115.75</b>	60
40	TL4 V2A 75/100	<b>136.01</b>	60
L = 0.75 m			
20	TL2 V2A 75/ 75	<b>91.57</b>	60
40	TL4 V2A 75/ 75	<b>106.77</b>	60

#### Schlüter®-TROBA-LINE-TL

stainless steel V2A perforated channel,  
B = 110 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TL2 V2A 110/200	<b>250.29</b>	40
40	TL4 V2A 110/200	<b>290.85</b>	40
L = 1.50 m			
20	TL2 V2A 110/150	<b>192.48</b>	40
40	TL4 V2A 110/150	<b>222.88</b>	40
L = 1.00 m			
20	TL2 V2A 110/100	<b>134.66</b>	40
40	TL4 V2A 110/100	<b>154.94</b>	40
L = 0.75 m			
20	TL2 V2A 110/ 75	<b>105.74</b>	40
40	TL4 V2A 110/ 75	<b>120.89</b>	40

#### Schlüter®-TROBA-LINE-TL

stainless steel V2A perforated channel,  
B = 160 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TL2 V2A 160/200	<b>306.03</b>	40
40	TL4 V2A 160/200	<b>346.56</b>	40
L = 1.50 m			
20	TL2 V2A 160/150	<b>234.28</b>	40
40	TL4 V2A 160/150	<b>264.67</b>	40
L = 1.00 m			
20	TL2 V2A 160/100	<b>162.50</b>	40
40	TL4 V2A 160/100	<b>182.73</b>	40
L = 0.75 m			
20	TL2 V2A 160/ 75	<b>126.63</b>	40
40	TL4 V2A 160/ 75	<b>141.82</b>	40

#### Schlüter®-TROBA-LINE-TLG

stainless steel V2A closed bottom channel,  
B = 75 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TLG2 V2A 75/200	<b>212.56</b>	60
40	TLG4 V2A 75/200	<b>253.07</b>	60
L = 1.50 m			
20	TLG2 V2A 75/150	<b>164.12</b>	60
40	TLG4 V2A 75/150	<b>194.58</b>	60
L = 1.00 m			
20	TLG2 V2A 75/100	<b>115.75</b>	60
40	TLG4 V2A 75/100	<b>136.01</b>	60
L = 0.75 m			
20	TLG2 V2A 75/ 75	<b>91.57</b>	60
40	TLG4 V2A 75/ 75	<b>106.77</b>	60

#### Schlüter®-TROBA-LINE-TLG

stainless steel V2A closed bottom channel,  
B = 110 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TLG2 V2A 110/200	<b>250.29</b>	40
40	TLG4 V2A 110/200	<b>290.85</b>	40
L = 1.50 m			
20	TLG2 V2A 110/150	<b>192.48</b>	40
40	TLG4 V2A 110/150	<b>222.88</b>	40
L = 1.00 m			
20	TLG2 V2A 110/100	<b>134.66</b>	40
40	TLG4 V2A 110/100	<b>154.94</b>	40
L = 0.75 m			
20	TLG2 V2A 110/ 75	<b>105.74</b>	40
40	TLG4 V2A 110/ 75	<b>120.89</b>	40

#### Schlüter®-TROBA-LINE-TLG


stainless steel V2A closed bottom channel,  
B = 160 mm

H (mm)	L = 2.00 m Art. No.	€ / U.	KV (Unit)
20	TLG2 V2A 160/200	<b>306.03</b>	40
40	TLG4 V2A 160/200	<b>346.56</b>	40
L = 1.50 m			
20	TLG2 V2A 160/150	<b>234.28</b>	40
40	TLG4 V2A 160/150	<b>264.67</b>	40
L = 1.00 m			
20	TLG2 V2A 160/100	<b>162.50</b>	40
40	TLG4 V2A 160/100	<b>182.73</b>	40
L = 0.75 m			
20	TLG2 V2A 160/ 75	<b>126.63</b>	40
40	TLG4 V2A 160/ 75	<b>141.82</b>	40

**Schlüter®-TROBA-LINE-TL/V**

reinforcement for TL and TLG,  
stainless steel V2A

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 V / 200	<b>97.20</b>	60
40	TL4 V / 200	<b>121.17</b>	60
	L = 1.50 m		
20	TL2 V / 150	<b>72.87</b>	60
40	TL4 V / 150	<b>90.87</b>	60

**Schlüter®-TROBA-LINE-TL/V**

reinforcement for TL and TLG,  
stainless steel V2A

H (mm)	L = 1.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 V / 100	<b>48.60</b>	60
40	TL4 V / 100	<b>60.61</b>	60
	L = 0.75 m		
20	TL2 V / 75	<b>36.45</b>	60
40	TL4 V / 75	<b>45.41</b>	60

**Note:**


Two end covers/connectors are enclosed with each Schlüter-TROBA-LINE-TL drainage channel.

In the event of higher traffic loads, e.g. from foot traffic or wheelchairs, it is recommended to use the reinforcement Schlüter-TROBA-LINE-TL/V for 110 and 160 mm widths (please order separately).

**Drainage channel****Schlüter®-TROBA-LINE-TLR**

Schlüter-TROBA-LINE-TLR is a drainage channel with a lower part of stainless steel and an upper drainage grate of galvanized steel. It can be installed at low levels to create doorsill or wall connections on balconies and terraces to prevent water accumulation. It can also be used as an area drainage channel for higher water quantities.

(Product data sheet 7.4)

**Schlüter®-TROBA-LINE-TLR**

perforated channel with galvanised grate,  
B = 110 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 R 110/200	<b>260.70</b>	40
40	TL4 R 110/200	<b>373.18</b>	40
	L = 1.50 m		
20	TL2 R 110/150	<b>216.59</b>	40
40	TL4 R 110/150	<b>317.50</b>	40
	L = 1.00 m		
20	TL2 R 110/100	<b>139.82</b>	40
40	TL4 R 110/100	<b>196.08</b>	40
	L = 0.75 m		
20	TL2 R 110/ 75	<b>117.76</b>	40
40	TL4 R 110/ 75	<b>168.25</b>	40

**Schlüter®-TROBA-LINE-TLR**

perforated channel with galvanised grate,  
B = 160 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 R 160/200	<b>316.34</b>	40
40	TL4 R 160/200	<b>425.37</b>	40
	L = 1.50 m		
20	TL2 R 160/150	<b>263.16</b>	40
40	TL4 R 160/150	<b>361.49</b>	40
	L = 1.00 m		
20	TL2 R 160/100	<b>167.67</b>	40
40	TL4 R 160/100	<b>222.16</b>	40
	L = 0.75 m		
20	TL2 R 160/ 75	<b>141.07</b>	40
40	TL4 R 160/ 75	<b>190.20</b>	40

**Note:**

Two end covers/connectors are enclosed with each TROBA-LINE-TLR drainage channel.

The grate of TROBA-LINE-TLR in lengths of 1.50 m and 2.00 m consists of two parts, respectively (2 x 0.75 m or 2 x 1.00 m).

**Schlüter®-TROBA-LINE-TLGR**

closed channel with galvanised grate,  
B = 110 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
40	TLG4 R 110/200	<b>373.18</b>	40
	L = 1.50 m		
40	TLG4 R 110/150	<b>258.59</b>	40
	L = 1.00 m		
40	TLG4 R 110/100	<b>196.08</b>	40
	L = 0.75 m		
40	TLG4 R 110/ 75	<b>138.75</b>	40

**Schlüter®-TROBA-LINE-TLGR**

closed channel with galvanised grate,  
B = 160 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
40	TLG4 R 160/200	<b>425.37</b>	40
	L = 1.50 m		
40	TLG4 R 160/150	<b>361.49</b>	40
	L = 1.00 m		
40	TLG4 R 160/100	<b>222.16</b>	40
	L = 0.75 m		
40	TLG4 R 160/ 75	<b>190.20</b>	40




## Drainage channel

### Schlüter®-TROBA-LINE-TLR-E



Schlüter-TROBA-LINE-TLR-E is a drainage channel with an upper drainage grate made of polished stainless steel. It can be installed at low levels to create doorsill or wall connections on balconies and terraces to prevent water accumulation. It can also be used as an area drainage channel for higher water quantities.

(Product data sheet 7.4)



#### Schlüter®-TROBA-LINE-TLR-E

perforated channel with grate,  
stainless steel V2A, B = 110 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 R EP 110/200	<b>430.46</b>	40
40	TL4 R EP 110/200	<b>556.41</b>	40
<b>L = 1.50 m</b>			
20	TL2 R EP 110/150	<b>370.37</b>	40
40	TL4 R EP 110/150	<b>481.50</b>	40
<b>L = 1.00 m</b>			
20	TL2 R EP 110/100	<b>224.63</b>	40
40	TL4 R EP 110/100	<b>287.61</b>	40
<b>L = 0.75 m</b>			
20	TL2 R EP 110/ 75	<b>194.62</b>	40
40	TL4 R EP 110/ 75	<b>250.16</b>	40

#### Schlüter®-TROBA-LINE-TLR-E

perforated channel with grate,  
stainless steel V2A, B = 160 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
20	TL2 R EP 160/200	<b>563.89</b>	40
40	TL4 R EP 160/200	<b>689.45</b>	40
<b>L = 1.50 m</b>			
20	TL2 R EP 160/150	<b>490.25</b>	40
40	TL4 R EP 160/150	<b>595.55</b>	40
<b>L = 1.00 m</b>			
20	TL2 R EP 160/100	<b>291.37</b>	40
40	TL4 R EP 160/100	<b>354.13</b>	40
<b>L = 0.75 m</b>			
20	TL2 R EP 160/ 75	<b>254.55</b>	40
40	TL4 R EP 160/ 75	<b>307.18</b>	40

#### Note:

Two end covers/connectors are enclosed with each TROBA-LINE-TLR-E drainage channel.

The grate of TROBA-LINE-TLR-E in lengths of 1.50 m and 2.00 m consists of two parts, respectively (2 x 0.75 m or 2 x 1.00 m).

#### Schlüter®-TROBA-LINE-TLGR-E

closed channel with grate,  
stainless steel V2A, B = 110 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
40	TLG4 R EP 110/200	<b>556.41</b>	40
<b>L = 1.50 m</b>			
40	TLG4 R EP 110/150	<b>481.50</b>	40
<b>L = 1.00 m</b>			
40	TLG4 R EP 110/100	<b>287.61</b>	40
<b>L = 0.75 m</b>			
40	TLG4 R EP 110/ 75	<b>250.16</b>	40


#### Schlüter®-TROBA-LINE-TLGR-E

closed channel with grate,  
stainless steel V2A, B = 160 mm

H (mm)	L = 2.00 m Art. No.	£ / U.	KV (Unit)
40	TLG4 R EP 160/200	<b>689.45</b>	40
<b>L = 1.50 m</b>			
40	TLG4 R EP 160/150	<b>595.55</b>	40
<b>L = 1.00 m</b>			
40	TLG4 R EP 160/100	<b>354.13</b>	40
<b>L = 0.75 m</b>			
40	TLG4 R EP 160/ 75	<b>307.18</b>	40


## Gravel retaining angle

## Schlüter®-TROBA-LINE-TLK-E



Schlüter-TROBA-LINE-TLK-E is a gravel retaining stainless steel angle to be used at the edge of coverings or load distribution layers.

(Product data sheet 7.4)



## Schlüter®-TROBA-LINE-TLK-E

stainless steel V2A

L (cm)	Art. No.	£ / U.	KV (Unit)
75	TLKE 4070 / 75	<b>38.35</b>	40
100	TLKE 4070 / 100	<b>42.91</b>	40


## Height adjustment

## Schlüter®-TROBA-LINE-TL/H



Schlüter-TROBA-LINE-TL/H is a height adjustment insert that allows for the seamless height adjustment of the perforated drainage channels Schlüter-TROBA-LINE-TL and Schlüter-TROBA-LINE-TLR with a height of 40 mm.

(Product data sheet 7.4)



## Schlüter®-TROBA-LINE-TL/H

height adjustment insert, B = 75 mm

H (mm)	L = 135 mm Art. No.	£ / Set	KV (Set)
0-20	TL2 H 75*	<b>22.52</b>	40
20-40	TL4 H 75**	<b>24.08</b>	40

Variable heights \* 0-20 mm / \*\* 20-40 mm

## Schlüter®-TROBA-LINE-TL/H

height adjustment insert, B = 110 mm

H (mm)	L = 135 mm Art. No.	£ / Set	KV (Set)
0-20	TL2 H 110*	<b>23.99</b>	40
20-40	TL4 H 110**	<b>25.56</b>	40

Set of 4 screws

## Schlüter®-TROBA-LINE-TL/H

height adjustment insert, B = 160 mm

H (mm)	L = 135 mm Art. No.	£ / Set	KV (Set)
0-20	TL2 H 160*	<b>26.21</b>	40
20-40	TL4 H 160**	<b>27.77</b>	40


## Spout

## Schlüter®-KERDI-DRAIN-SP-E



Schlüter-KERDI-DRAIN-SP-E is a stainless steel spout for draining balconies and terraces that are enclosed by a parapet. The supplied Schlüter-KERDI collar is attached to the large adhesive flange for the simple and safe connection to waterproofing assemblies.

(Product data sheet 8.5)



## Schlüter®-KERDI-DRAIN-SP-E

stainless steel V2A

L (cm)	Art. No.	£ / Set	P (Set)
25	KD SPE 45/25	<b>111.27</b>	10
40	KD SPE 45/40	<b>118.20</b>	10



# Schlüter®-BARA balcony profiles


Cover, protect, support

No matter which balcony assembly you choose, the Schlüter-BARA assortment of balcony finishing profiles is sure to include the right edge profile. They cover the structural assembly and effectively protect the edges of balconies and terraces. On request, many of our edge profiles are also available with brackets for easy attachment of the high-quality BARIN gutter system.




## Edge support profile

## Schlüter®-BARA-RTK



Schlüter-BARA-RTK is an edge profile with a drip edge for floor assemblies that have an existing sloped screed. The profile features a profile chamber for attaching the Schlüter-BARIN gutter system. Tiles may also be installed with an overhang. As an alternative, a Schlüter-JOLLY profile can be installed over the grooved transition to the drip lip to protect the edge of the tile.

(Product data sheet 5.9)



## Schlüter®-BARA-RTK

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
RTK 30 ...*	39.78	40

## Corner | end cap | connector

## Schlüter®-BARA-RTK/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / RTK 30 ...*	50.50	10

## Schlüter®-BARA-RTK/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / RTK 30 ...*	55.59	10

## Schlüter®-BARA-RTK/I 90°

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / RTK 30 ...*	50.50	10

## Schlüter®-BARA-RT/EK

end cap

Art. No.	£ / U.	P (Unit)
E / RT 30 ...*	2.88	50

## Schlüter®-BARA-RTK/V

connector

Art. No.	£ / U.	P (Unit)
V / RT 30 ...*	3.01	50

To complete the art. no., add the colour (e.g. V / RT 30 RB)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.




## Edge support profile

### Schlüter®-BARA-RTKE



Schlüter-BARA-RTKE is an edge profile with a drip edge for installation over finished sloped screeds. The profile features a profile chamber for attaching the Schlüter-BARIN gutter system. BARA-RTKE is especially suited for assemblies with the bonded drainage mat Schlüter-DITRA-DRAIN. The perforated outer edges give the exterior perimeter of tiled areas a neat appearance.

(Product data sheet 5.21)



### Schlüter®-BARA-RTKE

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RTKE 10 ...*	48.01	40
15	RTKE 15 ...*	48.52	40
18	RTKE 18 ...*	49.75	40
21	RTKE 21 ...*	50.78	40
23	RTKE 23 ...*	52.37	40

#### Note:

The 23 mm profile height is also suitable for use with Schlüter-DITRA-DRAIN 8.

## Corner | connector

### Schlüter®-BARA-RTKE/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E90 / RTKE 10 ...*	57.99	10
15	E90 / RTKE 15 ...*	57.99	10
18	E90 / RTKE 18 ...*	57.99	10
21	E90 / RTKE 21 ...*	57.99	10
23	E90 / RTKE 23 ...*	57.99	10

### Schlüter®-BARA-RTKE/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E135 / RTKE 10 ...*	57.99	10
15	E135 / RTKE 15 ...*	57.99	10
18	E135 / RTKE 18 ...*	57.99	10
21	E135 / RTKE 21 ...*	57.99	10
23	E135 / RTKE 23 ...*	57.99	10

### Schlüter®-BARA-RTKE/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	I90 / RTKE 10 ...*	57.99	10
15	I90 / RTKE 15 ...*	57.99	10
18	I90 / RTKE 18 ...*	57.99	10
21	I90 / RTKE 21 ...*	57.99	10
23	I90 / RTKE 23 ...*	57.99	10

### Schlüter®-BARA-RTKE/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
10	V / RTKE 10 ...*	3.22	50
15	V / RTKE 15 ...*	3.22	50
18	V / RTKE 18 ...*	3.22	50
21	V / RTKE 21 ...*	3.22	50
23	V / RTKE 23 ...*	3.22	50

To complete the art. no., add the colour (e.g. V / RTKE 10 PG)



\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.


## Edge support profile

## Schlüter®-BARA-RTKEG



Schlüter-BARA-RTKEG is an edge profile with a drip edge for installation over finished sloped screeds. The profile features a profile chamber for attaching the Schlüter-BARIN gutter system. It is specifically designed for use with the bonded uncoupling membrane Schlüter-DITRA. The closed outer edges give the exterior perimeter of tiled areas a neat appearance.

(Product data sheet 5.21)



## Schlüter®-BARA-RTKEG

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4	RTKEG 4 ...*	<b>37.69</b>	40
10	RTKEG 10 ...*	<b>38.20</b>	40
15	RTKEG 15 ...*	<b>38.88</b>	40
18	RTKEG 18 ...*	<b>40.15</b>	40
21	RTKEG 21 ...*	<b>41.15</b>	40

## Corner | connector

## Schlüter®-BARA-RTKEG/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	E90 / RTKEG 4 ...*	<b>52.18</b>	10
10	E90 / RTKEG 10 ...*	<b>52.18</b>	10
15	E90 / RTKEG 15 ...*	<b>52.18</b>	10
18	E90 / RTKEG 18 ...*	<b>52.18</b>	10
21	E90 / RTKEG 21 ...*	<b>52.18</b>	10

## Schlüter®-BARA-RTKEG/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	E135 / RTKEG 4 ...*	<b>52.18</b>	10
10	E135 / RTKEG 10 ...*	<b>52.18</b>	10
15	E135 / RTKEG 15 ...*	<b>52.18</b>	10
18	E135 / RTKEG 18 ...*	<b>52.18</b>	10
21	E135 / RTKEG 21 ...*	<b>52.18</b>	10

## Schlüter®-BARA-RTKEG/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	I90 / RTKEG 4 ...*	<b>52.18</b>	10
10	I90 / RTKEG 10 ...*	<b>52.18</b>	10
15	I90 / RTKEG 15 ...*	<b>52.18</b>	10
18	I90 / RTKEG 18 ...*	<b>52.18</b>	10
21	I90 / RTKEG 21 ...*	<b>52.18</b>	10

## Schlüter®-BARA-RTKE/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
4	V / RTKE 4 ...*	<b>3.22</b>	50
10	V / RTKE 10 ...*	<b>3.22</b>	50
15	V / RTKE 15 ...*	<b>3.22</b>	50
18	V / RTKE 18 ...*	<b>3.22</b>	50
21	V / RTKE 21 ...*	<b>3.22</b>	50

To complete the art. no., add the colour (e.g. V / RTKE 4 PG)



\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.




## Edge profile

### Schlüter®-BARA-RAK



Schlüter-BARA-RAK is a colour coated aluminium balcony edge profile with a drip edge. It is fitted to the edges of finished inclined surfaces to form both an edging and a drip edge. (Product data sheet 5.5)



#### Schlüter®-BARA-RAK

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
RAK 50 ...*	34.82	40

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | end cap | connector

#### Schlüter®-BARA-RAK/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / RAK 50 ...*	46.41	10

#### Schlüter®-BARA-RAK/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / RAK 50 ...*	51.09	10

#### Schlüter®-BARA-RAK/I 90°

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / RAK 50 ...*	46.41	10

#### Schlüter®-BARA-RT/EK

end cap

Art. No.	£ / U.	P (Unit)
E / RT 30 ...*	2.88	50

#### Schlüter®-BARA-RTK/V

connector

Art. No.	£ / U.	P (Unit)
V / RT 30 ...*	3.01	50

To complete the art. no., add the colour (e.g. V / RT 30 RB)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.

#### Note:

Schlüter-BARA-RAK is not designed for attaching the Schlüter-BARIN gutter systems. However, it is feasible by drilling holes (diameter 7 mm).




## Edge profile

## Schlüter®-BARA-RAKE



Schlüter-BARA-RAKE is an edge profile with a drip edge for installation over finished sloped screeds. BARA-RAKE is especially suited for assemblies with the bonded drainage mat Schlüter-DITRA-DRAIN. The perforated outer edges give the exterior perimeter of tiled areas a neat appearance.

(Product data sheet 5.22)



## Schlüter®-BARA-RAKE

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RAKE 10 ...*	48.52	40
15	RAKE 15 ...*	51.40	40
18	RAKE 18 ...*	51.67	40
21	RAKE 21 ...*	52.16	40

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | connector

## Schlüter®-BARA-RAKE/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E90 / RAKE 10 ...*	57.80	10
15	E90 / RAKE 15 ...*	57.80	10
18	E90 / RAKE 18 ...*	57.80	10
21	E90 / RAKE 21 ...*	57.80	10

## Schlüter®-BARA-RAKE/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E135 / RAKE 10 ...*	57.80	10
15	E135 / RAKE 15 ...*	57.80	10
18	E135 / RAKE 18 ...*	57.80	10
21	E135 / RAKE 21 ...*	57.80	10

## Schlüter®-BARA-RAKE/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	I90 / RAKE 10 ...*	57.80	10
15	I90 / RAKE 15 ...*	57.80	10
18	I90 / RAKE 18 ...*	57.80	10
21	I90 / RAKE 21 ...*	57.80	10

## Schlüter®-BARA-RTKE/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
10	V / RTKE 10 ...*	3.22	50
15	V / RTKE 15 ...*	3.22	50
18	V / RTKE 18 ...*	3.22	50
21	V / RTKE 21 ...*	3.22	50

To complete the art. no., add the colour (e.g. V / RTKE 10 PG)



\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.




## Edge profile

### Schlüter®-BARA-RAKEG



Schlüter-BARA-RAKEG is an edge profile with a drip edge for installation on finished sloped screeds. It is specifically designed for use with the bonded uncoupling membrane Schlüter-DITRA. The closed outer edges give the exterior perimeter of tiled areas a neat appearance.

(Product data sheet 5.22)



### Schlüter®-BARA-RAKEG

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
4	RAKEG 4 ...*	38.00	40
10	RAKEG 10 ...*	38.58	40
15	RAKEG 15 ...*	41.58	40
18	RAKEG 18 ...*	41.75	40
21	RAKEG 21 ...*	42.26	40

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | connector

### Schlüter®-BARA-RAKEG/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	E90 / RAKEG 4 ...*	52.02	10
10	E90 / RAKEG 10 ...*	52.02	10
15	E90 / RAKEG 15 ...*	52.02	10
18	E90 / RAKEG 18 ...*	52.02	10
21	E90 / RAKEG 21 ...*	52.02	10

### Schlüter®-BARA-RAKEG/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	E135 / RAKEG 4 ...*	52.02	10
10	E135 / RAKEG 10 ...*	52.02	10
15	E135 / RAKEG 15 ...*	52.02	10
18	E135 / RAKEG 18 ...*	52.02	10
21	E135 / RAKEG 21 ...*	52.02	10

### Schlüter®-BARA-RAKEG/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
4	I90 / RAKEG 4 ...*	52.02	10
10	I90 / RAKEG 10 ...*	52.02	10
15	I90 / RAKEG 15 ...*	52.02	10
18	I90 / RAKEG 18 ...*	52.02	10
21	I90 / RAKEG 21 ...*	52.02	10

### Schlüter®-BARA-RTKE/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
4	V / RTKE 4 ...*	3.22	50
10	V / RTKE 10 ...*	3.22	50
15	V / RTKE 15 ...*	3.22	50
18	V / RTKE 18 ...*	3.22	50
21	V / RTKE 21 ...*	3.22	50

To complete the art. no., add the colour (e.g. V / RTKE 4 GM)



\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.




## Edge profile

## Schlüter®-BARA-RKK



Schlüter-BARA-RKK is a T shaped finishing profile with a short drip edge for installation over finished sloped screeds. It was especially designed for use with the bonded waterproofing membrane Schlüter-DITRA. The closed outer edges give the exterior perimeter of tiled areas a neat appearance. (Product data sheet 5.24)



## Schlüter®-BARA-RKK

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
10	RKK 10 ...*	30.09	40
15	RKK 15 ...*	31.25	40
18	RKK 18 ...*	32.18	40



## Corner | connector

## Schlüter®-BARA-RKK/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E90 / RKK 10 ...*	44.12	10
15	E90 / RKK 15 ...*	44.12	10
18	E90 / RKK 18 ...*	44.12	10

## Schlüter®-BARA-RKK/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	E135 / RKK 10 ...*	44.12	10
15	E135 / RKK 15 ...*	44.12	10
18	E135 / RKK 18 ...*	44.12	10

## Schlüter®-BARA-RKK/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
10	I90 / RKK 10 ...*	44.12	10
15	I90 / RKK 15 ...*	44.12	10
18	I90 / RKK 18 ...*	44.12	10

## Schlüter®-BARA-RKK/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
10	V / RKK 10 ...*	3.38	50
15	V / RKK 15 ...*	3.38	50
18	V / RKK 18 ...*	3.38	50

To complete the art. no., add the colour (e.g. V / RKK 10 SB)



\* Colours: GM - PG - SB

For an overview of finishes and colours, please see page 335.




## Edge profile

### Schlüter®-BARA-RW



Schlüter-BARA-RW is an angular profile of stainless steel or colour coated aluminium for finishing the exposed perimeters of balconies and terraces.

(Product data sheet 5.3)



#### Schlüter®-BARA-RW



colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
15	RW 15 ...*	19.01	40
25	RW 25 ...*	20.15	40
30	RW 30 ...*	20.68	40
40	RW 40 ...*	22.21	40
55	RW 55 ...*	24.23	40
75	RW 75 ...*	26.99	40
95	RW 95 ...*	29.73	40
120	RW 120 ...*	37.26	40
150	RW 150 ...*	41.42	40

#### Schlüter®-BARA-RW-E



stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
15	RW 15 E	30.84	40
25	RW 25 E	32.09	40
30	RW 30 E	33.79	40
40	RW 40 E	35.65	40
55	RW 55 E	39.20	40
75	RW 75 E	44.01	40
95	RW 95 E	48.72	40
120	RW 120 E	54.69	40
150	RW 150 E	61.89	40

## Corner | connector

#### Schlüter®-BARA-RW/E 90°

90° external corner,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
15	E90 / RW 15 ...*	26.28	10
25	E90 / RW 25 ...*	26.93	10
30	E90 / RW 30 ...*	27.50	10
40	E90 / RW 40 ...*	28.13	10
55	E90 / RW 55 ...*	29.40	10
75	E90 / RW 75 ...*	30.95	10
95	E90 / RW 95 ...*	32.60	10
120	E90 / RW 120 ...*	44.59	10
150	E90 / RW 150 ...*	46.98	10

#### Schlüter®-BARA-RW-E/E 90°

90° external corner,  
stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
15	E90 / RW 15 E	37.65	10
25	E90 / RW 25 E	38.41	10
30	E90 / RW 30 E	39.57	10
40	E90 / RW 40 E	40.84	10
55	E90 / RW 55 E	43.23	10
75	E90 / RW 75 E	46.42	10
95	E90 / RW 95 E	58.09	10
120	E90 / RW 120 E	61.97	10
150	E90 / RW 150 E	66.76	10

#### Schlüter®-BARA-RW/V

connector,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
15	V / RW 15 ...*	5.82	50
25	V / RW 25 ...*	5.82	50
30	V / RW 30 ...*	5.82	50
40	V / RW 40 ...*	5.82	50
55	V / RW 55 ...*	5.82	50
75	V / RW 75 ...*	6.92	50
95	V / RW 95 ...*	6.92	50
120	V / RW 120 ...*	6.92	50
150	V / RW 150 ...*	6.92	50

#### Schlüter®-BARA-RW-E/V

connector,  
stainless steel V2A

H (mm)	Art. No.	£ / U.	P (Unit)
15	V / RW 15 E	6.92	50
25	V / RW 25 E	6.92	50
30	V / RW 30 E	6.92	50
40	V / RW 40 E	6.92	50
55	V / RW 55 E	6.92	50
75	V / RW 75 E	8.32	50
95	V / RW 95 E	8.32	50
120	V / RW 120 E	8.32	50
150	V / RW 150 E	8.32	50

To complete the art. no., add the colour  
(e.g. V / RW 15 HB)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours,  
please see page 335.




## Edge profile

## Schlüter®-BARA-RKKE



Schlüter-BARA-RKKE is a T shaped finishing profile with a short drip edge for installation over finished sloped screeds. BARA-RKKE is especially suited for assemblies with the bonded drainage mat Schlüter-DITRA-DRAIN. The perforated outer edges give the exterior perimeter of tiled areas a neat appearance. (Product data sheet 5.24)



## Schlüter®-BARA-RKKE

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
8	RKKE 8 ...*	37.83	40
10	RKKE 10 ...*	38.60	40
15	RKKE 15 ...*	40.45	40
18	RKKE 18 ...*	42.03	40
21	RKKE 21 ...*	44.24	40
23	RKKE 23 ...*	45.81	40

**Note:**

The profile heights 21 and 23 mm are also suitable for use with Schlüter-DITRA-DRAIN 8.

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | connector

## Schlüter®-BARA-RKKE/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E90 / RKKE 8 ...*	48.82	10
10	E90 / RKKE 10 ...*	48.82	10
15	E90 / RKKE 15 ...*	48.82	10
18	E90 / RKKE 18 ...*	48.82	10
21	E90 / RKKE 21 ...*	48.82	10
23	E90 / RKKE 23 ...*	48.82	10

## Schlüter®-BARA-RKKE/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	E135 / RKKE 8 ...*	48.82	10
10	E135 / RKKE 10 ...*	48.82	10
15	E135 / RKKE 15 ...*	48.82	10
18	E135 / RKKE 18 ...*	48.82	10
21	E135 / RKKE 21 ...*	48.82	10
23	E135 / RKKE 23 ...*	48.82	10

## Schlüter®-BARA-RKKE/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
8	I90 / RKKE 8 ...*	48.82	10
10	I90 / RKKE 10 ...*	48.82	10
15	I90 / RKKE 15 ...*	48.82	10
18	I90 / RKKE 18 ...*	48.82	10
21	I90 / RKKE 21 ...*	48.82	10
23	I90 / RKKE 23 ...*	48.82	10

## Schlüter®-BARA-RKK/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
8	V / RKK 8 ...*	3.38	50
10	V / RKK 10 ...*	3.38	50
15	V / RKK 15 ...*	3.38	50
18	V / RKK 18 ...*	3.38	50
21	V / RKK 21 ...*	3.38	50
23	V / RKK 23 ...*	3.38	50

To complete the art. no., add the colour (e.g. V / RKK 8 PG)



\* Colours: GM - PG - SB

For an overview of finishes and colours, please see page 335.




## Edge profile

### Schlüter®-BARA-RKB



Schlüter-BARA-RKB is a T shaped finishing profile for coatings. The front finishing leg has a protruding drip edge.  
(Product data sheet 5.18)



**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

### Schlüter®-BARA-RKB

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
RKB 3 ...*	27.17	40

## Corner | connector

### Schlüter®-BARA-RKB/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / RKB 3 ...*	36.37	10

### Schlüter®-BARA-RKB/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / RKB 3 ...*	37.98	10

### Schlüter®-BARA-RKB/I 90°

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / RKB 3 ...*	36.37	10

### Schlüter®-BARA-RKB/V

connector

Art. No.	£ / U.	P (Unit)
V / RKB 3 ...*	3.37	50

To complete the art. no., add the colour (e.g. V / RKB 3 GM)



\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.


## Edge profile

## Schlüter®-BARA-RT



Schlüter-BARA-RT is a T shaped finishing profile of colour coated aluminium for covering exposed edges of balconies and terraces. The top leg covers the edge of the assembly while the lower leg forms a drip edge and hides the joint with the TROBA area drainage mat.

(Product data sheet 5.19)



## Schlüter®-BARA-RT



colour coated aluminium

H/H1 (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
9/60	RT 9/60 ...*	36.64	40
12/16	RT 12/16 ...*	32.06	40
12/65	RT 12/65 ...*	36.64	40
20/50	RT 20/50 ...**	36.64	40
25/40	RT 25/40 ...**	36.64	40
30/35	RT 30/35 ...**	37.28	40

## Corner | connector

## Schlüter®-BARA-RT/E 90°

90° external corner

H/H1 (mm)	Art. No.	£ / U.	P (Unit)
9/60	E90 / RT 9/60 ...*	40.29	10
12/16	E90 / RT 12/16 ...*	36.80	10
12/65	E90 / RT 12/65 ...*	40.29	10
20/50	E90 / RT 20/50 ...**	40.29	10
25/40	E90 / RT 25/40 ...**	40.29	10
30/35	E90 / RT 30/35 ...**	40.54	10

## Schlüter®-BARA-RT/V

connector

H/H1 (mm)	Art. No.	£ / U.	P (Unit)
9/60	V / RT 9/60 ...*	6.92	50
12/16	V / RT 12/16 ...*	5.82	50
12/65	V / RT 12/65 ...*	6.92	50
20/50	V / RT 20/50 ...**	6.92	50
25/40	V / RT 25/40 ...**	6.92	50
30/35	V / RT 30/35 ...**	6.92	50

To complete the art. no., add the colour (e.g. V / RT 9/60 HB)



\* Colours: BW - GM - HB - PG - RB - SB

\*\* Colours: GM - PG

For an overview of finishes and colours, please see page 335.




## Edge profile

### Schlüter®-BARA-RK



Schlüter-BARA-RK is a T shaped finishing profile. The front section features an overhanging drip edge which hides the joint with the TROBA area drainage mat.  
(Product data sheet 5.4)



#### Schlüter®-BARA-RK

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
RK 65 ...*	29.87	40

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | connector

#### Schlüter®-BARA-RK/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / RK 65 ...*	39.26	10

#### Schlüter®-BARA-RK/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / RK 65 ...*	43.28	10

#### Schlüter®-BARA-RK/I 90°

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / RK 65 ...*	39.26	10

#### Schlüter®-BARA-RK/V

connector

Art. No.	£ / U.	P (Unit)
V / RK 65 ...*	3.37	50

To complete the art. no., add the colour (e.g. V / RK 65 GM)



\* Colours: BW - GM - HB - PG - RB - SB


For an overview of finishes and colours, please see page 335.

## Edge profile

## Schlüter®-BARA-RWL



Schlüter-BARA-RWL is an edge profile with drainage holes, made of colour coated aluminium for use on balconies and terraces. It is particularly suitable for finishing coverings on balconies and terraces that are set directly onto a gravel layer or pedestals.  
(Product data sheet 5.15)



## Schlüter®-BARA-RWL



colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
15	RWL 15 ...*	19.01	40
25	RWL 25 ...*	20.15	40
30	RWL 30 ...*	20.68	40
40	RWL 40 ...*	22.21	40
55	RWL 55 ...*	24.23	40
75	RWL 75 ...*	26.99	40
95	RWL 95 ...*	29.73	40
120	RWL 120 ...*	37.26	40
150	RWL 150 ...*	41.42	40

To complete the art. no., add the colour  
(e.g. RWL 15 PG)



\* Colours: GM - PG


For an overview of finishes and colours,  
please see page 335.**Note:**For external corners and connectors see  
Schlüter-BARA-RW.

## Edge profile

## Schlüter®-BARA-RHA



Schlüter-BARA-RHA is a height-adjustable finishing profile made of colour coated aluminium. It is used in conjunction with the corresponding BARA support profiles such as BARA-RWL or BARA-RKL to cover the exposed edges of balconies and terraces. It is suitable for covering assemblies with individual heights up to 220 mm.  
(Product data sheet 5.16)



## Schlüter®-BARA-RHA

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
50	RHA 50 ...*	24.91	40
90	RHA 90 ...*	27.06	40

**Note:**The support profiles must be ordered  
separately.

## Corner | connector

## Schlüter®-BARA-RHA/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
50	E90 / RHA 50 ...*	13.28	10
90	E90 / RHA 90 ...*	13.28	10

## Schlüter®-BARA-RHA/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
50	V / RHA 50 ...*	7.96	50
90	V / RHA 90 ...*	7.96	50

To complete the art. no., add the colour  
(e.g. V / RHA 50 SB)



\* Colours: GM - PG - SB

For an overview of finishes and colours,  
please see page 335.



# Schlüter®-BARA-RKL 35

## Finishing profile for balconies and terraces

- ✓ Specifically developed for tile and natural stone pavers with a thickness of 2 cm
- ✓ The finishing leg with a height of 35 mm covers the edge of the tile and drainage
- ✓ Drainage openings and drip edge
- ✓ Accessories: Internal corners, external corners (90°/135°) and connectors
- ✓ Suitable for finishing coverings over Schlüter-TROBA-LEVEL




### Edge profile



## Schlüter®-BARA-RKL



Schlüter-BARA-RKL is an angled edge profile with drainage holes, made of colour coated aluminium. It is especially suited for large format pavers, which are either installed unbonded over gravel/crushed stone or on pedestals.  
(Product data sheet 5.20)



### Schlüter®-BARA-RKL

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
30	RKL 30 ...*	48.59	40
35	RKL 35 ...*	51.07	40
40	RKL 40 ...*	53.35	40
50	RKL 50 ...*	54.80	40
75	RKL 75 ...*	57.53	40

**Note:**  
Schlüter-BARA-RKL 35 and 40 are particularly suitable for stone panels in a thickness of 2 cm.

**MyDesign by Schlüter-Systems**  
Custom coating in 190 RAL Classic colours available. More details from page 16.

## Corner | connector

## Schlüter®-BARA-RKL/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	E90 / RKL 30 ...*	<b>78.11</b>	10
35	E90 / RKL 35 ...*	<b>78.23</b>	10
40	E90 / RKL 40 ...*	<b>78.11</b>	10
50	E90 / RKL 50 ...*	<b>78.11</b>	10
75	E90 / RKL 75 ...*	<b>78.11</b>	10

## Schlüter®-BARA-RKL/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	E135 / RKL 30 ...*	<b>78.11</b>	10
35	E135 / RKL 35 ...*	<b>78.23</b>	10
40	E135 / RKL 40 ...*	<b>78.11</b>	10
50	E135 / RKL 50 ...*	<b>78.11</b>	10
75	E135 / RKL 75 ...*	<b>78.11</b>	10

## Schlüter®-BARA-RKL/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	I90 / RKL 30 ...*	<b>78.11</b>	10
35	I90 / RKL 35 ...*	<b>78.23</b>	10
40	I90 / RKL 40 ...*	<b>78.11</b>	10
50	I90 / RKL 50 ...*	<b>78.11</b>	10
75	I90 / RKL 75 ...*	<b>78.11</b>	10

## Schlüter®-BARA-RKL/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
30	V / RKL 30 ...*	<b>6.51</b>	50
35	V / RKL 35 ...*	<b>6.51</b>	50
40	V / RKL 40 ...*	<b>6.51</b>	50
50	V / RKL 50 ...*	<b>6.51</b>	50
75	V / RKL 75 ...*	<b>6.51</b>	50

To complete the art. no., add the colour (e.g. V / RKL 30 GM)




\* Colours: GM - PG - SB

For an overview of finishes and colours, please see page 335.


## Bonding fleece

## Schlüter®-BARA-HV



Schlüter-BARA-HV is an adhesive polyethylene tape with an anchoring fleece on the front side and a self adhesive butyl coating on the underside. It is suitable for creating an adhesive flange for reliable waterproof connections between the bonded waterproofing assembly Schlüter-KERDI and the edge of a Schlüter-BARA-RKL profile.

(Product data sheet 5.20)



## Schlüter®-BARA-HV

self-adhesive bonding fleece

B (mm)	roll = 5 m Art. No.	£ / m	P (Roll)
95	HVL 95 / 5M	<b>7.20</b>	10




## Edge profile | corner | connector

### Schlüter®-BARA-RAP



Schlüter-BARA-RAP is a finishing profile made of colour coated aluminium. It is used in conjunction with the support profile Schlüter-BARA-RW to cover the exposed (lateral) edges of balconies and terraces.  
(Product data sheet 5.17)



#### Schlüter®-BARA-RAP

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
75	RAP 75 PG	25.54	40
86	RAP 90 PG	26.54	40
110	RAP 110 PG	27.91	40

#### Schlüter®-BARA-RAP/E 90°

90° external corner,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
75	E90 / RAP 75 PG	29.81	10
86	E90 / RAP 90 PG	30.89	10
110	E90 / RAP 110 PG	31.95	10

#### Schlüter®-BARA-RAP/V

connector,  
colour coated aluminium

H (mm)	Art. No.	£ / U.	P (Unit)
75	V / RAP 75 PG	6.92	50
86	V / RAP 90 PG	6.92	50
110	V / RAP 110 PG	6.92	50

#### Note:


The support profile Schlüter-BARA-RW must be ordered separately.

## Edge profile | corner

### Schlüter®-BARA-FAP



Schlüter-BARA-FAP is a profile for covering the front edges of cantilevered balconies.  
(Product data sheet 5.23)



#### Schlüter®-BARA-FAP

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
FAP 165 ...*	39.91	40

#### Schlüter®-BARA-FAP/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / FAP 165 ...*	39.65	10

#### Note:

We recommend the joint covering Schlüter-BARA-STU as a connector.



To complete the art. no., add the colour (e.g. E90 / FAP 165 BW)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.


## Edge support profile

## Schlüter®-BARA-RKLT



Schlüter-BARA-RKLT is an angled edge profile with drainage holes, made of colour coated aluminium. It is especially suited for large format pavers, which are either installed unbonded over gravel/crushed stone or on pedestals. BARA-RKLT features a T shaped profile chamber for attaching the gutter system Schlüter-BARIN.

(Product data sheet 5.20)



## Schlüter®-BARA-RKLT

colour coated aluminium

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
30	RKLT 30 ...*	<b>58.05</b>	40
40	RKLT 40 ...*	<b>62.78</b>	40
50	RKLT 50 ...*	<b>64.20</b>	40
75	RKLT 75 ...*	<b>66.96</b>	40

## Corner | connector

## Schlüter®-BARA-RKLT/E 90°

90° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	E90 / RKLT 30 ...*	<b>81.58</b>	10
40	E90 / RKLT 40 ...*	<b>81.58</b>	10
50	E90 / RKLT 50 ...*	<b>81.58</b>	10
75	E90 / RKLT 75 ...*	<b>81.58</b>	10

## Schlüter®-BARA-RKLT/E 135°

135° external corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	E135 / RKLT 30 ...*	<b>81.58</b>	10
40	E135 / RKLT 40 ...*	<b>81.58</b>	10
50	E135 / RKLT 50 ...*	<b>81.58</b>	10
75	E135 / RKLT 75 ...*	<b>81.58</b>	10

## Schlüter®-BARA-RKLT/I 90°

90° internal corner

H (mm)	Art. No.	£ / U.	P (Unit)
30	I90 / RKLT 30 ...*	<b>81.58</b>	10
40	I90 / RKLT 40 ...*	<b>81.58</b>	10
50	I90 / RKLT 50 ...*	<b>81.58</b>	10
75	I90 / RKLT 75 ...*	<b>81.58</b>	10

## Schlüter®-BARA-RKL/V

connector

H (mm)	Art. No.	£ / U.	P (Unit)
30	V / RKL 30 ...*	<b>6.51</b>	50
40	V / RKL 40 ...*	<b>6.51</b>	50
50	V / RKL 50 ...*	<b>6.51</b>	50
75	V / RKL 75 ...*	<b>6.51</b>	50

To complete the art. no., add the colour (e.g. V / RKL 30 PG)



\* Colours: GM - PG - SB

For an overview of finishes and colours, please see page 335.




## Edge support profile

### Schlüter®-BARA-RTP



Schlüter-BARA-RTP is an edge profile for attaching the Schlüter-BARIN gutter system, which can be retrofitted to the exposed edges of existing balcony and terrace structures. (Product data sheet 5.11)



### Schlüter®-BARA-RTP

colour coated aluminium

L = 2.50 m Art. No.	£ / m	KV (Unit)
RTP 65 PG	32.85	40

## Corner | connector | screws

### Schlüter®-BARA-RTP/E 90°

90° external corner

Art. No.	£ / U.	P (Unit)
E90 / RTP 65 PG	42.44	10

### Schlüter®-BARA-RTP/E 135°

135° external corner

Art. No.	£ / U.	P (Unit)
E135 / RTP 65 PG	46.71	10

### Schlüter®-BARA-RTP/I 90°

90° internal corner

Art. No.	£ / U.	P (Unit)
I90 / RTP 65 PG	42.44	10

### Schlüter®-BARA-RTK/V

connector

Art. No.	£ / U.	P (Unit)
V / RT 30 PG	3.01	50

### Schlüter®-BARA-RTP/S

special screws including wall plugs

Art. No.	£ / Set	P (Set)
RTPS 540	9.01	10


set = 10 units

## Skirting carrier profile

### Schlüter®-BARA-ESOT



Schlüter-BARA-ESOT is a skirting support profile made of stainless steel, which is used in applications where no load bearing substrate is available for the skirting tiles. (Product data sheet 5.1)



### Schlüter®-BARA-ESOT

stainless steel V2A

H (mm)	L = 2.50 m Art. No.	£ / m	KV (Unit)
60	ESOT 60	18.15	60
110	ESOT 110	23.61	60

## Joint covering strip

## Schlüter®-BARA-STU



Schlüter-BARA-STU are thin aluminium strips that are cut to length with scissors. They can be installed to cover the joints of the BARA profile series, using Schlüter-KERDI-FIX.

## Schlüter®-BARA-STU

joint covering strip

Art. No.	£ / U.	P (Unit)
STU 335 ...*	2.18	10

length = 30 cm  
width = 35 mm  
thickness = 0.5 mm

To complete the art. no., add the colour (e.g. STU 335 HB)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.




© Villeroy & Boch





## Gutter system

### Schlüter®-BARIN-SR



Schlüter-BARIN-SR is a gutter system made of colour coated aluminium for the drainage of balconies and terraces. It can be attached to the matching Schlüter-BARA profiles.  
(Product data sheet 10.1)



#### Note:

Internal and external corners in angles other than the standard angles are available as a special order upon request.  
Slight colour variations between individual system components may occur due to different materials.

### Schlüter®-BARIN-SR-AC

colour coated aluminium

Description	Art. No.	£ / Set	KV (Set)
<b>BARIN gutter set 2.50 m</b> 1 gutter 2.50 m ① 1 cover profile 2.50 + 0.50 m ⑧ 1 connector ⑨ 8 screws	BSR4 R 250 ...*	<b>144.20</b>	60
<b>BARIN gutter set 1.50 m</b> 1 gutter 1.50 m ① 1 cover profile 1.50 m + 0.50 m ⑧ 1 connector ⑨ 4 screws	BSR4 R 150 ...*	<b>85.18</b>	60
<b>BARIN end cap set</b> 2 end caps ② 2 connectors ⑨	BSR4 E 2 ...*	<b>29.63</b>	60
<b>BARIN 90° external corner set</b> 1 corner ③ 2 connectors ⑨ 1 cover profile corner ⑩	BSR4 EWG 90 ...*	<b>97.27</b>	60
<b>BARIN 90° external corner set, spout to the left</b> 1 corner ⑪ 2 connectors ⑨ 1 cover profile corner ⑩	BSR4 E90 L DN 60 ...*	<b>124.08</b>	60
<b>BARIN 90° external corner set, spout to the right</b> 1 corner ⑫ 2 connectors ⑨ 1 cover profile corner ⑩	BSR4 E90 R DN 60 ...*	<b>124.08</b>	60
<b>BARIN 135° external corner set</b> 1 corner ④ 2 connectors ⑨ 1 cover profile corner ⑩	BSR4 EWG 135 ...*	<b>97.27</b>	60
<b>BARIN 90° internal corner set</b> 1 corner ⑤ 2 connectors ⑨	BSR4 IWG 90 ...*	<b>97.27</b>	60
<b>BARIN 135° internal corner set</b> 1 corner ⑥ 2 connectors ⑨	BSR4 IWG 135 ...*	<b>97.27</b>	60
<b>BARIN spout set</b> 1 gutter 20 cm with outlet ⑦ 2 connectors ⑨ 2 screws	BSR4 A DN 60 ...*	<b>44.53</b>	60

To complete the art. no., add the colour (e.g. BSR4 R 250 GM)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.

## Gutter system

### Schlüter®-BARIN-R

Schlüter-BARIN-R are system pipes made of colour coated aluminium with matching moulded parts.

(Product data sheet 10.1)



All gutter pipes are equipped with a transition connector. The connecting sleeve (8) can be used for connecting two Schlüter-BARIN system pipes without using a transition sleeve (leftover pieces).



Schlüter-KERDI-DRAIN-SP-E stainless steel spout, see page 299.

### Schlüter®-BARIN-R-AC

colour coated aluminium

Description	Art. No.	£ / U.	KV (Unit)
Down pipe, 1.00 m Ø 60 mm ①	BR 100 DN 60 ...*	40.85	60
Down pipe, 2.50 m Ø 60 mm ①	BR 250 DN 60 ...*	93.82	60
Elbow pipe 40° Ø 60 mm ③	BR B40 DN 60 ...*	46.92	60
Elbow pipe 72° Ø 60 mm ④	BR B72 DN 60 ...*	46.92	60
Elbow pipe 85° Ø 60 mm ⑤	BR B85 DN 60 ...*	46.92	60
Tee pipe 72° Ø 60 mm ⑥	BR AZ DN 60 ...*	105.68	60
Connecting sleeve ⑧	BR AM DN 60 ...*	27.14	60
Spout 25 cm Ø 50 mm ⑦ to match BARIN-SR drain Ø 50 mm	BR SP25 DN 50 ...*	88.42	60
Spout 40 cm Ø 50 mm ⑦ to match BARIN-SR drain Ø 50 mm	BR SP40 DN 50 ...*	95.92	60
Pipe clamp set ② 2 pipe clamps Threaded pin 100 mm	BR RS100 DN 60 ...*	18.85	60
Pipe clamp set ② 2 pipe clamps Threaded pin 200 mm	BR RS200 DN 60 ...*	20.30	60
Threaded pin 200 mm for pipe clamps	BR SS 200	4.86	60

Schlüter-BARIN-R-SK is a downpipe cap that covers the connection of Schlüter-BARIN system pipes (Ø 60 mm) to the in ground drainage system.

Schlüter-BARIN-R-AZ is a tee pipe that connects Schlüter-BARIN system pipes (Ø 60 mm) with the existing downpipes (Ø 110 mm – DN 100) of the roof drainage system.

### Schlüter®-BARIN-R-Z/-K

zinc / copper

Description	Art. No.	£ / U.	KV (Unit)
Downpipe cap, zinc, Ø 60 / 116 mm ⑨	BR SK DN 60 / 116 Z	7.71	60
Tee pipe, zinc, 85° Ø 110 / 60 mm (DN 100/60) ⑩	BR AZ DN 100 / 60 Z	110.08	60
Tee pipe, copper, 85° Ø 110 / 60 mm (DN 100/60) ⑩	BR AZ DN 100 / 60 K	124.08	60

To complete the art. no., add the colour (e.g. BR 100 DN 60 GM)



\* Colours: BW - GM - HB - PG - RB - SB

For an overview of finishes and colours, please see page 335.



# Schlüter®-BEKOTEC

## Covering assemblies

Schlüter-BEKOTEC is a floor assembly system that can be constructed very quickly. It is thin, will not buckle, and does not develop tensions. Using the heating components of Schlüter-BEKOTEC-THERM, this system can be used to install an effective heating system as a ceramic thermal comfort floor, which is characterised by the low construction height, short construction time, and a comfortable room climate. For further information about our ceramic thermal comfort floor, please refer to the separate illustrated price list Schlüter-BEKOTEC-THERM or visit [www.bekotec-therm.co.uk](http://www.bekotec-therm.co.uk).





## Studded screed panels

Schlüter®-BEKOTEC-EN	324
Schlüter®-BEKOTEC-EN-F	325
Schlüter®-BEKOTEC-EN-FTS	326
Schlüter®-BEKOTEC-EN-FK	327
Schlüter®-BEKOTEC-DRAIN	328

## Edging strip

Schlüter®-BEKOTEC-BRS	329
Schlüter®-BEKOTEC-BRS/KSF	329
Schlüter®-BEKOTEC-BRSK	329
Schlüter®-BEKOTEC-BRS/KF	329


## Impact sound insulation

Schlüter®-BEKOTEC-BTS	329
-----------------------	-----




## Studded screed panel | levelling panel

### Schlüter®-BEKOTEC-EN





Schlüter-BEKOTEC-EN is a dependable covering assembly system for building crack-free, functionally safe screeds and heated screeds in low assembly heights from 52 mm (incl. 20 mm insulation). In addition to tiles and natural stone, the BEKOTEC screed can also be covered with other flooring materials. (Product data sheet 9.1)



System panel for conventional screed

System panel for flowing screed



#### Schlüter®-BEKOTEC-EN-P

studded screed panel without foil coating

75.5 x 106 cm = 0.8 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 2520 P	17.68	20

1 panel (0.8 m<sup>2</sup>) = smallest delivery unit

#### Schlüter®-BEKOTEC-EN-PF

studded screed panel with foil coating

75.5 x 106 cm = 0.8 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 1520 PF	21.22	20

1 panel (0.8 m<sup>2</sup>) = smallest delivery unit

#### Schlüter®-BEKOTEC-ENR

levelling panel for EN-P and EN-PF

30.5 x 45.5 cm = 0.14 m <sup>2</sup> Art. No.	£ / U.	P (Unit)
ENR 1520 P	2.10	20




## Studded screed panel | levelling panel

## Schlüter®-BEKOTEC-EN-F



Schlüter-BEKOTEC-EN-F is a dependable covering assembly system for building crack-free, functionally safe screeds and heated screeds in especially low assembly heights from 31 mm. In addition to tiles and natural stone, the BEKOTEC screed can also be covered with other flooring materials. (Product data sheet 9.2)



## Schlüter®-BEKOTEC-EN 23 F

studded screed panel

120 x 90 cm = 1.08 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 23 F	16.63	20

1 panel (0.8 m<sup>2</sup>) = smallest delivery unit

## Schlüter®-BEKOTEC-ENFG

levelling panel set for EN 23 F

127.5 x 97.5 cm = 1.24 m <sup>2</sup> Art. No.	£ / Set	P (Set)
ENFG	25.94	10

**Set includes:**

- 1 levelling panel
- 6 m double sided adhesive tape






## Studded screed panel | levelling panel

### Schlüter®-BEKOTEC-EN-FTS



Schlüter-BEKOTEC-EN-FTS is a reliable covering assembly system with integrated impact sound insulation of up to 25 dB for renovation projects. The system allows for building crack-free, functionally safe screeds and heated screeds with low assembly heights from 31 mm directly on top of load-bearing substrates. In addition to tiles and natural stone, the BEKOTEC screed can also be covered with other flooring materials. (Product data sheet 9.4)



#### Schlüter®-BEKOTEC-EN 18 FTS

studded screed panel with impact sound insulation

140 x 80 cm = 1.12 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 18 FTS 5	26.97	20

1 panel (1.12 m<sup>2</sup>) = smallest delivery unit


#### Schlüter®-BEKOTEC-ENFGTS

levelling panel set for EN 18 FTS

140 x 80 cm = 1.12 m <sup>2</sup> Art. No.	£ / Set	P (Set)
EN 18 FGTS 5	37.31	10


**Set includes:**

- 1 levelling panel
- 6 m double sided adhesive tape



# Impact sound insulation included


## Slim and quiet



The Schlüter-BEKOTEC-THERM system variants are a perfect fit for your individual construction project. Are you building a floor heating system in an existing structure with a timber structure? Then BEKOTEC-EN-FTS is the right choice: The low assembly height of just 31–43 mm (to the top edge of the screed) will result in a sound insulation improvement of up to 25 dB. That gives all housemates lasting fun with tiles.

# Ceramic thermal comfort floor for renovation projects

When every millimetre counts




Low assembly height is a concern in many renovation and restoration projects, and frequently stands in the way of installing a floor heating system. The solution: a system with a particularly thin assembly height! Schlüter-BEKOTEC-EN-FK is a reliable covering assembly technology for heated and unheated screeds from a thickness of 20 mm. Ceramic thermal comfort floors can be easily installed in rooms with low ceiling heights.

## Studded screed panel | levelling panel

### Schlüter®-BEKOTEC-EN-FK



Schlüter-BEKOTEC-EN-FK is a dependable bonded covering assembly system for restoration projects. The system allows for building crack-free, functionally safe screeds and heated screeds in particularly low assembly heights from 20 mm directly on top of load-bearing substrates. In addition to tiles and natural stone, the BEKOTEC screed can also be covered with other flooring materials. (Product data sheet 9.5)



### Schlüter®-BEKOTEC-EN 12 FK

studded screed panel  
with anchoring fleece on the underside

110 x 70 cm = 0.77 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 12 FK	17.91	20

1 panel (0.77 m<sup>2</sup>) = smallest delivery unit


### Schlüter®-BEKOTEC-ENFGK

levelling panel set for EN 12 FK

110 x 70 cm = 0.77 m <sup>2</sup> Art. No.	£ / Set	P (Set)
EN 12 FGK	25.31	10

#### Set includes:

- 1 levelling panel
- 6 m double sided adhesive tape






## Studded panel

### Schlüter®-BEKOTEC-DRAIN



Schlüter-BEKOTEC-DRAIN is a safe and especially thin cover assembly system for damage free and functionally safe floating screeds in outdoor areas with ceramic tile or natural stone coverings.  
(Product data sheet 9.3)



### Schlüter®-BEKOTEC-EN 23 FD

system panel

120 x 90 cm = 1.08 m <sup>2</sup> Art. No.	£ / m <sup>2</sup>	P (Unit)
EN 23 FD	17.95	20



## Edging strip | impact sound insulation

**Edging strip  
for conventional screed****Schlüter®-BEKOTEC-BRS**

edging strip

8 x 100 mm x 50 m Art. No.	£ / m	P (Roll)
BRS 810	0.97	10

**Note:**

Suitable for use with  
Schlüter-BEKOTEC-EN-P.

**Edging strip  
for conventional screed and flowing screed****Schlüter®-BEKOTEC-BRS/KSF**

edging strip with integrated adhesive leg

8 x 80 mm x 25 m Art. No.	£ / m	P (Roll)
BRS 808 KSF	2.83	5

**Note:**

Suitable for use with Schlüter-BEKOTEC-EN-P,  
-EN-PF, -EN 23 F, -EN 12 FK and -EN 18 FTS.


**Edging strip  
for conventional screed****Schlüter®-BEKOTEC-BRSK**

edging strip, self adhesive underside

8 x 100 mm x 50 m Art. No.	£ / m	P (Roll)
BRSK 810	1.30	10

**Note:**

Suitable for use with Schlüter-BEKOTEC-EN-P.

**Edging strip  
for conventional screed and flowing screed****Schlüter®-BEKOTEC-BRS/KF**

edging strip with integrated adhesive leg

8 x 80 mm x 25 m Art. No.	£ / m	P (Roll)
BRS 808 KF	2.10	10

**Note:**

Suitable for use with Schlüter-BEKOTEC-EN-P  
and -EN-PF.

**Schlüter®-BEKOTEC-BTS**

PE impact sound insulation

5 mm x 1 m x 50 m (50 m²) Art. No.	£ / m²	P (Roll)
BTS 510	4.89	5

**Note:**

Suitable for use with Schlüter-BEKOTEC-EN-P,  
-EN-PF and -EN 23 F.



# Schlüter installation accessories

For your daily work

Great installation projects require good tools. This section includes the tools you need to install our uncoupling mats, bend our radius profiles or access concealed openings. Of course, in the high Schlüter quality you expect.





## Magnetic opening panels

Schlüter®-REMA 332

## Cleaner and polish

Schlüter®-CLEAN-CP 332

## Tools

Schlüter®-RUMA 332

Schlüter®-TROWEL 333

Schlüter®-PROCUT-PSF 333

Schlüter®-PROCUT-TSM 333




## Magnetic opening panels

### Schlüter®-REMA



Schlüter-REMA is a system for creating concealed access panels in tiled walls. It can be applied irrespective of tile size and thickness and adapts perfectly to the joint pattern.  
(Product data sheet 11.1)



#### Schlüter®-REMA

4 magnets + 4 counter plates

Art. No.	£ / Set	P (Set)	KV (Set)
REMA	9.76	50	200

## Cleaner and polish

### Schlüter®-CLEAN-CP



Schlüter-CLEAN-CP is a polish for cleaning stainless steel profiles. It is also suitable for cleaning profiles made of aluminium, brass and other materials.  
(Product data sheet 13.1)

#### Schlüter®-CLEAN-CP

polish

Fill volume (ml)	Art. No.	£ / U.	P (Unit)
125	CPP 125	20.46	10

## Tool

### Schlüter®-RUMA




Schlüter-RUMA is a bending machine for uniform bending of profiles with radius perforations.

#### Schlüter®-RUMA

bending machine

Art. No.	£ / U.
RM	394.24

## Tool

**Schlüter®-TROWEL**

example

Schlüter-TROWEL is a notched trowel with a soft ergonomic handle for stress-free work. The respective notching is suitable for the installation of Schlüter-DITRA, -KERDI and -DITRA-HEAT.

**Schlüter®-TROWEL**

notched trowel (280 mm x 130 mm), stainless steel

Notching	Art. No.	£ / U.	P (Unit)
4 x 4	TRL 4X4	17.77	10
6 x 6	TRL 6X6	17.77	10

**Note:**

4 x 4 notching for Schlüter-DITRA, -DITRA-DRAIN 8, -DITRA-SOUND and -KERDI.

6 x 6 notching for Schlüter-DITRA-DRAIN 4 and -DITRA-HEAT.

**Schlüter®-PROCUT-PSF**

Schlüter-PROCUT-PSF is a profile cutting tool to quickly and accurately cut Schlüter plastic profiles with and without joint spacer.

**Schlüter®-PROCUT-PSF**

profile cutter, joint spacer

Art. No.	£ / U.	P (Unit)
PSF	68.20	10

**Schlüter®-PROCUT-PS-EK**

spare part: spare blade for profile cutter

Art. No.	£ / U.	P (Unit)
PS 90 / 45 EK	25.33	10

**Schlüter®-PROCUT-PSF 10**

counter display with 10 profile cutters

Art. No.	£ / Package
PSF 10	654.45

**Schlüter®-PROCUT-TSM**

Schlüter-PROCUT-TSM is a cutting wheel with a diameter of 115 mm for conventional angle grinders. It produces especially clean cuts of stainless steel, aluminium and brass profiles.

**Schlüter®-PROCUT-TSM**


cutting wheel

Art. No.	£ / U.	P (Unit)
TSM 115/1	9.85	10



# Schlüter-profiles

Radius perforation makes the difference



Various Schlüter metal profiles with a radius punching are available to protect coverings with rounded edge contours, making it possible to adapt the profile to the contour of the tile edge. For technical reasons, products that are only one metre in length are not available with radius perforations. Products that can be delivered with radius punching are marked with the following symbol in the price list:



Profiles available with special punching are shown in the following tables, which also include the corresponding price surcharges.

Profile forming is possible with the aid of the Schlüter-RUMA bending machine with a radius of at least approx. 1 m or 3 m. Schlüter-SCHIENE can be formed to a radius from a height of 6 mm, smaller profile heights on request. Schlüter-BARA profiles can not be formed to a radius with the bending machine.

Profile	Surcharge
<b>Forming radius r = 1.00 m</b>	<b>£ / m</b>
Schlüter-JOLLY-A	3.04
Schlüter-SCHIENE-A	3.04
Schlüter-SCHIENE-AC / -TS	3.04
Schlüter-SCHIENE-AE	3.04
Schlüter-SCHIENE-AV	3.04
Schlüter-SCHIENE-E / -E V4A	3.04
Schlüter-SCHIENE-EB	3.04
Schlüter-SCHIENE-M	3.04
Schlüter-SCHIENE-STEP-EB	3.04

Profile	Surcharge
<b>Forming radius r = 3.00 m</b>	<b>£ / m</b>
Schlüter-DECO-A	3.04
Schlüter-DECO-AE	3.04
Schlüter-DECO-AC	3.04
Schlüter-DECO-M	3.04
Schlüter-JOLLY-AC / -TS	3.04
Schlüter-JOLLY-AE	3.04
Schlüter-JOLLY-MC	3.04
Schlüter-QUADEC-A	3.04
Schlüter-QUADEC-AC / -TS	3.04
Schlüter-QUADEC-E / -E V4A	3.04
Schlüter-QUADEC-EP / -EB	3.04
Schlüter-RENO-AETK	3.04
Schlüter-RENO-ATK	3.04
Schlüter-RENO-MTK	3.04
Schlüter-RONDEC-A	3.04
Schlüter-RONDEC-AC / -TS	3.04
Schlüter-RONDEC-E / -E V4A	3.04
Schlüter-RONDEC-EP / -EB	3.04
Schlüter-SCHIENE-ES	3.04
Schlüter-BARA-RT	6.05
Schlüter-BARA-RW	6.05
Schlüter-BARA-RW-E	6.05
Schlüter-BARA-RWL	6.05

## Delivery:

To order the art. no. of a profile with radius perforations, simply write an "R" before the art. no. of the standard profile (e.g. R / M 80 for Schlüter-SCHIENE-M 80 with radius perforations).

The delivery time for profiles with radius perforations is approx. 2 weeks.


Profiles are delivered in straight format. Please note that stainless steel may show deformations due to stresses in the material.



We recommend the use of our bending machine Schlüter-RUMA (see page 332) for quick and neat radius forming of profiles.

# Colour code system

## Colour overview

	<b>AP</b> soft apricot		<b>GM</b> grey metallic		<b>RB</b> red brown
	<b>BH</b> bahama		<b>GS</b> graphite black		<b>SB</b> black brown
	<b>BW</b> brilliant white		<b>HB</b> light beige		<b>SG</b> stone grey
	<b>C</b> cream		<b>HG</b> light grey		<b>SP</b> soft peach
	<b>CA</b> caramel		<b>MBW</b> matte brilliant white		<b>T</b> transparent
	<b>CG</b> yellow		<b>MGS</b> matte graphite black		<b>VG</b> traffic grey
	<b>DA</b> dark anthracite		<b>NB</b> nut brown		<b>W</b> white
	<b>FG</b> joint grey		<b>PG</b> pastel grey		<b>ZR</b> brick red
	<b>G</b> grey		<b>PW</b> pearl white		
	<b>GAE</b> grey anodised aluminium		<b>QG</b> quartz grey		


The print does not allow reproductions of the original colours.



# Metal surfaces

## Finish overview


### Chrome plated brass



**MC**

chrome plated brass

### Stainless steel




**E**

stainless steel  
V2A = 1.4301 / AISI 304  
V4A = 1.4404 / AISI 316L




**EB**

brushed  
stainless steel



**EP**

polished  
stainless steel



**EOB**

stainless steel,  
aged bronze effect

### Anodised aluminium




**AE**

anodised aluminium



**AM**

matte brass  
anodised aluminium



**AK**


matte copper/bronze  
anodised aluminium



**AT**


matte titanium  
anodised aluminium

### Polished anodised aluminium




**ACG**

polished chrome  
anodised aluminium




**AMG**

polished brass  
anodised aluminium



**AKG**

polished  
copper/bronze  
anodised aluminium



**ATG**

polished titanium  
anodised aluminium



**AGSG**

polished  
chrome black  
anodised aluminium

### Schlüter-profiles: additional materials

**A**  
aluminium

**AC**  
colour coated aluminium



**Z**  
zinc

**M**  
brass

**K**  
copper

**P**  
coloured PVC







### Brushed anodised aluminium

	<b>ACGB</b> brushed chrome anodised aluminium		<b>AMGB</b> brushed brass anodised aluminium		<b>AKGB</b> brushed copper/bronze anodised aluminium
	<b>ATGB</b> brushed titanium anodised aluminium		<b>AEEB</b> brushed stainless steel anodised aluminium		<b>AGRB</b> brushed chrome graphite anodised aluminium
	<b>AGSB</b> brushed graphite black anodised aluminium		<b>ABGB</b> brushed antique bronze anodised aluminium		

### Cross brushed anodised aluminium

	<b>AEX</b> cross brushed anodised aluminium		<b>AMX</b> cross brushed brass anodised aluminium		<b>AQGX</b> cross brushed quartz grey anodised aluminium
	<b>ATX</b> cross brushed titanium anodised aluminium				

### Aluminium/stainless steel textured coating

	<b>TSI</b> textured natural ivory		<b>TSC</b> textured natural cream		<b>TSBG</b> textured natural beige grey
	<b>TSB</b> textured natural beige		<b>TSSG</b> textured natural stone grey		<b>TSG</b> textured natural grey
	<b>TSOB</b> textured natural bronze		<b>TSLA</b> textured natural light anthracite		<b>TSDA</b> textured natural dark anthracite
	<b>TSR</b> textured natural rustic brown				

**Note:**

This page displays all metal finishes of Schlüter-DESIGNLINE profiles for an improved, standardised overview. Please refer to the specific product data to verify the actual availability of individual materials. The print does not allow reproductions of the original colours.



# Key

## Innovations



New product



MyDesign products

## Application areas



Suitable for use on the floor of privately used areas



Suitable for use on walls in interior spaces



Sound insulating

## Properties



also available in 3 m



Radius perforation available



Peel & Stick self-adhesive



EasyCut gridlines



EasyFill design



WiFi control



Voice Control function

### Packaging units

PL = euro pallet

KV = case packaging

BV = bundle

All profiles are packaged in bundles of 10, unless specifically noted otherwise.

P = box packaging

R = roll

Unit = units

### Dimensions

H = height

L = length

B = width

T = depth

For technical reasons, 3 m lengths cannot be shipped by express delivery.

Technical developments may lead to changes from the images, drawings and descriptions.

# General Terms and Conditions



Subject to the General Terms and Conditions of Schlüter-Systems Ltd.

All previous price lists lose their validity on the publication of this price list. Errors, changes, and printing mistakes as well as changes necessary in the interest of product innovation or shipping reserved.

For reasons of printing, colours shown in this price list may differ from actual product colours.

You find the actual "General Terms and Conditions" of Schlüter-Systems Ltd. here:

**[www.schluter.co.uk/downloads.aspx](http://www.schluter.co.uk/downloads.aspx)**



### Schlüter®-KERDI-BOARD



Information on the level of volatile substance emission in indoor air, presenting a risk of inhalation toxicity, on a scale ranging from A + (very low emissions) to C (high emissions)



Subject to the General Terms and Conditions of Sale of Schlüter-Systems Ltd.

All previous price lists lose their validity on the publication of this price list.

Errors, changes, and printing mistakes as well as changes necessary in the interest of product innovation or shipping reserved. For reasons of printing, colours shown in this price list may differ from actual product colours.



PROFILE OF INNOVATION

Schlüter-Systems KG · Schmölestraße 7 · D-58640 Iserlohn

Tel.: +49 2371 971-1261 · Fax: +49 2371 971-1112 · info@schluter.de · www.schluter-systems.com

Schlüter-Systems Ltd · Units 3-6 Bardon 22 Industrial Estate · Beveridge Lane · Coalville · Leicestershire · LE67 1TE

Tel.: +44 1530 813396 · Fax: +44 1530 813376 · sales@schluter.co.uk · www.schluter.co.uk