





# INTRALUX® PRESTIGE





## **SPECIFICATION**

### INTRAlux® Prestige

Product Reference	INTRAlux Prestige, polyamide sheet fibre barrier matting
Material	1400 g/m² Pile Weight 100% PA6 100% recycled Econyl® polyamide fibre with PVC or PureBase backing
Installation	With surface of mat level with adjoining floor coverings Surface mounted with low profile ramped edging trim - See Gripfit
Location	Zones 2+3
Construction	PC Non-Woven backing with polyamide pile
Sustainability	100% Econyl® fibre and phylate free or PVC-free backing
Weight	4.2kg/m <sup>2</sup>
Depth	10mm
Fire Rating	Cfl-s1
Roll Size	25m x 2m
NBS Specification	N10 General Fixtures/Furnishings/ Equipment 300 Entrance Matting

#### **PROFILE**



#### **COLOURS**



808 Midnight





**PUREBASE®** 



804 Desert

801 Claret



**B** 8mm

1 PVC backing

2 Fibre pile

3 Subfloor



# ENVIRONMENT & SUSTAINABILITY

INTRAsystems has an undeviating commitment to act responsibly in its care of the environment. Working on key projects throughout the UK and Europe, the company is familiar with all environmental ratings such as Ska, BREEAM and WRAP to help clients achieve, and exceed, their sustainability goals.

We are ISO 14001 accredited and all production processes are managed in accordance with the Waste Management Act, with a clear goal to 'reduce the production of waste and its harmful effects.' INTRAsystems regularly reviews its wider operations to minimise negative environmental impacts.

Our Environmental Sustainability Statement sets clear targets for ongoing improvement to ensure the company continues to play its part in helping tackle the climate crisis. Environmental credentials for each fibre option are provided and highlighted throughout this brochure.



**BREEAM®** 



#### Benefits of specifying ECONYL® fibre

ECONYL® is regenerated nylon that would otherwise pollute the Earth. It is the same as brand new nylon and can be infinitely recycled, recreated and remoulded. ECONYL® is Cradle-to-Cradle certified and therefore our fibres are eligible for LEED® v4 points, as part of the LEED green building rating system.

## **PUREBASE**

#### Benefits of specifying PureBase backing

PureBase is a new, PVC-free backing material for entrance matting. It has a significantly lower environmental impact in terms of production processing, greenhouse gas emissions and end of life waste disposal. PureBase is 20% lighter and 3 x more flexible for easier handling and installation.





6 COBHAM ROAD, WIMBORNE, DORSET, BH21 7PE 01425 472000 INTRASYSTEMS.CO.UK