# NRZZ SHAPE®

EXTRAORDINARY POSSIBILITIES

INTRASYSTEMS. ARCHITECTURAL ENTRANCE MATTING

### **INTRASHAPE®**

#### The power of geometry

Free your imagination and create infinite design possibilities... Complementary shapes can be used to create rhythm, movement and perspective to transform your reception area and leave a lasting impression.

- Infinite design permutations
- Create your own design using a mixture of shapes and colours
- 5 stunning polygonal shapes to enhance your entrance
- Ideal for entrances with multi-directional foot traffic
- Tile format for ease of handling, ease of installation and ease of replacement








### SPECIFICATION

#### **INTRAshape**<sup>®</sup>

Product Reference	INTRAshape* Entrance Matting
Shape (see p.5-9)	Rectangle x 5 sizes / shapes Diamond x 3 sizes / shapes Triangle x 2 sizes Square x 2 sizes Hexagon
Installation	Into suitable recessed matwell area, with surface of the matting level with adjoining floor coverings.
Location	High Traffic environments Internal applications
Construction	Aluminium composite panel with high quality polyamide fibre surface
Weight	12.8 kg/m²
Depth	17mm
Temp Resistance	-20ºC - +70ºC
Matwell Framing	INT019
Design Options	Standard Silver Anodised, Bronze Anodised and Black Anodised Bespoke anodised to special order
Backing Cushion	Cushion EPDM/Neo Sponge
Sustainability	100% recycled aluminum. All inserts recyclable/re-usable 100% Econyl Fibre (Premier and Elite)
Warranty	10 years
Uniclass 2015	Pr_35_57_11_26 Entrance Mats
CAWS	N10 / 300 Entrance Matting

#### PROFILE



#### A 19mm Fibre matting

- **B** 17mm Aluminium tile structure
- 1 Finished Floor surface
- 2 Recessed matwell frame
- 3 Levelling latex to matwell base
- 4 Screed sub-floor
- 5 Screw fixings

#### PROFILE COLOUR OPTIONS



Standard





Bronze

Black



### **INSERTS**

#### **FIBRE INSERT OPTIONS**

#### INTRAlux<sup>®</sup> Elite

Recommended for effective scraping and dirt removal




#### INTRAlux<sup>®</sup> Ultimate



Recommended for rapid moisture absorption



INTRAlux<sup>®</sup> Linear



Grey

443 Anthracite





208 Black



Grey

### INTRAshape® RECTANGLE

The possibilities are endless with this highly adaptable shape: herringbone, chevron, basket weave and brick are just some of the stunning designs that can be created using the rectangle range.



**Large Rectangle** 460mm x 690mm



Medium Rectangle 230mm x 690mm

Medium Slim Rectangle 115mm x 690mm



**Small Rectangle** 230mm x 460mm




**XS Rectangle** 115mm x 345mm



### INTRAshape® DIAMOND


A shape popular across cultures throughout the ages, the quiet elegance of the diamond can be harnessed to create a variety of interesting layouts; From a classic 3d cube composition to the illusion of depth, direction and movement.

**Large Diamond** 460mm x 460mm (60°Angle)



**Medium Slim Diamond** 115mm x 690mm (45°Angle)

Small Diamond 230mm x 230mm



### INTRAshape® TRIANGLE

The simple, bold form of the triangle can be used to create a powerful statement. Synonymous with balance and movement, the triangle adds a sense of strength and energy to your design, making for an iconic entrance.



Large Triangle 460mm



Small Triangle 230mm



### INTRAshape® SQUARE

This simple geometric form can be used to create some truly stunning tessellations. The brick, the checkerboard and the staggered square are just a few examples of how the humble square can be used to transform your entrance and enhance your reception.



**Large Square** 460mm x 460mm



**Small Square** 230mm x 230mm



### INTRAshape® HEXAGON

Inspired by nature, the hexagon brings a level of sophistication to any interior. Used on its own or with other shapes in the range, the hexagon provides some truly stunning possibilities.

**Hexagon** 230mm x 230mm



### ENVIRONMENT & SUSTAINABILITY

INTRAsystems has an undeviating commitment to act responsibly in its care of the environment. Working on key projects throughout the UK and Europe, the company is familiar with all environmental ratings such as Ska, BREEAM and WRAP to help clients achieve, and exceed, their sustainability goals.

We are ISO 14001 accredited and all production processes are managed in accordance with the Waste Management Act, with a clear goal to 'reduce the production of waste and its harmful effects.' INTRAsystems regularly reviews its wider operations to minimise negative environmental impacts.

Our Environmental Sustainability Statement sets clear targets for ongoing improvement to ensure the company continues to play its part in helping tackle the climate crisis. Environmental credentials for each fibre option are provided and highlighted throughout this brochure.



BREEAM®

## ECONYL

#### Benefits of specifying ECONYL® fibre

ECONYL® is regenerated nylon that would otherwise pollute the Earth. It is the same as brand new nylon and can be infinitely recycled, recreated and remoulded. ECONYL® is Cradle-to-Cradle certified and therefore our fibres are eligible for LEED® v4 points, as part of the LEED green building rating system.

### PUREBASE

#### Benefits of specifying PureBase backing

PureBase is a new, PVC-free backing material for entrance matting. It has a significantly lower environmental impact in terms of production processing, greenhouse gas emissions and end of life waste disposal. PureBase is 20% lighter and 3 x more flexible for easier handling and installation.





