




iDuct

Pricelist

2023 V.1

[iDuct.co.uk](https://www.iduct.co.uk)

About Us

iDuct is one of the UK's leading ducting suppliers. Whatever the application, whatever the size of project, we're here to deliver high quality, competitively priced ducting and ventilation products.

Who Are We?

iDuct differs from the competition by taking an innovative customer led approach backed by a team that has over 40 years combined experience in the ducting and air movement industry. Using the latest technology and innovative manufacturing techniques we are able to produce high quality supplies at a lower cost than our competitors and pass these benefits to our customers.

Need Advice?


Our fully trained team are on hand to provide expert advice for your ducting project. Whether its helping to make sure you have correct parts to ensure your project goes as smoothly as possible or just to provide general air movement advice, our knowledgeable and friendly team are on hand to help via phone, email or webchat. All our customers will be allocated a dedicated account manager to ensure we provide the best customer service and support as well as the lowest prices.

What We Do?

With everything from spiral ducting to sealed fittings we have the most comprehensive selection of high-quality ducting parts available for next day delivery. Whether you need 100mm or 800mm size ducting we can provide the widest range of sizes and options all in one place. We also pride ourselves on our competitive costs so you can complete your project to the highest quality without compromising on your budget.

Made In Britain

iDuct was born out of a desire to revolutionise and innovate the ducting supply industry by offering industry leading customer service, competitive pricing with trade discounts and ensuring stock is ready when you need it. By producing much of our products at our dedicated manufacturing facility in the UK we can ensure that our ducting products are of the highest quality and meet UK standards.



Contents

Galvanised Spiral Duct	6
-------------------------------	----------

iSeal Duct Fittings	8 - 21
----------------------------	---------------

Bends	9 - 10
-------	--------

Connecters	11
------------	----

Reducers	12 - 13
----------	---------

Tee-Pieces	14 - 16
------------	---------

Saddles	17
---------	----

Single Blade Dampers	18
----------------------	----

End Caps	19
----------	----

Flanged Spigots	20
-----------------	----

Curved Access Door	21
--------------------	----

iDuct Fittings	22 - 35
-----------------------	----------------

Bends	23 - 24
-------	---------

Connecters	25
------------	----

Reducers	26 - 27
----------	---------

Tee-Pieces	28 - 30
------------	---------

Saddles	31
---------	----

Single Blade Dampers	32
----------------------	----

End Caps	33
----------	----

Flanged Spigots	34
-----------------	----

Curved Access Door	35
--------------------	----

Outlets and Flashings	36 - 37
------------------------------	----------------

High Velocity Cowls	37
---------------------	----

Bird Beak Outlets	38 - 39
-------------------	---------


Plastic Grille Boxes	40
----------------------	----

Dektite Flashings	41
-------------------	----

Attenuators	42 - 43
--------------------	----------------

Support Systems	44 - 45
------------------------	----------------

Sealants and Tapes	46 - 47
---------------------------	----------------



Galvanised Spiral Duct

Spiral ducting is one of the most common elements of a ventilation system and its spiral form makes it cost effective and more air tight than its rectangular counterparts . The ducting is classed as 'female' so other bends and parts will easily slip inside the spiral ducting.

SPIRAL DUCTING


ID - *Spiral Duct 3m*



Diameter (mm)	Price (£)
100	15.97
125	19.92
150	23.91
160	25.56
200	38.21
250	48.13
300	57.91
315	60.75
355	90.39
400	102.94
450	115.81
500	127.79
560	142.54
630	161.13
710	185.30
800	205.89

Built Beyond Standards

You can be assured that all of our ducting products are built and tested to DW 144, the ductwork industry standard. Giving you peace of mind when it comes to your ducting project.



iSeal Duct Fittings

Our range of sealed duct fittings have built in EDPM rubber gaskets that not only minimise system leaks but also simplifies the installation process by removing the need for sealants or tapes. Installation time is also massively reduced.

BENDS

BPS - Bend Pressed with Seal



Diameter (mm)	Angle				
	90°	60°	45°	30°	15°
100	7.98	9.82	6.30	7.53	7.91
125	9.69	11.79	7.11	8.60	9.28
150	13.54	16.81	9.48	11.95	12.60
160	14.46	18.15	10.31	11.67	12.10
200	19.89	24.79	12.79	15.69	16.73
250	28.51		19.15		

BFS - Bend Fabricated with Seal



Diameter (mm)	Angle				
	90°	60°	45°	30°	15°
250	28.71	23.23	19.16	18.83	19.10
300	33.09	30.25	21.12	24.93	25.81
315	33.36	31.93	21.19	24.23	26.52
355	37.74	41.44	27.50	26.07	31.37
400	49.98	51.73	29.96	31.26	34.99
450	57.96	65.92	33.46	34.24	34.98
500	63.20	78.29	41.73	47.35	42.66
560	82.79	109.21	66.08	46.92	46.55
630	122.15	151.95	70.09	56.43	54.87
710	172.06	195.46	99.41	94.21	91.52
800	276.59	245.16	114.42	114.14	110.91

YS - Y-Piece with Seal

YS

Diameter (mm)	Price (£)
100	53.87
125	61.05
150	61.98
160	71.43
200	85.96
250	104.58
300	161.92
315	161.92
355	186.04
400	219.37
450	292.78
500	317.24
560	401.27
630	458.30
710	943.78
800	1,125.98

TBS - Twin Bend with Seal

TBS

Diameter (mm)	Price (£)
100	57.00
125	64.60
150	68.40
160	72.20
200	91.20
250	91.20
300	171.00
315	171.00
355	212.80
400	247.00
450	304.00
500	304.00
560	418.00
630	425.60
710	532.00
800	570.00

Easy Fitting

iSeal duct fittings are built with fitters in mind. Easy and safe to install and the rubber gaskets help prevent air loss.



CONNECTORS

MCS - Male Coupler with Seal



MCS

Diameter (mm)	Price (£)
100	3.78
125	4.10
150	4.37
160	4.50
200	5.25
250	6.35
300	8.60
315	8.92
355	11.85
400	13.11
450	15.76
500	16.21
560	23.64
630	25.94
710	44.36
800	48.27

FC - Female Coupler



FC

Diameter (mm)	Price (£)
100	1.86
125	1.94
150	1.96
160	2.00
200	2.20
250	2.66
300	3.57
315	3.93
355	5.22
400	5.47
450	6.90
500	6.86
560	9.20
630	10.35
710	21.01
800	23.51

Speak to Our Experts

With over 40 years combined ducting experience our knowledgeable team are on hand to help via phone or email.



REDUCERS

PRS - Short Press Reducer with Seal



		100	125	150	160	200	250	300	315	355	400	450	500	560
Diameter (mm)	100													
	125	6.92												
	150	9.45	8.50											
	160	9.69	9.69	9.79										
	200	17.81	15.50	14.19	11.55									
	250	40.88	19.53	19.07	16.92	14.93								

Reduce To Fit

Need to connect two sections of ducting together with different diameters? Our range of sealed pressed and fabricated reducers make this as easy as possible.



FRS - Fabricated Reducer with Seal



FRS

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
250	36.07	33.84	32.85	32.66	31.67										
300		34.54	34.26	33.98	33.65	30.34									
315		34.54	34.26	33.98	28.20	27.92	30.25								
355			42.42	36.73	36.12	34.58	35.70	34.31							
400			47.30	47.30	43.47	36.27	36.53	37.37	44.93						
450					54.70	46.39	43.52	42.14	42.55	49.92					
500						44.85	42.68	44.58	47.76	46.68	48.10				
560							65.11	64.62	62.87	63.13	63.84	60.89			
630							71.69	68.49	66.59	65.88	68.78	67.33	67.00		
710									119.14	119.27	118.17	120.01	114.2	110.34	
800										116.47	119.95	121.92	117.64	115.88	115.14

Next Day Delivery

Need ducting ASAP? Thousands of products available for next day delivery*



TEE-PIECES

TES - T-Piece Equal 90 Degree with Seal

Diameter (mm)	Price (£)
100	14.54
125	17.80
150	25.39
160	24.66
200	35.12
250	46.01
300	65.95
315	67.54
355	105.21
400	114.75
450	154.75
500	162.84
560	211.21
630	229.50

TES/TUS



TUS - T-Piece Unequal 90 Degree with Seal

	100	125	150	160	200	250	300	315	355	400	450	500	560
100													
125	28.15												
150	30.23	30.76											
160	32.28	33.40	35.72										
200	36.74	37.25	43.52	43.01									
250	39.51	41.89	40.70	46.29	53.53								
300	43.97	45.47	49.26	48.46	54.08	62.08							
315	45.03	46.24	50.04	50.04	56.09	63.74	76.75						
355	63.39	64.79	72.45	69.41	72.51	76.72	84.59	86.83					
400	72.80	73.62	88.05	82.99	74.88	80.19	80.65	93.21	136.30				
450	89.89	84.45	92.15	88.25	95.61	98.38	92.16	111.20	115.58	130.79			
500	83.03	84.45	92.68	88.78	95.61	104.18	115.58	111.69	151.40	151.40	166.21		
560	114.17	114.71	112.08	107.25	117.00	108.28	135.22	129.47	140.38	140.38	152.89	167.08	
630	107.42	109.56	119.90	115.01	127.23	127.23	141.08	134.60	186.75	184.09	177.01	187.61	210.38

T45ES - T-Piece Equal 45 Degree with Seal

Diameter (mm)	Price (£)
100	36.55
125	42.51
150	50.41
160	53.68
200	71.57
250	99.41
300	102.05
315	102.05
355	121.83
400	133.17
450	140.49
500	160.73
560	236.78
630	298.43
710	347.08
800	293.78



T45ES/T45US

T45US - T-Piece Unequal 45 Degree with Seal

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
100															
125	75.78														
150	75.82	76.60													
160	85.96	78.26	86.54												
200	91.23	89.47	88.33	86.15											
250	93.50	94.55	91.61	94.18	94.21										
300	92.54	92.54	93.12	96.46	93.79	92.15									
315	104.87	104.87	106.42	110.24	109.43	110.58	113.39								
355	121.43	121.43	125.75	125.75	117.61	128.72	140.98	140.98							
400	122.56	122.56	118.16	118.16	123.65	121.89	129.81	129.81	128.98						
450	106.29	106.29	115.40	115.40	116.51	123.50	122.62	122.62	123.75	139.82					
500	125.62	125.62	133.42	133.42	128.08	129.67	129.53	129.53	141.25	139.90	137.29				
560	137.56	137.56	144.69	144.69	152.22	161.66	163.57	163.96	167.43	185.24	185.89	194.63			
630	140.83	140.83	149.00	149.00	156.02	159.05	156.81	160.02	156.47	168.26	188.12	207.83	251.38		
710	199.35	199.35	204.80	204.80	213.24	228.65	245.61	224.26	250.67	269.49	283.58	313.30	378.98	446.93	
800	322.57	322.57	342.86	342.86	368.12	383.67	413.45	413.45	462.18	496.92	566.62	613.76	742.53	822.71	981.40

BTES - Curved Boot T-Piece Equal with Seal

Diameter (mm)	Price (£)
100	POA
125	POA
150	POA
160	POA
200	POA
250	POA
300	POA
315	POA
355	POA
400	POA
450	POA
500	POA
560	POA
630	POA
710	POA
800	POA

BTUS - Curved Boot T-Piece Unequal with Seal

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
Diameter (mm)	100														
125	POA														
150	POA	POA													
160	POA	POA	POA												
200	POA	POA	POA	POA											
250	POA	POA	POA	POA	POA										
300	POA	POA	POA	POA	POA	POA									
315	POA	POA	POA	POA	POA	POA	POA								
355	POA	POA	POA	POA	POA	POA	POA	POA							
400	POA	POA	POA	POA	POA	POA	POA	POA	POA						
450	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA					
500	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA				
560	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA			
630	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA		
710	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	
800	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA

SADDLES

PSS - Pressed Saddle with Seal

		100	125	150	160	200	250	300	315
Diameter (mm)	100	5.50							
	125	6.14	6.30						
	150	5.46	6.63	9.84					
	160	5.18	6.30	9.64	9.64				
	200	6.04	6.63	9.60	9.60	10.37			
	250	5.96	6.63	8.54	8.58	10.72	16.14		
	300	7.45	6.98	8.30	8.46	10.49	15.32	25.96	
	315	7.45	6.98	8.30	8.46	10.49	15.32	25.96	26.56

PSS



CBS - Curved Boot Saddle with Saddle with Seal

CBS



		100	125	150	160	200	250	300	315	355	400	450	500	560	630	710	800
Diameter (mm)	100	24.09															
	125	23.50	25.26														
	150	22.81	25.32	27.95													
	160	24.71	25.09	25.49	27.95												
	200	21.66	23.80	23.85	25.09	33.66											
	250	19.64	21.49	22.32	23.44	27.58	36.55										
	300	20.09	20.09	23.11	23.11	24.30	36.53	36.53									
	315	24.62	26.78	29.12	29.12	36.55	41.81	54.79	57.66								
	355	26.69	25.25	26.69	26.69	33.34	41.65	58.43	63.74	74.03							
	400	27.63	27.63	27.87	27.87	33.57	43.95	58.32	58.32	71.56	83.67						
	450	25.92	25.92	27.87	27.87	27.87	44.32	50.29	60.35	75.84	99.76	99.76					
	500	26.62	26.62	26.62	32.54	37.48	44.32	52.50	64.16	67.54	83.14	126.34	126.34				
	560	21.93	21.93	35.08	35.08	35.08	40.44	49.26	63.33	77.91	98.63	98.63	101.36	123.19			
	630	26.53	26.53	26.53	26.53	28.64	68.24	60.66	60.66	98.24	98.24	121.82	127.62	151.06	151.06		
	710	28.73	28.73	28.73	28.73	30.70	67.31	67.31	67.31	85.82	110.34	110.34	131.57	136.79	157.88	175.42	
	800	28.73	28.73	31.92	31.92	31.92	34.11	108.57	108.57	108.57	122.60	122.60	122.60	146.19	151.99	175.42	175.42

SINGLE BLADE DAMPERS

SBDS - *Single Blade Damper with Seal*



SBDS

Diameter (mm)	Price (£)
100	21.83
125	22.94
150	24.89
160	26.76
200	27.02
250	31.72
300	46.29
315	46.83
355	68.81
400	93.33
450	120.81
500	132.85
560	173.03
630	206.77
710	933.43
800	1,037.81

Fully Balanced

Easily control the flow of air in your ducting system with our single blade dampers - an effective solution for low to medium air flow systems.



END CAPS


CES - Cap End with Seal



CES

Diameter (mm)	Price (£)
100	4.00
125	4.88
150	5.44
160	6.77
200	7.93
250	10.46
300	12.35
315	12.70
355	17.09
400	20.45
450	31.33
500	36.31
560	43.51
630	59.43
710	92.76
800	113.78

CESM - Cap End with Mesh and Seal



CESM

Diameter (mm)	Price (£)
100	19.31
125	20.60
150	23.19
160	24.15
200	26.40
250	24.35
300	28.93
315	29.61
355	38.27
400	43.46
450	60.85
500	73.06
560	87.46
630	108.74
710	159.43
800	207.32

Trade discounts Available

Competitive trade account discounts are available.

Just contact our team today for more details



FLANGED SPIGOTS

FSS - *Flanged Spigot with Seal*



FSS

Diameter (mm)	Price (£)
100	4.09
125	4.40
150	4.57
160	4.40
200	5.08
250	6.11
300	7.74
315	8.15
355	10.74
400	12.01
450	13.64
500	15.35
560	20.77
630	26.06
710	42.30
800	51.57

Proudly Made in Britain

We're committed to deliver the best quality products that will stand the test of time. Much of our range is proudly manufactured in Britain.



CURVED ACCESS DOORS

CAS - *Curved Access Door to Suit*



Diameter (mm)	Price (£)
100	13.22
125	13.22
150	14.19
160	15.96
200	15.96
250	15.96
300	15.96
315	15.96
355	23.35
400	23.37
450	23.35
500	23.37
560	37.54
630	37.54
710	37.54
800	37.54

Efficiently Engineered

Our experienced production and design teams produce ducting to the highest quality using the latest technology.



iDuct Fittings

Made from high quality galvanised steel that fully complies with industry standard DW144, the iDuct range of standard duct fittings is ideal for those looking for economical ducting options. iDuct fittings are available in 100mm to 800mm diameters with pressed and fabricated options. For a more convenient fit then why not view our iSeal duct fittings range.

BENDS

BP - Bends Pressed



BP - 90°



BP - 60°



BP - 45°



BP - 30°



BP - 15°

		Reduced Diameter				
		90°	60°	45°	30°	15°
Diameter (mm)	100	6.24	7.22	5.04	5.05	7.35
	125	7.95	9.78	6.07	5.22	7.93
	150	11.26	13.68	8.48	9.52	11.06
	160	12.18	14.09	9.00	8.09	10.55
	200	16.47	19.00	11.78	11.77	13.02

BF - Bends Fabricated



BF - 90°



BF - 60°



BF - 45°



BF - 30°



BF - 15°

		Reduced Diameter				
		90°	60°	45°	30°	15°
Diameter (mm)	250	20.67	19.47	17.14	16.17	18.77
	300	23.82	24.44	18.90	18.44	21.20
	315	24.02	23.22	18.96	18.23	21.15
	355	27.17	25.25	24.60	22.57	27.41
	400	35.98	31.70	26.81	23.17	29.03
	450	44.05	39.33	29.94	25.51	30.95
	500	48.03	50.31	37.34	26.39	47.80
	560	66.23	74.24	44.94	35.57	42.03
	630	97.72	98.64	53.27	39.07	41.55
	710	117.98	147.65	69.59	70.93	75.42
	800	189.66	178.99	95.35	93.90	99.79


Y - Y-Piece



Y

Diameter (mm)	Price (£)
100	42.49
125	46.58
150	54.58
160	57.31
200	75.08
250	96.40
300	138.51
315	138.15
355	161.21
400	195.69
450	238.58
500	249.07
560	349.68
630	349.68
710	464.28
800	696.36

TB - Twin Bend



TB

Diameter (mm)	Price (£)
100	40.80
125	51.00
150	54.40
160	57.80
200	74.80
250	74.80
300	146.20
315	146.20
355	176.80
400	207.40
450	258.40
500	258.40
560	357.00
630	363.80
710	481.00
800	616.00

Fully stocked for when you need it

iDuct carry 1000's of items in stock with much of it available for immediate dispatch or ready for collection.



CONNECTORS

MC - Male Coupler



MC

Diameter (mm)	Price (£)
100	1.86
125	1.94
150	1.96
160	1.93
200	2.18
250	2.76
300	3.52
315	3.93
355	5.14
400	5.27
450	6.64
500	6.65
560	8.19
630	9.32
710	17.91
800	20.62

FC - Female Coupler



FC

Diameter (mm)	Price (£)
100	1.86
125	1.94
150	1.96
160	2.00
200	2.20
250	2.66
300	3.57
315	3.93
355	5.22
400	5.47
450	6.90
500	6.86
560	9.20
630	10.35
710	21.01
800	23.51

Need to keep things quiet?

Reduce noise pollution with the use of a iDuct attenuator.

[See Page 42](#)



Reducers

PR - Short Press Reducer



PR

		100	125	150	160	200	250	300	315	355	400	450	500	560
Diameter (mm)	100													
	125	10.07												
	150	9.36	8.64											
	160	9.98	9.98	9.92										
	200	13.82	13.82	11.90	11.24									
	250	24.33	17.53	16.73	15.25	15.25								

Secure Fittings

If you are using iDuct ducting fittings then why not explore our range of high quality sealants and tapes that are designed specifically for ducting systems.



FR - Fabricated Reducer



FR

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
250	28.22	26.49	25.68	25.58	24.81										
300		29.92	27.84	27.6	20.99	23.04									
315		31.11	27.25	28.19	21.44	23.07	25.14								
355			35.27	34.98	28.52	26.27	25.22	24.94							
400			41.90	41.90	33.43	32.37	30.68	28.86	29.16						
450					44.99	32.98	33.94	31.46	32.36	31.46					
500						35.27	37.65	33.22	33.89	32.09	36.70				
560							61.26	58.52	56.45	54.46	54.53	51.08			
630							66.73	68.3	67.31	67.4	61.28	68.27	65.50		
710									94.17	94.41	93.35	92.18	91.02	87.97	
800										110.75	114.03	114.64	111.76	109.98	108.73

Hand Crafted By Experts

Much of our product range is expertly crafted by our knowledgeable and experienced manufacturing team.



TEE-PIECES

TE - T-Piece Equal 90 Degree

Diameter (mm)	Price (£)
100	13.86
125	16.61
150	20.71
160	22.89
200	30.70
250	42.61
300	49.12
315	54.47
355	94.82
400	106.14
450	115.74
500	128.64
560	140.53
630	143.47



TE/TU

TU - T-Piece Unequal 90 Degree

	100	125	150	160	200	250	300	315	355	400	450	500	560
Diameter (mm)													
100													
125	19.10												
150	20.74	18.71											
160	20.53	22.24	23.16										
200	23.95	24.01	28.24	28.31									
250	29.46	29.60	30.47	30.47	33.51								
300	29.68	31.09	33.13	31.09	36.06	58.36							
315	30.60	31.86	34.09	34.09	38.00	44.29	48.42						
355	35.31	34.89	38.45	38.77	46.72	48.24	57.62	53.77					
400	36.25	36.94	37.23	37.23	49.53	52.04	57.98	57.98	99.51				
450	39.66	40.14	43.70	43.70	50.99	57.82	61.53	61.53	103.92	115.47			
500	42.49	43.04	44.01	46.21	51.73	58.59	66.44	66.44	110.52	116.33	122.25		
560	41.75	42.10	45.33	47.72	56.84	64.42	78.84	70.08	116.25	122.32	130.90	137.71	
630	43.28	45.00	46.91	46.91	55.64	68.77	69.76	74.41	120.65	136.25	138.17	145.36	149.80

T45E - T-Piece Equal 90 Degree

Diameter (mm)	Price (£)
100	30.35
125	35.38
150	42.63
160	45.55
200	60.58
250	85.20
300	91.18
315	91.18
355	111.70
400	120.50
450	135.95
500	153.85
560	162.61
630	182.67
710	234.42
800	254.02



T45E/TE45U

T45U - T-Piece Unequal 90 Degree

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
100															
125	62.68														
150	63.44	63.44													
160	69.70	64.61	72.90												
200	71.50	71.73	72.71	71.24											
250	73.41	74.20	73.76	76.56	77.91										
300	73.31	73.31	75.32	78.93	78.36	78.89									
315	83.09	83.09	86.07	90.21	91.42	94.67	101.31								
355	88.59	88.59	103.88	103.88	98.03	111.24	125.90	125.90							
400	95.27	95.27	94.55	94.55	101.55	102.75	113.39	113.39	114.38						
450	99.54	99.54	99.54	99.54	103.06	110.96	112.77	112.77	115.29	130.85					
500	102.57	102.57	107.98	107.98	109.04	114.12	116.62	116.62	128.97	128.49	142.86				
560	133.08	133.08	134.44	134.44	134.44	139.87	144.53	146.38	147.95	165.10	170.52	180.01			
630	117.22	123.36	123.36	123.36	129.81	129.10	134.57	141.65	138.54	153.58	164.14	165.61	170.50		
710	142.25	148.73	148.73	148.73	148.73	155.54	162.80	159.55	167.07	184.80	191.11	203.18	204.86	213.56	
800	160.76	167.25	167.25	167.25	167.25	167.25	174.06	181.32	196.84	205.24	225.06	245.46	261.09	261.79	272.13

BTE - Curved Boot T-Piece Equal

Diameter (mm)	Price (£)
100	POA
125	POA
150	POA
160	POA
200	POA
250	POA
300	POA
315	POA
355	POA
400	POA
450	POA
500	POA
560	POA
630	POA
710	POA
800	POA

BTU - Curved Boot T-Piece Unequal

	100	125	150	160	200	250	300	315	355	400	450	500	560	630	710
Diameter (mm)															
100															
125	POA														
150	POA	POA													
160	POA	POA	POA												
200	POA	POA	POA	POA											
250	POA	POA	POA	POA	POA										
300	POA	POA	POA	POA	POA	POA									
315	POA	POA	POA	POA	POA	POA	POA								
355	POA	POA	POA	POA	POA	POA	POA	POA							
400	POA	POA	POA	POA	POA	POA	POA	POA	POA						
450	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA					
500	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA				
560	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA			
630	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA		
710	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	
800	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA	POA

SADDLES

PS - Pressed Saddle

		Reduced Diameter (mm)								
		80	100	125	150	160	200	250	300	315
Diameter (mm)	100	4.02	3.81							
	125	4.02	3.81	4.41						
	150	4.32	4.32	5.08	7.53					
	160	3.87	4.19	4.41	8.26	7.98				
	200		4.35	5.02	7.53	7.78	8.94			
	250		4.20	5.02	7.47	7.78	8.83	13.62		
	300		6.91	5.24	7.22	7.27	9.03	14.88	20.22	
	315		6.91	6.91	6.91	6.91	6.91	6.91	6.91	6.91



PS

CB - Curved Boot Saddle



CB

		100	125	150	160	200	250	300	315	355	400	450	500	560	630	710	800
Diameter (mm)	100	18.50															
	125	18.80	17.90														
	150	18.37	19.04	20.17													
	160	17.83	18.86	19.34	21.24												
	200	18.69	18.69	20.91	23.12	25.58											
	250	17.44	18.69	20.62	22.51	24.86	28.77										
	300	17.52	18.56	19.69	22.44	24.41	28.93	37.66									
	315	17.89	18.91	20.64	20.64	25.42	29.44	42.31	44.51								
	355	17.85	18.60	18.88	23.21	24.33	31.97	37.94	44.84	54.31							
	400	18.20	18.91	21.16	22.17	24.83	31.06	37.88	45.46	59.66	67.88						
	450	18.20	19.43	21.02	22.93	26.24	28.76	38.39	43.76	54.54	68.50	82.17					
	500	18.77	18.77	20.97	21.74	24.53	29.37	38.39	43.76	54.54	68.50	82.17	89.69				
	560	18.47	18.47	24.78	24.78	24.78	29.29	36.57	43.47	55.02	37.56	37.56	91.37	101.49			
	630	18.47	18.47	20.88	22.78	25.10	29.29	37.54	46.07	57.41	71.54	81.99	102.40	104.76	107.64		
	710	20.79	20.79	25.32	25.32	28.85	36.03	41.56	53.88	59.86	66.03	97.87	103.02	103.02	120.64	171.35	
	800	15.12	15.12	16.88	16.88	28.85	34.23	41.56	53.88	59.86	66.03	87.66	103.02	103.02	160.85	180.37	197.36

SINGLE BLADE DAMPERS

SBD - Single Blade Damper



SBD

Diameter (mm)	Price (£)
100	15.16
125	15.98
150	17.00
160	17.00
200	18.48
250	22.34
300	27.41
315	28.11
355	45.22
400	50.87
450	63.43
500	70.83
560	96.21
630	112.97
710	502.80
800	502.80

Secure Support

Mount your ducting system easily and safely with our full range of support and mounting systems.

[See Page 45](#)



END CAPS

CE - Cap End



CE

Diameter (mm)	Price (£)
100	2.67
125	3.36
150	3.54
160	3.86
200	5.38
250	6.61
300	7.84
315	7.86
355	10.76
400	12.40
450	19.97
500	23.51
560	27.19
630	38.36
710	64.26
800	80.20

CEM - Cap End with Mesh



CEM

Diameter (mm)	Price (£)
100	3.13
125	4.39
150	4.72
160	4.99
200	5.32
250	7.40
300	9.19
315	9.68
355	12.58
400	13.97
450	19.91
500	26.58
560	30.13
630	37.29
710	56.68
800	73.65

Fast Fixings

As a one stop ducting shop we supply a wide selection of fixings and fasteners to help complete your ducting project.



FLANGED SPIGOTS

FS - Flanged Spigot



Diameter (mm)	Price (£)
80	1.96
100	2.15
125	2.58
150	2.88
160	3.39
200	3.94
250	4.41
300	5.96
315	6.16
355	7.99
400	8.73
450	10.27
500	11.07
560	12.53
630	13.78
710	18.69
800	22.71

Need an Outlet?


Our high quality range of outlets and flashings are manufactured to last, whatever the weather.

[See Page 36](#)



CURVED ACCESS DOORS

CAS - *Curved Access Door to Suit*



CAS

Diameter (mm)	Price (£)
100	13.22
125	13.22
150	21.28
160	21.28
200	21.28
250	21.28
300	21.28
315	21.28
355	35.03
400	29.47
450	35.03
500	29.47
560	56.31
630	56.31
710	56.31
800	56.31

We're on Hand to Help

From sales or technical advice, our experienced team is on hand to help



Outlets and Flashings

Outlets are used at the end of the ventilation system typically ending at either a wall or a roof. iDuct supply a wide range of outlet solutions including roof flashing to fit your particular ducting project.

HIGH VELOCITY COWLS

HVC - High Velocity Jet Cowl



HVC

Diameter (mm)	Price (£)
100	184.11
125	177.65
150	213.04
160	207.28
200	240.48
250	261.86
300	315.52
315	315.52
355	375.64
400	477.54
450	553.03
500	559.15
560	588.41
630	754.02
710	854.66
800	1,124.01

Nationwide Coverage

Our products are proudly manufactured in Greater Manchester and we supply to the all of the UK with delivery and collection options available..



BIRD BEAK OUTLETS

BBS - Bird Beak Outlet with Seal




Diameter (mm)	Price (£)
100	13.32
125	13.94
150	16.68
160	17.71
200	29.07
250	40.14
300	47.96
315	57.13
355	57.29
400	77.93
450	123.65
500	148.42
560	191.55
630	201.59
710	296.65
800	312.24


Build your quote

Our state of the art website has over 3000 parts and designed for you to configure your quote as easily as possible.

See for yourself at [iDuct.co.uk](https://www.iduct.co.uk)



BB - Bird Beak Outlet



Diameter (mm)	Price (£)
100	11.32
125	11.91
150	14.81
160	14.66
200	18.68
250	24.64
300	35.08
315	35.49
355	43.88
400	54.42
450	77.03
500	92.34
560	124.96
630	141.71
710	226.26
800	346.39



Build Your Order



Recieve Your Quote



Register and Pay

GRILLE BOXES

PGB - Plastic Grille Box




PGB

Spigot Diameter (mm)

		100	125	150	160	200	250	300	315	350	355	400	450
Box Size (mm)	100	27.89											
	150	30.03	30.03	30.03									
	200	34.52	34.52	34.52	34.52	34.52							
	225	39.62	39.62	39.62	39.62	39.62	39.62						
	230			39.62		39.62							
	250	40.32	40.32	40.32	40.32	40.32	40.32						
	300			45.71	45.71	45.71	45.71	45.71					
	350			52.80	52.80	52.80	52.80	52.80	52.80				
	400			54.08	54.08	54.08	54.08	54.08	54.08	54.08			
	450			55.35	55.35	55.35	55.35	55.35	55.35		55.35	55.35	
	500			68.25	68.25	68.25	68.25	68.25	68.25				
	525			68.25		68.25	68.25	68.25					
	595			78.32	78.32	78.32	78.32	78.32	78.32		78.32	78.32	78.32

DEKTITE FLASHINGS

DFE - Masterflash Dektites



Part	Diameter (mm)	Price (£)
DFE101B	6mm - 70mm	13.24
DFE102B	22mm - 102mm	17.47
DFE103B	60mm - 150mm	23.04
DFE104B	70mm - 180mm	29.80
DFE105B	100mm - 210mm	32.97
DFE106B	120mm - 250mm	36.54
DFE107B	140mm - 290mm	71.50
DFE108B	170mm - 340mm	85.93
DFE109B	240mm - 520mm	115.06
DC110B	305mm - 720mm	443.30

Attenuators

If you are looking to reduce the noise in your ducting system then an iDuct attenuator is the perfect solution. Typically placed near noise generating areas such as fans and dampers, these attenuators are easy to install and made from high quality steel.

CIRCULAR SILENCERS

CSS - Circular Silencer with Seal



CSS

Diameter (mm)	Length (mm)			
	300	600	900	1200
100	49.00	72.42	94.17	120.95
125	54.21	80.78	105.69	135.81
150	62.74	92.59	125.46	161.80
160	69.03	100.55	135.19	168.85
200	80.34	114.81	155.02	190.28
250	100.75	144.49	188.38	242.14
300	117.36	170.16	231.41	294.95
315	130.34	188.20	260.65	322.17
355	123.64	187.29	271.59	332.22
400	144.90	223.05	328.07	416.43
450	177.29	281.47	396.43	520.92
500	202.37	324.90	463.87	605.55
560	245.53	380.26	536.38	696.55
630	276.37	435.05	607.79	791.64
710	370.29	588.49	818.55	999.97
800	382.22	615.29	854.30	1,077.90

Spiraling Costs ?

We use the latest manufacturing technology to keep costs lower than many of our competitors without compromising on quality.



Support Systems

Our wide range of high quality ducting support system parts and accessories are designed to keep your ducting system safe and secure whether placed vertically or horizontally.

DUCT SUPPORT BRACKETS

CLR - Clamping Ring with Thread (M8/M10)



CLR

Diameter (mm)	Price (£)
100	3.68
125	4.09
150	4.62
160	5.03
200	6.20
250	7.60
300	8.60
315	8.42
355	9.88

CLRL - Clamping Ring with Gasket & Thread (M8/M10)



CLRL

Diameter (mm)	Price (£)
100	6.08
125	7.02
150	8.65
160	8.81
200	10.76
250	13.18
300	14.19
315	15.98
355	17.62

CLR - Clamping Ring



CLR

Diameter (mm)	Price (£)
400	11.52
450	11.70
500	12.37
560	15.20
630	16.72
710	17.58
800	18.85

CLRL - Clamping Ring with Gasket




CLRL

Diameter (mm)	Price (£)
400	20.35
450	28.07
500	30.41
560	34.07
630	41.87
710	45.84
800	55.28

Sealants & Tapes

For the standard duct fittings we offer a selection of high quality tapes, sealants and accessories to create a permanent and reliable bond between ducting sections. If you require ducting supplies that don't require sealants and tapes then why not look at our iSeal ducting range.



SEALANTS AND TAPES

AKR - Acrylic Sealant



CLRL

Price (£)

7.39

ATM -Aluminium Tape w/ Mesh




ATM

Price (£)

15.28

AST - Aluminium Smooth Tape




AST

Price (£)

12.94

PVC - PVC Sealing Tape




PVC

Price (£)

7.60

TF - Fabric Duct Tape



TF

Price (£)

12.57

WHY CHOOSE US?



**SUPERIOR QUALITY AT
UNBEATABLE PRICES**



**THOUSANDS OF ITEMS
IN STOCK**



**ALL YOUR DUCTING
NEEDS IN ONE PLACE**



**EXCLUSIVE DISCOUNTS
FOR ACCOUNT**



**WE HAVE OVER 40
YEARS COMBINED
DUCTING EXPERIENCE**



**PICK UP THE PHONE
AND TALK TO AN
EXPERT RIGHT AWAY**

MADE IN BRITAIN

We're committed to deliver the best quality products that will stand the test of time whilst offering unbeatable value. By producing much of our products at our dedicated manufacturing facility in the UK we can ensure that our ducting products are of the highest quality and meet UK standards.



EASY ONLINE QUOTES



BUILD YOUR ORDER

Simply add the products you need for your project to your basket. Our diameter filter helps to ensure you pick the right size.




RECEIVE YOUR QUOTE

Once you have submitted your quote at the checkout one of our dedicated team will email you your personalised quote.



REGISTER AND PAY

Once you are happy with your quote then simply contact your dedicated rep who can then process your payment.



iDuct.co.uk

NATIONAL COVERAGE

We understand that sometimes you need something as quick as possible which is why we offer a quick and expertly handled delivery service across the UK.

If you prefer to collect your goods we have a dedicated trade counter at our site in Leigh, Greater Manchester, conveniently located near major motorway networks.



If you have any
questions, please get
in touch!

iDuct Ltd
B7 Douglas Way,
Moss Industrial Estate,
Leigh, Greater Manchester,
WN7 3PT

0161 - 5094001
info@iDuct.co.uk
[iDuct.co.uk](https://www.iDuct.co.uk)