



**Product guide - 9th edition**  
The modern face of construction



# The Britannia range


A collection of kiln fired, extruded, natural clay brick colours manufactured in standard UK sizes. Corner bricks available.



Red Blue Flamed 7427



Red Multi 335



Smooth Red 400



Rustic Inferno Multi 686



Red Dragwire 401



Rustic Golden Multi 684



Rustic Red Charcoal Multi 685



Rustic Cottage Multi 690



Rustic Orange Multi 687



Rustic Buff Multi 688



Rustic Red Multi 689



Old Millhouse 7420 OM



Rustic Cream 692



Rustic Black 693



London Multi Buff F297




Weathered Old Millhouse 7480 OM



Rustic Charcoal 697



Autumn Leaves 7429 HL




Montana Red 7420



Weathered Grey Multi 764






Smooth Anthracite 700



Smooth Grey R800



R100 Smooth White

## The Classic range

**A range including both manufactured and specially cut brick slips offering traditional finishes. Corner bricks available.**



Baroque Multi



Islington Yellow Rustica



St Ives Cream Rustica



Whitby Red



Topaz



Old English



EBS Sanded Red Stock



Newbridge Mix



Staffordshire Blue



London Original Stock



Pastorale

**IMPORTANT:** All of our brick slips are manufactured from natural clay and variations in colour between and within batches of bricks can occur. This is not a fault of production. Please request a sample before purchasing.

# Stone range


## A range of reconstituted stone slips manufactured to order.

These can be used on whole projects or to provide architectural detail such as quoins or feature bands. All stone products are manufactured/cut to order. Corner stone slips are also available on most products.


Please allow a minimum lead time of sixteen weeks when placing an order. For our full range, please see the Stone Finish brochure, or visit [eurobrick.co.uk](http://eurobrick.co.uk).




Square Dressed Pennine



Rough Dressed Buff



Rough Dressed Southwold



Traditional Buff

## Straight slips, corners and angles


All brick types from the Classic and Britannia ranges are available as straight slips and 90° pistol corners as illustrated.

Britannia range straight slips are typically 215x65x15mm and Classic range are typically 215x65x(20-25mm) depending on brick type.


Special pieces such as face and bed corner/s or special angles (eg. 135°) can be "cut and stuck" to order.



STRAIGHT SLIP



90° PISTOL CORNER



SPECIALLY MADE SHAPES

Please enquire about lead times and costs.



## Cut to order

Where a project requires a particular brick type, not matched by any of the blends carried as stock at Eurobrick we can source these and have them cut to fit within our systems.

Slips can be cut from any FL grade (frost resistant) brick. Slips are usually cut 20mm to 25mm thick, depending on the characteristics of the brick, and can be used with our cladding systems provided the height of the bricks does not exceed 65mm.

### Terms and Conditions

Any quantity can be considered for cutting. Pistol corners can also be provided. Please contact us to discuss lead times, costs, terms and conditions relating to orders for specially cut bricks.

Please call 0117 971 7117 or email [info@eurobrick.co.uk](mailto:info@eurobrick.co.uk) to speak to one of our technical team.





Charcoal



Light Grey




Standard Grey



Sandstone



Light Sandstone



White



Brick Red



Dark Brown

## Pointing mortar

**Our A1-rated, non-combustible Europoint mortar is a specially formulated, easy-to-use dry pack pointing mortar, available in eight colours.**

Coloured mortars enable the desired aesthetic effect to be achieved either by complementing or contrasting the brick colour.

Europoint® is a pre-prepared cement based mortar, just add water and mix. It has been developed for application by gun or grout bag injection. Pointing bags, tips and guns are available.

The colours shown left are indicative, please see Important section on the back of this guide for further information.

## Panel systems

**Our panel systems offer the perfect solution for exterior or interior use and can be fitted to most substrate types with or without insulation.**



A non-combustible rainscreen system suitable for buildings of any height.



Lightweight, external wall insulation system suitable for new build, modular and retrofit projects.



Designed for use as a rainscreen on structures requiring a cavity.



An economy external wall insulation system ideal for domestic and renovation purposes.



For interior use, the plasterboard backer panel can be fixed to a steel or timber framed wall.

## Installation



**1.** The backer panel is mechanically fixed to the substrate. Panels and fixings vary according to the system and application.



**2.** The brick slips are attached with an adhesive, which varies according to the system. The horizontal ribs align and support the brick slips.



**3.** Our specially formulated Europoint pointing mortar is then piped or gunned into the brick joints.



**4.** Mortar is tooled in the manner of traditional pointing. Once it has set the brickwork is brushed down to finish.



For technical queries and advice on our products and systems please call  
**+44 (0)117 971 7117**



For more information and to buy brick slips, pointing mortar and accessories online, please visit  
**[www.eurobrick.co.uk](http://www.eurobrick.co.uk)**



## Important

It should be noted that as the materials used in the manufacture of bricks, stone and mortars are from natural sources, variations in shade and dimension can occur. This should not be viewed as a fault in production and should be taken into account at the design stage of the project.

Whilst every reasonable effort is made to ensure that Classic range slips and other specially cut bricks and pistol corners are supplied to a tolerance of +/- 2mm of the prescribed thickness, it is possible that some deviation from size tolerance may be experienced in thickness, shape and length of bricks.

Installers must carefully monitor all materials used and reject any sub-standard or unsuitable material prior to installation. **Eurobrick Systems Limited** will not accept any liability for any costs arising from the rejection of materials once they have been installed.

Prices of brick slips will vary dependent on blend chosen and volume required.

Our brick slip range is constantly evolving. From time to time, products illustrated in this guide may be discontinued or superseded and new products may be added. For up to date product information, please visit our website or call us to check current stock levels.

## Mortar

The mortar colours shown are indicative. Please note, colour variations can be expected due to the porosity of the brick, finishing techniques, mixing procedures and weather conditions (temperature, humidity and wind) at time of application. Coloured mortars will change the appearance of brickwork.

## Standards

We are an ISO 9001:2015 and ISO 14001:2015 company.

Please visit our website for further details - [www.eurobrick.co.uk](http://www.eurobrick.co.uk)



### Eurobrick Systems Ltd

Unit 5, Newbridge Trading Estate,  
Newbridge Close, Bristol, BS4 4AX

T: +44 (0)117 971 7117

[info@eurobrick.co.uk](mailto:info@eurobrick.co.uk) [www.eurobrick.co.uk](http://www.eurobrick.co.uk)

### Visit our showroom

You can see all of our cladding systems and finishes at our showroom which is open to visitors Monday-Friday, 9am-4.30pm excluding bank holidays. An appointment is not necessary but if you would prefer to make one you can do so by calling us on 0117 971 7117.

As part of our continuing product development and improvement policy, Eurobrick Systems Ltd reserve the right to change product specifications without prior notice.

Terms and conditions apply, please see our website for more details.

© 2024 Eurobrick Systems Limited. All rights reserved.

