

2010-1

Multiple mailboxes | Standard series

2010-1



This is the most common application, where the mailboxes are positioned either freestanding, wall mounted or recessed within a wall. The standard mailboxes are for both external and internal use. All mailboxes will take standard A4 sized mail, and they all comply to British Standards and Secured By Design Homes 2019 requirements.

FEATURES

APPLICATIONS









Cam lock with standard cylinder supplied with 2 keys

PERFORMANCES









STANDARDS

- Secured by Design Homes 2019 guide compliant
- Royal Mail compliant
- British Standard BS EN 13724 compliant

BODY

- Dimensions(mm): 375W x 110H x 270D
- Electro-galvanised steel
- Polyester powder coated standard RAL colour

FRONT

- Standard door
- Electro-galvanised steel
- Polyester powder coated standard RAL colour
- Front aperture (325 x 35)
- Anti-theft device
- Standard painted aluminium flap
- · Clipped perspex window with name tag


OPTIONS

- Surround
- Stands
- Soft close flap
- Master key
- Anti-arson
- Electronic lock
- High security TARA16C lock
- Access control
- Permanent engraving with ink infill
- Other finishes:
 - Non standard RAL colours
 - Satin stainless steel
 - Gold. Silver or Bronze anodized aluminium
 - Print

FINISHES

White aluminium

Standard RAL colours



Traffic white

Pure white

Grey aluminium









S mysmartbox



DAD LTD

Hornbeam Suite, The Rake Factory, Church Rd, Smeeth, Ashford, Kent TN25 6SA

Tel.: +44 (0) 1233 630 406 Email: info@dadgroup.co.uk Web.: dadgroup.co.uk











