

FR120MBH

Multiple mailboxes | FR120 Fire rated

FR120MBH



When deciding on the correct mailbox to purchase, it is essential that the buyer is clear about the location that the fire rated mailboxes are going to be located. Choosing a standard mailbox may disable the Fire Rating of the property and become vulnerable to fire. We have worked with EXOVA Warrington to achieve full Fire Rating (two hours integrity) to BS 476 Part 22 conform to BS476 Part 6 & 7. Our Fire Rated range of mailboxes were successfully selected for installation at the Athlete Village during the London 2012 Olympics and comply to the SBD Homes guide 2019.

FEATURES

APPLICATIONS









- Sprung painted steel flap
- Cam lock with standard cylinder supplied with 2 keys

PERFORMANCES











BODY

- Dimensions(mm): 280W x 125H x 360D
- Electro-galvanised steel
- Polyester powder coated standard RAL colour

FRONT

- Standard door
- Electro-galvanised steel
- Polyester powder coated standard RAL colour
- Front aperture (235 x 25)

STANDARDS

- Compliant to BS476 Part 22 and conforming to BS476 Part 6 & 7
- Secured by Design Homes 2019 guide compliant
- Royal Mail compliant
- British Standard BS EN 13724 compliant
- Compliant to BS476 Part 22 and conforming to BS476 Part 6 & 7

OPTIONS

- Surround
- Stands
- Master key
- Anti-arson
- Permanent engraving with ink infill
- Other finishes:
 - Non standard BAL colours
 - Satin stainless steel
 - Print



FINISHES

Standard RAL colours



Optional finishes








Non standard RAL colours

Satin stainless steel

PRINT

PRINT Custom artwork

DIMENSIONS



^{*}Please note that the finishes shown on this document can differ slightly from reality due to your display or printer. Note: All the dimensions of this document are in mm. Please allow minor tolerance on the overall alignment of our boxes.

S mysmartbox BY DECAYEUX



DAD LTD

Hornbeam Suite, The Rake Factory, Church Rd, Smeeth, Ashford, Kent TN25 6SA

Tel.: +44 (0) 1233 630 406 Email: info@dadgroup.co.uk Web.: dadgroup.co.uk











