

# **PROBEAD**

PROFESSIONAL PVCu RENDER AND PLASTER BEADS



# ■ PROBEAD

PROFESSIONAL PVCu RENDER AND PLASTER BEADS

- 34 external and internal profiles
- Wider range of colours than any other manufacturer
- External render and internal plaster beads
- REACH registered raw materials




Standard ProBead Colours:  
100% reground PVCu

## ProBead render beads are your key to a sharp and durable finish.

The 34 ProBead profiles work together to detail and protect rendered facades.

Through-coloured and made from recycled plastic, these render beads are known for their high quality and trusted for their strength and durability.



### ■ Standards & Compliance

- BBA certified 06/4382 (on selected profiles)
- ISO 9001:2015 manufactured
- ProBead PVCu profiles extruded to BS EN 12608:2003
- BS 476-4:1970 Fire tests on building materials and structures - Non-combustibility test for materials
- Profiles suitable for rendering and plastering to BS EN 13914:2005 Design preparation and application of external rendering and internal plastering

### ■ Features & Benefits

- Extensive through-coloured standard and custom range
- Lightweight - for ease of handling
- Easy to cut compared to traditional metal beads
- Cost-effective - due to time savings
- Excellent keying - reducing render or plaster wastage
- Non-corrosive - no staining on the walls due to rust
- Non-flammable
- 25 year guarantee against failure
- Over 1,000,000 metres in stock - reduced lead times


## Colours




## Custom Colours

In addition to the standard colour range shown above we are also able to manufacture custom colours to suit most renders.

Custom colours are particularly suitable for thin coat synthetic renders such as **ProRend** **Colourtex** or equivalent.




## Angle / Corner Bead



Standard angle beads - 40mm wing

Item Code	Colour	Render Depth	Length	Box
SAB4*	All	4-6mm	2.5m	100m
SAB6	All	6-8mm	3m	102m
SAB10	All	10-14mm	3m	102m
SAB15	All	15-20mm	3m	102m


*\*not covered by BBA certificate 06/4382*



Wide angle beads - 57mm wing


Item Code	Colour	Render Depth	Length	Box
WAB10	All	10-15mm	3m	102m
WAB15	All	15-20mm	3m	102m
WAB20	All	20-25mm	3m	102m

## Bellcast / Drip Bead



Standard bellcast beads - 40mm wing


Item Code	Colour	Render Depth	Length	Box
3BC10	All	10-14mm	3m	102m
3BC15	All	15-20mm	3m	102m
3BC20	All	20-25mm	3m	102m



Wide bellcast beads - 55mm wing


Item Code	Colour	Render Depth	Length	Box
W3BC15	White / Ivory	15-20mm	3m	102m
W3BC20	White / Ivory	20-25mm	3m	102m

## Stop Bead



### Standard stop beads - 40mm wing


Item Code	Colour	Render Depth	Length	Box
3SB4	White	4mm	3m	102m
3SB6	All	6mm	3m	102m
3SB10	All	10mm	3m	102m
3SB15	All	15mm	3m	102m
3SB20	All	20mm	3m	102m



### Wide stop beads - 55mm wing


Item Code	Colour	Render Depth	Length	Box
W3SB10	White / Ivory	10mm	3m	102m
W3SB15	White / Ivory	15mm	3m	102m
W3SB20	White / Ivory	20mm	3m	102m

## Expansion / Movement Bead



Item Code	Colour	Render Depth	Length	Box
3EX6	All	6mm	3m	102m
3EX10	All	10mm	3m	102m
3EX15	All	15mm	3m	102m
3EX20	All	20mm	3m	102m

## Ashlar Detail




The Ashlar Detail / Rustification bead creates a 25mm wide detail which can be mechanically fixed or bedded on.

Item Code	Colour	Render Depth	Length	Box
3AD25	All	10mm	3m	51m




## ■ ProBead Plus Meshed Wing Beads



The Noseless Meshed Angle Bead with 100mm and 150mm asymmetric mesh returns is ideal for use in thin coat render systems over external wall insulation, or rainscreen cladding systems such as [ProRend EIFS](#) and [ProWall](#).

Item Code	Colour	Render Depth	Length	Box
NMAB	White	5-6mm	2.5m	100m




The Window Protection Bead with 150mm mesh return is ideal for use in thin coat render systems over external wall insulation, or rainscreen cladding systems such as [ProRend EIFS](#) and [ProWall](#).

Item Code	Colour	Render Depth	Length	Box
PWWBP	White	5-6mm	2.4m	72m


## ■ ProBead for ProWall Rendered Rainscreen

Specialised bead for our [ProWall](#) rendered rainscreen system. ProWall provides a robust, stable rendered finish on timber frame, and is compliant for use on steel frame developments over 18 metres.




### **PWVBB**

ProWall ventilation bead provides protection from insects and rodents at the base of the system whilst allowing the cavity to breathe.



### **PWBB**


ProWall base bead provides protection to the base of the render board and has a built-in drip detail.




### **PWRAB**

The ProWall window head bead ensures good drainage from the face of the render and provides a neat edge.


# Drywall Beads




**3AB2**  
Drylining bead  
providing impact  
protection for corners



**3AB2A**  
Arch angle bead for  
forming curves to a  
minimum radius of  
250mm



**3PE12 3PE15**  
Clip-on plasterboard  
or render carrier board  
edge bead providing  
reinforcement



**SG15**  
15mm shadow  
gap bead

Item Code	Colour	Plaster Depth	Length	Box
3AB2	White	2mm	3m	102m
3AB2A	White	2mm	3m	102m
3PE12	White	2mm	3m	102m
3PE15	White	2mm	3m	102m
SG15	White	2mm	2.5m	100m



Luxury north Devon development using ProBead with the ProWall rendered cladding system



Moor Park eco-housing scheme in a Devon village

**“SAS ProBead is a market-leader due to its extremely high performance and durability.”**





## ■ SAS

At SAS we have more than 35 years of practical experience in the rendering and facades industry. Our team have practical experience of applying products, we work with specifiers and provide technical problem-solving on site. SAS supply the highest quality external products for your build projects, and have an experienced technical team to get the results you want.

We are constantly innovating to provide the best solutions for rendering and plastering. Our premium quality products offer longevity to the proprietor as well as technically sound and fast applications to the contractor.


## ■ Nationwide Delivery

Stock items 1-2 working days

## ■ Office Hours:

Monday-Thursday - 08:00-17:00

Friday - 08:00-16:30



Information contained in this brochure is correct at the time of print. SAS (Europe) Ltd reserve the right to make alterations to the content of this brochure and to the products and services we make available as part of our continuing commitment to improvement.

## ■ PROBEAD

ProBead is part of the SAS (Europe) Ltd range of products and systems

**SAS** RAINSCREEN | INSULATION | RENDER | MESH | BEADS

SAS (EUROPE) LTD

CHERITON BISHOP | EXETER | EX6 6JE | UK

T: +44 (0)1647 24620 F: +44 (0)1647 24020

E: [info@sas-europe.com](mailto:info@sas-europe.com)

[www.sas-europe.com](http://www.sas-europe.com)

