sas RAINSCREEN | INSULATION | RENDER | MESH | BEADS















COLOURTEX

PREMIUM THIN COAT RENDER SYSTEMS

PREMIUM QUALITY RENDER SYSTEMS



High-performance thin-coat render systems designed for flawless, durable façades.

Backed by over 35 years of industry expertise, SAS delivers reliable systems, technical support, and proven results across every project.

Explore the full system range at

sas-europe.com

ProRend Colourtex is a premium, factory-batched thin-coat render, available in silicone and fine acrylic finishes.

PROREND COLOURTEX

Designed to deliver a consistent, high-quality façade across a wide range of substrates.

Finish Options

- **Colourtex Silicone (1.5mm Uniform / 3mm Grained)**

  A high-performance silicone finish offering excellent water repellency and breathability, ideal for long-term façade protection.

- **Colourtex Fine Acrylic (1mm)**


  A smooth, fine-textured acrylic finish designed to achieve a clean, decorative appearance with excellent workability.

Key Features

- Flexible finish to accommodate minor movement
- Excellent resistance to driving rain
- Easy to maintain and repair
- Consistent colour with tinted primer system
- Suitable for hand or spray application

Ideal substrates

- Lightweight blockwork: 7kN or 3.5kN
- Existing unpainted render
- New sand and cement
- Brickwork
- Pre-cast concrete
- Render carrier board systems (e.g. ProWall)
- Insulation that includes: expanded polystyrene, mineral fibre, and Insulated Concrete Form (ICF)




How the ProRend Colourtex System Works

A complete, fully warranted render system designed for performance, durability, and ease of application.

Typical Build-Up

Please note: Product required will vary depending on substrate.



1. **Basecoat - First Pass**
   ProRend Prep / Lite / Float
2. **Reinforcement**
   ProMesh Grade 5
3. **Basecoat - Second Pass**
   ProRend Prep / Lite / Float
4. **Primer**
   ProRend Colourtex Primer (tinted)
5. **Finish Coat**
   ProRend Colourtex 1.5mm Uniform / 3mm Grained Silicone / 1mm Fine Acrylic


All components are designed to work together as a fully integrated system, ensuring compatibility across every layer.





Concord House, Devon
Colourtex Uniform 1.5mm


From traditionally classic to



African Grey | Atlantic | Cadet | Bamboo | Brick



Cream | Dolphin | Dove | Dusk | Fawn



Mr Whippy | Ocean | Parma Violet | Peach | Pigeon



Sage | Sunbeam | Vanilla | Wheat | White

N.B. The colours shown are indicative and may vary slightly from the supplied product

contemporary urban style...



Candy | Cappuccino | Cottage



Ivory | Latte | Mocha



Platinum | Primrose | Rambling Rose



Willow

Transform your projects with Colourtex.

Available in 30 standard colours, with matching to RAL, NCS, BS, or custom samples for added design flexibility.



Complete the look with ProBead.

Choose from 19 coloured rendering beads in a wide range of profiles.

30 beautiful standard colours

Request your free samples today,
info@sas-europe.com

When you choose ProRend Colourtex, you gain free access to a dedicated and versatile technical team.

Technical Support That Works With You

From specification to completion, our technical team is here to support your project at every stage.

- **Specification Support**
  Project-specific specifications tailored to your substrate, performance requirements, and design intent
- **System & Build-Up Advice**
  Guidance on the correct combination of basecoats, reinforcement, and finishes
- **U-Value Calculations**
  Support to help meet building regulations and thermal performance targets
- **Fire Compliance Guidance**
  Advice on system suitability and relevant fire classifications
- **Installation and Site Support**
  Practical advice, best practice application, and on-site troubleshooting

Our team is available throughout your project, whether that's over the phone, via email, or attending site when required.

01647 24620 **info@sas-europe.com**



ProRend Colourtex is available in three attractive textures: 1.5mm Uniform, 3mm Grained, and 1mm Fine Acrylic.

Suitable for a wide range of substrates, Colourtex combines decorative appeal with reliable performance.

Uniform

A smooth silicone finish with a tight, even texture for a clean contemporary appearance.

Grained

A textured silicone finish designed to create a more traditional, rustic character.

Fine


A refined acrylic finish with a smooth, consistent 1mm decorative texture.



Uniform



Grained



Fine

Technical Data

Colourtex Primer

General information	
PACKAGING, KG	16
BUCKETS / PALLET	44
WATER	5-10% l - maximum dilution
PRIMER M²	25-45m² / 16kg
SHELF LIFE, YEARS	~2

Technical Data EN 998-3: 2006	
L1 - BULK DENSITY, KG/M³	~1.60

Additional Technical Data	
VISCOSITY	29,000 - 31,000 m Pas
PH	~7.9

Colourtex Uniform, Grained & Fine

General information	
PACKAGING, KG	17
BUCKETS / PALLET	44
WATER	2% l - maximum dilution
UNIFORM COVERAGE: / M²	~6.5 - 7m² / 17kg
GRAINED COVERAGE: / M²	~4 - 4.5m² / 17kg
FINE COVERAGE: / M²	~8 - 8.5m² / 17kg
SHELF LIFE, YEARS	~2

Technical Data EN 998-3: 2006	
L1 - BULK DENSITY, KG/M³	~1.70

Additional Technical Data	
GRAIN SIZE, MM	~1-3
VISCOSITY	200 - 450 Pas
PH	~7-9
WATER ABSORPTION COEFFICIENT	W = 0.1 kg/m²

Basecoat selector

The ProRend basecoat range covers a wide variety of substrates. These factory-batched dry mortars are designed to provide reliable adhesion, durability, and dependable performance.

Substrate	Float	Prep	Lite
7KN DENSE CONCRETE BLOCK	■	■	
3.5KN DENSE CONCRETE BLOCK	■	■	
LIGHTWEIGHT BLOCK	■	■	
EXISTING RENDER, UNPAINTED		■	
NEW SAND AND CEMENT	■	■	
RENDER CARRIER BOARD			■
BRICKWORK	■	■	
PRE-CAST CONCRETE		■	
ICF: INSULATED CONCRETE FORM			■
EXPANDED POLYSTYRENE			■
MINERAL FIBRE INSULATION			■

Colourtex should only be applied using the appropriate basecoat for the substrate. This table is intended as a general guide. For project-specific advice, please contact SAS on 01647 24620.







PROREND Basecoats

High-performance render basecoats engineered for strength, durability, and long-term façade protection.

ProRend basecoats are factory-batched proprietary renders based on Portland cement. Supplied as dry mortars, they only require mixing with clean water before application.

Selecting the correct basecoat ensures strong adhesion, even curing, and long-term performance. Our technical team can advise on the most suitable option for your project.

PROREND FLOAT

A high-quality dry mortar, Float is ideal for masonry backgrounds and provides a reliable, cost-effective alternative to traditional sand and cement.

Features

- **A lightweight lime sand cement that can be applied by hand or machine**
- **Perfect substitute for sand and cement that avoids on-site mixing and measuring**
- **Ideal for use as a basecoat for all ProRend decorative renders or masonry paint**
- **Can be smooth finished, sponge textured or keyed to receive another coat.**



PROREND LITE

A high-quality polymer-modified dry mortar, ideal as a basecoat for render board systems or for the Colourtex range of finishes.

Features

- **Can be applied by hand or machine**
- **The perfect basecoat for render carrier board systems**
- **Lite is ideal for a smooth finish or sponged texture and can be keyed to receive subsequent coats.**



ProWall Specification
ProRend Lite used as part of render carrier board system NPC

PROREND PREP

A factory-manufactured dry mortar designed for levelling and renovation on mineral and synthetic backgrounds.



Overcoat Specification
ProRend Prep & Colourtex in African Grey

Features

- **Prep works well on backgrounds with varying absorption properties, such as lightweight block or pre-cast concrete**
- **Perfect substitute for sand and cement that avoids on-site mixing and measuring**
- **A suitable basecoat for all ProRend decorative renders or masonry paint**
- **Can be smooth finished, sponge textured or keyed to receive a further coat.**

PROBEAD

19
standard bead colours

Built for every detail. Designed to last.

- BBA certified* for 25 years
- Through coloured PVCu
- 100% recycled bead
- Non-corrosive & durable
- 34 external & internal profiles
- BS EN 13914:2005 compliant
- Non-combustible
- 25-year guarantee



Angle
For a sharp corner. Available in wide and standard.




Stop
To finish and protect render edges.



Bellcast
To form and protect the lower edge of the render.



Expansion
Placed over joints and changes in substrate to reduce cracking.



Specialist beads
A range of specialist beads including meshed angles, window reveal and base bead.



Browse and buy online
ProBead.com

*Majority of profiles are BBA certified

Colourtex Bead selector

It's easy to achieve the look you want. With 30 standard Colourtex shades and 19 bead colours, you can create a custom combination or follow our recommended pairings.

COLOURTEX COLOUR	PROBEAD COLOUR																
	AFRICAN GREY	BRICK	CANDY	COTTAGE	DOLPHIN	DOVE	FAWN	IVORY	MR WHIPPY	OCEAN	PEACH	PRIMROSE	SAGE	SUNBEAM	WHEAT	WHITE	WILLOW
AFRICAN GREY	■																
ATLANTIC										■							
CADET										■							
BAMBOO																	
BRICK		■															
CANDY			■														
CAPPUCCINO							■										
COTTAGE				■													
CREAM								■						■			
DOLPHIN					■												
DOVE						■											
DUSK											■						
FAWN							■										
IVORY								■									
LATTE								■						■	■		
MOCHA		■					■										
MR WHIPPY									■								
OCEAN										■							
PARMA VIOLET																■	
PEACH											■						
PIGEON						■											
PLATINUM						■											
PRIMROSE												■					
RAMBLING ROSE				■													
SAGE													■				
SUNBEAM														■			
VANILLA									■								
WHEAT															■		
WHITE																■	
WILLOW																	■


PROMESH

High-performance reinforcement mesh designed for durability, strength, and long-term reliability.

Durable and tear-resistant, ProMesh is an alkaline-resistant reinforcement mesh suitable for internal and external applications, including use within screed flooring.


Lightweight yet robust, ProMesh delivers dependable performance backed by a 10-year guarantee.











Professional Tools for Professional Results

Ask us about the best tools to use with SAS render systems.

View our catalogue

Contact us today:

01647 24620

info@sas-europe.com

10 year system guarantee

ProRend Colourtex is backed by a comprehensive 10-year guarantee when installed as part of a complete SAS system.

This provides confidence that your façade will maintain its performance, appearance, and weather resistance over time.

To ensure validity:

- The system must be installed in accordance with SAS specifications
- All components must be used as part of the full system
- Installation should be carried out by competent applicators



Order your samples now

01647 24620



Mercury Mall, London

Colourtex Fine Acrylic 1mm in Platinum RenderIT

Although primarily designed as an external decorative render finish, ProRend Colourtex Fine Acrylic can also be used internally to create durable textured feature walls and contemporary commercial interior finishes.



PROREND

PREMIER RENDER SYSTEMS

ABOUT SAS

With over 35 years of experience in the rendering and plastering industry, SAS is a trusted partner delivering high-performance systems backed by technical expertise and reliable support.

Driven by innovation, we develop premium products designed for durability, efficiency, and ease of application across modern construction projects.

Why Choose SAS

- Technical expertise & site support
- High-performance, proven systems
- Consistent product quality
- Fast, reliable nationwide delivery

Office Hours
Monday-Thursday: 08:00-16:30
Friday: 08:00-16:00

Delivery
Stock items and palletised goods:
1-3 working days nationwide

Call us today: 01647 24620

sas-europe.com

ProRend and Colourtex are part of the SAS (Europe) Ltd range of products and systems. Information contained in this brochure is correct at the time of print. SAS (Europe) Ltd reserve the right to make alterations to the content of this brochure and to the products and services we make available as part of our continuing commitment to improvement.

SAS (EUROPE) LTD
CHERITON BISHOP | EXETER | EX6 6JE | UK
T: +44 (0)1647 24620 F: +44 (0)1647 24020
E: info@sas-europe.com

Citation ISO Certification Quality management ISO 9001: 2015 REGISTERED

Citation ISO Certification Environmental management ISO 14001: 2015 REGISTERED

SAS23-006.1