

sas RAINSCREEN | INSULATION | RENDER | MESH | BEADS






PROREND EIFS

EXTERNAL WALL INSULATION FINISHING SYSTEMS

BBA APPROVAL INSPECTION TESTING CERTIFICATION
CERTIFICATE 20/5767

Smarter Insulation. Stronger Façades. Better Performance.



A complete external wall insulation system designed to meet today's demands for energy efficiency, durability, and compliance.

ProRend EIFS transforms building performance from the outside in.
By combining high-quality insulation with a proven render system, it significantly reduces heat loss, protects against the elements, and delivers a long-lasting, low-maintenance finish.


Whether you're working on a domestic retrofit or a large-scale commercial project, the system offers the flexibility to meet your needs - with EPS for thermal efficiency or mineral wool where fire performance is critical.

From specification through to completion, our technical team supports every stage, ensuring the system performs exactly as intended.

THE PROREND EIFS SYSTEM

ProRend EIFS integrates insulation, reinforcement, and a decorative thin-coat render into one complete, high-performance system.

Designed to enhance thermal efficiency and protect the building envelope, it provides a durable, reliable solution for both refurbishment and new-build applications.



1 3 5 ProRend Lite Basecoat
High-performance basecoat providing excellent adhesion and flexibility - forming the foundation of a crack-resistant system.

2 ProRend EIFS (EPS or Mineral Wool)
- EPS for cost-effective thermal efficiency
- Mineral Wool for enhanced fire performance

Tailored to meet the specific requirements of your project.

4 ProMesh (Grade 3) Reinforcement
Alkali-resistant mesh embedded within the basecoat to improve impact resistance and minimise **the risk** of cracking.

6 ProRend Colourtex Primer
Enhances adhesion and ensures consistent, uniform colour across the façade.

ProRend Colourtex Finish 7
Durable silicone thin-coat finish with excellent water repellence

8 ProBead Profiles
Precision-engineered beads for clean detailing, movement control, and protection at edges, joints, and terminations.

What makes PROREND EIFS so good?

- Improves **thermal efficiency** and reduces heat loss.
- With **mineral wool** insulation, the system can achieve **A2-s1,d0 classification**.
- Up to **30-year system durability**, supported by **BBA certification**.
- **10-year system warranty** for added peace of mind.
- **Breathable, water-repellent** finish protects against the elements.
- **EPS delivers** a **strong fire classification** of B-s1,d0**.**
- Suitable for both **refurbishment and new-build** applications across a wide range of substrates.
- Mineral wool allows **application to curved surfaces.**
- **30 standard colours** plus RAL, NCS, and BS matching.
- Durable finish **reduces ongoing maintenance** requirements.
- **Supports compliance** with Approved Document Part L.









Concord House, Exeter, Devon
Mineral Wool & 100mm EPS
Pomeroy SW

More Than a System, Complete Technical Support

The PROREND EIFS Service

Specification & Design

- Individual project specifications
- U-value and condensation risk calculations
- CAD details tailored to your build

Project Support

- Full material details, including all sundries
- Technical, safety, and maintenance datasheets
- On-hand support from our technical team

On-Site & Installation

- Hands-on training for applicators
- Guidance throughout installation
- Recommendations for approved subcontractors

Completion & Assurance

- Practical completion certification
- 10-year system guarantee

Helping you get it right - from first enquiry to final finish.

01647 24620


INFO@SAS-EUROPE.COM

DELIVERY NATIONWIDE

Designed for Thermal Efficiency

Lower U-Values, Better Performance

External wall insulation significantly reduces heat loss through the building envelope. In many cases, compliant U-values can be achieved with as little as 90mm insulation, depending on the existing structure.



Condensation Control

By insulating externally, the dew point is moved outside the structure. This helps reduce the risk of condensation, damp, and mould within the building.

Designed to Meet Regulations

The system supports compliance with Approved Document Part L, helping improve overall energy efficiency.



Project-Specific Calculations

Our technical team provides full U-value and condensation risk assessments to ensure the correct specification for your project.

Need a U-value calculation? We'll do it for you.

Suitable for a Wide Range of Applications

From refurbishment to new build, ProRend EIFS can be applied across a variety of substrates.

- Steel frame
- Existing render (subject to conditions)
- Cavity wall construction
- Solid brick and blockwork
- Concrete
- Lightweight block







> Improving building performance through external insulation is one of the most effective ways to reduce energy demand and support the transition to lower-carbon construction.
>
> **SAS Technical Team**


Full technical manual available on request, email info@sas-europe.com today.

PROREND EIFS

Choose the Right Insulation for Your Project

ProRend EIFS offers flexible insulation options to meet thermal and fire performance requirements - **supported by BBA Certification (20/5767)**

Contact our technical team on 01647 24620 and we can work with you to specify the right insulation for your project.




200mm EPS

EPS (Expanded Polystyrene)

Cost-effective thermal performance

- Excellent thermal efficiency
- Lightweight and easy to install
- Ideal for residential and low-rise projects
- Available from 20mm to 300mm
- EPS achieves a fire classification of B-s1,d0.




Rock Wool

Mineral Wool


Enhanced fire performance

- Non-combustible (A1 classification)
- Part of A2-s1,d0 system build-up
- Highly breathable
- Suitable for complex or curved façades
- Available from 30mm to 250mm


30 *beautiful* standard colours available...



African Grey | Atlantic | Cadet | Bamboo | Brick



Cream | Dolphin | Dove | Dusk | Fawn




Mr Whippy | Ocean | Parma Violet | Peach | Pigeon



Sage | Sunbeam | Vanilla | Wheat | White


... or if you cannot see the **exact** colour you desire then we can tint to your **perfect** colour match.




Candy | Cappuccino | Cottage



Ivory | Latte | Mocha



Platinum | Primrose | Rambling Rose



Willow

65,000+ PROREND EIFS colours

Colour options designed to enhance and define the finished façade.

Available in 30 standard colours, with RAL, NCS and BS colour matching.



Tinted in-house using the NCS colour system for accurate, consistent results.

High-performance silicone finish designed for long-term colour stability and reduced maintenance.

Call our Technical Sales Team to order a colour sample today on:

01647 24620

Former Blue Anchor Pub
Mid Devon Plastering



Up to 30 year system durability*
* Subject to SAS specification



PROMESH

Professional-grade reinforcement mesh designed for durable, crack-resistant render systems

Built to reinforce high-performance render systems

- Alkaline resistant
- Easy to handle
- Stable weave structure
- Crack control
- High tear resistance
- Available in 5 grades

Need help choosing the correct reinforcement mesh?
Speak to our technical team on 01647 24620.

PROCENTRE

EWI & RENDER SYSTEM TRAINING

- Practical EIFS installation training
- Become an Approved Applicator
- Real-world system application
- Learn correct façade detailing
- Silicone render finishing techniques
- Hands-on training at our Devon centre

Build confidence in modern render system installation

Contact us at info@sas-europe.com to discuss upcoming EIFS (EWI) training or other training courses on offer.



PROBEAD

19
standard bead colours

Built for every detail. Designed to last.

- BBA certified* for 25 years
- Through coloured PVCu
- 100% recycled bead
- Non-corrosive & durable
- 34 external & internal profiles
- BS EN 13914:2005 compliant
- Non-combustible
- 25-year guarantee



Angle
For a sharp corner. Available in wide and standard.




Stop
To finish and protect render edges.



Bellcast
To form and protect the lower edge of the render.



Expansion
Placed over joints and changes in substrate to reduce cracking.



Specialist beads
A range of specialist beads including meshed angles, window reveal and base bead.

PROBEAD 25 YEAR GUARANTEE

Browse and buy online
ProBead.com

*Majority of profiles are BBA certified

PROREND Basecoats

Specialist Basecoats for Every Substrate

LITE Features

- Smooth finish ideal for silicone renders
- Excellent workability by hand or machine
- Perfect beneath ProRend Colourtex finishes
- Ideal for EIFS (EWI) systems and ProWall (render carrier board systems)
- Can be sponge finished or lightly keyed





PREP Features

- Designed for difficult or uneven suction backgrounds
- Ideal for blockwork and refurbishment work
- Pre-blended for consistent onsite performance
- Suitable beneath renders and masonry paint finishes
- Can be smooth finished, textured or keyed

FLOAT Features

- Ideal for larger dubbing and levelling work
- Strong, durable basecoat with traditional application feel
- Suitable for hand or machine application
- Excellent backing coat for decorative renders
- Breathable lime-cement formulation
- Can be ruled, floated, sponge finished or keyed





PROREND EIFS

PREMIER RENDER SYSTEMS

ABOUT SAS

With over 35 years of experience in the rendering and plastering industry, SAS is a trusted partner delivering high-performance systems backed by technical expertise and reliable support.

Focused on performance, we develop systems designed for durability, efficiency, and ease of application.

Why Choose SAS

- Technical expertise & site support
- High-performance, proven systems
- Consistent product quality
- Fast, reliable nationwide delivery

Office Hours
Monday-Thursday: 08:00-16:30
Friday: 08:00-16:00

Delivery
Stock items and palletised goods:
1-3 working days nationwide

BBA APPROVAL INSPECTION TESTING CERTIFICATION
CERTIFICATE 20/5767

Call us today: 01647 24620

sas-europe.com

ProRend EIFS is part of the SAS (Europe) Ltd range of products and systems.
Information contained in this brochure is correct at the time of print. SAS (Europe) Ltd reserve the right to make alterations to the content of this brochure and to the products and services we make available as part of our continuing commitment to improvement.

SAS (EUROPE) LTD
CHERITON BISHOP | EXETER | EX6 6JE | UK
T: +44 (0)1647 24620 F: +44 (0)1647 24020
E: info@sas-europe.com

Citation ISO Certification Quality management ISO 9001: 2015 REGISTERED
Citation ISO Certification Environmental management ISO 14001: 2015 REGISTERED

SAS23-007.1