



CONNECT TO BETTER

TRADE PRICE LIST - 1st March 2019

Hep₂O Push-Fit Plumbing & Underfloor Heating



Contents

	Page
Introduction to Hep₂O Plumbing and Heating Systems	2
Hep₂O Flexible Plumbing	3-13
Polybutylene Pipe	3
Demountable Fittings	4-5
Flexible Tap Connectors	6-7
Auxiliary Fittings	8-11
Tools, Fixings and Accessories	12-13
Conduit System	13
Hep₂O Underfloor Heating	14-19
UFH – Polybutylene Pipe	14
UFH – Floor Systems	14
UFH – Room Packs	15
UFH – Dry Construction Products	16
UFH – Manifolds and Controls Systems	17
UFH – Control Systems	18-19
Introduction to Tigris K1	20
Tigris K1/M1	21-27
Osma Hep₂O	28
Hygienic Self-Sealing Waste Valves – Polypropylene	28
Numerical Index	29-31
Important Notes	32

Introduction to

Hep₂O

Plumbing and Heating Systems

Hep₂O Flexible Push-fit Plumbing has been developed in response to installer feedback, and has a number of unique and innovative features and benefits including;

- In4Sure joint recognition – tells you when the pipe is in.
- Secure demounting with the new HepKey system.
- New, improved SmartSleeve stays captive in the pipe.
- 50 year industry leading guarantee.
- Flexible pipe which comes off the coil straight.



Hep₂O Underfloor Heating has a wide range of systems for any floor type. See www.hep2oufh.co.uk for details.

Hep₂O is Kitemarked to Class S of BS 7291, parts 1 and 2 and is manufactured within a Quality Management System which satisfies BS EN ISO 9002.

Hep₂O is also approved by **WRAS** (certificate 1312005) – deemed safe for use in the supply of drinking water.

Hep₂O Guarantee

As a result of its rigorous Quality Management programme, **Hep₂O** carries a 50 year guarantee against defect in materials or manufacturing of all its pipe and fittings.

Prices are for individual items within a pack unless otherwise stated.

Symbols

British Standards Kitemark

Identifies pipe and fittings which are manufactured under the BSI Kitemark Certification Scheme.

Important note: Fittings of all product ranges must be ordered in their pack multiples as illustrated in price list.

Hep₂O fittings are pre-lubricated, no additional lubrication is required. DO NOT use any flux, jointing compound or non Hep₂O lubricant on Hep₂O fittings.

Email: info@hep2o.co.uk

Web: www.hep2o.co.uk



@hep2o

Hep₂O Flexible Plumbing

Polybutylene Pipe

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Plumbing and Underfloor Heating Pipe Coils – Barrier Please Note: Order pipe by unit (coil) not by metre				
25m ♥	10	HXX25/10W	1	49.29
50m ♥	10	HXX50/10W	1	97.10
100m ♥	10	HXX100/10W	1	191.28
10m ♥	15	HXX10/15W	1	23.21
25m ♥	15	HXX25/15W	1	57.99
50m ♥	15	HXX50/15W	1	114.76
80m ♥	15	HXX80/15W	1	183.61
100m ♥	15	HXX100/15W	1	225.97
120m ♥	15	HXX120/15W	1	271.17
10m ♥	22	HXX10/22W	1	45.28
25m ♥	22	HXX25/22W	1	113.19
50m ♥	22	HXX50/22W	1	224.12
10m ♥	28	HXX10/28W	1	61.04
25m ♥	28	HXX25/28W	1	152.62
50m ♥	28	HXX50/28W	1	303.79
 Straight Lengths – Barrier				
3m ♥	15	HXX03/15W	10	7.26
3m ♥	22	HXX03/22W	10	14.22
3m ♥	28	HXX03/28W	10	19.49
6m ♥	15	HXX06/15W	40	14.99
6m ♥	22	HXX06/22W	20	29.41
6m ♥	28	HXX06/28W	12	40.12
 Pipe in Pipe System Coil of Hep₂O Barrier Pipe in Blue or Red Conduit Please Note: Order pipe by unit (coil) not by metre				
50m ♥	10	HXXC5010 BU	1	201.66
50m ♥	10	HXXC5010 RD	1	201.66
50m ♥	15	HXXC5015 BU	1	231.88
50m ♥	15	HXXC5015 RD	1	231.88
50m ♥	22	HXXC5022 BU	1	356.68
50m ♥	22	HXXC5022 RD	1	356.68
25m ♥	28	HXXC2528 BU	1	293.65
25m ♥	28	HXXC2528 RD	1	293.65

Important Note:

Order pipe by unit (length) not by metre. Cut lengths only available as pack quantities.

Hep₂O Flexible Plumbing

Demountable Fittings

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Straight Connector				
	♥	10	HD1/10W	10	3.71
	♥	15	HD1/15W	10	2.21
	♥	22	HD1/22W	10	3.12
	♥	28	HD1/28W	5	8.98
	Elbow 90°				
	♥	10	HD5/10W	10	4.20
	♥	15	HD5/15W	10	2.70
	♥	22	HD5/22W	10	3.96
	♥	28	HD5/28W	5	10.75
	Equal Tee				
	♥	10	HD10/10W	10	5.19
	♥	15	HD10/15W	10	3.79
	♥	22	HD10/22W	10	5.19
	♥	28	HD10/28W	5	14.85
	Demountable Stop-End				
	♥	10	HD62/10W	10	3.29
	♥	15	HD62/15W	10	2.94
	♥	22	HD62/22W	10	3.71
	♥	28	HD62/28W	5	6.17
	SmartSleeve Pipe Support				
		10	HX60/10W	20	0.48
		15	HX60/15W	50	0.49
		22	HX60/22W	50	0.63
		28	HX60/28W	20	0.94
	Spigot Elbow 90°				
	Single Socket				
	♥	10	HD4/10W	5	4.20
	♥	15	HD4/15W	5	2.85
	♥	15x10	HD4A/15W	5	4.20
	Socket Reducer				
	15 x 10mm ♥	15	HD2/15W	10	3.84
	22 x 15mm ♥	22	HD2/22W	10	2.98
	28 x 22mm ♥	28	HD2/28W	5	7.20
	Socket/Socket Reducer				
	15 x 10mm ♥	15	HD3B/15W	10	6.99
	22 x 15mm ♥	22	HD3B/22W	10	6.09
	22 x 10mm ♥	28	HD3C/22W	10	6.99
	Obtuse Bend 135° Single Socket				
	♥	10	HD8/10W	5	4.53
	♥	15	HD8/15W	5	3.15
	♥	22	HD8/22W	5	4.53
	End Reduced Tee				
	22 x 15 x 22mm ♥	22	HD12/22W	5	5.49
	28 x 22 x 28mm ♥	28	HD12/28W	5	14.85

Important Note: All fittings are pre-lubricated - no additional lubrication required.
Hep₂O fittings are fully compatible with Hep₂O and copper pipe.

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Double End Reduced Tee				
	10 x 10 x 15mm ♡	15	HD18/15W	5	5.49
	10 x 10 x 22mm ♡	22	HD18A/22W	5	5.80
	15 x 15 x 22mm ♡	22	HD18/22W	5	5.49
	22 x 22 x 28mm ♡	28	HD18/28W	5	14.85
	Branch Reduced Tee				
	15 x 15 x 10mm ♡	15	HD13/15W	5	5.49
	22 x 22 x 10mm ♡	22	HD13A/22W	5	5.49
	22 x 22 x 15mm ♡	22	HD13/22W	5	5.49
	28 x 28 x 15mm ♡	28	HD13A/28W	5	14.85
	28 x 28 x 22mm ♡	28	HD13/28W	5	14.85
	Branch Reduced Tee – Spigot				
	15 x 15 x 10mm ♡	15	HD15/15W	5	5.49
	22 x 22 x 15mm ♡	22	HD15/22W	5	5.49
	Branch and One End Reduced Tee				
	15 x 10 x 10mm ♡	15	HD14/15W	5	5.49
	22 x 10 x 10mm ♡	22	HD14A/22W	5	5.49
	22 x 15 x 15mm ♡	22	HD14/22W	5	5.49
	28 x 22 x 22mm ♡	28	HD14/28W	5	14.85
	Blanking Peg				
	For demountable Hep ₂ O fittings ♡	10	HX44/10W	10	1.16
	♡	15	HX44/15W	10	1.36
	♡	22	HX44/22W	10	1.36
	♡	28	HX44/28W	10	1.63
	Tank Connector				
	with BSP tail & backnut (For cold water use only)				
	BSP 1/2"	15	HX20/15W	5	3.20
	BSP 3/4"	22	HX20/22W	5	4.03
	BSP 1"	28	HX20/28W	5	18.06
	Straight Tap Connector				
	with brass nut and alternative rubber washer				
	BSP 1/2" ♡ *	15	HD25A/15W	10	3.86
	BSP 3/4" ♡ *	15	HD25B/15W	5	4.56
	BSP 3/4" ♡ *	22	HD25B/22W	5	4.94
	Bent Tap Connector				
	with brass nut and alternative rubber washer				
	BSP 1/2" ♡ *	15	HD27/15W	5	4.26
	Hand-Titan™ Tap Connector				
	with rubber washer				
	BSP 1/2" ♡ *	10	HD26A/10W	5	3.92
	BSP 1/2" ♡ *	15	HD26A/15W	5	3.26
	BSP 3/4" ♡ *	15	HD26B/15W	5	3.92
	BSP 3/4" ♡ *	22	HD26B/22W	5	4.23

* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Hep₂O Flexible Plumbing

Flexible Tap Connectors

	Description	Nom dia mm	Cat no	Pack qty	Hose type	Price £ per piece
	Hep₂O x BSP Nut with brass nut and rubber washer					
	150mm BSP 1/2" *	15	HD425A/15W	2	Braided	6.38
	300mm BSP 1/2" *	15	HD125A/15W	2	Braided	6.74
	300mm BSP 3/4" *	15	HD125B/15W	2	Braided	7.97
	300mm BSP 3/4" (full bore) *	22	HD125C/22W	2	Braided	13.72
	300mm BSP 3/4" *	22	HD125B/22W	2	Braided	7.97
	500mm BSP 1/2" *	15	HD225A/15W	2	Braided	9.23
	500mm BSP 3/4" *	15	HD225B/15W	2	Braided	10.43
	500mm BSP 3/4" (full bore) *	22	HD225C/22W	2	Braided	16.02
	500mm BSP 3/4" *	22	HD225B/22W	2	Braided	11.09
	1000mm BSP 1/2" *	15	HD325A/15W	1	Braided	16.76
	1000mm BSP 3/4" *	22	HD325B/22W	1	Braided	20.45
	Hep₂O x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HDW125A/15W	2	White	6.38
	300mm BSP 3/4" *	15	HDW125B/15W	2	White	7.97
	300mm BSP 3/4" *	22	HDW125B/22W	2	White	7.97
	500mm BSP 1/2" *	15	HDW225A/15W	2	White	9.23
	500mm BSP 3/4" *	15	HDW225B/15W	2	White	10.43
	500mm BSP 3/4" *	22	HDW225B/22W	2	White	11.09
	Hep₂O x Hep₂O					
	300mm 15mm x 15mm *	15	HD125H/15W	2	Braided	7.91
	300mm 22mm x 22mm *	22	HD125H/22W	2	Braided	9.69
	500mm 15mm x 15mm *	15	HD225H/15W	2	Braided	11.60
	500mm 22mm x 22mm *	22	HD225H/22W	2	Braided	13.39
	Hep₂O x Hep₂O					
	300mm 15mm x 15mm *	15	HDW125H/15W	2	White	7.91
	300mm 22mm x 22mm *	22	HDW125H/22W	2	White	9.69
	Hep₂O x Elbow BSP Nut with brass nut and rubber washer					
	300mm Elbow BSP 1/2" *	15	HD125D/15W	2	Braided	8.55
	300mm Elbow BSP 1/2" *	15	HDW125D/15W	2	White	8.55

* For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Flexible Tap Connectors

	Description	Nom dia mm	Cat no	Pack qty	Hose type	Price £ per piece
	Hep₂O Brass Service Valve x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HD125E/15W	2	Braided	18.31
	300mm BSP 3/4" *	22	HD125E/22W	2	Braided	34.41
	500mm BSP 1/2" *	15	HD225E/15W	2	Braided	20.04
	500mm BSP 3/4" *	15	HD225I/15W	2	Braided	22.05
	500mm BSP 3/4" *	22	HD225E/22W	2	Braided	37.53
	Hep₂O Brass Service Valve x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HDW125E/15W	2	White	18.31
	300mm BSP 3/4" *	22	HDW125E/22W	2	White	34.41
	Hep₂O Brass Service Valve (Handle) x BSP Nut with brass nut and rubber washer					
	300mm BSP 1/2" *	15	HD125EH/15W	2	Braided	18.31
	300mm BSP 3/4" *	22	HD125EH/22W	2	Braided	34.41
	Hep₂O x Monobloc Mixers					
	300mm 15mm x M10 *	15	HD125F/15W •	Pair	Braided	12.06
	300mm 15mm x M12 *	15	HD125G/15W •	Pair	Braided	12.06

• Sold and priced as a pair.

Hep₂O Flexible Plumbing

Auxiliary Fittings

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Adaptor Male BSP/Hep ₂ O socket DZR Brass				
	BSP 1/2" ♀	10	HX29/10W	10	6.34
	BSP 1/2" ♀	15	HX29/15W	10	6.17
	BSP 3/4" ♀	22	HX29/22W	10	8.87
	BSP 1" ♀	28	HX29/28W	5	16.85
	Adaptor Female BSP/Hep ₂ O socket DZR Brass				
	BSP 1/2" ♀	10	HX28/10W	10	6.34
	BSP 1/2" ♀	15	HX28/15W	10	6.17
	BSP 3/4" ♀	15	HX24/15W	10	8.87
	BSP 3/4" ♀	22	HX28/22W	10	8.87
	BSP 1" ♀	28	HX28/28W	5	17.43
	Adaptor Male BSP/Hep ₂ O spigot DZR Brass				
	BSP 1/2" ♀	15	HX31/15W	10	3.44
	BSP 3/4" ♀	22	HX31/22W	10	5.67
	BSP 1" ♀	28	HX31/28W	10	8.32
	Adaptor Female BSP/Hep ₂ O spigot DZR Brass				
	BSP 1/2" ♀	15	HX30/15W	10	3.36
	BSP 3/4" ♀	22	HX30/22W	10	5.67
	BSP 1" ♀	28	HX30/28W	10	8.32
	Draincock Brass 15mm spigot DZR Brass ♀	15	HX32/15 GY	10	6.17
	Adaptor Converts 1/2" tap connector to 3/4" DZR Brass BSP 1/2"x 3/4" ♀		HX39 GR	10	3.19
	Wall Plate Elbow Hep ₂ O				
	BSP 1/2" ♀	15	HX6/15W	5	9.53
	BSP 3/4" ♀	22	HX6/22W	5	10.35
	Ball Valve Plated Brass (for hot and cold water use)				
	15x15mm	15	HX22/15W	5	12.20
	22x22mm	22	HX22/22W	5	15.92
	Gate Valve – Hot/Cold DZR Brass – Hep ₂ O ends				
		15	HX35/15W	5	9.66
		22	HX35/22W	5	13.76
	Stopcock – Cold Water fitted with Hep ₂ O ends				
		15	HX36/15W	5	9.71
		22	HX36/22W	5	11.62

Auxiliary Fittings

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Stopcock – Cold Water Hep ₂ O to MDPE Conversion 22mm to 25mm MDPE	22	HX43/22W	5	20.63
	Shut-off Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX37/15W	5	6.87
	Appliance Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX38/15W	5	6.34
	Straight Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX18/15W	5	7.30
	Angled Service Valve With hot/cold indicator insert. NB: *SEE USAGE NOTE	15	HX19/15W	5	7.31
	Double-Check Valve Plastics NB: *SEE USAGE NOTE	15	HX72/15W	1	16.33
	Two Port Manifold 22x15mm ports Closed Spigot ♡	22	HX88/22W	5	7.41
	Two Port Manifold 22x15mm ports All socket ♡	22	HX88B/22W	5	7.65
	Three Port Manifold 22x15mm ports Closed spigot ♡	22	HX89/22W	5	9.95
	Three Port Manifold 22x15mm ports All socket ♡	22	HX89B/22W	5	10.31
	Two Port Manifold 22x10mm ports All socket ♡	22	HX92B/22W	5	8.10

*For intermittent hot and cold water use up to a maximum of 65°C.
Not for use with central heating.

Hep₂O Flexible Plumbing

Auxiliary Fittings

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Four Port Manifold 22x10mm ports All socket ♡	22	HX94B/22W	5	10.31
	Two Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX92/22W	5	7.41
	Four Port Manifold 22x10mm ports Socket and closed spigot ♡	22	HX94/22W	5	9.95
	Four Port Manifold 22x10mm ports Socket and closed spigot, on one side ♡	22	HX96/22W	5	11.37
	Four Port Manifold 22x10mm ports All socket, on one side ♡	22	HX96B/22W	5	11.37
	One Port Valved Manifold Plated Brass 3/4" BSP Male/female 22mm Hep ₂ O port ♡	22	HX91T/22W	1	20.71
	Two Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX92T/15W	1	34.79
	Three Port Valved Manifold Plated Brass 3/4" BSP Male/female 15mm Hep ₂ O ports ♡	15	HX93T/15W	1	51.02
	Four Port Valved Manifold Plated Brass 3/4" BSP male/female. 15mm Hep ₂ O ports ♡	15	HX94T/15W	1	69.65
	Manifold End Caps 3/4" BSP Female End Cap 3/4" BSP Male End Cap		HX97 GY HX98 GY	5 5	3.03 3.51

Auxiliary Fittings

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Manifold Bracket – Pair for HX92T/15, HX93T/15 and HX94T/15		HX95A GR	1	19.94
 Radiator Outlet Back Box Plastic (for stud wall)		HX109 GY	5	3.20
 Radiator Outlet Back Box Metal (for solid wall)		HX110 GY	5	2.69
 Radiator Outlet Cover with Flap For use with HX109 and HX110		HX113 WH	5	7.04
 Back Box Grommet For use with HX110		HX112 GY	50	0.18

Hep₂O Flexible Plumbing


Tools, Fixings and Accessories

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	HepKey Plus Demounting Tool	10	HX79/10W	10	0.34
		15	HX79/15W	10	0.39
		22	HX79/22W	10	0.39
		28	HX79/28W	10	0.43
	HepKey Demounting Tool	10	HX78/10W	10	0.29
		15	HX78/15W	10	0.34
		22	HX78/22W	10	0.34
		28	HX78/28W	10	0.38
	HepTool Demounting Tool				
	10/28mm 15/22mm	10 15	HX77/10W HX77/15W	10 10	2.03 1.67
	Cold Forming Bend Fixture Metal with passivate finish	15	HX75/15 GR	5	2.18
		16	HX75/16 GR	5	2.18
		22	HX75/22 GR	5	3.05
	Pipe Cutter – Scissor Type Standard		HD74 GR	1	17.15
	Pro Cutter		HD75 GR	1	42.27
	Pipe Cutter – Ratchet Type up to 42mm pipe up to 28mm pipe		HD77 GR HD78 GR	1 1	62.31 43.25
	Hep₂O Joint Test Kit Hep ₂ O Joint Test Kit		HX81 GR	1	495.66
	Pipe Clips – Screw	15	HX85/15W	50	0.32
		22	HX85/22W	50	0.32
		28	HX85/28W	50	0.52
	Pipe Clip – Spacers	15	HX86/15W	20	0.24
		22	HX86/22W	20	0.32
	Pipe Clip Cable Type	10	HX65/10W	50	0.20
		15	HX65/15W	50	0.32
		22	HX65/22W	50	0.32
		28	HX65/28W	50	0.39

Tools, Fixings and Accessories

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Hep₂O Silicone Lubricant Spray 400ml aerosol can Hep ₂ O fittings		HX200	1	11.78
	Flat Tap Connector Washers – Rubber	15	HX58/15 GY	20	p/pack 4.52
		22	HX58/22 GY	20	p/pack 4.52
	Conical Tap Connector Washers – Rubber	15	HX57/15 GR	20	p/pack 4.52
		22	HX57/22 GR	20	p/pack 4.52

Conduit System

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Conduit Pipe 25.0m 50.0m 25.0m 50.0m	15 15 22 22	HXC25/15 BL HXC50/15 BL HXC25/22 BL HXC50/22 BL	1 1 1 1	36.05 72.14 45.09 89.72
	Conduit Junction Box		HX100 BL	1	5.98
	Conduit Junction Box Lid		HX104 BL	1	2.00
	Conduit Terminal	15	HX101/15W	2	8.33
	Terminal Back Plate		HX103 BL	1	1.67

Hep₂O Underfloor Heating

UFH – Polybutylene Pipe

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	
 Underfloor Heating Pipe Coils – Barrier Please Note: Order pipe by unit (coil) not by metre					
	25m ♥	10	HXX25/10W	1	49.29
	50m ♥	10	HXX50/10W	1	97.10
	100m ♥	10	HXX100/10W	1	191.28
	10m ♥	15	HXX10/15W	1	23.21
	25m ♥	15	HXX25/15W	1	57.99
	50m ♥	15	HXX50/15W	1	114.76
	80m ♥	15	HXX80/15W	1	183.61
	100m ♥	15	HXX100/15W	1	225.97
120m ♥	15	HXX120/15W	1	271.17	

Important Note: Order pipe by unit (length) not by metre.

UFH – Floor Systems

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 Staple System Staples 60mm for 15mm UFH Pipe	15	15UH231	300	0.15
 Staple Gun (40/60mm)	15	15UH237	1	403.53
 System Plate System System Plate (1275 x 975mm)	15	15UH232	18	12.50
 System Plate Tack Fastener		15UH238	25	0.36
 System Ancillaries Edge Expansion Foam (25.0m x 150mm)		15UH234	1	34.18

UFH – Room Packs

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	UFH Room Packs				
	12m ²	15	15UKPK1	1	893.93
	18m ²	15	15UKPK2	1	957.63
	24m ²	15	15UKPK3	1	1019.09

Underfloor Heating Room Packs

Contents:



- ① 15mm UFH Pipe Coil
- ① 300 Pipe Staples
- ① 25m Roll of Edge Expansion Foam
- ① Programmable Thermostat
- ① 2 x Isolation Valves
- ① Flow Watch Thermostat
- ① Control Pack
- ① Single Circuit Fittings Pack

Contains everything you need for a new screeded floor



Hep₂O Underfloor Heating

UFH – Dry Construction Products

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Panel Systems					
	Low-Build Panel 15x600x1200mm	10	10UH601	10	42.46
	Low-Build Max – Straight Panel 15x600x1200mm	10	10UH602	10	43.29
	15x600x1200mm	10	10UH603	30	41.36
	Low-Build Max – Return Panel 15x300x138mm	10	10UH604	10	14.52
	Low-Build Max – Channel Panel 15x600x150mm	10	10UH600	10	18.05
	Floating Floor Panel – 25mm 600x1200mm	15	15UH608	10	29.08
	Joist Panel – 50mm 340x1200mm	15	15UH610	10	29.70
	L Bracket – Inter Joist Panel		15UH612	1	3.46
	Screws & Washers – Joisted Floor M5x70mm		15UH613	50	0.38
Diffuser Plates					
	Double Diffuser Plate – 15mm 1000x390mm	15	15UH605	10	18.43
	Single Diffuser Plate – 15mm 1000x140mm	15	15UH606	10	8.83

Hep₂O Underfloor Heating

UFH – Manifolds and Controls Systems

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Manifolds					
	Composite Manifold – Control Pack A Rated		15UH512	1	576.69
	Composite Manifold – Starter Pack		15UH510	1	107.54
	Composite Manifold – One Port Pack	15	15UH511	1	54.40
	Composite Manifold – Three Port Pack	15	15UH513	1	145.18
	Composite Manifold – Euroconus Adaptor 15x1.8 (pair)	15	15UH529	1	9.56
	Composite Manifold – Euroconus Adaptor 16x1.8 (pair)	16	16UH529	1	9.56
	Composite Manifold 22mm Isolation Valves (pair)	22	15UH211	2	p/pack 42.15
	1"x15mm Female Brass Adaptor	15	15UH607	5	17.43
	Cold Forming Bend Fixture Metal with passivate finish	15	HX75/15 GR	5	2.18
	Pipe Clips – Screw	15	HX85/15W	50	0.32
Digital Controls					
	Single Zone Kit (c/w Programmable Thermostat)		15UH310	1	209.26
	16 Zone Control Centre (24v)		15UH316	1	193.83
	24V Actuator (for use with 15UH316)		15UH302	1	38.78

Hep₂O Underfloor Heating

UFH – Control Systems

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Flow Watch Sensor (for use with 15UH316)		15UH334	1	16.76
	Wired Thermostat		15UH372	1	49.34
	Wired Programmable Thermostat		15UH373	1	62.92
	Wireless Thermostat		15UH382	1	77.07
	Wireless Programmable Thermostat		15UH383	1	91.05
	Remote Sensor Probe		15UH395	1	16.05
	Mains Controls 8 Zone Control Centre (230v)		15UH408	1	126.23
	230V Actuator (for use with 15UH408)		15UH402	1	38.78
	Flow Watch Thermostat (for use with 15UH408)		15UH524	1	34.02
	neoStat (white)		15UH475	1	118.98
	neoStat (black)		15UH476	1	118.98
	Remote Sensor Probe		15UH495	1	16.03

UFH – Control Systems

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Remote Sensor Probe Cover		15UH494	1	2.79
	neoHub		15UH492	1	224.18

Introduction to

Tigris K1 – Press-fit Plumbing System

Tigris K1 is a multilayer, composite pipe, press-fit plumbing system designed for potable water, sanitary and heating applications. It is ideally suited for installation on commercial projects such as educational establishments, high rise residential and hotels.

Widely specified and accorded a design award in Europe, Wavin Tigris K1 is the proven and perfected system for commercial plumbing and heating projects and has a number of features and benefits, including:

- **25 year guarantee**
- **Patented hexagonal head requires only low insertion force**
- **Flexible, multi-layer pipe requires minimal fittings reducing installation time and cost and improving flow rates**
- **Resistant to oxygen diffusion**
- **Thermal expansion comparable with copper**
- **Lightweight and corrosion resistant**
- **High resistance to scale build-up, stress-cracking, pressure and temperature**
- **Quick, simple and safe jointing method with no hot works permit required**
- **Defined leak function to reveal unpressed fittings**
- **Tigris K1 press-fit fittings for use with Wavin multi-layer pipe**
- **WRAS certificate number 1610085**

Tigris K1

Press-fit Plumbing System

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
Pipe					
	Pipe – Straight Lengths				
	16mm x 2.0mm x 5m	16	3061211	25	14.68
	20mm x 2.25mm x 5m	20	3061212	18	21.12
	25mm x 2.5mm x 5m	25	3061213	10	32.05
	32mm x 3.0mm x 5m	32	3041228	6	40.18
	40mm x 4.0mm x 5m	40	3004371	4	64.80
	50mm x 4.5mm x 5m	50	3004372	5	126.88
	63mm x 6.0mm x 5m	63	3028271	3	206.98
	75mm x 7.5mm x 5m	75	3053971	1	269.26
	Pipe – Coils				
	16mm x 2.0mm x 100m	16	3018297	1	231.34
	16mm x 2.0mm x 200m	16	3018302	1	462.68
	16mm x 2.0mm x 500m	16	3061202	1	1098.09
	20mm x 2.25mm x 100m	20	3018299	1	327.10
	25mm x 2.5mm x 50m	25	3018300	1	265.29
	32mm x 3.0mm x 50m	32	3004370	1	363.67
	Pipe – Coils 9mm Pre-insulated				
	16mm x 2.0mm x 50m	16	3004378	1	247.39
	20mm x 2.25mm x 50m	20	3004379	1	329.59
	Pipe – Coils 13mm Pre-insulated				
	16mm x 2.0mm x 50m + 13mm	16	3004380	1	291.45
	20mm x 2.25mm x 50m + 13mm	20	3004381	1	363.47
Couplers					
	Straight Coupler	16	3023348	10	3.03
		20	3023359	10	3.95
		25	3023360	10	5.94
		32	3023488	5	10.33
		40	3024665	3	16.44
		50	3027832	2	24.34
		63	3027847	2	64.19
		75	3065639	2	81.59
	Reducing Coupler				
	20 x 16mm	20	3023525	10	4.21
	25 x 16mm	25	3023526	10	5.45
	25 x 20mm	25	3023527	10	5.96
	32 x 20mm	32	3023528	5	10.08
	32 x 25mm	32	3023522	5	9.86
	40 x 32mm	40	3023529	3	15.84
	50 x 32mm	50	3027833	2	24.69
	50 x 40mm	50	3027834	2	27.20
	63 x 40mm	63	3027852	2	62.09
	63 x 50mm	63	3027850	2	65.22
	75 x 50mm	75	3065641	2	74.98
	75 x 63mm	75	3065640	2	77.12

Tigris K1

Press-fit Plumbing System

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
Elbows					
	Elbow 45°	25	3023498	10	8.06
		32	3023499	5	11.70
		40	3027839	3	22.42
		50	3024668	2	35.21
		63	3027849	2	79.77
		75	3065642	2	86.90
	Elbow 90°	16	3023363	10	3.78
		20	3023364	10	4.76
		25	3023365	10	6.75
		32	3023500	5	10.52
		40	3024666	3	20.60
		50	3024667	2	32.18
		63	3027848	2	72.53
		75	3065643	2	88.43
	Elbow 90° – single male BSP thread				
	16mm x ½"	16	3023542	10	4.79
	20mm x ½"	20	3023543	10	5.83
	20mm x ¾"	20	3023544	10	8.42
	25mm x ¾"	25	3023545	10	9.38
	32mm x 1"	32	3023539	5	16.73
	Elbow 90° – single female BSP thread				
	16mm x ½"	16	3023546	10	7.29
	20mm x ½"	20	3023547	10	9.25
	20mm x ¾"	20	3023548	10	11.27
	25mm x ¾"	25	3023549	10	12.60
	32mm x 1"	32	3023540	5	19.15
	Backplate Elbow – female BSP thread				
	16mm x ½"	16	3023344	10	9.93
	20mm x ½"	20	3023555	10	12.19
	20mm x ¾"	20	3023537	10	12.60

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Tees				
	Equal Tee				
		16	3023345	10	5.13
		20	3023346	10	7.36
		25	3023347	5	10.57
		32	3023521	5	18.00
		40	3024664	2	29.47
		50	3027829	2	46.05
		63	3027853	2	86.91
		75	3065644	2	122.24
	One End Reduced Tee				
	20x20x16mm	20	3023505	10	6.74
	Double End Reduced Tee				
	16x20x16mm	20	3023504	10	6.74
	20x25x20mm	25	3023510	5	9.20
	25x32x25mm	32	3023515	5	14.84
	Branch Reduced Tee				
	20x16x20mm	20	3023506	10	6.74
	25x16x25mm	25	3023508	5	9.32
	25x20x25mm	25	3023511	5	10.15
	32x16x32mm	32	3023513	5	14.13
	32x20x32mm	32	3023514	5	15.09
	32x25x32mm	32	3023516	5	16.35
	40x25x40mm	40	3023518	3	23.02
	40x32x40mm	40	3023519	3	25.42
	50x25x50mm	50	3027830	2	33.62
	50x40x50mm	50	3027831	2	37.88
	63x25x50mm	63	3027856	2	59.09
	63x32x63mm	63	3027855	2	65.61
	63x40x63mm	63	3027854	2	77.98
	75x32x75mm	75	3065647	2	83.28
	75x40x75mm	75	3065646	2	94.02
	75x50x75mm	75	3065645	2	97.60
	Branch and One End Reduced Tee				
	20x16x16mm	20	3023507	10	6.74
	25x16x16mm	25	3023509	5	8.69
	25x20x20mm	25	3023512	5	9.35
	32x25x25mm	32	3023517	5	14.89
	40x32x32mm	40	3023520	3	22.63
	One Sided Female Thread Tee				
	16mm x 1/2"	16	3023557	10	12.40
	20mm x 1/2"	20	3023558	10	13.84
	20mm x 3/4"	20	3023559	10	14.38
	25mm x 3/4"	25	3023560	5	17.87

Tigris K1

Press-fit Plumbing System

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
Connectors					
	Connector – single male BSP thread				
	16mm x ½"	16	3023495	10	3.80
	20mm x ½"	20	3023496	10	4.83
	20mm x ¾"	20	3023550	10	5.36
	25mm x ¾"	25	3023551	10	6.12
	25mm x 1"	25	3023552	10	7.95
	32mm x 1"	32	3023541	5	11.66
	32mm x 1¼"	32	3023553	5	17.52
	40mm x 1¼"	40	3027836	3	19.22
	50mm x 1 ½"	50	3027837	2	28.26
	Connector – single female BSP thread				
	16mm x ½"	16	3023494	10	5.14
	20mm x ½"	20	3023361	10	5.85
	20mm x ¾"	20	3023497	10	7.57
	25mm x ¾"	25	3023362	10	10.00
	32mm x 1"	32	3023554	5	16.90
	40mm x 1¼"	40	3027838	3	24.94
	Tap Connector – female BSP thread				
	16mm x ¾"	16	3023489	10	6.11
	20mm x ¾"	20	3023490	10	6.78
	25mm x 1"	25	3023491	5	14.51
	32mm x 1¼"	32	3023492	5	21.10
	40mm x 1½"	40	3023493	3	28.08
	End Cap				
		16	3023561	10	4.39
		20	3023562	10	4.87
		25	3023563	5	5.57

Tigris M1 *

Metal-body Press-fit Plumbing System

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Connectors					
	Connector – single male BSP thread 16mm x 3/4"	16	4032676	10	6.11
	63mm x 2"	63	4032685	2	65.14
	Connector – single female BSP thread 50mm x 1 1/2"	50	4032698	3	43.69
	63mm x 2"	63	4032699	2	68.78
	Tap Connector – female BSP thread 16mm x 1/2"	16	4032700	10	6.11
	Elbow 90° – Radiator Connector	16	4037512	10	19.82
Accessories					
	Adaptor Fitting to Hep ₂ O 16 x 15mm	16	3052945	10	6.02
	20 x 22mm	20	3052946	10	10.77
	25 x 22mm	25	3052947	10	12.52
	25 x 28mm	25	3052948	10	16.49
	32 x 28mm	32	3052949	10	17.88
	Transition Fitting to Copper 16 x 15mm	16	4032721	5	7.89
	20 x 15mm	20	4032722	5	8.51
	20 x 22mm	20	4037451	5	10.82
	25 x 22mm	25	4032723	5	15.79
	25 x 28mm	25	4032724	5	17.64
	Compression Adaptor 16 x 15mm	16	4013355	2	4.38
	Pressure Stopper	16	4013571	1	23.00
		20	4013572	1	23.00
		25	4013573	1	23.00

Note:

* M1 fittings are manufactured from a UBA listed 617 brass.

- Materials on the UBA list are accepted as drinking water quality by the 4 member state.
- The UK is a member of the 4 member state, together with Germany, Netherlands and France.

* M1 fittings do not carry WRAS approval.

Tigris K1

Press-fit Plumbing System

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Accessories and Tools					
	Bending Spring	16	4013553	1	27.49
		20	4013559	1	35.37
		25	4013562	1	37.87
	Pipe Cutter 16mm-75mm	—	4053508	1	74.57
	Replacement Blade for 4053508	—	4053545	1	9.75
	Hand Press Tool 16-75mm	—	4013538	1	104.68
	Hand Tool Insert	16	4013542	1	63.78
		20	4013543	1	63.78
	Cordless Pressing Tool 16mm-40mm	—	4048906	1	1036.77
	Cordless Pressing Tool 16mm-75mm	—	4048907	1	1762.50
	Battery for 4048906 (ACO102 mini tool)	—	4046770	1	119.02
	Battery for 4048907 (ACO202 standard tool)	—	4046768	1	235.99
	Pressing Jaws — for use with 4048906	16	4046556	1	109.89
		20	4046557	1	109.89
		25	4046558	1	116.14
		32	4046559	1	116.14
		40	4046560	1	169.83
	Pressing Jaws — for use with 4048907	16	4046691	1	121.52
		20	4046694	1	121.52
		25	4046695	1	128.36
		32	4046756	1	128.36
		40	4046758	1	177.81
		50	4046759	1	193.29
		63	4035779	1	288.25

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Pressing Jaws – for use with 4048907 and 4053510	75	4053509	1	341.98
	Pressing Adaptor for 75mm Jaw – for use with 4048907 and 4053509	75	4053510	1	380.08
	Calibration Mandrel	16	4999998	1	62.68
		20	4999999	1	63.51
		25	4023364	1	66.77
		32	4023365	1	71.64
	Calibration Mandrel	40	4031987	1	122.91
		50	4031988	1	119.96
		63	4035780	1	177.69
		75	4053507	1	188.86
	Handgrip Calibration Mandrel	–	3011162	1	35.43
		–	4036272	1	35.43
	Calibration Set 16mm-32mm	–	4013541	1	295.60

Osma HepvO Waste

Hygienic Self-Sealing Waste Valves – Polypropylene

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	HepvO Hygienic Self Sealing Waste Valve				
	HepvO Valve	32 40	BV1 WH CV1 WH	10 10	29.17 29.17
	HepvO Knuckle Adaptor				
	HepvO 87.5° Knuckle Adaptor	32 40	BV11 WH CV11 WH	10 10	7.36 7.36
	HepvO Running Adaptor				
	For installing HepvO in a pipe run	32 40	BV3 WH CV3 WH	10 10	7.02 7.02
	HepvO Tundish Adaptor				
	HepvO Tundish Adaptor Kit	32	BV1/21 WH	5	39.44

* HepvO is sold subject to Osma commercial conditions.

Numerical Index

Cat no	Price £ per piece	Page no	Cat No	Price £ per piece	Page no	Cat No	Price £ per piece	Page no
10UH600	18.05	16	3018299	327.10	21	3023539	16.73	22
10UH601	42.46	16	3018300	265.29	21	3023540	19.15	22
10UH602	43.29	16	3018302	462.68	21	3023541	11.66	24
10UH603	41.36	16	3023344	9.93	22	3023542	4.79	22
10UH604	14.52	16	3023345	5.13	23	3023543	5.83	22
15UH211 p/pack	42.15	17	3023346	7.36	23	3023544	8.42	22
15UH232	12.50	14	3023347	10.57	23	3023545	9.38	22
15UH231	0.15	14	3023348	3.03	21	3023546	7.29	22
15UH234	34.18	14	3023359	3.95	21	3023547	9.25	22
15UH237	403.53	14	3023360	5.94	21	3023548	11.27	22
15UH238	0.36	14	3023361	5.85	24	3023549	12.60	22
15UH302	38.78	17	3023362	10.00	24	3023550	5.36	24
15UH310	209.26	17	3023363	3.78	22	3023551	6.12	24
15UH316	193.83	17	3023364	4.76	22	3023552	7.95	24
15UH334	16.76	18	3023365	6.75	22	3023553	17.52	24
15UH372	49.34	18	3023488	10.33	21	3023554	16.90	24
15UH373	62.92	18	3023489	6.11	24	3023555	12.19	22
15UH382	77.07	18	3023490	6.78	24	3023557	12.40	23
15UH383	91.05	18	3023491	14.51	24	3023558	13.84	23
15UH395	16.05	18	3023492	21.10	24	3023559	14.38	23
15UH402	38.78	18	3023493	28.08	24	3023560	17.87	23
15UH408	126.23	18	3023494	5.14	24	3023561	4.39	24
15UH475	118.98	18	3023495	3.80	24	3023562	4.87	24
15UH476	118.98	18	3023496	4.83	24	3023563	5.57	24
15UH492	224.18	19	3023497	7.57	24	3024664	29.47	23
15UH494	2.79	19	3023498	8.06	22	3024665	16.44	21
15UH495	16.03	18	3023499	11.70	22	3024666	20.60	22
15UH510	107.54	17	3023500	10.52	22	3024667	32.18	22
15UH511	54.40	17	3023504	6.74	23	3024668	35.21	22
15UH512	576.69	17	3023505	6.74	23	3027829	46.05	23
15UH513	145.18	17	3023506	6.74	23	3027830	33.62	23
15UH524	34.02	18	3023507	6.74	23	3027831	37.88	23
15UH529	9.56	17	3023508	9.32	23	3027832	24.34	21
15UH605	18.43	16	3023509	8.69	23	3027833	24.69	21
15UH606	8.83	16	3023510	9.20	23	3027834	27.20	21
15UH607	17.43	17	3023511	10.15	23	3027836	19.22	24
15UH608	29.08	16	3023512	9.35	23	3027837	28.26	24
15UH610	29.70	16	3023513	14.13	23	3027838	24.94	24
15UH612	3.46	16	3023514	15.09	23	3027839	22.42	22
15UH613	0.38	16	3023515	14.84	23	3027847	64.19	21
15UKPK1	893.93	15	3023516	16.35	23	3027848	72.53	22
15UKPK2	957.63	15	3023517	14.89	23	3027849	79.77	22
15UKPK3	1019.09	15	3023518	23.02	23	3027850	65.22	21
16UH529	9.56	17	3023519	25.42	23	3027852	62.09	21
3004370	363.67	21	3023520	22.63	23	3027853	86.91	23
3004371	64.80	21	3023521	18.00	23	3027854	77.98	23
3004372	126.88	21	3023522	9.86	21	3027855	65.61	23
3004378	247.39	21	3023525	4.21	21	3027856	59.09	23
3004379	329.59	21	3023526	5.45	21	3028271	206.98	21
3004380	291.45	21	3023527	5.96	21	3041228	40.18	21
3004381	363.47	21	3023528	10.08	21	3052945	6.02	25
3011162	35.43	27	3023529	15.84	21	3052946	10.77	25
3018297	231.34	21	3023537	12.60	22	3052947	12.52	25

Numerical Index

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
3052948	16.49	25	4046756	128.36	26	HD14/15W	5.49	5
3052949	17.88	25	4046758	177.81	26	HD14/22W	5.49	5
3053971	269.26	21	4046759	193.29	26	HD14/28W	14.85	5
3061202	1098.09	21	4046768	235.99	26	HD14A/22W	5.49	5
3061211	14.68	21	4046770	119.02	26	HD15/15W	5.49	5
3061212	21.12	21	4048906	1036.77	26	HD15/22W	5.49	5
3061213	32.05	21	4048907	1762.50	26	HD18/15W	5.49	5
3065639	81.59	21	4053507	188.86	27	HD18/22W	5.49	5
3065640	77.12	21	4053508	74.57	26	HD18/28W	14.85	5
3065641	74.98	21	4053509	341.98	27	HD18A/22W	5.80	5
3065642	86.90	22	4053510	380.08	27	HD25A/15W	3.86	5
3065643	88.43	22	4053545	9.75	26	HD25B/15W	4.56	5
3065644	122.24	23	4999998	62.68	27	HD25B/22W	4.94	5
3065645	97.60	23	4999999	63.51	27	HD26A/10W	3.92	5
3065646	94.02	23	BV1/21 WH	39.44	28	HD26A/15W	3.26	5
3065647	83.28	23	BV1 WH	29.17	28	HD26B/15W	3.92	5
4013355	4.38	25	BV3 WH	7.02	28	HD26B/22W	4.23	5
4013538	104.68	26	BV11 WH	7.36	28	HD27/15W	4.26	5
4013541	295.60	27	CV1 WH	29.17	28	HD62/10W	3.29	4
4013542	63.78	26	CV3 WH	7.02	28	HD62/15W	2.94	4
4013543	63.78	26	CV11 WH	7.36	28	HD62/22W	3.71	4
4013553	27.49	26	HD1/10W	3.71	4	HD62/28W	6.17	4
4013559	35.37	26	HD1/15W	2.21	4	HD74 GR	17.15	12
4013562	37.87	26	HD1/22W	3.12	4	HD75 GR	42.27	12
4013571	23.00	25	HD1/28W	8.98	4	HD77 GR	62.31	12
4013572	23.00	25	HD2/15W	3.84	4	HD78 GR	43.25	12
4013573	23.00	25	HD2/22W	2.98	4	HD125A/15W	6.74	6
4023364	66.77	27	HD2/28W	7.20	4	HD125B/15W	7.97	6
4023365	71.64	27	HD3B/15W	6.99	4	HD125B/22W	7.97	6
4031987	122.91	27	HD3B/22W	6.09	4	HD125C/22W	13.72	6
4031988	119.96	27	HD3C/22W	6.99	4	HD125D/15W	8.55	6
4032676	6.11	25	HD4/10W	4.20	4	HD125E/15W	18.31	7
4032685	65.14	25	HD4/15W	2.85	4	HD125E/22W	34.41	7
4032698	43.69	25	HD4/22W	4.20	4	HD125EH/15W	18.31	7
4032699	68.78	25	HD4A/15W	4.20	4	HD125EH/22W	34.41	7
4032700	6.11	25	HD5/10W	4.20	4	HD125F/15W •	12.06	7
4032721	7.89	25	HD5/15W	2.70	4	HD125G/15W •	12.06	7
4032722	8.51	25	HD5/22W	3.96	4	HD125H/15W	7.91	6
4032723	15.79	25	HD5/28W	10.75	4	HD125H/22W	9.69	6
4032724	17.64	25	HD8/10W	4.53	4	HD225A/15W	9.23	6
4035779	288.25	26	HD8/15W	3.15	4	HD225B/15W	10.43	6
4035780	177.69	27	HD8/22W	4.53	4	HD225B/22W	11.09	6
4036272	35.43	27	HD10/10W	5.19	4	HD225C/22W	16.02	6
4037451	10.82	25	HD10/15W	3.79	4	HD225E/15W	20.04	7
4037512	19.82	25	HD10/22W	5.19	4	HD225E/22W	37.53	7
4046556	109.89	26	HD10/28W	14.85	4	HD225H/15W	11.60	6
4046557	109.89	26	HD12/22W	5.49	4	HD225H/22W	13.39	6
4046558	116.14	26	HD12/28W	14.85	4	HD225I/15W	22.05	7
4046559	116.14	26	HD13/15W	5.49	5	HD325A/15W	16.76	6
4046560	169.83	26	HD13/22W	5.49	5	HD325B/22W	20.45	6
4046691	121.52	26	HD13/28W	14.85	5	HD425A/15W	6.38	6
4046694	121.52	26	HD13A/22W	5.49	5	HDW125A/15W	6.38	6
4046695	128.36	26	HD13A/28W	14.85	5	HDW125B/15W	7.97	6

Cat no	Price £ per piece	Page no	Cat No	Price £ per piece	Page no	Cat No	Price £ per piece	Page no
HDW125B/22W	7.97	6	HX60/28W	0.94	4	HXC25/15 BL	36.05	13
HDW125D/15W	8.55	6	HX65/10W	0.20	12	HXC25/22 BL	45.09	13
HDW125E/15W	18.31	7	HX65/15W	0.32	12	HXC50/15 BL	72.14	13
HDW125E/22W	34.41	7	HX65/22W	0.32	12	HXC50/22 BL	89.72	13
HDW125H/15W	7.91	6	HX65/28W	0.39	12	HXX03/15W	7.26	3
HDW125H/22W	9.69	6	HX72/15W	16.33	9	HXX03/22W	14.22	3
HDW225A/15W	9.23	6	HX75/15 GR	2.18	12	HXX03/28W	19.49	3
HDW225B/15W	10.43	6	HX75/15 GR	2.18	17	HXX06/15W	14.99	3
HDW225B/22W	11.09	6	HX75/16 GR	2.18	12	HXX06/22W	29.41	3
HX6/15W	9.53	8	HX75/22 GR	3.05	12	HXX06/28W	40.12	3
HX6/22W	10.35	8	HX77/10W	2.03	12	HXX10/15W	23.21	14
HX18/15W	7.30	9	HX77/15W	1.67	12	HXX10/22W	45.28	3
HX19/15W	7.31	9	HX78/10W	0.29	12	HXX10/15W	23.21	3
HX20/15W	3.20	5	HX78/15W	0.34	12	HXX10/28W	61.04	3
HX20/22W	4.03	5	HX78/22W	0.34	12	HXX25/10W	49.29	3
HX20/28W	18.06	5	HX78/28W	0.38	12	HXX25/10W	49.29	14
HX22/15W	12.20	8	HX79/10W	0.34	12	HXX25/15W	57.99	3
HX22/22W	15.92	8	HX79/15W	0.39	12	HXX25/15W	57.99	14
HX24/15W	8.87	8	HX79/22W	0.39	12	HXX25/22W	113.19	3
HX28/10W	6.34	8	HX79/28W	0.43	12	HXX25/28W	152.62	3
HX28/15W	6.17	8	HX81 GR	495.66	12	HXX50/10W	97.10	3
HX28/22W	8.87	8	HX85/15W	0.32	12	HXX50/10W	97.10	14
HX28/28W	17.43	8	HX85/15W	0.32	17	HXX50/15W	114.76	3
HX29/10W	6.34	8	HX85/22W	0.32	12	HXX50/15W	114.76	14
HX29/15W	6.17	8	HX85/28W	0.52	12	HXX50/22W	224.12	3
HX29/22W	8.87	8	HX86/15W	0.24	12	HXX50/28W	303.79	3
HX29/28W	16.85	8	HX86/22W	0.32	12	HXX80/15W	183.61	3
HX30/15W	3.36	8	HX88/22W	7.41	9	HXX80/15W	183.61	14
HX30/22W	5.67	8	HX88B/22W	7.65	9	HXX100/10W	191.28	3
HX30/28W	8.32	8	HX89/22W	9.95	9	HXX100/10W	191.28	14
HX31/15W	3.44	8	HX89B/22W	10.31	9	HXX100/15W	225.97	3
HX31/22W	5.67	8	HX91T/22W	20.71	10	HXX100/15W	225.97	14
HX31/28W	8.32	8	HX92/22W	7.41	10	HXX120/15W	271.17	3
HX32/15 GY	6.17	8	HX92B/22W	8.10	9	HXX120/15W	271.17	14
HX35/15W	9.66	8	HX92T/15W	34.79	10	HXXC2528 BU	293.65	3
HX35/22W	13.76	8	HX93T/15W	51.02	10	HXXC2528 RD	293.65	3
HX36/15W	9.71	8	HX94/22W	9.95	10	HXXC5010 BU	201.66	3
HX36/22W	11.62	8	HX94B/22W	10.31	10	HXXC5010 RD	201.66	3
HX37/15W	6.87	9	HX94T/15W	69.65	10	HXXC5015 BU	231.88	3
HX38/15W	6.34	9	HX95A GR	19.94	11	HXXC5015 RD	231.88	3
HX39 GR	3.19	8	HX96/22W	11.37	10	HXXC5022 BU	356.68	3
HX43/22W	20.63	9	HX96B/22W	11.37	10	HXXC5022 RD	356.68	3
HX44/10W	1.16	5	HX97 GY	3.03	10			
HX44/15W	1.36	5	HX98 GY	3.51	10			
HX44/22W	1.36	5	HX100 BL	5.98	13			
HX44/28W	1.63	5	HX101/15W	8.33	13			
HX57/15 GRp/pack	4.52	13	HX103 BL	1.67	13			
HX57/22 GRp/pack	4.52	13	HX104 BL	2.00	13			
HX58/15 GYp/pack	4.52	13	HX109 GY	3.20	11			
HX58/22 GYp/pack	4.52	13	HX110 GY	2.69	11			
HX60/10W	0.48	4	HX112 GY	0.18	11			
HX60/15W	0.49	4	HX113 WH	7.04	11			
HX60/22W	0.63	4	HX200	11.78	13			

Important Notes

All purchases are subject to our standard terms and conditions of sale, available at **wavin.co.uk** or call for a copy.

Prices are subject to VAT at the current rate.

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions. Users should satisfy themselves that products are suitable for the purpose and application intended.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Orders and Enquiries

Tel: 0844 856 5152

For further information on our product ranges, see the following:

Wavin Website

wavin.co.uk is the place to find overview of our ranges, individual item information (such as photo, dimensions, line drawing, etc), literature via our download centre, news and events, blogs, online calculation tools, links to 'How to Videos' and more.

Download Centre on wavin.co.uk

Visit our website download centre for electronic copies of:

- ④ Product, Design and Installation Guides
- ④ Price list
- ④ Safety sheets
- ④ Quality certificates
- ④ CAD files, etc.

'How to' Videos

To support Hep₂O Plumbing & Underfloor Heating and Osma brands, there are a series of 'How to' videos to show how you can make light work of installation problems. They can be viewed at [youtube.com/WavinUK](https://www.youtube.com/WavinUK)



Online Tools

For Hep₂O underfloor heating project requirements, visit www.hep2oufh.co.uk also use our online calculation tool 'HepCalc' to generate a quote with quantities to order. You will need to register for this service. hepcalc.co.uk



Wavin Knowledge Centre

Keep ahead of breaking news with a fresh and insightful look into the construction industry. Our aim is to keep you informed and up to date with the latest how-to guides, regulations, innovation and more. Visit blog.wavin.co.uk

BIM Centre

Register on myportal.wavin.co.uk for access to our Revit content package, which helps you create accurate designs and generate a comprehensive bill of materials.

Twitter Accounts

Join the conversation:




@WavinUK
@Hep2O
@OsmaUK

Contact

Orders and enquiries:
Complex technical queries:
Printed literature requests:
General enquires:

0844 856 5152
technical.design@wavin.co.uk
literature@wavin.co.uk
info@wavin.co.uk

Discover our broad portfolio at
www.wavin.co.uk



Water management | Plumbing and heating | Waste water drainage
Water and gas distribution | Datacom

Mexichem.
Building & Infrastructure



CONNECT TO BETTER

Wavin Limited

Registered Office

Edlington Lane

Doncaster | DN12 1BY

Tel. 0844 856 5152

www.wavin.co.uk | info@wavin.co.uk