Designed for possibilities. Made for people.

TIME

ALL DISTORT

Product catalogue

Ð

altro

Floors, walls and doors guide



"Altro have a superb range of products specifically designed for front and back of house so we were able to select products that perfectly suited the theme, colour scheme and practical needs of the venue." 21

Tall a Line

题致

1990

Jon Baines, Project Manager, KJR

Contents

Welcome to Altro	4
Floors	
LVTs	
Altro Ensemble™	6
Smooth	
Slip risk: low	
Altro Cantata™	12
Altro Orchestra™	14
Altro Operetta™	18
Altro Serenade™	20
Altro Zodiac™	22
Safety	
Slip risk: high	
Altro Wood™ adhesive-free	24
Altro Wood™	26
Altro Wood™ Comfort	28
Altro Reliance™ 25	30
Altro Atlas™ 40	34
Altro Suprema™	36
Altro Walkway™ 20	40
Altro Walkway™ 20 SD Altro XpressLay™	44
Slip risk: very high	46
Altro Stronghold™ 30	50
Altro Aquarius™	52
Altro Pisces™	54
Altro Marine™	56
Altro Classic™ 25	58
	00
	00
Altro Whiterock™ wall designs	60
Altro Whiterock White™	62
Altro Whiterock Satins™	64
Altro Whiterock Chameleon™	68
Altro Whiterock Digiclad™	70
Altro Whiterock Splashbacks™	72
Altro Fortis Titanium™	76
Altro Walls ShowerKit™	78
Altro Fortis™ corner protection	80
Doors	
Altro Whiterock™ hygienic doorsets	82
Altro Fortis™ doorsets	83
Altro Fortis™ door protection	84
Technical drawings	86
Support	102

Welcome to Altro

Altro have been at the forefront of innovation for over 100 years. Today, working closely with architects, end customers, engineers, designers and contractors around the world, our insight and expertise help them transform everyday spaces into environments that can improve the wellbeing of everyone that uses them.

And by consistently turning creative thinking into practical, real-world solutions – that maintain the highest standards of safety and durability – Altro have become synonymous with quality.

As a family-founded business, we have a strong sense of what we value and a way of thinking inspired by The Bauhaus – a balance of quality, form and design-led function – that puts people's needs at the heart of everything we do. It's a human-centred approach to designing for the demands of 21st century life.

It's a history that means we value the bold, the brave and the new. From focusing on how the different sectors we serve need their spaces to perform, to the call for more environmentally sustainable materials, Altro are constantly challenging what is possible and seeking new ways of inspiring our customers and answering their biggest challenges.

With offices across Europe, the Americas, Asia Pacific and the Middle East, we remain committed to developing solutions that stand the test of time.

We combine the best in contemporary style with the functionality required to improve the way we all live and work, wherever in the world that may be.

We are Altro.



Floors – LVTs



Altro Ensemble

Application areas:

- reception areas and general circulation areas in hotels, leisure centres, offices, retail, colleges and universities, healthcare and care homes
- resident rooms and student accommodation
- serveries, bars and dining in restaurants and café areas

Altro Ensemble is a modular flooring system that gives you complete design freedom to create stunning floors for interior spaces. From colour blocking to geometric patterns, the possibilities are as endless as your imagination.

Altro Ensemble has 15dB sound reduction with added comfort underfoot, making it perfect for areas where design is key.

With four modular sizes, you can mix and match to create unique patterns utilising colour and design. Combine with Altro Whiterock wall designs for a unique interior statement.



Anthracite Limed Harmonious Oak M026W125L1000 | LRV 7

Floors - LVTs




M023W100L500 | LRV 40



Pearl Oak M007W100L500 | LRV 53

Red Vintage Timber





Greige Rustic Oak M034W100L500 | LRV 35

Medium Grey Harmonious Oak M027W100L500 | LRV 21

Blue Vintage Timber

Plank size



For full technical details
 altro.co.uk

100×500mm



M013W100L500 | LRV 21



Medium Limed Rustic Oak M018W100L500 | LRV 17



Village Oak M024W100L500 | LRV 21



M011W100L500 | LRV 42

Floors – LVTs





Drift Oak M023W125L1000 | LRV 40

Natural Pine M022W125L1000 | LRV 44


Pearl Oak M007W125L1000 | LRV 53

Leached Striking Oak M006W125L1000 | LRV 45



White Vintage Timber M009W125L1000 | LRV 44

Floors - LVTs




Chilli Red

Ice




Natural Rustic Oak M017W125L1000 | LRV 27





Medium Limed Rustic Oak Blue Vintage Timber M018W125L1000 | LRV 17 M011W125L1000 | LRV 42

Green Vintage Timber M012W125L1000 | LRV 29



Red Vintage Timber





M013W125L1000 | LRV 21







Greige Striking Oak M033W125L1000 | LRV 16



Natural Striking Oak M032W125L1000 | LRV 26



Flamed Cherry M019W125L1000 | LRV 21

Smoked Rustic Oak

M035W125L1000 | LRV 12

Village Oak M024W125L1000 | LRV 21



M025W125L1000 | LRV 16



Brown Limed Pine M030W125L1000 | LRV 23



Tobacco Limed Barrel Oak Striking Oak M010W125L1000 | LRV 10 M008W125L1000 | LRV 18



Cabin Oak M020W125L1000 | LRV 7



M021W125L1000 | LRV 8



Greige Rustic Oak M034W125L1000 | LRV 35



Medium Grey Harmonious Oak M027W125L1000 | LRV 21



Anthracite Limed Harmonious Oak M026W125L1000 | LRV 7



Regal Walnut



125 × 1000 mm





MA065W125L1000 | LRV 12 MA063W125L1000 | LRV 30 MA066W125L1000 | LRV 49 MA061W125L1000 | LRV 4



Midnight Wood MP151W125L1000 | LRV 4

Floors – LVTs




Greige Rustic Oak M034W200L2000 | LRV 35



M007W200L2000 | LRV 53


M012W200L2000 | LRV 29



Rustic Oak




M018W200L2000 | LRV 17





Floors – LVTs





White Stone MT081W500L1000 | LRV 61 MT084W500L1000 | LRV 45 MT087W500L1000 | LRV 37 MT082W500L1000 | LRV 37 MT083W500L1000 | LRV 20

Fossil Stone





Natural Rustic Oak M017W200L2000 | LRV 27

Village Oak

M024W200L2000 | LRV 21

Smoked Rustic Oak M035W200L2000 | LRV 12

Brown Limed Pine M030W200L2000 | LRV 23



Barrel Oak M010W200L2000 | LRV 10








Pumice Stone

Clay Stone MT085W500L1000 | LRV 13 MT086W500L1000 | LRV 9

Pewter Concrete





500 × 1000 mm

Plank size

200 × 2000 mm

Platinum Concrete



York Stone



Portland Stone





Anthracite Concrete MT088W500L1000 | LRV 15 MT089W500L1000 | LRV 6



Altro Cantata

Application areas:


- reception, public areas, corridors in hospitals, residential care homes and education
- treatment rooms, wards / bedrooms, waiting areas in hospitals and residential care homes
- café and dining areas, seating areas in bars
- classrooms, staff rooms and play areas in kindergartens and schools

A tonal and modernist, adhesive-free floor that creates maximum impact with minimum downtime. New Altro Cantata is ideal for busy public spaces where disruption needs to be minimal, and has no associated adhesive odours. It now gives you enhanced cleanability, 14dB impact noise reduction, plus comfort underfoot to help reduce fatigue. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life can be removed easily, allowing it to be reused or recycled.



Crème Caramel | AFP282006 WR385 / A1M385 / LRV 50


Floors - Smooth



Frosted Glass AFP282005 WR388 / A1M388 / LRV 52

Mocha AFP282003 WR389 / A1M389 / LRV 40





Willow Tree AFP282007 WR399 / A1M399 / LRV 41

Bluebell AFP282004 WR398 / A1M398 / LRV 26



Bluefin

AFC281001 WR438 / A1M486 / LRV 26

AFT284002

Milan



WR435 / A1M390 / LRV 26

Seal Grey


AFC281002

Elephant Grey AFC281003 WR436 / A1M487 / LRV 17



For full technical details @ altro.co.uk

12




WR390 / A1M390 / LRV 30

Graphite

Sunrise

AFP282008

AFP282002



True Grit AFP282001 WR390 / A1M390 / LRV 30




WR393 / A1M393 / LRV 19



Hazelnut AFP282009 WR418 / A1M239 / LRV 18



WR482 / A1M482 / LRV 15



Rome AFT284001 WR481 / A1M83 / LRV 16



Black Sand AFP282010 WR485 / A1M485 / LRV 7



Treviso AFT284003 WR483 / A1M483 / LRV 44



Venice AFT284004 WR484 / A1M484 / LRV 40



Altro Orchestra

Application areas:


- school, kindergarten and university corridors and classrooms
- student accommodation
- hospital and care home corridors and patient / resident rooms
- retail
- home adaptations / social housing

For areas where comfort and sound reduction are important, 2.85mm Altro Orchestra has been engineered to create the ideal environment to learn and live. Low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds. At the same time, the integrated impact sound insulation system cuts impact sound by up to 15dB.

It offers comfort underfoot making life easier on the feet of students and patients but particularly hard-working staff who spend countless hours on the move.

With a palette of 40 colours and designs, Altro Orchestra allows you to create the right atmosphere every time. It coordinates with Altro Operetta, Altro Serenade and Altro wall sheets for a complete look throughout.





Guitar | CH2828 WR449 / A1M200 / LRV 29

For full technical details @ altro.co.uk

Floors - Smooth



Ragtime | CH2810 WR431 / A1M200 / LRV 53

Classical | CH2807 WR428 / A1M200 / LRV 50

Latin | CH2803 WR424 / A1M200 / LRV 32





Romantic | CH2804 WR425 / A1M200 / LRV 51

Reggae | CH2801 WR422 / A1M200 / LRV 48

Pop | CH2805 WR426 / A1M200 / LRV 32






Chant | CH2814 Fusion | CH2813 WR434 / A1M200 / LRV 49 WR435 / A1M200 / LRV 26

Club | CH2815



Urban | CH2816 WR437 / A1M200 / LRV 50

Swing | CH2819 WR440 / A1M200 / LRV 49



WR443 / A1M200 / LRV 43



Jungle | CH2823 WR444 / A1M200 / LRV 24

Jazz | CH2824 WR445 / A1M200 / LRV 15





Country | CH2808 WR429 / A1M200 / LRV 26



House | CH2811 WR432 / A1M200 / LRV 26





Salsa | CH2802 WR423 / A1M200 / LRV 20



Flamenco | CH2806 WR427 / A1M200 / LRV 12



WR436 / A1M200 / LRV 17



Folk | CH2812 WR433 / A1M200 / LRV 15



Motown | CH2809 WR430 / A1M200 / LRV 10



Soul | CH2817 WR438 / A1M200 / LRV 29



Rap | CH2820 WR441 / A1M200 / LRV 30



Metal | CH2818 WR439 / A1M200 / LRV 16





Gospel | CH2821 WR442 / A1M200 / LRV 17



Trumpet | CH2825 WR446 / A1M200 / LRV 37







Cello | CH2829 WR450 / A1M200 / LRV 24



Banjo | CH2826




Bassoon | CH2831







Clarinet | CH2832 WR453 / A1M200 / LRV 34 WR447 / A1M200 / LRV 38



Trombone | CH2839

WR460 / A1M200 / LRV 39

Piano | CH2838 WR459 / A1M200 / LRV 19



Flute | CH2833

WR454 / A1M200 / LRV 22

Violin | CH2834 WR455 / A1M200 / LRV 31 WR457 / A1M200 / LRV 52



Drum | CH2837


WR458 / A1M200 / LRV 18

Chimes | CH2836 Oboe | CH2835 WR456 / A1M200 / LRV 34



Bongo | CH2840 WR461 / A1M200 / LRV 27





Altro Operetta

Application areas:

- hospital / care home corridors and patient rooms
- retail
- schools, universities general circulation areas, corridors

Altro Operetta is a robust floor perfect for medium to high traffic areas. It is easy to clean and maintain. It has 25 attractive, natural and contemporary colours and finishes to fit in your interior design scheme. It matches and coordinates with Altro Orchestra and Altro Serenade to create a complete look throughout.

Combine with our extensive range of Altro wall systems: Altro Whiterock for areas requiring a hygienic surface and Altro Fortis wall protection for busy areas that need extra protection.

Available in 25 colours.



WR423 / A1M200 / LRV 20

Floors - Smooth





Solo | OP2110 WR431 / A1M200 / LRV 53

Harmony | OP2107 WR428 / A1M200 / LRV 50

Sharp | OP2103 WR424 / A1M200 / LRV 32





Quaver | OP2101 WR422 / A1M200 / LRV 48

Crescendo | OP2102 WR423 / A1M200 / LRV 20

Waltz | OP2106



Quartet | OP2113 WR434 / A1M200 / LRV 49

Contralto | OP2120 WR440 / A1M200 / LRV 49




Quintet | OP2114 WR435 / A1M200 / LRV 26



Alto | OP2119

Clef | OP2125 WR446 / A1M200 / LRV 37





Acapella | OP2135 WR457 / A1M200 / LRV 52 WR456 / A1M200 / LRV 34

Madrigal | OP2134



For full technical details @ altro.co.uk





Melody | OP2108 WR429 / A1M200 / LRV 26



Trio | OP2112 WR433 / A1M200 / LRV 15



WR427 / A1M200 / LRV 12



Overture | OP2123 WR444 / A1M200 / LRV 24



Duo | OP2111 WR432 / A1M200 / LRV 26



WR441 / A1M200 / LRV 30



Bass | OP2121 WR442 / A1M200 / LRV 17




Tempo | OP2115 WR436 / A1M200 / LRV 17



Canon | OP2129 WR450 / A1M200 / LRV 24




Key | OP2131 WR452 / A1M200 / LRV 17




Soprano | OP2137 WR458 / A1M200 / LRV 18




WR455 / A1M200 / LRV 31



Baroque | OP2133 WR454 / A1M200 / LRV 22



Tenor | OP2138 WR459 / A1M200 / LRV 19



Altro Serenade

Application areas:

- kindergarten playrooms
- hotel rooms
- offices
- care homes
- anywhere where the passage of sound must be prevented between storeys

Silence is golden. Whether softening the sounds of little feet or maximising privacy at work or leisure, acoustic Altro Serenade is more than up to the task. At 3.9mm thick and with 19dB impact sound insulation, not only does it reduce noise, it provides a high level of comfort underfoot, making it a great solution for well-used spaces.

With 15 colour and design options, it matches and coordinates with Altro Orchestra and Altro Operetta.

Combine with our extensive range of Altro wall systems: Altro Whiterock, for areas requiring a hygienic surface and Altro Fortis wall protection for busy areas that need extra protection.

EASYCLEAN



WR434 / A1M200 / LRV 49

Floors - Smooth





Cymbal | SE3910 WR431 / A1M200 / LRV 53

Rhythm | SE3907 WR428 / A1M200 / LRV 50







Tambourine | SE3911 WR432 / A1M200 / LRV 26

Octave | SE3915 WR436 / A1M200 / LRV 17

Saxophone | SE3920






Metronome | SE3914 WR435 / A1M200 / LRV 26

March | SE3925 WR446 / A1M200 / LRV 37

Encore | SE3929



For full technical details @ altro.co.uk

19dB





Cadence | SE3908 WR429 / A1M200 / LRV 26



Bridge | SE3912 WR433 / A1M200 / LRV 15



WR441 / A1M200 / LRV 30



Prelude | SE3923 WR444 / A1M200 / LRV 24



Finale | SE3902 WR423 / A1M200 / LRV 20



WR450 / A1M200 / LRV 24



Bar | SE3931 WR452 / A1M200 / LRV 17



Altro Zodiac

Application areas:

- care homes
- children's hospitals
- clinics
- student accommodation
- school classrooms and corridors
- galleries, retail and offices

Altro Zodiac Smooth provides an adaptable design that works anywhere and is great in large areas, from care homes to student accommodation. Altro Zodiac Smooth comes in a range of 24 colours, chosen to reflect your mood: warm, cool, neutral or vibrant. So express your true colours.

It is easy to maintain and can be welded to provide a hygienic surface, making it ideal for areas where infection control and high standards of cleanliness are required.

We strongly recommend carrying out a risk assessment in any area in which the installation of smooth flooring is considered, focusing on the potential risk posed by contaminants from spillages. Please see our section on safety for more information.



Oxygen | ZD2007 WR317 / A1M200 / LRV 41

Floors - Smooth





Celestial | ZD2018 WR328 / A1M11 / LRV 65

Hologram | ZD2001 WR311 / A1M200 / LRV 57

Comet | ZD2003 WR313 / A1M200 / LRV 33






Planet | ZD2019 WR329 / A1M247 / LRV 42

WR321 / A1M20 / LRV 31

Terrain | ZD2012



Pisces | ZD2009 WR319 / A1M200 / LRV 23


Apex | ZD2011







Meteor | ZD2017 WR327 / A1M200 / LRV 33



Libra | ZD2008 WR318 / A1M71 / LRV 19



WR322 / A1M239 / LRV 17



Aries | ZD2020 WR330 / A1M41 / LRV 12



Capricorn | ZD2004 WR314 / A1M200 / LRV 10



Altro Wood adhesive-free

Application areas:

- bedroom and ensuites in care homes and hotels
- corridors, general circulation, reception areas in hospitals, care homes, kindergartens and schools
- wards, waiting and treatment rooms in hospitals and care homes
- student accommodation, common and staff rooms in schools
- café and dining areas

Matches:

Some shades match Altro Wood and Altro Wood Comfort.

New Altro Wood adhesive-free is a safe, durable and decorative solution for busy spaces; enabling you to create stylish, biophilic and warm environments. It offers 14dB impact sound reduction and high levels of comfort underfoot. Using our award-winning adhesive-free installation method, it can be welded and walked on the same day, and at the end of its life removed easily, to be reused or recycled. It is ideal for busy public spaces where disruption needs to be minimal, plus there are no associated adhesive odours. Matching design and colour options across the Altro Wood collection, give you a consistent look in different areas with varying performance criteria.





Dusky Cherry | AFW280003 WR336 / A1M239 / LRV 22

Floors - Safety





Frosted Oak AFW280001 WR335 / A1M335 / LRV 52

Champagne Oak AFW280010 WR338 / A1M338 / LRV 38





Timeless Oak AFW280007 WR347 / A1M347 / LRV 38

Caramel Oak AFW280006 WR353 / A1M225 / LRV 25





Pitch Oak AFW280008 WR348 / A1M348 / LRV 7





AFW280005





Honey Maple AFW280011 WR352 / A1M352 / LRV 27



Imperial Walnut AFW280009 WR341 / A1M160 / LRV 15



WR339 / A1M339 / LRV 24



Shaded Cherry AFW280004 WR337 / A1M337 / LRV 17



Vintage Oak AFW280012 WR322 / A1M239 / LRV 19



Altro Wood

Application areas:

- hospital / care home corridors and living areas
- patient areas
- retail
- kindergartens, schools, universities: general circulation areas, corridors

Matches:

Some shades match Altro Wood adhesive-free and Altro Wood Comfort.

This attractive, general purpose 2mm wood-look flooring is available in a range of designs with different plank sizes and shades including a bamboo-look fine-line design and wide plank classic and rustic designs, helping you create the right look for areas where people live and work.

Altro Wood is designed to cope with medium to heavy traffic. It is also a perfect partner for a variety of wall shades and finishes, from wall cladding to metal and glass, making design simpler. With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.





Farmhouse Oak | WSA2004 WR338 / A1M27 / LRV 38

Floors - Safety






Bleached Oak | WSA2001 Ranch Oak | WSA2021 WR335 / A1M335 / LRV 52

WR335 / A1M335 / LRV 51

Light Beech | WSA2017 WR462 / A1M462 / LRV 43





Spring Maple | WSA2018 WR352 / A1M352 / LRV 27

Noble Oak | WSA2024 WR467 / A1M467 / LRV 17





Oak Traditions | WSA2013 Autumn Maple | WSA2005 Mountain Oak | WSA2022 Urban Cherry | WSA2003 Walnut Noir | WSA2011 WR353 / A1M225 / LRV 25

WR339 / A1M339 / LRV 24

WR339 / A1M339 / LRV 22





WR347 / A1M347 / LRV 38

WR336 / A1M239 / LRV 22 WR322 / A1M239 / LRV 19

Washed Oak | WSA2015 Vintage Cherry | WSA2002 Worn Oak | WSA2023





Rustic Oak | WSA2006 WR340 / A1M340 / LRV 37



Washed Bamboo | WSA2020 WR463 / A1M392 / LRV 42





Deep Bamboo | WSA2019 Antique Walnut | WSA2007 Stately Oak | WSA2025 WR342 / A1M224 / LRV 21 WR341 / A1M160 / LRV 15 WR468 / A1M62 / LRV 10







WR337 / A1M337 / LRV 17



WR345 / A1M62 / LRV 6





Manor Oak | WSA2016 WR348 / A1M348 / LRV 7



Altro Wood Comfort

Application areas:

- corridors and classrooms in schools, kindergartens, universities
- student accommodation
- hospital / care home corridors and patient rooms
- retail
- home adaptations / social housing

Matches:

Some shades match Altro Wood adhesive-free and Altro Wood.

Altro Wood Comfort offers aesthetics combined with comfort. It's an ideal choice for areas that need to look good while helping to give comfort underfoot. This 2.85mm thick option offers 14dB impact sound reduction, which is great for noisy environments such as hospitals and kindergartens.

It is also suitable for wheeled traffic and low residual indentation facilitates the flexible use of equipment and furniture, including hospital beds.

With matching design and colour options across the Altro Wood collection, you can achieve a consistent look in different areas with varying performance criteria.





Antique Cherry | WSASC2802 WR336 / A1M239 / LRV 22

Floors - Safety





Soft Oak | WSASC2804 WR338 / A1M27 / LRV 38

WR463 / A1M392 / LRV 42 WR340 / A1M340 / LRV 37

Light Bamboo | WSASC2820 Field Oak | WSASC2806





Aged Oak | WSASC2815 WR347 / A1M347 / LRV 38



Reclaimed Oak | WSASC2821 WR335 / A1M335 / LRV 51





WR339 / A1M339 / LRV 22



Veteran Oak | WSASC2822 Classic Walnut | WSASC2807 WR341 / A1M160 / LRV 15





Warm Maple | WSASC2805 Deep Cherry | WSASC2803 Royal Oak | WSASC2823 WR339 / A1M339 / LRV 24 WR337 / A1M337 / LRV 17 WR322 / A1M239 / LRV 19



Regent Oak | WSASC2825 WR468 / A1M62 / LRV 10




Altro Reliance 25

Application areas:

- corridors subject to foot and wheeled traffic including hospital streets
- laboratories (secondary / tertiary school labs / industrial)
- clinical areas in hospitals
- atria / receptions in large public buildings


We have merged our popular Altro Designer 25 with Altro Unity 25 to create one solution for your tough areas. With a palette of 27 colours, this robust safety flooring gives you design flexibility with the durability you would expect from our 2.5mm safety flooring range. It can cope with high levels of foot and wheeled traffic without compromising on slip resistance.


Combine with Altro Fortis wall protection system for your toughest areas.



Temple | D2509 WR261 / A1M81 / LRV 27

Floors - Safety







Streetlight | D2505 WR287 / A1M79 / LRV 45

Rock | D2504 WR84 / A1M84 / LRV 23









Stream | D2518 WR288 / A1M71 / LRV 22

Fountain | D2502 WR306 / A1M71 / LRV 22

Pool | D2503 WR307 / A1M73 / LRV 10





Roof Garden | D2500 WR262 / A1M154 / LRV 23





Skyline | D25332 WR52 / A1M52 / LRV 25

Storm | D25903

1ina million for life 10 40 EASYCLEAN

For full technical details @ altro.co.uk






Pavement | D2507 WR83 / A1M83 / LRV 14



Vault | D2517 WR277 / A1M100 / LRV 5






Runway | D2506 WR72 / A1M72 / LRV 9



Twilight | D25910 WR39 / A1M34 / LRV 8




WR82 / A1M82 / LRV 16




Midnight | D25421 WR72 / A1M72 / LRV 11




Jet | D2501 WR100 / A1M100 / LRV 6




Ice Rink | D2514 WR291 / A1M01 / LRV 70




Statue | D2513 . WR304 / A1M12 / LRV 62




Arena | D2510 WR297 / A1M20 / LRV 41






Bone | D25215 WR20 / A1M20 / LRV 37

Biscuit | D25904 WR146 / A1M20 / LRV 30



Plaza | D2512 . WR27 / A1M27 / LRV 32



Monument | D2508 WR305 / A1M239 / LRV 23


Gallery | D2511 WR62 / A1M62 / LRV 10







WR248 / A1M238 / LRV 9




Signal | D2516 WR300 / A1M42 / LRV 13








Floors - Safety





Mushroom | X4042 WR24 / A1M27 / LRV 32

Quarry Red | X4060 WR42 / A1M42 / LRV 13

Walnut | X4086 WR62 / A1M62 / LRV 10

Altro Atlas 40


Application areas:

- industrial areas exposed to heavy wheeled traffic such as pallet trucks and occasional forklift traffic (for more intense forklift traffic, an Altro resin is more suitable)
- sports changing rooms where spiked or studded shoes / boots are used
- mezzanine areas

Tough as old boots... and new boots, steel toe-capped work boots and studded football boots. Altro Atlas 40 is our most robust safety flooring, and is suitable for areas exposed to shoes with studs or spikes. It's well suited to heavy duty industrial use and sports changing rooms.

Hard wearing, stable, and resistant to mechanical damage and chemicals, Altro Atlas 40 provides long term durability and slip resistance, and is easy to clean and maintain.

Available in 5 colours.



Pewter Grey | X4039 WR81 / A1M81 / LRV 26







Anvil | X4094 WR101 / A1M72 / LRV 11



Altro Suprema

Application areas:

- indoor public spaces which are mainly subjected to foot (not wheeled) traffic, including lobbies, entrance areas, corridors
- classrooms (for labs and CDT areas, see Altro Walkway 20 SD, Altro Reliance 25 and Altro Classic 25)
- hospital wards and corridors

Looking for that designer feel in a safety flooring? Look no further than Altro Suprema – a stunning, non-sparkle safety floor that gives you complete design freedom. With 12 new colours including three 'flake' designs, one of its 40 shades will match the mood you want to create.

Design-led Altro Suprema has been developed in consultation with colour consultants, architects and end users to reflect design requirements and interior trends. It gives a colour punch to your public spaces.


So from sophisticated Snowflake to bright Bee, the only limit is your imagination.






Malibu | SU2062 WR272 / A1M272 / LRV 26

Floors - Safety






Bubble | SU2039 WR285 / A1M203 / LRV 34

Bluewater | SUI2073 WR194 / A1M71 / LRV 17

Caspian | SU2038 WR194 / A1M71 / LRV 18





Melon | SU2061 WR271 / A1M271 / LRV 33

Fennel | SU2049 WR262 / A1M154 / LRV 25

Basil | SU2082 WR377 / A1M308 / LRV 16






Bee | SU2083 WR378 / A1M378 / LRV 40

Parchment | SU2041 WR267 / A1M20 / LRV 45

Prairie | SU2044 WR279 / A1M20 / LRV 31



Tangerine | SU2052 WR273 / A1M273 / LRV 20



Tuscany | SU2084 WR379 / A1M42 / LRV 13

Lipstick | SU2085 WR380 / A1M238 / LRV 9






Bluebird | SU2037 WR231 / A1M73 / LRV 10



Loam | SU2047 WR260 / A1M260 / LRV 8






Aegean | SU2057 WR270 / A1M56 / LRV 23



Barbados | SU2081 WR376 / A1M302 / LRV 13





Earth | SUI2066 WR282 / A1M239 / LRV 23



Platypus | SU2075 WR371 / A1M371 / LRV 13





Flamingo | SU2063 WR276 / A1M276 / LRV 16



Citrus | SU2086 WR381 / A1M381 / LRV 45



Sugar | SU2042 WR284 / A1M01 / LRV 65




Calico | SUI2069 WR283 / A1M20 / LRV 52



Owl | SUI2068 WR20 / A1M20 / LRV 40

Dew | SU2036






Oatmeal | SU2046 WR265 / A1M265 / LRV 38







Snowflake | SUD2076 WR284 / A1M01 / LRV 71




Alaska | SUD2079 WR374 / A1M79 / LRV 49





Wolf | SU2050 WR191 / A1M191 / LRV 45 WR261 / A1M81 / LRV 29




Montana | SUD2077 WR372 / A1M81 / LRV 27




Shadow | SU2056 WR269 / A1M84 / LRV 24




Platinum | SUI2064 WR201 / A1M84 / LRV 24




Chinchilla | SU2078 WR373 / A1M86 / LRV 19



Wallaby | SUI2080 WR375 / A1M82 / LRV 14



Flint | SU2034 WR82 / A1M82 / LRV 13



Fossil | SUI2067 WR232 / A1M82 / LRV 12



Raven | SU2054 WR277 / A1M100 / LRV 7




Berry | SU2059 WR275 / A1M44 / LRV 8



WR260 / A1M260 / LRV 8





Altro Walkway 20


Application areas:

• general purpose

The range has 30 colours – featuring bright and subtle, sparkle-free designs, and decorative chipped options which give you enhanced design flexibility.

Altro Walkway 20 shares its colour range with Altro XpressLay. This enables you to combine use of both ranges when you need traditionally adhered and adhesive-free safety flooring in adjacent areas.


You've loved working with Altro Walkway 20 for over 25 years because it's easy to cove and weld. It achieves $PTV \ge 36$ on the pendulum test giving sustained slip resistance throughout the lifetime of the product. It also includes PUR cleanability, superior chemical and stain resistance.



Streetlight | VMI2005P WR287 / A1M79 / LRV 45

Floors - Safety







Temple | VM2009P WR261 / A1M81 / LRV 27

Blizzard | VMI2055 WR79 / A1M191 / LRV 44

Fog | VM20153 WR81 / A1M81 / LRV 27







Cloud | VM2014 WR79 / A1M191 / LRV 41

Whale | VMI2054 WR86 / A1M86 / LRV 20

Dolphin | VM2010 WR86 / A1M86 / LRV 21





Skyline | VM20332 WR52 / A1M52 / LRV 24


Tarragon | VMI2052 WR52 / A1M52 / LRV 26









Midnight | VM20421 WR72 / A1M72 / LRV 11




Nightfall | VMI2056 WR72 / A1M72 / LRV 10








Rock | VMI2004P WR84 / A1M84 / LRV 23



Pavement | VMI2007P WR83 / A1M83 / LRV14






Black | VM20892 WR100 / A1M100 / LRV 6



Coal | VMI2058 WR100 / A1M100 / LRV 6




Waterfall | VM20912 WR155 / A1M135 / LRV 31




Blue | VM20412 WR71 / A1M71 / LRV 22




River | VMI2057 WR71 / A1M71 / LRV 22






Lupin | VMI2059 WR286 / A1M286 / LRV 17



Swan | VMI2012P WR291 / A1M01 / LRV 75




Tundra | VM20910



Winter | VMI2053 WR105 / A1M01 / LRV 61 WR289 / A1M265 / LRV 40




Sand | VMI2051 WR20 / A1M20 / LRV 40



Bone | VM20215 WR20 / A1M20 / LRV 37




Cherry | VM20920 WR148 / A1M148 / LRV 10



WR153 / A1M239 / LRV 19

Tango | VM2031 WR42 / A1M42 / LRV 14





Biscuit | VM20907 WR146 / A1M20 / LRV 30







Altro Walkway 20 SD

Application areas:

- labs with static sensitive equipment / gases
- computer suites
- production areas for electronics

Matches:

Shade matches Altro Walkway 20 Fog so there's no compromise on aesthetics.

Minimise the risk of damage to static-sensitive equipment, such as computers, with the "SD" (static dissipative) version of Altro Walkway 20 safety flooring. It's ideal for laboratories, computer suites and electronic assembly areas.



Fog | VM20153SD WR81 / A1M81 / LRV 27







Altro XpressLay


Application areas:

• general purpose for areas where the ability to remove and recycle post-installation plays an important part in your requirements for sustainable flooring finishes

Altro XpressLay can save you time and money. It can be installed and removed quickly and reused and recycled, helping both you and the environment.


This system has a studded emboss on the underside of the flooring which allows any subfloor moisture to escape. It has been designed to lie flat, without the need to be adhered. Altro doubled-sided, moisture-tolerant tape is used to secure the flooring in place while you weld. Altro XpressLay is adhesive-free giving you same-day welding and allowing you to walk on the floor straight away.


Altro XpressLay has the slip resistance, life expectancy and ability to withstand heavy loads that you expect from Altro safety flooring. The range has 30 colours and matches with Altro Walkway 20.



Waterfall | XL22912 WR155 / A1M135 / LRV 31

Floors - Safety






Streetlight | XLI2205P WR287 / A1M79 / LRV 45

Blizzard | XLI2255 WR79 / A1M191 / LRV 44


Fog | XL22153 WR81 / A1M81 / LRV 27






Temple | XL2209P WR261 / A1M81 / LRV 27

Cloud | XL2214 WR79 / A1M191 / LRV 41






WR52 / A1M52 / LRV 26

Skyline | XL22332 WR52 / A1M52 / LRV 24

Blue | XL22412 WR71 / A1M71 / LRV 22



Runway | XL2206P WR72 / A1M72 / LRV 9




Midnight | XL22421 WR72 / A1M72 / LRV 11

Nightfall | XLI2 WR72 / A1M72 / LRV 10




For full technical details @ altro.co.uk







Rock | XLI2204P WR84 / A1M84 / LRV 23



Pavement | XLI2207P WR83 / A1M83 / LRV14



Whale | XLI2254 WR86 / A1M86 / LRV 20




Dolphin | XL2210 WR86 / A1M86 / LRV 21



Black | XL22892 WR100 / A1M100 / LRV 6






River | XLI2257 WR71 / A1M71 / LRV 22




Lupin | XLI2259 WR286 / A1M286 / LRV 17






Coal | XLI2258 WR100 / A1M100 / LRV 6



Swan | XLI2212P










Cherry | XL22920

Sand | XLI2251 Bone | XL22215 WR20 / A1M20 / LRV 40 WR20 / A1M20 / LRV 37




Biscuit | XL22907 WR146 / A1M20 / LRV 30



WR153 / A1M239 / LRV 17

Savannah | XLI2250 WR153 / A1M239 / LRV 19

Tango | XL2231 WR42 / A1M42 / LRV 14 WR148 / A1M148 / LRV 10





Altro Stronghold 30

Application areas:


- kitchens
- canteens
- food preparation and service areas
- areas where grease, oils or fats are present

Water underfoot is treacherous enough - add grease, oils and fats, and you've got a dangerous environment. So, for commercial kitchens, canteens, food preparation and service areas, it's essential to select flooring that will help catering staff do their job safely.

Altro Stronghold 30 achieves Altro's highest rating for slip resistance (PTV ≥55, R12) and is designed to minimise risk in wet and greasy conditions for the lifetime of the flooring. As well as helping to keep staff safe from slips, it also helps reduce their fatigue, thanks to its 3mm thickness which provides noise reduction and comfort underfoot.


Altro Stronghold 30 is frequently specified with Altro Whiterock White and Altro Whiterock Satins to create safe and hygienic environments in commercial and industrial kitchens.






Monsoon | K30153 WR81 / A1M81 / LRV 24


Floors - Safety






Star | K30912 WR79 / A1M191 / LRV 41

Cannon | K30911 WR101 / A1M72 / LRV 11







Oyster | K30215 WR20 / A1M20 / LRV 36

Biscuit | K30907 WR146 / A1M20 / LRV 30

Tundra | K30500





Torch | K30913 WR278 / A1M42 / LRV 16

WR41 / A1M41 / LRV 14

Lime | K3086 WR472 / A1M381 / LRV 42

Russet | K30262

For full technical details @ altro.co.uk


Dolphin | K3010 WR86 / A1M86 / LRV 21




Midnight | K30421 WR72 / A1M72 / LRV 11




Abyss | K3001 WR100 / A1M100 / LRV 7



WR153 / A1M239 / LRV 17



Skyline | K30332 WR52 / A1M52 / LRV 24



Surf | K30412 WR71 / A1M71 / LRV 20





Altro Aquarius

Application areas:

- bathrooms and showers
- changing rooms*
- saunas and spas
- wet environments in social care: home adaptations, social housing
- student accommodation
- *In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

Achieving a PTV ≥50 (Slider 96) and Class B to DIN51097 for barefoot use, Altro Aquarius provides optimum lifetime sustained slip-resistance in wet and dry environments.

With 20 shades to choose from, this range features plain and tonal chip options, including an on-trend indigo shade to help you achieve high contrast and design flexibility.

It's a 2mm safety floor that has been extensively tested on a variety of shoe types to ensure top performance in a host of environments - bathrooms, changing areas, hospital wards. No longer do you have to choose between studded or standard safety flooring. With Altro Aquarius you can have it all. Good looks and comfort, without compromising on safety.






Swan | AQI2012 WR291 / A1M1 / LRV 75

Floors - Safety





Terrapin | AQI2009 WR289 / A1M265 / LRV 40

Vole | AQ2010 WR289 / A1M265 / LRV 43

Walrus | AQ2007 WR261 / A1M81 / LRV 29






Iguana | AQ2021 WR297 / A1M20 / LRV 41

Otter | AQI2006 WR290 / A1M239 / LRV 26








Sea Snail | AQI2024

Gosling | AQI2023 WR369 / A1M369 / LRV 59

Dragonfly | AQ2001 WR370 / A1M370 / LRV 50 WR292 / A1M292 / LRV 33




Treefrog | AQI2003 WR293 / A1M271 / LRV 33



Coral Crab | AQI2014 WR300 / A1M42 / LRV 14







Tern | AQI2008 WR261 / A1M81 / LRV 31




Hippo | AQI2013 WR301 / A1M82 / LRV 11



Puffin | AQI2005 WR287 / A1M79 / LRV 46




Cygnet | AQ2004 WR287 / A1M79 / LRV 46



Salamander | AQI2011 WR294 / A1M294 / LRV 41





Blue Penguin | AQI2002 WR288 / A1M71 / LRV 24



Newt | AQ2022 WR368 / A1M368 / LRV 10





Mallard | AQI2015 WR302 / A1M302 / LRV 13



Altro Pisces

Application areas:

- bathrooms / showers
- wet environments in social care: home adaptations, social housing
- student accommodation

50

54

- saunas / spas
- changing rooms*

*In changing rooms where spikes and studs are used, we recommend Altro Atlas 40

For 'home from home' environments, looks really do matter. For those providing accommodation, safety remains a top priority, especially in wet environments where the likelihood of a slip is high. Achieving Class B to DIN51097 for barefoot use, plus a Pendulum Test Value (PTV) of ≥50 (Slider 96), a soft-look finish and 16 attractive shades, Altro Pisces brings together the best of both worlds.

Altro Pisces has a consistent, soft appearance that you would want from domestic interiors, with the lifetime sustained slipresistance you expect from Altro.

Altro Pisces performs whether wet or dry, in shoes or barefoot.

1 in a million for life


EASYCLEAN




Shoreline | SB2006 WR389 / A1M389 / LRV 38

For full technical details @ altro.co.uk

Floors - Safety





Lighthouse | SB2001 WR291 / A1M01 / LRV 70

Jellyfish | SB2005 WR388 / A1M388 / LRV 46

Porthole | SB2007 WR390 / A1M390 / LRV 30





Fisherman | SB2009 WR392 / A1M392 / LRV 48

Seahorse | SB2011 WR394 / A1M394 / LRV 47

Windbreak | SB2016





WR386 / A1M20 / LRV 42

Cuttlefish | SB2002 WR385 / A1M385 / LRV 50


Driftwood | SB2004














Anchor | SB2008 WR391 / A1M82 / LRV 16



Houseboat | SB2015 WR398 / A1M398 / LRV 25



WR399 / A1M399 / LRV 38



Deckchair | SB2013 WR396 / A1M396 / LRV 50




Sea Urchin | SB2014 WR397 / A1M397 / LRV 34



WR387 / A1M387 / LRV 32



Beach Hut | SB2012 WR395 / A1M395 / LRV 37



Starfish | SB2010 WR393 / A1M393 / LRV 21




Altro Marine 20

Application areas:

• foot wash areas at swimming pools

Altro Marine 20 has a dimpled surface that's specially designed for bare feet where you need Class C and the risk of a slip is very high. It provides excellent slip resistance and its hardwearing construction makes it resistant to most chemicals and indentation. It is easy to maintain, so it will keep looking good and performing well.



Shark | IPT20812 WR201 / A1M84 / LRV 24

Floors - Safety







Gull | T20813 WR79 / A1M191 / LRV 46

Cascade | IPT20809 WR105 / A1M01 / LRV 71








Steam | IPT20807 WR85 / A1M85 / LRV 37

Rainfall | IPT20810 WR135 / A1M135 / LRV 43

Marlin | T20811 WR203 / A1M203 / LRV 34








For full technical details
 altro.co.uk






Seagrass | IPT20814 WR137 / A1M137 / LRV 37



Fen | IPT20815 WR242 / A1M242 / LRV 19





Tide | IPT20808 WR71 / A1M71 / LRV 21



Altro Classic 25


Application areas:

• locations where substances like chalk, paint, clay or dirt are present, such as craft, design and technology (CDT) / art rooms and circulation areas

Classic by name, classic by nature. Altro Classic 25 was the first ever safety flooring; it's been tried and trusted for over 60 years, and its traditional, industrial look is still popular today.


Altro Classic 25 provides lasting slip resistance, durability and abrasion resistance, making it ideal for use in heavy traffic areas - particularly with wheeled traffic. It's also good for areas where occasional moisture and dust can increase the risk of slipping as it has a Pendulum Test Value (PTV) rating ≥45 and an R11 slip rating.


Available in 12 practical, dirt-hiding shades, with the addition of new colours for even greater choice, Altro Classic 25 is easy to clean and maintain.



Mushroom | X2542R11 WR24 / A1M27 / LRV 32

Floors - Safety







Truffle | X2545R11 WR153 / A1M239 / LRV 17

Walnut | X2586R11 WR62 / A1M62 / LRV 10

Quarry Red | X2560R11 WR42 / A1M42 / LRV 13





Pewter Grey | X2539R11 WR81 / A1M81 / LRV 26

Whisper | X2548R11 WR354 / A1M84 / LRV 24 Graphite | X2546R11 WR86 / A1M86 / LRV 21



WR231 / A1M73 / LRV 10



Legend | X2544R11

1ina million 45 for life EASYCLEAN







Blackberry | X2547R11 WR100 / A1M100 / LRV 7




Anvil | X2594R11 WR101 / A1M72 / LRV 11





Blue | X2541R11 WR71 / A1M71 / LRV 20



Aster | X2549R11 WR286 / A1M286 / LRV 17



Altro Whiterock wall designs

Application areas:

- reception, circulation and cafes within healthcare
- education and retail
- front of house areas in hotels, restaurants and bars
- bathrooms, showers and changing rooms

Welcome to the new vision in wall decoration – Altro Whiterock wall designs. With natural wood, metal, stone and linen options, it gives an elegance to interior walls while providing the durability you expect from an Altro Whiterock wall sheet.

Altro Whiterock wall designs are perfect for general circulation areas as well as wet environments such as bathrooms and spas, creating a design focal point.

It is fitted like an Altro Whiterock sheet, and can be combined with Altro floors for a fully sealed, impervious solution for non-critical hygiene environments. It can also be used with Altro Whiterock and Altro Fortis wall sheets in adjacent areas.



Antique Copper | 9912 LRV 10

Walls





Winter Weave | 9909 LRV 58

Autumn Weave | 9910 LRV 43







Summer Weave | 9908 LRV 36

White Mineral | 9905 LRV 61

Cool Mineral | 9906 LRV 48









Warm Woodgrain | 9904 LRV 38



Rich Woodgrain | 9902 LRV 14





Urban Mineral | 9907 LRV 28



Brushed Steel | 9911 LRV 54



Altro Whiterock White

Application areas:

- kitchens: cold store, cook, chill, food prep
- clinical areas
- clean rooms
- laundries
- mortuaries
- bathrooms
- showers and changing areas

Thinking of replacing ceramic wall tiles with a proven, high performance option? Consider Altro Whiterock White – the hygienic alternative to tiles that's impact resistant, grout-free and easy to clean. Its smooth white surface and classical purity make it a timeless choice for any interior.

HACCP-approved Altro Whiterock White is made from a high-quality, food-safe PVCu polymer that can handle temperatures up to 60°C, and meets all current EU Directives on health and hygiene. This makes it particularly suitable for use in commercial kitchens especially combined with Altro Stronghold 30.



White | W103-W104 LRV 89





Altro Whiterock Satins


Application areas:

- bathrooms
- showers and changing areas
- operating theatres and wards
- splashbacks
- cooking and food preparation areas
- serveries
- kitchens open to public view

Use colour to subtly create a mood with Altro Whiterock Satins. This versatile and sophisticated wall sheet is available in a range of solid, decorative, satin shades – now with 27 colours to choose from including a new fresh green shade 'Orchard'.

Of course, Altro Whiterock Satins still provides the impact resistance and hygiene you would expect from Altro Whiterock, with a stain-resistant, wipe-clean surface.

Altro Whiterock Satins can be combined with Altro non-sparkle safety flooring to achieve the required Light Reflectance Value difference needed for the requirements of the Equality Act 2010.



Scarlett | 221 LRV 13

Walls

LRV 26








Olea | 218 LRV 28

Glow | 215 LRV 50








Altro Whiterock Chameleon

Application areas:

- 'high end' bathrooms
- showers and changing areas
- foyers
- serveries
- retail
- splashbacks

Make a bold statement with Altro Whiterock Chameleon - the glossy, vibrant and vividly colourful hygienic wall cladding. Altro Whiterock Chameleon is available in 16 high impact, high-design shades to add a little bit of affordable luxury to a range of environments.

Offering all the benefits of Altro Whiterock, Altro Whiterock Chameleon is very durable, with a smooth, watertight, wipeclean surface.



Walls





LRV 15

LRV 5



Altro Whiterock Digiclad


Application areas:

- feature walls foyer and reception areas
- wards and bedrooms
- patient rooms
- operating theatres
- recovery rooms
- coffee shops
- care homes
- dementia units

Create the right impression with a bespoke design on your wall. From a calming coastal landscape in a hospital ward to a bold company logo in a reception area, the only limit is your imagination.

Altro Whiterock Digiclad is created by reproducing a photographic image or vector art onto Altro Whiterock wall sheet, with consistent, photographic quality. Hard-coat technology provides scratch-resistant properties for added surface protection, making Altro Whiterock Digiclad ideal for areas where durability is important.








Altro Whiterock Splashbacks

Application areas:

- bathrooms
- hydrotherapy
- spas
- changing rooms
- serveries

Hygienic, low-maintenance, convenient and easy to install... no wonder Altro Whiterock Splashbacks are such a popular alternative to tiles. They're available as kits in a range of sizes to suit most hand wash basins and vanity units, or custom sized for the perfect fit.

Giving you the flexibility to coordinate or contrast, Altro Whiterock Splashbacks come in a vast array of colours and finishes complemented by colour-matched sealants. Choose from Altro Whiterock Satins or Altro Whiterock Chameleon ranges, pick your size, and away you go.



LRV 40

Walls





For full technical details @ altro.co.uk

73

Walls				
Dakota 209 LRV 6	Urban 210 LRV 28	Echo 208 LRV 43	Flint 201 LRV 32	Clarity 207 LRV 64
Dzone 211 _RV 10	Seafoam 43 LRV 81	Mint 203 LRV 62	Promenade 212 LRV 32	Vibrance 213 LRV 22
Cesco 53 LRV 71	lce 44 LRV 80	Malva 57 LRV 68	Viola 214 LRV 13	Zandra 217 LRV 24






Scarlett | 221 LRV 13 Bergamot | 220 LRV 26





Walls




Altro Fortis Titanium

Application areas:

- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

Altro Fortis Titanium is constructed from highly durable semi-rigid sheet, which is dense, impervious material, resistant to bumps. It features a lightly textured surface, which camouflages scuffs, keeping the wall area looking better for longer.

Available in 10 colours, including muted and vibrant shades, Altro Fortis Titanium matches many of the popular shades from the Altro Whiterock Satins hygienic wall sheet range. This offers flexibility when it comes to design, making it a versatile solution across a range of areas. Plus the colour runs throughout, reducing the visibility of knocks or scrapes. Bespoke colour options are also available to meet any specific requirements**.



With an impervious, easy-to-wipe surface, Altro Fortis Titanium

** Conditions apply. Please contact us for more information.



improves cleanability.

For full technical details @ altro.co.uk





Cardinal | FT/221 LRV 13



Walls



Altro Walls ShowerKit

Application areas:

- wet environments
- showers
- bathrooms and ensuites

Altro Walls ShowerKit: a pre-packaged Altro Whiterock wall cladding system that is easy to use, even in small areas.

- Perfect for a quick and easy installation
- Adhesive applied straight to a clean wall
- Install over existing prepared surfaces including tiles
- No grout, easy to clean
- Trims and pre-cut sheets for ease of handling and use
- Neat, discreet trims for a smooth, impervious installation
- Impact-resistant

It's the ideal solution for wet environments. It contains all you need to install around a shower tray or a bath including wall sheets, adhesive, silicone sealant and trims.




White | 01

LRV 80



Cesco | 53 LRV 71 Echo | 208 LRV 43




Altro Fortis corner protection


Application areas:

wall corners

For extra protection on a wall's vulnerable corner, choose our ready-made Altro Fortis Titanium corner protection, part of the Altro Fortis system. If this isn't right for you, there is the option for you to thermoform from Altro Fortis Titanium cut sheet.



Walls





For full technical details @ altro.co.uk

Doors



Altro Whiterock hygienic doorsets

Application areas:


- operating theatres
- pharmacies
- kitchens
- corridors
- labs

In areas where hygiene is crucial, or where doors take a lot of abuse, Altro Whiterock hygienic doorsets are the answer. Faced with PVCu, they're not only tough and impact-deflective, but also hygienic and low maintenance.

Altro Whiterock hygienic doorsets are custom-made to meet your needs, and can be designed for use on their own or as part of a complete Altro system including hygienic wall sheets and flooring.

They're available clad in any of the Altro Whiterock ranges, so you can choose colours that can complement your decor or create contrast to aid with wayfinding.

Our doorsets are available in a wide range of bespoke options.



Doors



Altro Fortis doorsets

Application areas:

- hospital corridors
- school / university corridors
- lobbies

This fully clad, custom-made option is perfect for public areas where doors are constantly in use and demand robust protection. Faced with the Altro Fortis Titanium sheet on both sides and all edges, these doorsets offer you optimum protection.


Doorsets faced with Altro Fortis Titanium are hard-wearing, impact and scuff resistant and have a wipe clean finish for easy maintenance. They can be used alongside Altro Fortis Titanium wall protection sheet and Altro Fortis corner protection to create a complete, robust protection system where it's needed.

Our doorsets are available in a wide range of bespoke options.



For colours see pages 52, 62-64. For full technical details ⊕ altro.co.uk





For colours see pages 66-67. For full technical details ⊕ altro.co.uk

Doors



Altro Fortis door protection

Application areas:

- public areas subjected to high levels of traffic
- circulation areas
- corridors
- classrooms

In busy public areas, clad your existing doors to protect them where they need it most, helping prevent scuff and impact damage.

Simply order the standard Altro Fortis Titanium sheet, and cut it to size, fitting it to the height you need protection for, or if you prefer, we can do the hard work for you. Let us know the size you require and we'll cut it for you.


Available in 10 colours.

Almond | FT/32 LRV 70











Sit-on cove




Technical drawings - Floors

Set-in cove skirting


D2




Self-coved with cove former and capping seal



Self-coved with cove former and captile strip C8 to wall tiles




Self-coved with cove former and capping seal C11 over floor tiles




Technical drawings - Floors


Self-coved with cove former to Altro wall system semi-rigid PVCu sheet




Self-coved to architrave



Finished to gully angle



Transition with other floor surfaces



D12/08/05

info@howegreen.co.uk Visedge VR transition strip 1 29.5m


Visedge Series and installation instructions from:

Howe Green Limited,


01920 463230,

Technical drawings - Floors


Transition with clamping drain



Transition with clamping channel




Transition with access covers






Altro wall system to window / door frame detail




Altro Whiterock hygienic PVCu wall system to shower tray with integral upstand detail




Technical drawings - Walls


Altro wall system to boxing inspection cover detail



Altro Whiterock hygienic PVCu wall system to Altro flooring for wet environments shower tray detail




Altro wall system to Altro resilient flooring overlap detail




Technical drawings - Walls


Altro wall system to Altro resin flooring detail



WF5




Altro wall system to Altro resin flooring detail








Altro wall sheet to Altro wall sheet detail




Altro wall sheet to Altro Whiterock FlexiJoint detail




Technical drawings - Walls

Altro wall sheet at dado height with Altro FlexiTrim



Concealed transition strip











Concealed transition strip



Concealed transition strip

WHTT4



The hidden transition strip has been designed to maintain the overlap detail when replacing flooring without the need to replace the wall system, for installation guidance contact the Altro technical team on 01462 707600.



Support

Accessories and technical information

- subfloors
- floor accessories
- wall accessories
- adhesives
- stair nosings
- how vinyl safety flooring works
- technical services
- specification guidance
- technical drawings
- technical datasheets

Case studies

Sampling


Customer support and CPD services

Altro showrooms

NBS specifications

Life cycle costs





"We have worked closely with Altro for many years, and in our experience their products are second to none in terms of quality and reliability — but they also offer colours, textures and overall solutions that can deliver visual appeal in the most innovative and challenging design projects. There is a great deal of confidence in the industry for Altro and their reputation is well deserved."

Scott Myers, Managing Director, Pinnacle

Samples

If colour choice is critical, please request a sample of the material

🕸 01462 707 700

samples@altro.com

₽ altro

Altro Limited, Works Road, Letchworth Garden City, Hertfordshire SG6 1NW 1462 707600 enquiries@altro.com

Altro Designed for possibilities. Made for people. Altro Ensemble, Altro Cantata, Altro Orchestra, Altro Operetta, Altro Serenade, Altro Zodiac, Altro Reliance, Altro Atlas, Altro Suprema, Altro Wood adhseive-free, Altro Wood, Altro Wood Comfort, Altro Walkway, Altro Walkway SD, Altro XpressLay, Altro Stronghold, Altro Aquarius, Altro Pisces, Altro Classic, Altro Marine, Altro Whiterock wall designs, Altro Whiterock White, Altro Whiterock Satins, Altro Whiterock Chameleon, Altro Whiterock Digiclad, Altro Whiterock Splashbacks, Altro Wals ShowerKit, Altro Fortis Titanium, Altro Fortis corner protection, Altro Fortis door protection, Altro Fortis doorsets and Altro Whiterock hygienic doorsets are trademarks of Altro Limited.

Content correct at time of going to print. Altro reserves the right to change any detail. © Copyright Altro 2019

