

# Anti-Flood Air Brick Cover

- Easy fit flood protection cover for air bricks
- Surface mounted cover and frame set to protect any 9x3 inch existing air brick
- Permanently fixed frame with a push fit cover that can be fitted and removed easily



The Fernco Anti-Flood Air Brick Cover comes in two parts, a terracotta coloured frame which permanently fixes around the existing air brick and a red coloured cover which is designed to be clipped onto and seal against the frame during a flood event. After floodwater subsides, the cover can simply be unclipped and stored ready for future flooding events.

The Anti-Flood Air Brick Cover can be used as a solution in a property flood resilience assessment and is DIY-friendly meaning they can be easily installed by any homeowner or property owner.

Made up of a permanently fixed frame and a push fit cover, the cover can be removed and stored away safely ready for the event of a flood.

Most properties have more than one air brick so multiple covers are likely to be required.

| Product Code | AFABC                             |
|--------------|-----------------------------------|
| Description  | Fernco Anti-Flood Air Brick Cover |
| Size (mm)    | W = 305 mm H = 162 mm D = 20 mm   |
| Material     | Polypropylene, rubber             |




























# Easy installation steps

- 1. Identify the airbrick.
- 2. Position the cover frame over the air brick to create a stencil to mark the drill holes.
- 3. Once all the drill holes have been marked, using a suitable drill, drill all the marked hole positions.
- 4. Insert the supplied wall plugs.
- 5. Remove the small screw hole covers from the cover frame. On the reverse side of the cover frame, apply a sufficient amount of sealant to the channels. This sealant is to help seal against uneven surfaces found on the wall.
- 6. Position the cover frame onto the wall and insert the screws into the cover frame and wall plugs. Tighten the screws so the cover frame sits neatly and evenly against the wall.
- 7. Using the supplied screw covers, fill in the screw holes of the cover frame.
- 8. To attach the cover, position the bottom of the cover around the bottom of the cover frame. Press the cover and clip it on to complete the install.



# **Quality, Standards and Approvals**

Fernco has been certified by the British Standards Institution (BSI) as a company of assessed capability, with a quality management system which meets the requirements of BS EN ISO 9001:2015

Fernco, part of the Fernco Group, are the leaders in wastewater connection innovation; utilising the most advanced methods and techniques for precisionmanufactured products, all of which comply with or exceed relevant British and European standards to ensure reliability and sustainability.

#### **Environment**

Fernco Environmental Management operate Systems which are certified to ISO 14001: 2015.

## **Supply**

Fernco are proud members of the Builders Merchants Federation (BMF). All Fernco products are supplied through a national and global network of distribution and merchant partners. For stockist details, contact Fernco.

# **Technical Support**

Fernco have a team of product experts on hand to support all customers with technical support and advise.

**Contact Fernco Technical Department:** 

Tel: +44 (0) 1226 344100

Email: technical@fernco.co.uk

## **Enquiries**

**UK Sales:** 

Tel: +44 (0) 1226 340 888

Email: sales@fernco.co.uk

International Sales:

Tel: +44 (0) 1226 344 105

Email: export.dept@fernco.co.uk







V002OCT24