2026
PRICE LIST

PL UK | Valid from 01.01.2026

DURAL

PROFILES FOR TILES

MATTING SYSTEMS

SHOWER CHANNELS

WALL **NICHES**


ELECTRIC **UNDERFLOOR HEATING**



dural.com

ALL YOU NEED IS **DURAL**

NEW SHOWER SYSTEMS, NEW SHELF DESIGN, NEW UNDERFLOOR HEATING



V-SHOWER flex

Full flexibility for floor-level and barrier-free showers with individually cut to size shower channels. V-SHOWER flex is suitable for wall-to-wall installation as well as for free placement in the shower area.
The design cover can be shortened on site, even asymmetrically - see page 152.

V-SHOWER flex wall

For professional installation directly to the wall, the V-SHOWER flex shower channels are available in the 'wall' version – the wall tile fits perfectly thanks to the extended design cover on one side - see page 153.



DURANICHE pro

Ready-made stainless steel niche for bath and shower. The DURANICHE is a two part systems consisting of a waterproof installation box to form the cavity, finished with a stainless steel niche which fits perfectly inside the installation box. Niche inserts can also be replaced at a later date - see page 174.

TI-NICHE

Tileable recess element for installation in bathrooms and showers, factory-sealed with waterproof DURABASE - see page 175.



DURABASE CI-H/DEVI

1 + 2 + 3 and the convenient electric underfloor heating is ready

1. Decoupling mat DURABASE CI-H
2. Heating cable DEVIcomfort 10T
(incl. thermostat connection - PTC thermistor black 4 m)
3. DEVIreg™-thermostats (incl. temperature sensor)
see page 135-137.

PROFILES FOR TILES
PAGE 9 – 78

STAIR NOSING PROFILES
PAGE 79 – 92

MOVEMENT /EXPANSION JOINT PROFILES
PAGE 93 – 98

LED-SYSTEMS
PAGE 99 – 108

OUTDOOR - BALCONIES / TERRACES / GARDEN
PAGE 109 – 132

MATTING SYSTEMS
PAGE 133 – 150

BATH + SHOWER
PAGE 151 – 178

ENTRANCE MATTING SYSTEMS/ TACTILE SYSTEMS
PAGE 179 – 192

FLOORBASE - WOODEN FLOORING, LVT AND CARPET PROFILES
PAGE 193 – 204

SKIRTING PROFILES
PAGE 205 – 212


TOOLS+ACCESSORIES
PAGE 213 – 226







EXPLANATIONS REGARDING THE PRODUCT PAGES



Code

W	Width
H	Height
L	Length
W	Angle gauge
304	Stainless Steel (V2A)
316	Stainless Steel (V4A)
PU	Packaging unit
lm	by the metre
DIY	Do it yourself pack incl. mounting parts

Reference-Code

*A	Aluminium
*AC	Aluminium powder coated
*ACM	Aluminium powder coated matt
*AE	Aluminium anodised
*E	Stainless steel
*M	Brass
*P	PVC
*-B	anodised bronze
*-G	anodised gold
*-T	anodised titanium
*-SC	chrome plated
*-SF	brushed
*-SP	high gloss polished

Reference-Code

*-F	brushed (DURAGARD)
*-L	Extra wide base
*-M	matt (standard DURAGARD)
*-SK	self-adhesive
*-X	External corner
*-XI	Internal corner
*-XC	Connector
*-XK	End cap
*-XKL	End cap left
*-XKR	End cap right
*-Y	External corner
*-YI	Internal corner
*-ZF	Z-Flex



All you need is help

We offer comprehensive information material and processing models for all product ranges to support your sales activities. Please contact us for further details.

COLOUR YOUR STYLE – NEW PROFILE COLOURS FOR EDGE PROTECTION, DECORATION AND FINISHING



DUROSOL P. 12 – 13
SQUARELINE P. 30 – 31
DURONDELL P. 44 – 45
DURAPLUS DIAMOND P. 58 – 59




DUROSOL P. 14 – 15
SQUARELINE P. 32 – 33
DURONDELL P. 46 – 47
DURAPLUS DIAMOND P. 60 – 61




DUROSOL P. 16 – 17
SQUARELINE P. 34 – 35
DURONDELL P. 48 – 49
DURAPLUS DIAMOND P. 62 – 63


TILE EDGING PROFILES




DUROSOL P. 10 – 27




SQUARELINE P. 28 – 41



DURONDELL P. 42 – 55




DURAPLUS DIAMOND P. 56 – 65




DURAPLUS P. 65

DECORATIVE TILE PROFILES




DURALIS P. 66 – 67




T-FLOOR P. 68

TILE PROFILES FOR FLOOR / FLOOR-TRANSITIONS




TERRAZZO P. 68



DURATRANS R P. 69
DURATRANS T P. 69




DURATRANS TR P. 69




DURATRANS L P. 70


TILE PROFILES FOR WALL / FLOOR-TRANSITIONS



T-COVE P. 71




DURASTEP DP P. 73




DURACOVE HK P. 77

PROFILES FOR KITCHEN AREAS

TILE PROFILES FOR CORNER PROTECTION



DURAGARD EP P. 74




DURAGARD WP P. 75




SPEED-FLEX P. 75 / 210 / 226


PROFILES FOR SANITARY AREAS



DURACOVE DB P. 77




DURACOVE ZK / SO / TW P. 78



SANISTRIP/SANIFLEX P. 78

STAIR NOSING PROFILES WITH SPECIAL INSERT



DIAMONDSTEP P. 80




DIAMONDTRED P. 81




TREDSAFE P. 82 – 83

STAIR NOSING PROFILES FOR TILES




FLORENTOSTEP P. 84 – 85



SQUARESTEP P. 86 – 87




DURASTEP SOLID P. 88



DURASTEP SOLID L P. 88




DURASTEP STANDARD JUMBO P. 89




DURASTEP WOOD P. 89


STAIR NOSING PROFILES FOR PARQUET, LAMINATE, CARPET AND DESIGN FLOORING




STEP
P. 90




TEKA STEP / TEKA STEP TA P. 90




TEKA STEP TK
P. 90



STEPFLOOR
P. 91




STEPFLOOR-G
P. 91




PROTECT
P. 92


EXPANSION/MOVEMENT JOINT PROFILES




DURAFLEX METALL THIN-BED INSTALLATION P. 94




DURAFLEX PVC THIN-BED INSTALLATION P. 95




DURAFLEX 3D THIN-BED INSTALLATION P. 96



DURAFLEX TL-PVC THICK-BED INSTALLATION P. 97




DURAFLEX SB THICK-BED INSTALLATION P. 97




DURAFLEX KA COVER PROFILES
P. 98


PROFILES WITH LED




DURALIS-LED
P. 100




SQUARELINE-LED
P. 101



FLORENTOSTEP-LED
P. 102



SQUARESTEP-LED
P. 103




CONSTRUCT-LED
P. 104




LED-ACCESSORIES
P. 105 – 108


OUTDOOR • TERRACES • BALCONIES




DURABAL BL
P. 110




DURABAL BW
P. 111




DURABAL BT 11
P. 112




DURABAL BF
P. 113



DURABAL BO
FOR SUPPORT
P. 114 - 115



DURABAL BK
DRIP EDGE
P. 116 - 117



DW-DRAIN 120/140/160
DRAINAGE CHANNELS
P. 118



INSTALLATION MATERIAL
P. 118



U-DRAIN pro UDP 100-65 / 50-100
DRAINAGE CHANNEL SYSTEM P. 119 – 121



FLEXIBAL pro
SUPPORT
P. 122 – 124 / 127




FLEXIBAL pro
RAIL SYSTEM
P. 125 / 127



FLEXIBAL pro
CLIP SYSTEM
P. 126 / 127


MATTING SYSTEMS FOR DECOUPLING • WATER PROOFING • DRAINAGE • REINFORCING • INSULATION




DURABASE CI-H/DEVI
P. 135-136



DURABASE CI-H/DEVI
P. 137




DURABASE CI++
P. 138




DURABASE WP++
P. 139




DURABASE CI++/WP++/ WP ACCESSORIES P. 140




DURABASE WP
P. 141



DURABASE WS - WARPSEAL P. 142-144



DURABASE ET-S
P. 145-147



DURABASE DR 100++
P. 148



DURABASE DR 100
P. 149

DURABASE FGT
P. 150

DURABASE SW 14
P. 150

FLOOR LEVEL SHOWER SYSTEMS • CHANNEL SYSTEMS • FLOOR DRAIN • INCLINED WEDGE • NICHE • SHELF SYSTEM



V-SHOWER flex
V-SHOWER flex wall
P. 152-153




myVARIO-LINE
P. 154-158




XFLAT-LINE
P. 159




TI-DRAIN plus
P. 160




TI-DRAIN FLOWFIX
P. 160 P. 161
P. 161



SHOWER-GK GLAS
LED / WALL / FLOOR
P. 162-165



SHOWER-GK
P. 166-168
WALL CONNECTION
P. 169-171




SHOWER-GK CONNECT
P. 172




DURANICHE
P. 174



TI-NICHE
P. 175



TI-SHELF LINE/PENTA
P. 176-177




TI-SHELF
P. 178


TACTILE • DOORMAT SYSTEMS




DURAWAY
READY-MADE MATS
P. 179



DURAWAY
DOORMAT SYSTEMS
P. 180-181



DURAWAY
FRAME PROFILE
P. 181



DURAWAY ENTRY
FRAME SYSTEM
P. 182

TACTILE • ORIENTATION AIDS FRENCH STANDARDS



TACNOP / TACNOP KS
TACNOP BS
FLOOR WARNING
SURFACES P. 183-184



TACNOP L
TACTILE STUDS
P. 184



TACNOP BSL
STUD TEMPLATE
P. 184



TACNOP F
STUDDED FILM
P. 185



TACMAT N
TACTILE WARNING
MAT
P. 185



TACRIP
TACTILE RIB
P. 185

TACTILE • SELF-ADHESIVE FOR INDOOR AREAS • ORIENTATION AIDS DIN STANDARDS




TACNOP
SINGLE STUDS
P. 187-188



TACNOP F DIN
STUDDED FILM
P. 188



TACNOP BSL
STUD TEMPLATE
P. 188



TACNOP
TACTILE WARNING MAT
P. 189



TACRIP
EM / EE / PM
TACTILE STRIP
P. 190-191



TACRIP F
RIBBED FILM
P. 190



TACRIP
RIB TEMPLATE
P. 191



STEP-MARK
P. 192




ANTI-SLIP
P. 192



TREDSAFE TACTILE
P. 192

FLOORBASE – SYSTEM PROFILES FOR PARQUET / LAMINATE / CARPET / DESIGN FLOORING



SNAP LVT
Transition / Height / Adjustment / Finishing
P. 195


DUOFLOOR LVT
Transition / Height / Adjustment / Finishing
P. 196

DUOFLOOR
Transition / Height / Adjustment / Finishing
P. 197

TRIFLOOR
Transition / Height / Adjustment / Finishing
P. 198

CLIPPER
Transition / Height / Adjustment / Finishing
P. 199

MULTIFLOOR
Transition / Height / Adjustment
P. 200-201



LP-TRANS
P. 202

ADAPT
P. 202


ADAPT VARIO
P. 203

UNIFLOOR STANDARD
P. 203

MAXIFLOOR
P. 204

FLOORBASE PE AS
P. 204

SKIRTING



CONSTRUCT METALL
P. 206-209

CONSTRUCT SQUARE
P. 210


SPEED-FLEX
P. 83 / 210 / 226

CONSTRUCT RENO
P. 211

CONSTRUCT SOLID CORE GSD P. 212

CONSTRUCT SOLID CORE KSD P. 212

TOOLS • ACCESSORIES



TOOLS
for preparing substrates
P. 214

TOOLS
for preparing substrates
P. 215

TILES
Fixing aids
P. 215 – 216

NIVOFIX / TURNFIX
Levelling systems
P. 216

TOOLS
for laying tiles
P. 217

TOOLS
for laying tiles
P. 218-219



TOOLS
for laying tiles
P. 219

TOOLS
for processing tiles
P. 220-221

TOOLS
for grouting tiles
P. 222-225

TOOLS
for occupational safety
P. 225

INSTALLATION-MATERIAL
P. 226


INDEX • COLOUR VIEW · TERMS & CONDITIONS

INDEX A – Z
P. 227-232

COLOUR VIEW
P. 233-235

All prices listed are gross prices (exclude VAT). These prices will cease to be valid when the new price list is released. Our General Terms of Business and Delivery apply and can be found at dural.com or available from us on request.

PROFILES FOR **TILES**



L-SHAPED ANGLE EDGE TRIM PROFILE
FOR WALL AND FLOOR

DUROSOL

COLOUR YOUR STYLE
ALUMINIUM POWDER COATED
FUNCTIONAL P. 12
URBAN P. 14
COUNTRY P. 16
ALUMINIUM NATURAL P. 20
ALUMINIUM ANODISED P. 21
BRASS P. 23
STAINLESS STEEL P. 24
PVC/BRASS 5mil P. 27

ALUMINIUM POWDER COATED
BLACK MATT (RAL 9005)



STAINLESS STEEL (304) NATURAL Z-FLEX





ALUMINIUM SILVER ANODISED




ALUMINIUM POWDER COATED WHITE MATT (RAL 9003)

DUROSOL - PROFILE SURFACE		DUROSOL - AVAILABLE PROFILE HEIGHTS (mm)																	
ALUMINIUM		2	3	4.5	6	7	8	9	10	11	12.5	14	15	16.5	17	18.5	20	22	25	30
POWDER COATED FUNCTIONAL																				
52	gold				•		•		•	•	•									
53	titanium				•		•		•	•	•									
54	copper				•		•		•	•	•									
55	bronze				•		•		•	•	•									
56	graphite				•		•		•	•	•									
9005	black matt				•3	•	•3	•	•3	•3	•3							•		
9005	black				•		•3	•	•3	•	•3							•		
9003	white matt				•		•		•	•	•									
9003	white				•		•3	•	•3	•	•3									
POWDER COATED MATT URBAN																				
0808005	sand				•3	•	•3	•	•3	•3	•3									
7038	agate grey				•		•		•	•	•									
0006500	concrete grey				•3	•	•3	•	•3	•3	•3									
7042	traffic grey A				•		•		•	•	•									
7037	dusty grey				•		•		•	•	•									
7046	telegrey 2				•		•		•	•	•									
7012	basalt grey				•		•		•	•	•									
7011	iron grey				•		•		•	•	•									
7016	anthracite grey				•		•		•	•	•							•		
7021	black grey				•		•		•	•	•									
TACTILE COATED COUNTRY																				
9001	cream				•		•		•	•	•									
1013	oyster white				•		•		•	•	•									
1015	light ivory				•		•		•	•	•									
1014	ivory				•		•		•	•	•									
1019	grey beige				•		•		•	•	•									
7006	beige grey				•		•		•	•	•									
7003	moss grey				•		•		•	•	•									
7013	brown grey				•		•		•	•	•									
6014	yellow olive				•		•		•	•	•									
8028	terra brown				•		•		•	•	•									
8019	grey brown				•		•		•	•	•									
NATURAL		•	•	•	1•		1•3	1•3	1•3	1•3	1•3		1•3	•		•	•	•	•	•
natural base 44 mm							•3		•3											
natural Z-Flex		•	•	•	•		•		•	•	•		•			•	•	•	•	
ANODISED silver		•	•	•	1•		1•3	1•3	1•3	1•3	1•3		1•3					•		
anodised silver Z-Flex		•	•	•	•		•		•	•	•		•							
anodised gold					•		•	•	•	•	•		•							
anodised titanium							•		•		•									
anodised brushed silver							•		•		•									
high-gloss anodised silver					•		•		•		•									
high-gloss anodised gold							•		•		•									
high-gloss anodised titanium							•		•		•									
high-gloss anodised brushed silver							•		•		•									
high-gloss anodised brushed titanium							•		•		•									
BRASS natural			•		•		•	•	•	•	•		•			•	•	•	•	
Brass natural Z-Flex			•		•		•		•	•	•		•			•	•			
Brass polished / high-gloss with peel-off strip					•		•		•		•									
Brass chrome					•		•	•	•		•									
STAINLESS STEEL natural (304)		•	•	•	1•3	•	1•3	•3	1•3	1•3	1•3	•	•3		•		•	•	•	•
Stainless Steel natural (304) Z-Flex			•	•	•		•		•	•	•									
Stainless Steel natural (316)					•		•		•		•									
Stainless Steel high-gloss polished with peel-off strip (304)			•	•	•		•	•	•	•	•		•		•		•	•	•	•
Stainless Steel brushed with peel-off strip (304)					•	•	•		•	•	•									
PVC white					•3		•3		•3	•	•									
PVC black					•		•		•	•	•									
PVC silver grey					•		•		•	•	•									
5mil BRASS natural								•		•	•									
5mil Brass chrome								•		•	•									
5mil Brass natural Z-Flex								•		•	•									


• Profile in standard length 250 cm | 1 Profile also available in length 100 cm | 3 Profile also available in length 300 cm | Corner piece available

DUROSOL Functional
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: powder coated


PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**




gold

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	gold	DSAC 652/250	**6.89**	DSAC 652-Y/2	2	**8.38**
8	250	gold	DSAC 852/250	**7.18**	DSAC 852-Y/2	2	**8.38**
10	250	gold	DSAC 1052/250	**7.66**	DSAC 1052-Y/2	2	**8.38**
11	250	gold	DSAC 1152/250	**7.83**	DSAC 1152-Y/2	2	**8.38**
12.5	250	gold	DSAC 1252/250	**8.00**	DSAC 1252-Y/2	2	**8.38**



titanium

6	250	titanium	DSAC 653/250	**6.89**	DSAC 653-Y/2	2	**8.38**
8	250	titanium	DSAC 853/250	**7.18**	DSAC 853-Y/2	2	**8.38**
10	250	titanium	DSAC 1053/250	**7.66**	DSAC 1053-Y/2	2	**8.38**
11	250	titanium	DSAC 1153/250	**7.83**	DSAC 1153-Y/2	2	**8.38**
12.5	250	titanium	DSAC 1253/250	**8.00**	DSAC 1253-Y/2	2	**8.38**



copper

6	250	copper	DSAC 654/250	**8.64**	DSAC 654-Y/2	2	**8.38**
8	250	copper	DSAC 854/250	**8.97**	DSAC 854-Y/2	2	**8.38**
10	250	copper	DSAC 1054/250	**9.45**	DSAC 1054-Y/2	2	**8.38**
11	250	copper	DSAC 1154/250	**9.82**	DSAC 1154-Y/2	2	**8.38**
12.5	250	copper	DSAC 1254/250	**10.37**	DSAC 1254-Y/2	2	**8.38**



bronze

6	250	bronze	DSAC 655/250	**8.64**	DSAC 655-Y/2	2	**8.38**
8	250	bronze	DSAC 855/250	**8.97**	DSAC 855-Y/2	2	**8.38**
10	250	bronze	DSAC 1055/250	**9.45**	DSAC 1055-Y/2	2	**8.38**
11	250	bronze	DSAC 1155/250	**9.82**	DSAC 1155-Y/2	2	**8.38**
12.5	250	bronze	DSAC 1255/250	**10.37**	DSAC 1255-Y/2	2	**8.38**



graphite


6	250	graphite	DSAC 656/250	**8.64**	DSAC 656-Y/2	2	**8.38**
8	250	graphite	DSAC 856/250	**8.97**	DSAC 856-Y/2	2	**8.38**
10	250	graphite	DSAC 1056/250	**9.45**	DSAC 1056-Y/2	2	**8.38**
11	250	graphite	DSAC 1156/250	**9.82**	DSAC 1156-Y/2	2	**8.38**
12.5	250	graphite	DSAC 1256/250	**10.37**	DSAC 1256-Y/2	2	**8.38**

Bag 20 pcs on request


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUROSOL Functional
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	black matt (RAL 9005)	DSACM 611/250	**6.89**	DSACM 611-Y/2	2	**8.38**
7	250	black matt (RAL 9005)	DSACM 711/250	**7.04**			
8	250	black matt (RAL 9005)	DSACM 811/250	**7.18**	DSACM 811-Y/2	2	**8.38**
9	250	black matt (RAL 9005)	DSACM 911/250	**7.43**			
10	250	black matt (RAL 9005)	DSACM 1011/250	**7.66**	DSACM 1011-Y/2	2	**8.38**
11	250	black matt (RAL 9005)	DSACM 1111/250	**7.83**	DSACM 1111-Y/2	2	**8.38**
12.5	250	black matt (RAL 9005)	DSACM 1211/250	**8.00**	DSACM 1211-Y/2	2	**8.38**
22	250	black matt (RAL 9005)	DSACM 2211/250	**8.77**			
6	300	black matt (RAL 9005)	DSACM 611/300	**6.89**			
8	300	black matt (RAL 9005)	DSACM 811/300	**7.18**			
10	300	black matt (RAL 9005)	DSACM 1011/300	**7.66**			
11	300	black matt (RAL 9005)	DSACM 1111/300	**7.83**			
12.5	300	black matt (RAL 9005)	DSACM 1211/300	**8.00**			



black matt (RAL 9005)

6	250	black	DSAC 633/250	**6.89**	DSAC 633-Y/2	2	**8.38**
8	250	black	DSAC 833/250	**7.18**	DSAC 833-Y/2	2	**8.38**
9	250	black	DSAC 933/250	**7.43**			
10	250	black	DSAC 1033/250	**7.66**	DSAC 1033-Y/2	2	**8.38**
11	250	black	DSAC 1133/250	**7.83**	DSAC 1133-Y/2	2	**8.38**
12.5	250	black	DSAC 1233/250	**8.00**	DSAC 1233-Y/2	2	**8.38**
22	250	black	DSAC 2233/250	**8.77**			
8	300	black	DSAC 833/300	**7.18**			
10	300	black	DSAC 1033/300	**7.66**			
12.5	300	black	DSAC 1233/300	**8.00**			



black

6	250	white matt (RAL 9003)	DSACM 612/250	**8.64**	DSACM 612-Y/2	2	**8.38**
8	250	white matt (RAL 9003)	DSACM 812/250	**8.97**	DSACM 812-Y/2	2	**8.38**
10	250	white matt (RAL 9003)	DSACM 1012/250	**9.45**	DSACM 1012-Y/2	2	**8.38**
11	250	white matt (RAL 9003)	DSACM 1112/250	**9.82**	DSACM 1112-Y/2	2	**8.38**
12.5	250	white matt (RAL 9003)	DSACM 1212/250	**10.37**	DSACM 1212-Y/2	2	**8.38**



white matt (RAL 9003)

6	250	white	DSAC 630/250	**6.89**	DSAC 630-Y/2	2	**8.38**
8	250	white	DSAC 830/250	**7.18**	DSAC 830-Y/2	2	**8.38**
9	250	white	DSAC 930/250	**7.43**			
10	250	white	DSAC 1030/250	**7.66**	DSAC 1030-Y/2	2	**8.38**
11	250	white	DSAC 1130/250	**7.83**	DSAC 1130-Y/2	2	**8.38**
12.5	250	white	DSAC 1230/250	**8.00**	DSAC 1230-Y/2	2	**8.38**
8	300	white	DSAC 830/300	**7.18**			
10	300	white	DSAC 1030/300	**7.66**			
12.5	300	white	DSAC 1230/300	**8.00**			


Bag 20 pcs on request




white

DUROSOL Urban
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**



sand (RAL 0808005)

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	sand (RAL 0808005)	DSAC 680/250	**8.64**	DSAC 680-Y/2	2	**8.38**
7	250	sand (RAL 0808005)	DSAC 780/250	**8.79**			
8	250	sand (RAL 0808005)	DSAC 880/250	**8.97**	DSAC 880-Y/2	2	**8.38**
9	250	sand (RAL 0808005)	DSAC 980/250	**9.20**			
10	250	sand (RAL 0808005)	DSAC 1080/250	**9.45**	DSAC 1080-Y/2	2	**8.38**
11	250	sand (RAL 0808005)	DSAC 1180/250	**9.82**	DSAC 1180-Y/2	2	**8.38**
12.5	250	sand (RAL 0808005)	DSAC 1280/250	**10.37**	DSAC 1280-Y/2	2	**8.38**
6	300	sand (RAL 0808005)	DSAC 680/300	**8.64**			
8	300	sand (RAL 0808005)	DSAC 880/300	**8.97**			
10	300	sand (RAL 0808005)	DSAC 1080/300	**9.45**			
11	300	sand (RAL 0808005)	DSAC 1180/300	**9.82**			
12.5	300	sand (RAL 0808005)	DSAC 1280/300	**10.37**			



agate grey matt (RAL 7038)

6	250	agate grey matt (RAL 7038)	DSACM 60-7038/250	**8.64**	DSACM 60-7038-Y/2	2	**8.38**
8	250	agate grey matt (RAL 7038)	DSACM 80-7038/250	**8.97**	DSACM 80-7038-Y/2	2	**8.38**
10	250	agate grey matt (RAL 7038)	DSACM 100-7038/250	**9.45**	DSACM 100-7038-Y/2	2	**8.38**
11	250	agate grey matt (RAL 7038)	DSACM 110-7038/250	**9.82**	DSACM 110-7038-Y/2	2	**8.38**
12.5	250	agate grey matt (RAL 7038)	DSACM 125-7038/250	**10.37**	DSACM 125-7038-Y/2	2	**8.38**



concrete grey (RAL 0006500)

6	250	concrete grey (RAL 0006500)	DSAC 665/250	**8.64**	DSAC 665-Y/2	2	**8.38**
7	250	concrete grey (RAL 0006500)	DSAC 765/250	**8.79**			
8	250	concrete grey (RAL 0006500)	DSAC 865/250	**8.97**	DSAC 865-Y/2	2	**8.38**
9	250	concrete grey (RAL 0006500)	DSAC 965/250	**9.20**			
10	250	concrete grey (RAL 0006500)	DSAC 1065/250	**9.45**	DSAC 1065-Y/2	2	**8.38**
11	250	concrete grey (RAL 0006500)	DSAC 1165/250	**9.82**	DSAC 1165-Y/2	2	**8.38**
12.5	250	concrete grey (RAL 0006500)	DSAC 1265/250	**10.37**	DSAC 1265-Y/2	2	**8.38**
6	300	concrete grey (RAL 0006500)	DSAC 665/300	**8.64**			
8	300	concrete grey (RAL 0006500)	DSAC 865/300	**8.97**			
10	300	concrete grey (RAL 0006500)	DSAC 1065/300	**9.45**			
11	300	concrete grey (RAL 0006500)	DSAC 1165/300	**9.82**			
12.5	300	concrete grey (RAL 0006500)	DSAC 1265/300	**10.37**			




traffic grey A matt (RAL 7042)

6	250	traffic grey A matt (RAL 7042)	DSACM 60-7042/250	**8.64**	DSACM 60-7042-Y/2	2	**8.38**
8	250	traffic grey A matt (RAL 7042)	DSACM 80-7042/250	**8.97**	DSACM 80-7042-Y/2	2	**8.38**
10	250	traffic grey A matt (RAL 7042)	DSACM 100-7042/250	**9.45**	DSACM 100-7042-Y/2	2	**8.38**
11	250	traffic grey A matt (RAL 7042)	DSACM 110-7042/250	**9.82**	DSACM 110-7042-Y/2	2	**8.38**
12.5	250	traffic grey A matt (RAL 7042)	DSACM 125-7042/250	**10.37**	DSACM 125-7042-Y/2	2	**8.38**

Bag 20 pcs on request


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUROSOL Urban
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: powder coated



PU1	PU2	PU3	Cat.
10	40	-	**A**

External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	dusty grey matt (RAL 7037)	DSACM 60-7037/250	**8.64**	DSACM 60-7037-Y/2	2	**8.38**
8	250	dusty grey matt (RAL 7037)	DSACM 80-7037/250	**8.97**	DSACM 80-7037-Y/2	2	**8.38**
10	250	dusty grey matt (RAL 7037)	DSACM 100-7037/250	**9.45**	DSACM 100-7037-Y/2	2	**8.38**
11	250	dusty grey matt (RAL 7037)	DSACM 110-7037/250	**9.82**	DSACM 110-7037-Y/2	2	**8.38**
12.5	250	dusty grey matt (RAL 7037)	DSACM 125-7037/250	**10.37**	DSACM 125-7037-Y/2	2	**8.38**



dusty grey matt (RAL 7037)

6	250	telegrey 2 matt (RAL 7046)	DSACM 60-7046/250	**8.64**	DSACM 60-7046-Y/2	2	**8.38**
8	250	telegrey 2 matt (RAL 7046)	DSACM 80-7046/250	**8.97**	DSACM 80-7046-Y/2	2	**8.38**
10	250	telegrey 2 matt (RAL 7046)	DSACM 100-7046/250	**9.45**	DSACM 100-7046-Y/2	2	**8.38**
11	250	telegrey 2 matt (RAL 7046)	DSACM 110-7046/250	**9.82**	DSACM 110-7046-Y/2	2	**8.38**
12.5	250	telegrey 2 matt (RAL 7046)	DSACM 125-7046/250	**10.37**	DSACM 125-7046-Y/2	2	**8.38**



telegrey 2 matt (RAL 7046)

6	250	basalt grey matt (RAL 7012)	DSACM 60-7012/250	**8.64**	DSACM 60-7012-Y/2	2	**8.38**
8	250	basalt grey matt (RAL 7012)	DSACM 80-7012/250	**8.97**	DSACM 80-7012-Y/2	2	**8.38**
10	250	basalt grey matt (RAL 7012)	DSACM 100-7012/250	**9.45**	DSACM 100-7012-Y/2	2	**8.38**
11	250	basalt grey matt (RAL 7012)	DSACM 110-7012/250	**9.82**	DSACM 110-7012-Y/2	2	**8.38**
12.5	250	basalt grey matt (RAL 7012)	DSACM 125-7012/250	**10.37**	DSACM 125-7012-Y/2	2	**8.38**



basalt grey matt (RAL 7012)

6	250	iron grey matt (RAL 7011)	DSACM 60-7011/250	**8.64**	DSACM 60-7011-Y/2	2	**8.38**
8	250	iron grey matt (RAL 7011)	DSACM 80-7011/250	**8.97**	DSACM 80-7011-Y/2	2	**8.38**
10	250	iron grey matt (RAL 7011)	DSACM 100-7011/250	**9.45**	DSACM 100-7011-Y/2	2	**8.38**
11	250	iron grey matt (RAL 7011)	DSACM 110-7011/250	**9.82**	DSACM 110-7011-Y/2	2	**8.38**
12.5	250	iron grey matt (RAL 7011)	DSACM 125-7011/250	**10.37**	DSACM 125-7011-Y/2	2	**8.38**



iron grey matt (RAL 7011)

6	250	anthracite grey matt (RAL 7016)	DSACM 60-7016/250	**8.64**	DSACM 60-7016-Y/2	2	**8.38**
8	250	anthracite grey matt (RAL 7016)	DSACM 80-7016/250	**8.97**	DSACM 80-7016-Y/2	2	**8.38**
10	250	anthracite grey matt (RAL 7016)	DSACM 100-7016/250	**9.45**	DSACM 100-7016-Y/2	2	**8.38**
11	250	anthracite grey matt (RAL 7016)	DSACM 110-7016/250	**9.82**	DSACM 110-7016-Y/2	2	**8.38**
12.5	250	anthracite grey matt (RAL 7016)	DSACM 125-7016/250	**10.37**	DSACM 125-7016-Y/2	2	**8.38**
22	250	anthracite grey matt (RAL 7016)	DSACM 2216/250	**12.62**			



anthracite grey matt (RAL 7016)

6	250	black grey matt (RAL 7021)	DSACM 60-7021/250	**8.64**	DSACM 60-7021-Y/2	2	**8.38**
8	250	black grey matt (RAL 7021)	DSACM 80-7021/250	**8.97**	DSACM 80-7021-Y/2	2	**8.38**
10	250	black grey matt (RAL 7021)	DSACM 100-7021/250	**9.45**	DSACM 100-7021-Y/2	2	**8.38**
11	250	black grey matt (RAL 7021)	DSACM 110-7021/250	**9.82**	DSACM 110-7021-Y/2	2	**8.38**
12.5	250	black grey matt (RAL 7021)	DSACM 125-7021/250	**10.37**	DSACM 125-7021-Y/2	2	**8.38**




black grey matt (RAL 7021)


Bag 20 pcs on request

DUROSOL Country
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: tactile coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**



cream (RAL 9001)

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	cream (RAL 9001)	DSACS 60-9001/250	**8.64**	DSACS 60-9001-Y/2	2	**8.38**
8	250	cream (RAL 9001)	DSACS 80-9001/250	**8.97**	DSACS 80-9001-Y/2	2	**8.38**
10	250	cream (RAL 9001)	DSACS 100-9001/250	**9.45**	DSACS 100-9001-Y/2	2	**8.38**
11	250	cream (RAL 9001)	DSACS 110-9001/250	**9.82**	DSACS 110-9001-Y/2	2	**8.38**
12.5	250	cream (RAL 9001)	DSACS 125-9001/250	**10.37**	DSACS 125-9001-Y/2	2	**8.38**



oyster white (RAL 1013)

6	250	oyster white (RAL 1013)	DSACS 60-1013/250	**8.64**	DSACS 60-1013-Y/2	2	**8.38**
8	250	oyster white (RAL 1013)	DSACS 80-1013/250	**8.97**	DSACS 80-1013-Y/2	2	**8.38**
10	250	oyster white (RAL 1013)	DSACS 100-1013/250	**9.45**	DSACS 100-1013-Y/2	2	**8.38**
11	250	oyster white (RAL 1013)	DSACS 110-1013/250	**9.82**	DSACS 110-1013-Y/2	2	**8.38**
12.5	250	oyster white (RAL 1013)	DSACS 125-1013/250	**10.37**	DSACS 125-1013-Y/2	2	**8.38**



light ivory (RAL 1015)

6	250	light ivory (RAL 1015)	DSACS 60-1015/250	**8.64**	DSACS 60-1015-Y/2	2	**8.38**
8	250	light ivory (RAL 1015)	DSACS 80-1015/250	**8.97**	DSACS 80-1015-Y/2	2	**8.38**
10	250	light ivory (RAL 1015)	DSACS 100-1015/250	**9.45**	DSACS 100-1015-Y/2	2	**8.38**
11	250	light ivory (RAL 1015)	DSACS 110-1015/250	**9.82**	DSACS 110-1015-Y/2	2	**8.38**
12.5	250	light ivory (RAL 1015)	DSACS 125-1015/250	**10.37**	DSACS 125-1015-Y/2	2	**8.38**



ivory (RAL 1014)

6	250	ivory (RAL 1014)	DSACS 60-1014/250	**8.64**	DSACS 60-1014-Y/2	2	**8.38**
8	250	ivory (RAL 1014)	DSACS 80-1014/250	**8.97**	DSACS 80-1014-Y/2	2	**8.38**
10	250	ivory (RAL 1014)	DSACS 100-1014/250	**9.45**	DSACS 100-1014-Y/2	2	**8.38**
11	250	ivory (RAL 1014)	DSACS 110-1014/250	**9.82**	DSACS 110-1014-Y/2	2	**8.38**
12.5	250	ivory (RAL 1014)	DSACS 125-1014/250	**10.37**	DSACS 125-1014-Y/2	2	**8.38**



grey beige (RAL 1019)

6	250	grey beige (RAL 1019)	DSACS 60-1019/250	**8.64**	DSACS 60-1019-Y/2	2	**8.38**
8	250	grey beige (RAL 1019)	DSACS 80-1019/250	**8.97**	DSACS 80-1019-Y/2	2	**8.38**
10	250	grey beige (RAL 1019)	DSACS 100-1019/250	**9.45**	DSACS 100-1019-Y/2	2	**8.38**
11	250	grey beige (RAL 1019)	DSACS 110-1019/250	**9.82**	DSACS 110-1019-Y/2	2	**8.38**
12.5	250	grey beige (RAL 1019)	DSACS 125-1019/250	**10.37**	DSACS 125-1019-Y/2	2	**8.38**



beige grey (RAL 7006)


6	250	beige grey (RAL 7006)	DSACS 60-7006/250	**8.64**	DSACS 60-7006-Y/2	2	**8.38**
8	250	beige grey (RAL 7006)	DSACS 80-7006/250	**8.97**	DSACS 80-7006-Y/2	2	**8.38**
10	250	beige grey (RAL 7006)	DSACS 100-7006/250	**9.45**	DSACS 100-7006-Y/2	2	**8.38**
11	250	beige grey (RAL 7006)	DSACS 110-7006/250	**9.82**	DSACS 110-7006-Y/2	2	**8.38**
12.5	250	beige grey (RAL 7006)	DSACS 125-7006/250	**10.37**	DSACS 125-7006-Y/2	2	**8.38**

Bag 20 pcs on request


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUROSOL Country
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: tactile coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	250	moss grey (RAL 7003)	DSACS 60-7003/250	**8.64**	DSACS 60-7003-Y/2	2	**8.38**
8	250	moss grey (RAL 7003)	DSACS 80-7003/250	**8.97**	DSACS 80-7003-Y/2	2	**8.38**
10	250	moss grey (RAL 7003)	DSACS 100-7003/250	**9.45**	DSACS 100-7003-Y/2	2	**8.38**
11	250	moss grey (RAL 7003)	DSACS 110-7003/250	**9.82**	DSACS 110-7003-Y/2	2	**8.38**
12.5	250	moss grey (RAL 7003)	DSACS 125-7003/250	**10.37**	DSACS 125-7003-Y/2	2	**8.38**


moss grey (RAL 7003)

6	250	brown grey (RAL 7013)	DSACS 60-7013/250	**8.64**	DSACS 60-7013-Y/2	2	**8.38**
8	250	brown grey (RAL 7013)	DSACS 80-7013/250	**8.97**	DSACS 80-7013-Y/2	2	**8.38**
10	250	brown grey (RAL 7013)	DSACS 100-7013/250	**9.45**	DSACS 100-7013-Y/2	2	**8.38**
11	250	brown grey (RAL 7013)	DSACS 110-7013/250	**9.82**	DSACS 110-7013-Y/2	2	**8.38**
12.5	250	brown grey (RAL 7013)	DSACS 125-7013/250	**10.37**	DSACS 125-7013-Y/2	2	**8.38**


brown grey (RAL 7013)

6	250	yellow olive (RAL 6014)	DSACS 60-6014/250	**8.64**	DSACS 60-6014-Y/2	2	**8.38**
8	250	yellow olive (RAL 6014)	DSACS 80-6014/250	**8.97**	DSACS 80-6014-Y/2	2	**8.38**
10	250	yellow olive (RAL 6014)	DSACS 100-6014/250	**9.45**	DSACS 100-6014-Y/2	2	**8.38**
11	250	yellow olive (RAL 6014)	DSACS 110-6014/250	**9.82**	DSACS 110-6014-Y/2	2	**8.38**
12.5	250	yellow olive (RAL 6014)	DSACS 125-6014/250	**10.37**	DSACS 125-6014-Y/2	2	**8.38**


yellow olive (RAL 6014)

6	250	terra brown (RAL 8028)	DSACS 60-8028/250	**8.64**	DSACS 60-8028-Y/2	2	**8.38**
8	250	terra brown (RAL 8028)	DSACS 80-8028/250	**8.97**	DSACS 80-8028-Y/2	2	**8.38**
10	250	terra brown (RAL 8028)	DSACS 100-8028/250	**9.45**	DSACS 100-8028-Y/2	2	**8.38**
11	250	terra brown (RAL 8028)	DSACS 110-8028/250	**9.82**	DSACS 110-8028-Y/2	2	**8.38**
12.5	250	terra brown (RAL 8028)	DSACS 125-8028/250	**10.37**	DSACS 125-8028-Y/2	2	**8.38**


terra brown (RAL 8028)

6	250	grey brown (RAL 8019)	DSACS 60-8019/250	**8.64**	DSACS 60-8019-Y/2	2	**8.38**
8	250	grey brown (RAL 8019)	DSACS 80-8019/250	**8.97**	DSACS 80-8019-Y/2	2	**8.38**
10	250	grey brown (RAL 8019)	DSACS 100-8019/250	**9.45**	DSACS 100-8019-Y/2	2	**8.38**
11	250	grey brown (RAL 8019)	DSACS 110-8019/250	**9.82**	DSACS 110-8019-Y/2	2	**8.38**
12.5	250	grey brown (RAL 8019)	DSACS 125-8019/250	**10.37**	DSACS 125-8019-Y/2	2	**8.38**


grey brown (RAL 8019)

Bag 20 pcs on request


COLOUR YOUR STYLE
FUNCTIONAL
TACTILE
COATED
GOLD (52)
TACTILE
COATED
BRONZE (55)


COLOUR YOUR STYLE
URBAN
TACTILE COATED
RAL 7012
BASALT GREY
TACTILE COATED
RAL 0808005
SAND


COLOUR YOUR STYLE
COUNTRY
TACTILE
COATED
RAL 1013
OYSTER
WHITE
TACTILE
COATED
RAL 7003
MOSS GREY



ALUMINIUM TITANIUM ANODISED




ALUMINIUM SILVER ANODISED

STAINLESS STEEL (304), Z-FLEX




DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: natural



PU1	PU2	PU3	Cat.
10	40	–	**A**


Height mm	Length cm	Colour	Item code	£/lm
6	100	natural	DSA 60/100	**3.53**
8	100	natural	DSA 80/100	**3.67**
9	100	natural	DSA 90/100	**3.82**
10	100	natural	DSA 100/100	**3.90**
11	100	natural	DSA 110/100	**3.93**
12.5	100	natural	DSA 125/100	**4.12**
15	100	natural	DSA 150/100	**4.62**
2	250	natural	DSA 20/250	**3.38**
3	250	natural	DSA 30/250	**3.40**
4.5	250	natural	DSA 45/250	**3.47**
6	250	natural	DSA 60/250	**3.53**
8	250	natural	DSA 80/250	**3.67**
9	250	natural	DSA 90/250	**3.82**
10	250	natural	DSA 100/250	**3.90**
11	250	natural	DSA 110/250	**3.93**
12.5	250	natural	DSA 125/250	**4.12**
15	250	natural	DSA 150/250	**4.62**
16.5	250	natural	DSA 165/250	**5.12**
18.5	250	natural	DSA 185/250	**5.38**
20	250	natural	DSA 200/250	**5.58**
22	250	natural	DSA 220/250	**5.79**
25	250	natural	DSA 250/250	**6.01**
30	250	natural	DSA 300/250	**6.67**
8	300	natural	DSA 80/300	**3.67**
9	300	natural	DSA 90/300	**3.82**
10	300	natural	DSA 100/300	**3.90**
11	300	natural	DSA 110/300	**3.93**
12.5	300	natural	DSA 125/300	**4.12**
15	300	natural	DSA 150/300	**4.62**


DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge and extra-wide base
Material: Aluminium
Surface: natural




PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
8	250	natural	DSA 80-L/250	**4.56**
10	250	natural	DSA 100-L/250	**5.07**
8	300	natural	DSA 80-L/300	**4.56**
10	300	natural	DSA 100-L/300	**5.07**




natural 2 mm



natural 10 mm


natural 30 mm


Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: anodised

PU1	PU2	PU3	Cat.
10	40	–	**A**



External corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
6	100	silver	DSAE 60/100	**4.91**	DSAE 60-Y/2	2	**7.92**
8	100	silver	DSAE 80/100	**5.25**	DSAE 80-Y/2	2	**7.92**
9	100	silver	DSAE 90/100	**5.38**			
10	100	silver	DSAE 100/100	**5.53**	DSAE 100-Y/2	2	**7.92**
11	100	silver	DSAE 110/100	**5.76**	DSAE 110-Y/2	2	**7.92**
12.5	100	silver	DSAE 125/100	**5.96**	DSAE 125-Y/2	2	**7.92**
15	100	silver	DSAE 150/100	**6.61**			
2	250	silver	DSAE 20/250	**4.67**			
3	250	silver	DSAE 30/250	**4.76**			
4.5	250	silver	DSAE 45/250	**4.84**			
6	250	silver	DSAE 60/250	**4.91**			
8	250	silver	DSAE 80/250	**5.25**			
9	250	silver	DSAE 90/250	**5.38**			
10	250	silver	DSAE 100/250	**5.53**			
11	250	silver	DSAE 110/250	**5.76**			
12.5	250	silver	DSAE 125/250	**5.96**			
15	250	silver	DSAE 150/250	**6.61**			
22	250	silver	DSAE 220/250	**7.80**			
8	300	silver	DSAE 80/300	**5.25**			
9	300	silver	DSAE 90/300	**5.38**			
10	300	silver	DSAE 100/300	**5.53**			
11	300	silver	DSAE 110/300	**5.76**			
12.5	300	silver	DSAE 125/300	**5.96**			
15	300	silver	DSAE 150/300	**6.61**			
6	250	gold	DSAE 60-G/250	**5.25**			
8	250	gold	DSAE 80-G/250	**5.48**			
9	250	gold	DSAE 90-G/250	**5.67**			
10	250	gold	DSAE 100-G/250	**5.81**			
11	250	gold	DSAE 110-G/250	**6.07**			
12.5	250	gold	DSAE 125-G/250	**6.95**			
15	250	gold	DSAE 150-G/250	**6.95**			
8	250	titanium	DSAE 80-T/250	**5.48**			
10	250	titanium	DSAE 100-T/250	**5.81**			
12.5	250	titanium	DSAE 125-T/250	**6.32**			



silver anodised



silver anodised



gold anodised




titanium anodised

ALUMINIUM SILVER ANODISED



DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**AA**


Height mm	Length cm	Colour	Item code	£/lm
6	250	silver	DSA 662/250	**3.47**
8	250	silver	DSA 862/250	**3.51**
10	250	silver	DSA 1062/250	**3.74**
12.5	250	silver	DSA 1262/250	**3.98**
8	250	gold	DSA 861/250	**3.51**
10	250	gold	DSA 1061/250	**3.74**
11	250	gold	DSA 1161/250	**3.87**
12.5	250	gold	DSA 1261/250	**3.98**
8	250	titanium	DSA 863/250	**6.08**
10	250	titanium	DSA 1063/250	**6.30**
12.5	250	titanium	DSA 1263/250	**6.54**


silver high-gloss anodised


gold high-gloss anodised


titanium high-gloss anodised


DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: anodised, brushed



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
8	250	silver	DSAE 80-SF/250	**4.68**
10	250	silver	DSAE 100-SF/250	**5.01**
12.5	250	silver	DSAE 125-SF/250	**5.06**

DUROSOL Aluminium
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: brushed, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**AA**


Height mm	Length cm	Colour	Item code	£/lm
8	250	silver	DSA 862-SF/250	**4.68**
10	250	silver	DSA 1062-SF/250	**5.01**
12.5	250	silver	DSA 1262-SF/250	**5.06**
8	250	titanium	DSA 863-SF/250	**4.68**
10	250	titanium	DSA 1063-SF/250	**5.01**
12.5	250	titanium	DSA 1263-SF/250	**5.06**


silver anodised, brushed


silver brushed, high-gloss anodised


titanium brushed, high-gloss anodised

DUROSOL Brass
L-shaped angle edge trim profile for walls and floors with narrow visible edge
Material: Brass
Surface: natural



PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
3	250	natural	DSM 30/250	**12.49**
6	250	natural	DSM 60/250	**14.32**
8	250	natural	DSM 80/250	**15.78**
9	250	natural	DSM 90/250	**16.41**
10	250	natural	DSM 100/250	**16.90**
11	250	natural	DSM 110/250	**17.35**
12.5	250	natural	DSM 125/250	**18.48**
15	250	natural	DSM 150/250	**19.50**
18.5	250	natural	DSM 185/250	**23.92**
20	250	natural	DSM 200/250	**25.24**
22	250	natural	DSM 220/250	**26.56**
25	250	natural	DSM 250/250	**29.43**



Brass natural




Brass high-gloss polished



Brass chrome

DUROSOL Brass
L-shaped angle edge trim profile for walls and floors with narrow visible edge
Material: Brass
Surface: high-gloss polished




PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DSM 60-SP/250	**18.22**
8	250	natural	DSM 80-SP/250	**19.70**
10	250	natural	DSM 100-SP/250	**21.14**
12.5	250	natural	DSM 125-SP/250	**24.91**

BRASS NATURAL




DUROSOL Brass
L-shaped angle edge trim profile for walls and floors with narrow visible edge
Material: Brass
Surface: chrome



PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	chrome	DSM 60-SC/250	**25.39**
8	250	chrome	DSM 80-SC/250	**26.81**
9	250	chrome	DSM 90-SC/250	**27.49**
10	250	chrome	DSM 100-SC/250	**28.36**
12.5	250	chrome	DSM 125-SC/250	**29.57**

DUROSOL Stainless Steel (304)
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Stainless Steel (304)
Surface: natural



PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
6	100	natural	DSE 60/100	**10.97**
8	100	natural	DSE 80/100	**11.13**
10	100	natural	DSE 100/100	**11.37**
11	100	natural	DSE 110/100	**11.63**
12.5	100	natural	DSE 125/100	**11.87**
2	250	natural	DSE 20/250	**9.90**
3	250	natural	DSE 30/250	**10.13**
4.5	250	natural	DSE 45/250	**10.56**
6	250	natural	DSE 60/250	**10.97**
7	250	natural	DSE 70/250	**11.13**
8	250	natural	DSE 80/250	**11.37**
9	250	natural	DSE 90/250	**11.63**
10	250	natural	DSE 100/250	**11.87**
11	250	natural	DSE 110/250	**12.04**
12.5	250	natural	DSE 125/250	**12.28**
14	250	natural	DSE 140/250	**13.33**
15	250	natural	DSE 150/250	**17.54**
17	250	natural	DSE 170/250	**18.20**
20	250	natural	DSE 200/250	**18.83**
22	250	natural	DSE 220/250	**20.58**
25	250	natural	DSE 250/250	**22.27**
30	250	natural	DSE 300/250	**22.91**
6	300	natural	DSE 60/300	**10.97**
8	300	natural	DSE 80/300	**11.37**
9	300	natural	DSE 90/300	**11.63**
10	300	natural	DSE 100/300	**11.87**
11	300	natural	DSE 110/300	**12.04**
12.5	300	natural	DSE 125/300	**12.28**
15	300	natural	DSE 150/300	**17.54**



Stainless Steel (304) natural, 10 mm




Stainless Steel (304) natural, 3 mm



Stainless Steel (304) natural, 25 mm

DUROSOL Stainless Steel (316)
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Stainless Steel (V4A/316L)
Surface: natural




PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DSE 60 V4A/250	**12.28**
8	250	natural	DSE 80 V4A/250	**12.77**
10	250	natural	DSE 100 V4A/250	**13.27**
12.5	250	natural	DSE 125 V4A/250	**13.78**



Stainless Steel (V4A/316L) natural, 10 mm

DUROSOL Stainless Steel (304)
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Stainless Steel (304)
Surface: high-gloss polished




PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
3	250	natural	DSE 30-SP/250	**15.52**
4.5	250	natural	DSE 45-SP/250	**16.23**
6	250	natural	DSE 60-SP/250	**16.87**
8	250	natural	DSE 80-SP/250	**17.52**
9	250	natural	DSE 90-SP/250	**17.83**
10	250	natural	DSE 100-SP/250	**18.24**
11	250	natural	DSE 110-SP/250	**18.53**
12.5	250	natural	DSE 125-SP/250	**18.89**
15	250	natural	DSE 150-SP/250	**20.72**
17	250	natural	DSE 170-SP/250	**21.10**
20	250	natural	DSE 200-SP/250	**22.15**
22	250	natural	DSE 220-SP/250	**23.52**
25	250	natural	DSE 250-SP/250	**25.28**
30	250	natural	DSE 300-SP/250	**27.11**



Stainless Steel (304)
high-gloss polished

DUROSOL Stainless Steel (304)
L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Stainless Steel (304)
Surface: brushed



PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DSE 60-SF/250	**16.55**
7	250	natural	DSE 70-SF/250	**16.99**
8	250	natural	DSE 80-SF/250	**17.51**
10	250	natural	DSE 100-SF/250	**18.24**
11	250	natural	DSE 110-SF/250	**18.53**
12.5	250	natural	DSE 125-SF/250	**18.87**




Stainless Steel (304)
brushed

STAINLESS STEEL (304) HIGH-GLOSS POLISHED




DUROSOL Aluminium Z-Flex
Bendable L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: natural



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
2	250	natural	DSA 20-ZF/250	**4.39**
3	250	natural	DSA 30-ZF/250	**4.42**
4.5	250	natural	DSA 45-ZF/250	**4.53**
6	250	natural	DSA 60-ZF/250	**4.59**
8	250	natural	DSA 80-ZF/250	**4.71**
10	250	natural	DSA 100-ZF/250	**4.93**
11	250	natural	DSA 110-ZF/250	**5.11**
12.5	250	natural	DSA 125-ZF/250	**5.21**
15	250	natural	DSA 150-ZF/250	**5.60**
18.5	250	natural	DSA 185-ZF/250	**6.42**
20	250	natural	DSA 200-ZF/250	**6.63**
22	250	natural	DSA 220-ZF/250	**6.82**
25	250	natural	DSA 250-ZF/250	**7.04**

DUROSOL Stainless Steel (304) Z-Flex
Bendable L-shaped angle edge trim profile for walls and floors with narrow visible edge
Material: Stainless Steel (304)
Surface: natural




PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
3	250	natural	DSE 30-ZF/250	**11.52**
4.5	250	natural	DSE 45-ZF/250	**11.95**
6	250	natural	DSE 60-ZF/250	**12.37**
8	250	natural	DSE 80-ZF/250	**12.78**
10	250	natural	DSE 100-ZF/250	**13.27**
11	250	natural	DSE 110-ZF/250	**13.49**
12.5	250	natural	DSE 125-ZF/250	**13.71**

DUROSOL Stainless Steel (304) Z-Flex
DSE 100-SP-ZF/250
DSE 110-SP-ZF/250
DSE 125-SP-ZF/250
Surface: polished
available on request




DUROSOL Aluminium Z-Flex
Bendable L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Aluminium
Surface: anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
2	250	silver	DSAE 20-ZF/250	**5.79**
3	250	silver	DSAE 30-ZF/250	**5.81**
4.5	250	silver	DSAE 45-ZF/250	**5.90**
6	250	silver	DSAE 60-ZF/250	**5.96**
8	250	silver	DSAE 80-ZF/250	**6.32**
10	250	silver	DSAE 100-ZF/250	**6.61**
11	250	silver	DSAE 110-ZF/250	**6.89**
12.5	250	silver	DSAE 125-ZF/250	**7.03**
15	250	silver	DSAE 150-ZF/250	**9.19**

DUROSOL Brass Z-Flex
Bendable L-shaped angle edge trim profile for wall and floor with narrow visual edge
Material: Brass
Surface: natural



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
3	250	natural	DSM 30-ZF/250	**12.58**
6	250	natural	DSM 60-ZF/250	**14.41**
8	250	natural	DSM 80-ZF/250	**15.88**
10	250	natural	DSM 100-ZF/250	**16.76**
11	250	natural	DSM 110-ZF/250	**17.68**
12.5	250	natural	DSM 125-ZF/250	**18.58**
15	250	natural	DSM 150-ZF/250	**19.65**
18.5	250	natural	DSM 185-ZF/250	**24.07**
20	250	natural	DSM 200-ZF/250	**25.29**


natural


silver
anodised



Stainless Steel (304)
natural


Brass
natural

To achieve uniform curves it is recommended to use the Z-FLEX Curver bending machines. They allow shaping of precisely designed curves. Z-Flex Curver page 219

01/2026
Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.


DUROSOL PVC
L-shaped angle edge trim profile for walls with narrow visual edge
Material: PVC



PU1	PU2	PU3	Cat.
10	100	–	A C

Height mm	Length cm	Colour	Item code	£/lm
6	250	white	DSP 630/250	**1.20**
8	250	white	DSP 830/250	**1.27**
10	250	white	DSP 1030/250	**1.39**
11	250	white	DSP 1130/250	**1.46**
12.5	250	white	DSP 1230/250	**1.47**
6	300	white	DSP 630/300	**1.20**
8	300	white	DSP 830/300	**1.27**
10	300	white	DSP 1030/300	**1.39**
6	250	silver grey	DSP 651/250	**1.20**
8	250	silver grey	DSP 851/250	**1.27**
10	250	silver grey	DSP 1051/250	**1.39**
11	250	silver grey	DSP 1151/250	**1.46**
12.5	250	silver grey	DSP 1251/250	**1.47**
6	250	black	DSP 633/250	**1.20**
8	250	black	DSP 833/250	**1.27**
10	250	black	DSP 1033/250	**1.39**
11	250	black	DSP 1133/250	**1.46**
12.5	250	black	DSP 1233/250	**1.47**


DUROSOL 5mil Brass
L-shaped angle edge trim profile for walls and floors with wide visible edge
Material: Brass
Surface: natural, chrome



PU1	PU2	PU3	Cat.
10	40	300	A

Height mm	Length cm	Colour	Surface	Item code	£/lm
9	250	natural	natural	DSM 90-5/250	**19.50**
11	250	natural	natural	DSM 110-5/250	**20.38**
12.5	250	natural	natural	DSM 125-5/250	**21.07**
9	250	chrom	chrome	DSM 90-5-SC/250	**30.51**
11	250	chrom	chrome	DSM 110-5-SC/250	**31.34**
12.5	250	chrom	chrome	DSM 125-5-SC/250	**32.04**

DUROSOL 5mil Brass
L-shaped angle edge trim profile for walls and floors with wide visible edge.
Material: Brass,
Surface: natural




PU1	PU2	PU3	Cat.
10	40	–	A

Height mm	Length cm	Colour	Surface	Item code	£/lm
9	250	natural	natural	DSM 90-5-ZF/250	**16.10**
11	250	natural	natural	DSM 110-5-ZF/250	**17.64**
12.5	250	natural	natural	DSM 125-5-ZF/250	**18.17**



white silver grey black Brass natural Brass chrome

STAINLESS STEEL (304), Z-FLEX NATURAL



To achieve uniform curves it is recommended to use the Z-FLEX Curver bending machines. They allow shaping of precisely designed curves. Z-Flex Curver page 219

SQUARE BOX TRIM
FOR WALLS AND FLOORS

SQUARELINE

COLOUR YOUR STYLE
ALUMINIUM POWDER COATED

FUNCTIONAL P. 30
URBAN P. 32
COUNTRY P. 34

ALUMINIUM TACTILE COATING P. 38

ALUMINIUM NATURAL P. 38

ALUMINIUM ANODISED P. 39

PVC P. 40

STAINLESS STEEL P. 41




STAINLESS STEEL (304), HIGH-GLOSS POLISHED

ALUMINIUM GOLD HIGH-GLOSS ANODISED



ALUMINIUM ANTHRACITE TACTILE COATED




SQUARELINE - PROFILE SURFACE		SQUARELINE - AVAILABLE PROFILE HEIGHTS (mm)					
ALUMINIUM		7	8	9	10	11	12.5
POWDER COATED FUNCTIONAL							
52	gold		•		•	•	•
53	titanium		•		•	•	•
54	copper		•		•	•	•
55	bronze		•		•	•	•
56	graphite		•		•	•	•
9005	black matt	•3	•	•3	•	•3	•
9005	black		•		•	•	•
9003	white matt		•		•	•	•
9003	white		•		•	•	•
POWDER COATED MATT URBAN							
0808005	sand		•	•3	•	•3	•
7038	agate grey		•		•	•	•
0006500	concrete grey		•	•3	•	•3	•
7042	traffic grey A		•		•	•	•
7046	telegrey 2		•		•	•	•
7012	basalt grey		•		•	•	•
7037	dusty grey		•		•	•	•
7011	iron grey		•		•	•	•
7016	anthracite grey		•		•	•	•
7021	black grey		•		•	•	•
TACTILE COATED COUNTRY							
9001	cream		•		•	•	•
1013	oyster white		•		•	•	•
1015	light ivory		•		•	•	•
1014	ivory		•		•	•	•
1019	grey beige		•		•	•	•
7006	beige grey		•		•	•	•
7003	moss grey		•		•	•	•
7013	brown grey		•		•	•	•
6014	yellow olive		•		•	•	•
8028	terra brown		•		•	•	•
8019	grey brown		•		•	•	•
TACTILE COATING							
beige		•		•	•	•	•
brown		•		•	•	•	•
anthracite		•		•	•	•	•
NATURAL							
natural		•		•	•	•	•
ANODISED							
anodised silver		•		•3	•3	•3	•3
anodised titanium		•		•3	•	•3	•
high-gloss anodised silver		•		•	•	•	•
high-gloss anodised gold		•		•	•	•	•
high-gloss anodised titanium		•		•	•	•	•
high-gloss anodised brushed silver		•		•	•	•	•
high-gloss anodised brushed titanium		•		•	•	•	•
STAINLESS STEEL (304)							
natural		•		•3	•3	•3	•3
high-gloss polished with peel-off strip		•		•3	•3	•3	•3
brushed with peel-off strip		•		•3	•3	•3	•3
PVC							
white		•		•		•	
silver grey		•		•		•	
black		•		•		•	

• Profile in standard length 250 cm | 1 Profile also available in length 100 cm | 3 Profile also available in length 300 cm | Corner piece available

SQUARELINE Functional
Square box trim for walls and floors
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**




Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**



gold




titanium



copper



bronze




graphite

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
8	250	gold	DPSAC 852/250	**10.66**	DPSAC 852-Y/2	2	**6.26**
10	250	gold	DPSAC 1052/250	**13.03**	DPSAC 1052-Y/2	2	**6.26**
11	250	gold	DPSAC 1152/250	**14.22**	DPSAC 1152-Y/2	2	**6.26**
12.5	250	gold	DPSAC 1252/250	**14.94**	DPSAC 1252-Y/2	2	**6.26**
8	250	titanium	DPSAC 853/250	**10.66**	DPSAC 853-Y/2	2	**6.26**
10	250	titanium	DPSAC 1053/250	**13.03**	DPSAC 1053-Y/2	2	**6.26**
11	250	titanium	DPSAC 1153/250	**14.22**	DPSAC 1153-Y/2	2	**6.26**
12.5	250	titanium	DPSAC 1253/250	**14.94**	DPSAC 1253-Y/2	2	**6.26**
8	250	copper	DPSAC 854/250	**10.66**	DPSAC 854-Y/2	2	**6.26**
10	250	copper	DPSAC 1054/250	**13.03**	DPSAC 1054-Y/2	2	**6.26**
11	250	copper	DPSAC 1154/250	**14.22**	DPSAC 1154-Y/2	2	**6.26**
12.5	250	copper	DPSAC 1254/250	**14.94**	DPSAC 1254-Y/2	2	**6.26**
8	250	bronze	DPSAC 855/250	**10.66**	DPSAC 855-Y/2	2	**6.26**
10	250	bronze	DPSAC 1055/250	**13.03**	DPSAC 1055-Y/2	2	**6.26**
11	250	bronze	DPSAC 1155/250	**14.22**	DPSAC 1155-Y/2	2	**6.26**
12.5	250	bronze	DPSAC 1255/250	**14.94**	DPSAC 1255-Y/2	2	**6.26**
8	250	graphite	DPSAC 856/250	**10.66**	DPSAC 856-Y/2	2	**6.26**
10	250	graphite	DPSAC 1056/250	**13.03**	DPSAC 1056-Y/2	2	**6.26**
11	250	graphite	DPSAC 1156/250	**14.22**	DPSAC 1156-Y/2	2	**6.26**
12.5	250	graphite	DPSAC 1256/250	**14.94**	DPSAC 1256-Y/2	2	**6.26**

Bag 20 pcs on request

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SQUARELINE Functional
Square box trim for walls and floors
Material: Aluminium
Surface: powder coated



PU1	PU2	PU3	Cat.
10	40	-	**A**

Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	black matt (RAL 9005)	DPSACM 711/250	**9.82**	DPSACM 711-Y/2	2	**7.45**
8	250	black matt (RAL 9005)	DPSACM 811/250	**10.66**	DPSACM 811-Y/2	2	**7.45**
9	250	black matt (RAL 9005)	DPSACM 911/250	**11.81**	DPSACM 911-Y/2	2	**7.45**
10	250	black matt (RAL 9005)	DPSACM 1011/250	**13.03**	DPSACM 1011-Y/2	2	**7.45**
11	250	black matt (RAL 9005)	DPSACM 1111/250	**14.22**	DPSACM 1111-Y/2	2	**7.45**
12.5	250	black matt (RAL 9005)	DPSACM 1211/250	**14.94**	DPSACM 1211-Y/2	2	**7.45**
7	300	black matt (RAL 9005)	DPSACM 711/300	**9.82**			
9	300	black matt (RAL 9005)	DPSACM 911/300	**11.81**			
11	300	black matt (RAL 9005)	DPSACM 1111/300	**14.22**			



black matt (RAL 9005)

8	250	black	DPSAC 833/250	**10.66**	DPSAC 833-Y/2	2	**7.45**
10	250	black	DPSAC 1033/250	**13.03**	DPSAC 1033-Y/2	2	**7.45**
11	250	black	DPSAC 1133/250	**14.22**	DPSAC 1133-Y/2	2	**7.45**
12.5	250	black	DPSAC 1233/250	**14.94**	DPSAC 1233-Y/2	2	**7.45**



black

8	250	white matt (RAL 9003)	DPSACM 812/250	**10.66**	DPSACM 812-Y/2	2	**7.45**
10	250	white matt (RAL 9003)	DPSACM 1012/250	**13.03**	DPSACM 1012-Y/2	2	**7.45**
11	250	white matt (RAL 9003)	DPSACM 1112/250	**14.22**	DPSACM 1112-Y/2	2	**7.45**
12.5	250	white matt (RAL 9003)	DPSACM 1212/250	**14.94**	DPSACM 1212-Y/2	2	**7.45**



white matt (RAL 9003)

8	250	white	DPSAC 830/250	**10.66**	DPSAC 830-Y/2	2	**7.45**
10	250	white	DPSAC 1030/250	**13.03**	DPSAC 1030-Y/2	2	**7.45**
11	250	white	DPSAC 1130/250	**14.22**	DPSAC 1130-Y/2	2	**7.45**
12.5	250	white	DPSAC 1230/250	**14.94**	DPSAC 1230-Y/2	2	**7.45**




white

Bag 20 pcs on request

SQUARELINE Urban
Square box trim for walls and floors
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**




sand (RAL 0808005)

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
8	250	sand (RAL 0808005)	DPSAC 880/250	**10.66**	DPSAC 880-Y/2	2	**7.45**
9	250	sand (RAL 0808005)	DPSAC 980/250	**11.81**	DPSAC 980-Y/2	2	**7.45**
10	250	sand (RAL 0808005)	DPSAC 1080/250	**13.03**	DPSAC 1080-Y/2	2	**7.45**
11	250	sand (RAL 0808005)	DPSAC 1180/250	**14.22**	DPSAC 1180-Y/2	2	**7.45**
12.5	250	sand (RAL 0808005)	DPSAC 1280/250	**14.94**	DPSAC 1280-Y/2	2	**7.45**
9	300	sand (RAL 0808005)	DPSAC 980/300	**11.81**			
11	300	sand (RAL 0808005)	DPSAC 1180/300	**14.22**			



agate grey matt (RAL 7038)

8	250	agate grey matt (RAL 7038)	DPSACM 80-7038/250	**10.66**	DPSACM 80-7038-Y/2	2	**7.45**
10	250	agate grey matt (RAL 7038)	DPSACM 100-7038/250	**13.03**	DPSACM 100-7038-Y/2	2	**7.45**
11	250	agate grey matt (RAL 7038)	DPSACM 110-7038/250	**14.22**	DPSACM 110-7038-Y/2	2	**7.45**
12.5	250	agate grey matt (RAL 7038)	DPSACM 125-7038/250	**14.94**	DPSACM 125-7038-Y/2	2	**7.45**



concrete grey (RAL 0006500)

8	250	concrete grey (RAL 0006500)	DPSAC 865/250	**10.66**	DPSAC 865-Y/2	2	**7.45**
9	250	concrete grey (RAL 0006500)	DPSAC 965/250	**11.81**	DPSAC 965-Y/2	2	**7.45**
10	250	concrete grey (RAL 0006500)	DPSAC 1065/250	**13.03**	DPSAC 1065-Y/2	2	**7.45**
11	250	concrete grey (RAL 0006500)	DPSAC 1165/250	**14.22**	DPSAC 1165-Y/2	2	**7.45**
12.5	250	concrete grey (RAL 0006500)	DPSAC 1265/250	**14.94**	DPSAC 1265-Y/2	2	**7.45**
9	300	concrete grey (RAL 0006500)	DPSAC 965/300	**11.81**			
11	300	concrete grey (RAL 0006500)	DPSAC 1165/300	**14.22**			



traffic grey A matt (RAL 7042)


8	250	traffic grey A matt (RAL 7042)	DPSACM 80-7042/250	**10.66**	DPSACM 80-7042-Y/2	2	**7.45**
10	250	traffic grey A matt (RAL 7042)	DPSACM 100-7042/250	**13.03**	DPSACM 100-7042-Y/2	2	**7.45**
11	250	traffic grey A matt (RAL 7042)	DPSACM 110-7042/250	**14.22**	DPSACM 110-7042-Y/2	2	**7.45**
12.5	250	traffic grey A matt (RAL 7042)	DPSACM 125-7042/250	**14.94**	DPSACM 125-7042-Y/2	2	**7.45**

Bag 20 pcs on request

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SQUARELINE Urban
Square box trim for walls and floors
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
8	250	dusty grey matt (RAL 7037)	DPSACM 80-7037/250	**10.66**	DPSACM 80-7037-Y/2	2	**7.45**
10	250	dusty grey matt (RAL 7037)	DPSACM 100-7037/250	**13.03**	DPSACM 100-7037-Y/2	2	**7.45**
11	250	dusty grey matt (RAL 7037)	DPSACM 110-7037/250	**14.22**	DPSACM 110-7037-Y/2	2	**7.45**
12.5	250	dusty grey matt (RAL 7037)	DPSACM 125-7037/250	**14.94**	DPSACM 125-7037-Y/2	2	**7.45**
8	250	telegrey 2 matt (RAL 7046)	DPSACM 80-7046/250	**10.66**	DPSACM 80-7046-Y/2	2	**7.45**
10	250	telegrey 2 matt (RAL 7046)	DPSACM 100-7046/250	**13.03**	DPSACM 100-7046-Y/2	2	**7.45**
11	250	telegrey 2 matt (RAL 7046)	DPSACM 110-7046/250	**14.22**	DPSACM 110-7046-Y/2	2	**7.45**
12.5	250	telegrey 2 matt (RAL 7046)	DPSACM 125-7046/250	**14.94**	DPSACM 125-7046-Y/2	2	**7.45**
8	250	basalt grey matt (RAL 7012)	DPSACM 80-7012/250	**10.66**	DPSACM 80-7012-Y/2	2	**7.45**
10	250	basalt grey matt (RAL 7012)	DPSACM 100-7012/250	**13.03**	DPSACM 100-7012-Y/2	2	**7.45**
11	250	basalt grey matt (RAL 7012)	DPSACM 110-7012/250	**14.22**	DPSACM 110-7012-Y/2	2	**7.45**
12.5	250	basalt grey matt (RAL 7012)	DPSACM 125-7012/250	**14.94**	DPSACM 125-7012-Y/2	2	**7.45**
8	250	iron grey matt (RAL 7011)	DPSACM 80-7011/250	**10.66**	DPSACM 80-7011-Y/2	2	**7.45**
10	250	iron grey matt (RAL 7011)	DPSACM 100-7011/250	**13.03**	DPSACM 100-7011-Y/2	2	**7.45**
11	250	iron grey matt (RAL 7011)	DPSACM 110-7011/250	**14.22**	DPSACM 110-7011-Y/2	2	**7.45**
12.5	250	iron grey matt (RAL 7011)	DPSACM 125-7011/250	**14.94**	DPSACM 125-7011-Y/2	2	**7.45**
8	250	anthracite grey matt (RAL 7016)	DPSACM 80-7016/250	**10.66**	DPSACM 80-7016-Y/2	2	**7.45**
10	250	anthracite grey matt (RAL 7016)	DPSACM 100-7016/250	**13.03**	DPSACM 100-7016-Y/2	2	**7.45**
11	250	anthracite grey matt (RAL 7016)	DPSACM 110-7016/250	**14.22**	DPSACM 110-7016-Y/2	2	**7.45**
12.5	250	anthracite grey matt (RAL 7016)	DPSACM 125-7016/250	**14.94**	DPSACM 125-7016-Y/2	2	**7.45**
8	250	black grey matt (RAL 7021)	DPSACM 80-7021/250	**10.66**	DPSACM 80-7021-Y/2	2	**7.45**
10	250	black grey matt (RAL 7021)	DPSACM 100-7021/250	**13.03**	DPSACM 100-7021-Y/2	2	**7.45**
11	250	black grey matt (RAL 7021)	DPSACM 110-7021/250	**14.22**	DPSACM 110-7021-Y/2	2	**7.45**
12.5	250	black grey matt (RAL 7021)	DPSACM 125-7021/250	**14.94**	DPSACM 125-7021-Y/2	2	**7.45**

Bag 20 pcs on request


dusty grey matt (RAL 7037)


telegrey 2 matt (RAL 7046)


basalt grey matt (RAL 7012)



iron grey matt (RAL 7011)


anthracite grey matt (RAL 7016)


black grey matt (RAL 7021)

SQUARELINE Country
Square box trim for walls and floors
Material: Aluminium
Surface: tactile coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**



cream
(RAL 9001)

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
8	250	cream (RAL 9001)	DPSACS 80-9001/250	**18.21**	DPSACS 80-9001-Y/2	2	**7.04**
10	250	cream (RAL 9001)	DPSACS 100-9001/250	**19.65**	DPSACS 100-9001-Y/2	2	**7.04**
11	250	cream (RAL 9001)	DPSACS 110-9001/250	**20.70**	DPSACS 110-9001-Y/2	2	**7.04**
12.5	250	cream (RAL 9001)	DPSACS 125-9001/250	**21.73**	DPSACS 125-9001-Y/2	2	**7.04**



oyster white
(RAL 1013)

8	250	oyster white (RAL 1013)	DPSACS 80-1013/250	**18.21**	DPSACS 80-1013-Y/2	2	**7.04**
10	250	oyster white (RAL 1013)	DPSACS 100-1013/250	**19.65**	DPSACS 100-1013-Y/2	2	**7.04**
11	250	oyster white (RAL 1013)	DPSACS 110-1013/250	**20.70**	DPSACS 110-1013-Y/2	2	**7.04**
12.5	250	oyster white (RAL 1013)	DPSACS 125-1013/250	**21.73**	DPSACS 125-1013-Y/2	2	**7.04**



light ivory
(RAL 1015)

8	250	light ivory (RAL 1015)	DPSACS 80-1015/250	**18.21**	DPSACS 80-1015-Y/2	2	**7.04**
10	250	light ivory (RAL 1015)	DPSACS 100-1015/250	**19.65**	DPSACS 100-1015-Y/2	2	**7.04**
11	250	light ivory (RAL 1015)	DPSACS 110-1015/250	**20.70**	DPSACS 110-1015-Y/2	2	**7.04**
12.5	250	light ivory (RAL 1015)	DPSACS 125-1015/250	**21.73**	DPSACS 125-1015-Y/2	2	**7.04**



ivory
(RAL 1014)

8	250	ivory (RAL 1014)	DPSACS 80-1014/250	**18.21**	DPSACS 80-1014-Y/2	2	**7.04**
10	250	ivory (RAL 1014)	DPSACS 100-1014/250	**19.65**	DPSACS 100-1014-Y/2	2	**7.04**
11	250	ivory (RAL 1014)	DPSACS 110-1014/250	**20.70**	DPSACS 110-1014-Y/2	2	**7.04**
12.5	250	ivory (RAL 1014)	DPSACS 125-1014/250	**21.73**	DPSACS 125-1014-Y/2	2	**7.04**



grey beige
(RAL 1019)

8	250	grey beige (RAL 1019)	DPSACS 80-1019/250	**18.21**	DPSACS 80-1019-Y/2	2	**7.04**
10	250	grey beige (RAL 1019)	DPSACS 100-1019/250	**19.65**	DPSACS 100-1019-Y/2	2	**7.04**
11	250	grey beige (RAL 1019)	DPSACS 110-1019/250	**20.70**	DPSACS 110-1019-Y/2	2	**7.04**
12.5	250	grey beige (RAL 1019)	DPSACS 125-1019/250	**21.73**	DPSACS 125-1019-Y/2	2	**7.04**



beige grey
(RAL 7006)


8	250	beige grey (RAL 7006)	DPSACS 80-7006/250	**18.21**	DPSACS 80-7006-Y/2	2	**7.04**
10	250	beige grey (RAL 7006)	DPSACS 100-7006/250	**19.65**	DPSACS 100-7006-Y/2	2	**7.04**
11	250	beige grey (RAL 7006)	DPSACS 110-7006/250	**20.70**	DPSACS 110-7006-Y/2	2	**7.04**
12.5	250	beige grey (RAL 7006)	DPSACS 125-7006/250	**21.73**	DPSACS 125-7006-Y/2	2	**7.04**

Bag 20 pcs on request

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SQUARELINE Country
Square box trim for walls and floors
Material: Aluminium
Surface: tactile coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



Internal and external corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
8	250	moss grey (RAL 7003)	DPSACS 80-7003/250	**18.21**	DPSACS 80-7003-Y/2	2	**7.04**
10	250	moss grey (RAL 7003)	DPSACS 100-7003/250	**19.65**	DPSACS 100-7003-Y/2	2	**7.04**
11	250	moss grey (RAL 7003)	DPSACS 110-7003/250	**20.70**	DPSACS 110-7003-Y/2	2	**7.04**
12.5	250	moss grey (RAL 7003)	DPSACS 125-7003/250	**21.73**	DPSACS 125-7003-Y/2	2	**7.04**
8	250	brown grey (RAL 7013)	DPSACS 80-7013/250	**18.21**	DPSACS 80-7013-Y/2	2	**7.04**
10	250	brown grey (RAL 7013)	DPSACS 100-7013/250	**19.65**	DPSACS 100-7013-Y/2	2	**7.04**
11	250	brown grey (RAL 7013)	DPSACS 110-7013/250	**20.70**	DPSACS 110-7013-Y/2	2	**7.04**
12.5	250	brown grey (RAL 7013)	DPSACS 125-7013/250	**21.73**	DPSACS 125-7013-Y/2	2	**7.04**
8	250	yellow olive (RAL 6014)	DPSACS 80-6014/250	**18.21**	DPSACS 80-6014-Y/2	2	**7.04**
10	250	yellow olive (RAL 6014)	DPSACS 100-6014/250	**19.65**	DPSACS 100-6014-Y/2	2	**7.04**
11	250	yellow olive (RAL 6014)	DPSACS 110-6014/250	**20.70**	DPSACS 110-6014-Y/2	2	**7.04**
12.5	250	yellow olive (RAL 6014)	DPSACS 125-6014/250	**21.73**	DPSACS 125-6014-Y/2	2	**7.04**
8	250	terra brown (RAL 8028)	DPSACS 80-8028/250	**18.21**	DPSACS 80-8028-Y/2	2	**7.04**
10	250	terra brown (RAL 8028)	DPSACS 100-8028/250	**19.65**	DPSACS 100-8028-Y/2	2	**7.04**
11	250	terra brown (RAL 8028)	DPSACS 110-8028/250	**20.70**	DPSACS 110-8028-Y/2	2	**7.04**
12.5	250	terra brown (RAL 8028)	DPSACS 125-8028/250	**21.73**	DPSACS 125-8028-Y/2	2	**7.04**
8	250	grey brown (RAL 8019)	DPSACS 80-8019/250	**18.21**	DPSACS 80-8019-Y/2	2	**7.04**
10	250	grey brown (RAL 8019)	DPSACS 100-8019/250	**19.65**	DPSACS 100-8019-Y/2	2	**7.04**
11	250	grey brown (RAL 8019)	DPSACS 110-8019/250	**20.70**	DPSACS 110-8019-Y/2	2	**7.04**
12.5	250	grey brown (RAL 8019)	DPSACS 125-8019/250	**21.73**	DPSACS 125-8019-Y/2	2	**7.04**


moss grey (RAL 7003)


brown grey (RAL 7013)


yellow olive (RAL 6014)


terra brown (RAL 8028)


grey brown (RAL 8019)

Bag 20 pcs on request


COLOUR YOUR STYLE
FUNCTIONAL
TACTILE COATED
COPPER (54)
TACTILE COATED
BRONZE (55)


COLOUR YOUR STYLE
URBAN
TACTILE COATED
RAL 0006500
CONCRETE GREY
TACTILE COATED
RAL 7021
BLACK GREY


COLOUR YOUR STYLE
COUNTRY
TACTILE
COATED
RAL 1014 IVORY
TACTILE
COATED
RAL 6014
YELLOW OLIVE



ALUMINIUM SILVER
BRUSHED, HIGH-GLOSS ANODISED

ALUMINIUM TITANIUM
BRUSHED, HIGH-GLOSS ANODISED





ALUMINIUM TACTILE COATED BEIGE



STAINLESS STEEL (304), HIGH-GLOSS POLISHED, BRUSHED



beige tactile coating




brown tactile coating



anthracite tactile coating

SQUARELINE Aluminium
Square box trim for walls and floors
Material: Aluminium
Surface: tactile coating

PU1	PU2	PU3	Cat.
10	40	–	**A**



Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	beige	DPSACS 732/250	**17.76**	DPSACS 732-Y/2	2	**7.04**
9	250	beige	DPSACS 932/250	**18.69**	DPSACS 932-Y/2	2	**7.04**
10	250	beige	DPSACS 1032/250	**19.65**	DPSACS 1032-Y/2	2	**7.04**
11	250	beige	DPSACS 1132/250	**20.70**	DPSACS 1132-Y/2	2	**7.04**
12.5	250	beige	DPSACS 1232/250	**21.73**	DPSACS 1232-Y/2	2	**7.04**
7	250	brown	DPSACS 735/250	**17.76**	DPSACS 735-Y/2	2	**7.04**
9	250	brown	DPSACS 935/250	**18.69**	DPSACS 935-Y/2	2	**7.04**
10	250	brown	DPSACS 1035/250	**19.65**	DPSACS 1035-Y/2	2	**7.04**
11	250	brown	DPSACS 1135/250	**20.70**	DPSACS 1135-Y/2	2	**7.04**
12.5	250	brown	DPSACS 1235/250	**21.73**	DPSACS 1235-Y/2	2	**7.04**
7	250	anthracite	DPSACS 733/250	**17.76**	DPSACS 733-Y/2	2	**7.04**
9	250	anthracite	DPSACS 933/250	**18.69**	DPSACS 933-Y/2	2	**7.04**
10	250	anthracite	DPSACS 1033/250	**19.65**	DPSACS 1033-Y/2	2	**7.04**
11	250	anthracite	DPSACS 1133/250	**20.70**	DPSACS 1133-Y/2	2	**7.04**
12.5	250	anthracite	DPSACS 1233/250	**21.73**	DPSACS 1233-Y/2	2	**7.04**


Bag 20 pcs on request



natural

SQUARELINE Aluminium
Square box trim for walls and floors
Material: Aluminium
Surface: natural


PU1	PU2	PU3	Cat.
10	40	–	**A**



Height mm	Length cm	Colour	Item code	£/lm
7	250	natural	DPSA 70/250	**3.30**
9	250	natural	DPSA 90/250	**3.64**
10	250	natural	DPSA 100/250	**4.00**
11	250	natural	DPSA 110/250	**4.19**
12.5	250	natural	DPSA 125/250	**4.24**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SQUARELINE Aluminium
Square box trim for walls and floors
Material: Aluminium
Surface: anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	silver	DPSAE 70/250	**4.62**	DPSAE 70-Y/2	2	**5.84**
9	250	silver	DPSAE 90/250	**4.64**	DPSAE 90-Y/2	2	**6.17**
10	250	silver	DPSAE 100/250	**4.69**	DPSAE 100-Y/2	2	**6.42**
11	250	silver	DPSAE 110/250	**4.72**	DPSAE 110-Y/2	2	**6.66**
12.5	250	silver	DPSAE 125/250	**4.94**	DPSAE 125-Y/2	2	**7.06**
9	300	silver	DPSAE 90/300	**4.64**			
10	300	silver	DPSAE 100/300	**4.69**			
11	300	silver	DPSAE 110/300	**4.72**			
12.5	300	silver	DPSAE 125/300	**4.94**			
7	250	titanium	DPSAE 70-T/250	**4.62**	DPSAE 70-T-Y/2	2	**5.84**
9	250	titanium	DPSAE 90-T/250	**4.64**	DPSAE 90-T-Y/2	2	**6.17**
10	250	titanium	DPSAE 100-T/250	**4.69**	DPSAE 100-T-Y/2	2	**6.42**
11	250	titanium	DPSAE 110-T/250	**4.72**	DPSAE 110-T-Y/2	2	**6.66**
12.5	250	titanium	DPSAE 125-T/250	**4.94**	DPSAE 125-T-Y/2	2	**7.06**
9	300	titanium	DPSAE 90-T/300	**4.64**			
11	300	titanium	DPSAE 110-T/300	**4.72**			

Bag 20 pcs on request




silver anodised



titanium anodised

SQUARELINE Aluminium
Square box trim for walls and floors
Material: Aluminium
Surface: high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**AA**


Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**AA**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	silver	DPSA 762/250	**5.08**	DPSA 762-Y/2	2	**5.33**
9	250	silver	DPSA 962/250	**5.56**	DPSA 962-Y/2	2	**5.35**
10	250	silver	DPSA 1062/250	**5.84**	DPSA 1062-Y/2	2	**5.56**
11	250	silver	DPSA 1162/250	**6.08**	DPSA 1162-Y/2	2	**5.69**
12.5	250	silver	DPSA 1262/250	**6.51**	DPSA 1262-Y/2	2	**5.90**
7	250	gold	DPSA 761/250	**5.08**	DPSA 761-Y/2	2	**5.33**
9	250	gold	DPSA 961/250	**5.56**	DPSA 961-Y/2	2	**5.35**
10	250	gold	DPSA 1061/250	**5.84**	DPSA 1061-Y/2	2	**5.56**
11	250	gold	DPSA 1161/250	**6.08**	DPSA 1161-Y/2	2	**5.69**
12.5	250	gold	DPSA 1261/250	**6.51**	DPSA 1261-Y/2	2	**5.90**
7	250	titanium	DPSA 763/250	**5.08**	DPSA 763-Y/2	2	**5.33**
9	250	titanium	DPSA 963/250	**5.56**	DPSA 963-Y/2	2	**5.35**
10	250	titanium	DPSA 1063/250	**5.84**	DPSA 1063-Y/2	2	**5.56**
11	250	titanium	DPSA 1163/250	**6.08**	DPSA 1163-Y/2	2	**5.69**
12.5	250	titanium	DPSA 1263/250	**6.51**	DPSA 1263-Y/2	2	**5.90**

Bag 20 pcs on request



silver
high-gloss anodised



gold
high-gloss anodised



titanium
high-gloss anodised




silver brushed, high-gloss anodised



titanium brushed, high-gloss anodised

SQUARELINE Aluminium
Square box trim for walls and floors
Material: Aluminium
Surface: brushed, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**AA**


Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**AA**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	silver	DPSA 762-SF/250	**4.87**	DPSA 762-SF-Y/2	2	**5.21**
9	250	silver	DPSA 962-SF/250	**5.88**	DPSA 962-SF-Y/2	2	**5.30**
10	250	silver	DPSA 1062-SF/250	**6.26**	DPSA 1062-SF-Y/2	2	**5.39**
11	250	silver	DPSA 1162-SF/250	**6.48**	DPSA 1162-SF-Y/2	2	**5.57**
12.5	250	silver	DPSA 1262-SF/250	**6.90**	DPSA 1262-SF-Y/2	2	**6.23**
7	250	titanium	DPSA 763-SF/250	**4.87**	DPSA 763-SF-Y/2	2	**5.21**
9	250	titanium	DPSA 963-SF/250	**5.88**	DPSA 963-SF-Y/2	2	**5.30**
10	250	titanium	DPSA 1063-SF/250	**6.26**	DPSA 1063-SF-Y/2	2	**5.39**
11	250	titanium	DPSA 1163-SF/250	**6.48**	DPSA 1163-SF-Y/2	2	**5.57**
12.5	250	titanium	DPSA 1263-SF/250	**6.90**	DPSA 1263-SF-Y/2	2	**6.23**

Bag 20 pcs on request



white




silver grey



black

SQUARELINE PVC
Internal and external corners of the square box trim for walls
Material: PVC



PU1	PU2	PU3	Cat.
10	50	–	**C**

Internal and external corner




PU1	PU2	PU3	Cat.
1	–	–	**C**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	white	DPSP 730/250	**1.63**	DPSP 730-Y/2	2	**1.91**
9	250	white	DPSP 930/250	**1.70**	DPSP 930-Y/2	2	**1.99**
11	250	white	DPSP 1130/250	**1.88**	DPSP 1130-Y/2	2	**2.07**
7	250	silver grey	DPSP 751/250	**1.63**	DPSP 751-Y/2	2	**1.91**
9	250	silver grey	DPSP 951/250	**1.70**	DPSP 951-Y/2	2	**1.99**
11	250	silver grey	DPSP 1151/250	**1.88**	DPSP 1151-Y/2	2	**2.07**
7	250	black	DPSP 733/250	**1.63**	DPSP 733-Y/2	2	**1.91**
9	250	black	DPSP 933/250	**1.70**	DPSP 933-Y/2	2	**1.99**
11	250	black	DPSP 1133/250	**1.88**	DPSP 1133-Y/2	2	**2.07**

Bag 20 pcs on request

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SQUARELINE Stainless Steel (304)
Square box trim for walls and floors
Material: Stainless Steel (304)
Surface: natural, high-gloss polished, brushed




PU1	PU2	PU3	Cat.
10	100	–	**A**

Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Surface	Item code	£/lm	Item code	Piece/ Blister	£/ piece
7	250	natural	DPSE 70/250	**10.19**	DPSE 70-Y/1	1	**10.84**
9	250	natural	DPSE 90/250	**10.68**	DPSE 90-Y/1	1	**11.48**
10	250	natural	DPSE 100/250	**11.28**	DPSE 100-Y/1	1	**12.01**
11	250	natural	DPSE 110/250	**11.87**	DPSE 110-Y/1	1	**12.40**
12.5	250	natural	DPSE 125/250	**13.36**	DPSE 125-Y/1	1	**12.91**
9	300	natural	DPSE 90/300	**10.68**	**Bag 20 pcs on request**		
10	300	natural	DPSE 100/300	**11.28**			
11	300	natural	DPSE 110/300	**11.87**			
12.5	300	natural	DPSE 125/300	**13.36**			
7	250	high-gloss polished	DPSE 70-SP/250	**14.79**	DPSE 70-SP-Y/1	1	**19.15**
9	250	high-gloss polished	DPSE 90-SP/250	**15.25**	DPSE 90-SP-Y/1	1	**19.53**
10	250	high-gloss polished	DPSE 100-SP/250	**15.74**	DPSE 100-SP-Y/1	1	**19.81**
11	250	high-gloss polished	DPSE 110-SP/250	**16.22**	DPSE 110-SP-Y/1	1	**20.23**
12.5	250	high-gloss polished	DPSE 125-SP/250	**17.13**	DPSE 125-SP-Y/1	1	**21.13**
9	300	high-gloss polished	DPSE 90-SP/300	**15.25**	**Bag 20 pcs on request**		
10	300	high-gloss polished	DPSE 100-SP/300	**15.74**			
11	300	high-gloss polished	DPSE 110-SP/300	**16.22**			
12.5	300	high-gloss polished	DPSE 125-SP/300	**17.13**			
7	250	brushed	DPSE 70-SF/250	**14.79**	DPSE 70-SF-Y/1	1	**19.15**
9	250	brushed	DPSE 90-SF/250	**15.25**	DPSE 90-SF-Y/1	1	**19.52**
10	250	brushed	DPSE 100-SF/250	**15.74**	DPSE 100-SF-Y/1	1	**19.81**
11	250	brushed	DPSE 110-SF/250	**16.22**	DPSE 110-SF-Y/1	1	**20.23**
12.5	250	brushed	DPSE 125-SF/250	**17.13**	DPSE 125-SF-Y/1	1	**21.13**
9	300	brushed	DPSE 90-SF/300	**15.25**	**Bag 20 pcs on request**		
10	300	brushed	DPSE 100-SF/300	**15.74**			
11	300	brushed	DPSE 110-SF/300	**16.22**			
12.5	300	brushed	DPSE 125-SF/300	**17.13**			



ROUND EDGE TRIM
FOR WALLS AND FLOORS

DURONDELL

COLOUR YOUR STYLE
ALUMINIUM POWDER COATED

FUNCTIONAL P. 44
URBAN P. 46
COUNTRY P. 48

ALUMINIUM TACTILE COATING P. 52

ALUMINIUM ANODISED P. 52

STAINLESS STEEL P. 54

PVC P. 55

ALUMINIUM TACTILE COATED BEIGE





ALUMINIUM BLACK MATT (RAL 9005)
POWDER COATED




STAINLESS STEEL (304) HIGH-GLOSS POLISHED

DURONDELL - PROFILE SURFACE		DURONDELL - AVAILABLE PROFILE HEIGHTS (mm)						
ALUMINIUM		6	7	8	9	10	11	12.5
POWDER COATED FUNCTIONAL								
52	gold	•		•		•	•	•
53	titanium	•		•		•	•	•
54	copper	•		•		•	•	•
55	bronze	•		•		•	•	•
56	graphite	•		•		•	•	•
9005	black matt	•		•3		•3	•	•3
9005	black	•		•		•	•	•
9003	white matt	•		•		•	•	•
9003	white	•		•3		•3	•	•3
POWDER COATED MATT URBAN								
0808005	sand	•		•3		•3	•	•3
7038	agate grey	•		•		•	•	•
0006500	concrete grey	•		•3		•3	•	•3
7042	traffic grey A	•		•		•	•	•
7037	dusty grey	•		•		•	•	•
7046	telegrey 2	•		•		•	•	•
7012	basalt grey	•		•		•	•	•
7011	iron grey	•		•		•	•	•
7016	anthracite grey	•		•		•	•	•
7021	black grey	•		•		•	•	•
TACTILE COATED COUNTRY								
9001	cream	•		•		•	•	•
1013	oyster white	•		•		•	•	•
1015	light ivory	•		•		•	•	•
1014	ivory	•		•		•	•	•
1019	grey beige	•		•		•	•	•
7006	beige grey	•		•		•	•	•
7003	moss grey	•		•		•	•	•
7013	brown grey	•		•		•	•	•
6014	yellow olive	•		•		•	•	•
8028	terra brown	•		•		•	•	•
8019	grey brown	•		•		•	•	•
TACTILE COATING								
beige		•		•		•	•	•
brown		•		•		•	•	•
anthracite		•		•		•	•	•
ANODISED								
anodised silver		•3		•3		•3	•	•3
anodised gold						•		
anodised titanium				•		•		•
high-gloss anodised silver		•3		•3		•3		•
high-gloss anodised gold						•		
high-gloss anodised brushed silver				•3		•3		•3
high-gloss anodised brushed titanium				•		•		•
STAINLESS STEEL (304)								
natural		•		•3		•3	•	•3
high-gloss polished with peel-off strip		•		•		•	•	•
brushed with peel-off strip		•3		•3		•3	•3	•3
PVC								
white		•		•3		•3	•	•3
silver grey		•		•		•	•	•
black		•		•		•	•	•


• Profile in standard length 250 cm | 1 Profile also available in length 100 cm | 3 Profile also available in length 300 cm | Corner piece available

DURONDELL Functional
Round edge trim for walls and floors
Material: Aluminium
Surface: powder coated



PU1	PU2	PU3	Cat.
10	40	-	**A**

External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	gold	DRAC 652/250	**11.34**	DRAC 652-Y/2	2	**7.20**	DRAC 652-YI/2	2	**7.20**
8	250	gold	DRAC 852/250	**11.50**	DRAC 852-Y/2	2	**7.31**	DRAC 852-YI/2	2	**7.31**
10	250	gold	DRAC 1052/250	**11.67**	DRAC 1052-Y/2	2	**7.41**	DRAC 1052-YI/2	2	**7.41**
11	250	gold	DRAC 1152/250	**11.81**	DRAC 1152-Y/2	2	**7.47**	DRAC 1152-YI/2	2	**7.47**
12.5	250	gold	DRAC 1252/250	**12.06**	DRAC 1252-Y/2	2	**7.53**	DRAC 1252-YI/2	2	**7.53**
6	250	titanium	DRAC 653/250	**11.34**	DRAC 653-Y/2	2	**7.20**	DRAC 653-YI/2	2	**7.20**
8	250	titanium	DRAC 853/250	**11.50**	DRAC 853-Y/2	2	**7.31**	DRAC 853-YI/2	2	**7.31**
10	250	titanium	DRAC 1053/250	**11.67**	DRAC 1053-Y/2	2	**7.41**	DRAC 1053-YI/2	2	**7.41**
11	250	titanium	DRAC 1153/250	**11.81**	DRAC 1153-Y/2	2	**7.47**	DRAC 1153-YI/2	2	**7.47**
12.5	250	titanium	DRAC 1253/250	**12.06**	DRAC 1253-Y/2	2	**7.53**	DRAC 1253-YI/2	2	**7.53**
6	250	copper	DRAC 654/250	**11.34**	DRAC 654-Y/2	2	**7.20**	DRAC 654-YI/2	2	**7.20**
8	250	copper	DRAC 854/250	**11.50**	DRAC 854-Y/2	2	**7.31**	DRAC 854-YI/2	2	**7.31**
10	250	copper	DRAC 1054/250	**11.67**	DRAC 1054-Y/2	2	**7.41**	DRAC 1054-YI/2	2	**7.41**
11	250	copper	DRAC 1154/250	**11.81**	DRAC 1154-Y/2	2	**7.47**	DRAC 1154-YI/2	2	**7.47**
12.5	250	copper	DRAC 1254/250	**12.06**	DRAC 1254-Y/2	2	**7.53**	DRAC 1254-YI/2	2	**7.53**
6	250	bronze	DRAC 655/250	**11.34**	DRAC 655-Y/2	2	**7.20**	DRAC 655-YI/2	2	**7.20**
8	250	bronze	DRAC 855/250	**11.50**	DRAC 855-Y/2	2	**7.31**	DRAC 855-YI/2	2	**7.31**
10	250	bronze	DRAC 1055/250	**11.67**	DRAC 1055-Y/2	2	**7.41**	DRAC 1055-YI/2	2	**7.41**
11	250	bronze	DRAC 1155/250	**11.81**	DRAC 1155-Y/2	2	**7.47**	DRAC 1155-YI/2	2	**7.47**
12.5	250	bronze	DRAC 1255/250	**12.06**	DRAC 1255-Y/2	2	**7.53**	DRAC 1255-YI/2	2	**7.53**
6	250	graphite	DRAC 656/250	**11.34**	DRAC 656-Y/2	2	**7.20**	DRAC 656-YI/2	2	**7.20**
8	250	graphite	DRAC 856/250	**11.50**	DRAC 856-Y/2	2	**7.31**	DRAC 856-YI/2	2	**7.31**
10	250	graphite	DRAC 1056/250	**11.67**	DRAC 1056-Y/2	2	**7.41**	DRAC 1056-YI/2	2	**7.41**
11	250	graphite	DRAC 1156/250	**11.81**	DRAC 1156-Y/2	2	**7.47**	DRAC 1156-YI/2	2	**7.47**
12.5	250	graphite	DRAC 1256/250	**12.06**	DRAC 1256-Y/2	2	**7.53**	DRAC 1256-YI/2	2	**7.53**

Bag 20 pcs on request

Bag 20 pcs on request


gold


titanium



copper


bronze


graphite


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURONDELL Functional
Round edge trim for walls and floors
Material: Aluminium
Surface: powder coated



PU1	PU2	PU3	Cat.
10	40	-	**A**

External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	black matt (RAL 9005)	DRACM 611/250	**11.34**	DRACM 611-Y/2	2	**7.20**	DRACM 611-YI/2	2	**7.20**
8	250	black matt (RAL 9005)	DRACM 811/250	**11.50**	DRACM 811-Y/2	2	**7.31**	DRACM 811-YI/2	2	**7.31**
10	250	black matt (RAL 9005)	DRACM 1011/250	**11.67**	DRACM 1011-Y/2	2	**7.41**	DRACM 1011-YI/2	2	**7.41**
11	250	black matt (RAL 9005)	DRACM 1111/250	**11.81**	DRACM 1111-Y/2	2	**7.47**	DRACM 1111-YI/2	2	**7.47**
12.5	250	black matt (RAL 9005)	DRACM 1211/250	**12.06**	DRACM 1211-Y/2	2	**7.53**	DRACM 1211-YI/2	2	**7.53**
8	300	black matt (RAL 9005)	DRACM 811/300	**11.50**						
10	300	black matt (RAL 9005)	DRACM 1011/300	**11.67**						
12.5	300	black matt (RAL 9005)	DRACM 1211/300	**12.06**						
6	250	black	DRAC 633/250	**11.34**	DRAC 633-Y/2	2	**7.20**	DRAC 633-YI/2	2	**7.20**
8	250	black	DRAC 833/250	**11.50**	DRAC 833-Y/2	2	**7.31**	DRAC 833-YI/2	2	**7.31**
10	250	black	DRAC 1033/250	**11.67**	DRAC 1033-Y/2	2	**7.41**	DRAC 1033-YI/2	2	**7.41**
11	250	black	DRAC 1133/250	**11.81**	DRAC 1133-Y/2	2	**7.47**	DRAC 1133-YI/2	2	**7.47**
12.5	250	black	DRAC 1233/250	**12.06**	DRAC 1233-Y/2	2	**7.53**	DRAC 1233-YI/2	2	**7.53**
6	250	white matt (RAL 9003)	DRACM 612/250	**11.34**	DRACM 612-Y/2	2	**7.20**	DRACM 612-YI/2	2	**7.20**
8	250	white matt (RAL 9003)	DRACM 812/250	**11.50**	DRACM 812-Y/2	2	**7.31**	DRACM 812-YI/2	2	**7.31**
10	250	white matt (RAL 9003)	DRACM 1012/250	**11.67**	DRACM 1012-Y/2	2	**7.41**	DRACM 1012-YI/2	2	**7.41**
11	250	white matt (RAL 9003)	DRACM 1112/250	**11.81**	DRACM 1112-Y/2	2	**7.47**	DRACM 1112-YI/2	2	**7.47**
12.5	250	white matt (RAL 9003)	DRACM 1212/250	**12.06**	DRACM 1212-Y/2	2	**7.53**	DRACM 1212-YI/2	2	**7.53**
6	250	white	DRAC 630/250	**11.34**	DRAC 630-Y/2	2	**7.20**	DRAC 630-YI/2	2	**7.20**
8	250	white	DRAC 830/250	**11.50**	DRAC 830-Y/2	2	**7.31**	DRAC 830-YI/2	2	**7.31**
10	250	white	DRAC 1030/250	**11.67**	DRAC 1030-Y/2	2	**7.41**	DRAC 1030-YI/2	2	**7.41**
11	250	white	DRAC 1130/250	**11.81**	DRAC 1130-Y/2	2	**7.47**	DRAC 1230-YI/2	2	**7.53**
12.5	250	white	DRAC 1230/250	**12.06**	DRAC 1230-Y/2	2	**7.53**	DRAC 1130-YI/2	2	**7.47**
8	300	white	DRAC 830/300	**11.50**	**Bag 20 pcs on request**			**Bag 20 pcs on request**		
10	300	white	DRAC 1030/300	**11.67**						
12.5	300	white	DRAC 1230/300	**12.06**						



black matt (RAL 9005)



black




white matt (RAL 9003)




white

DURONDELL Urban
Round edge trim for walls and floors
Material: Aluminium
Surface: powder coated



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	-	**A**

PU1	PU2	PU3	Cat.
1	-	-	**A**

PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	sand (RAL 0808005)	DRAC 680/250	**11.34**	DRAC 680-Y/2	2	**7.20**	DRAC 680-YI/2	2	**7.20**
8	250	sand (RAL 0808005)	DRAC 880/250	**11.50**	DRAC 880-Y/2	2	**7.31**	DRAC 880-YI/2	2	**7.31**
10	250	sand (RAL 0808005)	DRAC 1080/250	**11.67**	DRAC 1080-Y/2	2	**7.41**	DRAC 1080-YI/2	2	**7.41**
11	250	sand (RAL 0808005)	DRAC 1180/250	**11.81**	DRAC 1180-Y/2	2	**7.47**	DRAC 1180-YI/2	2	**7.47**
12.5	250	sand (RAL 0808005)	DRAC 1280/250	**12.06**	DRAC 1280-Y/2	2	**7.53**	DRAC 1280-YI/2	2	**7.53**
8	300	sand (RAL 0808005)	DRAC 880/300	**11.50**						
10	300	sand (RAL 0808005)	DRAC 1080/300	**11.67**						
12.5	300	sand (RAL 0808005)	DRAC 1280/300	**12.06**						
6	250	agate grey matt (RAL 7038)	DRACM 60-7038/250	**11.34**	DRACM 60-7038-Y/2	2	**7.20**	DRACM 60-7038-YI/2	2	**7.20**
8	250	agate grey matt (RAL 7038)	DRACM 80-7038/250	**11.50**	DRACM 80-7038-Y/2	2	**7.31**	DRACM 80-7038-YI/2	2	**7.31**
10	250	agate grey matt (RAL 7038)	DRACM 100-7038/250	**11.67**	DRACM 100-7038-Y/2	2	**7.41**	DRACM 100-7038-YI/2	2	**7.41**
11	250	agate grey matt (RAL 7038)	DRACM 110-7038/250	**11.81**	DRACM 110-7038-Y/2	2	**7.47**	DRACM 110-7038-YI/2	2	**7.47**
12.5	250	agate grey matt (RAL 7038)	DRACM 125-7038/250	**12.06**	DRACM 125-7038-Y/2	2	**7.53**	DRACM 125-7038-YI/2	2	**7.53**
6	250	concrete grey (RAL 0006500)	DRAC 665/250	**11.34**	DRAC 665-Y/2	2	**7.20**	DRAC 665-YI/2	2	**7.20**
8	250	concrete grey (RAL 0006500)	DRAC 865/250	**11.50**	DRAC 865-Y/2	2	**7.31**	DRAC 865-YI/2	2	**7.31**
10	250	concrete grey (RAL 0006500)	DRAC 1065/250	**11.67**	DRAC 1065-Y/2	2	**7.41**	DRAC 1065-YI/2	2	**7.41**
11	250	concrete grey (RAL 0006500)	DRAC 1165/250	**11.81**	DRAC 1165-Y/2	2	**7.47**	DRAC 1165-YI/2	2	**7.47**
12.5	250	concrete grey (RAL 0006500)	DRAC 1265/250	**12.06**	DRAC 1265-Y/2	2	**7.53**	DRAC 1265-YI/2	2	**7.53**
8	300	concrete grey (RAL 0006500)	DRAC 865/300	**11.50**						
10	300	concrete grey (RAL 0006500)	DRAC 1065/300	**11.67**						
12.5	300	concrete grey (RAL 0006500)	DRAC 1265/300	**12.06**						
6	250	traffic grey A matt (RAL 7042)	DRACM 60-7042/250	**11.34**	DRACM 60-7042-Y/2	2	**7.20**	DRACM 60-7042-YI/2	2	**7.20**
8	250	traffic grey A matt (RAL 7042)	DRACM 80-7042/250	**11.50**	DRACM 80-7042-Y/2	2	**7.31**	DRACM 80-7042-YI/2	2	**7.31**
10	250	traffic grey A matt (RAL 7042)	DRACM 100-7042/250	**11.67**	DRACM 100-7042-Y/2	2	**7.41**	DRACM 100-7042-YI/2	2	**7.41**
11	250	traffic grey A matt (RAL 7042)	DRACM 110-7042/250	**11.81**	DRACM 110-7042-Y/2	2	**7.47**	DRACM 110-7042-YI/2	2	**7.47**
12.5	250	traffic grey A matt (RAL 7042)	DRACM 125-7042/250	**12.06**	DRACM 125-7042-Y/2	2	**7.53**	DRACM 125-7042-YI/2	2	**7.53**

Bag 20 pcs on request

Bag 20 pcs on request



sand (RAL 0808005)



agate grey matt (RAL 7038)



concrete grey (RAL 0006500)




traffic grey A matt (RAL 7042)


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURONDELL Urban
Round edge trim for walls and floors
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**



External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	dusty grey matt (RAL 7037)	DRACM 60-7037/250	**11.34**	DRACM 60-7037-Y/2	2	**7.20**	DRACM 60-7037-YI/2	2	**7.20**
8	250	dusty grey matt (RAL 7037)	DRACM 80-7037/250	**11.50**	DRACM 80-7037-Y/2	2	**7.31**	DRACM 80-7037-YI/2	2	**7.31**
10	250	dusty grey matt (RAL 7037)	DRACM 100-7037/250	**11.67**	DRACM 100-7037-Y/2	2	**7.41**	DRACM 100-7037-YI/2	2	**7.41**
11	250	dusty grey matt (RAL 7037)	DRACM 110-7037/250	**11.81**	DRACM 110-7037-Y/2	2	**7.47**	DRACM 110-7037-YI/2	2	**7.47**
12.5	250	dusty grey matt (RAL 7037)	DRACM 125-7037/250	**12.06**	DRACM 125-7037-Y/2	2	**7.53**	DRACM 125-7037-YI/2	2	**7.53**
6	250	telegrey 2 matt (RAL 7046)	DRACM 60-7046/250	**11.34**	DRACM 60-7046-Y/2	2	**7.20**	DRACM 60-7046-YI/2	2	**7.20**
8	250	telegrey 2 matt (RAL 7046)	DRACM 80-7046/250	**11.50**	DRACM 80-7046-Y/2	2	**7.31**	DRACM 80-7046-YI/2	2	**7.31**
10	250	telegrey 2 matt (RAL 7046)	DRACM 100-7046/250	**11.67**	DRACM 100-7046-Y/2	2	**7.41**	DRACM 100-7046-YI/2	2	**7.41**
11	250	telegrey 2 matt (RAL 7046)	DRACM 110-7046/250	**11.81**	DRACM 110-7046-Y/2	2	**7.47**	DRACM 110-7046-YI/2	2	**7.47**
12.5	250	telegrey 2 matt (RAL 7046)	DRACM 125-7046/250	**12.06**	DRACM 125-7046-Y/2	2	**7.53**	DRACM 125-7046-YI/2	2	**7.53**
6	250	basalt grey matt (RAL 7012)	DRACM 60-7012/250	**11.34**	DRACM 60-7012-Y/2	2	**7.20**	DRACM 60-7012-YI/2	2	**7.20**
8	250	basalt grey matt (RAL 7012)	DRACM 80-7012/250	**11.50**	DRACM 80-7012-Y/2	2	**7.31**	DRACM 80-7012-YI/2	2	**7.31**
10	250	basalt grey matt (RAL 7012)	DRACM 100-7012/250	**11.67**	DRACM 100-7012-Y/2	2	**7.41**	DRACM 100-7012-YI/2	2	**7.41**
11	250	basalt grey matt (RAL 7012)	DRACM 110-7012/250	**11.81**	DRACM 110-7012-Y/2	2	**7.47**	DRACM 110-7012-YI/2	2	**7.47**
12.5	250	basalt grey matt (RAL 7012)	DRACM 125-7012/250	**12.06**	DRACM 125-7012-Y/2	2	**7.53**	DRACM 125-7012-YI/2	2	**7.53**
6	250	iron grey matt (RAL 7011)	DRACM 60-7011/250	**11.34**	DRACM 60-7011-Y/2	2	**7.20**	DRACM 60-7011-YI/2	2	**7.20**
8	250	iron grey matt (RAL 7011)	DRACM 80-7011/250	**11.50**	DRACM 80-7011-Y/2	2	**7.31**	DRACM 80-7011-YI/2	2	**7.31**
10	250	iron grey matt (RAL 7011)	DRACM 100-7011/250	**11.67**	DRACM 100-7011-Y/2	2	**7.41**	DRACM 100-7011-YI/2	2	**7.41**
11	250	iron grey matt (RAL 7011)	DRACM 110-7011/250	**11.81**	DRACM 110-7011-Y/2	2	**7.47**	DRACM 110-7011-YI/2	2	**7.47**
12.5	250	iron grey matt (RAL 7011)	DRACM 125-7011/250	**12.06**	DRACM 125-7011-Y/2	2	**7.53**	DRACM 125-7011-YI/2	2	**7.53**
6	250	anthracite grey matt (RAL 7016)	DRACM 60-7016/250	**11.34**	DRACM 60-7016-Y/2	2	**7.20**	DRACM 60-7016-YI/2	2	**7.20**
8	250	anthracite grey matt (RAL 7016)	DRACM 80-7016/250	**11.50**	DRACM 80-7016-Y/2	2	**7.31**	DRACM 80-7016-YI/2	2	**7.31**
10	250	anthracite grey matt (RAL 7016)	DRACM 100-7016/250	**11.67**	DRACM 100-7016-Y/2	2	**7.41**	DRACM 100-7016-YI/2	2	**7.41**
11	250	anthracite grey matt (RAL 7016)	DRACM 110-7016/250	**11.81**	DRACM 110-7016-Y/2	2	**7.47**	DRACM 110-7016-YI/2	2	**7.47**
12.5	250	anthracite grey matt (RAL 7016)	DRACM 125-7016/250	**12.06**	DRACM 125-7016-Y/2	2	**7.53**	DRACM 125-7016-YI/2	2	**7.53**
6	250	black grey matt (RAL 7021)	DRACM 60-7021/250	**11.34**	DRACM 60-7021-Y/2	2	**7.20**	DRACM 60-7021-YI/2	2	**7.20**
8	250	black grey matt (RAL 7021)	DRACM 80-7021/250	**11.50**	DRACM 80-7021-Y/2	2	**7.31**	DRACM 80-7021-YI/2	2	**7.31**
10	250	black grey matt (RAL 7021)	DRACM 100-7021/250	**11.67**	DRACM 100-7021-Y/2	2	**7.41**	DRACM 100-7021-YI/2	2	**7.41**
11	250	black grey matt (RAL 7021)	DRACM 110-7021/250	**11.81**	DRACM 110-7021-Y/2	2	**7.47**	DRACM 110-7021-YI/2	2	**7.47**
12.5	250	black grey matt (RAL 7021)	DRACM 125-7021/250	**12.06**	DRACM 125-7021-Y/2	2	**7.53**	DRACM 125-7021-YI/2	2	**7.53**

Bag 20 pcs on request

Bag 20 pcs on request


dusty grey matt (RAL 7037)


telegrey 2 matt (RAL 7046)



basalt grey matt (RAL 7012)


iron grey matt (RAL 7011)


anthracite grey matt (RAL 7016)



black grey matt (RAL 7021)

DURONDELL Country
Round edge trim for walls and floors
Material: Aluminium
Surface: tactile coated



PU1	PU2	PU3	Cat.
10	40	-	A

External corner



PU1	PU2	PU3	Cat.
1	-	-	A

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	A

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	cream (RAL 9001)	DRACS 60-9001/250	**11.34**	DRACS 60-9001-Y/2	2	**7.20**	DRACS 60-9001-YI/2	2	**7.20**
8	250	cream (RAL 9001)	DRACS 80-9001/250	**11.50**	DRACS 80-9001-Y/2	2	**7.31**	DRACS 80-9001-YI/2	2	**7.31**
10	250	cream (RAL 9001)	DRACS 100-9001/250	**11.67**	DRACS 100-9001-Y/2	2	**7.41**	DRACS 100-9001-YI/2	2	**7.41**
11	250	cream (RAL 9001)	DRACS 110-9001/250	**11.81**	DRACS 110-9001-Y/2	2	**7.47**	DRACS 110-9001-YI/2	2	**7.47**
12.5	250	cream (RAL 9001)	DRACS 125-9001/250	**12.06**	DRACS 125-9001-Y/2	2	**7.53**	DRACS 125-9001-YI/2	2	**7.53**
6	250	oyster white (RAL 1013)	DRACS 60-1013/250	**11.34**	DRACS 60-1013-Y/2	2	**7.20**	DRACS 60-1013-YI/2	2	**7.20**
8	250	oyster white (RAL 1013)	DRACS 80-1013/250	**11.50**	DRACS 80-1013-Y/2	2	**7.31**	DRACS 80-1013-YI/2	2	**7.31**
10	250	oyster white (RAL 1013)	DRACS 100-1013/250	**11.67**	DRACS 100-1013-Y/2	2	**7.41**	DRACS 100-1013-YI/2	2	**7.41**
11	250	oyster white (RAL 1013)	DRACS 110-1013/250	**11.81**	DRACS 110-1013-Y/2	2	**7.47**	DRACS 110-1013-YI/2	2	**7.47**
12.5	250	oyster white (RAL 1013)	DRACS 125-1013/250	**12.06**	DRACS 125-1013-Y/2	2	**7.53**	DRACS 125-1013-YI/2	2	**7.53**
6	250	light ivory (RAL 1015)	DRACS 60-1015/250	**11.34**	DRACS 60-1015-Y/2	2	**7.20**	DRACS 60-1015-YI/2	2	**7.20**
8	250	light ivory (RAL 1015)	DRACS 80-1015/250	**11.50**	DRACS 80-1015-Y/2	2	**7.31**	DRACS 80-1015-YI/2	2	**7.31**
10	250	light ivory (RAL 1015)	DRACS 100-1015/250	**11.67**	DRACS 100-1015-Y/2	2	**7.41**	DRACS 100-1015-YI/2	2	**7.41**
11	250	light ivory (RAL 1015)	DRACS 110-1015/250	**11.81**	DRACS 110-1015-Y/2	2	**7.47**	DRACS 110-1015-YI/2	2	**7.47**
12.5	250	light ivory (RAL 1015)	DRACS 125-1015/250	**12.06**	DRACS 125-1015-Y/2	2	**7.53**	DRACS 125-1015-YI/2	2	**7.53**
6	250	ivory (RAL 1014)	DRACS 60-1014/250	**11.34**	DRACS 60-1014-Y/2	2	**7.20**	DRACS 60-1014-YI/2	2	**7.20**
8	250	ivory (RAL 1014)	DRACS 80-1014/250	**11.50**	DRACS 80-1014-Y/2	2	**7.31**	DRACS 80-1014-YI/2	2	**7.31**
10	250	ivory (RAL 1014)	DRACS 100-1014/250	**11.67**	DRACS 100-1014-Y/2	2	**7.41**	DRACS 100-1014-YI/2	2	**7.41**
11	250	ivory (RAL 1014)	DRACS 110-1014/250	**11.81**	DRACS 110-1014-Y/2	2	**7.47**	DRACS 110-1014-YI/2	2	**7.47**
12.5	250	ivory (RAL 1014)	DRACS 125-1014/250	**12.06**	DRACS 125-1014-Y/2	2	**7.53**	DRACS 125-1014-YI/2	2	**7.53**
6	250	grey beige (RAL 1019)	DRACS 60-1019/250	**11.34**	DRACS 60-1019-Y/2	2	**7.20**	DRACS 60-1019-YI/2	2	**7.20**
8	250	grey beige (RAL 1019)	DRACS 80-1019/250	**11.50**	DRACS 80-1019-Y/2	2	**7.31**	DRACS 80-1019-YI/2	2	**7.31**
10	250	grey beige (RAL 1019)	DRACS 100-1019/250	**11.67**	DRACS 100-1019-Y/2	2	**7.41**	DRACS 100-1019-YI/2	2	**7.41**
11	250	grey beige (RAL 1019)	DRACS 110-1019/250	**11.81**	DRACS 110-1019-Y/2	2	**7.47**	DRACS 110-1019-YI/2	2	**7.47**
12.5	250	grey beige (RAL 1019)	DRACS 125-1019/250	**12.06**	DRACS 125-1019-Y/2	2	**7.53**	DRACS 125-1019-YI/2	2	**7.53**
6	250	beige grey (RAL 7006)	DRACS 60-7006/250	**11.34**	DRACS 60-7006-Y/2	2	**7.20**	DRACS 60-7006-YI/2	2	**7.20**
8	250	beige grey (RAL 7006)	DRACS 80-7006/250	**11.50**	DRACS 80-7006-Y/2	2	**7.31**	DRACS 80-7006-YI/2	2	**7.31**
10	250	beige grey (RAL 7006)	DRACS 100-7006/250	**11.67**	DRACS 100-7006-Y/2	2	**7.41**	DRACS 100-7006-YI/2	2	**7.41**
11	250	beige grey (RAL 7006)	DRACS 110-7006/250	**11.81**	DRACS 110-7006-Y/2	2	**7.47**	DRACS 110-7006-YI/2	2	**7.47**
12.5	250	beige grey (RAL 7006)	DRACS 125-7006/250	**12.06**	DRACS 125-7006-Y/2	2	**7.53**	DRACS 125-7006-YI/2	2	**7.53**

Bag 20 pcs on request

Bag 20 pcs on request


cream (RAL 9001)


oyster white (RAL 1013)


light ivory (RAL 1015)



ivory (RAL 1014)


grey beige (RAL 1019)



beige grey (RAL 7006)

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURONDELL Country
Round edge trim for walls and floors
Material: Aluminium
Surface: tactile coated



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	moss grey (RAL 7003)	DRACS 60-7003/250	**11.34**	DRACS 60-7003-Y/2	2	**7.20**	DRACS 60-7003-YI/2	2	**7.20**
8	250	moss grey (RAL 7003)	DRACS 80-7003/250	**11.50**	DRACS 80-7003-Y/2	2	**7.31**	DRACS 80-7003-YI/2	2	**7.31**
10	250	moss grey (RAL 7003)	DRACS 100-7003/250	**11.67**	DRACS 100-7003-Y/2	2	**7.41**	DRACS 100-7003-YI/2	2	**7.41**
11	250	moss grey (RAL 7003)	DRACS 110-7003/250	**11.81**	DRACS 110-7003-Y/2	2	**7.47**	DRACS 110-7003-YI/2	2	**7.47**
12.5	250	moss grey (RAL 7003)	DRACS 125-7003/250	**12.06**	DRACS 125-7003-Y/2	2	**7.53**	DRACS 125-7003-YI/2	2	**7.53**
6	250	brown grey (RAL 7013)	DRACS 60-7013/250	**11.34**	DRACS 60-7013-Y/2	2	**7.20**	DRACS 60-7013-YI/2	2	**7.20**
8	250	brown grey (RAL 7013)	DRACS 80-7013/250	**11.50**	DRACS 80-7013-Y/2	2	**7.31**	DRACS 80-7013-YI/2	2	**7.31**
10	250	brown grey (RAL 7013)	DRACS 100-7013/250	**11.67**	DRACS 100-7013-Y/2	2	**7.41**	DRACS 100-7013-YI/2	2	**7.41**
11	250	brown grey (RAL 7013)	DRACS 110-7013/250	**11.81**	DRACS 110-7013-Y/2	2	**7.47**	DRACS 110-7013-YI/2	2	**7.47**
12.5	250	brown grey (RAL 7013)	DRACS 125-7013/250	**12.06**	DRACS 125-7013-Y/2	2	**7.53**	DRACS 125-7013-YI/2	2	**7.53**
6	250	yellow olive (RAL 6014)	DRACS 60-6014/250	**11.34**	DRACS 60-6014-Y/2	2	**7.20**	DRACS 60-6014-YI/2	2	**7.20**
8	250	yellow olive (RAL 6014)	DRACS 80-6014/250	**11.50**	DRACS 80-6014-Y/2	2	**7.31**	DRACS 80-6014-YI/2	2	**7.31**
10	250	yellow olive (RAL 6014)	DRACS 100-6014/250	**11.67**	DRACS 100-6014-Y/2	2	**7.41**	DRACS 100-6014-YI/2	2	**7.41**
11	250	yellow olive (RAL 6014)	DRACS 110-6014/250	**11.81**	DRACS 110-6014-Y/2	2	**7.47**	DRACS 110-6014-YI/2	2	**7.47**
12.5	250	yellow olive (RAL 6014)	DRACS 125-6014/250	**12.06**	DRACS 125-6014-Y/2	2	**7.53**	DRACS 125-6014-YI/2	2	**7.53**
6	250	terra brown (RAL 8028)	DRACS 60-8028/250	**11.34**	DRACS 60-8028-Y/2	2	**7.20**	DRACS 60-8028-YI/2	2	**7.20**
8	250	terra brown (RAL 8028)	DRACS 80-8028/250	**11.50**	DRACS 80-8028-Y/2	2	**7.31**	DRACS 80-8028-YI/2	2	**7.31**
10	250	terra brown (RAL 8028)	DRACS 100-8028/250	**11.67**	DRACS 100-8028-Y/2	2	**7.41**	DRACS 100-8028-YI/2	2	**7.41**
11	250	terra brown (RAL 8028)	DRACS 110-8028/250	**11.81**	DRACS 110-8028-Y/2	2	**7.47**	DRACS 110-8028-YI/2	2	**7.47**
12.5	250	terra brown (RAL 8028)	DRACS 125-8028/250	**12.06**	DRACS 125-8028-Y/2	2	**7.53**	DRACS 125-8028-YI/2	2	**7.53**
6	250	grey brown (RAL 8019)	DRACS 60-8019/250	**11.34**	DRACS 60-8019-Y/2	2	**7.20**	DRACS 60-8019-YI/2	2	**7.20**
8	250	grey brown (RAL 8019)	DRACS 80-8019/250	**11.50**	DRACS 80-8019-Y/2	2	**7.31**	DRACS 80-8019-YI/2	2	**7.31**
10	250	grey brown (RAL 8019)	DRACS 100-8019/250	**11.67**	DRACS 100-8019-Y/2	2	**7.41**	DRACS 100-8019-YI/2	2	**7.41**
11	250	grey brown (RAL 8019)	DRACS 110-8019/250	**11.81**	DRACS 110-8019-Y/2	2	**7.47**	DRACS 110-8019-YI/2	2	**7.47**
12.5	250	grey brown (RAL 8019)	DRACS 125-8019/250	**12.06**	DRACS 125-8019-Y/2	2	**7.53**	DRACS 125-8019-YI/2	2	**7.53**

Bag 20 pcs on request

Bag 20 pcs on request


moss grey (RAL 7003)


brown grey (RAL 7013)



yellow olive (RAL 6014)


terra brown (RAL 8028)


grey brown (RAL 8019)


COLOUR YOUR STYLE
FUNCTIONAL
TACTILE COATED
GOLD (52)
TACTILE COATED
GRAPHITE (56)


COLOUR YOUR STYLE
URBAN
TACTILE COATED
RAL 7038
AGATE GREY
TACTILE COATED
RAL 7046
TELEGREY 2


COLOUR YOUR STYLE
COUNTRY
TACTILE
COATED
RAL 1015
LIGHT IVORY
TACTILE
COATED
RAL 8019
GREY
BROWN



ALUMINIUM SILVER HIGH-GLOSS ANODISED

ALUMINIUM TITANIUM ANODISED



ALUMINIUM TACTILE COATED BEIGE





beige


brown



anthracite

DURONDELL Aluminium
Round edge trim profile for walls
Material: Aluminium
Surface: tactile coated



PU1	PU2	PU3	Cat.
10	40	–	**A**

External corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	beige	DRACS 632/250	**11.34**	DRACS 632-Y/2	2	**7.20**	DRACS 632-YI/2	2	**7.20**
8	250	beige	DRACS 832/250	**11.50**	DRACS 832-Y/2	2	**7.31**	DRACS 832-YI/2	2	**7.31**
10	250	beige	DRACS 1032/250	**11.67**	DRACS 1032-Y/2	2	**7.41**	DRACS 1032-YI/2	2	**7.41**
11	250	beige	DRACS 1132/250	**11.81**	DRACS 1132-Y/2	2	**7.47**	DRACS 1132-YI/2	2	**7.47**
12.5	250	beige	DRACS 1232/250	**12.06**	DRACS 1232-Y/2	2	**7.53**	DRACS 1232-YI/2	2	**7.53**
6	250	brown	DRACS 635/250	**11.34**	DRACS 635-Y/2	2	**7.20**	DRACS 635-YI/2	2	**7.20**
8	250	brown	DRACS 835/250	**11.50**	DRACS 835-Y/2	2	**7.31**	DRACS 835-YI/2	2	**7.31**
10	250	brown	DRACS 1035/250	**11.67**	DRACS 1035-Y/2	2	**7.41**	DRACS 1035-YI/2	2	**7.41**
11	250	brown	DRACS 1135/250	**11.81**	DRACS 1135-Y/2	2	**7.47**	DRACS 1135-YI/2	2	**7.47**
12.5	250	brown	DRACS 1235/250	**12.06**	DRACS 1235-Y/2	2	**7.53**	DRACS 1235-YI/2	2	**7.53**
6	250	anthracite	DRACS 633/250	**11.34**	DRACS 633-Y/2	2	**7.20**	DRACS 633-YI/2	2	**7.20**
8	250	anthracite	DRACS 833/250	**11.50**	DRACS 833-Y/2	2	**7.31**	DRACS 833-YI/2	2	**7.31**
10	250	anthracite	DRACS 1033/250	**11.67**	DRACS 1033-Y/2	2	**7.41**	DRACS 1033-YI/2	2	**7.41**
11	250	anthracite	DRACS 1133/250	**11.81**	DRACS 1133-Y/2	2	**7.47**	DRACS 1133-YI/2	2	**7.47**
12.5	250	anthracite	DRACS 1233/250	**12.06**	DRACS 1233-Y/2	2	**7.53**	DRACS 1233-YI/2	2	**7.53**


Bag 20 pcs on request | **Bag 20 pcs on request**


silver anodised


gold anodised



titanium anodised

DURONDELL Aluminium
Round edge trim profile for walls
Material: Aluminium
Surface: anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

External corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Internal corner




PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	silver	DRAE 60/250	**5.81**	DRAE 60-Y/2	2	**5.49**	DRAE 60-YI/2	2	**5.49**
8	250	silver	DRAE 80/250	**5.92**	DRAE 80-Y/2	2	**5.49**	DRAE 80-YI/2	2	**5.49**
10	250	silver	DRAE 100/250	**6.37**	DRAE 100-Y/2	2	**5.49**	DRAE 100-YI/2	2	**5.49**
11	250	silver	DRAE 110/250	**7.18**	DRAE 110-Y/2	2	**5.49**	DRAE 110-YI/2	2	**5.49**
12.5	250	silver	DRAE 125/250	**7.39**	DRAE 125-Y/2	2	**5.49**	DRAE 125-YI/2	2	**5.49**
6	300	silver	DRAE 60/300	**5.81**						
8	300	silver	DRAE 80/300	**5.92**						
10	300	silver	DRAE 100/300	**6.37**						
12.5	300	silver	DRAE 125/300	**7.39**						
10	250	gold	DRAE 100-G/250	**6.37**	DRAE 100-G-Y/2	2	**5.84**	DRAE 100-G-YI/2	2	**5.84**
8	250	titanium	DRAE 80-T/250	**5.92**	DRAE 80-T-Y/2	2	**5.84**	DRAE 100-T-YI/2	2	**5.84**
10	250	titanium	DRAE 100-T/250	**6.37**	DRAE 100-T-Y/2	2	**5.84**	DRAE 125-T-YI/2	2	**5.84**
12.5	250	titanium	DRAE 125-T/250	**7.39**	DRAE 125-T-Y/2	2	**5.84**	DRAE 80-T-YI/2	2	**5.84**


Bag 20 pcs on request | **Bag 20 pcs on request**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURONDELL Aluminium
Round edge trim profile for walls
Material: Aluminium
Surface: high-gloss anodised



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	–	AA

PU1	PU2	PU3	Cat.
1	–	–	AA

PU1	PU2	PU3	Cat.
1	–	–	AA

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
6	250	silver	DRA 662/250	**4.52**	DRA 662-Y/2	2	**3.32**	DRA 662-YI/2	2	**3.20**
8	250	silver	DRA 862/250	**5.16**	DRA 862-Y/2	2	**3.78**	DRA 862-YI/2	2	**3.66**
10	250	silver	DRA 1062/250	**5.71**	DRA 1062-Y/2	2	**4.24**	DRA 1062-YI/2	2	**4.12**
12.5	250	silver	DRA 1262/250	**6.43**	DRA 1262-Y/2	2	**4.42**	DRA 1262-YI/2	2	**4.24**
6	300	silver	DRA 662/300	**4.52**						
8	300	silver	DRA 862/300	**5.16**						
10	300	silver	DRA 1062/300	**5.71**						
10	250	gold	DRA 1061/250	**5.71**	DRA 1061-Y/2	2	**4.18**	DRA 1061-YI/2	2	**4.12**

Bag 20 pcs on request | **Bag 20 pcs on request**




silver
high-gloss anodised




gold
high-gloss anodised

DURONDELL Aluminium
Round edge trim profile for walls
Material: Aluminium
Surface: brushed, high-gloss anodised



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	–	AA

PU1	PU2	PU3	Cat.
1	–	–	AA

PU1	PU2	PU3	Cat.
1	–	–	AA

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	silver	DRA 862-SF/250	**4.61**	DRA 862-SF-Y/2	2	**2.61**	DRA 862-SF-YI/2	2	**2.61**
10	250	silver	DRA 1062-SF/250	**5.62**	DRA 1062-SF-Y/2	2	**3.32**	DRA 1062-SF-YI/2	2	**3.32**
12.5	250	silver	DRA 1262-SF/250	**5.74**	DRA 1262-SF-Y/2	2	**3.52**	DRA 1262-SF-YI/2	2	**3.52**
8	300	silver	DRA 862-SF/300	**4.61**						
10	300	silver	DRA 1062-SF/300	**5.62**						
12.5	300	silver	DRA 1262-SF/300	**5.74**						
8	250	titanium	DRA 863-SF-YI/2	**2.30**	DRA 863-SF-Y/2	2	**2.30**	DRA 863-SF/250	2	**4.61**
10	250	titanium	DRA 1063-SF/250	**5.62**	DRA 1063-SF-Y/2	2	**2.81**	DRA 1063-SF-YI/2	2	**2.81**
12.5	250	titanium	DRA 1263-SF/250	**5.74**	DRA 1263-SF-Y/2	2	**2.87**	DRA 1263-SF-YI/2	2	**2.87**

Bag 20 pcs on request | **Bag 20 pcs on request**



silver
brushed, high-gloss anodised




titanium
brushed, high-gloss anodised



Stainless Steel (304)
natural


DURONDELL
Stainless Steel (304)
Round edge trim profile
for walls and floors
Material: Stainless Steel (304)
Surface: natural



PU1	PU2	PU3	Cat.
10	100	–	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DRE 60/250	**13.08**
8	250	natural	DRE 80/250	**14.08**
10	250	natural	DRE 100/250	**15.11**
11	250	natural	DRE 110/250	**15.76**
12.5	250	natural	DRE 125/250	**16.32**
8	300	natural	DRE 80/300	**14.08**
10	300	natural	DRE 100/300	**15.11**
12.5	300	natural	DRE 125/300	**16.32**

External corner



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
DRE 60-Y/1	1	**15.63**
DRE 80-Y/1	1	**16.40**
DRE 100-Y/1	1	**16.99**
DRE 110-Y/1	1	**17.53**
DRE 125-Y/1	1	**18.14**

Bag 20 pcs on request

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	A


Item code	Piece/ Blister	£/ piece
DRE 60-YI/1	1	**15.07**
DRE 80-YI/1	1	**15.71**
DRE 100-YI/1	1	**16.94**
DRE 110-YI/1	1	**17.47**
DRE 125-YI/1	1	**18.64**

Bag 20 pcs on request



Stainless Steel (304)
high-gloss polished


DURONDELL
Stainless Steel (304)
Round edge trim profile
for walls and floors
Material: Stainless Steel (304)
Surface:
high-gloss polished



PU1	PU2	PU3	Cat.
10	100	–	A

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DRE 60-SP/250	**17.16**
8	250	natural	DRE 80-SP/250	**18.06**
10	250	natural	DRE 100-SP/250	**18.92**
11	250	natural	DRE 110-SP/250	**19.39**
12.5	250	natural	DRE 125-SP/250	**19.95**

External corner



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
DRE 60-SP-Y/1	1	**19.41**
DRE 80-SP-Y/1	1	**19.71**
DRE 100-SP-Y/1	1	**20.72**
DRE 110-SP-Y/1	1	**21.69**
DRE 125-SP-Y/1	1	**21.86**

Bag 20 pcs on request

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
DRE 60-SP-YI/1	1	**19.51**
DRE 80-SP-YI/1	1	**20.15**
DRE 100-SP-YI/1	1	**20.67**
DRE 110-SP-YI/1	1	**21.58**
DRE 125-SP-YI/1	1	**21.86**

Bag 20 pcs on request

STAINLESS STEEL (304) NATURAL



STAINLESS STEEL (304) HIGH-GLOSS POLISHED




DURONDELL Stainless Steel (304)

Round edge trim profile for walls and floors

Material: Stainless Steel (304)


Surface: brushed



PU1	PU2	PU3	Cat.
10	100	–	**A**

Height mm	Length cm	Colour	Item code	£/lm
6	250	natural	DRE 60-SF/250	**17.68**
8	250	natural	DRE 80-SF/250	**18.06**
10	250	natural	DRE 100-SF/250	**18.92**
11	250	natural	DRE 110-SF/250	**19.15**
12.5	250	natural	DRE 125-SF/250	**19.48**
6	300	natural	DRE 60-SF/300	**17.68**
8	300	natural	DRE 80-SF/300	**18.06**
10	300	natural	DRE 100-SF/300	**18.92**
11	300	natural	DRE 110-SF/300	**19.15**
12.5	300	natural	DRE 125-SF/300	**19.48**

External corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DRE 60-SF-Y/1	1	**16.32**
DRE 80-SF-Y/1	1	**16.55**
DRE 100-SF-Y/1	1	**16.57**
DRE 110-SF-Y/1	1	**17.04**
DRE 125-SF-Y/1	1	**19.20**

Bag 20 pcs on request

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DRE 60-SF-YI/1	1	**14.22**
DRE 80-SF-YI/1	1	**14.59**
DRE 100-SF-YI/1	1	**16.57**
DRE 110-SF-YI/1	1	**17.13**
DRE 125-SF-YI/1	1	**17.99**

Bag 20 pcs on request




Stainless Steel (304) brushed

DURONDELL PVC

Round edge trim profile for walls


Material: PVC



PU1	PU2	PU3	Cat.
10	100	–	**C**

Height mm	Length cm	Colour	Item code	£/lm
6	250	white	DRP 630/250	**3.04**
8	250	white	DRP 830/250	**3.23**
10	250	white	DRP 1030/250	**3.31**
11	250	white	DRP 1130/250	**3.41**
12.5	250	white	DRP 1230/250	**3.46**
8	300	white	DRP 830/300	**3.23**
10	300	white	DRP 1030/300	**3.31**
12.5	300	white	DRP 1230/300	**3.46**
6	250	silver grey	DRP 651/250	**3.04**
8	250	silver grey	DRP 851/250	**3.23**
10	250	silver grey	DRP 1051/250	**3.31**
11	250	silver grey	DRP 1151/250	**3.41**
12.5	250	silver grey	DRP 1251/250	**3.46**
6	250	black	DRP 633/250	**3.04**
8	250	black	DRP 833/250	**3.23**
10	250	black	DRP 1033/250	**3.31**
11	250	black	DRP 1133/250	**3.41**
12.5	250	black	DRP 1233/250	**3.46**

External corner



PU1	PU2	PU3	Cat.
1	–	–	**C**

Item code	Piece/ Blister	£/ piece
DRP 630-Y/2	2	**0.86**
DRP 830-Y/2	2	**0.90**
DRP 1030-Y/2	2	**0.93**
DRP 1130-Y/2	2	**0.97**
DRP 1230-Y/2	2	**0.99**
DRP 651-Y/2	2	**0.86**
DRP 851-Y/2	2	**0.90**
DRP 1051-Y/2	2	**0.93**
DRP 1151-Y/2	2	**0.97**
DRP 1251-Y/2	2	**0.99**
DRP 633-Y/2	2	**0.86**
DRP 833-Y/2	2	**0.90**
DRP 1033-Y/2	2	**0.93**
DRP 1133-Y/2	2	**0.97**
DRP 1233-Y/2	2	**0.99**

Bag 20 pcs on request

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	**C**

Item code	Piece/ Blister	£/ piece
DRP 630-YI/2	2	**0.74**
DRP 830-YI/2	2	**0.77**
DRP 1030-YI/2	2	**0.87**
DRP 1130-YI/2	2	**0.91**
DRP 1230-YI/2	2	**0.93**
DRP 651-YI/2	2	**0.74**
DRP 851-YI/2	2	**0.77**
DRP 1051-YI/2	2	**0.87**
DRP 1151-YI/2	2	**0.91**
DRP 1251-YI/2	2	**0.93**
DRP 633-YI/2	2	**0.74**
DRP 833-YI/2	2	**0.77**
DRP 1033-YI/2	2	**0.87**
DRP 1133-YI/2	2	**0.91**
DRP 1233-YI/2	2	**0.93**

Bag 20 pcs on request



white



silver grey



black

PROFILE SERIES WITH **45° DIAMOND CUT**

DURAPLUS DIAMOND

COLOUR YOUR STYLE
ALUMINIUM POWDER COATED

FUNCTIONAL P. 58
URBAN P. 60
COUNTRY P. 62

ALUMINIUM ANODISED P. 65



ALUMINIUM
SAND (RAL 0808005) POWDER COATED

ALUMINIUM
BLACK MATT (RAL 9005) POWDER COATED






ALUMINIUM SILVER ANODISED

DURAPLUS DIAMOND - PROFILE SURFACE		DURAPLUS DIAMOND - AVAILABLE PROFILE HEIGHTS (mm)				
ALUMINIUM		8	9	10	11	12.5
POWDER COATED FUNCTIONAL						
52	gold	•		•	•	
53	titanium	•		•	•	
54	copper	•		•	•	
55	bronze	•		•	•	
56	graphite	•		•	•	
9005	black matt	•	•3	•3	•3	
9005	black	•		•	•	
9003	white matt	•		•	•	
9003	white	•		•	•	
POWDER COATED MATT URBAN						
0808005	sand	•	•3	•3	•3	
7038	agate grey	•		•	•	
0006500	concrete grey	•	•3	•3	•3	
7042	traffic grey A	•		•	•	
7037	dusty grey	•		•	•	
7046	telegrey 2	•		•	•	
7012	basalt grey	•		•	•	
7011	iron grey	•		•	•	
7016	anthracite grey	•		•	•	
7021	black grey	•		•	•	
TACTILE COATED COUNTRY						
9001	cream	•		•	•	
1013	oyster white	•		•	•	
1015	light ivory	•		•	•	
1014	ivory	•		•	•	
1019	grey beige	•		•	•	
7006	beige grey	•		•	•	
7003	moss grey	•		•	•	
6014	yellow olive	•		•	•	
7013	brown grey	•		•	•	
8028	terra brown	•		•	•	
8019	grey brown	•		•	•	
ANODISED						
anodised silver			•3	•3	•3	
BRASS						
natural			•		•	•
high-gloss with peel-off strip			•		•	•
chrome			•		•	•


• Profile in standard length 250 cm 1 Profile also available in length 100 cm 3 Profile also available in length 300 cm Corner piece available

DURAPLUS DIAMOND Functional
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: powder coated




PU1	PU2	PU3	Cat.
10	40	-	**A**

External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	gold	DPDAC 852/250	**13.99**	DPDAC 852-Y/2	2	**5.43**	DPDAC 852-YI/2	2	**5.43**
10	250	gold	DPDAC 1052/250	**15.58**	DPDAC 1052-Y/2	2	**5.43**	DPDAC 1052-YI/2	2	**5.43**
11	250	gold	DPDAC 1152/250	**16.48**	DPDAC 1152-Y/2	2	**5.43**	DPDAC 1152-YI/2	2	**5.43**
8	250	titanium	DPDAC 853/250	**13.99**	DPDAC 853-Y/2	2	**5.43**	DPDAC 853-YI/2	2	**5.43**
10	250	titanium	DPDAC 1053/250	**15.58**	DPDAC 1053-Y/2	2	**5.43**	DPDAC 1053-YI/2	2	**5.43**
11	250	titanium	DPDAC 1153/250	**16.48**	DPDAC 1153-Y/2	2	**5.43**	DPDAC 1153-YI/2	2	**5.43**
8	250	copper	DPDAC 854/250	**13.99**	DPDAC 854-Y/2	2	**5.43**	DPDAC 854-YI/2	2	**5.43**
10	250	copper	DPDAC 1054/250	**15.58**	DPDAC 1054-Y/2	2	**5.43**	DPDAC 1054-YI/2	2	**5.43**
11	250	copper	DPDAC 1154/250	**16.48**	DPDAC 1154-Y/2	2	**5.43**	DPDAC 1154-YI/2	2	**5.43**
8	250	bronze	DPDAC 855/250	**13.99**	DPDAC 855-Y/2	2	**5.43**	DPDAC 855-YI/2	2	**5.43**
10	250	bronze	DPDAC 1055/250	**15.58**	DPDAC 1055-Y/2	2	**5.43**	DPDAC 1055-YI/2	2	**5.43**
11	250	bronze	DPDAC 1155/250	**16.48**	DPDAC 1155-Y/2	2	**5.43**	DPDAC 1155-YI/2	2	**5.43**
8	250	graphite	DPDAC 856/250	**13.99**	DPDAC 856-Y/2	2	**5.43**	DPDAC 856-YI/2	2	**5.43**
10	250	graphite	DPDAC 1056/250	**15.58**	DPDAC 1056-Y/2	2	**5.43**	DPDAC 1056-YI/2	2	**5.43**
11	250	graphite	DPDAC 1156/250	**16.48**	DPDAC 1156-Y/2	2	**5.43**	DPDAC 1156-YI/2	2	**5.43**

Bag 20 pcs on request

Bag 20 pcs on request


gold



titanium


copper


bronze



graphite

DURAPLUS DIAMOND Functional
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: powder coated




PU1	PU2	PU3	Cat.
10	40	-	**A**

External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	black matt (RAL 9005)	DPDACM 811/250	**13.99**	DPDACM 811-Y/2	2	**5.43**	DPDACM 811-YI/2	2	**5.43**
9	250	black matt (RAL 9005)	DPDACM 911/250	**14.76**	DPDACM 911-Y/2	2	**5.43**	DPDACM 911-YI/2	2	**5.43**
10	250	black matt (RAL 9005)	DPDACM 1011/250	**15.58**	DPDACM 1011-Y/2	2	**5.43**	DPDACM 1011-YI/2	2	**5.43**
11	250	black matt (RAL 9005)	DPDACM 1111/250	**16.48**	DPDACM 1111-Y/2	2	**5.43**	DPDACM 1111-YI/2	2	**5.43**
9	300	black matt (RAL 9005)	DPDACM 911/300	**14.76**						
10	300	black matt (RAL 9005)	DPDACM 1011/300	**15.58**						
11	300	black matt (RAL 9005)	DPDACM 1111/300	**16.48**						
8	250	black	DPDAC 833/250	**13.99**	DPDAC 833-Y/2	2	**5.43**	DPDAC 833-YI/2	2	**5.43**
10	250	black	DPDAC 1033/250	**15.58**	DPDAC 1033-Y/2	2	**5.43**	DPDAC 1033-YI/2	2	**5.43**
11	250	black	DPDAC 1133/250	**16.48**	DPDAC 1133-Y/2	2	**5.43**	DPDAC 1133-YI/2	2	**5.43**
8	250	white matt (RAL 9003)	DPDACM 812/250	**13.99**	DPDACM 812-Y/2	2	**5.43**	DPDACM 812-YI/2	2	**5.43**
10	250	white matt (RAL 9003)	DPDACM 1012/250	**15.58**	DPDACM 1012-Y/2	2	**5.43**	DPDACM 1012-YI/2	2	**5.43**
11	250	white matt (RAL 9003)	DPDACM 1112/250	**16.48**	DPDACM 1112-Y/2	2	**5.43**	DPDACM 1112-YI/2	2	**5.43**
8	250	white	DPDAC 830/250	**13.99**	DPDAC 830-Y/2	2	**5.43**	DPDAC 830-YI/2	2	**5.43**
10	250	white	DPDAC 1030/250	**15.58**	DPDAC 1030-Y/2	2	**5.43**	DPDAC 1030-YI/2	2	**5.43**
11	250	white	DPDAC 1130/250	**16.48**	DPDAC 1130-Y/2	2	**5.43**	DPDAC 1130-YI/2	2	**5.43**
					Bag 20 pcs on request			**Bag 20 pcs on request**		



black matt (RAL 9005)



black




white matt (RAL 9003)




white

DURAPLUS DIAMOND Urban
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	–	**A**




External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	sand (RAL 0808005)	DPDAC 880/250	**13.99**	DPDAC 880-Y/2	2	**5.43**	DPDAC 880-YI/2	2	**5.43**
9	250	sand (RAL 0808005)	DPDAC 980/250	**14.76**	DPDAC 980-Y/2	2	**5.43**	DPDAC 980-YI/2	2	**5.43**
10	250	sand (RAL 0808005)	DPDAC 1080/250	**15.58**	DPDAC 1080-Y/2	2	**5.43**	DPDAC 1080-YI/2	2	**5.43**
11	250	sand (RAL 0808005)	DPDAC 1180/250	**16.48**	DPDAC 1180-Y/2	2	**5.43**	DPDAC 1180-YI/2	2	**5.43**
9	300	sand (RAL 0808005)	DPDAC 980/300	**14.76**						
10	300	sand (RAL 0808005)	DPDAC 1080/300	**15.58**						
11	300	sand (RAL 0808005)	DPDAC 1180/300	**16.48**						
8	250	agate grey matt (RAL 7038)	DPDACM 80-7038/250	**13.99**	DPDACM 80-7038-Y/2	2	**5.43**	DPDACM 80-7038-YI/2	2	**5.43**
10	250	agate grey matt (RAL 7038)	DPDACM 100-7038/250	**15.58**	DPDACM 100-7038-Y/2	2	**5.43**	DPDACM 100-7038-YI/2	2	**5.43**
11	250	agate grey matt (RAL 7038)	DPDACM 110-7038/250	**16.48**	DPDACM 110-7038-Y/2	2	**5.43**	DPDACM 110-7038-YI/2	2	**5.43**
8	250	concrete grey (RAL 0006500)	DPDAC 865/250	**13.99**	DPDAC 865-Y/2	2	**5.43**	DPDAC 865-YI/2	2	**5.43**
9	250	concrete grey (RAL 0006500)	DPDAC 965/250	**14.76**	DPDAC 965-Y/2	2	**5.43**	DPDAC 965-YI/2	2	**5.43**
10	250	concrete grey (RAL 0006500)	DPDAC 1065/250	**15.58**	DPDAC 1065-Y/2	2	**5.43**	DPDAC 1065-YI/2	2	**5.43**
11	250	concrete grey (RAL 0006500)	DPDAC 1165/250	**16.48**	DPDAC 1165-Y/2	2	**5.43**	DPDAC 1165-YI/2	2	**5.43**
9	300	concrete grey (RAL 0006500)	DPDAC 965/300	**14.76**						
10	300	concrete grey (RAL 0006500)	DPDAC 1065/300	**15.58**						
11	300	concrete grey (RAL 0006500)	DPDAC 1165/300	**16.48**						
8	250	traffic grey A matt (RAL 7042)	DPDACM 80-7042/250	**13.99**	DPDACM 80-7042-Y/2	2	**5.43**	DPDACM 80-7042-YI/2	2	**5.43**
10	250	traffic grey A matt (RAL 7042)	DPDACM 100-7042/250	**15.58**	DPDACM 100-7042-Y/2	2	**5.43**	DPDACM 100-7042-YI/2	2	**5.43**
11	250	traffic grey A matt (RAL 7042)	DPDACM 110-7042/250	**16.48**	DPDACM 110-7042-Y/2	2	**5.43**	DPDACM 110-7042-YI/2	2	**5.43**
					Bag 20 pcs on request			**Bag 20 pcs on request**		



sand (RAL 0808005)



agate grey matt (RAL 7038)




concrete grey (RAL 0006500)




traffic grey A matt (RAL 7042)

DURAPLUS DIAMOND Urban
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: powder coated

PU1	PU2	PU3	Cat.
10	40	-	**A**




External corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	-	-	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	dusty grey matt (RAL 7037)	DPDACM 80-7037/250	**13.99**	DPDACM 80-7037-Y/2	2	**5.43**	DPDACM 80-7037-YI/2	2	**5.43**
10	250	dusty grey matt (RAL 7037)	DPDACM 100-7037/250	**15.58**	DPDACM 100-7037-Y/2	2	**5.43**	DPDACM 100-7037-YI/2	2	**5.43**
11	250	dusty grey matt (RAL 7037)	DPDACM 110-7037/250	**16.48**	DPDACM 110-7037-Y/2	2	**5.43**	DPDACM 110-7037-YI/2	2	**5.43**
8	250	telegrey 2 matt (RAL 7046)	DPDACM 80-7046/250	**13.99**	DPDACM 80-7046-Y/2	2	**5.43**	DPDACM 80-7046-YI/2	2	**5.43**
10	250	telegrey 2 matt (RAL 7046)	DPDACM 100-7046/250	**15.58**	DPDACM 100-7046-Y/2	2	**5.43**	DPDACM 100-7046-YI/2	2	**5.43**
11	250	telegrey 2 matt (RAL 7046)	DPDACM 110-7046/250	**16.48**	DPDACM 110-7046-Y/2	2	**5.43**	DPDACM 110-7046-YI/2	2	**5.43**
8	250	basalt grey matt (RAL 7012)	DPDACM 80-7012/250	**13.99**	DPDACM 80-7012-Y/2	2	**5.43**	DPDACM 80-7012-YI/2	2	**5.43**
10	250	basalt grey matt (RAL 7012)	DPDACM 100-7012/250	**15.58**	DPDACM 100-7012-Y/2	2	**5.43**	DPDACM 100-7012-YI/2	2	**5.43**
11	250	basalt grey matt (RAL 7012)	DPDACM 110-7012/250	**16.48**	DPDACM 110-7012-Y/2	2	**5.43**	DPDACM 110-7012-YI/2	2	**5.43**
8	250	iron grey matt (RAL 7011)	DPDACM 80-7011/250	**13.99**	DPDACM 80-7011-Y/2	2	**5.43**	DPDACM 80-7011-YI/2	2	**5.43**
10	250	iron grey matt (RAL 7011)	DPDACM 100-7011/250	**15.58**	DPDACM 100-7011-Y/2	2	**5.43**	DPDACM 100-7011-YI/2	2	**5.43**
11	250	iron grey matt (RAL 7011)	DPDACM 110-7011/250	**16.48**	DPDACM 110-7011-Y/2	2	**5.43**	DPDACM 110-7011-YI/2	2	**5.43**
8	250	anthracite grey matt (RAL 7016)	DPDACM 80-7016/250	**13.99**	DPDACM 80-7016-Y/2	2	**5.43**	DPDACM 80-7016-YI/2	2	**5.43**
10	250	anthracite grey matt (RAL 7016)	DPDACM 100-7016/250	**15.58**	DPDACM 100-7016-Y/2	2	**5.43**	DPDACM 100-7016-YI/2	2	**5.43**
11	250	anthracite grey matt (RAL 7016)	DPDACM 110-7016/250	**16.48**	DPDACM 110-7016-Y/2	2	**5.43**	DPDACM 110-7016-YI/2	2	**5.43**
8	250	black grey matt (RAL 7021)	DPDACM 80-7021/250	**13.99**	DPDACM 80-7021-Y/2	2	**5.43**	DPDACM 80-7021-YI/2	2	**5.43**
10	250	black grey matt (RAL 7021)	DPDACM 100-7021/250	**15.58**	DPDACM 100-7021-Y/2	2	**5.43**	DPDACM 100-7021-YI/2	2	**5.43**
11	250	black grey matt (RAL 7021)	DPDACM 110-7021/250	**16.48**	DPDACM 110-7021-Y/2	2	**5.43**	DPDACM 110-7021-YI/2	2	**5.43**

Bag 20 pcs on request

Bag 20 pcs on request


dusty grey matt (RAL 7037)


telegrey 2 matt (RAL 7046)



basalt grey matt (RAL 7012)


iron grey matt (RAL 7011)



anthracite grey matt (RAL 7016)


black grey matt (RAL 7021)


DURAPLUS DIAMOND Country
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: tactile coated



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	cream (RAL 9001)	DPDACS 80-9001/250	**13.99**	DPDACS 80-9001-Y/2	2	**5.43**	DPDACS 80-9001-YI/2	2	**5.43**
10	250	cream (RAL 9001)	DPDACS 100-9001/250	**15.58**	DPDACS 100-9001-Y/2	2	**5.43**	DPDACS 100-9001-YI/2	2	**5.43**
11	250	cream (RAL 9001)	DPDACS 110-9001/250	**16.48**	DPDACS 110-9001-Y/2	2	**5.43**	DPDACS 110-9001-YI/2	2	**5.43**
8	250	oyster white (RAL 1013)	DPDACS 80-1013/250	**13.99**	DPDACS 80-1013-Y/2	2	**5.43**	DPDACS 80-1013-YI/2	2	**5.43**
10	250	oyster white (RAL 1013)	DPDACS 100-1013/250	**15.58**	DPDACS 100-1013-Y/2	2	**5.43**	DPDACS 100-1013-YI/2	2	**5.43**
11	250	oyster white (RAL 1013)	DPDACS 110-1013/250	**16.48**	DPDACS 110-1013-Y/2	2	**5.43**	DPDACS 110-1013-YI/2	2	**5.43**
8	250	light ivory (RAL 1015)	DPDACS 80-1015/250	**13.99**	DPDACS 80-1015-Y/2	2	**5.43**	DPDACS 80-1015-YI/2	2	**5.43**
10	250	light ivory (RAL 1015)	DPDACS 100-1015/250	**15.58**	DPDACS 100-1015-Y/2	2	**5.43**	DPDACS 100-1015-YI/2	2	**5.43**
11	250	light ivory (RAL 1015)	DPDACS 110-1015/250	**16.48**	DPDACS 110-1015-Y/2	2	**5.43**	DPDACS 110-1015-YI/2	2	**5.43**
8	250	ivory (RAL 1014)	DPDACS 80-1014/250	**13.99**	DPDACS 80-1014-Y/2	2	**5.43**	DPDACS 80-1014-YI/2	2	**5.43**
10	250	ivory (RAL 1014)	DPDACS 100-1014/250	**15.58**	DPDACS 100-1014-Y/2	2	**5.43**	DPDACS 100-1014-YI/2	2	**5.43**
11	250	ivory (RAL 1014)	DPDACS 110-1014/250	**16.48**	DPDACS 110-1014-Y/2	2	**5.43**	DPDACS 110-1014-YI/2	2	**5.43**
8	250	grey beige (RAL 1019)	DPDACS 80-1019/250	**13.99**	DPDACS 80-1019-Y/2	2	**5.43**	DPDACS 80-1019-YI/2	2	**5.43**
10	250	grey beige (RAL 1019)	DPDACS 100-1019/250	**15.58**	DPDACS 100-1019-Y/2	2	**5.43**	DPDACS 100-1019-YI/2	2	**5.43**
11	250	grey beige (RAL 1019)	DPDACS 110-1019/250	**16.48**	DPDACS 110-1019-Y/2	2	**5.43**	DPDACS 110-1019-YI/2	2	**5.43**
8	250	beige grey (RAL 7006)	DPDACS 80-7006/250	**13.99**	DPDACS 80-7006-Y/2	2	**5.43**	DPDACS 80-7006-YI/2	2	**5.43**
10	250	beige grey (RAL 7006)	DPDACS 100-7006/250	**15.58**	DPDACS 100-7006-Y/2	2	**5.43**	DPDACS 100-7006-YI/2	2	**5.43**
11	250	beige grey (RAL 7006)	DPDACS 110-7006/250	**16.48**	DPDACS 110-7006-Y/2	2	**5.43**	DPDACS 110-7006-YI/2	2	**5.43**

Bag 20 pcs on request

Bag 20 pcs on request


cream (RAL 9001)


oyster white (RAL 1013)



light ivory (RAL 1015)


ivory (RAL 1014)



grey beige (RAL 1019)


beige grey (RAL 7006)


DURAPLUS DIAMOND Country
Profile series with 45° diamond cut for a tile finish with a special look and feel
Material: Aluminium
Surface: tactile coated



External corner



Internal corner



PU1	PU2	PU3	Cat.
10	40	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

PU1	PU2	PU3	Cat.
1	-	-	A

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
8	250	moss grey (RAL 7003)	DPDACS 80-7003/250	**13.99**	DPDACS 80-7003-Y/2	2	**5.43**	DPDACS 80-7003-YI/2	2	**5.43**
10	250	moss grey (RAL 7003)	DPDACS 100-7003/250	**15.58**	DPDACS 100-7003-Y/2	2	**5.43**	DPDACS 100-7003-YI/2	2	**5.43**
11	250	moss grey (RAL 7003)	DPDACS 110-7003/250	**16.48**	DPDACS 110-7003-Y/2	2	**5.43**	DPDACS 110-7003-YI/2	2	**5.43**
8	250	brown grey (RAL 7013)	DPDACS 80-7013/250	**13.99**	DPDACS 80-7013-Y/2	2	**5.43**	DPDACS 80-7013-YI/2	2	**5.43**
10	250	brown grey (RAL 7013)	DPDACS 100-7013/250	**15.58**	DPDACS 100-7013-Y/2	2	**5.43**	DPDACS 100-7013-YI/2	2	**5.43**
11	250	brown grey (RAL 7013)	DPDACS 110-7013/250	**16.48**	DPDACS 110-7013-Y/2	2	**5.43**	DPDACS 110-7013-YI/2	2	**5.43**
8	250	yellow olive (RAL 6014)	DPDACS 80-6014/250	**10.87**	DPDACS 80-6014-Y/2	2	**5.43**	DPDACS 80-6014-YI/2	2	**5.43**
10	250	yellow olive (RAL 6014)	DPDACS 100-6014/250	**15.58**	DPDACS 100-6014-Y/2	2	**5.43**	DPDACS 100-6014-YI/2	2	**5.43**
11	250	yellow olive (RAL 6014)	DPDACS 110-6014/250	**16.48**	DPDACS 110-6014-Y/2	2	**5.43**	DPDACS 110-6014-YI/2	2	**5.43**
8	250	terra brown (RAL 8028)	DPDACS 80-8028/250	**13.99**	DPDACS 80-8028-Y/2	2	**5.43**	DPDACS 80-8028-YI/2	2	**5.43**
10	250	terra brown (RAL 8028)	DPDACS 100-8028/250	**15.58**	DPDACS 100-8028-Y/2	2	**5.43**	DPDACS 100-8028-YI/2	2	**5.43**
11	250	terra brown (RAL 8028)	DPDACS 110-8028/250	**16.48**	DPDACS 110-8028-Y/2	2	**5.43**	DPDACS 110-8028-YI/2	2	**5.43**
8	250	grey brown (RAL 8019)	DPDACS 80-8019/250	**13.99**	DPDACS 80-8019-Y/2	2	**5.43**	DPDACS 80-8019-YI/2	2	**5.43**
10	250	grey brown (RAL 8019)	DPDACS 100-8019/250	**15.58**	DPDACS 100-8019-Y/2	2	**5.43**	DPDACS 100-8019-YI/2	2	**5.43**
11	250	grey brown (RAL 8019)	DPDACS 110-8019/250	**16.48**	DPDACS 110-8019-Y/2	2	**5.43**	DPDACS 110-8019-YI/2	2	**5.43**

Bag 20 pcs on request

Bag 20 pcs on request



moss grey (RAL 7003)



brown grey (RAL 7013)



yellow olive (RAL 6014)



terra brown (RAL 8028)



grey brown (RAL 8019)


COLOUR YOUR STYLE
FUNCTIONAL
TACTILE COATED
WHITE MATT
(RAL 9003)
TACTILE COATED
GRAPHITE (56)


COLOUR YOUR STYLE
URBAN
TACTILE COATED
RAL 7038
AGATE GREY
TACTILE COATED
RAL 7011
IRON GREY



COLOUR YOUR STYLE
COUNTRY
TACTILE
COATED
RAL 1015
LIGHT IVORY
TACTILE
COATED
RAL 7006
BEIGE GREY

DURAPLUS DIAMOND

Profile series with 45° diamond cut for a tile finish with a special look and feel


Material: Aluminium

Surface: anodised




PU1	PU2	PU3	Cat.
10	40	–	**A**

External corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Internal corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
9	250	silver	DPDAE 90/250	**4.50**	DPDAE 90-Y/2	2	**2.41**	DPDAE 90-YI/2	2	**2.41**
10	250	silver	DPDAE 100/250	**4.84**	DPDAE 100-Y/2	2	**2.51**	DPDAE 100-YI/2	2	**2.51**
11	250	silver	DPDAE 110/250	**5.21**	DPDAE 110-Y/2	2	**2.55**	DPDAE 110-YI/2	2	**2.55**
9	300	silver	DPDAE 90/300	**4.50**						
10	300	silver	DPDAE 100/300	**4.84**						
11	300	silver	DPDAE 110/300	**5.21**						



silver anodised


DURAPLUS Brass

Edge trim profile for walls and floors

Visible width: 8 mm

Material: Brass

Surface: natural, high-gloss polished, chrome



PU1	PU2	PU3	Cat.
10	40	–	**A**


Internal and external corner



PU1	PU2	PU3	Cat.
1	–	–	**A**

Height mm	Length cm	Colour	Surface	Item code	£/lm	Item code	Piece/ Blister	£/ Piece
9	250	natural	natural	DPM 90/250	**21.76**	DPM 90-Y/1	1	**20.93**
11	250	natural	natural	DPM 110/250	**23.39**	DPM 110-Y/1	1	**21.48**
12.5	250	natural	natural	DPM 125/250	**24.76**	DPM 125-Y/1	1	**22.11**
9	250	natural	high-gloss polished	DPM 90-SP/250	**26.67**	DPM 90-SP-Y/1	1	**26.73**
11	250	natural	high-gloss polished	DPM 110-SP/250	**28.10**	DPM 110-SP-Y/1	1	**27.21**
12.5	250	natural	high-gloss polished	DPM 125-SP/250	**29.07**	DPM 125-SP-Y/1	1	**27.84**
9	250	chrome	chrome	DPM 90-SC/250	**32.27**	DPM 90-SC-Y/1	1	**26.73**
11	250	chrome	chrome	DPM 110-SC/250	**33.46**	DPM 110-SC-Y/1	1	**27.21**
12.5	250	chrome	chrome	DPM 125-SC/250	**34.15**	DPM 125-SC-Y/1	1	**27.84**

Brass
natural



Brass
high-gloss polished



Brass
chrome






black matt (RAL 9005) powder coated




silver anodised



gold anodised

DURALIS
Listello trim for decorative wall and floor design
Material: Aluminium
Surface: powder coated, anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	10	250	black matt (RAL 9005)	powder coated	DLACM 1011/250	**7.83**
8	15	250	black matt (RAL 9005)	powder coated	DLACM 1511/250	**10.57**
8	20	250	black matt (RAL 9005)	powder coated	DLACM 2011/250	**13.29**
8	10	250	silver	anodised	DLAE 1000/250	**4.50**
8	15	250	silver	anodised	DLAE 1500/250	**5.57**
8	20	250	silver	anodised	DLAE 2000/250	**6.66**
8	10	250	gold	anodised	DLAE 1000-G/250	**4.50**
8	15	250	gold	anodised	DLAE 1500-G/250	**5.57**
8	20	250	gold	anodised	DLAE 2000-G/250	**6.66**



silver high-gloss anodised



gold high-gloss anodised



titanium high-gloss anodised




silver brushed, high-gloss anodised



titanium brushed, high-gloss anodised

DURALIS
Listello trim for decorative wall and floor design
Material: Aluminium
Surface: high-gloss anodised, brushed, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**AA**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	10	250	silver	high-gloss anodised	DLA 62100/250	**2.57**
8	15	250	silver	high-gloss anodised	DLA 62150/250	**2.98**
8	20	250	silver	high-gloss anodised	DLA 62200/250	**7.80**
8	10	250	gold	high-gloss anodised	DLA 61100/250	**2.28**
8	15	250	gold	high-gloss anodised	DLA 61150/250	**2.62**
8	20	250	gold	high-gloss anodised	DLA 61200/250	**6.73**
8	15	250	titanium	high-gloss anodised	DLA 63150/250	**2.93**
8	20	250	titanium	high-gloss anodised	DLA 63200/250	**7.18**
8	10	250	silver	brushed, high-gloss anodised	DLA 62100-SF/250	**3.60**
8	15	250	silver	brushed, high-gloss anodised	DLA 62150-SF/250	**6.00**
8	20	250	silver	brushed, high-gloss anodised	DLA 62200-SF/250	**8.38**
8	10	250	titanium	brushed, high-gloss anodised	DLA 63100-SF/250	**3.76**
8	15	250	titanium	brushed, high-gloss anodised	DLA 63150-SF/250	**6.09**
8	20	250	titanium	brushed, high-gloss anodised	DLA 63200-SF/250	**8.74**






 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURALIS

Listello trim for decorative wall and floor design

Material: Aluminium

Surface: anodised, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	10	250	silver	anodised	DLAE 100/250	**5.71**
8	10	250	gold	anodised	DLAE 100-G/250	**5.71**

PU1	PU2	PU3	Cat.
10	40	–	**AA**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	10	250	silver	high-gloss anodised	DLA 6210/250	**5.71**
8	10	250	gold	high-gloss anodised	DLA 6110/250	**5.71**



silver anodised

gold anodised



silver
high-gloss anodised


gold
high-gloss anodised

DURALIS

Listello trim for decorative wall and floor design

Material: Aluminium

Surface: anodised, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**


Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	25	250	silver	anodised	DLAE 250/250	**11.76**
8	25	250	gold	anodised	DLAE 250-G/250	**11.76**

PU1	PU2	PU3	Cat.
10	40	–	**AA**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	25	250	silver	high-gloss anodised	DLA 6225/250	**15.03**
8	25	250	gold	high-gloss anodised	DLA 6125/250	**16.99**



silver anodised



gold anodised



silver high-gloss anodised




gold high-gloss anodised

DURALIS

Listello trim for decorative wall and floor design

Material: Stainless Steel (304)

Surface: polished, brushed



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
6	25	250	natural	polished	DLE 250-S/250	**16.72**
6	25	250	natural	brushed	DLE 250-SF/250	**16.96**
6	40	250	natural	brushed	DLE 400-SF/250	**21.56**








Stainless Steel (304)
polished




Stainless Steel (304)
brushed



T-FLOOR Aluminium

Separating and cover profile for retrospective installation

Surface: powder coated, natural, anodised



PU1	PU2	PU3	Cat.
10	40	–	A

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
6 - 7	14	250	black matt (RAL 9005)	powder coated	TFACM 1411/250	**7.99**
6 - 7	25	250	black matt (RAL 9005)	powder coated	TFACM 2511/250	**8.53**
6 - 7	14	250	natural	natural	TFA 1400/250	**2.41**
6 - 7	25	250	natural	natural	TFA 2500/250	**4.45**
6 - 7	14	250	silver	anodised	TFAE 1400/250	**3.90**
6 - 7	25	250	silver	anodised	TFAE 2500/250	**7.16**
6 - 7	14	250	gold	anodised	TFAE 1400-G/250	**3.90**
6 - 7	25	250	gold	anodised	TFAE 2500-G/250	**7.16**
6 - 7	14	250	titanium	anodised	TFAE 1400-T/250	**3.90**
6 - 7	25	250	titanium	anodised	TFAE 2500-T/250	**7.16**

black matt (RAL 9005) powder coated

natural

silver anodised


gold anodised

titanium anodised

T-FLOOR Brass

Separating and cover profile for retrospective installation

Surface: natural, high-gloss polished, chrome



PU1	PU2	PU3	Cat.
10	40	–	A

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
9	14	250	natural	natural	TFM 1400/250	**10.22**
7 - 8	25	250	natural	natural	TFM 2500/250	**14.88**
9	14	250	natural	high-gloss polished	TFM 1400-SP/250	**13.94**
7 - 8	25	250	natural	high-gloss polished	TFM 2500-SP/250	**18.72**
9	14	250	chrom	chrome	TFM 1400-SC/250	**21.30**
7 - 8	25	250	chrom	chrome	TFM 2500-SC/250	**25.87**

Brass natural


Brass high-gloss polished

Brass chrome

T-FLOOR Stainless Steel (304)

Separating and cover profile for retrospective installation

Surface: natural, high-gloss polished brushed



PU1	PU2	PU3	Cat.
10	100	–	A

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
7	14	250	natural	natural	TFE 1400/250	**10.04**
7	25	250	natural	natural	TFE 2500/250	**10.99**
7	14	250	natural	high-gloss polished	TFE 1400-SP/250	**12.05**
7	25	250	natural	high-gloss polished	TFE 2500-SP/250	**14.76**
7	14	250	natural	brushed	TFE 1400-SF/250	**12.05**
7	25	250	natural	brushed	TFE 2500-SF/250	**14.76**

Stainless Steel (304) natural


Stainless Steel (304) high-gloss polished

Stainless Steel (304) brushed

TERRAZZO

Decorative separating profile

Material: Brass, **Surface: natural**



PU1	PU2	PU3	Cat.
10	–	–	A

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
10	5	250	natural	natural	TZM 5310/250	**9.36**
25	5	250	natural	natural	TZM 5325/250	**16.52**


Brass natural

DURATRANS R

Rounded transition profile for compensating the height of tiles or finishing tiled surfaces with a grooved surface and an extra-wide contact leg

Material: Aluminium

Surface: natural, anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
8	8.7	250	natural	natural	DTRA 80/250	**4.33**
8	8.7	250	silver	anodised	DTRAE 80/250	**5.39**


natural



silver anodised

DURATRANS T

Transition trim for height differences or to finish tiled flooring surfaces.

Material: Aluminium

Surface: powder coated, anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
9	14	250	black matt (RAL 9005)	powder coated	DTACM 911/250	**11.19**
11	15	250	black matt (RAL 9005)	powder coated	DTACM 1111/250	**11.82**
12.5	17	250	black matt (RAL 9005)	powder coated	DTACM 1211/250	**14.29**
9	14	250	silver	anodised	DTAE 90/250	**8.23**
11	15	250	silver	anodised	DTAE 110/250	**9.62**
12.5	17	250	silver	anodised	DTAE 125/250	**12.84**


black matt (RAL 9005)
powder coated



silver anodised

DURATRANS TR

Transistion profile for height adjustment from 10 mm and 12.5 mm down to between 0 mm or maximum 4 mm

Material: Aluminium

Surface: powder coated, natural, anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
10	17	250	black matt (RAL 9005)	powder coated	DTACM TR 1011/250	**8.86**
12.5	21	250	black matt (RAL 9005)	powder coated	DTACM TR 1211/250	**9.26**
10	17	250	natural	natural	DTA TR 100/250	**6.89**
12.5	21	250	natural	natural	DTA TR 125/250	**7.42**
10	17	250	silver	anodised	DTAE TR 100/250	**6.89**
12.5	21	250	silver	anodised	DTAE TR 125/250	**7.42**


black matt (RAL 9005)
powder coated


natural


silver anodised



black matt (RAL 9005) powder coated




natural



silver anodised

DURATRANS L
Extended transition profile for compensating the height of tiles or finishing tiled surfaces with a grooved surface and an extra-wide contact leg.
Material: Aluminium
Surface: powder coated, natural, anodised



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
11	45	250	black matt (RAL 9005)	powder coated	DTACM 1111-L/250	**28.65**
12.5	50	250	black matt (RAL 9005)	powder coated	DTACM 1211-L/250	**29.44**
15	57	250	black matt (RAL 9005)	powder coated	DTACM 1511-L/250	**30.26**
20	64	250	black matt (RAL 9005)	powder coated	DTACM 2011-L/250	**31.19**
11	45	250	natural	natural	DTA 110-L/250	**18.93**
12.5	50	250	natural	natural	DTA 125-L/250	**21.54**
15	57	250	natural	natural	DTA 150-L/250	**23.64**
20	64	250	natural	natural	DTA 200-L/250	**25.77**
11	45	250	silver	anodised	DTAE 110-L/250	**26.03**
12.5	50	250	silver	anodised	DTAE 125-L/250	**28.67**
15	57	250	silver	anodised	DTAE 150-L/250	**30.79**
20	64	250	silver	anodised	DTAE 200-L/250	**33.39**



DURATRANS L BLACK MATT (RAL 9005) POWDER COATED



DURATRANS T
BLACK MATT (RAL 9005)
POWDER COATED


DURATRANS TR
BLACK MATT (RAL 9005)
POWDER COATED



T-COVE

Wall/floor connection trim

Surface: powder coated, anodised, high-gloss anodised



PU1	PU2	PU3	Cat.
10	40	–	A

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
9	14	250	white	powder coated	TCAC 1230/250	**8.62**
11.5	16.5	250	white	powder coated	TCAC 1630/250	**11.44**
18	18	250	white	powder coated	TCAC 2230/250	**14.28**
9	14	250	silver	anodised	TCAE 120/250	**6.11**
11.5	16.5	250	silver	anodised	TCAE 160/250	**8.19**
18	18	250	silver	anodised	TCAE 220/250	**10.21**
9	14	250	titanium	anodised	TCAE 120-T/250	**6.65**
11.5	16.5	250	titanium	anodised	TCAE 160-T/250	**9.08**
18	18	250	titanium	anodised	TCAE 220-T/250	**11.52**

PU1	PU2	PU3	Cat.
10	40	–	AA

Height mm	Width mm	Length cm	Colour	Surface	Item code	£/lm
9	14	250	silver	high-gloss anodised	TCA 1262/250	**12.92**
11.5	16.5	250	silver	high-gloss anodised	TCA 1662/250	**17.10**
18	18	250	silver	high-gloss anodised	TCA 2262/250	**21.44**

Internal corner (2 connections)
Material:
Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
TCAC 1230-XI/2	2	**5.49**
TCAC 1630-XI/2	2	**5.49**
TCAC 2230-XI/2	2	**5.49**
TCAE 120-XI/2	2	**3.65**
TCAE 160-XI/2	2	**3.65**
TCAE 220-XI/2	2	**3.65**
TCAE 120-T-XI/2	2	**5.80**
TCAE 160-T-XI/2	2	**5.80**
TCAE 220-T-XI/2	2	**5.80**

PU1	PU2	PU3	Cat.
1	–	–	AA

Item code	Piece/ Blister	£/ piece
TCA 1262-XI/2	2	**6.13**
TCA 1662-XI/2	2	**6.13**
TCA 2262-XI/2	2	**6.13**

Internal corner (3 connections)
Material:
Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
TCAC 1230-XI-3D/2	2	**5.49**
TCAC 1630-XI-3D/2	2	**5.49**
TCAC 2230-XI-3D/2	2	**5.49**
TCAE 120-XI-3D/2	2	**3.65**
TCAE 160-XI-3D/2	2	**3.65**
TCAE 220-XI-3D/2	2	**3.65**
TCAE 120-T-XI-3D/2	2	**5.80**
TCAE 160-T-XI-3D/2	2	**5.80**
TCAE 220-T-XI-3D/2	2	**5.80**

PU1	PU2	PU3	Cat.
1	–	–	AA

Item code	Piece/ Blister	£/ piece
TCA 1262-XI-3D/2	2	**6.13**
TCA 1662-XI-3D/2	2	**6.13**
TCA 2262-XI-3D/2	2	**6.13**

SPEED-FLEX polymer adhesive for easy installation of T-COVE profiles see page 75 / 210 / 226

External corner (2 connections)
Material:
Metal die-cast




PU1	PU2	PU3	Cat.
1	–	–	A

Height mm	Width mm	Colour	Surface	Item code	Piece/ Blister	£/ Piece
9	14	white	powder coated	TCAC 1230-X/2	2	**5.49**
11.5	16.5	white	powder coated	TCAC 1630-X/2	2	**5.49**
18	18	white	powder coated	TCAC 2230-X/2	2	**5.49**
9	14	silver	anodised	TCAE 120-X/2	2	**5.49**
11.5	16.5	silver	anodised	TCAE 160-X/2	2	**5.49**
18	18	silver	anodised	TCAE 220-X/2	2	**5.49**
9	14	titanium	anodised	TCAE 120-T-X/2	2	**5.80**
11.5	16.5	titanium	anodised	TCAE 160-T-X/2	2	**5.80**
18	18	titanium	anodised	TCAE 220-T-X/2	2	**5.80**

PU1	PU2	PU3	Cat.
1	–	–	AA

Height mm	Width mm	Colour	Surface	Item code	Piece/ Blister	£/ Piece
9	14	silver	high-gloss anodised	TCA 1262-X/2	2	**6.13**
11.5	16.5	silver	high-gloss anodised	TCA 1662-X/2	2	**6.13**
18	18	silver	high-gloss anodised	TCA 2262-X/2	2	**6.13**

Endcap left
Material:
Metal die-cast




PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
TCAC 1230-XKL/2	2	**5.49**
TCAC 1630-XKL/2	2	**5.49**
TCAC 2230-XKL/2	2	**5.49**
TCAE 120-XKL/2	2	**5.49**
TCAE 160-XKL/2	2	**5.49**
TCAE 220-XKL/2	2	**5.49**
TCAE 120-T-XKL/2	2	**5.80**
TCAE 160-T-XKL/2	2	**5.80**
TCAE 220-T-XKL/2	2	**5.80**

PU1	PU2	PU3	Cat.
1	–	–	AA

Item code	Piece/ Blister	£/ piece
TCA 1262-XKL/2	2	**6.13**
TCA 1662-XKL/2	2	**6.13**
TCA 2262-XKL/2	2	**6.13**

Endcap right
Material:
Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	A

Item code	Piece/ Blister	£/ piece
TCAC 1230-XKR/2	2	**5.49**
TCAC 1630-XKR/2	2	**5.49**
TCAC 2230-XKR/2	2	**5.49**
TCAE 120-XKR/2	2	**5.49**
TCAE 160-XKR/2	2	**5.49**
TCAE 220-XKR/2	2	**5.49**
TCAE 120-T-XKR/2	2	**5.80**
TCAE 160-T-XKR/2	2	**5.80**
TCAE 220-T-XKR/2	2	**5.80**

PU1	PU2	PU3	Cat.
1	–	–	AA

Item code	Piece/ Blister	£/ piece
TCA 1262-XKR/2	2	**6.13**
TCA 1662-XKR/2	2	**6.13**
TCA 2262-XKR/2	2	**6.13**



white
powder coated



silver
anodised



titanium
anodised



silver
high-gloss anodised

T-FLOOR ALUMINIUM
SILVER ANODISED





TERRAZZO
BRASS NATURAL






DURASTEP DP
ALUMINIUM SILVER ANODISED



T-COVE
ALUMINIUM SILVER ANODISED

DURASTEP DP
Worktop trim profile
Surface: anodised, brushed

PU1 10 | PU2 – | PU3 – | **Cat. A G**



Endcap left — PU1 1 | PU2 – | PU3 –



Endcap right — PU1 1 | PU2 – | PU3 –



H 1 mm	H 2 mm	Length cm	Colour	Surface	Item code	£/lm	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
Material: Aluminium							Material: Metal die-cast			Material: Metal die-cast		
9	45	250	silver	anodised	DSTAE DP 90/250	**12.19**	DSTAE DP 90-XKL/2	2	**5.46**	DSTAE DP 90-XKR/2	2	**5.46**
11	47	250	silver	anodised	DSTAE DP 110/250	**13.01**	DSTAE DP 110-XKL/2	2	**5.46**	DSTAE DP 110-XKR/2	2	**5.46**
13.5	50	250	silver	anodised	DSTAE DP 135/250	**13.47**	DSTAE DP 135-XKL/2	2	**5.46**	DSTAE DP 135-XKR/2	2	**5.46**
11	47	300	silver	anodised	DSTAE DP 110/300	**13.01**						
11	47	250	titanium	anodised	DSTAE DP 110-T/250	**13.13**	DSTAE DP 110-T-XKL/2	2	**5.46**	DSTAE DP 110-T-XKR/2	2	**5.46**
Material: Aluminium							Material: Aluminium			Material: Aluminium		
11	47	250	silver	anodised, brushed	DSTAE DP 110-SF/250	**19.23**	DSTAE DP 110-SF-XKL/2	2	**10.93**	DSTAE DP 110-SF-XKR/2	2	**10.93**
13.5	50	250	silver	anodised, brushed	DSTAE DP 135-SF/250	**20.25**	DSTAE DP 135-SF-XKL/2	2	**10.93**	DSTAE DP 135-SF-XKR/2	2	**10.93**
11	47	300	silver	anodised, brushed	DSTAE DP 110-SF/300	**19.23**						
11	47	300	titanium	anodised, brushed	DSTAE DP 110-T-SF/300	**19.23**	DSTAE DP 110-T-SF-XKL/2	2	**13.24**	DSTAE DP 110-T-SF-XKR/2	2	**13.24**
13.5	50	250	titanium	anodised, brushed	DSTAE DP 135-T-SF/250	**20.25**	DSTAE DP 135-T-SF-XKL/2	2	**13.24**	DSTAE DP 135-T-SF XKR/2	2	**13.24**


silver anodised


silver
anodised, brushed



titanium anodised


titanium anodised, brushed

External corner — PU1 1 | PU2 – | PU3 –



Internal corner — PU1 1 | PU2 – | PU3 –



H 1 mm	H 2 mm	Colour	Surface	Item code	Piece/ Blister	£/ piece	Item code	Piece/ Blister	£/ piece
				Material: Metal die-cast			Material: Metal die-cast		
9	45	silver	anodised	DSTAE DP 90-X/2	2	**4.78**	DSTAE DP 90-XI/2	2	**7.05**
11	47	silver	anodised	DSTAE DP 110-X/2	2	**5.17**	DSTAE DP 110-XI/2	2	**7.79**
13.5	50	silver	anodised	DSTAE DP 135-X/2	2	**6.01**	DSTAE DP 135-XI/2	2	**8.73**
11	47	titanium	anodised	DSTAE DP 110-T-X/2	2	**7.59**	DSTAE DP 110-T-XI/2	2	**7.59**
				Material: Aluminium			Material: Aluminium		
11	47	silver	anodised, brushed	DSTAE DP 110-SF-X/2	2	**10.58**	DSTAE DP 110-SF-XI/2	2	**10.58**
13.5	50	silver	anodised, brushed	DSTAE DP 135-SF-X/2	2	**10.58**	DSTAE DP 135-SF-XI/2	2	**10.58**
11	47	titanium	anodised, brushed	DSTAE DP 110-T-SF-X/2	2	**11.08**	DSTAE DP 135-T-SF-XI/2	2	**11.08**
13.5	50	titanium	anodised, brushed	DSTAE DP 135-T-SF-X/2	2	**11.08**	DSTAE DP 110-T-SF-XI/2	2	**11.08**



silver
anodised

silver
anodised, brushed



titanium
anodised


titanium
anodised, brushed



gold
anodised



white matt (RAL 9003)
powder coated




black matt (RAL 9005)
powder coated

DURAGARD EP

Corner protection profile for retrofitting
Material: Aluminium

Surface: anodised, anodised, brushed powder coated




PU1	PU2	PU3	Cat.
10	–	–	A

Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
15 x 15	250	silver	anodised	DGAE 1515/250	**7.64**
20 x 20	250	silver	anodised	DGAE 2020/250	**9.17**
25 x 25	250	silver	anodised	DGAE 2525/250	**11.50**
50 x 50	250	silver	anodised	DGAE 5050/250	**18.33**
25 x 25	250	titanium	anodised	DGAE 2525-T/250	**11.50**
50 x 50	250	titanium	anodised	DGAE 5050-T/250	**18.33**
25 x 25	250	gold	anodised	DGAE 2525-G/250	**11.50**
50 x 50	250	gold	anodised	DGAE 5050-G/250	**18.33**
15 x 15	250	silver	anodised, brushed	DGAE 1515-SF/250	**9.57**
20 x 20	250	silver	anodised, brushed	DGAE 2020-SF/250	**11.11**
25 x 25	250	silver	anodised, brushed	DGAE 2525-SF/250	**13.30**
25 x 25	250	titanium	anodised, brushed	DGAE 2525-T-SF/250	**12.48**
50 x 50	250	titanium	anodised, brushed	DGAE 5050-T-SF/250	**19.29**
25 x 25	250	white	powder coated	DGAC 2525-30/250	**13.14**
50 x 50	250	white	powder coated	DGAC 5050-30/250	**21.03**
25 x 25	250	white matt (RAL 9003)	powder coated	DGACM 2525-12/250	**20.44**
50 x 50	250	white matt (RAL 9003)	powder coated	DGACM 5050-12/250	**32.48**
25 x 25	250	black	powder coated	DGAC 2525-33/250	**13.14**
50 x 50	250	black	powder coated	DGAC 5050-33/250	**21.03**
25 x 25	250	black matt (RAL 9005)	powder coated	DGACM 2525-11/250	**20.44**
50 x 50	250	black matt (RAL 9005)	powder coated	DGACM 5050-11/250	**32.48**

DURAGARD EP

Corner protection profile for retrofitting
Material: Stainless Steel (304)

Surface: matt, brushed




PU1	PU2	PU3	Cat.
10	–	–	A

Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
25 x 25	250	natural	matt	DGE 2512-M/250	**26.37**
30 x 30	250	natural	matt	DGE 3012-M/250	**31.38**
40 x 40	250	natural	matt	DGE 4012-M/250	**39.03**
50 x 50	250	natural	matt	DGE 5012-M/250	**47.51**
60 x 60	250	natural	matt	DGE 6012-M/250	**52.40**
25 x 25	250	natural	brushed	DGE 2512-F/250	**26.37**
30 x 30	250	natural	brushed	DGE 3012-F/250	**31.38**
40 x 40	250	natural	brushed	DGE 4012-F/250	**39.03**
50 x 50	250	natural	brushed	DGE 5012-F/250	**47.51**
60 x 60	250	natural	brushed	DGE 6012-F/250	**52.40**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURAGARD WPA

Edge protection profile for retrofitting
Material: Aluminium
Thickness of Material 2 mm
Surface: natural




PU1	PU2	PU3	Cat.
10	–	–	**A**

Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
20 x 20	300	natural	natural	WPA 2020/300	**6.37**
25 x 25	300	natural	natural	WPA 2525/300	**7.01**
30 x 30	300	natural	natural	WPA 3030/300	**9.52**
Thickness of Material 3 mm					
40 x 40	300	natural	natural	WPA 4040/300	**15.25**


natural

DURAGARD WPP

Edge protection profile for retrofitting
Material: PVC
Thickness of Material 1.5 mm




PU1	PU2	PU3	Cat.
10	100	–	**C**

Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
20 x 20	250	white		WPP 30/2020/250	**1.84**
25 x 25	250	white		WPP 30/2525/250	**2.21**
30 x 30	250	white		WPP 30/3030/250	**2.61**


white

DURAGARD WPE

Corner protection profile made of metal for retrofitting
Material: Stainless Steel (304)
Thickness of Material 1 mm
Surface: matt, brushed



PU1	PU2	PU3	Cat.
10	100	–	**C**

Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
25 x 25	250	natural	matt	DGE 2511-M/250	**24.78**
30 x 30	250	natural	matt	DGE 3011-M/250	**29.90**
40 x 40	250	natural	matt	DGE 4011-M/250	**37.62**
50 x 50	250	natural	matt	DGE 5011-M/250	**47.50**
25 x 25	250	natural	brushed	DGE 2511-F/250	**24.78**
30 x 30	250	natural	brushed	DGE 3011-F/250	**29.90**
40 x 40	250	natural	brushed	DGE 4011-F/250	**37.62**
50 x 50	250	natural	brushed	DGE 5011-F/250	**47.50**



natural matt

SPEED FLEX assembly adhesive with high initial bonding, replaces conventional fastening such as screws, dowels and rivets. Adhering of metals, many plastics, ceramic, wood, glass and stone, even difficult substrates such as vertical indoor and outdoor surfaces.



PU1	PU2	PU3	Cat.
1	12	–	**NET**

Colour	Packaging	Item code	£/Piece
grey	High-performance polymer adhesive 310 ml	PMK 38	**27.16**


natural brushed

DURAGARD EP BLACK MATT (RAL 9005) POWDER COATED





DURACOVE HK
BLACK
POWDER COATED



DURACOVE DB STAINLESS STEEL (304)
NATURAL




DURACOVE ZK
PVC WHITE

DURACOVE HK

Concave trim for wall/floor connections
Material: Aluminium
Visible dimension 40 mm
Surface: powder coated, anodised

PU1	PU2	PU3	Cat.
10	–	–	**A**





Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
28 x 28	250	white	powder coated	DCAC 430/250	**5.19**
28 x 28	250	black matt (RAL 9005)	powder coated	DCACM 411/250	**5.42**
28 x 28	250	silver	anodised	DCAE 400/250	**5.42**

External corner (2 connections) Material: Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	**A**

Colour	Item code	Piece/ Blister	£/ piece
white	DCAC 430-X/1	1	**5.42**
black matt (RAL 9005)	DCACM 411-X/1	1	**5.42**
silver	DCAE 400-X/1	1	**5.42**

Internal corner (2 connections) Material: Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DCAC 430-XI/1	1	**5.42**
DCACM 411-XI/1	1	**5.42**
DCAE 400-XI/1	1	**5.42**


Internal corner (3 connections) Material: Metal die-cast



PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DCAC 430-XI-3D/1	1	**5.42**
DCACM 411-XI-3D/1	1	**5.42**
DCAE 400-XI-3D/1	1	**5.42**

Endcap universal Material: Metal die-cast




PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DCAC 430-XK/2	2	**5.42**
DCACM 411-XK/2	2	**5.42**
DCAE 400-XK/2	2	**5.42**

DURACOVE DB Inox

Trim for sanitary areas
Material: Stainless Steel (304)
Surface: natural

PU1	PU2	PU3	Cat.
10	–	–	**A**



Width x Height mm	Length cm	Colour	Surface	Item code	£/lm
12 x 12	250	natural	natural	DCE 1212/250	**38.74**


External corner Material: Stainless Steel (304)



PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DCE 1212-X/1	1	**13.84**

Internal corner Material: Stainless Steel (304)




PU1	PU2	PU3	Cat.
1	–	–	**A**

Item code	Piece/ Blister	£/ piece
DCE 1212-XI/1	1	**13.84**

DURACOVE DB PVC


Trim for sanitary areas
Material: PVC

PU1	PU2	PU3	Cat.
20	–	–	**C R**



Tile height mm	Length cm	Colour	Surface	Item code	£/lm
9	250	white		DCP 9930/250	**5.21**
11	250	white		DCP 11930/250	**4.50**


External corner Tile height 9-11 mm Material: PVC



PU1	PU2	PU3	Cat.
10	–	–	**C R**

Item code	Piece/ Blister	£/ piece
DCP 30-X/2	2	**2.04**
DCP 30-X/2	2	**2.04**

Internal corner Tile height 9-11 mm Material: PVC




PU1	PU2	PU3	Cat.
10	–	–	**C R**

Item code	Piece/ Blister	£/ piece
DCP 30-XI/2	2	**2.04**
DCP 30-XI/2	2	**2.04**

DURACOVE DB Inox



DURACOVE DB Inox




DURACOVE DB PVC



DURACOVE ZK

Trim for sanitary areas. Please order adhesive tape DCP 4050-SK/3660 separately for fixing.
Material: PVC




PU1	PU2	PU3	Cat.
10	100	–	C R

Width mm	Length cm	Colour	Item code	£/lm
32	183	white	DCP 5030/183	**3.30**
32	183	grey	DCP 5038/183	**3.30**

End cap for DCP 50

Material: PVC



PU1	PU2	PU3	Cat.
10	–	–	C R

Item code	Piece/ Blister	£/ Blister
DCP 5030-XK/4	4	**4.04**
DCP 5038-XK/4	4	**4.04**

Adhesive tape for fixing DURACOVE ZK and DURACOVE TW profiles

Material: Silicon
Colour: transparent




PU1	PU2	PU3	Cat.
10	40	–	C R

Width mm	Length cm	Item code	£/lm
23.5	366	DCP 4050-SK/3660	**9.47**
23.5	366	DCP 4050-SK/3660	**9.47**

DURACOVE SO

Trim for sanitary areas, avoiding the need for silicone joints
Tile height: 5 mm
Material: PVC



PU1	PU2	PU3	Cat.
10	100	–	C R

Height x Width mm	Length cm	Colour	Item code	£/lm
23 x 23	183	white	DCP 3030/183	**2.56**



DCP 3030/183


DCP 5030/183
PVC white


DCP 5038/183
PVC grey

DURACOVE TW

Trim for sanitary areas. Please order the DCP 4050-SK/3660 adhesive strips separately for fixing.
Material: PVC



PU1	PU2	PU3	Cat.
10	50	–	C R

Height mm	Width mm	Length cm	Colour	Item code	£/lm
38.5	23	183	white	DCP 4030/183	**3.79**


Adhesive tape for fixing DURACOVE ZK and DURACOVE TW profiles

Material: Silicon
Colour: transparent



PU1	PU2	PU3	Cat.
10	40	–	C R


Width mm	Length cm	Item code	£/lm
23.5	366	DCP 4050-SK/3660	**9.47**


DCP 4030/183


DCP 4050-SK/3660

SANISTRIP

Self-adhesive sanitary profile
Material: PVC




PU1	PU2	PU3	Cat.
10	100	–	C R

Height mm	Width mm	Length cm	Colour	Item code	£/lm
10	10	350	white	STR 30/350	**4.92**
10	10	5.000	white	STR 30/5000	**4.92**

SANIFLEX

Self-adhesive sanitary profile
Material: PVC




PU1	PU2	PU3	Cat.
10	–	–	C R

Height mm	Width mm	Length cm	Colour	Item code	£/lm
17	17	350	white	SFL 30/350	**5.33**
17	17	5.000	white	SFL 30/5000	**5.33**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.


STAIR NOSING
PROFILES





DIAMONDSTEP - Profile with insert

Stair nosing profile with anti-slip safety insert for tiled floors
Material: Aluminium anodised/PVC




PU1	PU2	PU3	Cat.
10	40	-	I

Tile height mm	Colour Insert	Visible width mm	Length cm	Item code	£/ lm
with insert 13 mm					Price with insert
9	neutral black	17	250	DISTAE 9106/250	**14.74**
9	charcoal grey	17	250	DISTAE 9107/250	**14.74**
9	rich brown	17	250	DISTAE 9109/250	**14.74**
9	putty	17	250	DISTAE 9110/250	**14.74**
9	mid grey	17	250	DISTAE 9113/250	**14.74**
11	neutral black	17	250	DISTAE 11106/250	**15.18**
11	charcoal grey	17	250	DISTAE 11107/250	**15.18**
11	rich brown	17	250	DISTAE 11109/250	**15.18**
11	putty	17	250	DISTAE 11110/250	**15.18**
11	mid grey	17	250	DISTAE 11113/250	**15.18**

DIAMONDSTEP - Profile without insert

Stair nosing profile for anti-slip safety insert for tiled floors
Material: Aluminium anodised




PU1	PU2	PU3	Cat.
10	40	-	I

Tile height mm	Visible width mm	Length cm	Item code	£/ lm
for insert 13 mm				Price without insert. Insert see page 81.
9	17	250	DISTAE 90/250	**7.41**
11	17	250	DISTAE 110/250	**7.62**
for insert 37 mm				Price without insert. Insert see page 81.
9	42	250	DISTAE 90-42/250	**10.92**
11	42	250	DISTAE 110-42/250	**11.41**



DIAMONDSTEP - Stainless Steel profile with insert

Stair nosing profile with anti-slip safety insert for tiled floors
Material: Stainless Steel (304)/PVC




PU1	PU2	PU3	Cat.
10	40	–	I

Tile height mm	Colour Insert	Visible width mm	Length cm	Item code	£/lm
with insert 13 mm					Price with insert
11	neutral black	25	250	DISTE 11106/250	**25.30**
11	charcoal grey	25	250	DISTE 11107/250	**25.30**
11	rich brown	25	250	DISTE 11109/250	**25.30**
11	putty	25	250	DISTE 11110/250	**25.30**
11	mid grey	25	250	DISTE 11113/250	**25.30**

DIAMONDSTEP - Stainless Steel profile without insert

Stair nosing profile for anti-slip safety insert for tiled floors
Material: Stainless Steel (304)



PU1	PU2	PU3	Cat.
10	40	–	I

Tile height mm	Visible width mm	Length cm	Item code	£/lm
for insert 13 mm				Price without insert. Insert see page 81.
11	25	250	DISTE 110/250	**14.39**



Aluminium anodised
neutral black



Stainless Steel (304)
neutral black



Aluminium anodised
charcoal grey



Aluminium anodised
rich brown



Aluminium anodised
putty



Aluminium anodised
mid grey

DIAMONDSTEP End caps for visible width 17 mm

Material: ABS silver



PU1	PU2	PU3	Cat.
1	–	–	I

Tile height mm	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Bag	£/ Piece
left						
9	DISTAE 90-XKL/2	2	**3.08**	DISTAE 90-XKL/20	20	**2.97**
11	DISTAE 110-XKL/2	2	**3.08**	DISTAE 110-XKL/20	20	**2.97**
right						
9	DISTAE 90-XKR/2	2	**3.08**	DISTAE 90-XKR/20	20	**2.97**
11	DISTAE 110-XKR/2	2	**3.08**	DISTAE 110-XKR/20	20	**2.97**



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DIAMONDTRED
Anti-slip safety insert

- The DIAMONDTRED safety insert is the variable heart of the DIAMONDSTEP and TREDSAFE stair nosing profiles from DURAL – but it can also be installed without the profiles
- Suitable for all TREDSAFE stair nosing profiles in a choice of 3 width, 13 mm, 37 mm and 43 mm
- Sturdy inserts with strong colours offering high level of safety
- The DIAMONDTRED highly anti-slip and self-adhesive insert for all smooth surfaces. Also for insetting in solid wooden stairs. Available in a wide range of standard colours, signal colours or luminescent for step safety, even in the dark
- Inserts in cut length of 250 cm and as a 25 m roll
- Slip resistance class R10/V6
- For all stairs and steps in indoor and outdoor areas
- Outstanding non-slip properties whether dry or wet
- Large displacement space (diamond structure) reduces the aquaplaning effect
- Resistant to ultraviolet light, oils, grease, petrol, salts, acids, alkali and detergents
- Easy installation thanks to the self-adhesive backing.
- Retains shape even under tension
- DIAMONDTRED can also be installed without a profile and is ideal for the production of tactile warning areas. For further information, also see page 192

DIAMONDTRED PUTTY - PLACED IN MILLED RECESS





DIAMONDTRED
Material: PVC; self adhesive

A = Length 250 cm

PU1	PU2	PU3	Cat.
10	–	–	I

B = Roll length 25 m

PU1	PU2	PU3	Cat.
1	–	–	I

Colour Insert	Width mm	Item code	£/lm	£/lm Roll
Standard colour			**A**	**B**
neutral black	13	TSI 106/13/250	**7.04**	**7.04**
charcoal grey	13	TSI 107/13	**7.04**	**7.04**
light grey	13	TSI 108/13	**7.04**	**7.04**
rich brown	13	TSI 109/13	**7.04**	**7.04**
putty	13	TSI 110/13	**7.04**	**7.04**
mid grey	13	TSI 113/13	**7.04**	**7.04**
Signal colour			**A**	**B**
safety white	13	TSI 101/13/250	**7.04**	**7.04**
Special colour			**A**	**B**
lumitred	13	TSI 120/13	**22.05**	**22.05**
Standard colour			**A**	**B**
neutral black	37	TSI 106/37	**14.25**	**14.25**
charcoal grey	37	TSI 107/37/250	**14.25**	**14.25**
light grey	37	TSI 108/37	**14.25**	**14.25**
rich brown	37	TSI 109/37	**14.25**	**14.25**
putty	37	TSI 110/37	**14.25**	**14.25**
mid grey	37	TSI 113/37/250	**14.25**	**14.25**
Signal colour			**A**	**B**
safety white	37	TSI 101/37	**14.25**	**14.25**
Special colour			**A**	**B**
lumitred	37	TSI 120/37	**57.03**	**57.03**
chevron safety yellow	37	TSI 121/37	**62.41**	**62.41**
Standard colour			**A**	**B**
neutral black	43	TSI 106/43	**17.43**	**17.43**
charcoal grey	43	TSI 107/43	**17.43**	**17.43**
light grey	43	TSI 108/43	**17.43**	**17.43**
rich brown	43	TSI 109/43	**17.43**	**17.43**
putty	43	TSI 110/43	**17.43**	**17.43**
mid grey	43	TSI 113/43	**17.43**	**17.43**
Signal colour			**A**	**B**
safety white	43	TSI 101/43	**17.43**	**17.43**
Special colour			**A**	**B**
lumitred	43	TSI 120/43/250	**66.39**	**66.39**
chevron safety yellow	43	TSI 121/43	**64.54**	**64.54**

DIAMONDTRED
Colours


106 neutral black


107 charcoal grey


108 light grey


109 rich brown


110 putty


113 mid grey


101 safety white


120 lumitred



121 chevron safety yellow

DGUV Test

IFA 2404171

R10 Rutschhemmung Bewertungsgruppe
V 6 Verdrängungsraum Bewertungsgruppe

dguv.de/pruefzeichen



TREDSAFE profile with butt join to carpet or vinyl coverings

Stair nosing profile for anti-slip safety inserts

Material: Aluminium silver anodised

PU1	PU2	PU3	Cat.
10	–	–	I

Insert mm	Height mm	Width mm	Length cm	Item code	£/ lm
TREDSAFE profiles with straight drop on rise					Price without insert
for 1 x insert 43 mm	44	57	250	AA 108/250	**29.32**

Matching DIAMONDTRED inserts are available in 9 colours! See page 81



AA 108/250
with insert
rich brown

TREDSAFE profiles with abutting edge for flush covering transitions for all steps with linoleum or design floors


Stair nosing profile for anti-slip safety inserts

Material: Aluminium silver anodised


PU1	PU2	PU3	Cat.
10	–	–	I

Insert mm	Height mm	Width mm	Length cm	Item code	£/ lm
TREDSAFE profile with rake back drop on riser					Price without insert
for 1 x insert 43 mm	26	51	250	AA 114/250	**21.94**

Matching DIAMONDTRED inserts are available in 9 colours! See page 81



AA 114/250



TREDSAFE profiles without drop with ramped back edge to avoid trip hazards on uncovered, plain or slippery stairs

Stair nosing profile for anti-slip safety inserts

Material: Aluminium silver anodised


PU1	PU2	PU3	Cat.
10	–	–	I

Insert mm	Height mm	Width mm	Length cm	Item code	£/ lm
TREDSAFE profiles for tactile attention					Price without insert
for 1 x insert 13 mm	3	32	250	AA 132/250	**8.89**
for 2 x insert 13 mm	4	45	250	AA 231/250 *	**16.12**


Matching DIAMONDTRED inserts are available in 8 colours! See page 81
*) Also available in 300 cm



AA 132/250
with insert
neutral black



AA 231/250
with insert
charcoal grey





TREDSAFE profiles with ramped back edge to avoid trip hazards on uncovered stairs (e.g. concrete) or slippery stairs

Stair nosing profile for anti-slip safety inserts
Material: Aluminium silver anodised / Stainless Steel (304)


PU1	PU2	PU3	Cat.
10	–	–	I

Insert mm	Height mm	Width mm	Length cm	Item code	£/ lm
TREDSAFE profiles with straight drop on riser				Price without insert	
for 1 x insert 13 mm	9	28	250	AA 139/250	**10.10**
for 2 x insert 37 mm	44	92	250	AA 211/250	**19.71**
for 1 x insert 43 mm	44	58	250	AA 125/250	**10.85**
TREDSAFE profile with rake back drop on riser				Price without insert	
for 2 x insert 13 mm	24	50	250	AA 221/250	**11.54**
for 2 x insert 37 mm	24	92	250	AA 210/250	**15.01**
for 1 x insert 43 mm	24	58	250	AA 122/250 *	**10.85**
Stainless Steel TREDSAFE profile with rake back drop				Price without insert	
for 1 x insert 37 mm	25	54	250	EE 122/250	**15.46**


Matching DIAMONDTRED inserts are available in 8 colours width 13 mm and available in 9 colours width 37 and 43 mm! See page 81

*) Also available in 300 cm










AA 139/250




AA 139/250



AA 211/250




AA 211/250
with insert
rich brown




AA 125/250




AA 125/250
with insert putty



AA 221/250




AA 221/250



AA 210/250




AA 210/250



AA 122/250 *



AA 122/250 *




EE 122/250



EE 122/250
with insert
rich brown

FLORENTOSTEP
Stair nosing profile

Highly decorative metal stair nosing profile in florentine style
Material: Aluminium




PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Item code	£/ lm
Surface: natural				
9	250	silver	FSTA 90/250	**4.70**
9	300	silver	FSTA 90/300	**4.70**
Surface: powder coated				
9	250	RAL 9005 black matt	FSTACM 911/250	**10.15**
11	250	RAL 9005 black matt	FSTACM 1111/250	**10.64**
13.5	250	RAL 9005 black matt	FSTACM 1311/250	**11.27**

FLORENTOSTEP
Stair nosing profile

Highly decorative metal stair nosing profile in florentine style
Material: Aluminium



PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Item code	£/ lm
Surface: anodised				
9	250	silver	FSTAE 90/250	**10.15**
11	250	silver	FSTAE 110/250	**10.64**
13.5	250	silver	FSTAE 135/250	**11.27**
9	250	titanium	FSTAE 90-T/250	**10.71**
11	250	titanium	FSTAE 110-T/250	**11.21**
9	300	silver	FSTAE 90/300	**10.15**
11	300	silver	FSTAE 110/300	**10.64**
11	300	titanium	FSTAE 110-T/300	**11.21**



natural



silver anodised



titanium anodised



RAL 9005 black matt
powder coated

ALUMINIUM SILVER ANODISED



	FLORENTOSTEP External corner Material: Metal die-cast 	**FLORENTOSTEP** Internal corner Material: Metal die-cast 	**FLORENTOSTEP** Endcap left Material: Metal die-cast 	**FLORENTOSTEP** Endcap right Material: Metal die-cast 
Cat. A G	PU1 1 – PU2 – – PU3	PU1 1 – PU2 – – PU3	PU1 1 – PU2 – – PU3	PU1 1 – PU2 – – PU3

Height mm	Colour	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece
9	RAL 9005 black matt	FSTACM 911-X/2	2	**3.49**	FSTACM 911-XI/2	2	**3.49**	FSTACM 911-XKL/2	2	**3.49**	FSTACM 911-XKR/2	2	**3.49**
11	RAL 9005 black matt	FSTACM 1111-X/2	2	**3.55**	FSTACM 1111-XI/2	2	**3.55**	FSTACM 1111-XKL/2	2	**3.42**	FSTACM 1111-XKR/2	2	**3.42**
13.5	RAL 9005 black matt	FSTACM 1311-X/2	2	**3.71**	FSTACM 1311-XI/2	2	**3.71**	FSTACM 1311-XKL/2	2	**3.39**	FSTACM 1311-XKR/2	2	**3.39**
9	silver	FSTAE 90-X/2	2	**2.86**	FSTAE 90-XI/2	2	**3.16**	FSTAE 90-XKL/2	2	**2.46**	FSTAE 90-XKR/2	2	**2.46**
11	silver	FSTAE 110-X/2	2	**2.92**	FSTAE 110-XI/2	2	**3.16**	FSTAE 110-XKL/2	2	**2.46**	FSTAE 110-XKR/2	2	**2.46**
13.5	silver	FSTAE 135-X/2	2	**3.20**	FSTAE 135-XI/2	2	**3.49**	FSTAE 135-XKL/2	2	**2.52**	FSTAE 135-XKR/2	2	**2.52**
9	titanium	FSTAE 90-T-X/2	2	**2.86**	FSTAE 90-T-XI/2	2	**2.92**	FSTAE 90-T-XKL/2	2	**2.40**	FSTAE 90-T-XKR/2	2	**2.40**
11	titanium	FSTAE 110-T-X/2	2	**2.86**	FSTAE 110-T-XI/2	2	**2.92**	FSTAE 110-T-XKL/2	2	**2.40**	FSTAE 110-T-XKR/2	2	**2.40**






FLORENTOSTEP Stainless Steel (304)

Highly decorative metal stair nosing profile in florentine style

Material: Stainless Steel (304)

Stainless Steel



PU1 10 PU2 40 PU3 –

Cat. A G

Height mm	Length cm	Surface	Item code	£/ lm
9	250	natural	FSTE 90/250	**17.38**
11	250	natural	FSTE 110/250	**19.02**






Stainless Steel (304) natural

SQUARESTEP

Stair nosing profile with rectangular visible surface for tiled stairs
Width 39 mm; Visible width 8 mm

Material: Aluminium




PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Item code	£/ lm
Surface: powder coated				
9	250	RAL 9005 black matt	SQSACM 911/250	**12.82**
11	250	RAL 9005 black matt	SQSACM 1111/250	**14.20**
13.5	250	RAL 9005 black matt	SQSACM 1311/250	**15.64**
22	250	RAL 7016 anthracite grey matt	SQSACM 2216/250	**18.97**

SQUARESTEP

Stair nosing profile with rectangular visible surface for tiled stairs
Width 39 mm; Visible width 8 mm

Material: Aluminium



PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Item code	£/ lm
Surface: anodised				
9	250	silver	SQSAE 90/250	**10.85**
11	250	silver	SQSAE 110/250	**12.22**
13.5	250	silver	SQSAE 135/250	**13.54**
22	250	silver	SQSAE 220/250	**17.41**
9	250	titanium	SQSAE 90-T/250	**10.85**
11	250	titanium	SQSAE 110-T/250	**12.22**
13.5	250	titanium	SQSAE 135-T/250	**13.54**
9	300	silver	SQSAE 90/300	**10.85**
11	300	silver	SQSAE 110/300	**12.22**
13.5	300	silver	SQSAE 135/300	**13.54**



silver anodised


22 mm – silver anodised

titanium anodised

RAL 9005 black matt powder coated

RAL 7016 anthracite grey matt powder coated

ALUMINIUM BLACK MATT POWDER COATED



SQUARESTEP External corner

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Item code	Piece/ Blister	£/ Piece
Surface: powder coated				
9	RAL 9005 black matt	SQSACM 911-X/2	2	**8.87**
11	RAL 9005 black matt	SQSACM 1111-X/2	2	**9.59**
13.5	RAL 9005 black matt	SQSACM 1311-X/2	2	**9.78**
22	RAL 7016 anthracite grey matt	SQSACM 2216-X/2	2	**9.96**
Surface: anodised				
9	silver	SQSAE 90-X/2	2	**9.14**
11	silver	SQSAE 110-X/2	2	**9.14**
13.5	silver	SQSAE 135-X/2	2	**9.14**
22	silver	SQSAE 220-X/2	2	**9.63**
9	titanium	SQSAE 90-T-X/2	2	**9.14**
11	titanium	SQSAE 110-T-X/2	2	**9.14**
13.5	titanium	SQSAE 135-T-X/2	2	**9.14**

SQUARESTEP Internal corner

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Item code	Piece/ Blister	£/ Piece
Surface: powder coated				
9	RAL 9005 black matt	SQSACM 911-XI/2	2	**8.87**
11	RAL 9005 black matt	SQSACM 1111-XI/2	2	**9.59**
13.5	RAL 9005 black matt	SQSACM 1311-XI/2	2	**9.78**
22	RAL 7016 anthracite grey matt	SQSACM 2216-XI/2	2	**9.96**
Surface: anodised				
9	silver	SQSAE 90-XI/2	2	**9.14**
11	silver	SQSAE 110-XI/2	2	**9.14**
13.5	silver	SQSAE 135-XI/2	2	**9.14**
22	silver	SQSAE 220-XI/2	2	**9.63**
9	titanium	SQSAE 90-T-XI/2	2	**9.14**
11	titanium	SQSAE 110-T-XI/2	2	**9.14**
13.5	titanium	SQSAE 135-T-XI/2	2	**9.14**

SQUARESTEP Endcap left

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Item code	Piece/ Blister	£/ Piece
Surface: powder coated				
9	RAL 9005 black matt	SQSACM 911-XKL/2	2	**8.79**
11	RAL 9005 black matt	SQSACM 1111-XKL/2	2	**8.79**
13.5	RAL 9005 black matt	SQSACM 1311-XKL/2	2	**8.79**
22	RAL 7016 anthracite grey matt	SQSACM 2216-XKL/2	2	**9.96**
Surface: anodised				
9	silver	SQSAE 90-XKL/2	2	**9.14**
11	silver	SQSAE 110-XKL/2	2	**9.14**
13.5	silver	SQSAE 135-XKL/2	2	**9.14**
22	silver	SQSAE 220-XKL/2	2	**9.63**
9	titanium	SQSAE 90-T-XKL/2	2	**9.14**
11	titanium	SQSAE 110-T-XKL/2	2	**9.14**
13.5	titanium	SQSAE 135-T-XKL/2	2	**9.14**

SQUARESTEP Endcap right

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	A G


Height mm	Colour	Item code	Piece/ Blister	£/ Piece
Surface: powder coated				
9	RAL 9005 black matt	SQSACM 911-XKR/2	2	**8.79**
11	RAL 9005 black matt	SQSACM 1111-XKR/2	2	**8.79**
13.5	RAL 9005 black matt	SQSACM 1311-XKR/2	2	**8.79**
22	RAL 7016 anthracite grey matt	SQSACM 2216-XKR/2	2	**9.96**
Surface: anodised				
9	silver	SQSAE 90-XKR/2	2	**9.14**
11	silver	SQSAE 110-XKR/2	2	**9.14**
13.5	silver	SQSAE 135-XKR/2	2	**9.14**
22	silver	SQSAE 220-XKR/2	2	**9.63**
9	titanium	SQSAE 90-T-XKR/2	2	**9.14**
11	titanium	SQSAE 110-T-XKR/2	2	**9.14**
13.5	titanium	SQSAE 135-T-XKR/2	2	**9.14**

ALUMINIUM RAL 9005 BLACK MATT POWDER COATED



DURASTEP Solid

Metal-Stair nosing profile
Slip resistance class R11 / V6
Material: Aluminium
Visible width 20 mm




PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour Surface	Item code	£/ lm
9	250	silver natural	DSTOA 90/250	**5.70**
11	250	silver natural	DSTOA 110/250	**5.95**
9	250	silver anodised	DSTOAE 90/250	**5.88**
11	250	silver anodised	DSTOAE 110/250	**6.11**
9	300	silver natural	DSTOA 90/300	**5.70**
11	300	silver natural	DSTOA 110/300	**5.95**
9	300	silver anodised	DSTOAE 90/300	**5.88**
11	300	silver anodised	DSTOAE 110/300	**6.11**

DURASTEP Solid

Metal-Stair nosing profile
Slip resistance class R10 / V6
Material: Stainless Steel (304)
Visible width 30 mm




PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour Surface	Item code	£/ lm
9	250	natural	DSTOE 90/250	**15.78**
11	250	natural	DSTOE 110/250	**16.47**

DURASTEP Solid Endcap

can be used on the right and left
Material: Stainless Steel (304)




PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour Surface	Item code	Piece/ Bag	£/ Piece
9/11	natural	DSTOE-XK/10	10	**10.12**

DURASTEP Solid-L

Metal stair nosing profile
with extra wide surface;
Slip resistance class R11 / V6
Material: Aluminium
Visible width 30 mm



PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour Surface	Item code	£/ lm
9	250	silver natural	DSTOA 90-L/250	**7.40**
11	250	silver natural	DSTOA 110-L/250	**7.94**
9	250	silver anodised	DSTOAE 90-L/250	**7.19**
11	250	silver anodised	DSTOAE 110-L/250	**8.51**
22	250	silver anodised	DSTOAE 220-L/250	**13.29**
9	300	silver natural	DSTOA 90-L/300	**7.40**
11	300	silver natural	DSTOA 110-L/300	**7.94**
9	300	silver anodised	DSTOAE 90-L/300	**7.40**
11	300	silver anodised	DSTOAE 110-L/300	**8.51**







DURASTEP Solid-L 22 mm
silver natural



DURASTEP Solid 9+11 mm
silver anodised




DURASTEP Solid 9+11 mm
Stainless Steel (304) natural

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURASTEP STANDARD

Stair nosing profile with PVC inserts
Profiles shrink wrapped individually
Material: Aluminium/PVC; Width 25 mm




PU1	PU2	PU3	Cat.
10	40	-	A G

Height mm	Length cm	Colour Insert	Item code	£/ lm
9	250	black	DSTS 933/250	**16.71**
11	250	black	DSTS 1133/250	**17.51**
9	250	grey	DSTS 938/250	**16.71**
11	250	grey	DSTS 1138/250	**17.51**

DURASTEP JUMBO

Highly robust stair nosing profile with PVC insert
Material: Aluminium/PVC; Width 35 mm



PU1	PU2	PU3	Cat.
10	40	-	A G


Height mm	Length cm	Colour Insert	Item code	£/ lm
9	250	black	DST 933/250	**20.29**
11	250	black	DST 1133/250	**22.77**
9	250	grey	DST 938/250	**20.29**
11	250	grey	DST 1138/250	**22.77**





DURASTEP Wood Toscana

Stair nosing profile with a solid wood step surface; Width 50 mm
Material: Aluminium/Wood




PU1	PU2	PU3	Cat.
10	–	–	A G

Height mm	Length cm	Surface	Item code	lm
10	250	oak smooth	DSTWT 1001/250	**48.26**
13.5	250	oak smooth	DSTWT 1201/250	**50.72**


DURASTEP Wood Provence


Stair nosing profile with a solid wood step surface; Width 50 mm
Material: Aluminium/Wood



PU1	PU2	PU3	Cat.
10	–	–	A G


Height mm	Length cm	Surface	Item code	£/ lm
10	250	oak smooth	DSTWP 1001/250	**41.55**
13.5	250	oak smooth	DSTWP 1201/250	**50.72**





STEP Stair nosing profile

Stair nosing profile for PVC insert
profile without fixing materials; Width 45 mm
Material: Aluminium



PU1	PU2	PU3	Cat.
10	40	–	T


Height mm	Length cm	Colour Surface	Item code	£/ lm
12	250	silver anodised	STAE 4500/12/250	**15.77**

Price without insert (STPR)



STEP Insert

Insert for stair nosing profile
STEP; Roll length 25 m
Material: PVC; Width 28 mm




PU1	PU2	PU3	Cat.
1	10	–	T

Width mm	Length m	Colour Surface	Item code	£/ lm
28/25	25	black grooved	STPR 33/25M	**15.02**
28/25	25	grey grooved	STPR 38/25M	**15.02**



TEKA Step


Push-in step trim without visible fixing;
Profile without fixing materials
Material: Aluminium silver anodised
Width 29 mm



PU1	PU2	PU3	Cat.
10	40	–	T


Length cm	Installation dimension	Item code	£/ lm
270	Insert height 5 mm	TAE 55/270	**14.08**





TEKA Step TA


Push-in step trim without visible fixing
Profile without fixing materials
Material: Aluminium silver anodised



PU1	PU2	PU3	Cat.
10	–	–	T


Height mm	Length cm	Installation dimension	Item code	£/ lm
2.5	300	Insert height 2.5 mm	TAE TA 25/300	**20.29**
3.5	300	Insert height 3.5 mm	TAE TA 35/300	**20.70**
5	300	Insert height 5 mm	TAE TA 50/300	**22.06**
6	300	Insert height 6 mm	TAE TA 60/300	**22.74**






TEKA Step TK

Push-in step trim without visible fixing
Profile without fixing materials
Material: Aluminium silver anodised
Width 32 mm




PU1	PU2	PU3	Cat.
10	40	–	T

Length cm	Installation dimension	Item code	£/ lm
270	Insert height 5 mm	TAE 50-TK/270	**20.56**



STEPFLOOR

Push-in step trim without visible fixing
Profile without fixing materials
Width of base B = 46 mm
Visible width A = 20 mm
Material: Aluminium




PU1	PU2	PU3	Cat.
10	–	–	**T**

Height mm	Length cm	Colour	Surface	Item code	£/ lm
8 - 10	270	silver	anodised	STFAE 800/270	**19.23**



STEPFLOOR

Push-in step trim without visible fixing
Profile without fixing materials
Width of base B = 50 mm
Visible width A = 25 mm
Material: Aluminium




PU1	PU2	PU3	Cat.
10	–	–	**T**

Height mm	Length cm	Colour	Surface	Item code	£/ lm
14 - 16	270	silver	anodised	STFAE 1400/270	**20.56**



STEPFLOOR-G

Push-in step trim without visible fixing
Profile without fixing materials
Width of base B = 35 mm
Visible width A = 15 mm; Material: Aluminium



PU1	PU2	PU3	Cat.
10	40	–	**T**

Height mm	Length cm	Colour	Surface	Item code	£/ lm
8	270	silver	anodised	STFGAE 800/270	**7.83**
14	270	silver	anodised	STFGAE 1400/270	**9.92**






PROTECT Aluminium

Stair nosing profile for retrofitting in existing stairs

Material: Aluminium anodised; Width 25 mm Height 10 mm; Length 270 cm

PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Item code	£/ lm
DIY-Set; self adhesive; undrilled		
Surface: powder coated RAL 9005		
black matt	PTACM 2511/10-SK/270	**9.54**
Surface: anodised		
silver	PTAE 2500/10-SK/270	**8.73**
titanium	PTAE 2500/10-T-SK/270	**8.73**

Colour	Item code	£/ lm
Profile without fixing materials; drilled		
Surface: powder coated RAL 9005		
black matt	PTACM 2511/10/270	**10.63**
Surface: anodised		
silver	PTAE 2500/10/270	**8.57**
titanium	PTAE 2500/10-T/270	**8.57**



1 PTACM 2511/20-SK BLACK MATT RAL 9005


PROTECT Aluminium

Stair nosing profile for retrofitting in existing stairs

Material: Aluminium anodised


Width 25 mm; Height 20 mm; Length 270 cm

PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Item code	£/ lm
DIY-Set; self adhesive; undrilled		
Surface: powder coated RAL 9005		
black matt	PTACM 2511/20-SK/270	**10.63**
Surface: anodised		
silver	PTAE 2500/20-SK/270	**9.33**
titanium	PTAE 2500/20-T-SK/270	**9.33**

Colour	Item code	£/ lm
Profile without fixing materials; drilled		
Surface: powder coated RAL 9005		
black matt	PTACM 2511/20/270	**10.49**
Surface: anodised		
silver	PTAE 2500/20/270	**9.16**
titanium	PTAE 2500/20-T/270	**9.16**



2 PTAE 4500-U/20 SILVER ANODISED



3 PTAE 4500/20 SILVER ANODISED


PROTECT Aluminium

Stair nosing profile for retrofitting in existing stairs

Material: Aluminium anodised;

Width 40 mm; Height 20 mm; Length 270 cm

PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Item code	£/ lm
Profile without fixing materials; undrilled		
silver	PTAE 4500-U/20/270	**8.21**

Colour	Item code	£/ lm
Profile without fixing materials; drilled		
silver	PTAE 4500/20/270	**8.21**



4 PTAE 4500/40 SILVER ANODISED


PROTECT Aluminium

Stair nosing profile for retrofitting in existing stairs

Material: Aluminium anodised

Width 45 mm; Height 40 mm; Length 250 cm

PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Item code	£/lm
drilled		
silver	PTAE 4500/40/250	**11.71**



5 PTE 3400/17 STAINLESS STEEL (304)


PROTECT Stainless Steel (304)

Stair nosing profile for retrofitting in existing stairs

Material: Stainless Steel (304) natural;

Width 34 mm; Height 17 mm; Length 250 cm

PU1	PU2	PU3	Cat.
10	100	–	T



Colour	Item code	£/lm
Profile without fixing materials; undrilled		
natural	PTE 3400/17/250	**12.33**

DIY-Set - Profiles for parquet, laminate, carpet and LVT

Screws / wall plugs;

Dimension: 3.0 x 25 mm

for Drill Ø 4 mm; Material: PVC




PU1	PU2	PU3	Cat.
1	-	-	NET

Content (pc.) Bag	Colour	Item code	£/Bag
20	for black matt	TORX-S/20	**2.35**
20	for silver	TORX/20	**3.51**
20	for titanium	TORX-E/20	**3.51**
20	for Stainless Steel	TORX-E/20	**3.51**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

MOVEMENT / EXPANSION JOINT PROFILES








DFE 1038/250

DURAFLEX METALL Stainless Steel (304)
Expansion and movement joint profile made of metal/EPDM for thin-bed installation
Material: Stainless Steel (304)
Visible edge support profile Stainless Steel natural; Infill: EPDM



PU1	PU2	PU3	Cat.
10	–	–	A X

Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
3	grey	250	8	DFE 338/250	**32.18**
4	grey	250	8	DFE 438/250	**33.14**
6	grey	250	8	DFE 638/250	**34.37**
8	grey	250	8	DFE 838/250	**35.33**
10	grey	250	8	DFE 1038/250	**36.57**
11	grey	250	8	DFE 1138/250	**38.11**
12.5	grey	250	8	DFE 1238/250	**39.68**
15	grey	250	8	DFE 1538/250	**45.53**
17	grey	250	8	DFE 1738/250	**48.22**
20	grey	250	8	DFE 2038/250	**50.83**
22	grey	250	8	DFE 2238/250	**53.19**
25	grey	250	8	DFE 2538/250	**56.12**



DFE 838/250



DFE 1238/250




DFE 2538/250



DFA 1538/250 - DURABASE CI++ DECOUPLING MAT FOR TILED FLOORS SEE PAGE 138



DURAFLEX METALL Aluminium
Movement joint profile made of aluminium for thin-bed installation
Material: Aluminium
Visible edge support profile aluminium natural; Infill: EPDM



PU1	PU2	PU3	Cat.
10	–	–	A X


Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
3	grey	250	10	DFA 338/250	**17.73**
4.5	grey	250	10	DFA 438/250	**18.29**
6	grey	250	10	DFA 638/250	**18.64**
8	grey	250	10	DFA 838/250	**18.96**
10	grey	250	10	DFA 1038/250	**19.31**
12.5	grey	250	10	DFA 1238/250	**21.57**
15	grey	250	10	DFA 1538/250	**23.04**
16.5	grey	250	10	DFA 1638/250	**23.76**
18	grey	250	10	DFA 1838/250	**25.49**
20	grey	250	10	DFA 2038/250	**26.54**
22	grey	250	10	DFA 2238/250	**28.46**
25	grey	250	10	DFA 2538/250	**30.04**
30	grey	250	10	DFA 3038/250	**33.54**

DFA 338/250 – HEIGHT 3 mm,
ALSO SUITABLE FOR LVT FLOORINGS



DURAFLEX PVC

PVC expansion and movement joint profile for thin-bed installation with narrow unperforated fixing base
Material: PVC
Infill: PVC



PU1	PU2	PU3	Cat.
40	–	–	B


Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
8	grey	250	8	DFP 838/250	**3.64**
10	grey	250	8	DFP 1038/250	**3.88**
12.5	grey	250	8	DFP 1238/250	**4.01**
15	grey	250	8	DFP 1538/250	**4.23**






DURAFLEX PVC

PVC expansion and movement joint profile for thin-bed installation with extra-wide base
Material: PVC; Infill: PVC




PU1	PU2	PU3	Cat.
40	–	–	B

Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
6	grey	250	8	DFP 638-L/250	**4.84**
8	grey	250	8	DFP 838-L/250	**4.99**
10	grey	250	8	DFP 1038-L/250	**5.23**
12.5	grey	250	8	DFP 1238-L/250	**5.42**
15	grey	250	8	DFP 1538-L/250	**5.73**
6	black	250	8	DFP 633-L/250	**4.84**
8	black	250	8	DFP 833-L/250	**4.99**
10	black	250	8	DFP 1033-L/250	**5.23**
12.5	black	250	8	DFP 1233-L/250	**5.42**
15	black	250	8	DFP 1533-L/250	**5.73**
10	beige	250	8	DFP 1032-L/250	**5.23**
12.5	beige	250	8	DFP 1232-L/250	**5.42**
15	beige	250	8	DFP 1532-L/250	**5.73**




DURAFLEX PVC

PVC expansion and movement joint profile for thin-bed installation
Material: PVC
Infill: PVC




PU1	PU2	PU3	Cat.
40	–	–	B

Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
8	grey	250	5	DFP 838-5/250	**6.30**
10	grey	250	5	DFP 1038-5/250	**6.67**
12.5	grey	250	5	DFP 1238-5/250	**6.96**
8	dark grey	250	5	DFP 839-5/250	**6.30**
10	dark grey	250	5	DFP 1039-5/250	**6.67**
12.5	dark grey	250	5	DFP 1239-5/250	**6.96**
8	beige	250	5	DFP 832-5/250	**6.30**
10	beige	250	5	DFP 1032-5/250	**6.67**
12.5	beige	250	5	DFP 1232-5/250	**6.96**



A Width = 87 mm
B Visible width = 39 mm
C Movement capacity horizontal = 10 mm (+5/-5 mm);
D Movement capacity vertical = 6 mm (+3/-3 mm)
E Pavement height = 10/12.5/15 mm
Joint width max. 30 mm; material thickness angle 1.2 mm


DURAFLEX 3D
Aluminium expansion joint profile with three-dimensional movement absorption for thin-bed installation
Material: Aluminium
Surface: natural



PU1	PU2	PU3	Cat.
10	–	–	**NET**


Height mm	Colour	Length cm	Width mm	Visible width mm	Item code	£/lm
10	natural	250	87	39	DFA 3D 100/250	**60.42**
12.5	natural	250	87	39	DFA 3D 125/250	**60.87**
15	natural	250	87	39	DFA 3D 150/250	**62.85**

DFA 3D 125/250



DURAFLEX TL-PVC

PVC expansion and movement joint profiles for thick-bed installation
Material: PVC
Infill: PVC



PU1	PU2	PU3	Cat.
40	–	–	**B**


Height mm	Colour Infill	Length cm	Visible width mm	Item code	£/lm
30	beige	250	8	DFP 3032/250	**3.86**
30	grey	250	8	DFP 3038/250	**3.86**
35	grey	250	8	DFP 3538/250	**4.49**
40	grey	250	8	DFP 4038/250	**4.91**
50	grey	250	8	DFP 5038/250	**5.33**
65	grey	250	8	DFP 6538/250	**5.96**
50	white	250	8	DFP 5030/250	**5.33**
30	black	250	8	DFP 3033/250	**3.86**
35	black	250	8	DFP 3533/250	**4.49**
40	black	250	8	DFP 4033/250	**4.91**



DFP 3538/250


DURAFLEX SB

Aluminium expansion joint profile with an exchangeable EPDM insert. Specially designed for integrated installation indoors in the floor and wall
Material: Aluminium; Infill EPDM




PU1	PU2	PU3	Cat.
10	–	–	**A**

Height mm	Colour Infill	Length cm	Width mm	Item code	£/lm
15	grey	250	33	DFA SB 1538/250	**38.56**
35	grey	250	33	DFA SB 3538/250	**47.02**
40	grey	250	33	DFA SB 4038/250	**48.64**
50	grey	250	33	DFA SB 5038/250	**51.88**
15	black	250	33	DFA SB 1533/250	**38.56**
35	black	250	33	DFA SB 3533/250	**47.02**
40	black	250	33	DFA SB 4033/250	**48.64**
50	black	250	33	DFA SB 5033/250	**51.88**




DFA SB 3538/250



DFAE KA 800-BS/250

DURAFLEX KA drilled on one side

Cover profile for expansion and movement joints in walls and floors with drill hole on one side
Material: Aluminium
Surface: natural, anodised



PU1	PU2	PU3	Cat.
10	–	–	A X

Height mm	Width mm	Length cm	Colour	Item code	£/lm
3.5	60	250	natural	DFA KA 600-BS/250 *	**14.55**
3.5	80	250	natural	DFA KA 800-BS/250	**17.28**
4	100	250	natural	DFA KA 1000-BS/250	**23.38**
4	120	250	natural	DFA KA 1200-BS/250	**33.35**
3.5	60	250	silver anodised	DFAE KA 600-BS/250 *	**16.52**
3.5	80	250	silver anodised	DFAE KA 800-BS/250	**19.29**
4	100	250	silver anodised	DFAE KA 1000-BS/250	**27.54**
4	120	250	silver anodised	DFAE KA 1200-BS/250	**33.22**


*) Smooth surface



DFAE KA 800-SK/250

DURAFLEX KA self-adhesive

Self-adhesive cover profile for expansion and movement joints in walls and floors
Material: Aluminium
Surface: natural, anodised



PU1	PU2	PU3	Cat.
10	–	–	A X


Height mm	Width mm	Length cm	Colour	Item code	£/lm
3.5	60	250	natural	DFA KA 600-SK/250 *	**16.64**
3.5	80	250	natural	DFA KA 800-SK/250	**20.94**
4	100	250	natural	DFA KA 1000-SK/250	**27.25**
4	120	250	natural	DFA KA 1200-SK/250	**37.19**
3.5	60	250	silver anodised	DFAE KA 600-SK/250 *	**18.40**
3.5	80	250	silver anodised	DFAE KA 800-SK/250	**22.55**
4	100	250	silver anodised	DFAE KA 1000-SK/250	**35.76**
4	120	250	silver anodised	DFAE KA 1200-SK/250	**42.94**

*) Smooth surface




DFAE KA 600/250 *

DFAE KA 1000 + 1200-BS/250



DURAFLEX KA undrilled

Cover profile for expansion and movement joints in walls and floors
Material: Aluminium
Surface: natural, anodised




PU1	PU2	PU3	Cat.
10	–	–	A X

Height mm	Width mm	Length cm	Colour	Item code	£/lm
3.5	60	250	natural	DFA KA 600/250 *	**10.55**
3.5	80	250	natural	DFA KA 800/250	**15.17**
4	100	250	natural	DFA KA 1000/250	**21.26**
4	120	250	natural	DFA KA 1200/250	**30.26**
3.5	60	250	silver anodised	DFAE KA 600/250 *	**11.90**
3.5	80	250	silver anodised	DFAE KA 800/250	**15.84**
4	100	250	silver anodised	DFAE KA 1000/250	**22.43**
4	120	250	silver anodised	DFAE KA 1200/250	**35.32**

*) Smooth surface

LED-SYSTEMS







DURALIS-LED – Basic trim

LED-illuminated Listello-trim in aluminium with edgecovers; Profile without LED-strip and cover
Material: Aluminium

Height mm	Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
9	silver	anodised	250	20/23	10	40	–	DLAE LED 2300 90/250	A	10.18
9	titanium	anodised	250	20/23	10	40	–	DLAE LED 2300 90-T/250	A	10.77
9	black matt (RAL 9005)	powder coated	250	20/23	10	40	–	DLACM LED 2311-90/250	A	10.60
9	white	powder coated	250	20/23	10	40	–	DLAC LED 2330 90/250	A	11.20
12.5	silver	anodised	250	20/23	10	40	–	DLAE LED 2300 125/250	A	10.78
12.5	titanium	anodised	250	20/23	10	40	–	DLAE LED 2300 125-T/250	A	11.38
12.5	black matt (RAL 9005)	powder coated	250	20/23	10	40	–	DLACM LED 2311-125/250	A	11.80
12.5	white	powder coated	250	20/23	10	40	–	DLAC LED 2330-125/250	A	12.30



For floor installations, seal with DURALIS-LED adhesive tape DLK



DURALIS-LED – Cover

Translucent cover for DURALIS-LED profile
Material: Polycarbonate

Colour	Surface	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
white	translucent	250	16		10	40	–	DLP LED 1430/250	A	6.22
black	translucent	250	16		10	40	–	DLP LED 1433/250	A	6.22

Adhesive (double-sided) strip for installing of the LED covers

transparent		5.000	5	0.19	1	–	–	DLK 5019/5000	A	0.30





Base profile silver anodised
Cover white
translucent



Base profile titanium anodised
Cover black
translucent



Base profile black matt
(RAL 9005) powder coated
Cover black
translucent



Base profile white
powder coated
Cover white
translucent

DURALIS LED – Listello profiles for tiles, natural stone, floor coverings and cladding


- As classic listello profiles, DURALIS-LED give any room that very special touch. Whether integrated in the wall surface or the floor covering, they are an exciting alternative to ceramic trim and design elements
- DURALIS-LED is just as ideal for use as a lighting solution for indirect lighting
- The base profiles made of top-quality anodised aluminium are attached using tile adhesive or construction adhesive depending on the substrate. While the practical edge cover guarantees a clean transition to the surrounding flooring
- DURALIS-LED is illuminated using LED strips along with control and connection components (starting on page 105)


INSTALLATION TIP:
If you install LED strips IP20 in the DURAL profile system with cover you automatically achieve IP44 type of protection



SQUARELINE-LED – Basic trim

LED-illuminated edging profile in aluminium for tiled and natural stone surfaces; Profile without LED-strip and cover
Suitable for all LED-strips up to 8 mm width; Material: Aluminium





Height mm	Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
9	silver	anodised	250	10	10	40	–	SQLAE LED 90/250	A	11.67
9	titanium	anodised	250	10	10	40	–	SQLAE LED 90-T/250	A	12.27
9	black matt (RAL 9005)	powder coated	250	10	10	40	–	SQLACM LED 911/250	A	13.74
9	white	powder coated	250	10	10	40	–	SQLAC LED 930/250	A	13.24
11	silver	anodised	250	12	10	40	–	SQLAE LED 110/250	A	12.27
11	titanium	anodised	250	12	10	40	–	SQLAE LED 110-T/250	A	13.00
11	black matt (RAL 9005)	powder coated	250	12	10	40	–	SQLACM LED 1111/250	A	15.19
11	white	powder coated	250	12	10	40	–	SQLAC LED 1130/250	A	14.21

SQUARELINE-LED – Cover

Translucent cover for SQUARELINE-LED trim
Material: Polycarbonate



Colour	Surface	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
white	translucent	250			10	40	–	SQLP 30/250	A	5.45

SQUARELINE-LED – LED illuminated edge profile from aluminium with square cross-section

- Things are getting brighter now in ceramic tiling. Modern LED technology lights up edges, finishing elements and transitions in very impressive ways
- The SQUARELINE-LED base profile in five colours and the translucent cover in white can be mixed and matched and are individually available
- Our LED strips with state-of-the-art light colour control from warm white to neutral white and cold white are available starting on page 105

INSTALLATION TIP:
If you install LED strips IP20 in the DURAL profile system with cover you automatically achieve IP44 type of protection





Base profile silver anodised
Cover white
translucent



Base profile titanium anodised
Cover white
translucent




Base profile black matt
(RAL 9005)
powder coated
Cover white
translucent




Base profile white
powder coated
Cover white
translucent


FLORENTOSTEP-LED – Basic trim

LED-illuminated stair nosing profile in aluminium with a florentine design; Profile without LED-strip and cover
Suitable for all LED-strips up to 9 mm width; Material: Aluminium




Height mm	Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
9	silver	anodised	250	20	10	40	–	FSTAE LED 90/250	A	14.46
9	titanium	anodised	250	20	10	40	–	FSTAE LED 90-T/250	A	19.82
9	black matt (RAL 9005)	powder coated	250	20	10	40	–	FSTACM LED 911/250	A	18.65
9	white	powder coated	250	20	10	40	–	FSTAC LED 930/250	A	16.25
11	silver	anodised	250	20	10	40	–	FSTAE LED 110/250	A	16.03
11	titanium	anodised	250	20	10	40	–	FSTAE LED 110-T/250	A	19.02
11	black matt (RAL 9005)	powder coated	250	20	10	40	–	FSTACM LED 1111/250	A	19.53
11	white	powder coated	250	20	10	40	–	FSTAC LED 1130/250	A	14.81





Cover

Translucent cover for CONSTRUCT LED, SQUARESTEP-LED and FLORENTOSTEP-LED trim
Material: Polycarbonate



Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
white	translucent	250	10.5	10	40	–	FSTP LED 1030/250	A	6.00
grey	translucent	250	10.5	10	40	–	FSTP LED 1038/250	A	6.00



Base profile
silver anodised



Base profile
titanium anodised



Base profile
black matt (RAL 9005)
powder coated



Base profile
white powder coated

FLORENTOSTEP-LED – LED illuminated stair profile from aluminium in a florentine design

- Illuminated stair step profiles in a Florentine design for stairs with tile or natural stone covering.
  The classic elegant appearance and high load-bearing capacity for the comprehensive protection of step edges in all areas is enhanced even more with the use of modern light-intense LED strips
- Illuminated stair profiles offer a maximum level of visibility and safety
- The FLORENTOSTEP-LED base profiles can be mixed and matched with the coloured FLORENTOSTEP-LED covers
- FLORENTOSTEP-LED is illuminated using up to 9 mm LED strips along with control and connection components (starting on page 105)


INSTALLATION TIP:
If you install LED strips IP20 in the DURAL profile system with cover you automatically achieve IP44 type of protection

LED profile system/LED technology
only approved for indoor use.



SQUARESTEP-LED – Basic trim

Antislip step profile for stair nosing lighting; Without LED-strip and cover, available seperately;
Suitable for all LED-strips up to 9 mm width; Material: Aluminium anodised



Height mm	Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
11	silver	anodised	250	18	10	40	–	SQSAE LED 110/250	NET	17.53
11	titanium	anodised	250	18	10	40	–	SQSAE LED 110-T/250	NET	17.81
11	black matt (RAL 9005)	powder coated	250	18	10	40	–	SQSACM LED 1111/250	NET	18.14
11	silver	anodised	150	18	10	40	–	SQSAE LED 110/150	NET	17.53
11	titanium	anodised	150	18	10	40	–	SQSAE LED 110-T/150	NET	17.81
11	black matt (RAL 9005)	powder coated	150	18	10	40	–	SQSACM LED 1111/150	NET	18.14

SQUARESTEP-LED Endcap left

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	Colour	Surface	Item code	Piece/ Bag	£/ Piece
11	silver	anodised	SQSAE LED 110-XKL/2	2	6.64
11	titanium	anodised	SQSAE LED 110-T-XKL/2	2	7.04
11	black matt (RAL 9005)	powder coated	SQSACM LED 1111-XKL/2	2	7.45

SQUARESTEP-LED Endcap right

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	Colour	Surface	Item code	Piece/ Bag	£/ Piece
11	silver	anodised	SQSAE LED 110-XKR/2	2	6.64
11	titanium	anodised	SQSAE LED 110-T-XKR/2	2	7.04
11	black matt (RAL 9005)	powder coated	SQSACM LED 1111-XKR/2	2	7.45

Cover

Translucent cover for CONSTRUCT LED, SQUARESTEP-LED and FLORENTOSTEP-LED trim
Material: Polycarbonate



Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
white	translucent	250	10.5	10	40	–	FSTP LED 1030/250	A	6.00
grey	translucent	250	10.5	10	40	–	FSTP LED 1038/250	A	6.00


SQUARESTEP-LED – anti-slip aluminium profile for illuminated stair nosings

- Up-to-date safety for stairs with LED steps
- Anti-slip grooved step 18 mm
- Suitable for standard LED strips up to 9 mm width
- Glare-free cover, please order seperately
- Matching corner pieces and end caps
- The SQUARESTEP LED profiles can be combined with the different coloured covers
- All accessories to illuminate the SQUARSTEP LED profiles see page 105

INSTALLATION TIP:
If you install LED strips IP20 in the DURAL profile system with cover you automatically achieve IP44 type of protection

LED profile system/LED technology
only approved for indoor use.






Base profile silver anodised
Cover white
or grey translucent

Base profile titanium anodised
Cover white
or grey translucent

Base profile black matt
powder coated;
Cover white
or grey translucent

CONSTRUCT-LED LED-illuminated skirting

LED-illuminated skirting strip in aluminium for living with an accent; without LED-strip and cover, available seperately for adhesive mounting; Material: Aluminium



Height mm	Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
60	silver	anodised	250	13	10	40	–	CAE LED 60/250	NET	12.49
60	titanium	anodised	250	13	10	40	–	CAE LED 60-T/250	NET	13.10

CONSTRUCT-LED Endcap left

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	Colour	Surface	Item code	Piece/ Bag	£/ Piece
60	silver	anodised	CAE LED 60-XKL/2	2	8.87
60	titanium	anodised	CAE LED 60-T-XKL/2	2	8.87

CONSTRUCT-LED Endcap right

Material: Aluminium



PU1	PU2	PU3	Cat.
1	–	–	NET


Height mm	Colour	Surface	Item code	Piece/ Bag	£/ Piece
60	silver	anodised	CAE LED 60-XKR/2	2	8.87
60	titanium	anodised	CAE LED 60-T-XKR/2	2	8.87

Cover

Translucent cover for CONSTRUCT LED, SQUARESTEP-LED and FLORENTOSTEP-LED trim
Material: Polycarbonate



Colour	Surface	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
white	translucent	250	10.5	10	40	–	FSTP LED 1030/250	A	6.00
grey	translucent	250	10.5	10	40	–	FSTP LED 1038/250	A	6.00




Basic trim silver anodised
Cover white or
grey translucent



Basic trim titanium anodised
Cover white or
grey translucent

CONSTRUCT-LED – Illuminated skirting

- Glare-free, indirect light distribution
- Easy installation of the self-adhesive LED strips
- Profile height 60 mm
- Translucent cover for glare-free light distribution
- The CONSTRUCT-LED skirtings can be combined with any of the translucent covers
- CONSTRUCT-LED is illuminated using LED strips along with control and connection components (starting on page 105)






Image film
CONSTRUCT-LED



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

LED-EMOTION


LED-Strip Emotion IP20 – LED strip continuously adjustable from warm white 2700 K to cold white 6500 K, suitable for living areas (IP20); Dimmable, with 180 cm connection cable and LED mini plug;
24 Volt DC. 7.2 watts/lm; self-adhesive; 120 LED/lm. CRI > 90



Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
100	8	1	–	–	LEDS EM 20/100	NET	49.35
150	8	1	–	–	LEDS EM 20/150	NET	47.85
250	8	1	–	–	LEDS EM 20/250	NET	44.81
500	8	1	–	–	LEDS EM 20/500	NET	35.86




LED-Strip Emotion IP66 – LED strip continuously adjustable from warm white to cold white, suitable for humid rooms (IP66); Dimmable, with 180 cm connection cable and LED mini plug; 24 Volt DC. 7.2 watts/lm; self-adhesive; incl. 4 endcaps and silicone adhesive; 120 LED/lm, CRI > 90



Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
100	9	1	–	–	LEDS EM 65/100	NET	79.00
150	9	1	–	–	LEDS EM 65/150	NET	75.52
250	9	1	–	–	LEDS EM 65/250	NET	63.12
500	9	1	–	–	LEDS EM 65/500	NET	55.54





LED Homebase – Control of DURAL LED systems via SmartHome systems
Home base, plug-in power supply, connection cable USB / mini USB
Operation only with LED Conncetion-Set EMOTION F with remote control possible

	Length mm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
Length USB connection cable 100 cm	64	64	15	1	–	–	LED HOME E	NET	262.36



LED motion detector switch EMOTION F
Motion detector for Emotion LED with twilight function, self-sufficient due to battery operation and magnetic attachment; On-/ off- function, 3 switch-on times selectable (16/180/600 sec.). 3 colour levels: cold-. neutral- and warm-white, dimmable; Range to the LED Emotion control (radio receiver of the transformer) 15 m, detection range 2.5 m, detection angle 80°; Battery operated CR2032 (3V); Magnetic attachment; Material: Techno-Polymer

Colour	Length mm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
white	87	19		1	–	–	FBM 30	NET	89.43



LED surface-mounted wall switch EMOTION F
Radio switch for Emotion LED, for installation or as a remote control
On-/ off-function, 3 colour levels: cold-. neutral- and warm-white, dimmable
Can also be used as a remote control. Battery operated CR2032 (3V)
drilling Ø = 35 mm; Ø = 44 x 13.1 mm
Material: Plastic

Colour			Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
silver/black			13.1	1	–	–	FWS LED	NET	18.14



LED-EMOTION

LED-Set Emotion W – Connection set with surface-mounted wall switch for up to 7.5 m LED strip „Emotion“
Transformer 60 watts, radio wall switch / dimmer, radio receiver with 1 connection



	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
				1	–	–	LED SET EW 750	NET	348.87

LED-Set Emotion W – Connection set with surface-mounted wall switch for up to 15 m LED strip „Emotion“
Transformer 120 watts, radio wall switch / dimmer, radio receiver with 6-way distribution box



	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
				1	–	–	LED SET EW/1500	NET	374.86

LED-Set Emotion F – Connection set with radio remote control for up to 7.50 m LED strip „Emotion“
Transformer 60 watts, remote control, radio receiver with 1 connection



	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
				1	–	–	LED SET EF 750	NET	245.80

LED-Set Emotion F – Connection set with radio remote control for up to 15 m LED strip „Emotion“
Transformer 120 watts, remote control, radio receiver with 6-way distribution box



	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
				1	–	–	LED SET EF 1500	NET	271.12

LED Emotion F – 1-channel remote control „Emotion“
Seamless adjustment of the colour temperature, Dimmer, Auto memory: saves the last setting
One remote can be used for several Emotion-driver; Per Emotion-driver one 1-channel remote can be programmed
Battery type: CR 2032; Material: Plastic



Colour	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
white	9.0	50	10	1	–	–	EM FF 30-1	NET	72.79

LED Emotion W – Remote rocker switch „Emotion“
Operations: ON/OFF, Brightness, Colour temperature, Battery type: CR 2430; Material: Plastic



Colour	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
white	8.7	87	15	1	–	–	EM WS 30	NET	145.54

LED Emotion – 6-way mini jack distribution box
Distributor with six mini jacks; Connects accessories of the “LED-Emotion” and “LED-warmwhite” series with mini plug Material: Plastic



Colour	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
black	5.5	35	10	1	–	–	LED V 6	NET	7.06

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

LED CABLES AND ACCESSORIES

LED – Extension cable
Cable for extending LED strips (LED mini plug / socket)

	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ Piece
Length 180 cm	180			1	–	–	LED VLK 180	NET	6.76
Length 10 m	1000			1	–	–	LED VLK 1000	NET	24.74



LED – Y-Distribution
Distribution plug for connecting two LED mini plugs to a mini LED socket “Emotion/Warm white”

	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ Piece
	4	24	19	1	–	–	LED SY	NET	5.04



LED – Connection cable (only suitable for IP20)
Cable for connecting a LED strip “Emotion/Warm white” to a LED mini socket (clip / plug)

	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ Piece
Length 200 cm	200	8		1	–	–	LED AK 200	NET	7.79



LED – Connecting cable (only suitable for IP20)
Cable for direct connection of two LED strips “Emotion/Warm white” (clip / clip)


	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ Piece
Length 5 cm	5	8		1	–	–	LED VBK 10	NET	5.51
Length 200 cm	200	8		1	–	–	LED VBK 200	NET	9.51



LED – Direct connector (only suitable for IP20)
Clip for direct connection of two LED strips “Emotion/Warm white” without cable

	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/ Piece
Direct connector				1	–	–	LED DVC E	NET	3.92
Corner connector				1	–	–	LED DVC E-L	NET	5.67






LED-WARM-WHITE

LED-Strip Warm white IP20 – LED-strip warm white for living areas (IP20)
Dimmable, with 180 cm connection cable and LED mini plug; warm white 3000K;
24 Volt. 7.2 watts/lm; self-adhesive



Length cm	Width mm	PU 1	PU 2	PU 3	Item code	Cat.	£/ lm
250	8	1	–	–	LEDS WW 20/250	NET	31.99
500	8	1	–	–	LEDS WW 20/500	NET	27.95





LED Transformer "LED-Emotion"/"LED-warm white"
primary: 200-240 V AC / secondary: 24 V DC. max. 60/120 watts


	Length mm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Set
Transformer for LED, max. 60 watts With 2 m power cable and 1 LED mini socket	180	50	30	1	–	–	LED T 60	NET	71.34
Transformer for LED, max. 120 watts With 2 m power cable and 1 LED mini socket	300	40	30	1	–	–	LED T 120	NET	81.69






DURAL OUTDOOR **ELEMENTS**

ONLY THE STRONGEST **OUTSIDE**



DURABAL BL
Balcony and terrace angle profile


- Balcony and terrace angle profile incl. drainage holes ideal for gravel/ stone bed, drainage screed, support pads or direct laying
- With drip sill
- Robust and appealing
- Width incl. drip edge 125 mm
- Height drip edge 25 mm
- Finishing and securing the edge areas of pavement structures with gravel bed
- Drip edge and drainage holes to help prevent waterlogging and seepage water
- Also suitable for deeper construction heights






anthracite grey (RAL 7016) powder coated with external corner and connector

DURABAL BL
Balcony and terrace angle profile
Material: Aluminium
Surface: anodised, powder coated




PU1	PU2	PU3	Cat.
5	40	–	A

External Corner
Installation requires the connector



PU1	PU2	PU3	Cat.
10	50	–	A

Connector



PU1	PU2	PU3	Cat.
10	50	–	A

H 1 mm	H 2 mm	H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/Piece
28	25	53	silver	anodised	300	BLAE 530/300	**43.65**	BLAE 530-X/1	**54.12**	BLAE 530-XC/1	**15.12**
40	25	65	silver	anodised	300	BLAE 650/300	**44.74**	BLAE 650-X/1	**56.74**	BLAE 650-XC/1	**15.80**
70	25	95	silver	anodised	300	BLAE 950/300	**46.46**	BLAE 950-X/1	**62.12**	BLAE 950-XC/1	**16.84**
28	25	53	anthracite grey (RAL 7016)	powder coated	300	BLAC 5316/300	**60.26**	BLAC 5316-X/1	**61.64**	BLAC 5316-XC/1	**27.12**
40	25	65	anthracite grey (RAL 7016)	powder coated	300	BLAC 6516/300	**65.46**	BLAC 6516-X/1	**68.51**	BLAC 6516-XC/1	**29.43**
70	25	95	anthracite grey (RAL 7016)	powder coated	300	BLAC 9516/300	**71.08**	BLAC 9516-X/1	**71.08**	BLAC 9516-XC/1	**31.80**



silver anodised



anthracite grey (RAL 7016) powder coated


ANTHRACITE GREY (RAL 7016) POWDER COATED



DURABAL BW

Balcony and terrace angle profile


- Balcony and terrace angle profile in L-form for laying in thin-bed.The supporting leg is additionally drilled.
- With additional drill holes
- For installation heights up to 95 mm
- Width 80 mm
- Perfectly smooth finish for covering the substructure edge design in outside areas, edge protection and for repair






Stainless Steel (304) with connector

DURABAL BW
Balcony and terrace angle profile
Material: Aluminium, Stainless Steel (304)
Surface: anodised, powder coated, Stainless Steel (304) natural




PU1	PU2	PU3	Cat.
5	40	–	A

External corner
Installation requires no connector



PU1	PU2	PU3	Cat.
10	50	–	A

Connector




PU1	PU2	PU3	Cat.
10	50	–	A

H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/Piece
Material: Aluminium						Material: Aluminium		Material: Aluminium	
55	silver	anodised	300	BWAE 550/300	**34.66**	BWAE 550-X/1	**30.31**	BWAE 550-XC/1	**19.82**
75	silver	anodised	300	BWAE 750/300	**35.79**	BWAE 750-X/1	**31.28**	BWAE 750-XC/1	**20.85**
95	silver	anodised	300	BWAE 950/300	**36.88**	BWAE 950-X/1	**32.39**	BWAE 950-XC/1	**21.12**
55	anthracite grey (RAL 7016)	powder coated	300	BWAC 5516/300	**40.46**	BWAC 5516-X/1	**33.98**	BWAC 5516-XC/1	**22.25**
75	anthracite grey (RAL 7016)	powder coated	300	BWAC 7516/300	**42.35**	BWAC 7516-X/1	**34.43**	BWAC 7516-XC/1	**22.51**
95	anthracite grey (RAL 7016)	powder coated	300	BWAC 9516/300	**44.25**	BWAC 9516-X/1	**35.34**	BWAC 9516-XC/1	**23.28**
Material: Stainless Steel (304)						Material: Stainless Steel (304)		Material: Stainless Steel (304)	
55	natural	natural	300	BWE 55/300	**48.34**	BWE 55-X/1	**40.62**	BWE 55-XC/1	**29.55**
75	natural	natural	300	BWE 75/300	**54.58**	BWE 75-X/1	**46.26**	BWE 75-XC/1	**33.24**
95	natural	natural	300	BWE 95/300	**61.60**	BWE 95-X/1	**51.89**	BWE 95-XC/1	**37.46**

Stainless Steel



silver anodised




anthracite grey (RAL 7016)
powder coated

SILVER ANODISED




DURABAL BT 11
Angle profile with drip edge for balcony and terrace

- Balcony and terrace angle profile with drip sill for laying in thin-bed
- Width incl. drip edge 120 mm
- Robust and shapely
- Also suitable for larger construction heights






DURABAL BT 11
Balcony and terrace angle profile
Material: Aluminium
Surface: anodised, powder coated




PU1	PU2	PU3	Cat.
5	40	–	A

External Corner
Installation requires the connector



PU1	PU2	PU3	Cat.
10	50	–	A

Connector



PU1	PU2	PU3	Cat.
10	50	–	A

H 1 mm	H 2 mm	H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/piece
11	61	72	silver	anodised	300	BTAE 72-11/300	**35.40**	BTAE 72-11-X/1	**34.43**	BTAE 72-11-XC/1	**22.51**
11	61	72	anthracite grey (RAL 7016)	powder coated	300	BTAC 7216-11/300	**42.48**	BTAC 7216-11-X/1	**41.32**	BTAC 7216-11-XC/1	**22.80**



silver anodised




anthracite grey (RAL 7016)
powder coated


SILVER ANODISED




DURABAL BF
2-in-1 reversible profile 180° for balcony and patio edgings. Suitable for covering heights of 11/22 mm and 11/36 mm

- Suitable for covering heights 11/22 mm and 11/36 mm.
- For laying in a thin bed
- Width of the support leg 60 mm
- Also suitable as a worktop profile






DURABAL BF
2-in-1 reversible profile 180° for balcony and patio edgings.
Suitable for covering heights of 11/22 mm and 11/36 mm
Material: Aluminium
Surface: anodised, powder coated




External corner




PU1	PU2	PU3	Cat.
5	40	–	**A**

PU1	PU2	PU3	Cat.
5	40	–	**A**

H 1 / H 2 mm	H 1 / H 2 mm	H3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece
11	22	34	silver	anodised	300	BFAE 11-22/300	**24.96**	BFAE 11-22-X	**22.14**
11	36	48	silver	anodised	300	BFAE 11-36/300	**28.40**	BFAE 11-36-X	**23.79**
11	22	34	anthracite grey (RAL 7016)	powder coated	300	BFAC 3316/300	**27.47**	BFAC 3316-X	**23.63**
11	36	48	anthracite grey (RAL 7016)	powder coated	300	BFAC 4716/300	**31.24**	BFAC 4716-X	**28.01**



H1 = 11 mm
H2 = 22 mm
silver anodised



H1 = 22 mm
H2 = 11 mm
anthracite grey (RAL 7016)
powder coated


SILVER ANODISED




DURABAL BO


Balcony and terrace angle profile

- Perfect for the finish of open edges when supports are used
- Available in 5 heights from 40 up to 120 mm
- Elegant cladding of the substructure
- Durable high-quality appearance
- System incl. corner pieces and connectors
- Also suitable for thin-bed installation






DURABAL BO
T-shaped balcony and terrace angle profile for laying with supports
Material: Aluminium
Surface: anodised, powder coated




PU1	PU2	PU3	Cat.
5	40	–	A

External corner



PU1	PU2	PU3
10	50	–

Internal corner



PU1	PU2	PU3
10	50	–

Connector




PU1	PU2	PU3
10	50	–

H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/Piece	Item code	£/Piece
40	silver	anodised	300	BOAE 20-20/300	**24.53**	BOAE 20-20-X	**17.39**	BOAE 20-20-XI	**17.39**	BOAE 20-20-XC	**17.39**
60	silver	anodised	300	BOAE 20-40/300	**29.22**	BOAE 20-40-X	**19.00**	BOAE 20-40-XI	**19.00**	BOAE 20-40-XC	**19.00**
80	silver	anodised	300	BOAE 20-60/300	**33.65**	BOAE 20-60-X	**20.79**	BOAE 20-60-XI	**20.79**	BOAE 20-60-XC	**20.79**
100	silver	anodised	300	BOAE 20-80/300	**40.97**	BOAE 20-80-X	**23.34**	BOAE 20-80-XI	**23.34**	BOAE 20-80-XC	**23.34**
120	silver	anodised	300	BOAE 20-100/300	**45.79**	BOAE 20-100-X	**26.01**	BOAE 20-100-XI	**26.01**	BOAE 20-100-XC	**26.01**
40	light ivory (RAL 1015)	powder coated	300	BOAC 4015/300	**29.45**	BOAC 4015-X	**20.85**	BOAC 4015-XI	**20.85**	BOAC 4015-XC	**20.85**
60	light ivory (RAL 1015)	powder coated	300	BOAC 6015/300	**35.05**	BOAC 6015-X	**22.80**	BOAC 6015-XI	**22.80**	BOAC 6015-XC	**22.80**
80	light ivory (RAL 1015)	powder coated	300	BOAC 8015/300	**40.40**	BOAC 8015-X	**24.88**	BOAC 8015-XI	**24.88**	BOAC 8015-XC	**24.88**
100	light ivory (RAL 1015)	powder coated	300	BOAC 10015/300	**49.17**	BOAC 10015-X	**28.03**	BOAC 10015-XI	**28.03**	BOAC 10015-XC	**28.03**
120	light ivory (RAL 1015)	powder coated	300	BOAC 12015/300	**54.93**	BOAC 12015-X	**31.24**	BOAC 12015-XI	**31.24**	BOAC 12015-XC	**31.24**
40	anthracite grey (RAL 7016)	powder coated	300	BOAC 4016/300	**29.45**	BOAC 4016-X	**20.85**	BOAC 4016-XI	**20.85**	BOAC 4016-XC	**20.85**
60	anthracite grey (RAL 7016)	powder coated	300	BOAC 6016/300	**35.05**	BOAC 6016-X	**22.80**	BOAC 6016-XI	**22.80**	BOAC 6016-XC	**22.80**
80	anthracite grey (RAL 7016)	powder coated	300	BOAC 8016/300	**40.40**	BOAC 8016-X	**24.88**	BOAC 8016-XI	**24.88**	BOAC 8016-XC	**24.88**
100	anthracite grey (RAL 7016)	powder coated	300	BOAC 10016/300	**49.17**	BOAC 10016-X	**28.03**	BOAC 10016-XI	**28.03**	BOAC 10016-XC	**28.03**
120	anthracite grey (RAL 7016)	powder coated	300	BOAC 12016/300	**54.93**	BOAC 12016-X	**31.24**	BOAC 12016-XI	**31.24**	BOAC 12016-XC	**31.24**

01/2026
Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.



SILVER ANODISED




silver
anodised



light ivory (RAL 1015)
powder coated

ANTHRACITE GREY (RAL 7016) POWDER COATED






anthracite grey (RAL 7016)
powder coated

DURABAL BK


Angle profile for balconies and terraces with drip sill for laying in thin-bed

- Total height 32 mm, total width 75 mm
- Width drip edge 15 mm
- undrilled
- Elegant cladding of the substructure
- Durable high-quality appearance
- System incl. corner pieces and connectors






DURABAL BK
Angle profile for balconies and terraces with drip sill for laying in thin-bed
Material: Aluminium
Surface:
anodised, powder coated




PU1	PU2	PU3	Cat.
5	40	–	**A**

External corner for height 9, 11 and 13 mm




PU1	PU2	PU3
10	50	–

Internal corner for height 9, 11 and 13 mm



PU1	PU2	PU3
10	50	–

Connector Aluminium natural for height 9, 11 and 13 mm



PU1	PU2	PU3
10	50	–

H 1 mm	H 2 mm	H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/Piece	Item code	£/Piece
9	22	32	silver	anodised	300	BKAE 90/300	**31.22**	BKAE-XH/1	**23.81**	BKAE-XIH/1	**23.81**	BKA 1000-XC/1	**5.78**
11	20	32	silver	anodised	300	BKAE 110/300	**31.61**	BKAE-XH/1	**23.81**	BKAE-XIH/1	**23.81**	BKA 1000-XC/1	**5.78**
13	18	32	silver	anodised	300	BKAE 130/300	**32.43**	BKAE-XH/1	**23.81**	BKAE-XIH/1	**23.81**	BKA 1000-XC/1	**5.78**
9	22	32	anthracite grey (RAL 7016)	powder coated	300	BKAC 9016/300	**35.79**	BKAC-XH/1	**28.57**	BKAC-XIH/1	**28.57**	BKA 1000-XC/1	**5.78**
11	20	32	anthracite grey (RAL 7016)	powder coated	300	BKAC 11016/300	**36.45**	BKAC-XH/1	**28.57**	BKAC-XIH/1	**28.57**	BKA 1000-XC/1	**5.78**
13	18	32	anthracite grey (RAL 7016)	powder coated	300	BKAC 13016/300	**39.00**	BKAC-XH/1	**28.57**	BKAC-XIH/1	**28.57**	BKA 1000-XC/1	**5.78**

silver anodised
Bag 10 Pieces

Item code	£/Piece
BKAE-XH/10	**17.88**

silver anodised
Bag 10 Pieces

Item code	£/Piece
BKAE-XIH/10	**17.88**



silver anodised



anthracite grey (RAL 7016)
powder coated


ANTHRACITE GREY (RAL 7016) POWDER COATED




DURABAL BK


Angle profile for balconies and terraces with drip sill for laying in thin-bed

- Width drip edge 15 mm
- undrilled
- Elegant cladding of the substructure
- Durable high-quality appearance
- System incl. corner pieces and connectors
- Now also for 20 mm decking elements with a total height of 87 mm





DURABAL BK
Angle profile for balconies and terraces with drip sill for laying in thin-bed
Material: Aluminium
Surface:
anodised, powder coated



mm

PU1	PU2	PU3	Cat.
5	40	–	A

External corner



mm

PU1	PU2	PU3
10	50	–


Internal corner



mm

PU1	PU2	PU3
10	50	–

Connector Aluminium natural



mm

PU1	PU2	PU3
10	50	–

H 1 mm	H 2 mm	H 3 mm	Colour	Surface	Length cm	Item code	£/lm	Item code	£/Piece	Item code	£/Piece	Item code	£/Piece
9	64	74	silver	anodised	300	BKAE 90-60/300	**33.03**	BKAE 60-XH/1	**34.29**	BKAE 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
11	62	74	silver	anodised	300	BKAE 110-60/300	**33.24**	BKAE 60-XH/1	**34.29**	BKAE 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
13	60	74	silver	anodised	300	BKAE 130-60/300	**34.08**	BKAE 60-XH/1	**34.29**	BKAE 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
22	64	87	silver	anodised	300	BKAE 220-60/300	**42.60**	BKAE 220-60-XH	**37.72**	BKAE 220-60-XIH	**37.72**	BKA 1000-XC/1	**5.78**
9	64	74	anthracite grey (RAL 7016)	powder coated	300	BKAC 9016-60/300	**35.79**	BKAC 60-XH/1	**34.29**	BKAC 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
11	62	74	anthracite grey (RAL 7016)	powder coated	300	BKAC 11016-60/300	**39.95**	BKAC 60-XH/1	**34.29**	BKAC 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
13	60	74	anthracite grey (RAL 7016)	powder coated	300	BKAC 13016-60/300	**41.04**	BKAC 60-XH/1	**34.29**	BKAC 60-XIH/1	**34.29**	BKA 1000-XC/1	**5.78**
22	64	87	anthracite grey (RAL 7016)	powder coated	300	BKAC 22016-60/300	**45.52**	BKAC 22016-60-XH	**37.72**	BKAC 22016-60-XIH	**37.72**	BKA 1000-XC/1	**5.78**




silver anodised




anthracite grey (RAL 7016)
powder coated

SILVER ANODISED



DW-DRAIN 100
DW-DRAIN 140
DW-DRAIN 160
Drainage channel
Material: Steel;
Stainless Steel (304)
Surface: galvanised, natural



DW-DRAIN 100
DW-DRAIN 140

DW-DRAIN 160

End cap



Pair of connectors for all heights/ widths



PU1	PU2	PU3	Cat.
1	–	–	NET

PU1	PU2	PU3	Cat.
1	–	–	NET

PU1	PU2	PU3	Cat.
1	–	–	NET

B1 mm	H1 mm	Length cm	Material:	Surface	Item code	£/lm	Item code	£/Piece	Item code	£/Piece
100	40	100	Steel	galvanised	DWD-VZ 40-100/100	**172.13**	DWD-VZ 40-100-XK/1	**15.66**	DWD-E-XC/1	**8.68**
140	40	100	Steel	galvanised	DWD-VZ 40-140/100	**197.38**	DWD-VZ 40-140-XK/1	**15.97**	DWD-E-XC/1	**8.68**
160	40	100	Steel	galvanised	DWD-VZ 110-160/100	**260.95**	DWD-VZ 110-160-XK/1	**16.63**	DWD-E-XC/1	**8.68**
100	40	100	Stainless Steel (304)	natural	DWD-E 40-100/100	**456.92**	DWD-E 40-100-XK/1	**24.04**	DWD-VZ-XC/1	**12.08**
140	40	100	Stainless Steel (304)	natural	DWD-E 40-140/100	**528.80**	DWD-E 40-140-XK/1	**24.86**	DWD-VZ-XC/1	**12.08**
160	40	100	Stainless Steel (304)	natural	DWD-E 110-160/100	**565.47**	DWD-E 110-160-XK/1	**25.52**	DWD-VZ-XC/1	**12.08**



DW-DRAIN 100
Steel galvanised



DW-DRAIN 140
Stainless Steel (304)



DW-DRAIN 160
Stainless Steel (304)
with adjustable feet for height adjustment 85 - 110 mm



DW-DRAIN 140

Support plate for large format panels
Dimension: 120 x 120 mm
Material: Rubber black



PU1	PU2	PU3 3	Cat.
1	–	–	NET

Height mm	Packaging	Item code		£/Carton
9	Carton 150 pieces	BLST 1209/150		**507.81**

Compensation plate for large format panels
Dimension: 100 x 100 mm
Material: Rubber black



PU1	PU2	PU3 3	Cat.
1	–	–	NET

Height mm	Packaging	Item code		£/Carton
2	Carton, 100 pieces	BLSTA 1002/100		**110.10**

Tile spacers for large format panels
Material: PVC black



PU1	PU2	PU3 3	Cat.
1	–	–	NET

Height mm	Width mm	Length cm	Packaging	Item code	£/Carton
15	5	3.5	Carton, 100 pieces	BLFK 355	**24.99**
20	3	6	Carton, 100 pieces	BLFK 603	**26.26**
30	5	4.5	Carton, 100 pieces	BLFK 455	**43.01**

Tile spacer for large format panels
Material: PVC black




PU1	PU2	PU3 3	Cat.
1	–	–	NET

Height mm	Width mm	Length cm	Packaging	Item code	£/Carton
15	5	3.5	Carton, 100 pieces	BLTS 355	**24.99**
30	5	4.5	Carton, 100 pieces	BLTS 455	**43.01**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.





U-DRAIN pro UDP 100-65
U-DRAIN pro UDP 50-100 (50-105)
Drainage channel system for entryway, terrace, balcony, wintergarden and much more.

U-DRAIN pro offers the option of a side drain or floor drain. To install the floor drain, position the vertical drain support anywhere on the channel and cut out the bottom of the channel using a compass saw. Attach the support permanently to the channel using the water-resistant U-PVC adhesive from DURAL.


U-DRAIN pro - the grille and channel body can be easily cut to the required length using a suitable saw.


- Design gravel bed with concrete wedge is possible
- Quick installation - Channel body made from PVC
- Easy assembly of components using connector fittings
- Vertical drain can be positioned as needed
- A slender beautiful design
- Robust and shock-resistant
- Developed for modern landscaping
- Water-resistant adhesive mounting of U-DRAIN pro per component
- **U-DRAIN pro UDP 100-65 Load capacity 93.6 kN ≈ 9.4 t**
- **U-DRAIN pro UDP 50-100 (50-105) Load capacity 63 kN ≈ 6.3 t**




U-DRAIN pro UDP 100-65 Drainage channel

Drainage channel system made of high-strength plastic with high-quality aluminium channel cover with special anodising for all outdoor areas; strength an impact-resistant plastic;
Horizontal drain DN 50: 330 l/min; Vertical drain DN 75: 360 l/min
Material Drainage channel: PVC; black
Material Cover: Aluminium anodised; with protective film
Load capacity 93.6 kN ≈ 9.4 t







1 Drainage channel




2 Drainage channel




3 Drainage channel




4 Drainage channel




5 Corner piece - incl. grate




6 T-piece connector - incl. grate




7 Corner piece - incl. grate




8 T-piece connector - incl. grate




9 Endcap right/left




10 Universal connector



11 Horizontal drain support DN 50



12 Vertical drain support DN 85



13 Vertical drain support DN 75



14 U-PVC Glue



PU1 1 PU2 50 PU3 - **Cat. NET**


		Colour Cover	Length cm	Width cm	Height cm	Item code	£/lm
1	Drainage channel; strength and impact-resistant plastic/Alu	silver	100	65	100	UDP 100-65/100	**52.25**
2	Drainage channel; strength and impact-resistant plastic/Alu	silver	200	65	100	UDP 100-65/200	**52.25**
3	Drainage channel; strength and impact-resistant plastic/Alu	black	100	65	100	UDP 10033-65/100	**62.19**
4	Drainage channel; strength and impact-resistant plastic/Alu	black	200	65	100	UDP 10033-65/200	**62.19**


PU1 1 PU2 10 PU3 - **Cat. NET**

							£/Piece
5	Corner piece with high-quality aluminium cover	silver	14 x 14	60	100	UDP 100-65-X	**51.71**
6	T-piece with high-quality aluminium cover	silver	10 x 18	60	100	UDP 100-65-T	**43.25**
7	Corner piece with high-quality aluminium cover	black	14 x 14	60	100	UDP 10033-65-X	**52.93**
8	T-piece with high-quality aluminium cover	black	10 x 18	60	100	UDP 10033-65-T	**60.23**
9	End cap; right and left applicable	black	2	65	100	UDP 100-65-XK	**9.06**
10	Universal connector; connects 2 channel parts; fix with U-PVC adhesive	black	10	100	70	UDP 100-65-XC	**9.53**
11	Horizontal drain; for DN 50 connection; right and left applicable; With push-in sleeve (25 mm flange for attaching the connection pipe)	black	2	65	100	UDP 100-65 HO	**7.17**
12	Vertical drain; freely positionable, for DN 85 connection; With push-in sleeve (25 mm flange for attaching the connection pipe)	black	10	100	95	UDP 100-65 VO DN 85	**10.22**
13	Vertical drain; freely positionable, for DN 75 connection; With push-in sleeve (25 mm flange for attaching the connection pipe)	black	10	100	95	UDP 100-65 VO DN 75	**10.22**
14	U-PVC glue; 200 g					U-PVC Glue	**27.37**


U-DRAIN pro UDP 50-100 (50-105) Drainage channel

Drainage channel system made of high-strength plastic with high-quality aluminium channel cover with special anodising for all outdoor areas; strength an impact-resistant plastic;
Horizontal drain DN 40: 280 l /min; Vertical drain DN 110: 330 l /min
Material Drainage channel: PVC; black;
Material Cover: Aluminium anodised; with protective film
Load capacity 63 kN ≈ 6.3 t







1 Drainage channel




2 Drainage channel




3 Drainage channel




4 Drainage channel




5 Corner piece - incl. grate




6 T-piece connector - incl. grate




7 Corner piece - incl. grate




8 T-piece connector - incl. grate




9 Endcap right/left




10 Universal connector




11 Horizontal drain support DN 40



12 Horizontal drain Multi-flange



13 Vertical drain support DN 110



14 Vertical drain Multi-flange



15 U-PVC Glue

PU1 1 PU2 50 PU3 - **Cat. NET**

		Colour Cover	Length cm	Width cm	Height cm	Item code	£/lm
1	Drainage channel strength and impact-resistant plastic/Alu	silver	100	100	50	UDP 50-100/100	**88.01**
2	Drainage channel strength and impact-resistant plastic/Alu	silver	200	100	50	UDP 50-100/200	**88.01**
3	Drainage channel strength and impact-resistant plastic/Alu	black	100	100	50	UDP 5033-100/100	**94.24**
4	Drainage channel strength and impact-resistant plastic/Alu	black	200	100	50	UDP 5033-100/200	**94.24**

PU1 1 PU2 10 PU3 - **Cat. NET**

							£/Piece
5	Corner piece with high-quality aluminium cover	silver	19 x 19	100	52	UDP 50-100-X	**81.16**
6	T-piece with high-quality aluminium cover	silver	27.2 x 10	100	50	UDP 50-100-T	**62.00**
7	Corner piece with high-quality aluminium cover	black	19 x 19	100	52	UDP 5033-100-X	**75.91**
8	T-piece with high-quality aluminium cover	black	27.2 x 10	100	50	UDP 5033-100-T	**101.26**
9	End cap right and left applicable	black	2	113/ 105	55	UDP 50-100-XK	**10.54**
10	Universal connector; connects 2 channel parts; fix with U-PVC adhesive	black	13.5	140	20	UDP 50-100-XC	**8.94**
11	Horizontal drain; for DN 40 connection; with push-in sleeve (25 mm flange for attaching the connection pipe); right and left applicable	black	4.5	113/ 105	55	UDP 50-100 HO	**13.27**
12	Horizontal drain; für Ø 30/40 mm; with adhesive sleeve (12 mm multi-flange for gluing the connection pipe); right and left applicable	black	2	113/ 105	55	UDP 50-100 VHO	**17.35**
13	Vertical drain; freely positionable, for DN 110 connection; with push-in sleeve (25 mm flange for attaching the connection pipe)	black	13.5	140	45	UDP 50-100 VO	**13.27**
14	Vertical drain; freely positionable, for DN 110 connection; with adhesive sleeve (12 mm multi-flange for gluing the connection pipe)	black	13.5	140	45	UDP 50-100 VVO	**17.35**
15	U-PVC glue; 200 g					U-PVC Glue	**27.37**

FLEXIBAL pro S
Raised supports for installation heights of 10-25 mm

- Height adjustable:
- 10-15 mm without extension pieces
- 10-20 mm with one extension piece (available separately)
- 10-25 mm with two extension pieces (available separately)
- Diameter: 150/190 mm
- Available for terrace slabs or for rails
- Joint thickness 4 mm

FLEXIBAL pro S
Height-adjustable supports for tiles and natural stone coverings, installation heights of 10-25 mm
Joint width 4 mm. Maximum height 25 mm (with 2 extension pieces). Coating bottom 150 mm. Coating top 190 mm. Load capacity 400 kg;
Material: Plastic black



PU1	PU2	PU3	Cat. NET
1	–	–	

Height max. with extensions mm	Continuous height adjustable mm	Item code	Piece/ Carton	£/Piece
25	10 - 15	FBP S PU401/20	**20**	**2.94**

FLEXIBAL pro SR
Height-adjustable supports for rail systems, installation heights of 10-25 mm

- Height adjustable:
- 10-15 mm without extension pieces
- 10-20 mm with one extension piece (available separately)
- 10-25 mm with two extension pieces (available separately)
- Diameter: 150/190 mm
- Support head compatible with FLEXIBAL pro rail system


FLEXIBAL pro SR
Height-adjustable supports for rail systems, installation heights of 10-25 mm; Maximum height 25 mm (with 2 extension pieces), base diameter 150 mm, total diameter 190 mm, load capacity 400 kg
Material: Plastic black



PU1	PU2	PU3	Cat. NET
1	–	–	

Height max. with extensions mm	Height adjustable mm	Item code	Piece/ Carton	£/Piece
25	10 - 15	FBP S PUR61/20	**20**	**2.26**

1 FLEXIBAL pro M **2** FLEXIBAL pro SR **3** FLEXIBAL pro RAIL



FLEXIBAL pro M
Height-adjustable, self-levelling supports for installation heights of 25-125 mm

- Continuously height-adjustable: from 25 to 50 mm
- Compatible with ceramic tiles, stone slabs and decking boards with rail systems
- Height adjustment from above with FLEXIBAL pro PK adjusting spanner (available separately - can only be used with 4 mm joint spacing and not with rail) and height adjustment at the bottom by hand
- Self-levelling head for inclinations of up to 5 %
- Head can be fixed with enclosed levelling/vibration blocking device
- Can also be used with FLEXIBAL pro Rail rail system without additional adapter rail system

Adjusting spanner see page 127

FLEXIBAL pro M
Height-adjustable, self-levelling supports for installation heights of 25-125 mm
Joint width 4 mm, maximum height 125 mm (with 3 extension pieces), Diameter of attachment 140 mm, total diameter 210 mm,
self-levelling up to 5%, Load capacity 1.000 kg

Material: Plastic black grey



Levelling/vibration blocking device



PU1	PU2	PU3	Cat.
1	–	–	NET

Height max. with extensions mm	Continuous height adjustable mm	Item code	Piece/ Carton	£/Piece
125	25 - 50	FBP M MP401/20	20	5.94

FLEXIBAL pro M
Extension piece 25 mm

- 25 mm extension with locking system on the central screw
- Can be installed on FLEXIBAL pro M
- Stackable (max. 3) to achieve greater heights
- Height adjustment with FLEXIBAL pro PK adjusting spanner (available separately - can only be used with 4 mm joint spacing and not with rail)

FLEXIBAL pro M Extension piece
Extension pieces 25 mm for FLEXIBAL supports, size M
Total height 36 mm
Material: Plastic black



PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	max. use per support	Item code	Piece/ Carton	£/Piece
25	3 Pieces	FBP M DE25/40	40	1.03

1 FLEXIBAL pro M
2 FLEXIBAL pro TP 200 ANTI-SLIP PAD



1 FLEXIBAL pro M 2 FLEXIBAL pro TP 200 ANTI-SLIP PAD 3 FLEXIBAL pro PK 4 DURABAL BO



FLEXIBAL pro L
Height-adjustable, self-levelling supports for installation heights of 125-1,025 mm

- Height adjustable: 125-1,025 mm
- Height adjustment from above with FLEXIBAL pro PK adjusting spanner (available separately - can only be used with 4 mm joint spacing and not with rail) and height adjustment at the bottom by hand
- Self-levelling head with locking system for inclinations of up to 5%
- Compatible with ceramic tiles, stone slabs and decking boards with rail system
- Head can be fixed with the enclosed levelling/ oscillation lock.
- Rotation blocking is also possible.
- Can also be used with FLEXIBAL pro rail system without additional adapter can also be used

Adjusting spanner see page 127

FLEXIBAL pro L
Height-adjustable and self-levelling supports for mounting heights from 125 to 1,025 mm
Joint width 4 mm, maximum height 1,025 mm (with 8 extension pieces), coating bottom 200 mm, coating top 120 mm, self-levelling up to 5%, load capacity 1,000 kg
Material: Plastic black grey


Rotation blocking


Levelling/vibration blocking device



PU1	PU2	PU3	Cat.
1	–	–	NET

Height max. with extensions mm	Continuous height adjustable mm	Item code	Piece/ Carton	£/Piece
1,025	125 - 225	FBP L BP406/20	20	13.59

FLEXIBAL pro L
Extension pieces 100 mm for FLEXIBAL support pads, per size L

- Extension 100 mm
- Can be mounted on FLEXIBAL pro L 125-225 mm
- Stackable (max. 8) to achieve greater heights
- Height adjustment with FLEXIBAL pro PK adjusting spanner (available separately - can only be used with 4 mm joint spacing and not with rail)

FLEXIBAL pro L Extension piece
100 mm extension pieces for FLEXIBAL pro L raised supports
Total height 126 mm
Material: Plastic black



PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	max. use per support	Item code	Piece/ Carton	£/Piece
100	8 Pieces	FBP L PBP10/20	20	4.11

1 FLEXIBAL pro L 2 FLEXIBAL pro RAIL 3 FLEXIBAL pro TR400
4 FLEXIBAL pro TP 200 ANTI-SLIP PAD 5 DURABASE DR 100++



01/2026
Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

FLEXIBAL pro Rail

Support rail for stable floor constructions

- The FLEXIBAL pro rail system offers maximum stability, load-bearing capacity and torsional rigidity, even for high decking structures. The robust aluminium rails for snapping into the FLEXIBAL support head have a load-bearing capacity of 400 kg with a maximum distance of 50 cm between the support bases. Matching accessories available.

FLEXIBAL pro XCX

- The cross connector is used to attach additional cross braces to the FLEXIBAL pro rail system for extra stable, higher decking structures. Thanks to two fixed cross connectors, a spacing template can be created to ensure the exact rail spacing during installation of the rail system.

FLEXIBAL pro XC

- The longitudinal connectors from the FLEXIBAL pro series ensure that the FLEXIBAL rails are connected lengthways without misalignment and endlessly. Installation is extremely simple thanks to the plug-in connection.

FLEXIBAL pro TR200 Rail attachment 2 mm

- Head for tile mounting on rail system; lug thickness: 2 mm.
- Simple click mounting Joint width 2 mm


FLEXIBAL pro TR400 Rail attachment 4 mm

- Head for tile mounting on rail system; lug thickness: 4 mm.
- Simple click mounting Joint width 4 mm

1 FLEXIBAL pro RAIL 2 FLEXIBAL pro XCX
3 FLEXIBAL pro XC



4 FLEXIBAL pro M 5 FLEXIBAL pro RAIL
6 FLEXIBAL pro TR400 7 FLEXIBAL pro TP 200



FLEXIBAL pro Rail Support rail

Aluminium support rail with for stable surface structures.
Material: Aluminium natural



PU1	PU2	PU3	Cat.
1	–	–	NET

Height. mm	Width mm	Length cm	Item code	£/lm
20	60	200	FB S 200	31.62

FLEXIBAL pro XCX Cross connector

The cross connector is used to attach additional cross struts to the FLEXIBAL rail system for extra-stable, higher decking structures
Simple click mounting;
Material: Plastic black



SPEED-FLEX recommended - see page 75 / 210 / 226

PU1	PU2	PU3	Cat.
1	–	–	NET

Height. mm	Width mm	Length cm	Item code	Piece/ Carton	£/Piece
	72	7.2	FB XCX/20	20	1.09

FLEXIBAL pro XC Longitudinal connector

For offset-free and endless longitudinal connection of FLEXIBAL rails
Simple installation with to plug-in connection
Material: Plastic black



SPEED-FLEX recommended - see page 75 / 210 / 226

PU1	PU2	PU3	Cat.
1	–	–	NET

Height. mm	Width mm	Length cm	Item code	Piece/ Carton	£/Piece
18	50	5.5	FB XCL/20	20	0.80

FLEXIBAL pro TR200 Rail attachment

2 mm rail attachment for click mounting
Joint width 2 mm
Simple click mounting
Material: Plastic black grey



PU1	PU2	PU3	Cat.
1	–	–	NET

	Item code	Piece/ Carton	£/Piece
Joint width 2 mm	FBP TR200/25	25	1.40

FLEXIBAL pro TR400 Rail attachment

4 mm rail attachment for click mounting
Joint width 4 mm
Simple click mounting
Material: Plastic black grey



PU1	PU2	PU3	Cat.
1	–	–	NET

	Item code	Piece/ Carton	£/Piece
Joint width 4 mm	FBP TR400/25	25	1.34

FLEXIBAL pro C Retaining Clip

- Stainless Steel clip for fixing 20 mm front panels at the top and bottom.
- Suitable for rigid and self-levelling support heads with 2 and 4 mm joint web.
  For top coating Ø 120 + 150 mm.

FLEXIBAL pro C Retaining clip for corner

- Stainless Steel clip for the secure fixing of 20 mm front slabs at top and bottom external corners.
- Suitable for rigid and self-levelling support heads with 2 and 4 mm joint web.

FLEXIBAL pro C Wall connection clip

- Wall spacer for fixing the covering and impact protection for the adjacent wall.
- Secures the spacing of the slab covering at the wall connection, thus preventing the slabs from knocking off or slipping against the wall and ensuring an even joint pattern to the wall.

1 FLEXIBAL pro C Retaining Clip

2 FLEXIBAL pro C Retaining clip for corner

3 FLEXIBAL pro C Wall connection clip

4 FLEXIBAL pro M
Height-adjustable, self-levelling supports for installation heights of 25-125 mm

4 FLEXIBAL pro L
Height-adjustable, self-levelling supports for installation heights of 125-1,025 mm

5 For veneering terrace steps, borders and landings

FLEXIBAL pro C Retaining Clip
Stainless Steel clip set for fixing 20 mm front panels at the top and bottom
Material: Stainless Steel (304) natural

Stainless Steel



PU1	PU2	PU3	Cat.
1	–	–	NET

1

Height mm	Width mm	Length cm	Item code	Piece/ Carton	£/Piece
–	80	20	FB SCK/30	**30**	**20.22**

FLEXIBAL pro C
Retaining clip for corner
Stainless Steel clip set for fixing 20 mm front panels at the top and bottom
Material: Stainless Steel (304) natural

Stainless Steel



PU1	PU2	PU3	Cat.
1	–	–	NET

2

Height mm	Width mm	Length cm	Item code	Piece/ Carton	£/Piece
–	80	20	FB ECK/4	**4**	**57.40**

FLEXIBAL pro C Wall connection clip
Wall spacers for fixing the decking and as impact protection
Material: Stainless Steel (304) natural

Stainless Steel



PU1	PU2	PU3	Cat.
1	–	–	NET


3

Height mm	Width mm	Length cm	Item code	Piece/ Carton	£/Piece
25	–	17	FB WAC/50	**50**	**5.90**

RETAINING CLIP



RETAINING CLIP FOR CORNER



WALL CONNECTION CLIP



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

FLEXIBAL pro TP 200 Anti-slip pad

- Anti-slip pads for impact sound insulation and anti-slip protection of the pedestals on smooth substrates
- Prevents contact noise with the subfloor

FLEXIBAL pro TP 200 Anti-slip pad
Anti-slip pad to prevent the support pads from slipping on smooth surfaces
Material: Rubber granulate black



PU1	PU2	PU3	Cat.
1	–	–	NET

Height. mm	Width mm	Length m	Item code	Piece/ Carton	£/Piece
3	200	200	FB TP 200/25	25	1.57

FLEXIBAL pro PK
Spanner for subsequent height adjustment of FLEXIBAL pro M/L supports

- Spanner for adjusting FLEXIBAL pro M and L from above
- Only compatible with 4 mm joint spacing
- Ergonomic handle for quick adjustment
- Recyclable materials that are resistant to twisting and corrosion

FLEXIBAL pro PK Adjusting spanner
Key for setting and subsequent fine adjustment of FLEXIBAL pro M and L from above
Only for joint width 4 mm
Material: Metal natural

NEW



PU1	PU2	PU3	Cat.
1	–	–	NET

	Item code	Piece/ Carton	£/Piece
für Joint width 4 mm	FBP PK/1	1	30.90


DURABASE DR 100++
Drainage mat for outdoor surfacing constructions

- Free choice of covering construction
- Excellent dimple geometry for improved drainage of surface water
- Mesh fabric for optimum water drainage and protection against clogging of the studs due to dirt deposits

DURABASE DR 100++ - Areas of application

- Anywhere outdoors where a high drainage capacity is required
- Ideal for direct laying on sealed, water-impermeable substrates
- Installation with pedestals for decking elements and slabs from a thickness of 20 mm
- We recommend a gradient of at least 1.5-2 % on site

DURABASE DR 100++
Drainage mat for outdoor surfacing constructions
Dimple height10 mm
Material: HDPE black



PU1	PU2	PU3	Cat.
1	–	–	MAT

Packaging	Length m	Width mm	Thickness mm	Item code	£/m²
1 Roll 12.5 m²	12.5	100	10	DR 100++ 12/1	28.17
Palett, 9 Rolls (75 m²)	12.5	100	10	DR 100++ 12/6	26.22

FLEXIBAL pro M / FLEXIBAL pro TP 200 ANTI-SLIP PAD / DURABASE DR 100++



FLEXIBAL pro PK





DURABAL BO ANTHRACITE GREY (RAL 7016) POWDER COATED

DURABAL BL ANTHRACITE GREY (RAL 7016) POWDER COATED






DUROSOL ANTHRACITE GREY MATT (RAL 7016) POWDER COATED

DURASTEP SOLID-L SILVER ANODISED



■ DURASTEP SOLID-L / SQUARESTEP
Slip resistance and protection for 20 mm decking elements and slabs



silver




silver



anthracite

DURASTEP SOLID-L

Metal stair nosing profile with wide tread surface and slip resistance class R11/V6
Visible width: 30 mm
Material: Aluminium
Surface: anodised




PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Surface	Item code	£/lm
22	250	silver	anodised	DSTOAE 220-L/250	**13.29**

SQUARESTEP

Stair nosing profile
Width of base: 39 mm
Visible width: 8 mm
Material: Aluminium
Surface: anodised, powder coated



PU1	PU2	PU3	Cat.
10	40	–	A G

Height mm	Length cm	Colour	Surface	Item code	£/lm
22	250	anthracite	powder coated	SQSACM 2216/250	**18.97**
22	250	silver	anodised	SQSAE 220/250	**17.41**

SQUARESTEP
External corner

Material: Aluminium
Surface: anodised, powder coated



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Surface	Item code	Piece/ Blister	£/Piece
22	anthracite	powder coated	SQSACM 2216-X/2	2	**9.96**
22	silver	anodised	SQSAE 220-X/2	2	**9.63**

SQUARESTEP
Internal corner

Material: Aluminium
Surface: anodised, powder coated



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Surface	Item code	Piece/ Blister	£/Piece
22	anthracite	powder coated	SQSACM 2216-XI/2	2	**9.96**
22	silver	anodised	SQSAE 220-XI/2	2	**9.63**

SQUARESTEP
Endcap left

Material: Aluminium
Surface: anodised, powder coated



PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Surface	Item code	Piece/ Blister	£/Piece
22	anthracite	powder coated	SQSACM 2216-XKL/2	2	**9.96**
22	silver	anodised	SQSAE 220-XKL/2	2	**9.63**

SQUARESTEP
Endcap right

Material: Aluminium
Surface: anodised, powder coated




PU1	PU2	PU3	Cat.
1	–	–	A G

Height mm	Colour	Surface	Item code	Piece/ Blister	£/Piece
22	anthracite	powder coated	SQSACM 2216-XKR/2	2	**9.96**
22	silver	anodised	SQSAE 220-XKR/2	2	**9.63**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUROSOL

L-shaped angle edge trim profile for wall and floor with narrow visual edge
Visible width: 3 mm
Material: Aluminium
Surface: natural, anodised, powder coated




PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Surface	Colour	Item code	£/lm
22	250	natural	natural	DSA 220/250	**5.79**
22	250	anodised	silver	DSAE 220/250	**7.80**
22	250	powder coated	anthracite grey matt (RAL 7016)	DSACM 2216/250	**8.77**
22	250	powder coated	black matt (RAL 9005)	DSACM 2211/250	**8.77**

DUROSOL Z-FLEX

L-shaped angle edge trim profile for wall and floor with narrow visual edge
Visible width: 3 mm
Material: Aluminium
Surface: natural




PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Surface	Colour	Item code	£/lm
22	250	natural	natural	DSA 220-ZF/250	**6.82**

DUROSOL

L-shaped angle edge trim profile for wall and floor with narrow visual edge
Visible width: 2.2 mm
Material: Stainless Steel (304)
Surface: natural, high-gloss polished



PU1	PU2	PU3	Cat.
10	40	–	**A**

Height mm	Length cm	Surface	Colour	Item code	£/lm
22	250	natural	natural	DSE 220/250	**20.58**
22	250	high-gloss polished	natural	DSE 220-SP/250	**23.52**

■ DUROSOL
Perfect and elegant edge protection for 20 mm panels



natural

silver

anthracite grey matt (RAL 7016)

black matt (RAL 9005)

Z-FLEX natural

natural

high-gloss polished

With the Z-Flex Curver, DUROSOL profiles 22 mm can be bent precisely. Z-Flex Curver page 219.



DURAPLAN

The balcony and terrace configurator

Now plan the ‘on top’ and ‘underneath’ 24/7 online with the new DURAL balcony and terrace configurator

- Determination of pedestal support requirements for modern and low-maintenance terrace and balcony coverings
- Simulation of the slab layout and laying pattern depending on the format
- Height compensation for slopes with and without stabilising rail system
- Visual planning and shopping list


More information on the individual DURAL Outdoor Elements products can be found on the homepage outdoor.dural.com
Here you can also order further information material and sample boxes on the individual subject areas or register for a product training course at DURALAB.

duraplan.dural.com **outdoor.dural.com**





MATTING SYSTEMS



DURABASE	PROPERTIES	APPLICATION	AREAS	PAGE
CI-H	Decoupling mat for accommodating heating cables for electrically operated underfloor heating systems indoors	■ Suitable for most UFH cable ■ Decoupling of problematic subsurfaces ■ Can be laid once screed is dry ■ Protection against cracking	Mat for holding electric heating cables from 2 to 4.5 mm Installation on interior floors	135 136 137
CI++	Matting system for decoupling tiled surfaces	■ Decoupling of problematic subsurfaces ■ Tiles can be laid over screed as soon as it is possible to walk on the screed without causing damage ■ Protection against cracking ■ CSTB n° 13/6-1317_V2	Freshly laid screed once suitable to walk over. Screed crack bridging. Wooden interior floor.	138 140
WP++	Mat for waterproof decoupling in indoor and outdoor areas	■ Three-layer structure for optimum decoupling and crack bridging ■ High loading capacity during Installation	Terraces and balconies (should never be installed as the only seal over living areas, initially a welding track must be laid), Shower facilities and surrounding areas of swimming pools	139 140
WP	Compound waterproof mat for walls and floors in indoor areas	■ Waterproofing ■ High adhesive tensile strength ■ DIN 18534-5 abP tested ■ CSTB n° 13/15-1269_V2 ■ CSTB n°. 13/20-1485_V1	For bathrooms and wet rooms in private dwellings and public buildings	140 141
WS	Self-adhesive waterproof membrane for secure sealing of walls and floors in indoor areas	■ Sealing ■ Quick and dry installation ■ Suitable for all smooth substrates ■ Self-adhesive system accessories ■ General test certificate (abP) according to DIN 18534-5; ETA approval ETA-22/0133	Bathrooms and wet rooms in private and public areas from W0-I to W3-I	142 143 144
ET-S	The matting system, ETAG approval, for secure waterproofing of walls and floors indoors	■ ETA approval ETA-24/0665 ■ Wide selection of accessories ■ General test certificate (abP) according to DIN 18534-5, ETA-24/0665	Indoor areas exposed to high humidity with wide variety of water exposure classes from W0-I to W3-I	145 146 147
DR 100++	Drainage mats for highly water-permeable flooring structures in outdoor areas	■ For pedestal installation ■ For laying on gravel/grit beds, screed ■ High drainage capacity ■ Ideal for heavy loads ■ With mesh lamination	Terraces, balconies, pavements, swimming pool surrounding areas No installation under cement-bound screed	148
DR 100	The matting system for the drainage of ceramic tiled surfaces outdoor areas	■ Conical drainage channels) ■ Extremely high water drainage capacity ■ Installation below screed/gravel bed	Terraces, balconies Not for loose laying of tiles or patio slabs No laying of stilt bearings	149
FGT	Reinforcing and decoupling mat to improve stability against cracking and the rigidity of critical substrates	■ Installation on old ceramic tiling ■ Installation on OSB boards ■ Installation on cracked floor screed and wooden floors	Suitable for large format tiles, modern designer floor coverings, directly glued carpenting and natural stone floor coverings	150
SW14	Matting system for footfall sound insulation in dry indoor areas	■ Certified footfall noise reduction up to -14 dB ■ Only 1.3 mm thick, ideal for renovation work ■ Especially suitable for floor heating systems	Suitable for all interiors with ceramic flooring	150

FUNKTION	CI-H	CI++	WP++	WP	WS	ET-S	DR 100++	DR 100	FGT	SW14
Tiles	+++	+++	+++	+++	+++	+++	+++	+++	+++	+++
Natural stone	+++	+++	+++	+++	+++	+++	+++	+++	+++	+++
Parquet / laminate	–	–	–	–	–	–	–	–	+++	+
Indoor areas	+++	+++	++	+++	+++	+++	–	–	+++	+++
Outdoor areas	–	+	+++	–	–	–	+++	+++	+++	–
Decoupling	+++	+++	+	–	+	–	–	+	–	+
Sealing	–	–	+++	+++	+++	+++	–	–	–	–
Reinforcing	–	+	–	–	–	–	–	–	+++	–
Drainage	–	–	–	–	–	–	+++	+++	–	–
Crack bridging	+++	+++	+	+	+	+	–	–	++	+
Footfall sound reduction	–	–	–	–	–	–	–	–	–	+++

DURABASE **CI-H/DEVI**

Decoupling mat with electric underfloor heating for new build/renovation

Advantages -Installation

- Familiar installation practice - decoupling mat and underfloor heating in one system
- The floor is protected against possible cracks in the substrate. Screed shrinkages are bridged.
- No water-based heating system
- Quick and easy installation - heating cable is integrated into the decoupling mat with Easy-Click and requires no further work step

Advantages - indoor climate

- Comfort heating with a feel-good factor - warmth directly under your feet
- Tiled floors no longer feel cold to the touch
- Low air circulation, less dust is stirred up
- The even heat distribution ensures a pleasant room climate and prevents dry heated air

Advantages - refurbishment

- Retrofitting underfloor heating
- Refurbish individual rooms
- More space, as radiators can be eliminated
- Ideal for renovations - thanks to low installation height
- Decoupling of critical or old floor coverings
- Decoupling of problematic substrates during renovation


1 + 2 + 3

and the convenient electric underfloor heating is ready

1. Decoupling mat DURABASE CI-H
available in 5 sizes from 1 m² to 15 m²

2. Heating cable DEVIcomfort 10T
(incl. thermostat connection - PTC thermistor black 4 m)
available in 13 lengths and power variants

3. DEVIreg™-thermostats (incl. temperature sensor)
Available in 3 functional variants



DURABASE CI-H
Decoupling and carrier mat for heating cable installation

- Fast, barefoot comfort heating in bathrooms, kitchens and living areas.
- Protection against crack transmission due to screed shrinkage.
- Decoupling ensures a durable and attractive floor covering.
- The CI-H decoupling mat for electric underfloor heating systems is suitable for all commercially available electric heating cables from 2 to 4.5 mm thick.
- Only 6 mm mat thickness - also ideal for retrofitting.

DURABASE CI-H
Structure




NEW

DURAL CI-H decoupling mat - smart solution for warm floors

Decoupling and carrier mat for accommodating loose wire electric heating cables from 2 to 4.5 mm.
For floors with ceramic or natural stone coverings in indoor areas; Material: Polyethylene, yellow

Packaging	Length cm	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
1 mat sheet à 1 m²	100	100	6	1	–	–	CI-H 1/1	MAT	24.27
1 Roll à 2.5 m²	250	100	6	1	–	–	CI-H 2,5/1	MAT	24.27
1 Roll à 5 m²	500	100	6	1	–	–	CI-H 5/1	MAT	24.27
1 Roll à 7.5 m²	750	100	6	1	–	–	CI-H 7,5/1	MAT	24.27
1 Roll à 15 m²	1500	100	6	1	–	–	CI-H 15/1	MAT	23.81
Pallet, 40 mat sheets (40 m²)	100	100	6	1	–	–	CI-H 1/40	MAT	20.77
Pallet, 32 Rolls (80 m²)	250	100	6	1	–	–	CI-H 2,5/32	MAT	19.86
Pallet, 15 Rolls (75 m²)	500	100	6	1	–	–	CI-H 5/15	MAT	18.95
Pallet, 12 Rolls (90 m²)	750	100	6	1	–	–	CI-H 7,5/12	MAT	18.05
Pallet, 9 Rolls (135 m²)	1500	100	6	1	–	–	CI-H 15/9	MAT	17.41





DEVIcomfort™ - The high-quality, fully shielded 360° double conductor cable for the DURABASE CI-H decoupling mat

- DEVIcomfort™ is an extremely high-quality, 360° fully shielded double-conductor cable with a robust red PVC outer jacket (not UV-stable). The round profile, robust construction and low profile ensure quick, easy and safe installation indoors, perfect for renovating existing floors. Operate with thermostat only.
- Cable diameter only 4 mm, energy-efficient (10W per metre), optimal with solar and wind energy, suitable for quick and comfortable floor temperature control, low height, also ideal for floor renovations, quick and easy click installation in the only 6 mm thin DURABASE CI-H decoupling mat.
- EPD declaration available.



NEW

DEVIcomfort™ is an extremely high-quality, 360° fully shielded double-conductor cable with a robust red PVC outer jacket (not UV-stable). The round profile, robust construction and low profile ensure quick, easy and safe installation indoors, perfect for renovating existing floors. Operate with thermostat only. (incl. thermostat connection - PTC thermistor black 4 m)

PTC thermistor black 4 m | Heating conductor red 10 - 170 m



PU1	PU2	PU3	Cat.
1	–	–	NET

Length without PTC thermistor m	Power watts	Thickness mm	Item code	Cat.	£/piece
10	100	4	DC 10T 100 W	NET	102.06
20	200	4	DC 10T 200 W	NET	111.60
28	300	4	DC 10T 300 W	NET	132.75
41	400	4	DC 10T 400 W	NET	163.92
50	500	4	DC 10T 500 W	NET	199.98
57	600	4	DC 10T 600 W	NET	237.45
70	700	4	DC 10T 700 W	NET	241.86
81	800	4	DC 10T 800 W	NET	259.32
90	900	4	DC 10T 900 W	NET	291.42
100	1000	4	DC 10T 1000 W	NET	300.75
129	1250	4	DC 10T 1250 W	NET	343.50
142	1400	4	DC 10T 1400 W	NET	349.59
170	1700	4	DC 10T 1700 W	NET	393.15

NEW

DEVIreg Touch Polar White Thermostat
DEVIreg Touch Black Thermostat

Programmable combination thermostat with display for floor temperature regulation and control of CI-H/DEVI electric underfloor heating



PU1	PU2	PU3	Cat.
1	–	–	NET

Dimension	Colour	Item code	Piece/ Carton	£/piece
85 x 85 x 20-24 mm (in-wall depth 22 mm)	white	DREG TOUCH POLAR WHITE	1	164.88
85 x 85 x 20-24 mm (in-wall depth 22 mm)	black	DREG TOUCH BLACK	1	164.88

NEW

DEVIreg Room Thermostat

Programmable thermostat with timer for combined control of the room or floor temperature to control the CI-H/DEVI electric underfloor heating depending on the room temperature

Can also be controlled via app



PU1	PU2	PU3	Cat.
1	–	–	NET

Dimension	Colour	Item code	Piece/ Carton	£/piece
85 x 85 x 20-24 mm (in-wall depth 22 mm)	white	DREG ROOM	1	136.80

NEW

DEVI temperature sensor

Enhanced installation reliability with an additional temperature sensor



PU1	PU2	PU3	Cat.
1	–	–	NET

Length m	Colour	Item code	Piece/ Carton	£/piece
3.0	black	DEVI TEMP	1	22.95

NEW

DEVIreg Basic Thermostat

Programmable timer thermostat for floor temperature regulation and control of CI-H/DEVI electric underfloor heating

Can also be controlled via app



PU1	PU2	PU3	Cat.
1	–	–	NET


Dimension	Colour	Item code	Piece/ Carton	£/piece
85 x 85 x 20-24 mm (in-wall depth 22 mm)	white	DREG BASIC	1	110.70

DURABASE CI++
Decoupling/sealing mat

- High shear elasticity
- Quick and easy installation
- Optimum installation quality
- Shear-stress optimised
- DURABASE CI++ can be installed once floor screed can be walked over, reducing installation time.
- Ideal for renovation projects
- Compensation for water vapour = no deformation of the screed
- CSTB n° 13/6-1317_V2

AVIS TECHNIQUE CC FAT
DURABASE CI++
n° 13/16-1317_V2

DURABASE CI++ Structure



DURABASE CI++ more than just decoupling!

- **Crack bridging**
  The crack-bridging properties of the mat make it ideally suited for use in renovation projects. It allows new tiles to be laid on old and damaged tiled floors, provided that these are still load-bearing
- **Installation on new cement screeds / significantly reduced construction time / helps mitigate screed curl**
- **Can be laid on wooden surfaces and mastic asphalt as well as on floor screeds that are not yet ready for tiling**
  Thanks to the depressions in the mat and the bonded mesh, DURABASE CI++ has high compressive and bending strength and ensures optimal bonding with the thin-bed adhesive.
  Its high elasticity ensures good crack-bridging properties making it particularly suitable for use on difficult subsurfaces such as wood and mastic asphalt





DURABASE CI++ Decoupling mat


Crack-bridging decoupling mat with shearing force protection
Material: Thermoplastic (PE), yellow


Packaging	Length m	Width cm	Thickness mm	PU 1	PU 2	PU 3	Item code	Cat.	£/m²
1 Roll 5 m²	5	100	3	1	-	-	CI++ 5/1 (PE)	MAT	15.57
1 Roll 10 m²	10	100	3	1	-	-	CI++ 10/1 (PE)	MAT	15.00
1 Roll 30 m²	30	100	3	1	-	-	CI++ 30/1 (PE)	MAT	13.32
Pallet, 24 Rolls (120 m²)	5	100	3	1	-	-	CI++ 5/24 (PE)	MAT	14.19
Pallet, 16 Rolls (160 m²)	10	100	3	1	-	-	CI++ 10/16 (PE)	MAT	13.62
Pallet, 6 Rolls (180 m²)	30	100	3	1	-	-	CI++ 30/6 (PE)	MAT	11.52













DURABASE WP++ for waterproof decoupling for indoor and outdoor use

- Areas of application: Interior and exterior
- Interior waterproofing in accordance with DIN 18534-5, W0-I to W2-I
- Composite waterproofing for balconies, loggias, pergolas and terraces in accordance with DIN 18531
- General reliable moisture protection
- Suitable for wall and floor surfaces
- Decoupling system in accordance with ZDB and euroFEN data sheets for categories EK-H, EK-G, EK-W and EK-M
- Particularly thin layer: low installation height – ideal for renovations and refurbishments, even with limited installation heights
- Easy to work with: no complex profile structures, therefore easy and uncomplicated to cut to size
- High flexibility, crack-bridging
- Highly alkali-resistant
- Suitable for heated and unheated substrates, only slight delay with underfloor heating
- Impact sound reduction


DURABASE WP++ Structure



DURABASE WP++ Waterproof decoupling membrane

Waterproof decoupling system for ceramic and natural stone floor coverings indoors and outdoors
Material: PP/PE, yellow-black

Packaging	Length m	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
1 Roll 15 m²	15	100	1	1	-	-	WP++ 15/1	MAT	21.01
Pallet, 8 Rolls (120 m²)	15	100	1	1	-	-	WP++ 15/8	MAT	19.96






WP++ is also ideal for waterproofing tiled balconies and terraces. The advantage of permanently laid tiles:

- No weed growth
- No dirt accumulation as there are no open joints between the tiles
- No unpleasant odours from stagnant water trapped under loose tiles
- Optimum hygiene (easy cleaning)
- No risk of injury, as there are no sharp tile edges exposed

DURABASE FLEX External corner

Material: PP/TPE, yellow

Packaging	Dimension	PU1	PU2	PU3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120	1	-	-	WPFX/2	MAT	2	6.69
Carton 25 pieces	120 x 120	25	-	-	WPFX/25	MAT	25	3.76



DURABASE FLEX Internal corner

Material: PP/TPE, yellow

Packaging	Dimension	PU1	PU2	PU3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120	1	-	-	WPFXI/2	MAT	2	6.69
Carton 25 pieces	120 x 120	25	-	-	WPFXI/25	MAT	25	3.76



DURABASE FLEX Pipe collar

for pipe diameter 10 - 20 mm; Material: PP/TPE yellow

Packaging	Dimension	For pipes Ø mm	PU1	PU2	PU3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120 mm	10 - 20	1	-	-	WPFM 120/2	MAT	2	4.56
Carton 25 pieces	120 x 120 mm	10 - 20	25	-	-	WPFM 120/25	MAT	25	4.50
Carton 25 pieces	150 x 150 mm	20 - 40	25	–	–	WPFM 150/25	MAT	25 NEW	5.95
Carton 25 pieces	200 x 200 mm	40 - 80	25	–	–	WPFM 200/25	MAT	25 NEW	8.18



DURABASE FLEX Pipe collar

Material: PP/TPE, yellow

Packaging	Dimension	PU1	PU2	PU3	Item code	Cat.	Piece Bag/Carton	£/Piece
1 piece	425 x 425 mm	10	-	-	WPFM 425	MAT	1	21.25



DURABASE WP Sealing tape

Material: PP/PE, yellow

Width mm	Length m	Packaging	PU1	PU2	PU3	Item code	Cat.	Piece/Length Blister/Pack	£/lm
120	5	Blister 1 piece	1	10	-	WP 120-5/1	MAT	1 x 5 lm	3.23
120	10	Pack of 6 rolls	1	6	-	WP 120-10/1	MAT	6 x 10 lm	3.23
120	30	Pack of 6 rolls	1	6	-	WP 120-30/1	MAT	6 x 30 lm	3.23
150	5	Blister 1 piece	1	10	-	WP 150-5/1	MAT	1 x 5 lm	3.66
150	30	Pack of 6 rolls	1	6	-	WP 150-30/1	MAT	6 x 30 lm	3.66



DURABASE WP Sealing tape

flexible; Material: TPE/backing fabric polyester, yellow

Width mm	Length m	Packaging	PU1	PU2	PU3	Item code	Cat.	Piece/Length Blister/Pack	£/lm
120	5	Blister 1 piece	1	-	-	WPFB 120-5/1	MAT	1 x 5 lm	4.19
120	10	Pack of 4 rolls	1	4	-	WPFB 120-10/1	MAT	4 x 10 lm	4.19
120	50	Pack of 4 rolls	1	4	-	WPFB 120-50/1	MAT	4 x 50 lm	4.19



DURABASE WP Sealing tape „tube"

Width butyl-strip 19 mm self-adhesive; Material: PP/PE, yellow

Width mm	Length m	Packaging	PU1	PU2	PU3	Item code	Cat.	Piece/Length Blister/Carton	£/lm
120	5	Carton 10 rolls	10	-	-	WP 120-5-SK/1	MAT	10 x 5 lm	8.24



DURABASE WP Sealing tape

self-adhesive; Material: PP/PE, yellow

Width mm	Length m	Packaging	PU1	PU2	PU3	Item code	Cat.	Piece/Length Blister/Carton	£/lm
150	3	Blister 1 Piece	1	10	-	WP 150-3-SK/1	MAT	1 x 3 lm	8.24



Classic Flex Polymer adhesive

Material: MS-Polymer, white

Packaging			PU1	PU2	PU3	Item code	Cat.	Piece	£/Piece
Cartridge 310 ml			1	12	-	FLEX 310 M/1	NET	1	27.34




 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURABASE WP Waterproof mat

AVIS TECHNIQUE CC FAT
DURABASE WP
n° 13/20-1485
n° 13/15-1269

- Can be used for walls and floors indoors
- Secure adhesion to the subsurface and tiles
- Suitable for chemical resistant flooring
- DURABASE WP can also be used as a seal on tiled surfaces on walls and floors in areas highly exposed to moisture, offering secure adhesion to the subsurface and tiles as well as straight-forward installation. Combined with epoxy resin adhesive / jointing materials and the suitable tile type, even chemical-resistant flooring can be produced using DURABASE WP, as is required by law in the food industry, for example
- General test certificate (abP) according to DIN 18534-5
- CSTB n° 13/20-1485
  CSTB n° 13/15-1269
- Universal trowel T 433 - ideal for bubble-free laying of DURABASE waterproofing membranes see page 217

DURABASE WP Stucture





T 433

Matching smoothing trowel serration 4 x 4 mm on page 217

DURABASE WP Waterproof mat

Matting for the secure sealing of walls and floors internally
Material: Polypropylene, yellow



Packaging	Length m	Width cm	Thickness mm	PU 1	PU 2	PU 3	Item code	Cat.	£/m²
1 Roll 5 m²	5	100	0.5	1	-	-	WP 5/1	MAT	8.17
1 Roll 10 m²	10	100	0.5	1	-	-	WP 10/1	MAT	7.78
1 Roll 30 m²	30	100	0.5	1	-	-	WP 30/1	MAT	7.41
Pallet, 50 Rolls (250 m²)	5	100	0.5	1	-	-	WP 5/50	MAT	7.76
Pallet, 50 Rolls (500 m²)	10	100	0.5	1	-	-	WP 10/50	MAT	7.39
Pallet, 10 Rolls (300 m²)	30	100	0.5	1	-	-	WP 30/10	MAT	7.04



DURABASE WS

The self-adhesive waterproof sealing system - tiles can be can be applied directly - saves time and money

1. Advantage of reduced construction costs

- No waiting times - fast work - less set-up time
- Enormous reduction in construction time Sealing without speed limit - laid twice as fast, as there is no time for mixing and adhesive application

2. Advantage approvals

- ETA-22/0133 / abP
- Standard-compliant sealing of bathrooms & wet rooms

Europ. Techn. Zulassung
European Technical Approval
ETA-22/0133
of 22-03-2022

3. Ecological advantage

- Only disposal of the thin protective film
- Self-adhesive - no glue or water consumption

4. Versatility advantage

- Also ideal for drywall construction and on a wide variety of substrates
- No water ingress during sealing - no waiting due to drying times

5. Advantage material properties

- Advantage material properties
- Self adhesive backing sealed with protective film
- Extremely high adhesive strength of more than 20 t /m² depending on the substrate
- 11 dB sound reduction

6. Installation advantage

- Dust and dirt-free bonding with minimal waste for a clean construction site
- No adhesive and adhesive residue
- Easy application thanks to slit back and adhesive strips as a fixing aid
- Fleece backing on the front for optimum adhesive strength with fleece-free repeat strip for overlapping bonding

WARPSEAL
The high speed sealing system

- FLEECE-FREE OVERLAP
- ADHESIVE SURFACE
- ATTACHMENT STRIPS
- PROTECTIVE FILM
- POLYETHYLENE FILM



warpseal.com

DURABASE WS WARPSEAL Self-adhesive starter kit

Familiarise yourself with the unique installation benefits of the completely self-adhesive DURABASE WS sealing system. The WarpSeal starter set includes all components for sealing a shower corner wall/floor with internal corner and wall connections:

10 qm Self-adhesive sealing mat

10 m Self-adhesive fleece tape for covering the overlapping ends of the sealing mat

10 m self-adhesive corner tape with protection against trowels

1 x Self-adhesive internal corner for wall-to-wall or wall-to-floor connections

2 x Self-adhesive pipe collar 1/2 inch with mounting aid and inserting tool

1 x Spray primer for preparation of subsurface


Material: PE, yellow



Packaging	PU1	PU2	PU3	Item code	Cat.	£/Kit
DURABASE WS	1	15	-	WS SK 1	NET	286.06

DURABASE WS WARPSEAL self-adhesive waterproof sealing mat

Self-adhesive sealing mat for safe sealing of floors and walls in interior areas;
European Technical Approval; Material: PE, yellow



Packaging	Length m	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
Carton 5 sqm	5	100	0.8	1	15	-	WS 5/1	NET	30.07
Carton 10 sqm	10	100	0.8	1	15	-	WS 10/1	NET	30.07
Carton 30 sqm	30	100	0.8	1	15	-	WS 30/1	NET	30.07

DURABASE WS WARPSEAL self-adhesive fleece tape


Self-adhesive fleece tape for covering the overlapping ends of the sealing mat;
For optimized adhesion; Material: fleece, white



Packaging	Length m	Width mm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	Roll	£/lm
Fleece tape 1 Roll	10	60	0.4	1	-	-	WSVS 60-10	NET	1x10 lm	2.11

DURABASE WS WARPSEAL self-adhesive corner tape with protection against trowels

Self-adhesive corner tape for safe sealing of floors and walls in interior areas;
European Technical Approval; Material: PE, yellow





Packaging	Length m	Width mm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	Roll/ Carton	£/lm
Skirting tape 1 Roll	10	120	0.5	1	-	-	WSE 120-10/1	NET	1x10 lm	5.38
Carton 1 roll	50	120	0.5	1	-	-	WSE 120-50/1	NET	1x50 lm	5.38

DURABASE WS WARPSEAL self-adhesive skirting tape

Self-adhesive skirting tape for walls;
Waterproof wall-to-floor-connection according to DIN 18534; wall connection with fleece covering;
accessory for ETA sealing system; Material: PE, yellow



Packaging	Length m	Width mm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	Roll/ Carton	£/lm
Skirting tape 1 Roll	10	120	0.5	1	-	-	WSS 120-10/1	NET	1x10 lm	6.74
Carton 1 Roll	50	120	0.5	1	-	-	WSS 120-50/1	NET	1x50 lm	6.74

DURABASE WS WARPSEAL spray primer

Spray primer for preparation of subsurface
For optimized adhesion; ETA approval; Material: Polymer, spraying colour: green



Packaging	Content ml	PU1	PU2	PU3	Item code	Cat.	Piece/ Carton	£/Piece
Carton 6 Pieces	500	1	-	-	WSPS 500/6	NET	6	25.35

DURABASE WS WARPSEAL internal corner

Self-adhesive internal corner; Internal corner for wall-to-wall or wall-to-floor connections; ETA approval
Material: PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	Item code	Pieces/ Carton	£/Piece
Carton 5 Pieces	150	150	WSXI/5	5	**13.03**

DURABASE WS WARPSEAL external corner

Self-adhesive external corner;
External corner for wall-to-wall or wall-to-floor connections; ETA approval
Material: PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	Item code	Pieces/ Carton	£/Piece
Carton 5 Pieces	200	200	WSX/5	5	**13.69**

DURABASE WS WARPSEAL tube joint tape

Self-adhesive sealing tape for tube joints; German abP certification / accessory for ETA sealing system
Material: PE, yellow




PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length m	Width mm	Item code	Carton	£/lm
Carton	30	80	WSW 80-30	30 lm	**8.87**

DURABASE WS WARPSEAL corner "flex"

Flexible self-adhesive sealing corner for tube joints of type wall-to-floor or wall-to-wall; German abP certification / accessory for ETA sealing system
Material: PE, yellow




PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	Item code	Pieces/ Carton	£/Piece
Carton 5 Pieces	120	120	WSXF/5	5	**15.21**

DURABASE WS WARPSEAL 3-D corner 20/28 mm left

Self-adhesive PU3-D sealing corner for left shower joint; accessory for ETA sealing system;
for 20/28 mm height compensation

Material: PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	Height compensation mm	Item code	Pieces/ Carton	£/Piece
Carton 10 Pieces	120	120	20	WSKL 20/10	10	**10.51**
Carton 10 Pieces	120	120	28	WSKL 28/10	10	**10.87**

DURABASE WS WARPSEAL 3-D corner 20/28 mm right

Self-adhesive PU3-D sealing corner for right shower joint;
accessory for ETA sealing system;
for 20/28 mm height compensation
Material: PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	Height compensation mm	Item code	Pieces/ Carton	£/Piece
Carton 10 Pieces	120	120	20	WSKR 20/10	10	**10.51**
Carton 10 Pieces	120	120	28	WSKR 28/10	10	**10.87**

DURABASE WS WARPSEAL pipe collar 1/2 inch / DN50

Self-adhesive pipe collar 1/2 inch;
European Technical Approval;
Material: PU, anthracite




PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	for pipe diameter	Item code	Pieces/ Carton	£/Piece
Carton 10 Pieces	120	120	1/2 "	WSWM 1/2"/10	10	**9.77**
Carton 10 Pieces	120	120	DN50	WSWM 50/10	10	**11.22**

DURABASE WS WARPSEAL pipe collar set

Self-adhesive pipe collar 1/2 inch with mounting aid and inserting tool; 3-D dripping protection collar with elastic expansion zone for safe sealing of water supplies in the back accessory for ETA sealing system
Material: PE, yellow/blue

1 Set =
2 pipe collar (a) +
2 mounting aids (b)



PU1	PU2	PU3	Cat.
1	-	-	NET

Packaging	Length mm	Width mm	for pipe diameter	Item code	Set/ Carton	£/Piece
Carton 2 Sets	130	130	1/2 "	WSTS/2	2	**27.17**

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURABASE ET-S

Approved bonded waterproofing system for interior floors and walls

Europ. Techn. Zulassung
European Technical Approval
ETA-24/0665

1. Advantage approval

The DURABASE ET-S waterproofing system for interior areas, compliant with DIN 18534-5, ETA tested; with special system components for standard-compliant bonded waterproofing

2. System advantage

A tested system (abP) for all important water exposure classes - from W0-I to W3-I

3. Advantage of complete sets

ET-S complete sets (DIY-capable complete sealing sets for shower corners, shower recesses, bathtubs)


DURABASE ET-S complete set for sealing a shower corner

90 cm x 120 cm x 225 cm height incl. flooring area

The complete set includes:

7.5 m² ET-S sealing mat; 1 piece internal corner; 5 lm sealing tape; 2 pieces pipe collar
3 cartridge polymer adhesive; 5 lm cut protection roll

Material: PE, yellow; Polyamid/Aramid



Packaging	Dimension cm	PU1	PU2	PU3	Item code	Cat.	£/Set
Carton	90 x 120 x 225	1	15	-	ET-S 120-50/1	NET	206.27

TIP: For completely open, flush-to-floor shower areas without partition walls, the entire floor including the plinth must be sealed. More DURABASE ET-S and accessories page 146 - 147


DURABASE ET-S complete set for sealing a shower recess

90 cm x 120 cm x 90 cm x 225 cm height incl. flooring area

The complete set includes:

10 m² ET-S sealing mat; 2 pieces internal corner; 8 lm sealing tape; 2 pieces pipe collar;
4 cartridge polymer adhesive; 10 lm cut protection roll

Material: PE, yellow; Polyamid/Aramid



Packaging	Dimension cm	PU1	PU2	PU3	Item code	Cat.	£/Set
Carton	90 x 120 x 90 x 225	1	15	-	ET-S 120-50/1	NET	297.81

DURABASE ET-S complete set for sealing a bathtub

The complete system for bathtubs includes

4 lm ET-S sealing tape „tube"; 1 piece internal corner; 4 lm sound insulation;
5 lm cut protection roll

Material: PE, yellow; Polyethylen, white; Polyamid/Aramid




Packaging		PU1	PU2	PU3	Item code	Cat.	£/Set
Carton		1	15	-	ET-S 120-50/1	NET	104.87



DURABASE ET-S Sealing mat

Roll film, ETA Approval, for secure sealing of walls and floors indoors
Material: PP/PE, yellow;

Packaging	Length m	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
1 Roll 30 m²	30	100	0.7	1	-	-	ET-S 30/1	MAT	8.88
Pallet, 10 Rolls (300 m²)	30	100	0.7	1	-	-	ET-S 30/10	MAT	8.64



Suitable smoothing trowel with 4 x 4 mm teeth on page 217

DURABASE ET-S Sealing tape

ETA Approval, for DURABASE ET-S sealing system; Material: PP/PE, yellow

Packaging	Length m	Width mm	PU 1	PU 2	PU 3	Item code	Cat.	Carton	£/lm
Carton 1 roll	50	120	1	-	-	ET-S 120-50/1	MAT	1 x 50 lm	1.58
Carton 25 rolls	50	120	1	-	-	ET-S 120-50/25	MAT	25 x 50 lm	1.54



DURABASE ET-S Pipe collar

ETA Approval, for DURABASE ET-S sealing system; Material: PP/PE, yellow


Packaging	Dimension mm	For pipes Ø mm	PU 1	PU 2	PU 3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120	10 - 20	1	-	-	ET-S FM 120/2	MAT	2	1.58
Cutcase 20 pieces	120 x 120	10 - 20	1	-	-	ET-S FM 120/20	MAT	20	1.54
Pack of 2 pieces	150 x 150	19 - 40	1	-	-	ET-S FM 150/2	MAT	2	10.28
Cutcase 20 pieces	150 x 150	19 - 40	1	-	-	ET-S FM 150/20	MAT	20	10.28
Pack 1 Piece	200 x 200	40 - 80	1	-	-	ET-S FM 200/1	MAT	1	14.54
Cutcase 20 pieces	200 x 200	40 - 80	1	-	-	ET-S FM 200/20	MAT	20	14.54



DURABASE ET-S External corner

EETA Approval, for DURABASE ET-S sealing system; Material: PP/PE, yellow

Packaging	Dimension mm	PU 1	PU 2	PU 3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120	1	-	-	ET-S FX/2	MAT	2	6.13
Cutcase 20 pieces	120 x 120	1	-	-	ET-S FX/20	MAT	20	3.86



DURABASE ET-S Internal corner

ETA Approval, for DURABASE ET-S sealing system; Material: PP/PE, yellow


Packaging	Dimension mm	PU 1	PU 2	PU 3	Item code	Cat.	Piece Bag/Carton	£/Piece
Pack of 2 pieces	120 x 120	1	-	-	ET-S FXI/2	MAT	2	6.13
Cutcase 20 pieces	120 x 120	1	-	-	ET-S FXI/20	MAT	20	3.86



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DURABASE ET-S 3D corner

shower joint for ETA approved
DURABASE ET-S sealing system, left
Material: PP/PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Dimension mm	Height mm	Item code	Piece Pack/ Carton	£/Piece
Pack of 2 pieces	100 x 120	28	ET-S FXDL 28/2	2	**9.82**
Cutcase 10 pieces	100 x 120	28	ET-S FXDL 28/10	10	**9.51**

DURABASE ET-S 3D corner

shower joint for ETA approved
DURABASE ET-S sealing system, right
Material: PP/PE, yellow



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Dimension mm	Height mm	Item code	Piece Pack/ Carton	£/Piece
Pack of 2 pieces	100 x 120	28	ET-S FXDR 28/2	2	**9.82**
Cutcase 10 pieces	100 x 120	28	ET-S FXDR 28/10	10	**9.51**

DURABASE ET-S External corner

for tube joint for ETA approved
DURABASE ET-S sealing system;
For floor joint
Material: PP/PE, yellow; self-adhesive



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Dimension mm	Width mm	Height mm	Item code	Piece Pack/ Carton	£/ Piece
Pack of 2 piece	150 x 150	100	25	ET-S FXW SK/2	2	**13.49**
Cutcase 10 pieces	150 x 150	100	25	ET-S FXW SK/10	10	**13.27**

DURABASE ET-S Internal corner

for tube joint for ETA approved
DURABASE ET-S
sealing system; for wall joint
Material: PP/PE, yellow; self-adhesive



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Dimension mm	Height mm	Item code	Piece Pack/ Carton	£/Piece
Pack of 2 pieces	150 x 150	115	ET-S FXIW SK/2	2	**13.49**
Cutcase 10 pieces	150 x 150	115	ET-S FXIW SK/10	10	**13.27**

DURABASE ET-S Sealing tape „tube"

for ETA approved
DURABASE ET-S sealing system
Width butyl-strip 19 mm
Material: PP/PE, yellow; self-adhesive



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Length m	Width mm	Item code	Piece Roll/ Carton	£/lm
Carton 1 roll	10	120	ET-S 120-10 SK/1	1 x 10 lm	**6.26**
Carton 25 rolls	10	120	ET-S 120-10 SK/25	25 x 10 lm	**6.17**

Classic Flex Polymer adhesive

Adhesive/sealant for the adhering of DURABASE ET-S sealing system components (ETA approval)
Material: MS-Polymer, white



PU1	PU2	PU3	Cat.
1	12	-	NET

Packaging	Item code	Piece/ Carton	£/Piece
Cartridge 310 ml	FLEX 310 M/1	1/12	**27.34**



DURABASE ET-S Sound insulation

for ETA approved DURABASE ET-S sealing system; Material: Polyethylene, white; self-adhesive



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Length m	Width mm	Item code	lm/ Carton	£/lm
Carton 1 roll	20	30	ET-S D20 SK/1	1 x 20 lm	**2.14**
Carton 10 rolls	20	30	ET-S D20 SK/10	10 x 20 lm	**2.00**

DURABASE ET-S Cut protection roll

for ETA approved
DURABASE ET-S sealing system
Material: Polyamid/Aramid, self-adhesive



PU1	PU2	PU3	Cat.
1	-	-	MAT

Packaging	Length m	Width mm	Item code	lm/ Carton	£/lm
Carton 1 roll	10	50	ET-S S10-SK/1	1 x 10 lm	**16.56**
Carton 25 rolls	10	50	ET-S S10 SK/25	25 x 10 lm	**16.36**


DURABASE DR 100++
Drainage mat for outdoor flooring constructions

- Excellent stud geometry for improved drainage of surface water
- Grid mesh lamination for optimum water drainage and stabilisation for direct laying
- Root-resistant, rot-proof, resistant to fungal and bacterial attack
- The solid-coloured black of the DURABASE DR 100++ drainage mat makes it visually disappear under open joints

DURABASE DR 100++ Areas of application

- Anywhere outdoors where a high drainage capacity is required
- Ideal for direct laying on sealed, water-impermeable substrates
- Installation with pedestals for terrace elements and slabs from 20 mm thick
- Surface drainage mat for draining seepage water on the sloping waterproofing on the substrate

DURABASE DR 100++ Structure



DURABASE DR 100++

Drainage mat for outdoor flooring constructions; Dimple height 10 mm
Material: HDPE black

Packaging	Length m	Width mm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
1 Roll 12.5 m²	12.5	100	10	1	-	-	DR 100++ 12/1	**MAT**	**26.22**
Pallet, 6 Rolls (75 m²)	12.5	100	10	1	-	-	DR 100++ 12/6	**MAT**	**28.17**










Installing the DURABASE DR 100 ++ double drainage mat with overlap

DURABASE DR 100++ / DURABASE DR 100

The DURAL drainage mats are “invisible”. The anthracite grey material colouring makes the mats visually disappear under the open joint if they are used for direct installation or for installation using supports. The mat colour can also be partially visible with other installation types, and that is why the latest generation DURAL drainage mats are anthracite grey as well.






On-site gradient of at least 1.5 - 2 %


DURABASE DR 100++ is especially suitable for:







Direct installation of loose laid exterior tiles 20 mm thick



Pedestal installation for tiles with a thickness more than 20 mm


NEW

DURABASE DR 100

Mat for drainage of ceramic coverings in outdoor areas for laying under MOT Type 1 sub base/gravel bed or drainage screed.

- Conical drainage channel ensures trouble-free water drainage
- The combination of dimpled membrane and non-woven fabric forms an air cushion that compensates for thermal stresses and ensures even load distribution over the matting.
- DURABASE DR 100 forms effective drainage between the building waterproofing and the tiled surface
- The top layer of fleece fabric allows water to drain through but prevents grit and debris from passing through and clogging the drainage channels
- For drainage of large terrace areas
- Ideal for installation under screed/drainage screed and under compressed MOT type 1 sub base/gravel bed

DURABASE DR 100 Structure



DURABASE DR 100 Drainage mat

Drainage mat for installation underneath screed/drainage screed or underneath gravel and grit bedding.
Material: HDPE/PP grey

Packaging	Length m	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
1 Roll 15 m²	15	100	10	1	–	–	DR 100 15/1	**MAT**	**26.22**
Pallet, 9 Rolls (135 m²)	15	100	10	1	–	–	DR 100 15/9	**MAT**	**24.91**











Installing the DURABASE DR 100 double drainage mat with overlap

DURABASE DR 100 is especially suitable for:



For laying below drainage screed or in the gravel/stone bed




On-site gradient of at least 1.5 - 2 %

DURABASE FGT – Reinforcing mat to improve stability against cracking and the rigidity of critical substrates

- Especially in the field of renovation, you often encounter substrates which are not sufficiently stable enough for the installation of new floor coverings. Conventional renovation methods usually cannot be applied due to their installation height and are very expensive on top of that
- If a change of flooring type is then planned, e.g. tiling on wooden floors or vinyl floor covering on old and cracked tiles, the substructures need to be additionally reinforced to reduce stress due to differing thermal expansion of the materials
- Also ideal for use as reinforcement under fillers


DURABASE FGT composite structure



DURABASE FGT Reinforcing mat

Reinforcing mat made of a fibreglass/ fleece composite to improve stability against cracking and the rigidity of critical substrates; Material: Fibreglass, yellow

Packaging	Length m	Width cm	Thickness mm	PU 1	PU 2	PU 3	Item code	Cat.	£/m²
1 Roll 30 qm	30	100	1.5	1	-	-	FGT 30/1	MAT	18.93
Pallet, 18 Rolls (540 m²)	30	100	1.5	1	-	-	FGT 30/18	MAT	17.99





Installation on old ceramic tiling



Installation on OSB boards ore other type of wooden subfloor




Installation on cracked floor screed

DURABASE SW14 Sound insulation mat

- DURABASE SW14 is a thin mat which is only 1.3 mm thick, used to reduce footfall noise when hard flooring is being installed. In addition to improving room acoustics, DURABASE SW14 reduces the feel of cold feet, without having any negative impact on the effect of a floor heating system
- The 4-layer design creates a base for a variety of possible application in residential, commercial and industrial areas. Suitable substrates including wood, concrete, screed (also heated screed) and the like
- Installation on existing old coverings or underneath additional surface heating systems is also possible
- Certified footfall noise reduction up to 14 dB
- Only 1.3 mm thick, ideal for renovation work
- Especially suitable for floor heating systems
- Flame-retardant (Classification of fire behaviour: B_{fl}–s1)
- Can also be used as additional thermal insulation under decoupling and carrier mat DURABASE CI-H - page 135-137.


DURABASE SW14 Structure



DURABASE SW14 Sound insulation mat

Matting system for footfall sound insulation; Footfall sound reduction up to 14 dB
Material: Synthetic fibre, beige

Packaging	Length m	Width cm	Thickness mm	PU 1	PU 2	PU 3	Item code	Cat.	£/m²
1 Roll (10 m²)	10	100	1.3	1	28	-	SW14 10/1	MAT	19.92
Pallet, 28 Rolls (280 m²)	10	100	1.3	1	28	-	SW14 10/28	MAT	18.92



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

BATH + SHOWER





NEW

V-SHOWER flex **Shower drain**
Adjustable floor level shower channel, barrier-free shower areas for flexible placement;
Complete set including waterproof sealing collar in two versions (self adhesive and membrane), 90° rotatable drain with odour trap, hair trap and cover lifter (for installation height 101 mm), removable rod for opening/closing the cleaning opening
Material: Stainless Steel (304)
Surface: powder coated, brushed





PU1	PU2	PU3	Cat.
1	–	–	**NET**

Adjustable Length max. cm	Adjustable Length min. cm	Installation height mm	Water seal head mm	Visible width mm	Colour	Surface	Item code	£/Piece
80	40	71	30	50	white matt (RAL 9003)	powder coated	VSFC 712/80	**515.02**
80	40	101	50	50	white matt (RAL 9003)	powder coated	VSFC 1012/80	**515.02**
100	40	71	30	50	white matt (RAL 9003)	powder coated	VSFC 712/100	**528.22**
100	40	101	50	50	white matt (RAL 9003)	powder coated	VSFC 1012/100	**528.22**
120	40	71	30	50	white matt (RAL 9003)	powder coated	VSFC 712/120	**538.15**
120	40	101	50	50	white matt (RAL 9003)	powder coated	VSFC 1012/120	**538.15**
80	40	71	30	50	black matt (RAL 9005)	powder coated	VSFC 711/80	**515.02**
80	40	101	50	50	black matt (RAL 9005)	powder coated	VSFC 1011/80	**515.02**
100	40	71	30	50	black matt (RAL 9005)	powder coated	VSFC 711/100	**528.22**
100	40	101	50	50	black matt (RAL 9005)	powder coated	VSFC 1011/100	**528.22**
120	40	71	30	50	black matt (RAL 9005)	powder coated	VSFC 711/120	**538.15**
120	40	101	50	50	black matt (RAL 9005)	powder coated	VSFC 1011/120	**538.15**
80	40	71	30	50	natural	brushed	VSF 70-SF/80	**396.17**
80	40	101	50	50	natural	brushed	VSF 100-SF/80	**396.17**
100	40	71	30	50	natural	brushed	VSF 70-SF/100	**406.33**
100	40	101	50	50	natural	brushed	VSF 100-SF/100	**406.33**
120	40	71	30	50	natural	brushed	VSF 70-SF/120	**416.75**
120	40	101	50	50	natural	brushed	VSF 100-SF/120	**416.75**

V-SHOWER flex **Shower drain**

- Free-standing or wall-to-wall: V-SHOWER flex offers complete flexibility
- Infinitely adjustable for covering thicknesses from 9 to 20 mm
- Design covers (50 mm wide) can be cut to 40 cm, asymmetrical cutting also possible
- Self adhesive DURABASE sealing collars for connection to the compound sealing included
- High-quality Stainless Steel design – brushed or powder-coated
- Installation height 71 mm with 30 mm water seal height, drainage capacity 36 l/min
- Installation height 101 mm with 50 mm water seal height, drainage capacity 41.4 l/min
- Easy cleaning of drains, practical plug handle for the height drain version
- Accessories see page 154





V-SHOWER flex BLACK MATT (RAL 9005)



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

NEW

V-SHOWER flex wall **Shower drain**
Adjustable floor level shower channel, barrier-free shower areas for direct floor-wall connection
Complete set including waterproof sealing collar in two versions (self adhesive and membrane), 90° rotatable drain with odour trap, hair trap and cover lifter (for installation height 101 mm), removable rod for opening/closing the cleaning opening
Material: Stainless Steel (304)
Surface: powder coated, brushed




Cover widened on one side for wall tiles

PU1	PU2	PU3	Cat.
1	–	–	**NET**

Adjustable Length max. cm	Adjustable Length min. cm	Installation height mm	Water seal head mm	Visible width mm	Colour	Surface	Item code	£/Piece
80	40	71	30	67	white matt (RAL 9003)	powder coated	VSFWC 712/80	**515.02**
80	40	101	50	67	white matt (RAL 9003)	powder coated	VSFWC 1012/80	**515.02**
100	40	71	30	67	white matt (RAL 9003)	powder coated	VSFWC 712/100	**528.22**
100	40	101	50	67	white matt (RAL 9003)	powder coated	VSFWC 1012/100	**528.22**
120	40	71	30	67	white matt (RAL 9003)	powder coated	VSFWC 712/120	**538.15**
120	40	101	50	67	white matt (RAL 9003)	powder coated	VSFWC 1012/120	**538.15**
80	40	71	30	67	black matt (RAL 9005)	powder coated	VSFWC 711/80	**515.02**
80	40	101	50	67	black matt (RAL 9005)	powder coated	VSFWC 1011/80	**515.02**
100	40	71	30	67	black matt (RAL 9005)	powder coated	VSFWC 711/100	**528.22**
100	40	101	50	67	black matt (RAL 9005)	powder coated	VSFWC 1011/100	**528.22**
120	40	71	30	67	black matt (RAL 9005)	powder coated	VSFWC 711/120	**538.15**
120	40	101	50	67	black matt (RAL 9005)	powder coated	VSFWC 1011/120	**538.15**
80	40	71	30	67	natural	brushed	VSFW 70-SF/80	**396.17**
80	40	101	50	67	natural	brushed	VSFW 100-SF/80	**396.17**
100	40	71	30	67	natural	brushed	VSFW 70-SF/100	**406.33**
100	40	101	50	67	natural	brushed	VSFW 100-SF/100	**406.33**
120	40	71	30	67	natural	brushed	VSFW 70-SF/120	**416.75**
120	40	101	50	67	natural	brushed	VSFW 100-SF/120	**416.75**

V-SHOWER flex wall **Shower drain**

- Enclosed on three sides or placed freely on the wall: V-SHOWER flex wall offers complete flexibility
- Infinitely adjustable for covering thicknesses from 9 to 20 mm
- Design covers (67 mm wide) can be shortened to 40 cm, asymmetrical cutting also possible
- Self adhesive DURABASE sealing collars for connection to the compound sealing included
- High-quality Stainless Steel design – brushed or powder-coated
- Installation height 71 mm with 30 mm water seal height, drainage capacity 36 l/min
- Installation height 101 mm with 50 mm water seal height, drainage capacity 41.4 l/min
- Easy cleaning of drains, practical plug handle for the height drain version
- Accessories see page 154



V-SHOWER flex wall STAINLESS STEEL (304)



NEW



V-SHOWER flex
High-performance vertical drain for channel drainage DN 50
The floor drain for vertical drainage is a powerful problem solver in combination with the V-SHOWER flex shower channels
Complies with EN 1253, water seal height 50 mm, vertical outlet, outlet Ø 50/75 mm, drainage capacity 81 l/min.
Material: Plastic

Packaging		Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
Carton 1 piece		50	1	–	–	VSFAV 5075	NET	59.56

NEW




V-SHOWER flex / **TI-DRAIN** plus / my**VARIO-LINE**
Fire protection sleeve for vertical floor drains DN 50
Fire protection set consisting of: fire protection sleeve, PP HT socket DN 50 and a label
Fire and smoke resistant – fire resistance class R90 according to DIN 4102-11
The fire resistance duration of up to 90 minutes has been successfully confirmed by fire tests
Material: Polypropylene

Packaging			PU1	PU2	PU3	Item code	Cat.	£/Piece
Carton 1 piece			1	–	–	BSM-VSF-TDP	NET	258.21

my**VARIO-LINE – Substructure/base for linear shower channel with maximum variability**
Base set (without drainage channel/design grate), 1 Drain DN 50 with odour trap, 2 EPS mounting block, 3 DURABASE sealing flange ETA-24/0665, 4 spacer parts for height adjustment to tile thicknesses of 6-21 mm, 5 closure/connection thread for connecting the drain channel to the substructure. Please order drainage channel incl. design grating separately, 60 designs are available. Installation height (top edge of screed) only 68 mm; Material: Stainless Steel (304), EPS

Visible dimension cm	Design	Installation height mm	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/piece
60	Base set	68	32	1	–	–	VLMB 600/60	NET	130.10
70	Base set	68	32	1	–	–	VLMB 700/70	NET	138.73
80	Base set	68	32	1	–	–	VLMB 800/80	NET	147.40
90	Base set	68	32	1	–	–	VLMB 900/90	NET	168.33
100	Base set	68	32	1	–	–	VLMB 1000/100	NET	172.47

Substructure basic parts
(without drain channel/design grate) - please order drain channel incl. design grate separately.



Horizontal drain set DN 50
High-performance drain set incl. EPS mounting blocks for myVARIO-LINE
Drain horizontal DN50, 2 x EPS-mounting blocks 20 mm; Water seal head 50 mm;
Drainage capacity approx. 60 l/min; Material: PVC, blue



		Installation height mm	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/piece
		88	50	1	–	–	VLPHC 80	NET	60.18

Drain set DN 50 vertical
Vertical drain for myVARIO-LINE
Drainage capacity approx. 48 l/min Material: PVC, blue



		Installation height mm	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/piece
		190	30	1	–	–	VLPAS 48	NET	44.71


 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

my**VARIO-LINE Drain channel Doubleface**
Double Face Grate options for my VARIO-LINE; 'Doubleface' cover can be used either as a panel or tileable channel
Drain channel incl. design grate; Drainage capacity approx. 19 l/min
Material: Stainless Steel (304)

Visible dimension cm	Surface	Colour	Item code	PU1	PU2	PU3	Cat.	£/piece
80	tactile coated	white matt (RAL 9003)	VLMDC 812	1	–	–	NET	198.22
90	tactile coated	white matt (RAL 9003)	VLMDC 912	1	–	–	NET	212.35
60	tactile coated	sand (RAL 0808005)	VLMDC 680	1	–	–	NET	175.23
70	tactile coated	sand (RAL 0808005)	VLMDC 780	1	–	–	NET	186.71
80	tactile coated	sand (RAL 0808005)	VLMDC 880	1	–	–	NET	198.22
90	tactile coated	sand (RAL 0808005)	VLMDC 980	1	–	–	NET	212.35
100	tactile coated	sand (RAL 0808005)	VLMDC 1080	1	–	–	NET	226.93
60	tactile coated	congrete grey (RAL 0006500)	VLMDC 665	1	–	–	NET	175.23
70	tactile coated	congrete grey (RAL 0006500)	VLMDC 765	1	–	–	NET	186.71
80	tactile coated	congrete grey (RAL 0006500)	VLMDC 865	1	–	–	NET	198.22
90	tactile coated	congrete grey (RAL 0006500)	VLMDC 965	1	–	–	NET	212.35
100	tactile coated	congrete grey (RAL 0006500)	VLMDC 1065	1	–	–	NET	226.93
60	tactile coated	black matt (RAL 9005)	VLMDC 611	1	–	–	NET	175.23
70	tactile coated	black matt (RAL 9005)	VLMDC 711	1	–	–	NET	186.71
80	tactile coated	black matt (RAL 9005)	VLMDC 811	1	–	–	NET	198.22
90	tactile coated	black matt (RAL 9005)	VLMDC 911	1	–	–	NET	212.35
100	tactile coated	black matt (RAL 9005)	VLMDC 1011	1	–	–	NET	226.93
60	brushed	natural	VLMD 600	1	–	–	NET	183.67
70	brushed	natural	VLMD 700	1	–	–	NET	195.15
80	brushed	natural	VLMD 800	1	–	–	NET	206.66
90	brushed	natural	VLMD 900	1	–	–	NET	222.02
100	brushed	natural	VLMD 1000	1	–	–	NET	236.35

Stainless Steel

DOUBLEFACE
Design grate
and drain channel



myVARIO-LINE / SHOWER-GK / SHOWER-GK Connect / STAINLESS STEEL (304)



my**VARIO-LINE Drain channel Penta**

Penta Grate options for myVARIO-LINE
Drain channel incl. design grate; Drainage capacity approx. 32 l/min
Material: Stainless Steel (304)

PENTA
Design grate
and drain channel

Stainless Steel

Visible length cm	Surface	Colour	Item code	PU1	PU2	PU3	Cat.	£/piece
80	tactile coated	white matt (RAL 9003)	VLMPC 812	1	–	–	NET	220.33
90	tactile coated	white matt (RAL 9003)	VLMPC 912	1	–	–	NET	236.29
60	tactile coated	sand (RAL 0808005)	VLMPC 680	1	–	–	NET	194.36
70	tactile coated	sand (RAL 0808005)	VLMPC 780	1	–	–	NET	207.37
80	tactile coated	sand (RAL 0808005)	VLMPC 880	1	–	–	NET	220.33
90	tactile coated	sand (RAL 0808005)	VLMPC 980	1	–	–	NET	236.29
100	tactile coated	sand (RAL 0808005)	VLMPC 1080	1	–	–	NET	252.13
60	tactile coated	congrete grey (RAL 0006500)	VLMPC 665	1	–	–	NET	194.36
70	tactile coated	congrete grey (RAL 0006500)	VLMPC 765	1	–	–	NET	207.37
80	tactile coated	congrete grey (RAL 0006500)	VLMPC 865	1	–	–	NET	220.33
90	tactile coated	congrete grey (RAL 0006500)	VLMPC 965	1	–	–	NET	236.29
100	tactile coated	congrete grey (RAL 0006500)	VLMPC 1065	1	–	–	NET	252.13
60	tactile coated	black matt (RAL 9005)	VLMPC 611	1	–	–	NET	194.36
70	tactile coated	black matt (RAL 9005)	VLMPC 711	1	–	–	NET	207.37
80	tactile coated	black matt (RAL 9005)	VLMPC 811	1	–	–	NET	220.33
90	tactile coated	black matt (RAL 9005)	VLMPC 911	1	–	–	NET	236.29
100	tactile coated	black matt (RAL 9005)	VLMPC 1011	1	–	–	NET	252.13
60	brushed	natural	VLMP 600	1	–	–	NET	203.80
70	brushed	natural	VLMP 700	1	–	–	NET	216.82
80	brushed	natural	VLMP 800	1	–	–	NET	229.83
90	brushed	natural	VLMP 900	1	–	–	NET	245.75
100	brushed	natural	VLMP 1000	1	–	–	NET	261.57











 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

my**VARIO-LINE Drain channel Line**
Line Grate options for my VARIO-LINE
Drain channel incl. design grate; Drainage capacity approx. 32 l/min
Material: Stainless Steel (304)

LINE
Design grate
and drain channel











Visible length cm	Surface	Colour	Item code	PU1	PU2	PU3	Cat.	£/piece
80	tactile coated	white matt (RAL 9003)	VLMLC 812	1	–	–	NET	183.46
90	tactile coated	white matt (RAL 9003)	VLMLC 912	1	–	–	NET	195.51
60	tactile coated	sand (RAL 0808005)	VLMLC 680	1	–	–	NET	183.46
70	tactile coated	sand (RAL 0808005)	VLMLC 780	1	–	–	NET	195.51
80	tactile coated	sand (RAL 0808005)	VLMLC 880	1	–	–	NET	207.63
90	tactile coated	sand (RAL 0808005)	VLMLC 980	1	–	–	NET	222.54
100	tactile coated	sand (RAL 0808005)	VLMLC 1080	1	–	–	NET	237.49
60	tactile coated	congrete grey (RAL 0006500)	VLMLC 665	1	–	–	NET	183.46
70	tactile coated	congrete grey (RAL 0006500)	VLMLC 765	1	–	–	NET	195.51
80	tactile coated	congrete grey (RAL 0006500)	VLMLC 865	1	–	–	NET	207.63
90	tactile coated	congrete grey (RAL 0006500)	VLMLC 965	1	–	–	NET	222.54
100	tactile coated	congrete grey (RAL 0006500)	VLMLC 1065	1	–	–	NET	237.49
60	tactile coated	black matt (RAL 9005)	VLMLC 611	1	–	–	NET	183.46
70	tactile coated	black matt (RAL 9005)	VLMLC 711	1	–	–	NET	195.51
80	tactile coated	black matt (RAL 9005)	VLMLC 811	1	–	–	NET	207.63
90	tactile coated	black matt (RAL 9005)	VLMLC 911	1	–	–	NET	222.54
100	tactile coated	black matt (RAL 9005)	VLMLC 1011	1	–	–	NET	237.49
60	brushed	natural	VLML 600	1	–	–	NET	192.95
70	brushed	natural	VLML 700	1	–	–	NET	205.00
80	brushed	natural	VLML 800	1	–	–	NET	217.08
90	brushed	natural	VLML 900	1	–	–	NET	232.03
100	brushed	natural	VLML 1000	1	–	–	NET	246.96

TI-SHELF PENTA TSAC12 PM1+



myVARIO-LINE / SHOWER-GK CONNECT



NEW V-SHOWER flex
SHOWER-GK GLASS WALL
SHOWER-GK GLASS FLOOR INCLINED WEDGE



XFLAT-LINE Linear shower channel – Complete Set

- Ultra-flat shower drainage channel for low installation heights starting at 55 mm. The XFLAT-LINE shower drainage system is the ideal solution for your barrier-free shower to achieve a harmonious room design
- Grate “Square” polished steel
- Frame height 11 mm
- Double odour-proof seal; water seal head 28 mm
- Protection with seal
- High-quality Stainless Steel
- Perfect cleaning access, right through to the outlet pipe
- Outlet flow rate: DN 40: max. 35 l/min.
- 7 different visible dimensions

1 Grate Square
2 Factory-installed DURABASE sealing flange
3 Odour seal
4 Channel body
5 Drain DN 40 horizontal




XFLAT-LINE – INSTALLATION HEIGHT ONLY 55 mm

XFLAT-LINE – Ultra-flat shower drainage channel with 2nd drainage level for low installation heights

Complete set ready for installation, drainage tray, drain outlet horizontal 40 mm; sealant membrane collar, grate “Square” polished; Material: Stainless Steel (304)

Visible length cm	Width mm	Visible width mm	Height mm	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/piece
55	120	60	≥ 55	28	1	–	–	XFL 600 S	NET	408.10
65	120	60	≥ 55	28	1	–	–	XFL 700 S	NET	428.77
75	120	60	≥ 55	28	1	–	–	XFL 800 S	NET	454.37
85	120	60	≥ 55	28	1	–	–	XFL 900 S	NET	475.59
95	120	60	≥ 55	28	1	–	–	XFL 1000 S	NET	497.84
105	120	60	≥ 55	28	1	–	–	XFL 1100 S	NET	521.39
115	120	60	≥ 55	28	1	–	–	XFL 1200 S	NET	553.55



XFLAT-LINE – DESIGN GRATE “SQUARE” STAINLESS STEEL (304)



NEW

TI-DRAIN plus
Point drain Complete set with sealing sleeves and 'Doubleface' design cover
Height-adjustable complete set including sealing sleeves in two versions (self adhesive and membrane), 360° rotatable drain with odour trap and hair trap. Installation height from 75 to 110 mm, can be shortened to 54 mm minimum installation height. Flange thickness/frame height 12 mm. Drainage capacity 35 l/min, water seal height 50 mm (unshortened), siphon DN 40
Material: ABS , Stainless Steel (304)
Surface: brushed, natural



PU1	PU2	PU3	Cat.
1	–	–	NET

Packaging	Installation height mm	Visible surface mm	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
Carton 1 piece	75 - 110	100 x 100	50	1	–	–	TDP SET 1010-SF	NET	175.09

NEW

TI-DRAIN plus
Powerful vertical drain for point drainage DN 50
Depending on the installation situation, powerful floor drains for vertical drainage may be required.
Floor drain for point drainage TI-DRAIN plus;
Complies with EN 1253, water seal height 50 mm, vertical outlet, outlet Ø 50 mm, drainage capacity 73 l/min.
Material: ABS



Packaging	Water seal head mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
Carton 1 piece	50	1	–	–	TDP AV 50	NET	45.16

Suitable fire protection sleeve DN 50 on page 154

TI-DRAIN plus
Practical point drain as a complete set – height-adjustable and with a 2-in-1 design

- The square TI-DRAIN plus floor drain can be adapted to practically any installation situation thanks to its height adjustability from 75 to 110 mm. And if the installation is particularly low, the drain can be shortened to a minimum installation height of 54 mm. The design of the point drain can be adapted to the desired ambience in bathrooms, showers, sports showers or utility rooms thanks to the reversible cover made of high-quality Stainless Steel, as the timeless cover also serves as a tile recess
- Freely positionable, ideal for barrier-free and floor-level bathrooms, shower rooms, utility rooms, sports showers, walk-in showers
- Infinitely adjustable installation height 75 to 110 mm, can be shortened to 54 mm minimum installation height
- Reversible design cover/tile recess made of high-quality Stainless Steel
- Convenient and easy to clean thanks to easily removable odour trap unit and hair trap
- Odour trap with 50 mm water seal height (uncut)




TI-DRAIN plus

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

TI-DRAIN
Floor drain complete set

Complete set with DURABASE WP incl. drain unit and grating with accessories. 'Square' grating, horizontal drain DN 50.




PU1	PU2	PU3	Cat.
1	–	–	NET

Visible dimension mm	Design	Item code	£/piece
Horizontal drain outlet DN 50			
100 x 100	Grate „Square" 10 x 10 cm	TD SET F 5060	**93.66**
150 x 150	Grate „Square" 15 x 15 cm	TD SET F 5060-15	**112.17**
Vertical drain outlet DN 50			
100 x 100	Grate „Square" 10 x 10 cm	TD SET F 5076-V	**105.94**

TI-DRAIN
Floor drain complete set

Complete set with mesh incl. drain unit and grating with accessories. 'Square' grating, horizontal drain DN 50; water seal head 30 mm




PU1	PU2	PU3	Cat.
1	–	–	NET

Visible dimension mm	Design	Item code	£/piece
Horizontal drain outlet DN 50			
100 x 100	Grate „Square" 10 x 10 cm	TD SET N 5060	**93.66**
150 x 150	Grate „Square" 15 x 15 cm	TD SET N 5060-15	**112.17**

TI-DRAIN
Grate

Square grating for TI-DRAIN modular floor drain
Material: Stainless Steel (304)



PU1	PU2	PU3	Cat.
1	–	–	NET

Visible dimension mm	Colour	Surface	Item code	£/piece
Design „Square"				
100 x 100	white matt (RAL 9003)	powder coated	TD C 1010-12	**51.96**
100 x 100	black matt (RAL 9005)	powder coated	TD C 1010-11	**51.96**
100 x 100	natural	polished	TD C 1010	**33.46**
100 x 100	gold	polished	TD C 1010-G	**51.96**
150 x 150	natural	polished	TD C 1515	**88.74**
Design „Sun"				
100 x 100	natural	polished	TD S 1010	**33.46**
150 x 150	natural	polished	TD S 1515	**51.96**

TI-DRAIN
Sealing flange for TI-DRAIN modular floor drain

Sealing flange with DURABASE WP



Sealing flange with mesh



PU1	PU2	PU3	Cat.
1	–	–	NET

Design	Format in mm	Item code	£/piece
with DURABASE WP; yellow	350 x 350	TD AF 20	**17.52**
with mesh; blue	350 x 350	TD AN 20	**17.52**


white matt
powder coated


black matt
powder coated


natural
polished


gold
polished

TI-DRAIN
Drain body incl. trap and protective cover

Material: Plastic

PU1	PU2	PU3	Cat.
1	–	–	NET






Drain	Height mm	Design	Installation height mm	ø mm	Item code	£/Piece
horizontal	45	Funnel with 2.5 cm water seal head	53	DN 40	TD H 4053	**25.67**
horizontal	55	Funnel with 3.0 cm water seal head	63	DN 50	TD H 5060	**25.67**
horizontal	85	Funnel with 5.0 cm water seal head	93	DN 70	TD H 7092	**38.47**
vertical	76	Funnel with 5.0 cm water seal head	84	DN 50	TD V 50	**37.00**

FLOWFIX
Floor drain cover

Material: Stainless Steel (304)




PU1	PU2	PU3	Cat.
1	–	–	NET

Height mm	Dimension mm	Item code	£/piece
8	150 x 150	BA 815	**165.55**
8	200 x 200	BA 820	**176.07**
10	150 x 150	BA 1015	**165.55**
10	200 x 200	BA 1020	**176.07**



SHOWER-GK GLAS Wall LED

- Wall installation profile for glass up to 8 - 12 mm
- LED “emotion” strip is embedded within profile
- Length 220 cm max. - final length must be ordered since it cannot be cut on site
- Material Stainless Steel
- LED strip connection cable on top (safety reasons)
- Converter/Accessories must be ordered seperately
- Perfect fixing of the glass shower screen without damaging the waterproofing system
- LED strip along with control and connection components “LED-EMOTION“ page 105






SHOWER-GK GLAS WALL LED

SHOWER-GK GLAS WALL LED

LED glass carrier profile for wall mounting with Emotion-LED-strip waterproof incapsulated

U-shaped glass carrier LED profile for effective lighting of glass shower screens 8 - 12 mm; Connection-sets EMOTION (transformer, wall switch & accessories) have to be ordered seperately
Material: Stainless Steel (304) brushed
Covering thickness max. 19 mm
Glas thickness 8 - 12 mm



PU1	PU2	PU3	Cat.
1	–	–	NET

Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190/66-EM/220	**449.61**






SHOWER-GK GLAS WALL LED



SHOWER-GK GLAS WALL
Glas carrier profile

U-shaped glass carrier trim for wall mounting
Glass thickness 8 - 12 mm
Covering thickness (H1) max. 19 mm
Material: Stainless Steel (304)

Glass walls with glass support profiles pass the pendulum impact test with 50 kg (**TÜV certification** in accordance with DIN EN 14428:2019-07 / 5.6)



PU1	PU2	PU3	Cat.
1	–	–	NET

tactile coated white matt (RAL 9003)



Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190-12/220	**374.95**

tactile coated black matt (RAL 9005)



Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190-11/220	**233.31**

tactile coated sand (RAL 0808005)



Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190-80/220	**233.31**

brushed natural



Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190-SF/220	**178.46**

tactile coated congrete grey (RAL 0006500)



Length cm	Height 1 mm	Height 2 mm		Item code	£/piece
220	19	20		GKGW 190-65/220	**233.31**


SHOWER-GK GLAS
Glass kit 8/12

For the installation of toughened saftey glass shower enclosures of 8 - 12 mm in SHOWER-GK glass support profiles, wall and floor



PU1	PU2	PU3	Cat.
1	–	–	NET

Item code	£/piece
GKMK/1	**60.74**



SHOWER-GK GLAS - Inclined wedge and glass carrier profile on the floor

- The perfect combination of inclined wedge and glass carrier profile
- Easy installation with a combined inclined wedge
- Perfect profile to allow fixing of the glass to both wall and floor (system is ideal to use together with the wall profile)
- Elegant compensation of the gradient (~2 %)
- For floor-level showers, glass partitions are an extremely practical choice when it comes to spray water protection
- Here, the SHOWER-GK system from DURAL offers the perfect combination of stable support for the glass partition and safe protection of the edges from the ingress of water in the slope area
- The solid Stainless Steel profile with the U-shaped carrier gives strong and secure, support to glass showers up to 8 - 12 mm


SHOWER-GK GLAS WALL/FLOOR



SHOWER-GK GLAS FLOOR
Inclined wedge and glass carrier

One-piece inclined wedge and glass carrier for a gradient of approx. 2%
Glass thickness 8 - 12 mm
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	NET



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGL 190-12/98	**223.12**
120	19	20	37	GKGL 190-12/120	**282.52**
148	19	20	42	GKGL 190-12/148	**306.89**
200	19	20	60	GKGL 190-12/200	**419.17**

tactile coated white matt (RAL 9003) left (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGR 190-12/98	**223.12**
120	19	20	37	GKGR 190-12/120	**282.52**
148	19	20	42	GKGR 190-12/148	**306.89**
200	19	20	60	GKGR 190-12/200	**419.17**

tactile coated white matt (RAL 9003) right (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGL 190-80/98	**223.12**
120	19	20	37	GKGL 190-80/120	**282.52**
148	19	20	42	GKGL 190-80/148	**306.89**
200	19	20	60	GKGL 190-80/200	**419.17**

tactile coated sand (RAL 0808005) left (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGR 190-80/98	**223.12**
120	19	20	37	GKGR 190-80/120	**282.52**
148	19	20	42	GKGR 190-80/148	**306.89**
200	19	20	60	GKGR 190-80/200	**419.17**

tactile coated sand (RAL 0808005) right (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGL 190-65/98	**223.12**
120	19	20	37	GKGL 190-65/120	**282.52**
148	19	20	42	GKGL 190-65/148	**306.89**
200	19	20	60	GKGL 190-65/200	**419.17**

tactile coated congrete grey (RAL 0006500) left (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGR 190-65/98	**223.12**
120	19	20	37	GKGR 190-65/120	**282.52**
148	19	20	42	GKGR 190-65/148	**306.89**
200	19	20	60	GKGR 190-65/200	**419.17**

tactile coated congrete grey (RAL 0006500) right (looking towards the channel)




H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SHOWER-GK GLAS FLOOR
Inclined wedge and glass carrier

One-piece inclined wedge and glass carrier for a gradient of approx. 2%
Glas thickness 8 - 12 mm
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	NET



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGL 190-11/98	**223.12**
120	19	20	37	GKGL 190-11/120	**282.52**
148	19	20	42	GKGL 190-11/148	**306.89**
200	19	20	60	GKGL 190-11/200	**419.17**

tactile coated black matt (RAL 9005) left (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGR 190-11/98	**223.12**
120	19	20	37	GKGR 190-11/120	**282.52**
148	19	20	42	GKGR 190-11/148	**306.89**
200	19	20	60	GKGR 190-11/200	**419.17**

tactile coated black matt (RAL 9005) right (looking towards the channel)



Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGL 190-SF/98	**132.26**
120	19	20	37	GKGL 190-SF/120	**170.48**
148	19	20	42	GKGL 190-SF/148	**184.60**
200	19	20	60	GKGL 190-SF/200	**209.47**

brushed natural left (looking towards the channel)





Length cm	Height 1 mm	Height 2 mm	Height 3 mm	Item code	£/piece
98	19	20	34	GKGR 190-SF/98	**132.26**
120	19	20	37	GKGR 190-SF/120	**170.48**
148	19	20	42	GKGR 190-SF/148	**184.60**
200	19	20	60	GKGR 190-SF/200	**209.47**

brushed natural right (looking towards the channel)




H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear





SHOWER-GK Inclined wedge
One-piece inclined wedge for a gradient of approx. 2%
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	**NET**



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKL 100-12/98	**116.47**
10	120	11	32	GKL 100-12/120	**143.20**
10	148	11	32	GKL 100-12/148	**152.39**
10	200	11	40	GKL 100-12/200	**206.05**

tactile coated white matt (RAL 9003) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKR 100-12/98	**116.47**
10	120	11	32	GKR 100-12/120	**143.20**
10	148	11	32	GKR 100-12/148	**152.39**
10	200	11	40	GKR 100-12/200	**206.05**

tactile coated white matt (RAL 9003) right (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKL 100-80/98	**116.47**
10	120	11	32	GKL 100-80/120	**143.20**
10	148	11	32	GKL 100-80/148	**152.39**
10	200	11	40	GKL 100-80/200	**206.05**
11	98	12	24	GKL 110-80/98	**117.21**
11	120	12	32	GKL 110-80/120	**146.76**
11	148	12	32	GKL 110-80/148	**157.94**
11	200	12	40	GKL 110-80/200	**215.78**
12.5	98	13.5	24	GKL 125-80/98	**117.95**
12.5	120	13.5	32	GKL 125-80/120	**150.32**
12.5	148	13.5	32	GKL 125-80/148	**163.48**
12.5	200	13.5	40	GKL 125-80/200	**225.51**

tactile coated sand (RAL 0808005) left (looking towards the channel)





Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKR 100-80/98	**117.21**
10	120	11	32	GKR 100-80/120	**143.20**
10	148	11	32	GKR 100-80/148	**152.39**
10	200	11	40	GKR 100-80/200	**206.05**
11	98	12	24	GKR 110-80/98	**117.21**
11	120	12	32	GKR 110-80/120	**146.76**
11	148	12	32	GKR 110-80/148	**157.94**
11	200	12	40	GKR 110-80/200	**215.78**
12.5	98	13.5	24	GKR 125-80/98	**117.95**
12.5	120	13.5	32	GKR 125-80/120	**150.32**
12.5	148	13.5	32	GKR 125-80/148	**163.48**
12.5	200	13.5	40	GKR 125-80/200	**225.51**

tactile coated sand (RAL 0808005) right (looking towards the channel)




H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear





SHOWER-GK Inclined wedge
One-piece inclined wedge for a gradient of approx. 2%
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	**NET**



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKL 100-65/98	**116.47**
10	120	11	32	GKL 100-65/120	**143.20**
10	148	11	32	GKL 100-65/148	**152.39**
10	200	11	40	GKL 100-65/200	**206.05**
11	98	12	24	GKL 110-65/98	**117.21**
11	120	12	32	GKL 110-65/120	**146.76**
11	148	12	32	GKL 110-65/148	**157.94**
11	200	12	40	GKL 110-65/200	**215.78**
12.5	98	13.5	24	GKL 125-65/98	**117.95**
12.5	120	13.5	32	GKL 125-65/120	**150.32**
12.5	148	13.5	32	GKL 125-65/148	**163.48**
12.5	200	13.5	40	GKL 125-65/200	**225.51**

tactile coated congrete grey (RAL 0006500) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKR 100-65/98	**116.47**
10	120	11	32	GKR 100-65/120	**143.20**
10	148	11	32	GKR 100-65/148	**152.39**
10	200	11	40	GKR 100-65/200	**206.05**
11	98	12	24	GKR 110-65/98	**117.21**
11	120	12	32	GKR 110-65/120	**146.76**
11	148	12	32	GKR 110-65/148	**157.94**
11	200	12	40	GKR 110-65/200	**215.78**
12.5	98	13.5	24	GKR 125-65/98	**117.95**
12.5	120	13.5	32	GKR 125-65/120	**150.32**
12.5	148	13.5	32	GKR 125-65/148	**163.48**
12.5	200	13.5	40	GKR 125-65/200	**225.51**

tactile coated congrete grey (RAL 0006500) right (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKL 100-11/98	**116.47**
10	120	11	32	GKL 100-11/120	**143.20**
10	148	11	32	GKL 100-11/148	**152.39**
10	200	11	40	GKL 100-11/200	**206.05**
11	98	12	24	GKL 110-11/98	**117.21**
11	120	12	32	GKL 110-11/120	**146.76**
11	148	12	32	GKL 110-11/148	**157.94**
11	200	12	40	GKL 110-11/200	**215.78**
12.5	98	13.5	24	GKL 125-11/98	**117.95**
12.5	120	13.5	32	GKL 125-11/120	**150.32**
12.5	148	13.5	32	GKL 125-11/148	**163.48**
12.5	200	13.5	40	GKL 125-11/200	**225.51**

tactile coated black matt (RAL 9005) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKR 100-11/98	**116.47**
10	120	11	32	GKR 100-11/120	**143.20**
10	148	11	32	GKR 100-11/148	**152.39**
10	200	11	40	GKR 100-11/200	**206.05**
11	98	12	24	GKR 110-11/98	**117.21**
11	120	12	32	GKR 110-11/120	**146.76**
11	148	12	32	GKR 110-11/148	**157.94**
11	200	12	40	GKR 110-11/200	**215.78**
12.5	98	13.5	24	GKR 125-11/98	**117.95**
12.5	120	13.5	32	GKR 125-11/120	**150.32**
12.5	148	13.5	32	GKR 125-11/148	**163.48**
12.5	200	13.5	40	GKR 125-11/200	**225.51**


tactile coated black matt (RAL 9005) right (looking towards the channel)



H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear

SHOWER-GK Inclined wedge
One-piece inclined wedge for a gradient of approx. 2%
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	**NET**



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
8	98	9	24	GKL 80-SF/98	**61.57**
8	120	9	32	GKL 80-SF/120	**72.79**
8	148	9	32	GKL 80-SF/148	**77.67**
8	200	9	40	GKL 80-SF/200	**125.61**
10	98	11	24	GKL 100-SF/98	**63.27**
10	120	11	32	GKL 100-SF/120	**74.79**
10	148	11	32	GKL 100-SF/148	**81.49**
10	200	11	40	GKL 100-SF/200	**107.97**
11	98	12	24	GKL 110-SF/98	**66.33**
11	120	12	32	GKL 110-SF/120	**77.84**
11	148	12	32	GKL 110-SF/148	**86.62**
11	200	12	40	GKL 110-SF/200	**105.36**
12.5	98	13.5	24	GKL 125-SF/98	**70.91**
12.5	120	13.5	32	GKL 125-SF/120	**82.41**
12.5	148	13.5	32	GKL 125-SF/148	**94.33**
12.5	200	13.5	40	GKL 125-SF/200	**109.77**

brushed natural left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
8	98	9	24	GKR 80-SF/98	**61.57**
8	120	9	32	GKR 80-SF/120	**72.79**
8	148	9	32	GKR 80-SF/148	**77.67**
8	200	9	40	GKR 80-SF/200	**125.61**
10	98	11	24	GKR 100-SF/98	**63.27**
10	120	11	32	GKR 100-SF/120	**74.79**
10	148	11	32	GKR 100-SF/148	**81.49**
10	200	11	40	GKR 100-SF/200	**107.97**
11	98	12	24	GKR 110-SF/98	**66.33**
11	120	12	32	GKR 110-SF/120	**77.84**
11	148	12	32	GKR 110-SF/148	**86.62**
11	200	12	40	GKR 110-SF/200	**105.36**
12.5	98	13.5	24	GKR 125-SF/98	**70.91**
12.5	120	13.5	32	GKR 125-SF/120	**82.41**
12.5	148	13.5	32	GKR 125-SF/148	**94.33**
12.5	200	13.5	40	GKR 125-SF/200	**109.77**

brushed natural right (looking towards the channel)



H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear

myVARIO-LINE LINE / SHOWER-GK INCLINED WEDGE STAINLESS STEEL (304) BRUSHED




 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SHOWER-GK TILE
Inclined wedge wall connection

One-piece inclined wedge for wall connections, for approx. 2% gradient
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	**NET**



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWL 100-12/98	**118.84**
10	120	11	32	GKWL 100-12/120	**144.75**
10	148	11	32	GKWL 100-12/148	**152.84**
10	200	11	40	GKWL 100-12/200	**186.21**

tactile coated white matt (RAL 9003) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWR 100-12/98	**118.84**
10	120	11	32	GKWR 100-12/120	**144.75**
10	148	11	32	GKWR 100-12/148	**152.84**
10	200	11	40	GKWR 100-12/200	**186.21**

tactile coated white matt (RAL 9003) right (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWL 100-80/98	**118.84**
10	120	11	32	GKWL 100-80/120	**144.75**
10	148	11	32	GKWL 100-80/148	**152.84**
10	200	11	40	GKWL 100-80/200	**186.21**
11	98	12	24	GKWL 110-80/98	**125.96**
11	120	12	32	GKWL 110-80/120	**147.90**
11	148	12	32	GKWL 110-80/148	**159.90**
11	200	12	40	GKWL 110-80/200	**190.09**
12.5	98	13.5	24	GKWL 125-80/98	**129.34**
12.5	120	13.5	32	GKWL 125-80/120	**151.22**
12.5	148	13.5	32	GKWL 125-80/148	**165.04**
12.5	200	13.5	40	GKWL 125-80/200	**193.70**

tactile coated sand (RAL 0808005) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWR 100-80/98	**118.84**
10	120	11	32	GKWR 100-80/120	**144.75**
10	148	11	32	GKWR 100-80/148	**152.84**
10	200	11	40	GKWR 100-80/200	**186.21**
11	98	12	24	GKWR 110-80/98	**125.96**
11	120	12	32	GKWR 110-80/120	**147.90**
11	148	12	32	GKWR 110-80/148	**159.90**
11	200	12	40	GKWR 110-80/200	**190.09**
12.5	98	13.5	24	GKWR 125-80/98	**129.34**
12.5	120	13.5	32	GKWR 125-80/120	**151.22**
12.5	148	13.5	32	GKWR 125-80/148	**165.04**
12.5	200	13.5	40	GKWR 125-80/200	**193.70**

tactile coated sand (RAL 0808005) right (looking towards the channel)




H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear



SHOWER-GK TILE
Inclined wedge wall connection

One-piece inclined wedge for wall connections, for approx. 2% gradient
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	NET



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWL 100-65/98	**118.84**
10	120	11	32	GKWL 100-65/120	**144.75**
10	148	11	32	GKWL 100-65/148	**152.84**
10	200	11	40	GKWL 100-65/200	**186.21**
11	98	12	24	GKWL 110-65/98	**125.96**
11	120	12	32	GKWL 110-65/120	**147.90**
11	148	12	32	GKWL 110-65/148	**159.90**
11	200	12	40	GKWL 110-65/200	**190.09**
12.5	98	13.5	24	GKWL 125-65/98	**129.34**
12.5	120	13.5	32	GKWL 125-65/120	**151.22**
12.5	148	13.5	32	GKWL 125-65/148	**165.04**
12.5	200	13.5	40	GKWL 125-65/200	**193.70**

tactile coated congrete grey (RAL 0006500) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWR 100-65/98	**118.84**
10	120	11	32	GKWR 100-65/120	**144.75**
10	148	11	32	GKWR 100-65/148	**152.84**
10	200	11	40	GKWR 100-65/200	**186.21**
11	98	12	24	GKWR 110-65/98	**125.96**
11	120	12	32	GKWR 110-65/120	**147.90**
11	148	12	32	GKWR 110-65/148	**159.90**
11	200	12	40	GKWR 110-65/200	**190.09**
12.5	98	13.5	24	GKWR 125-65/98	**129.34**
12.5	120	13.5	32	GKWR 125-65/120	**151.22**
12.5	148	13.5	32	GKWR 125-65/148	**165.04**
12.5	200	13.5	40	GKWR 125-65/200	**193.70**

tactile coated congrete grey (RAL 0006500) right (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWL 100-11/98	**118.84**
10	120	11	32	GKWL 100-11/120	**144.75**
10	148	11	32	GKWL 100-11/148	**152.84**
10	200	11	40	GKWL 100-11/200	**186.21**
11	98	12	24	GKWL 110-11/98	**125.96**
11	120	12	32	GKWL 110-11/120	**147.90**
11	148	12	32	GKWL 110-11/148	**159.90**
11	200	12	40	GKWL 110-11/200	**190.09**
12.5	98	13.5	24	GKWL 125-11/98	**129.34**
12.5	120	13.5	32	GKWL 125-11/120	**151.22**
12.5	148	13.5	32	GKWL 125-11/148	**165.04**
12.5	200	13.5	40	GKWL 125-11/200	**193.70**

tactile coated black matt (RAL 9005) left (looking towards the channel)



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
10	98	11	24	GKWR 100-11/98	**118.84**
10	120	11	32	GKWR 100-11/120	**144.75**
10	148	11	32	GKWR 100-11/148	**152.84**
10	200	11	40	GKWR 100-11/200	**186.21**
11	98	12	24	GKWR 110-11/98	**125.96**
11	120	12	32	GKWR 110-11/120	**147.90**
11	148	12	32	GKWR 110-11/148	**159.90**
11	200	12	40	GKWR 110-11/200	**190.09**
12.5	98	13.5	24	GKWR 125-11/98	**129.34**
12.5	120	13.5	32	GKWR 125-11/120	**151.22**
12.5	148	13.5	32	GKWR 125-11/148	**165.04**
12.5	200	13.5	40	GKWR 125-11/200	**193.70**

tactile coated black matt (RAL 9005) right (looking towards the channel)




H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear

Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SHOWER-GK TILE
Inclined wedge wall connection
One-piece inclined wedge for wall connections, for approx. 2% gradient
Material: Stainless Steel (304)

PU1	PU2	PU3	Cat.
1	–	–	**NET**



Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
6	98	7	24	GKWL 60-SF/98	**72.98**
6	120	7	32	GKWL 60-SF/120	**83.58**
6	148	7	32	GKWL 60-SF/148	**95.09**
6	200	7	40	GKWL 60-SF/200	**113.98**
8	98	9	24	GKWL 80-SF/98	**63.55**
8	120	9	32	GKWL 80-SF/120	**78.10**
8	148	9	32	GKWL 80-SF/148	**86.87**
8	200	9	40	GKWL 80-SF/200	**110.55**
10	98	11	24	GKWL 100-SF/98	**70.61**
10	120	11	32	GKWL 100-SF/120	**80.86**
10	148	11	32	GKWL 100-SF/148	**89.51**
10	200	11	40	GKWL 100-SF/200	**112.29**
11	98	12	24	GKWL 110-SF/98	**71.59**
11	120	12	32	GKWL 110-SF/120	**82.42**
11	148	12	32	GKWL 110-SF/148	**92.53**
11	200	12	40	GKWL 110-SF/200	**113.23**
12.5	98	13.5	24	GKWL 125-SF/98	**72.98**
12.5	120	13.5	32	GKWL 125-SF/120	**83.58**
12.5	148	13.5	32	GKWL 125-SF/148	**95.09**
12.5	200	13.5	40	GKWL 125-SF/200	**113.98**

brushed natural left (looking towards the channel)




Height 1 mm	Length cm	Height 2 mm	Height 3 mm	Item code	£/piece
6	98	7	24	GKWR 60-SF/98	**72.98**
6	120	7	32	GKWR 60-SF/120	**83.58**
6	148	7	32	GKWR 60-SF/148	**95.09**
6	200	7	40	GKWR 60-SF/200	**113.98**
8	98	9	24	GKWR 80-SF/98	**63.55**
8	120	9	32	GKWR 80-SF/120	**78.10**
8	148	9	32	GKWR 80-SF/148	**86.87**
8	200	9	40	GKWR 80-SF/200	**110.55**
10	98	11	24	GKWR 100-SF/98	**70.61**
10	120	11	32	GKWR 100-SF/120	**80.86**
10	148	11	32	GKWR 100-SF/148	**89.51**
10	200	11	40	GKWR 100-SF/200	**112.29**
11	98	12	24	GKWR 110-SF/98	**71.59**
11	120	12	32	GKWR 110-SF/120	**82.42**
11	148	12	32	GKWR 110-SF/148	**92.53**
11	200	12	40	GKWR 110-SF/200	**113.23**
12.5	98	13.5	24	GKWR 125-SF/98	**72.98**
12.5	120	13.5	32	GKWR 125-SF/120	**83.58**
12.5	148	13.5	32	GKWR 125-SF/148	**95.09**
12.5	200	13.5	40	GKWR 125-SF/200	**113.98**

brushed natural right (looking towards the channel)



H1 = Maximum tile thickness H2 = Complete height front H3 = Complete height rear

SHOWER-GK CONNECT
Wall connecting trim for inclined wedge
Material: Stainless Steel (304)



PU1	PU2	PU3	Cat.
1	–	–	NET

Length cm	Visible width mm	Height mm	Item code	£/piece
100	20	8	GKW 200-12/100	**55.12**
100	30	8	GKW 300-12/100	**60.71**
100	40	8	GKW 400-12/100	**66.30**
150	20	8	GKW 200-12/150	**63.21**
150	30	8	GKW 300-12/150	**68.80**
150	40	8	GKW 400-12/150	**74.39**

tactile coated white matt (RAL 9003)



Length cm	Visible width mm	Height mm	Item code	£/piece
100	20	8	GKW 200-80/100	**55.12**
100	30	8	GKW 300-80/100	**60.71**
100	40	8	GKW 400-80/100	**66.30**
150	20	8	GKW 200-80/150	**63.21**
150	30	8	GKW 300-80/150	**68.80**
150	40	8	GKW 400-80/150	**74.39**

tactile coated sand (RAL 0808005)



Length cm	Visible width mm	Height mm	Item code	£/piece
100	20	8	GKW 200-65/100	**55.12**
100	30	8	GKW 300-65/100	**60.71**
100	40	8	GKW 400-65/100	**66.30**
150	20	8	GKW 200-65/150	**63.21**
150	30	8	GKW 300-65/150	**68.80**
150	40	8	GKW 400-65/150	**74.39**

tactile coated congrete grey (RAL 0006500)



Length cm	Visible width mm	Height mm	Item code	£/piece
100	20	8	GKW 200-11/100	**55.12**
100	30	8	GKW 300-11/100	**60.71**
100	40	8	GKW 400-11/100	**66.30**
150	20	8	GKW 200-11/150	**63.21**
150	30	8	GKW 300-11/150	**68.80**
150	40	8	GKW 400-11/150	**74.39**

tactile coated black matt (RAL 9005)



Length cm	Visible width mm	Height mm	Item code	£/piece
100	20	8	GKW 200-SF/100	**50.59**
100	30	8	GKW 300-SF/100	**56.35**
100	40	8	GKW 400-SF/100	**63.05**
150	20	8	GKW 200-SF/150	**58.13**
150	30	8	GKW 300-SF/150	**63.50**
150	40	8	GKW 400-SF/150	**68.44**

brushed natural









V-SHOWER flex Stainless Steel (304) brushed

V-SHOWER flex Stainless Steel (304)
white matt (RAL 9003) powder coated



NEW

DURANICHE pro


Practical wall niches as ready-to-use kits

The Duraniche is a two part systems consisting of a waterproof installation box to form the cavity finished with a Stainless Steel niche which fits perfectly inside the installation box.

Material: Stainless Steel (304)

Surface: powder coated, brushed

PU1	PU2	PU3	Cat.
1	10	–	**NET**



Inner width mm	Inner height mm	Inner depth mm	Colour	Surface	Item code	£/Piece
150	300	98	white matt (RAL 9003)	powder coated	DNPC 1530-12	**378.10**
300	300	98	white matt (RAL 9003)	powder coated	DNPC 3030-12	**404.56**
600	300	98	white matt (RAL 9003)	powder coated	DNPC 6030-12	**539.77**
150	300	98	black matt (RAL 9005)	powder coated	DNPC 1530-11	**378.10**
300	300	98	black matt (RAL 9005)	powder coated	DNPC 3030-11	**404.56**
600	300	98	black matt (RAL 9005)	powder coated	DNPC 6030-11	**539.77**
150	300	98	natural	brushed	DNP 1530-SF	**343.73**
300	300	98	natural	brushed	DNP 3030-SF	**367.86**
600	300	98	natural	brushed	DNP 6030-SF	**498.25**



150 x 300 mm
WHITE MATT (RAL 9003)




300 x 300 mm
BLACK MATT (RAL 9005)



600 x 300 mm
BRUSHED

DURANICHE pro
Ready-made Stainless Steel niche for bath and shower

- DURANICHE pro ready-made niches are practical storage solutions that provide additional space in bathrooms and showers for shampoo, shower gel, towels and decorative items without taking up any extra space.
- Niche are available in three different finishes and are easy to install thanks to the waterproof installation box.
- Niche finishes available are brushed Stainless Steel and high-quality powder-coated matt black (RAL 9005) or matt white (RAL 9003). The benefit: the inserts can be replaced later to suit your taste.
- More space in the shower area, replaces conventional shower baskets
- Ideal for new builds and renovations
- High-quality surface is easy to clean
- Optimal water drainage thanks to minimal gradient




NEW

TI-NICHE Shower Recess

Tileable recess element for installation in bathrooms and showers, factory-sealed with waterproof DURABASE
Material: XPS







PU1	PU2	PU3	Cat.
1	30	–	NET

Inner width mm	Outer width mm	Inner height mm	Outer height mm	Inner depth mm	complete depth mm	Flange width mm	Material thickness mm	Item code	£/Piece
330	470	330	470	89	101.5	70	12.5	TN 33-33	**74.61**
630	770	330	470	89	101.5	70	12.5	TN 63-33	**122.26**



630 x 330 mm
SEALED WITH DURABASE AT THE FACTORY



TI-NICHE Shower Recess

- Additional shelves and storage space in the bath and shower with shower niches
- More storage space in the bathroom and shower
- Easy to install
- Tileable - can be stylishly integrated into any wall design
- Can be combined with all DURABASE sealing systems
- Easy to clean
- Niche shelves do not stand out
- Ideal for new build and renovation, pre-wall installations and drywall construction
- Edge trims from page 12 onwards





DUROSOL




SQUARELINE

TI-SHELF LINE

Ideal for bathrooms and kitchens: For installation in the grout line, can be retrofitted
Aluminium: Installation joint width at least 2 mm
Stainless Steel (304): Installation joint width at least 1.25 mm; maximum load 2 kgs

DURAL COLOUR FITTING




PU1	PU2	PU3	Cat.
1	-	-	NET

TI-SHELF LINE Triangular corner shelf

Dimension 28 x 20 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 LM1	**88.45**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 LM1	**88.45**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 LM1	**88.45**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 LM1	**88.45**
Stainless Steel (304)	brushed	natural	1.25	TSE LM1	**51.15**

LM1




sand (RAL 0808005) in cm

TI-SHELF LINE Triangular corner shelf with rail and three practical hanging hooks

Dimension 28 x 20 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 LM1+	**88.45**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 LM1+	**88.45**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 LM1+	**88.45**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 LM1+	**88.45**
Stainless Steel (304)	brushed	natural	1.25	TSE LM1+	**68.75**

LM1+




black matt (RAL 9005) in cm

TI-SHELF LINE Pentagonal corner shelf

Dimension 20 x 20 x 9.5 x 14.5 x 9.5 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 LM2	**87.40**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 LM2	**87.40**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 LM2	**87.40**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 LM2	**87.40**
Stainless Steel (304)	brushed	natural	1.25	TSE LM2	**61.53**

LM2




white matt (RAL 9003) in cm

TI-SHELF LINE Pentagonal corner shelf with railing and three practical hanging hooks

Dimension 20 x 20 x 9.5 x 14.5 x 9.5 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 LM2+	**113.93**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 LM2+	**113.93**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 LM2+	**113.93**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 LM2+	**113.93**
Stainless Steel (304)	brushed	natural	1.25	TSE LM2+	**80.49**

LM2+



Stainless Steel (304) in cm

TI-SHELF installation instructions

If necessary, prepare the joint and mark the TI-SHELF



Use SPEED-FLEX adhesive in the joint



Insert the TI-SHELF - seal with CLASSIC FLEX - ready




Please note:
Always use all TI-SHELF shelves according to their intended use. They are not suitable as footrest, training device, support or entry aid, handle or similar.

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

TI-SHELF PENTA

Ideal for bathrooms and kitchens: For installation in the grout line, can be retrofitted
Aluminium: Installation joint width at least 2 mm
Stainless Steel (304): Installation joint width at least 1.25 mm; maximum load 2 kgs

PU1	PU2	PU3	Cat.
1	-	-	NET




TI-SHELF PENTA Triangular corner shelf

Dimension 28 x 20 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 PM1	**95.90**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 PM1	**95.90**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 PM1	**95.90**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 PM1	**95.90**
Stainless Steel (304)	brushed	natural	1.25	TSE PM1	**60.86**

PM1




Stainless Steel (304) in cm

TI-SHELF PENTA Triangular corner shelf with rail and three practical hanging hooks

Dimension 28 x 20 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 PM1+	**95.90**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 PM1+	**95.90**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 PM1+	**95.90**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 PM1+	**95.90**
Stainless Steel (304)	brushed	natural	1.25	TSE PM1+	**78.51**

PM1+




congrete grey (RAL 0006500) in cm

TI-SHELF PENTA Pentagonal corner shelf

Dimension 20 x 20 x 9.5 x 14.5 x 9.5 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 PM2	**121.27**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 PM2	**121.27**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 PM2	**121.27**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 PM2	**121.27**
Stainless Steel (304)	brushed	sand (RAL 0808005)	1.25	TSE PM2	**73.51**

PM2




white matt (RAL 9003) in cm

TI-SHELF PENTA Pentagonal corner shelf with rail and three practical hanging hooks

Dimension 20 x 20 x 9.5 x 14.5 x 9.5 cm
maximum load 2 kgs; Carton 1 piece; Flexible adhesive for TI-SHELF installation on page 226

Material	Surface	Colour	Thickness mm	Item code	£/piece
Aluminium	tactile coated	white matt (RAL 9003)	2	TSAC12 PM2+	**141.71**
Aluminium	tactile coated	sand (RAL 0808005)	2	TSAC80 PM2+	**141.71**
Aluminium	tactile coated	congrete grey (RAL 0006500)	2	TSAC65 PM2+	**141.71**
Aluminium	tactile coated	black matt (RAL 9005)	2	TSAC11 PM2+	**141.71**
Stainless Steel (304)	brushed	silver	1.25	TSE PM2+	**93.29**

PM2+



black matt (RAL 9005) in cm



TI-SHELF Tileable shower shelf

Stainless Steel

incl. screws *
Material: Stainless Steel (304), brushed

PU1	PU2	PU3	Cat.
1	–	–	NET



Typ	Measure 1 mm	Measure 2 mm	Height mm	Item code	£/piece
TI-SHELF DRG					
Tileable shelf made of Stainless Steel in triangular shape with sides of equal length for shower, bath and living area					
	240	170	12.5	TS DRG 1724	**104.64**
	345	245	12.5	TS DRG 2434	**107.80**
	380	270	12.5	TS DRG 2738	**106.73**



TI-SHELF DRG

TI-SHELF DNG					
Tileable shower and bath shelf made of Stainless Steel in triangular shape with sides of equal length for retrofitting, without punched backsplash					
	205	285	12.5	TS DNG 2028	**89.30**
	235	328	12.5	TS DNG 2332	**97.76**
	265	370	12.5	TS DNG 2637	**103.91**




TI-SHELF DNG

* Please note that the bonded waterproofing must not be damaged when fixing with screws.

TI-SHELF DRG






DURAWAY

Doormat systems

DURAWAY Ready-made mat

Ready-to-install doormat and frame system in standart format with ribs

Material: Aluminium; Ribs



PU1	PU2	PU3	Cat. NET
1	–	–	


Height mm	Dimension cm Length (Walking direction) x Width	Colour Ribs	Item code	£/Piece
10	60 x 40	black (33)	DWR 1033-6040	**158.36**
10	60 x 40	light grey (97)	DWR 1097-6040	**158.36**
10	80 x 60	black (33)	DWR 1033-8060	**316.76**
10	80 x 60	light grey (97)	DWR 1097-8060	**316.76**

Ready-to-install doormat and frame system


Material: Aluminium

10	for standard mat 60 x 40 cm	DWRA 1030-6040	**84.46**
10	for standard mat 80 x 60 cm	DWRA 1030-8060	**117.75**

Ready-made mat 60 x 40 cm



Ready-made mat 80 x 60 cm



DOORMAT SYSTEMS



(R) Ribs (Fire class B)

Profile height mm	10	17	22	27*
Thickness mm	1.1	1.1	1.1	1.7 *
Weight kgs/m²	10	11	14	15
Loading capacity t/m²	2.5	5.5	7	8.5


DGUV Test
IFA 2404049
R11 Rutschhemmung Bewertungsgruppe
V10 Verdrängungsraum Bewertungsgruppe
dguv.de/pruefzeichen



(C) Rubber

Profile height mm	10	17	22	27 *
Thickness mm	1.1	1.1	1.1	1.7 *
Weight kgs/m²	10	15	16	18
Loading capacity t/m²	2.5	5.5	7	8.5

DGUV Test
IFA 2404048
R10 slip resistance classification group
V10 displacement volume classification group
dguv.de/pruefzeichen



(B) Brush

Profile height mm	–	17	22	27 *
Thickness mm	–	1.1	1.1	1.7 *
Weight kgs/m²	–	15	16	18
Loading capacity t/m²	–	5.7	7	8.5

DGUV Test
IFA 2404047
R13 Rutschhemmung Bewertungsgruppe
V10 Verdrängungsraum Bewertungsgruppe
dguv.de/pruefzeichen



(RC) Ribs/Rubber/Scraper bar

Profile height mm	10	17	22	27
Thickness mm	1.1	1.1	1.1	1.7
Weight kgs/m²	10	15	16	17
Loading capacity t/m²	2.5	5.5	7	8.5


DGUV Test
IFA 2404046
R10 Rutschhemmung Bewertungsgruppe
V10 Verdrängungsraum Bewertungsgruppe
dguv.de/pruefzeichen



(BR) Brush/Ribs

Profile height mm	–	17	22	27 *
Thickness mm	–	1.1	1.1	1.7 *
Weight kgs/m²	–	15	16	17
Loading capacity t/m²	–	5.5	7	8.5

DGUV Test
IFA 2404050
R13 Rutschhemmung Bewertungsgruppe
V10 Verdrängungsraum Bewertungsgruppe
dguv.de/pruefzeichen



(BC) Brush/Rubber

Profile height mm	–	17	22	27 *
Thickness mm	–	1.1	1.1	1.7 *
Weight kgs/m²	–	15	16	17
Loading capacity t/m²	–	5.7	7	8.5

DGUV Test
IFA 2404051
R11 Rutschhemmung Bewertungsgruppe
V10 Verdrängungsraum Bewertungsgruppe
dguv.de/pruefzeichen








DOORMAT SYSTEMS

DURAWAY Doormat

Customized doormat and frame system

Material: Aluminium, Thickness of material 1.1 mm; Material: Insert: Ribs; Rubber; Brush

PU1	PU2	PU3	Cat.
1	–	–	NET



Height mm	Insert Material	Insert Colour	Item code	£/m²
10	**R** Ribs	(*)	DW**R** 1000	**601.23**
10	**C** Rubber	(33)	DW**C** 1000	**529.20**
10	**RC** Ribs/Rubber	(*) / (33)	DW**RC** 1000	**529.20**
10	**K** Extra price for scraper bar	silver	***-K	**88.30**
17	**R** Ribs	(*)	DW**R** 1700	**611.43**
17	**C** Rubber	(33)	DW**C** 1700	**617.40**
17	**B** Brush	(33) (35) (38)	DW**B** 1700	**1128.75**
17	**RC** Ribs/Rubber	(*) / (33)	DW**RC** 1700	**595.35**
17	**BR** Brush/Ribs	(33) (35) (38) / (*)	DW**BR** 1700	**705.62**
17	**BC** Brush/Rubber	(33) (35) (38) / (33)	DW**BC** 1700	**749.70**
17	**K** Extra price for scraper bar	silver	***-K	**88.30**
22	**R** Ribs	(*)	DW**R** 2200	**653.58**
22	**C** Rubber	(33)	DW**C** 2200	**670.32**
22	**B** Brush	(33) (35) (38)	DW**B** 2200	**1133.40**
22	**RC** Ribs/Rubber	(*) / (33)	DW**RC** 2200	**687.96**
22	**BR** Brush/Ribs	(33) (35) (38) / (*)	DW**BR** 2200	**749.70**
22	**BC** Brush/Rubber	(33) (35) (38) / (33)	DW**BC** 2200	**793.80**
22	**K** Extra price for scraper bar	silver	***-K	**88.30**

DURAWAY Solid Doormat – heavy duty material thickness 1.7 mm

27	**R** Ribs	(*)	DW**R** 2700	**764.28**
27	**C** Rubber	(33)	DW**C** 2700	**882.00**
27	**B** Brush	(33) (35) (38)	DW**B** 2700	**1138.50**
27	**RC** Ribs/Rubber	(*) / (33)	DW**RC** 2700	**749.70**
27	**BR** Brush/Ribs	(33) (35) (38) / (*)	DW**BR** 2700	**815.85**
27	**BC** Brush/Rubber	(33) (35) (38) / (33)	DW**BC** 2700	**853.34**
27	**K** Extra price for scraper bar	silver	***-K	**88.30**

Angle frames for DURAWAY door mats

For height mm	Material:	Dimension 1	2	3		Item code	£/lm
10	Aluminium	3	13	30	mm	DWRA 1030	**35.28**
10	Stainless Steel (304)	2	11	30	mm	DWRE 1030	**72.67**
17	Aluminium	3	20	30	mm	DWRA 1730	**39.69**
17	Stainless Steel (304)	3	20	20	mm	DWRE 1720	**74.81**
22	Aluminium	3	25	25	mm	DWRA 2225	**41.41**
22	Stainless Steel (304)	3	25	25	mm	DWRE 2225	**81.48**
27	Aluminium	3	30	30	mm	DWRA 2730	**44.20**
27	Stainless Steel (304)	3	30	30	mm	DWRE 2730	**92.98**


Calculation basis for specials: Actual surface area + extras

Surcharge	Extra price specials	£/Piece
for mats	for each Cut-out	**41.48**
for mats	for each Diagonal	**62.30**
for mats	for each curved edge	**62.30**
for frame	for each Cut-outs	**15.43**
for frame	for each Diagonals	**12.63**
for frame	for each curved edge	**37.64**

R Ribs Colourn (*): Available heights in mm



B Brush colours: Available heights in mm




C Rubber colours: Available heights in mm



K Aluminium scraper bar 5 mm:: Available heights in mm






Special Cut-outs



Special curved edges



Special Diagonals




All information required for special shapes can be found in the DURAWAY order form on the internet at www.dural.com

DOORMAT SYSTEMS

DURAWAY ENTRY

- ENTRY – the frame profile system with an extra-wide visible edge for creating a customised doormat frame
- With ENTRY, our tried-and-tested aluminium frame system can be installed during the construction phase
- Available for 17 mm and 22 mm doormat system


ENTRY – profile for door mats. Two heights in one profile.



1 ENTRY Frame
2 DURAWAY Insert
3 Corner connector
4 Anchor

ENTRY – Frame system for door mats

PU1	PU2	PU3	Cat.
1	–	–	A




Height mm	Length cm	Material:	Item code	£/lm
Frame system for door mats for two different heights				
23 / 18	300	Aluminium anodised	EFAE 1823/300	**17.04**





Height mm	Length cm	Material:	Item code	£/Piece
Angle connector for frame system ENTRY				
		iron galvanised	EV 1823	**3.20**
Fixing anchor for frame system ENTRY				
		Aluminium natural	EA 1823	**4.10**

Dimensions








TACTILE French standards

PMR solutions
Safety at the service of comfort - French law on equality for people with disabilities of 11 February 2005


Flooring aids for warning areas

- The prime objective of tactile floor warning surfaces is to guide blind and visually impaired people
- The studs/strips can easily be identified with feet
- Detectable floor warning surfaces highlight steps or stairways, draw attention to barriers and make every object tactile, i.e. visually and physically detectable



Tactile strips features

- Floor warning surfaces to help guide blind and severely visually impaired people, allowing them to move around independently and freely without obstacles in public areas
- Tactile Stainless Steel strips are a simple and permanent method of identification which can also be retrofitted with ease




Compliant with standards NF P98-351 NF P98-352

TREDSAFE stair nosing profiles fornon-slip and removable DIAMONDTRED coating on page 82 - 83

TACTILE STUDS — FRENCH STANDARDS

TACNOP

Floor warning surfaces as individual nails according to French standard; colour silver




Assembly	Material/Design	Ø mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
for adhesive fixing	Aluminium natural smooth	25	5	300	–	–	TTR A 250	U	1.71
for adhesive fixing	Stainless Steel grooved	25	5	300	–	–	TTR E 250	U	1.53
for drilling	Steel galvanised grooved	25	5	300	–	–	TTRT Z 250	U	1.35
for drilling	Stainless Steel (304) grooved	25	5	300	–	–	TTRT E 250	U	1.43
for drilling	Stainless Steel (316) grooved	25	5	300	–	–	TTRT E-316 250	U	2.47

TACNOP KS / TACNOP BS

Template for the standardised installation of the individual detectable warning nails according to french standard; 44 Holes/plate; Set 2 pieces; Material: PET


SPEED-FLEX-adhesive P. 226



Material/Design	Dimensions cm	PU1	PU2	PU3	Item code	Cat.	£/Set
TACNOP KS adhesive template	per plate 30 x 42.5 cm	1	–	–	TTK 3042	U	32.83
TACNOP BS drilling template	per plate 30 x 42.5 cm	1	–	–	TTB 3042	U	34.47

TACNOP L – Tactile studs

Tactile studs for creating tactile studded fields according to French standard.
Corresponds to NF P98-351; Material: TPU/ Stainless Steel (304)



Assembly	Colour	Ø mm	Height mm	PU1	PU2	PU3	Item code	Cat.	Pieces/ Carton	£/Piece
impact assembly	grey	25	5	1	–	–	TNPL 2538-5/250	U	250	1.56
impact assembly	black	25	5	1	–	–	TNPL 2533-5/250	U	250	1.56
impact assembly	black/Stainless Steel	25	5	1	–	–	TNPEL 2533-5/250	U	250	2.71

TACNOP BSL

Template for the standardised installation of the individual detectable warning nails according to French standard; 88 holes/plate; Weight 6 kgs; Material: Metal



Material/Design	Dimensions cm	PU1	PU2	PU3	Item code	Cat.	£/Piece
TACNOP BSL template	per plate 60 x 46 x 0.3 cm	1	-	-	TNS 6046	U	91.75





 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

TACTILE STUDS / TACTILE RIBS — FRENCH STANDARDS

TACNOP F – Studded film

Ready-made film for easy creation of tactile studded fields according to French standard
Corresponds to NF P98-351 and NF P 98-352; Foil 33 studs;
Diameter per stud 25 mm; height per stud 5 mm; self-adhesive



Colour	Material/Design	PU1	PU2	PU3	Item code	Cat.	£/Foil
silver	Aluminium, natural, grooved	5	20	–	TNAGM 25-5 SK/1	U	102.66
silver-black	Stainless Steel (304)/TPU natural grooved	5	20	–	TNEEM 25-5 SK/1	U	112.93
silver	Stainless Steel (304)/TPU natural grooved	5	20	–	TNEGM 25-5 SK/1	U	238.70
black	TPU, Anti-Slip	5	20	–	TNPM 2533-5 SK/1	U	73.25
grey	TPU, Anti-Slip	5	20	–	TNPM 2538-5 SK/1	U	67.76

TACMAT N – Tactile warning mat

Ready made nail mat warning area according to french standard



Colour	Material/Design	Length cm	Width cm	PU1	PU2	PU3	Item code	Cat.	£/Piece
grey	Rubber	82.5	41.5	1	–	–	TTP 4283/38	U	82.53
black	Rubber	82.5	41.5	1	–	–	TTP 4283/33	U	82.53
grey	Rubber self-adhesive	82.5	41.5	1	–	–	TTP 4283/38-SK	U	105.89
black	Rubber self-adhesive	82.5	41.5	1	–	–	TTP 4283/33-SK	U	105.89
silver	Stainless Steel (304) self-adhesive	60.0	41.5	1	–	–	TTE 4260-SK	U	225.80

TACRIP Rib

Tactile rib for creating tactile studded fields according to French standard.



Colour	Material	Design	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/Piece
silver	Stainless Steel (304)	for drilling	28	35	5	1	–	–	TTLT E 2800	U	23.80
silver	Stainless Steel (304)	for adhesive fixing	28	35	5	1	–	–	TTLT E 2800	U	23.80



TACTILE DIN standard

Inclusion and safety at every turn in the blink of an eye with the self-adhesive TAKTIL range from DURAL

1. Advantage of retrofitting


Subsequent optimisation for schools, kindergartens, town halls, hotels and many more. Easy to use (no „building site“), as self-adhesive. Quick and easy to apply using suitable templates (standard-compliant).

2. Advantage safety at every step

Floor guidance systems announce stair ascents and descents, warn of barriers and make objects tactile - i.e. visually and haptically recognisable for the orientation of blind and visually impaired people.

3. Advantage uncomplicated products

Uncomplicated products for the inclusion of all people with impaired vision - there’s no need to wait any longer.



DIN 32984:2023-04 orientation field stipulations

1 JUNCTION FIELD
nobs, 90 x 90 cm

2 GUIDANCE STRIPS
from ribs, lengthwise
in direction of movement
width 30 cm

3 ENTRY FIELD
from ribs, transversely
to the direction of
movement

4 WARNING FIELDS

4a On lower end of stairs, nobs, L = 90 cm

4b On upper end of stairs, nobs, L = 90 cm
one tread width starting before the first riser


SINGLE STUDS STAINLESS STEEL DIN STANDARD FOR INDOOR AREAS

TACNOP / Single stud smooth / grooved

Single stud made from solid Stainless Steel (304/316) for indoor areas according to the German standard
The dimensions of the studs comply with DIN 32984-11 for indoor areas; Height 3.5 mm; Ø 25 mm

PU1	PU2	PU3	Cat.
1	-	-	NET

Dimensions TACNOP Stainless Steel



smooth self-adhesive



grooved self-adhesive



Colour	Material	Surface	Resistance	Type	Item code	Piece/ Carton	£/Piece
Solid Stainless Steel studs self-adhesive							
natural	Stainless Steel (304)	smooth	R10	self-adhesive; 3M adhesive	TNE 25-3-SK V2A	200	**4.93**
natural	Stainless Steel (316)	smooth	R10	self-adhesive; 3M adhesive	TNE 25-3-SK V4A	200	**5.13**
natural	Stainless Steel (304)	grooved	R11	self-adhesive; 3M adhesive	TNEG 25-3 SK V2A	200	**4.93**
natural	Stainless Steel (316)	grooved	R11	self-adhesive; 3M adhesive	TNEG 25-3 SK V4A	200	**5.13**

TACNOP Single stud insert aqua-safe

Single stud made from solid Stainless Steel (304/316) with PU insert for indoor areas according to the German standard;
The dimensions of the studs comply with DIN 32984-11 for indoor areas; Height 3.5 mm; Ø 25 mm

PU1	PU2	PU3	Cat.
1	-	-	NET

Dimensions TACNOP Stainless Steel with PU insert



white self-adhesive




grey self-adhesive



black self-adhesive



Colour	Material	Surface	Type	Item code	Piece/ Carton	£/Piece
Solid Stainless Steel studs with insert self-adhesive						
white	Stainless Steel (304) / PU	aqua-safe	self-adhesive; 3M adhesive	TNEE 2530-3 SK V2A/PU	200	**6.16**
white	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TNEE 2530-3 SK V4A/PU	200	**6.42**
grey	Stainless Steel (304) / PU	aqua-safe	self-adhesive, 3M adhesive	TNEE 2538-3 SK V2A/PU	200	**6.16**
grey	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TNEE 2538-3 SK V4A/PU	200	**6.42**
black	Stainless Steel (304) / PU	aqua-safe	self-adhesive; 3M adhesive	TNEE 2533-3 SK V2A/PU	200	**6.16**
black	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TNEE 2533-3 SK V4A/PU	200	**6.42**



Single studs for creating tactile orientation fields

- Tactile single nobs are also available in versions which comply with the standards of other countries, as well as with safety inserts in additional colours upon request.
- Since the tactile products are required almost exclusively on a project basis, availability fluctuates greatly. Please take this into consideration and speak to your DURAL specialist advisor early on.
- Many other types are available for your individual projects.

SINGLE STUDS / STUDDED FILM / STUD TEMPLATE DIN STANDARD FOR INDOOR AREAS

TACNOP Single stud
Single stud made from Polyurethane for indoor areas according to the German standard
The dimensions of the studs comply with DIN 32984-11 for indoor areas; Height 3.3 mm; Ø 25 mm

PU1	PU2	PU3	Cat.
1	-	-	NET

Dimensions TACNOP Polyurethane



white self-adhesive



grey self-adhesive



black self-adhesive



Colour	Material	Surface	Resistance	Type	Item code	Piece/ Carton	£/ Piece
Single stud made from plastic self-adhesive							
white	Polyurethane	grooved	R11	self-adhesive; 3M adhesive	TNPG 2530-3 SK	200	**2.67**
grey	Polyurethane	grooved	R11	self-adhesive; 3M adhesive	TNPG 2538-3 SK	200	**2.67**
black	Polyurethane	grooved	R11	self-adhesive; 3M adhesive	TNPG 2533-3 SK	200	**2.67**

TACNOP F DIN – Studded film
Ready-made film for easy creation of tactile studded fields according to German standard
Diameter of single stud 25 mm; Height of single stud 3.5 mm
Film 30 x 30 cm; 9 films (1 box / 450 studs) = 90 x 90 cm attention field; self-adhesive

Colour	Material/Design	PU1	PU2	PU3	Item code	Cat.	Carton, 9 films à 50 studs £/film
white	TPU, Anti-Slip	1	–	–	TNPM 2530-3 SK/9	U	**97.98**
grey	TPU, Anti-Slip	1	–	–	TNPM 2538-3 SK/9	U	**97.98**
black	TPU, Anti-Slip	1	–	–	TNPM 2533-3 SK/9	U	**97.98**
silver	Stainless Steel (316), grooved	1	–	–	TNEGM 25-3 SK/9	U	**308.00**




TACNOP – stud template indoor areas
Adhesive template for the production of tactile stud fields for indoor areas according to the German standard
Diagonal and orthogonal spacing comply with DIN 32984; Number of studs required 200 pieces
Length 60 cm; Width 60 cm; Height 5 mm; Templates for studs for adhesive fixing 25 mm indoor areas
Material: Plastic; white

Type	Surface	PU1	PU2	PU3	Item code	Cat.	£/ Piece
for adhesive fixing (Ø 25 mm)	smooth	1	-	-	TNS 6060-25 K	NET	**370.44**

Adhesive template for Ø 25 mm
60 x 60 cm






Nob mats for the creation of tactile orientation fields

- Nob mats can be permanently installed for permanent as well as temporary use, for example for events, congresses, concerts or the like.
- For temporary use, the individual elements can be removed without leaving any traces and can be used again.
- An existing guidance system can also be easily expanded at any time.
- Depending on the type of arrangement (square area or stripes), they are used, among other things, to design junction fields, warning fields and warning stripes.

STUD MATS DIN STANDARD FOR INDOOR AREAS

TACNOP – Stud mats
Stud mats for the production of tactile stud fields according to the German standard;
self-adhesive; The dimensions of the studs comply with DIN 32984-11 for indoor areas;
stud height: 3.5 mm; Mat height: 5.5 mm



Colour	Material	Dimensions in cm	PU1	PU2	PU3	Item code	Cat.	£/Piece
white	Polyurethane	30 x 30	1	-	-	TMN 3030 30-3 SK	**NET**	**73.68**
grey	Polyurethane	30 x 30	1	-	-	TMN 3030 38-3 SK	**NET**	**73.68**
black	Polyurethane	30 x 30	1	-	-	TMN 3030 33-3 SK	**NET**	**73.68**



Advantages of polyurethane floor indicators

- Floor indicator fields made of Polyurethane are suitable for nearly any use and can also be retrofitted or used for temporary purposes.
- Existing substrates, such as short-hair carpet, PVC, etc., can serve as a carrier layer.


SINGLE RIBS DIN STANDARD FOR INDOOR AREAS

TACRIP EM Single rib

Single rib made from solid Stainless Steel (304/316) for indoor areas according to the German standard;
The dimensions of the ribs comply with DIN 32984 for indoor areas;
Height 4 mm; Length 280 mm; Width 12 mm

PU1	PU2	PU3	Cat.
1	-	-	NET

Dimensions TACRIP Stainless Steel



Stainless Steel grooved self-adhesive



Colour	Material	Surface	Slip resistance	Type	Item code	Piece/ Carton	£/Piece
Solid Stainless Steel ribs self-adhesive							
natural	Stainless Steel (304)	grooved	R9	self-adhesive; 3M adhesive	TRE LG 12-3 SK V2A	15	**38.16**
natural	Stainless Steel (316)	grooved	R9	self-adhesive; 3M adhesive	TRE LG 12-3 SK V4A	15	**39.53**

TACRIP EE Single rib

Single rib made from solid Stainless Steel (304/316) with colour PU inserts for indoor areas according to the German standard;
The dimensions of the ribs comply with DIN 32984 for indoor areas
Height 4 mm; Length 280 mm; Width 12 mm

PU1	PU2	PU3	Cat.
1	-	-	NET

Stainless Steel PU insert white



Stainless Steel PU insert grey



Stainless Steel PU insert black



Colour	Material	Surface	Type	Item code	Piece/ Carton	£/Piece
Solid Stainless Steel ribs with insert self-adhesive						
white	Stainless Steel (304) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1230-3 SK V2A	15	**40.80**
white	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1230-3 SK V4A	15	**41.98**
grey	Stainless Steel (304) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1238-3 SK V2A	15	**40.80**
grey	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1238-3 SK V4A	15	**41.98**
black	Stainless Steel (304) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1233-3 SK V2A	15	**40.80**
black	Stainless Steel (316) / PU	aqua-safe	self-adhesive; 3M adhesive	TREE 1233-3 SK V4A	15	**41.98**

TACRIP – Rib template indoor areas

Adhesive template for the production of tactile stud fields for indoor areas according to the German standard; Diagonal and orthogonal spacing comply with DIN 32984;
Templates for ribs for adhesive fixing 12 mm indoor areas; to create a guide strip for 15 ribs;
Length: 98.5 cm; Width: 30 cm; Material: Plastic

Type	Surface	PU1	PU2	PU3	Item code	Cat.	£/ Piece
for adhesive fixing	smooth	1	-	-	TRS 9930-12 K	NET	**334.43**

Adhesive template for ribs 12 mm






Safety at every step – Tactile single rib to set up tactile orientation fields

- Tactile strips made of Stainless Steel are a simple and permanent way of marking that can also be retrofitted without any problems.
- Different materials (brass/aluminium) and widths are also available upon request.
- Easy installation thanks to our TACRIP adhesive template to create standards-compliant orientation fields in accordance with DIN 32984:2023-04.

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

SINGLE RIBS / RIBBED FILM / RIB TEMPLATE DIN STANDARD FOR INDOOR AREAS

TACRIP PM Single rib
Single rib made from polyurethane for indoor areas according to the German standard; The dimensions of the ribs comply with DIN 32984 for indoor areas
Height 3.3 mm; Length 295 mm;
Width 16 mm



PU1	PU2	PU3	Cat.
1	-	-	NET

Colour	Material	Surface	Resistance	Type	Item code	Piece/ Carton	£/Piece
Single rib made from plastic self-adhesive							
white	Polyurethane	corrugated	R10	self-adhesive; 3M adhesive	TRPG 1630-3 SK	15	**33.88**
grey	Polyurethane	corrugated	R10	self-adhesive; 3M adhesive	TRPG 1638-3 SK	15	**33.88**
black	Polyurethane	corrugated	R10	self-adhesive; 3M adhesive	TRPG 1633-3 SK	15	**33.88**

TACRIP F DIN – Ribbed film
Ready-made film for easy creation of tactile studded fields indoors according to TACRIP F DIN standard; Length of single rib 295 mm; Width of single rib 16.5 mm
Height of single rib 3.5 mm; Film 299 x 180 mm, self-adhesive



Colour	Material/Design	PU1	PU2	PU3	Item code	Cat.	Carton, 12 foils 3 ribs £/Foil
white	TPU, Anti-Slip	1	–	–	TRPM 1630-3 SK/12	U	**44.45**
grey	TPU, Anti-Slip	1	–	–	TRPM 1638-3 SK/12	U	**44.45**
black	TPU, Anti-Slip	1	–	–	TRPM 1633-3 SK/12	U	**44.45**



Advantages of polyurethane floor indicators

- Floor indicator fields made of Polyurethane are suitable for nearly any use and can also be retrofitted or used for temporary purposes.
- Existing substrates, such as short-hair carpet, PVC, etc., can serve as a carrier layer.
- Floor indicators for information, orientation and guidance help blind and severely visually impaired people to move independently in public spaces.

TACTILE ATTENTION FOR STAIRS AND STEPS

STEP MARK

- By highlighting the first and last step, these self-adhesive markers help visitors to assess how much effort will be needed to use the stairs at a glance. These markers also highlight the visual appearance of these specific steps – reducing the risks of tripping for everyone, not just the visually impaired




ANTI-SLIP

- A number of areas in daily life, at home and at work represent a permanent source of danger for tripping accidents. The anti-slip adhesive tape helps to minimise these risks, making steps and stairways safer and trip edges visible
- Straightforward, fast and clean application
- Extremely powerful adhesive
- For indoor and outdoor areas



Profile systems for attention and warning markings

- Thanks to the self-adhesive DIAMOND-TRED safety inserts, the tactile profiles in high quality anodised aluminium can also be retrofitted easily to create contrasting and anti-slip attention and warning markings
- Various widths and safety inserts in 9 different colours facilitate the fulfilment of all requirements for barrier-free design page 81
- Further TREDSAFE stair profiles with safety inserts can be found on page 82 - 83



STEP MARK

Self-adhesive tape for the marking of risers

Width mm	Colour	Length mm	Height mm	PU1	PU2	PU3	Item code	Cat.		£/lm
100	black	10.000	1	1	–	–	TT 100/33-SK	U		9.58
100	grey	10.000	1	1	–	–	TT 100/38-SK	U		9.58



ANTI-SLIP

Anti-slip adhesive tape; Material: PVC


Width mm	Colour	Length mm	Packaging	PU1	PU2	PU3	Item code	Cat.	Blister/ Carton	£/lm
25	black	5.000	Carton	1	12	–	AS 2533	A G	12	3.68
25	black/yellow	5.000	Carton	1	12	–	AS 2589	A G	12	3.68
50	black	5.000	Carton	1	6	–	AS 5033	A G	6	6.70
50	black/yellow	5.000	Carton	1	6	–	AS 5089	A G	6	6.70




TREDSAFE profiles without drop with ramped back edge to avoid trip hazards on uncovered, plain or slippery stairs

Stair-nosing profile for anti-slip safety inserts; Material: Aluminium silver anodised

Insert mm	Height mm	Width mm	Length mm	PU1	PU2	PU3	Item code	Cat.	£/ lm
for 1 x insert 13 mm	3	32	250	10	–	–	AA 132/250	I	8.89
for 2 x insert 13 mm	4	45	250	10	–	–	AA 231/250 *	I	16.12



AA 231/250 *



AA 132/250




*) Also available in 300 cm



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.


FLOORBASE






SNAP LVT

SNAP is the profile for thin floor coverings such as LVT. SNAP consists of an aluminum top profile with a click mechanism and a base profile made of PVC for adhesive mounting for covering heights 5 - 7 mm. With the three system configurations transition, adaptation and finish, all requirements will be met when laying LVT.



DUOFLOOR LVT / DUOFLOOR

DUOFLOOR is the modern system profile made entirely of aluminium for flooring surface heights ranging from 6-14 mm. This profile system is characterised by its ultra-flat design combined with an extremely stable construction via the screw-in fastening. TIP A DUOFLOOR elevation set (up to 22 mm) is available for solid wood parquet. Please ask us for more information. DUOFLOOR LVT is designed for extra-flat flooring heights of 3.5 - 5 mm.




TRIFLOOR

TRIFLOOR is the extra-stable system profile, designed for flooring heights from 7 - 17 mm. The three-part construction system includes the stable aluminium support profile, the tried and tested Omega rocker mechanism and the aluminium top. This offers a consistent design and reliable technology for all application areas.




CLIPPER

CLIPPER is the screwless, variable system profile for flooring heights from 6 - 20 mm. The three-part construction system includes the stable aluminium support profile, the easy to install clips and the aluminium top profile. Offering a consistent design and reliable technology for all application areas.




MULTIFLOOR

MULTIFLOOR is the floor profile system in aluminium with hidden fixing for all living area flooring surfaces from 0 -14 mm. With its smooth surface and a wide range of decorative finishes, it is ideal for concealing flooring joints or flooring surfaces of the same height under doors. MULTIFLOOR is fixed to the sub-floor using a flexible dowel, or self-adhesive.



SNAP LVT Expansion
High quality transition profile with click-in system
Base profile for fixing with self-adhesive;
Profile without fixing materials
Height: 5 - 7 mm; Visible width: 44 mm
Material: ABS, Aluminium; **Surface: anodised**




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	SNE LVT 600/100	**11.41**	270	SNE LVT 600/270	**11.41**
titanium	100	SNE LVT 600-T/100	**11.79**	270	SNE LVT 600-T/270	**11.79**



SNAP LVT Finish
High quality adjustable height profile with click-in system
Base profile for fixing with self-adhesive;
Profile without fixing materials
Height: 5 - 7 mm; Visible width: 44 mm
Material: ABS, Aluminium; **Surface: anodised**




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	SNF LVT 600/100	**12.19**	270	SNF LVT 600/270	**12.19**
titanium	100	SNF LVT 600-T/100	**12.57**	270	SNF LVT 600-T/270	**12.57**



SNAP LVT Border
High quality finishing profile with click-in system
Base profile for fixing with self-adhesive;
Profile without fixing materials
Height: 5 - 7 mm; Visible width: 30 mm
Material: ABS, Aluminium; **Surface: anodised**



PU1	PU2	PU3	Cat.
10	40	–	**T**


Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	SNB LVT 600/100	**11.41**	270	SNB LVT 600/270	**11.41**
titanium	100	SNB LVT 600-T/100	**11.79**	270	SNB LVT 600-T/270	**11.79**





DUOFLOOR LVT Finish

Screw-on finishing / wall connection trim entirely in aluminium
DIY-set incl. fixing material
Height: 3.5-5 mm; Visible width: 33 mm
Material: Aluminium
Surface: anodised




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	DUFF LVT 33-600/100	**7.88**	270	DUFF LVT 33-600/270	**7.77**
titanium	100	DUFF LVT 33-600-T/100	**9.04**	270	DUFF LVT 33-600-T/270	**8.26**



DUOFLOOR LVT Finish extra large visible surface

Screw-on finishing / wall connection trim entirely in aluminium
DIY-set incl. fixing material
Height 3.5-5 mm; Visible width: 44 mm
Material: Aluminium
Surface: anodised




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm
silver	270	DUFF LVT 600/270	**10.06**



DUOFLOOR LVT Border

Screw-on finishing / wall connection trim entirely in aluminium
DIY-set incl. fixing material
Height: 3.5-5 mm; Visible width: 17 mm
Material: Aluminium
Surface: anodised



PU1	PU2	PU3	Cat.
10	40	–	**T**


Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	DUFB LVT 17-600/100	**8.05**	270	DUFB LVT 17- 600/270	**8.05**
titanium	100	DUFB LVT 17-600-T/100	**8.44**	270	DUFB LVT 17-600-T/270	**8.44**



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

DUOFLOOR Expansion

Screw-on transition trim entirely in aluminium
DIY-set incl. fixing material
Height: 6 - 14 mm; Visible width: 32 mm
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	DUFE 1400/100	**27.28**	270	DUFE 1400/270	**16.64**
titanium	100	DUFE 1400-T/100	**27.28**	270	DUFE 1400-T/270	**16.64**

DUOFLOOR Finish

Screw-on finishing / wall connection trim entirely in aluminium
DIY-set incl. fixing material
Height: 6 - 14 mm; Visible width: 44 mm
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	DUFF 1400/100	**24.95**	270	DUFF 1400/270	**16.64**
titanium	100	DUFF 1400-T/100	**26.59**	270	DUFF 1400-T/270	**16.64**

DUOFLOOR Border

Screw-on finishing / wall connection trim entirely in aluminium
DIY-set incl. fixing material
Height: 6 - 14 mm; Visible width: 22.5 mm
Material: Aluminium
Surface: anodised







PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	DUFB 1400/100	**24.70**	270	DUFB 1400/270	**16.64**
titanium	100	DUFB 1400-T/100	**29.52**	270	DUFB 1400-T/270	**16.64**

DUOFLOOR Base profile increase

Raising set 8 mm for parquet floors
Approx. 15 pieces are required for a 270 cm long profile
Length 76 mm
Material: Colour blue






PU1	PU2	PU3	Cat.
–	–	–	**NET**

Height mm	Packaging	Item code	Piece/ Bag	£/Piece
8	Bag	BPE 8	10	**19.00**

TRIFLOOR Expansion

Screw-on aluminium transition trim with Omega rocker function
DIY-set incl. fixing material
Height: 7 - 17 mm; Visible width: 38 mm
Material: Aluminium; **Surface: anodised**




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	TRE 3800/100	**24.05**	270	TRE 3800/270	**17.62**
titanium	100	TRE 3800-T/100	**24.72**	270	TRE 3800-T/270	**17.62**



TRIFLOOR Transition

Aluminium screw-on height adjustment trim
with Omega rocker function
DIY-set incl. fixing material
Height: 7 - 17 mm; Visible width: 48 mm
Material: Aluminium; **Surface: anodised**




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	TRT 4800 /100	**19.63**	270	TRT 4800/270	**17.94**
titanium	100	TRT 4800-T/100	**19.63**	270	TRT 4800-T/270	**17.94**



TRIFLOOR Finish

Aluminium screw-on finishing / height adjustment trim
with Omega rocker function
DIY-set incl. fixing material
Height: 7 - 17 mm; Visible width: 44 mm
Material: Aluminium; **Surface: anodised**




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	TRF 4400/100	**20.98**	270	TRF 4400/270	**17.94**
titanium	100	TRF 4400-T/100	**20.98**	270	TRF 4400-T/270	**17.94**



TRIFLOOR Border

Aluminium screw-on finishing / height adjustment trim
with Omega rocker function
DIY-set incl. fixing material
Height: 7 - 17 mm; Visible width: 29 mm
Material: Aluminium; **Surface: anodised**



PU1	PU2	PU3	Cat.
10	40	–	**T**


Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	TRB 2900/100	**19.63**	270	TRB 2900/270	**16.76**
titanium	100	TRB 2900-T/100	**19.63**	270	TRB 2900-T/270	**16.76**



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

CLIPPER Expansion

Aluminium transition trim without visible screws
DIY-set incl. fixing material
Height: 7 - 14 mm 1 / 20 mm 2; Visible width: 40 mm
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	E 2000/100	**19.63**	270	E 2000/270	**16.76**
titanium	100	E 2000-T/100	**19.63**	270	E 2000-T/270	**16.76**

CLIPPER Transition

Transition trim without visible screws
DIY-set incl. fixing material
Height: 6 - 13 mm 1 / 20 mm 2; Visible width: 35 mm
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	T 2000/100	**19.63**	270	T 2000/270	**16.76**
titanium	100	T 2000-T/100	**19.63**	270	T 2000-T/270	**16.76**

CLIPPER Finish

Finishing trim without visible screws
DIY-set incl. fixing material
Height: 6 - 8 mm 1 / 14 mm 2; Visible width: 36 mm
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	F 2000/100	**19.63**	270	F 2000/270	**16.76**
titanium	100	F 2000-T/100	**19.63**	270	F 2000-T/270	**16.76**

CLIPPER Border

Aluminium finishing / wall connection trim without visible screws
DIY-set incl. fixing material
Height: 6 - 14 mm 1 / 20 mm 2; Visible width: 27 mm
Material: Aluminium
Surface: anodised





PU1	PU2	PU3	Cat.
10	40	–	**T**


Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
silver	100	B 2000/100	**19.63**	270	B 2000/270	**16.76**
titanium	100	B 2000-T/100	**19.63**	270	B 2000-T/270	**16.76**

1 Maximum height with yellow clip

2 Maximum height with additional red extension clip



MULTIFLOOR Expansion
Extra-flat transition profile without height compensation without visible fixing; Height: 6 - 14 mm; Visible width: 40 mm
Material: Aluminium
Surface: powder coated/anodised




PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set incl. nylon dowels				Profile without fixing materials		
black matt (RAL 9005) powder coated	100	MFDACM 4011/100	**13.27**	270	MFDACM 4011/270	**12.31**
silver anodised	100	MFDAE 4000/100	**16.94**	270	MFDAE 4000/270	**8.73**
titanium anodised	100	MFDAE 4000-T/100	**16.94**	270	MFDAE 4000-T/270	**8.73**

MULTIFLOOR Transition
Transition trim without visible screws
Height: 0 - 9 mm; Visible width: 30 mm
Material: Aluminium
Surface: powder coated/anodised




PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set incl. nylon dowels				Profile without fixing materials		
black matt (RAL 9005) powder coated	100	MFACM 3011/100	**9.45**	270	MFACM 3011/270	**8.44**
silver anodised	100	MFAE 3000/100	**7.65**	270	MFAE 3000/270	**6.52**
titanium anodised	100	MFAE 3000-T/100	**7.65**	270	MFAE 3000-T/270	**6.52**

MULTIFLOOR Transition
Transition trim without visible screws
Height: 0 - 14 mm; Visible width: 40 mm
Material: Aluminium
Surface: powder coated/anodised



PU1	PU2	PU3	Cat.
10	40	–	T



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set incl. nylon dowels				Profile without fixing materials		
black matt (RAL 9005) powder coated	100	MFACM 4011/100	**13.89**	270	MFACM 4011/270	**13.89**
silver anodised	100	MFAE 4000/100	**16.94**	270	MFAE 4000/270	**8.73**
titanium anodised	100	MFAE 4000-T/100	**16.94**	270	MFAE 4000-T/270	**8.73**

MULTIFLOOR LS –
Nylon dowels
Nylon dowels for MULTIFLOOR trims
Material: PVC
Recommended per metre: 5 pieces;
Drill, Ø 6.0 mm




Contents (pc.)	Dimension mm	PU1	PU2	PU3	Item code	Cat.	£/ Bag	£/ Box
20 Pieces	6 x 42 mm	10	-	-	LS 42/20	T	**3.14**	–
250 Pieces	6 x 42 mm	1	10	–	LS 42/250	T	–	**25.01**
500 Pieces	6 x 42 mm	1	10	–	LS 42/500	T	–	**46.40**



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

MULTIFLOOR Transition
Transition trim without visible screws
Height: 0 - 9 mm
Visible width: 30 mm
Material: Aluminium
Surface: powder coated/anodised




PU1	PU2	PU3	Cat.
10	40	–	**T**



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set; self adhesive				DIY-Set; self adhesive		
black matt (RAL 9005) powder coated	100	MFACM 3011-SK/100	**9.45**	270	MFACM 3011-SK/270	**9.45**
silver anodised	100	MFAE 3000-SK/100	**6.52**	270	MFAE 3000-SK/270	**6.52**
titanium anodised	100	MFAE 3000-T-SK/100	**6.52**	270	MFAE 3000-T-SK/270	**6.52**

MULTIFLOOR Transition
Transition trim without visible screws
Height: 0 - 14 mm
Visible width: 40 mm
Material: Aluminium
Surface: powder coated/anodised




PU1	PU2	PU3	Cat.
10	40	–	**T**



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set; self adhesive				DIY-Set; self adhesive		
black matt (RAL 9005) powder coated	100	MFACM 4011-SK/100	**13.89**	270	MFACM 4011-SK/270	**13.89**
silver anodised	100	MFAE 4000-SK/100	**10.41**	270	MFAE 4000-SK/270	**7.77**
titanium anodised	100	MFAE 4000-T-SK/100	**10.41**	270	MFAE 4000-T-SK/270	**7.77**

MULTIFLOOR Transition
Transition trim without visible screws
Height: 0 - 14 mm
Visible width: 40 mm
Material: Aluminium
Surface: anodised, brushed




PU1	PU2	PU3	Cat.
10	40	–	**T**



Colour	Length cm	Item code	£/lm	Length cm	Item code	£/lm
DIY-Set; self adhesive				DIY-Set; self adhesive		
silver	100	MFAE 4000-SF-SK/100	**10.71**	270	MFAE 4000-SF-SK/270	**9.83**
titanium	100	MFAE 4000-T-SF-SK/100	**10.71**	270	MFAE 4000-T-SF-SK/270	**9.83**

LP-TRANS
Metal ramp trim self adhesive
DIY-set incl. fixing material
Material: Aluminium
Surface: anodised






PU1	PU2	PU3	Cat.
10	40	–	T

Colour	Height mm	Width A mm	Width B mm	Item code	Length cm	£/lm
silver	6 - 10	A = 43	B = 21	LPTAE 800-SK/270	270	**8.95**
silver	12 - 16	A = 43	B = 21	LPTAE 1400-SK/270	270	**9.32**
silver	20 - 22	A = 55	B = 21	LPTAE 2200-SK/270	270	**11.39**

LP-TRANS
Metal ramp trim self adhesive
Material: Stainless Steel (304)
Surface: natural






PU1	PU2	PU3	Cat.
10	40	–	T

Colour	Height mm	Width A mm	Width B mm	Item code	Length cm	£/lm
natural	5 - 8	A = 30	B = 10	LPTE 800-SK/270	270	**24.91**
natural	8 - 12	A = 40	B = 13	LPTE 1400-SK/270	270	**26.76**

ADAPT
Finishing trim in aluminium for the insertion of flooring surfaces
Profile without fixing materials
Material: Aluminium
Surface: powder coated/anodised





PU1	PU2	PU3	Cat.
10	40	–	T

Colour	Height mm	Visible width mm	Width of base mm	Item code	Length cm	£/lm
black matt (RAL 9005) powder coated	8 - 10	A = 14	B = 26	ADACM 811/270	270	**7.48**
black matt (RAL 9005) powder coated	10 - 12	A = 14	B = 28	ADACM 1011/270	270	**8.07**
black matt (RAL 9005) powder coated	12 - 14	A = 16	B = 30	ADACM 1211/270	270	**8.53**
black matt (RAL 9005) powder coated	14 - 16	A = 18	B = 32	ADACM 1411/270	270	**8.86**
silver anodised	8- 10	A = 14	B = 26	ADAE 800/270	270	**6.76**
silver anodised	10 - 12	A = 14	B = 28	ADAE 1000/270	270	**7.34**
silver anodised	12 - 14	A = 16	B = 30	ADAE 1200/270	270	**7.80**
silver anodised	14 - 16	A = 18	B = 32	ADAE 1400/270	270	**8.06**
titanium anodised	8 - 10	A = 14	B = 26	ADAE 800-T/270	270	**6.76**
titanium anodised	10 - 12	A = 14	B = 28	ADAE 1000-T/270	270	**7.34**
titanium anodised	12 - 14	A = 16	B = 30	ADAE 1200-T/270	270	**7.80**
titanium anodised	14 - 16	A = 18	B = 32	ADAE 1400-T/270	270	**8.06**

black matt (RAL 9005) powder coated



silver anodised




titanium anodised



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

ADAPT Vario

Aluminium finishing and wall connection trim for insertion and securing of the flooring surface;
self adhesive; DIY-Set
Material: Aluminium
Surface: powder coated/anodised




PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Height mm	Visible width mm	Item code	Length cm	£/lm
white powder coated	10	20	ADVAC 1800-SK/270	270	**14.27**
black matt (RAL 9005) powder coated	10	20	ADVACM 1811-SK/270	270	**14.68**
silver anodised	10	20	ADVAE 1800-SK/270	270	**13.58**
titanium anodised	10	20	ADVAE 1800-T-SK/270	270	**13.58**



UNIFLOOR Standard

Metal transition trim



PU1	PU2	PU3	Cat.
10	40	–	**T**

Colour	Width mm	Length cm	Item code	£/lm	Length cm	Item code	£/lm
Aluminium anodised			DIY-set incl. fixing material drilled			Profile without fixing materials drilled	
silver	30	100	UFAE 3000/100	**5.95**	270	UFAE 3000/270	**5.81**
			DIY-Set; self adhesive			DIY-Set; self adhesive	
silver	30	100	UFAE 3000-SK/100	**7.86**	270	UFAE 3000-SK/270	**7.96**
Stainless Steel (304) natural			DIY-set incl. fixing material drilled			Profile without fixing materials drilled	
natural	30	100	UFE 3000/100	**5.92**	270	UFE 3000/270	**6.55**
natural	40	100	UFE 4000/100	**8.28**	270	UFE 4000/270	**9.23**
			DIY-Set; self adhesive			DIY-Set; self adhesive	
natural	30	100	UFE 3000-SK/100	**8.64**	270	UFE 3000-SK/270	**8.83**






PU1	PU2	PU3	Cat.
10	40	–	**NET**

Colour	Width mm	Length cm	Item code	£/lm	Length cm	Item code	£/lm
Brass high-gloss polished			DIY-set incl. fixing material drilled			Profile without fixing materials drilled	
natural	30	100	UFM 3000/100	**15.78**	270	UFM 3000/270	**15.78**
natural	40	100	UFM 4000/100	**17.74**	270	UFM 4000/270	**17.74**
			DIY-Set; self adhesive			DIY-Set; self adhesive	
natural	30	100	UFM 3000-SK/100	**16.34**	270	UFM 3000-SK/270	**18.14**



MAXIFLOOR

Screw-on transition trim for parquet, laminate, carpet and design flooring



PU1	PU2	PU3	Cat.
10	40	–	T





Colour	Width mm	Length cm	Item code	£/lm	Length cm	Item code	£/lm
Aluminium anodised			DIY-set incl. fixing material drilled			Profile without fixing materials drilled	
silver	38	100	MXAE 3800/100	**8.25**	270	MXAE 3800/270	**7.39**
titanium	38	100	MXAE 3800-T/100	**8.25**	270	MXAE 3800-T/270	**7.39**
			DIY-Set; self adhesive			DIY-Set; self adhesive	
silver	38	100	MXAE 3800-SK/100	**8.44**	270	MXAE 3800-SK/270	**7.78**
titanium	38	100	MXAE 3800-T-SK/100	**8.44**	270	MXAE 3800-T-SK/270	**7.78**

DIY-Set - Profiles for parquet, laminate, carpet and LVT

Screws / wall plugs;
Dimension: 3.0 x 25 mm; for Drill Ø 4 mm
Material: Steel/PVC



PU1	PU2	PU3	Cat.
1	-	-	NET


Content (pc.)	Colour	Item code	£/ Bag
20 pieces, bag	for black matt	TORX/20	**3.51**
20 pieces, bag	for silver	TORX/20	**3.51**
20 pieces, bag	for titanium	TORX-T/20	**3.51**
20 pieces, bag	for Stainless Steel	TORX-E/20	**3.51**

FLOORBASE PE AS

Underlay for laminate/finished parquet
PE-underlay with integrated, metalised vapour barrier and self-adhesive overlap for fast mounting
Material: PE / ALU; silver



Packaging	Length m	Width cm	Thickness mm	PU1	PU2	PU3	Item code	Cat.	£/m²
Pallet, 24 Rolls (360 m²)	15	100	2	1	–	-	PE AS 15/24	NET	2.59



FLOORBASE PE AS

- PE foam for the installation of laminate and prefinished parquet.
- Integrated vapour barrier with overlap and adhesive tape for quick installation.
- Compensates for uneven spots up to 1.55 mm.
- Can be laid quickly and easily, as FLOORBASE PE AS always lies flat thanks to the surface always lies flat.
- 100% recyclable, CFC and HCFC-free.
- Environmentally friendly.
- Noise reduction – 18 db


CONSTRUCT



CONSTRUCT METALL powder coated

Stylish skirting strip in aluminium
For all floor coverings. tiling. parquet. laminate and carpets. Simple fixing using adhesive.
Material: Aluminium powder coated

Height mm	Colour	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/lm
60	white	250	11	10	–	–	CAC 6030/250	AS	12.76
60	black matt (RAL 9005)	250	11	10	–	–	CACM 6011/250	AS	12.76
80	white	250	11	10	-	-	CAC 8030/250	AS	15.32
80	black matt (RAL 9005)	250	11	10	–	–	CACM 8011/250	AS	15.32



Speed-FLEX-polymer adhesive - ideal for the mounting of skirtings - page 210.
Curving in a radius of 100 cm or more possible with the Z-FLEX curver - see page 219.



black matt (RAL 9005)
powder coated



ALUMINIUM BLACK MATT (RAL 9005) POWDER COATED



white
powder coated


ALUMINIUM WHITE POWDER COATED



CONSTRUCT METALL anodised

Stylish skirting strip in aluminium
For all floor coverings. tiling. parquet. laminate and carpets. Simple fixing using adhesive.
Material: Aluminium anodised

Height mm	Colour	Length cm	Width mm	PU1	PU2	PU3	Item code	Cat.	£/lm
40	silver	250	11	10	–	–	CAE 40/250	AS	9.24
60	silver	250	11	10	–	–	CAE 60/250	AS	8.73
60	silver brushed	250	11	10	–	–	CAE 60-SF/250	AS	9.12
60	titanium	250	11	10	–	–	CAE 60-T/250	AS	8.73
60	titanium brushed	250	11	10	–	–	CAE 60-T-SF/250	AS	9.12
80	silver	250	11	10	–	–	CAE 80/250	AS	10.33
80	silver brushed	250	11	10	–	–	CAE 80-SF/250	AS	10.75
80	titanium	250	11	10	–	–	CAE 80-T/250	AS	10.33
100	silver	250	11	10	–	–	CAE 100/250	AS	12.33
100	titanium	250	11	10	–	–	CAE 100-T/250	AS	12.33



Speed-FLEX-polymer adhesive - ideal for the mounting of skirtings - page 210.
Curving in a radius of 100 cm or more possible with the Z-FLEX curver - see page 219.



ALUMINIUM SILVER BRUSHED ANODISED



silver anodised



silver brushed anodised



titanium anodised



titanium brushed anodised

HEIGHT 100 mm - ALSO IDEAL FOR PLINTH PANELLING OF BASE UNITS




CONSTRUCT METALL


Material:
Aluminium anodised / powder coated

PU1	PU2	PU3	Cat.
1	–	–	AS


External corner



Internal corner



Connector



Height mm	Colour	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece
40	silver	CAE 40-X/2	2	**1.64**	CAE 40-XI/2	2	**1.64**	CAE 40-XC/2	2	**1.28**
60	white; powder coated	CAC 6030-X/2	2	**3.45**	CAC 6030-XI/2	2	**3.45**	CAC 6030-XC/2	2	**2.72**
60	black matt (RAL 9005) powder coated	CACM 6011-X/2	2	**3.45**	CACM 6011-XI/2	2	**3.45**	CACM 6011-XC/2	2	**2.72**
60	silver	CAE 60-X/2	2	**1.81**	CAE 60-XI/2	2	**1.81**	CAE 60-XC/2	2	**1.39**
60	silver brushed	CAE 60-SF-X/2	2	**5.54**	CAE 60-SF-XI/2	2	**5.54**	CAE 60-SF-XC/2	2	**3.58**
60	titanium	CAE 60-T-X/2	2	**1.81**	CAE 60-T-XI/2	2	**1.81**	CAE 60-T-XC/2	2	**1.39**
60	titanium brushed	CAE 60-T-SF-X/2	2	**5.54**	CAE 60-T-SF-XI/2	2	**5.54**	CAE 60-T-SF-XC/2	2	**3.58**
80	white; powder coated	CAC 8030-X/2	2	**3.71**	CAC 8030-XI/2	2	**3.71**	CAC 8030-XC/2	2	**2.94**
80	black matt (RAL 9005) powder coated	CACM 8011-X/2	2	**3.71**	CACM 8011-XI/2	2	**3.71**	CACM 8011-XC/2	2	**2.94**
80	silver	CAE 80-X/2	2	**1.94**	CAE 80-XI/2	2	**1.94**	CAE 80-XC/2	2	**1.50**
80	silver brushed	CAE 80-SF-X/2	2	**4.95**	CAE 80-SF-XI/2	2	**4.95**	CAE 80-SF-XC/2	2	**3.58**
80	titanium	CAE 80-T-X/2	2	**1.94**	CAE 80-T-XI/2	2	**1.94**	CAE 80-T-XC/2	2	**1.50**
100	silver	CAE 100-X/2	2	**2.09**	CAE 100-XI/2	2	**2.09**	CAE 100-XC/2	2	**1.71**
100	titanium	CAE 100-T-X/2	2	**2.09**	CAE 100-T-XI/2	2	**2.09**	CAE 100-T-XC/2	2	**1.71**

Height mm	Colour		Piece/ Bag	£/ Piece		Piece/ Bag	£/ Piece		Piece/ Bag	£/ Piece
40	silver	CAE 40-X/20	20	**1.47**	CAE 40-XI/20	20	**1.64**	CAE 40-XC/20	20	**1.14**
60	silver	CAE 60-X/20	20	**1.63**	CAE 60-XI/20	20	**1.81**	CAE 60-XC/20	20	**1.25**
60	silver brushed	CAE 60-SF-X/20	20	**4.98**	CAE 60-SF-XI/20	20	**5.54**	CAE 60-SF-XC/20	20	**3.22**
60	titanium	CAE 60-T-X/20	20	**1.63**	CAE 60-T-XI/20	20	**1.81**	CAE 60-T-XC/20	20	**1.25**
60	titanium brushed	CAE 60-T-SF-X/20	20	**4.98**	CAE 60-T-SF-XI/20	20	**5.54**	CAE 60-T-SF-XC/20	20	**3.22**
80	silver	CAE 80-X/20	20	**1.75**	CAE 80-XI/20	20	**1.94**	CAE 80-XC/20	20	**1.35**
80	silver brushed	CAE 80-SF-X/20	20	**4.46**	CAE 80-SF-XI/20	20	**4.95**	CAE 80-SF-XC/20	20	**3.22**
80	titanium	CAE 80-T-X/20	20	**1.75**	CAE 80-T-XI/20	20	**1.94**	CAE 80-T-XC/20	20	**1.35**
100	silver	CAE 100-X/20	20	**1.88**	CAE 100-XI/20	20	**1.88**	CAE 100-XC/20	20	**1.53**
100	titanium	CAE 100-T-X/20	20	**1.88**	CAE 100-T-XI/20	20	**1.88**	CAE 100-T-XC/20	20	**1.53**







 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

CONSTRUCT METALL


Material:
Aluminium anodised / powder coated

PU1	PU2	PU3	Cat.
1	–	–	AS

Endcap left



Endcap right



Height mm	Colour	Item code	Piece/ Blister	£/ Piece	Item code	Piece/ Blister	£/ Piece
40	silver	CAE 40-XKL/2	2	**1.39**	CAE 40-XKR/2	2	**1.39**
60	white; powder coated	CAC 6030-XKL/2	2	**3.13**	CAC 6030-XKR/2	2	**3.13**
60	black matt (RAL 9005) powder coated	CACM 6011-XKL/2	2	**3.13**	CACM 6011-XKR/2	2	**3.13**
60	silver	CAE 60-XKL/2	2	**1.20**	CAE 60-XKR/2	2	**1.20**
60	silver brushed	CAE 60-SF-XKL/2	2	**4.78**	CAE 60-SF-XKR/2	2	**4.78**
60	titanium	CAE 60-T-XKL/2	2	**1.20**	CAE 60-T-XKR/2	2	**1.20**
60	titanium brushed	CAE 60-T-SF-XKL/2	2	**4.78**	CAE 60-T-SF-XKR/2	2	**4.78**
80	white; powder coated	CAC 8030-XKL/2	2	**3.59**	CAC 8030-XKR/2	2	**3.59**
80	black matt (RAL 9005) powder coated	CACM 8011-XKL/2	2	**3.59**	CACM 8011-XKR/2	2	**3.59**
80	silver	CAE 80-XKL/2	2	**1.35**	CAE 80-XKR/2	2	**1.35**
80	silver brushed	CAE 80-SF-XKL/2	2	**4.78**	CAE 80-SF-XKR/2	2	**4.78**
80	titanium	CAE 80-T-XKL/2	2	**1.35**	CAE 80-T-XKR/2	2	**1.35**
100	silver	CAE 100-XKL/2	2	**1.45**	CAE 100-XKR/2	2	**1.45**
100	titanium	CAE 100-T-XKL/2	2	**1.45**	CAE 100-T-XKR/2	2	**1.45**

Height mm	Colour	Item code	Piece/ Bag	£/ Piece	Item code	Piece/ Bag	£/ Piece
40	silver	CAE 40-XKL/20	20	**0.62**	CAE 40-XKR/20	20	**0.62**
60	silver	CAE 60-XKL/20	20	**0.62**	CAE 60-XKR/20	20	**0.62**
60	silver brushed	CAE 60-SF-XKL/20	20	**2.15**	CAE 60-SF-XKR/20	20	**2.15**
60	titanium	CAE 60-T-XKL/20	20	**0.62**	CAE 60-T-XKR/20	20	**0.62**
60	titanium brushed	CAE 60-T-SF-XKL/20	20	**2.15**	CAE 60-T-SF-XKR/20	20	**2.15**
80	silver	CAE 80-XKL/20	20	**0.62**	CAE 80-XKR/20	20	**0.62**
80	silver brushed	CAE 80-SF-XKL/20	20	**2.15**	CAE 80-SF-XKR/20	20	**2.15**
80	titanium	CAE 80-T-XKL/20	20	**0.62**	CAE 80-T-XKR/20	20	**0.62**
100	silver	CAE 100-XKL/20	20	**0.65**	CAE 100-XKR/20	20	**0.65**
100	titanium	CAE 100-T-XKL/20	20	**0.65**	CAE 100-T-XKR/20	20	**0.65**












CONSTRUCT Square

Stylish skirting strip in aluminium with a square cross-section

Material: Aluminium

Colour	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	£/lm
white powder coated	250	10	60	10	–	–	CSAC 6030/250	AS	16.28
silver anodised	250	10	60	10	–	–	CSAE 60/250	AS	17.16




Internal-/External corner and end fitting

Stylish skirting strip for adhesive bonding in aluminium with a square cross-section

Material: Aluminium

Colour	Packaging	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.	Piece/ Blister	£/Piece
white powder coated	Blister	10	60	1	–	–	CSAC 6030-X/1	AS	1	7.24
silver anodised	Blister	10	60	1	–	–	CSAE 60-X/1	AS	1	9.69






white
powder coated




silver anodised







Accessory piece as internal corner



Accessory piece as external corner



Accessory piece as an end cap, left



Accessory piece as an end cap, right

SPEED-FLEX

MS polymer adhesive; Ideal for the adhesive mounting of skirtings

Colour	Packaging	PU1	PU2	PU3	Item code	Cat.		£/Piece
grey	310 ml Cartridge	1	12	–	PMK 38	NET		27.16



 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.


CONSTRUCT Reno


Single-piece aluminium skirting for installation over existing skirting


Material: Aluminium anodised

Colour	Length cm	Width mm	Height mm	PU1	PU2	PU3	Item code	Cat.		£/lm
Skirting										
silver anodised	250	10.5 + 11	80	10	–	–	CRAE 80-11/250	**AS**		**12.45**

Colour	Packaging			Height mm	PU1	PU2	PU3	Item code	Cat.	Piece/ Blister/ Bag	£/Piece
External corner											
silver	Blister			80	1	–	–	CRAE 80-11-X/2	**AS**	2	**4.63**
silver	Bag			80	1	–	–	CRAE 80-11-X/20	**AS**	20	**4.17**
Internal corner											
silver	Blister			80	1	–	–	CRAE 80-11-XI/2	**AS**	2	**4.83**
silver	Bag			80	1	–	–	CRAE 80-11-XI/20	**AS**	20	**4.34**
Endcap left											
silver	Blister			80	1	–	–	CRAE 80-11-XKL/2	**AS**	2	**2.34**
silver	Bag			80	1	–	–	CRAE 80-11-XKL/20	**AS**	20	**2.10**
Endcap right											
silver	Blister			80	1	–	–	CRAE 80-11-XKR/2	**AS**	2	**2.34**
silver	Bag			80	1	–	–	CRAE 80-11-XKR/20	**AS**	20	**2.10**
Connector											
silver	Blister			80	1	–	–	CRAE 80-11-XC/2	**AS**	2	**2.37**
silver	Bag			80	1	–	–	CRAE 80-11-XC/20	**AS**	20	**2.13**




External corner



Internal corner


Endcap left


Endcap right


Connector

CONSTRUCT RENO SILVER ANODISED - FOR INSTALLATION OVER EXISTING SKIRTINGS



CONSTRUCT Solid Core GSD

Core skirting strip foamed

Material: PVC

PU1	PU2	PU3	Cat.
40	–	–	T

Colour	Length cm	Width mm	Height mm	Item code	£/lm
white	250	15	60	GSD 1170/250	**4.19**
dark grey	250	15	60	GSD 1460/250	**4.19**



CONSTRUCT Solid Core KSD

Core skirting strip with flexible soft edge

Material: PVC/HDF

PU1	PU2	PU3	Cat.
40	–	–	T

Colour	Length cm	Width mm	Height mm	Item code	£/lm
white	255	15	60	KSD 5012/255	**3.54**
black	255	15	60	KSD 1001/255	**3.54**
dark grey	255	15	60	KSD 1184/255	**3.54**
light grey	255	15	60	KSD 1202/255	**3.54**



CONSTRUCT SOLID CORE GSD WHITE



TOOLS





TOOLS

PREPARE SUBSTRATES

Spirit level
Length 40 cm
Material: Aluminium



PU1	PU2	PU3	Cat.
1	10	-	NET

Dimension	Item code	£/Piece
400 x 50 x 20 mm	T 240	33.19

Spirit level
Length 80 cm
Material: Aluminium



PU1	PU2	PU3	Cat.
1	10	-	NET

Dimension	Item code	£/Piece
800 x 50 x 20 mm	T 280	37.27

Paint roller with handle
10 cm; woven



PU1	PU2	PU3	Cat.
1	100	-	NET

Material	Item code	£/Piece
polyacrylic	T 512	6.47
replacement roller polyamide	T 513	6.47

Spike roller 240 mm
Spike length 14 mm
Material: Plastic



PU1	PU2	PU3	Cat.
1	30	-	NET

Dimension	Item code	£/Piece
Width 240 mm	T 456	52.87

Floor layer smoothing trowel 600 x 110 mm; Wooden grip
Material: Stainless Steel blade



PU1	PU2	PU3	Cat.
1	20	-	NET

Dimension	Item code	£/Piece
600 x 110 x 60 mm	T 142	34.47

Wide spatula 480 mm
Aluminium back with soft grip
Material: rust-free galvanised



PU1	PU2	PU3	Cat.
1	30	-	NET

Dimension	Item code	£/Piece
480 x 200 x 30 mm	T 135	34.02

Plasterers cup
Standard
Material: Rubber black



PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
130 x 130 x 100 mm	T 145	1.76

Compass saw 300 mm
HP tooth; Wooden grip
Material: Steel



PU1	PU2	PU3	Cat.
1	10	-	NET

Dimension	Item code	£/Piece
300 x 100 x 20 mm	T 457	21.30

Cutter 18 mm blades

Material:
Plastic/metal guide
blue/black



PU1	PU2	PU3	Cat.
1	384	-	NET

Dimension	Item code	£/Piece
120 x 30 x 25 mm	T 523	3.79

Box replacement blade
18 mm, 10 pieces

Material: Steel



PU1	PU2	PU3	Cat.
1	480	-	NET

Dimension	Item code	£/Piece
100 x 25 x 15 mm	T 525	2.28

PREPARE SUBSTRATES — TOOLS

Professional club hammer steel tube shaft; 1250 g

Material: Steel



PU1	PU2	PU3	Cat. NET
1	12	-	

Dimension	Item code	£/Piece
270 x 100 x 40 mm	T 511	48.99

Cord iron

Material: Steel



PU1	PU2	PU3	Cat. NET
1	10	-	

Dimension	Item code	£/Piece
160 x 8 x 8 mm	T 165	5.28

Tile chisel flat 90 mm

Material: Steel



PU1	PU2	PU3	Cat. NET
1	10	-	

Dimension	Item code	£/Piece
90 x 8 x 8 mm	T 163	3.82

Tile chisel 250 mm

Material: Steel



PU1	PU2	PU3	Cat. NET
1	10	-	

Dimension	Item code	£/Piece
250 x 20 x 20 mm	T 510	17.78

TILE LAYING AID — TOOLS

Tile wedge 0-5 mm

Material: PVC



PU1	PU2	PU3	Cat. NET
1	50	-	

Packaging	Item code	£/Bag
200 pieces, bag	CRK 100	2.41

Sickle wedge, 0-10 mm

Material: Plastic



PU1	PU2	PU3	Cat. NET
1	1200	-	

Packaging	Item code	£/Bag
100 pieces, bag	T 380	12.50

Tile spacer

Material: Plastic




PU1	PU2	PU3	Cat. NET
1	50	-	

Joint width mm	Packaging	Item code	£/Bag
1.5	250 Pieces, bag	CR 15/250	2.21
2	250 Pieces, bag	CR 20/250	2.21
3	250 Pieces, bag	CR 30/250	2.42
4	250 Pieces, bag	CR 40/250	2.57
5	200 Pieces, bag	CR 50/200	3.01
6	200 Pieces, bag	CR 60/200	3.39
8	100 Pieces, bag	CR 80/100	2.61
10	100 Pieces, bag	CR 100/100	2.94

Tile spacer T

Material: PVC; white



PU1	PU2	PU3	Cat. NET
1	50	-	

Joint width mm	Packaging	Item code	£/Bag
3	200 Pieces, bag	CRT 30/200	2.85
4	200 Pieces, bag	CRT 40/200	3.13
5	200 Pieces, bag	CRT 50/200	3.28
10	100 Pieces, bag	CRT 100/100	2.34

TOOLS

TILE LAYING AID

NIVOFIX Clips
Set with 100 clips, 100 wedges and 1 set of pliers;
Tile thickness 3-12 mm;
Joint width 1.5 mm
Material: PP

PU1	PU2	PU3	Cat. NET
1	60	-	



Item code	£/Box
NWS Start	**110.74**

NIVOFIX Wedges
reusable
Material: PP

PU1	PU2	PU3	Cat. NET
1	30	-	



Packaging	Item code	£/Bag
100 Piece, Bag	NWS K/100	**46.24**

NIVOFIX Loops
Tile thickness 3-12 mm

Material: PP

PU1	PU2	PU3	Cat. NET
1	60	-	



Joint width mm	Tile thickness mm	Packaging	Item code	£/Bag
1,5	3 - 12	250 pieces, bag	NWS L-1,5/250	**54.13**
1,5	12 - 28	250 pieces, bag	NWS LH-1,5/250	**54.13**
2	3 - 12	250 pieces, bag	NWS L-2/250	**54.13**
3	3 - 12	250 pieces, bag	NWS L-3/250	**54.13**

NIVOFIX Tool for used with NIVOFIX Wedges and Clip


Material: PP


PU1	PU2	PU3	Cat. NET
1	-	-	



Packaging	Item code	£/Piece
1 Piece	NWS Grip	**85.94**







NIVELLO Set
Set with 50 caps and 50 pins
Joint width 1 mm
Material: Plastic

PU1	PU2	PU3	Cat. NET
1	60	-	



Item code	£/Set
T 50-1	**85.11**

NIVELLO
Screw caps 25 pieces bag

Material: Plastic

PU1	PU2	PU3	Cat. NET
1	30	-	



Item code	£/Bag
TSK/25	**36.64**

NIVELLO
Screw pins 100 pieces
Joint width 1 mm
Material: Plastic

PU1	PU2	PU3	Cat. NET
1	30	-	



Item code	£/Bag
TSS 1/100	**27.96**



TILE LAYING TOOL

TOOLS

Universal trowel

Ideal for bubble-free laying of DURABASE waterproofing membranes
Material: Plastic, grey



PU1	PU2	PU3	Cat. NET
1	130	-	

Dimension	Item code	£/Piece
265 x 155 mm	T 433	4.52



Smoothing trowel toothed square with soft grip

Dimension: 280 x 140 mm

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	30	-	

Teeth mm	Item code	£/Piece
4 x 4 x 4	T 111	21.22
6 x 6 x 6	T 112	20.95
8 x 8 x 8	T 113	20.67
10 x 10 x 10	T 114	20.41
12 x 12 x 12	T 115	20.13
15 x 15 x 15	T 117	19.59

Plasterers spatula Soft grip

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	60	-	

Dimension	Item code	£/Piece
100 x 60 mm	T 121	10.61
110 x 80 mm	T 123	11.15
120 x 100 mm	T 125	11.70

Smoothing trowel without notches with soft grip

Dimension: 280 x 140 mm

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	30	-	

	Item code	£/Piece
smooth	T 116	17.41

Berner trowel 120 mm Berner trowel 140 mm Soft grip

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	60	-	

Dimension	Item code	£/Piece
120 x 60/75 mm	T 131	11.95
140 x 60/78 mm	T 133	12.62

Smoothing trowel semi-circular notche with Soft grip

Dimension: 280 x 140 mm

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	30	-	

Teeth mm	Item code	£/Piece
round Ø 20	T 118	22.03

S-shaped brick trowel with soft grip

Material: Stainless Steel



PU1	PU2	PU3	Cat. NET
1	30	-	

Dimension	Item code	£/Piece
180 x 85/120 mm	T 441	18.76

TOOLS

TILE LAYING TOOL

Painter spatula 40 mm with plastic grip



Material: Stainless Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
105 x 40 mm	T 440	5.70

Abrasive sponge



Material: sponge

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
80 x 65 x 20	T 168	17.19

WK spiral agitator hexagon Ø: 90 cm/120 cm



Material: Steel

PU1	PU2	PU3	Cat.
1	50/30	-	NET

Dimension		Item code	£/Piece
PU2 50	400 x 90 x 90 mm	T 140	20.69
PU2 30	600 x 120 x 120 mm	T 141	30.99

Vacuum lifter single



Material: Plastic

PU1	PU2	PU3	Cat.
1	50	-	NET

Dimension	Item code	£/Piece
100 x 100 x 120 mm	T 146	28.88

Panel lifter 300 - 500 mm adjustable, 30 kg lifting capacity



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
350 x 120 x 100 mm	T 455	39.67

Panel lifter FOR TILES AND GARDEN/LANDSCAPING



Material: Steel

PU1	PU2	PU3
1	100	-

Dimension	Item code	£/Piece
170 x 10 x 110 mm	T 385	26.39

Chalk line marker 30 m European type



PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
90 x 36 x 32 mm	T 526	20.20

Chalk line powder blue 50 g



Material: Chalk

PU1	PU2	PU3
1	60	-

Dimension	Colour	Item code	£/Piece
90 x 36 x 32 mm	blau	T 522	5.44
90 x 36 x 32 mm	rot	T 524	5.44

Builder square adjustable

Adjustable aluminium builder square with ruler in cm. Foldable, with mounting eye.



Material: Aluminium

PU1	PU2	PU3	Cat.
1	30		NET

Dimension	Item code	£/Piece
1220 x 52 x 20 mm	T 143	100.70

Contour gauge

Contour gauge duplicator for the easy and safe transfer of contours, pipe cut-outs and frames on tiles and laminate. Easy and precise to use.



Material: Plastic

PU1	PU2	PU3	Cat.
1	30		NET

Dimension	Item code	£/Piece
145 x 105 x 20 mm	T 530	20.18

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

TILE LAYING AID — TOOLS

Scribing tool standard 6 x 150 mm with push-on clip

Material: Steel



PU1	PU2	PU3	Cat. NET
1	100	-	

Dimension	Item code	£/Piece
150 x 10 x 10 mm	T 161	6.29

Tile rubber cord 20 m

Material: Rubber



PU1	PU2	PU3	Cat. NET
1	100	-	

Dimension	Item code	£/Piece
170 x 75 x 25 mm	T 334	4.62

TILE LAYING TOOL — TOOLS

Tile magnets (4 pieces)

Tile fixation for inspection door
Retension force 5 kgs




PU1	PU2	PU3	Cat. NET
1	50	-	

Packaging	Item code	£/Blister
4 Piece, Blister	TR 500	7.59

CLIPFIX Inspection door

Tile fixation for inspection door
Retension force 6 kg



PU1	PU2	PU3	Cat. NET
1	50	-	

Packaging	Item code	£/Blister
4 Clips, Blister	TR 600	9.61

MITRERITE 45° mitre scissors for PVC profiles Plastic grip

Material: Steel



PU1	PU2	PU3	Cat. NET
1			

Dimension	Item code	£/Piece
219 x 81 x 78 mm	MR2	51.20

Replacement blade for mitre cutters

10 replacement blades for mitre cutters

Material: Steel



PU1	PU2	PU3	Cat. NET
1	10		

Dimension	Item code	£/Piece
115 x 40 x 25	MRB2	14.65

TILESITTER Trolley to kneal on



PU1	PU2	PU3	Cat. NET
1	-	-	

Dimension	Item code	£/Piece
580 x 400 mm	TSR 500	280.42



Z-Flex Curver I mechanical curver

Precise curving of DURAL finishing profiles with the Z-FLEX punch, e.g. DUROSOL angle profiles, T-FLOOR transition profiles and CONSTRUCT Skirting Profiles

Material: Metal



PU1	PU2	PU3	Cat. NET
1	-	-	

Item code	£/Piece
ZFC 100	652.10

Z-Flex Curver II mechanical curver including socket wrench (crank)

Precise curving of DURAL finishing profiles with the Z-FLEX punch, e.g. DUROSOL angle profiles, T-FLOOR transition profiles and CONSTRUCT Skirting Profiles

Material: Metal



PU1	PU2	PU3	Cat. NET
1	-	-	

Item code	£/Piece
ZFC 200	947.68

EDIT TILES TOOLS

Tile cutting and tile breaking pliers with 9 mm tile thickness



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
208 x 49 x 9 mm	T 391	14.74

Tile cutting and tile breaking pliers with 45 mm aperture



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
210 x 58 x 45 mm	T 392	20.09

Rabitz pliers 225 mm with return spring



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
225 x 75 x 30 mm	T 517	22.91

Rabitz pliers with narrow HM jaws



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
250 x 75 x 30 mm	T 515	28.93

Mosaic pliers with spring Application/design: Professional



Material: Steel

PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
225 x 49 x 17 mm	T 390	26.73

Tile hole pliers with groove 200 mm Application/design: Professional




Material: Steel

PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
230 x 75 x 30 mm	T 166	22.26

Tile and glass scribe red



Material: Wood

PU1	PU2	PU3	Cat.
1		-	NET

Dimension	Item code	£/Piece
175 x 6 x 6 mm	T 514	4.91

Glass cutter with hard metal wheel



Material: Plastic/Steel

PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
125 x 15 x 5 mm	T 162	9.85

Tile saw 150 mm



Material: Steel

PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
270 x 160 x 30 mm	T 160	14.99

Saw wire 150 mm



Material: HM Steel

PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
150 mm	T 389	7.50

TOOLS

EDIT TILES

Tile hammer 2K grip with HM tip

Material: Stainless Steel/rubber



PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
27 x 100 x 19 mm	T 374	31.33

Rubber hammer size 2 435 g

Material: Plastic white, non-marking



PU1	PU2	PU3	Cat.
1	20	-	NET

Dimension	Item code	£/Piece
315 x 113 x 60 mm	T 169	25.89

Diamond drill bit hexagon 1/4" drive arbour

Diamond drill bit for quick and precise drilling in tiles even without a centring guide. With a hexagon drive arbour suitable for drills. Tool has long lifespan.

Material: Metal



PU1	PU2	PU3	Cat.
1	10		NET

Drilling diameter	Dimension	Item code	£/Piece
6 mm	Length 70 mm	T 704	82.43
8 mm	Length 80 mm	T 705	82.97
10 mm	Length 80 mm	T 702	83.51
12 mm	Length 80 mm	T 703	84.06



Diamond cut-off wheel Super fine stoneware Polished granite

Diameter 125 mm
Bore diameter 22.2 mm
Cutting width 1 mm

T 707



T 706

PU1	PU2	PU3	Cat.
1	10		NET

	Item code	£/Piece
Super fine stoneware	T 706	97.81
Polished granite	T 707	64.43

Fine/rough grindstone Polish: fine 120; rough 240

Material: Carbodium



PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
150 x 50 x 25 mm	T 521	15.26

Lyra Ink deep-hole marker suitable for any surface

Material: black ink



PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
261 x 20 x 75 mm	T 381	18.94

Lyra Dry deep-hole marker Plastic includes 1 refill

Material: graphite




PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
260 x 20 x 75 mm	T 382	26.14

Lyra Dry refills 6 x graphite, 3 x red, 3 x yellow; 12 pieces

Material: Graphit/Ink




PU1	PU2	PU3	Cat.
1	100		NET

Dimension	Item code	£/Piece
210 x 25 x 75 mm	T 383	15.21

Lyra Dry refills graphite 12 pieces

Material: Graphit



PU1	PU2	PU3	Cat.
1	100		NET

Dimension	Item code	£/Piece
211 x 25 x 75 mm	T 384	16.60

TILE GROUTING TOOLS

Bucket 24 l
with 3 stud wash rollers, 4 rollers for easy pulling

Material: Plastic



PU1	PU2	PU3	Cat. NET
1			

Content (pc.)	Item code	£/Piece
24 l without boards; rollable	T 304	105.36

Roller wash kit 24 l
with 3 stud wash rollers, trowels and 4 rollers; Roller wash kit 24 l with triple dispenser, including hydro sponge board and grouting board with cellular rubber; Material: Plastic



PU1	PU2	PU3	Cat. NET
1			

Content (pc.)	Item code	£/Piece
Roller wash kit 24 l; rollable	T 323	119.26

Water squeegee 55 cm Galvanised steel

Material: Foam / Galvanised steel



PU1	PU2	PU3	Cat. NET
1	50		

Dimension	Item code	£/Piece
550 x 10 x 40 mm	T 147	7.68



Natural tile sponge with DURAL logo



PU1	PU2	PU3	Cat. NET
1	150		

Dimension	Item code	£/Piece
170 x 115 x 70 mm	T 309	2.41

All-purpose sponge neutral



PU1	PU2	PU3	Cat. NET
1	1000	-	

Dimension	Item code	£/Piece
170 x 115 x 70 mm	T 310	2.16


Custom printable tile sponge
Minimum print run for logo print 1-colour 1,050 pieces



PU1	PU2	PU3	Cat. NET
1050	-	-	

Dimension	Item code	£/Piece
170 x 115 x 70	T 312	2.53

Epoxy resin sponge soft Sponge



PU1	PU2	PU3	Cat. NET
1	-	-	

Dimension	Item code	£/Piece
150 x 100 x 30 mm	T 319	3.70

Abrasive sponge for pad board



PU1	PU2	PU3	Cat. NET
1	100		

Dimension	Colour/Typ	Item code	£/Piece
230 x 115 x 22 mm	white, fine	T 315	7.73
230 x 115 x 22 mm	green, medium	T 314	7.73
230 x 115 x 22 mm	black, rough	T 313	7.73

Pad board for abrasive sponge 11 x 23 cm with velcro strips
Material: Plastic; white



PU1	PU2	PU3	Cat. NET
1	60		

Dimension	Item code	£/Piece
230 x 110 x 70 mm	T 144	8.22

TOOLS

PROCESS TILE JOINTS

Epoxy resin board soft surface

Material: Plastic



PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
255 x 95 mm	T 318	29.96

Epoxy resin board hard surface

Material: Plastic



PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
250 x 95 mm	T 316	23.94

Smoothing board 14 x 28 cm Board white

Material:
Plastic / cellular rubber black



PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
280 x140 mm	T 308	9.06

Smoothing board 14 x 28 cm Hydro grouting sponge one-piece, white carrier board

Material: Plastic



PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
280 x 140 mm	T 332	10.84

Smoothing board locked 15 x 29 cm Hydro sponge screened, carrier board black

Material: Plastic



PU1	PU2	PU3	Cat.
1	60		NET

Dimension	Item code	£/Piece
290 x 150 mm	T 333	20.69

Smoothing board 14 x 28 cm Hydrosponge Support board white

Material: Plastic



PU1	PU2	PU3	Cat.
1			NET

Dimension	Item code	£/Piece
280 x 140 mm	T 331	9.27





PROCESS TILE JOINTS

TOOLS

Joint cutter

Material: Steel



PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
155 x 65 x 20 mm	T 387	22.02

Replacement blade for joint cutter T 387

Material: Steel



PU1	PU2	PU3	Cat.
1	30	-	NET

Dimension	Item code	£/Piece
60 x 40 x 15 mm	T 388	8.07

Grout rake with carbide blade

Material: Plastic/hard metal



PU1	PU2	PU3	Cat.
1			NET

Dimension	Item code	£/Piece
210 x 70 x 20 mm	T 602	8.26

Replacement sheet for grout cleaner T 602 3 pieces

Material: hard metal



PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Blister
115 x 40 x 10 mm	T 171	6.29

Jointer with wooden grip

Dimension 250 x 15 x 60 mm

Material: Steel



PU1	PU2	PU3	Cat.
1	30	-	NET

Width Joint cutter	Item code	£/Piece
6 mm	T 153	4.12
8 mm	T 154	4.34
10 mm	T 155	4.57

Grouting rubber Squeegee 180 mm Wooden grip

Material: Rubber



PU1	PU2	PU3	Cat.
1	100		NET

Dimension	Item code	£/Piece
180 x 14 x 65 mm	T 180	2.15

Joint spatula

Material: Rubber



PU1	PU2	PU3	Cat.
1	1000	-	NET

Dimension	Item code	£/Piece
103 x 84 x 9 mm	T 516	5.67

Silicone trowel

Material: Rubber



PU1	PU2	PU3	Cat.
1	100	-	NET

Dimension	Item code	£/Piece
85 x 42 x 9 mm	T 167	3.28

Fugenboy round joint tool 5 - 8 mm

Material: Rubber



PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
160 x 60 x 25 mm	T 370	21.79

Fugenboy square joint tool 11 - 14 - 17 mm

Material: Rubber



PU1	PU2	PU3	Cat.
1	60	-	NET

Dimension	Item code	£/Piece
160 x 60 x 25 mm	T 371	21.79

 Prices shown are list prices (excl. VAT.). Discounts apply as per individual agreement.

TOOLS — PROCESS TILE JOINTS

Joint smoother standard 4-piece

Material: Rubber

PU1	PU2	PU3	Cat.
1	60	-	NET



Dimension	Item code	£/Piece
160 x 60 x 25 mm	T 386	23.96

Fugenfux multi-tool 2 in 1 for radii of 13-20 mm

Material: Rubber

PU1	PU2	PU3	Cat.
1	1000	-	NET



Dimension	Item code	£/Piece
315 x 90 x 80 mm	T 270	18.00

Fugenboy professional case

6 x silicone joint tools, 50 ml smoothing agent; 50 ml silicone remover

PU1	PU2	PU3	Cat.
1	30	-	NET



Dimension	Item code	£/Piece
230 x 170 x 50 mm	T 372	83.25

Fugenboy silicone remover 50 ml

Cleaner

PU1	PU2	PU3	Cat.
1	30	-	NET



Dimension	Item code	£/Piece
100 x 40 x 20 mm	T 373	20.15

TOOLS — WORK PROTECTION

Knee pad professional yellow

certified according to DIN 14404; Material: rubber; with dual strap over knee fastener

PU1	PU2	PU3	Cat.
1	12		NET



Dimension	Item code	£/Piece
280 x 180 x 120 mm	T 610	43.48



Capsule ear protection SNR 24 dB height-adjustable

Material: Plastic black/red

PU1	PU2	PU3	Cat.
1	10		NET



Item code	£/Piece
T 803	26.67

Ear plugs with light clip SNR 24 dB; Flexible clip

Material: Plastic black

PU1	PU2	PU3	Cat.
1	10		NET



Item code	£/Piece
T 802	21.87

Protective goggles clear; with UV protective filter

Material: Plastic, black-blue

PU1	PU2	PU3	Cat.
1	24		NET



Item code	£/Piece
T 804	25.58

Ear plugs Yellow

Material: Foam

PU1	PU2	PU3	Cat.
1	250		NET



Item code	£/Piece
T 801	1.03

1 pair

INSTALLATION AIDS

TOOLS

MULTIFLOOR LS – Grooved dowels

Nylon dowels for MULTIFLOOR trims;
Dimension: 6 x 42 mm
Recommended per metre: 5 pieces
for Drill, Ø 6 mm
Material: PVC



PU1	PU2	PU3	Cat.
1	10		NET

Content (pc.)	Item code	£/ Box	£/ Bag
20 pieces	LS 42/20		3.14
250 pieces	LS 42/250	25.01	
500 pieces	LS 42/500	46.40	





DIY-Set - Profiles for parquet, laminate, carpet and LVT

Screws / wall plugs;
Dimension: 3.0 x 25 mm
for Drill Ø 4 mm
Material: Steel/PVC



PU1	PU2	PU3	Cat.
1	-	-	NET

Content (pc.)	Colour	Item code		£/ Bag
20 pieces, bag	for black matt	TORX/20		3.51
20 pieces, bag	for silver	TORX/20		3.51
20 pieces, bag	for titanium	TORX-T/20		3.51
20 pieces, bag	for Stainless Steel	TORX-E/20		3.51

SPEED-FLEX assembly adhesive

High-performance polymer adhesive 310 ml
Speed Flex assembly adhesive with high initial bonding, replaces conventional fastening such as screws, dowels and rivets. Adhering of metals, many plastics, ceramic, wood, glass and stone, even difficult substrates such as vertical indoor and outdoor surfaces.
Material: MS-Polymer grey



PU1	PU2	PU3	Cat.
1	12		NET

Packaging	Item code	£/Piece
310 ml Cartridge	PMK 38	27.16

CLASSIC FLEX 310 ml
MS Polymer adhesive sealant

Adhesive/sealant for the adhering of DURABASE ET-S sealing system components (ETA approval)

Material: MS-Polymer white



PU1	PU2	PU3	Cat.
1	12		NET

Packaging	Item code	£/Piece
310 ml Cartridge	FLEX 310 M/1	27.34

Ref.-No.	Product name	Application	Material	Page
AA	TREDSAFE	Stair nosing profile	Aluminium anodised	82, 83, 192
ADACM	ADAPT	Finishing trim	Aluminium powder coated	202
ADAE	ADAPT	Finishing trim for the insertion of flooring surfaces	Aluminium anodised	202
ADVAC	ADAPT *VARIO*	Finishing trim; self adhesive	Aluminium powder coated	203
ADVACM	ADAPT *VARIO*	Finishing trim; self adhesive	Aluminium powder coated	203
ADVAE	ADAPT *VARIO*	Finishing trim ; self adhesive	Aluminium anodised	203
AS	ANTI-SLIP	Adhesive tapes	PVC	192
B	CLIPPER BORDER	Finishing /wall connection trim	Aluminium anodised	199
BA	FLOWFIX	Drain grill in frame	Stainless steel (304)	161
BFAC	DURABAL BF	Reversible profile for balcony and patio edgings	Aluminium powder coated	113
BFAE	DURABAL BF	Reversible profile for balcony and patio edgings	Aluminium anodised	113
BKA	DURABAL BK	Connector	Aluminium anodised, powder coated	116, 117
BKAC	DURABAL BK	Balcony angle profile	Aluminium powder coated	116, 117
BKAE	DURABAL BK	Balcony angle profile	Aluminium anodised	116, 117
BLAC	DURABAL BL	Balcony angle profile	Aluminium powder coated	110
BLAE	DURABAL BL	Balcony angle profile	Aluminium anodised	110
BLFK	DURABAL	Tile spacers	PVC	118
BLST	DURABAL	Support plates	Caoutchoc	118
BLSTA	DURABAL	Compensation plate for support tiles	Caoutchoc	118
BLTS	DURABAL	Tile spacers	PVC	118
BOAC	DURABAL BO	Balcony angle profile	Aluminium powder coated	114
BOAE	DURABAL BO	Balcony angle profile	Aluminium anodised	114
BPE	DUOFLOOR	Base profile increase	Colour blue	197
BSM-VSF-TDP	V-SHOWER, TI-DRAIN plus, myVARIO-LINE	Fire protection sleeve for vertical floor drains	Polypropylene	154
BTAC	DURABAL BT 11	Balcony angle profile	Aluminium powder coated	112
BTAE	DURABAL BT 11	Balcony angle profile	Aluminium anodised	112
BWAC	DURABAL BW	Balcony angle profile	Aluminium powder coated	111
BWAE	DURABAL BW	Balcony angle profile	Aluminium anodised	111
BWE	DURABAL BW	Balcony angle profile	Stainless steel (304)	111
CAC	CONSTRUCT METALL	Skirting	Aluminium powder coated white	206, 208, 209
CACM	CONSTRUCT METALL	Skirting strip	Aluminium powder coated black matt	206, 208, 209
CAE	CONSTRUCT METALL	Skirting	Aluminium anodised	207, 208, 209
CAE LED	CONSTRUCT LED	Illuminated skirting	Aluminium anodised	104
CI-H	DURABASE CI H	Decoupling and carrier mat for the heating cables	Polyethylene, yellow	136
CI++	DURABASE CI++	Decoupling / sealing mat	Polypropylene	138
CR	Tile installation material	Tile spacers	Plastic	215
CRAE	CONSTRUCT Reno	Skirting	Aluminium anodised	211
CRK	Tile installation material	Wedges	Plastic	215
CRT	Tile installation material	Tile spacers T	PVC	215
CSAC	CONSTRUCT Square	Skirting	Aluminium powder coated	210
CSAE	CONSTRUCT Square	Skirting	Aluminium anodised	210
DC 10T	DURABASE CI-H/DEVI	Double-conductor cable	black/red	137
DCAC	DURACOVE HK	Concave trim	Aluminium powder coated	77
DCACM	DURACOVE HK	Concave trim	Aluminium powder coated	77
DCAE	DURACOVE HK	Concave trim	Aluminium anodised	77
DCE	DURACOVE DB	Concave trim	Stainless steel (304)	77
DCP	DURACOVE ZK / DB	Trims for sanitary areas	PVC	77, 78
DEVI TEMP	DURABASE CI-H/DEVI	Additional temperature sensor	black	137
DFA	DURAFLEX METALL	Expansion and movement profile for thin-bed	Aluminium	94, 96, 97
DFA KA	DURAFLEX KA	Cover profile for retrospective installation	Aluminium	98
DFAE KA	DURAFLEX KA	Cover profile	Aluminium anodised	98
DFE	DURAFLEX METALL	Expansion- and movement profile, thin-bed	Stainless steel (304)	94
DFP	DURAFLEX PVC	Expansion and movement joint profile for thin-bed	PVC	95, 97
DGAC	DURAGARD EP	Corner protection profile	Aluminium powder coated	74
DGACM	DURAGARD EP	Corner protection profile	Aluminium powder coated	74
DGAE	DURAGARD EP	Corner protection profile	Aluminium anodised	74
DGE	DURAGARD EP/WP/MA	Corner protection profile	Stainless steel (304)	74, 75
DISTAE	DIAMONDSTEP	Stair nosing profile	Aluminium anodised	80

Ref.-No.	Product name	Application	Material	Page
DISTE	DIAMONDSTEP	Stair nosing profile	Stainless steel (304)	80
DLA	DURALIS	Listello trim	Aluminium high-gloss anodised	66, 67
DLAC LED	DURALIS LED	Basic trim	Aluminium powder coated	100
DLACM	DURALIS	Listello trim	Aluminium powder coated	66
DLACM LED	DURALIS	Aluminium powder coated	Aluminium powder coated	100
DLAE	DURALIS	Listello trim	Aluminium anodised	66, 67
DLAE LED	DURALIS LED	Basic trim	Aluminium anodised	100
DLE	DURALIS	Listello trim	Stainless steel (304)	67
DLK	DURALIS LED	Adhesive tape		100
DLP LED	DURALIS LED	Cover	Polycarbonate	100
DNP	DURANICHE pro	Wall niches as ready-to-use kits	Stainless Steel (304), brushed	174
DNPC	DURANICHE pro	Wall niches as ready-to-use kits	Stainless Steel (304), powder coated	174
DPDAC	DURAPLUS DIAMOND	Edge trim	Aluminium powder coated	58, 59, 60
DPDACM	DURAPLUS DIAMOND	Edge trim	Aluminium powder coated	59, 60, 61
DPDACS	DURAPLUS DIAMOND	Edge trim	Aluminium tactile coated	62, 63
DPDAE	DURAPLUS DIAMOND	Edge trim	Aluminium anodised	65
DPM	DURAPLUS	Rectangular trim	Brass	65
DPSA	SQUARELINE	Square box trim	Aluminium	38 ,39 ,40
DPSAC	SQUARELINE	Square box trim	Aluminium powder coated	30, 31, 32
DPSACM	SQUARELINE	Square box trim	Aluminium powder coated	31, 32, 33
DPSACS	SQUARELINE	Square box trim	Aluminium tactile coated	34, 35, 38
DPSAE	SQUARELINE	Square box trim	Aluminium anodised	39
DPSE	SQUARELINE	Square box trim	Stainless steel (304)	41
DPSP	SQUARELINE	Square box trim	PVC	40
DR 100	DURABASE DR 100	Drainage mat	HDPE/PP grey	149
DR 100++	DURABASE DR 100++	Drainage mat	HDPE black	127, 148
DRA	DURONDELL	Round edge trim	Aluminium high-gloss anodised	53
DRAC	DURONDELL	Round edge trim	Aluminium powder coated	44, 45, 46
DRACM	DURONDELL	Round edge trim	Aluminium powder coated	45, 46, 47
DRACS	DURONDELL	Round edge trim	Aluminium tactile coated	48, 49, 52
DRAE	DURONDELL	Round edge trim	Aluminium anodised	52
DRE	DURONDELL	Round edge trim	Stainless steel (304)	54, 55
DREG	DURABASE CI-H/DEVI	Thermostat	Black / white	137
DRP	DURONDELL	Round edge trim	PVC	55
DSA	DUROSOL	L-shaped edge trim	Aluminium	20, 22, 26, 131
DSAC	DUROSOL	L-shaped edge trim	Aluminium powder coated	12, 13, 14
DSACM	DUROSOL	L-shaped edge trim	Aluminium powder coated	13, 14, 15, 131
DSACS	DUROSOL	L-shaped edge trim	Aluminium tactile coated	16, 17
DSAE	DUROSOL	L-shaped edge trim	Aluminium anodised	21, 22, 26, 131
DSE	DUROSOL	L-shaped edge trim	Stainless steel (304)	24, 25, 26, 131
DSM	DUROSOL	L-shaped edge trim	Brass	23, 26, 27
DSP	DUROSOL	L-shaped edge trim	PVC	27
DST	DURASTEP Jumbo	Stair nosing profile	ALU/PVC	89
DSTAE DP	DURASTEP DP	Wortktop trim	Aluminium anodised	73
DSTOA	DURASTEP Solid	Stair nosing profile	Aluminium	88
DSTOAE	DURASTEP Solid	Stair nosing profile	Aluminium anodised	88, 130
DSTOE	DURASTEP Solid	Stair nosing profile	Stainless steel (304)	88
DSTS	DURASTEP Standard	Stair nosing profile	ALU/PVC	89
DSTWP	DURASTEP Wood	Stair nosing profile with a solid wood step surface	Aluminum/Wood smooth	89
DSTWT	DURASTEP Wood	Stair nosing profile with a solid wood step surface	Aluminum/Wood smooth	89
DTA	DURATRANS	Transition trim	Aluminium	70
DTA TR	DURATRANS TR	Transition trim	Aluminium, natur	69
DTACM	DURATRANS	Transition trim	Aluminium powder coated	69, 70
DTACM TR	DURATRANS TR	Transition trim	Aluminium powder coated	69
DTAE	DURATRANS	Transition trim	Aluminium anodised	69, 70
DTAE TR	DURATRANS TR	Transition trim	Aluminium anodised	69
DTRA	DURATRANS R	Transition trim	Aluminium natural	69
DTRAE	DURATRANS R	Transition trim	Aluminium anodised	69

Ref.-No.	Product name	Application	Material	Page
DUFB	DUOFLOOR Border	Finishing trim	Aluminium anodised	197
DUFB LVT	DUOFLOOR LVT Border	Finishing trim	Aluminium anodised	196
DUFE	DUOFLOOR Expansion	Transition trim	Aluminium anodised	197
DUFF	DUOFLOOR Finish	Transition trim	Aluminium anodised	197
DUFF LVT	DUOFLOOR LVT Finish	Transition trim	Aluminium anodised	196
DW. . .	DURAWAY	Customized doormat and frame system	Aluminium, Stainless steel, Ribs; Rubber; Brush	181
DWD-E	DW-DRAIN	Drainage channel incl. grate	Stainless steel (304)	118
DWD-VZ	DW-DRAIN	Drainage channel incl. grate	Galvanised steel	118
DWR	DURAWAY	Ready-made mats	Aluminium/Ribs	179
DWRA	DURAWAY	Angle frames	Aluminium	179
DWRE	DURAWAY	Angle frames	Stainless steel (304)	181
E	CLIPPER Expansion	Transistion trim	Aluminium anodised	199
EA	ENTRY	Fixing anchor for frame system ENTRY	Brass	182
EE	TREDSAFE	Stair nosing profile	Stainless steel (304)	83
EFAE	ENTRY	Frame system for door mats	Aluminium anodised	182
EM FF / EM WS	LED	Remote control „Emotion“	Plastic	106
ET-S	DURABASE ET-S	Sealing mat	PP/PE	146
ET-S D20	DURABASE ET-S	Sound insulation	Polyethylen	147
ET-S FM	DURABASE ET-S	Pipe collar	PP/PE	146
ET-S FX	DURABASE ET-S	External corner	PP/PE	146
ET-S FXDL	DURABASE ET-S	3D-Corner, left	PP/PE	147
ET-S FXDR	DURABASE ET-S	3D-Corner, right	PP/PE	147
ET-S FXI	DURABASE ET-S	Internal corner	PP/PE	146
ET-S FXIW	DURABASE ET-S	Internal corner for tube joint	PP/PE	147
ET-S FXW	DURABASE ET-S	External corner for tube joint	PP/PE	147
ET-S KA	DURABASE ET-S	Complete set for sealing	PE, yellow; Polyamid/Aramid	145
ET-S S10 SK	DURABASE ET-S	Cut protection roll, self-adhesive	Polyamid/Aramid	147
ET-S 120 SK	DURABASE ET-S	Sealing tape „tube“; self-adhesive	PP/PE, yellow	147
EV	ENTRY	Angle connector for frame system ENTRY	Iron galvanised	182
F	CLIPPER Finish	Transition trim	Aluminium anodised	199
FB ECK	FLEXIBAL pro	Corner clip	Stainless Steel (304)	126
FB S	FLEXIBAL pro	Support rail	Aluminium	125
FB SCK	FLEXIBAL pro	Clip	Stainless Steel (304)	126
FB TP	FLEXIBAL pro	Antislip-Pad	Rubber granulate	127
FB WAC	FLEXIBAL pro	Wall connection clip	Stainless Steel (304)	126
FB XCL	FLEXIBAL pro	Connector	Plastic	125
FB XCX	FLEXIBAL pro	Cross connector	Plastic	125
FBM 30	LED	LED motion detector switch EMOTION	Techno-Polymer	105
FBM PK	FLEXIBAL pro	Key for setting and subsequent fine adjustment	Metal natural	127
FBP L	FLEXIBAL pro	Height-adjustable and self-levelling upports for mounting heights 125 - 1.025 mm	Plastic black grey	124
FBP M	FLEXIBAL pro	Height-adjustable, self-levelling supports for installation heights of 25-125 mm	Plastic black grey	123
FBP S	FLEXIBAL pro	Height-adjustable supports installation heights of 10-25 mm	Plastic black	122
FBP TR	FLEXIBAL pro	Rail attachment for click mounting	Plastic black grey	125
FGT	DURABASE FGT	Reinforcing mat	Fibreglass	150
Flex 310 M	Flex 310 M Classic	Polymer adhesive	MS Polymer	140, 147, 226
FSTA	FLORENTOSTEP	Stair nosing profile	Aluminium	84
FSTAC LED	FLORENTOSTEP-LED	LED-illuminated step nosing profile	Aluminium powder coated	102
FSTACM	FLORENTOSTEP	Stair nosing profile	Aluminium powder coated	84, 85
FSTACM LED	FLORENTOSTEP-LED	LED-illuminated step nosing profile	Aluminium powder coated	102
FSTAE	FLORENTOSTEP	Stair nosing profile	Aluminium anodised / Metal die-cast	84, 85
FSTAE LED	FLORENTOSTEP-LED	LED-illuminated step nosing profile	Aluminium anodised /	102
FSTE	FLORENTOSTEP	Stair nosing profile	Stainless steel (304)	85
FSTP LED	FLORENTOSTEP-LED	Cover	Polycarbonat	102, 103, 104
FWS LED	ZUBEHÖR LED	LED surface-mounted wall switch EMOTION	Plastic	105

Ref.-No.	Product name	Application	Material	Page
GKGL	SHOWER-GK GLAS Floor	Inclined wedge and glass carrier, left	Stainless steel (304)	164, 165
GKGR	SHOWER-GK GLAS Floor	Inclined wedge and glass carrier, right	Stainless steel (304)	164, 165
GKGW	SHOWER-GK WALL	Glas carrier trim	Stainless steel (304)	162, 163
GKL	SHOWER-GK	Inclined wedge left	Stainless steel (304)	166, 167, 168
GKMK 1	SHOWER-GK	Glass kit for the installation		163
GKR	SHOWER-GK	Inclined wedge right	Stainless steel (304)	166, 167, 168
GKW	SHOWER-GK Connect	Wall connecting trim for inclined wedge	Stainless steel (304)	172
GKWL	SHOWER-GK	Inclined wedge wall connection, left	Stainless steel (304)	169, 170, 171
GKWR	SHOWER-GK	Inclined wedge wall connection, right	Stainless steel (304)	169, 170, 171
GSD	CONSTRUCT Solid Core	Core skirting strip	PVC	212
KSD	CONSTRUCT Solid Core	Core skirting strip	PVC/HDF	212
LED AK	Accessories	Connection cable		107
LED DVC	LED-EMOTION	LED – Direct connector (only suitable for IP20)		107
LED HOME E	LED Homebase	LED Connection-Set		105
LED SET EF	LED-Set Emotion F	LED Connection-Set		106
LED SET EW	LED-Set Emotion W	LED Connection-Set		106
LED SY	LED-EMOTION	Y-Distribution		107
LED T	LED-EMOTION	LED Transformer		108
LED V	LED-EMOTION	6-way mini jack distribution box		106
LED VBK	LED-EMOTION	Connecting cable		107
LED VLK	LED-EMOTION	Extension cable		107
LEDS	LED-Stripe	LED-Stripe		105, 108
LPTAE	LP-TRANS	Transition trim	Aluminium anodised	202
LPTE	LP-TRANS	Transition trim	Stainless steel (304)	202
LS	MULTIFLOOR LS	Nylon dowels	PVC	200, 226
MFACM	MULTIFLOOR Transition	Height adjustment and transition trim	Aluminium powder coated	200, 201
MFAE	MULTIFLOOR Transition	Height adjustment and transition trim	Aluminium anodised	200, 201
MFDACM	MULTIFLOOR Expansion	Transition trim	Aluminium powder coated	200
MFDAE	MULTIFLOOR Expansion	Transition trim	Aluminium anodised	200
MR2	MITRERITE	Miter scissors		219
MRB2	MITRERITE	Replacement blades		219
MXAE	MAXIFLOOR	Transition trim	Aluminium anodised	204
NWS	NIVOFIX	Levelling System	Polypropylen	216
PE AS	FLOORBASE PE AS	Underlay for laminate/finished parquet	PE / ALU; silver	204
PMK	SPEED-FLEX	MS polymer adhesive		75, 210, 226
PTACM	PROTECT	Stair nosing profile	Aluminium powder coated	92
PTAE	PROTECT	Stair nosing profile	Aluminium anodised	92
PTE	PROTECT	Stair nosing profile	Stainless steel (304)	92
SFL	SANIFLEX	Trims for sanitary areas	PVC	78
SNB LVT	SNAP LVT BORDER	Finishing profile with click-in system	ALU/ABS	195
SNE LVT	SNAP LVT EXPANSION	Transition profile with click-in system	ALU/ABS	195
SNF LVT	SNAP LVT FINISH	Adjustable height profile with click-in system	ALU/ABS	195
SQLAC LED	SQUARELINE-LED	LED-illuminated edging profile	Aluminium powder coated	101
SQLACM LED	SQUARELINE-LED	LED-illuminated edging profile	Aluminium powder coated	101
SQLAE LED	SQUARELINE-LED	LED-illuminated edging profile	Aluminium anodised	101
SQLP	SQUARELINE-LED	Cover	Polycarbonat	101
SQSACM	SQUARESTEP	Stair nosing profile	Aluminium powder coated	86, 87, 130
SQSACM LED	SQUARESTEP-LED	Antislip step profile for stair nosing lighting	Aluminium powder coated	103
SQSAE	SQUARESTEP	Stair nosing profile	Aluminium anodised	86, 87, 130

Ref.-No.	Product name	Application	Material	Page
SQSAE LED	SQUARESTEP-LED	Beleuchtbares Stufenprofil	Aluminium anodised	103
STAE	STEP	Stair nosing profile	Aluminium anodised	90
STFAE	STEPFLOOR	Stair nosing profile	Aluminium anodised	91
STFGAE	STEPFLOOR-G	Stair nosing profile	Aluminium anodised	91
STPR	STEP	Insert	PVC grooved	90
STR	SANISTRIP	Trims for sanitary areas	PVC	78
SW14	DURABASE SW14	Soundinsolation mat	Synthetic fibre	150
T	CLIPPER Transition	Height adjustment and transition trim	Aluminium anodised	199
T	TOOLS	Tools		214 - 225
T 50	TURNFIX	Installation materials		216
TAE	TEKA Step	Stair nosing profile	Aluminium anodised	90
TAE 50	TEKA Border	Finishing trim for insertion	Aluminium anodised	90
TCA	T-COVE	Connection trim	Aluminium high-gloss anodised	71
TCAC	T-COVE	Connection trim	Aluminium powder coated	71
TCAE	T-COVE	Connection trim	Aluminium anodised	71
TD	TI-DRAIN	Point drain	Stainless Steel (304), brushed/powder coated	161
TDP	TI-DRAIN plus	Point drain	ABS , Stainless Steel (304), brushed, natural	160
TFA	T-FLOOR	Cover profile	Aluminium	68
TFACM	T-FLOOR	Cover profile	Aluminium powder coated	68
TFAE	T-FLOOR	Cover profile	Aluminium anodised	68
TFE	T-FLOOR	Cover profile	Stainless steel (304) natural, high-gloss polished, brushed	68
TFM	T-FLOOR	Cover profile	Brass natural, high-gloss polished, brushed	68
TMN	TACNOP	Stud mats	Polyurethane	189
TNAGM	TACNOP F	Studded film	Aluminium	185
TN	TI-NICHE	Tileable recess element	XPS	175
TNE	TACNOP	Single stud	Stainless steel (304) / (V4A/316)	187
TNEE	TACNOP	Single stud	Stainless steel (304) / (V4A/316)	187
TNEEM	TACNOP F	Studded film	Stainless steel (304))	185
TNEG	TACNOP	Single stud	Stainless steel (304) / (V4A/316)	187
TNEGM	TACNOP F	Studded film	Stainless steel (304)	185, 188
TNPEL	TACNOP L	Tactile studs	TPU/ Stainless steel (304)	184
TNPG	TACNOP	Single stud	Polyurethane	188
TNPL	TACNOP L	Tactile studs	TPU/ Stainless steel (304)	184
TNPM	TACNOP F	Studded film	TPU	185, 188
TNS	TACNOP BSL	Template	Galvanised steel	184, 188
TORX	SB-SET	Screws / wall plugs	PVC	92, 204, 226
TR	CLIPFIX	Tile assembly clips		219
TRB	TRIFLOOR BORDER	Finishing trim	Aluminium anodised	198
TRE	TRIFLOOR Expansion	Transition trim	Aluminium anodised	198
TRE LG	TACRIP EM	Single rib	Stainless steel (304) / (V4A/316)	190
TREE	TACRIP EF	Single rib	Stainless steel (304) / (V4A/316)	190
TRF	TRIFLOOR Finish	Transition trim	Aluminium anodised	198
TRPG	TACRIP PM	Single rib	Polyurethane	191
TRPM	TACRIP F	Ribbed film	TPU	191
TRS	TACRIP	Rib template	Plastic	190
TRT	TRIFLOOR Transition	Transition trim	Aluminium anodised	198
TS DNG	TI-SHELF DNG	Corner shelf for retrofitting	Stainless steel (304) brushed	178
TS DRG	TI-SHELF DRG	Tileable shelf	Stainless steel (304) brushed	178
TSAC LM	TI-SHELF LINE	Corner shelf	Aluminium powder tactile coated	176
TSAC PM	TI-SHELF PENTA	Corner shelf	Aluminium powder tactile coated	177
TSE LM	TI-SHELF LINE	Corner shelf	Stainless steel (304) brushed	176
TSE PM	TI-SHELF PENTA	Corner shelf	Stainless steel (304) brushed	177
TSI	DIAMONDTRED	Insert	PVC anti-slip	81
TSK	TURNFIX	Screw caps		216
TSR	TILESITTER	Knee wheeler		219

Ref.-No.	Product name	Application	Material	Page
TSS	TURNFIX	Screw pins		216
TT	STEP MARK	Riser Markings		192
TTB	TACNOP BS	Adhesive template	PET	184
TTE	TACMAT N	Tactile warning mat	Stainless steel (304)	185
TTK	TACNOP KS	Template	PET	184
TTLE	TACRIP	Tactile rib	Stainless steel (304)	185
TTLT	TACRIP	Tactile rib	Stainless steel (304)	185
TTP	TACMAT N	Tactile warning mat	Caoutchoc	185
TTR A	TACNOP	Tactile studs	Aluminium natural smooth	184
TTR E	TACNOP	Tactile studs	Stainless steel grooved	184
TZM	TERRAZZO	Decorative tile dividing trims	Brass	68
UDP	U-DRAIN pro	Drainage channel	Aluminium anodised/PVC	120, 121
UFAE	UNIFLOOR Standard	Transition trim	Aluminium anodised	203
UFE	UNIFLOOR Standard	Transition trim	Stainless steel (304)	203
UFM	UNIFLOOR Standard	Transition trim	Brass high gloss	203
U-PVC KLEBER	Support material	Adhesive		120, 121
VLMB	myVARIO-LINE	Base set (without drainage channel/design grate)	Stainless steel (304) EPS	154
VLMD	myVARIO-LINE	Design grate and drain channel	Stainless steel (304) brushed	155
VLMDC	myVARIO-LINE	Design grate and drain channel	Stainless steel (304) powder coated	155
VLML	myVARIO-LINE	Drain channel Line	Stainless steel (304) brushed	157
VLMLC	myVARIO-LINE	Drain channel Line	Stainless steel (304) powder coated	157
VLMP	myVARIO-LINE	Drain channel Penta	Stainless steel (304 brushed)	156
VLMPC	myVARIO-LINE	Drain channel Penta	Stainless steel (304) powder coated	156
VLPAS	myVARIO-LINE	Drain vertical	PVC	154
VLPHC	myVARIO-LINE	High-Performance drain set	PVC	154
VSF	V-SHOWER flex	Shortenable shower channel for floor-level,	Stainless Steel (304), brushed	152
VSFC	V-SHOWER flex	Shortenable shower channel for floor-level,	Stainless Steel (304), powder coated	152
VSFAV	V-SHOWER flex	High-performance vertical drain	Plastic	154
VSFW	V-SHOWER flex wall	Cuttable shower channel for floor-level	Stainless Steel (304), brushed	153
VSFWC	V-SHOWER flex wall	Cuttable shower channel for floor-level	Stainless Steel (304), powder coated	153
WP	DURABASE WP	Sealing mat	Polypropylene	140, 141
WP++	DURABASE WP++	Sealing mat	PP/PE	139
WPA	DURAGARD WP	Corner protection profile	Aluminium	75
WPFB	DURABASE WP	Sealing tape	TPE/backing fabric polyester	140
WPFM	DURABASE FLEX	Pipe collar	PP/TPE	140
WPFX	DURABASE FLEX	External corner	PP/TPE	140
WPFXI	DURABASE FLEX	Internal corner	PP/TPE	140
WPP	DURAGARD WP	Edge protection profile	PVC	75
WS	DURABASE WS	Self-adhesive sealing mat	PE	143
WS SK	DURABASE WS	Self-adhesive starter kit	PE	143
WSE	DURABASE WS	Self-adhesive corner tape	PE	143
WSKL	DURABASE WS	Self-adhesive PU3-D sealing corner, left	PE	144
WSKR	DURABASE WS	Self-adhesive PU3-D sealing corner, right	PE	144
WSPS	DURABASE WS	Spray primer		143
WSS	DURABASE WS	Self-adhesive skirting tape for walls	PE	143
WSTS	DURABASE WS	Self-adhesive pipe collar set	PE	144
WSVS	DURABASE WS	Self-adhesive fleece tape	fleece, white	143
WSW	DURABASE WS	Self-adhesive sealing tape for tube joints	PE	144
WSWM	DURABASE WS	Self-adhesive pipe collar	PE	144
WSX	DURABASE WS	Self-adhesive external corner	PE	144
WSXF	DURABASE WS	Flexible self-adhesive sealing corner	PE	144
WSXI	DURABASE WS	Self-adhesive internal corner;	PE	144
XFL	XFLAT-LINE	Ultra-flat shower drainage channel set	Stainless Steel (304) / EPS	159
ZFC	Z-FLEX CURVER I + II	Mechanical Z-Flex bending device		219

DURAL 2026
CLASSIC COLOURS

TILE PROFILES **ALUMINIUM ANODISED**


Alu anodised silver


Alu anodised silver
high-gloss


Alu anodised silver
high-gloss brushed


Alu anodised gold

Alu anodised gold
high-gloss


Alu anodised titanium


Alu anodised titanium
high-gloss


Alu anodised titanium
high-gloss brushed

TILE PROFILES **ALUMINIUM TACTILE COATED**


tactile beige


tactile brown


tactile anthracite

TILE PROFILES / SHELF SYSTEMS / BALCONY ANGLE PROFILES **STAINLESS STEEL**



Stainless Steel natural


Stainless Steel high-gloss polished


Stainless Steel brushed

TILE PROFILES / FLOORING PROFILES **BRASS**


Brass natural


Brass high-gloss polished


Brass chrome

TILE PROFILES **PVC UNI**

white (30)


black (33)


grey (38)

silver grey (51)

COLOUR YOUR **STYLE** 2026

COUNTRY

TILE PROFILES / BALCONY ANGLE PROFILES

ALUMINIUM TACTILE COATED

cream (RAL 9001)

oyster white (RAL 1013)

light ivory (RAL 1015)

ivory (RAL 1014)


grey beige (RAL 1019)


beige grey (RAL 7006)


moss grey (RAL 7003)


brown grey (RAL 7013)


yellow olive (RAL 6014)


terra brown (RAL 8028)


grey brown (RAL 8019)

COLOUR YOUR **STYLE** 2026

URBAN

TILE PROFILES /
TERRACE END PROFILES / BALCONY ANGLE PROFILES

ALUMINIUM POWDER COATED


sand (RAL 0808005)


agate grey matt (RAL 7038)


concrete grey (RAL 0006500)


traffic grey A matt (RAL 7042)


dusty grey matt (RAL 7037)


telegrey 2 matt (RAL 7046)


basalt grey matt (RAL 7012)


iron grey matt (RAL 7011)


anthracite grey matt (RAL 7016)


black grey matt (RAL 7021)

COLOUR YOUR **STYLE** 2026
FUNCTIONAL

TILE PROFILES
ALUMINIUM POWDER COATED


gold (52)


titanium (53)


copper (54)


bronze (55)


graphite (56)


black matt (RAL 9005)


black

white matt (RAL 9003)

white

DURAL 2026
COLOUR FITTING

TILE PROFILES / FLOORING PROFILES / BALCONY ANGLE PROFILES / STAIR NOSING PROFILE
SKIRTING PROFILES / SHELF SYSTEMS / SHOWER CHANNELS / INCLINED WEDGES
ALUMINIUM POWDER COATED


sand (RAL 0808005)


concrete grey (RAL 0006500)


black matt (RAL 9005)

white matt (RAL 9003)

2026
PRICE LIST

PL UK | Valid from 01.01.2026

DURAL





DURAL (UK) LTD
Unit 6a
Wakefield Business Centre
Denby Dale Road · Wakefield
West Yorkshire · WF2 7AZ
T: 01924 360 110
ukinfo@dural.com · dural.com

TÜVRheinland ZERTIFIZIERT
Management System
ISO 9001:2015
www.tuv.com
ID 9000030791

1/26 Article no: 46000000-UK

The colours depicted are reliant on the printing process and may deviate slightly from those shown. We reserve the right to make technical amendments and design changes. We accept no liability for printing errors.

4 018448 171271