

CONTRACT PRODUCTS, SYSTEMS & SOLUTIONS

THE BEST PRODUCTS & SYSTEMS FOR ANY COMMERCIAL SECTOR.



CONTRACT Products, systems And solutions

At UZIN we work with contractors in partnership and have systems suitable for any type of commercial work or floor covering. We provide comprehensive technical support both on and off site should you need any help or assistance. Our products are of the highest quality, extremely reliable and focus on sustainability. Our unique solutions will also allow you to overcome any problems you may face outside of your normal scope of work.

UZIN OFFERS MORE

PRODUCT OVERVIEW


UZIN Best Sellers	06 – 09
WOLFF Machines for subfloor preparation	10 - 11


SYSTEM RECOMMENDATIONS

UZIN Floor Navigator & App	12 – 13
----------------------------	---------

SECTOR SOLUTIONS

Hospitals & Healthcare 16 – 17 Public Buildings & Offices 18 – 19 Housing 20 – 21 Education 22 – 23
Housing
Education
Hotels & Restaurants
Retail & Leisure
Industrial





UZIN OFFERS MORE WE HAVE MADE IT OUR MISSION TO

We provide excellent customer service and technical support to help you with any queries you may have. We can assist you on site with moisture testing and provide written specifications for projects you are working on. We also provide free training so you can learn more about our products

We are renowned for solving any problem and can provide the best solution for any project. Depending on the scenario, our unique systems are designed to rectify issues, expedite projects and minimise downtime.

We not only pioneer new products but continually develop and improve our existing products. We also embrace new technology and have innovated a number of digital, such as the UZIN Floor Navigator, to help you in your

Making our products solvent free and low emission is central to our ethos for sustainability. We also adopt environmental initiatives across all aspects of the business, for example, most of our plastic canisters are made from 100% recycled plastic and can be recycled once used. We can also provide advice and assistance to ensure any project is compatible with environmental building certification such as BREEAM.

Through our sister brands we have everything you need for the floor. Whether machines and tools from WOLFF or Pajarito, wood flooring adhesives and lacquers from PALLMANN or resin flooring from Arturo. We utilise the expertise of these brands to provide solutions that go beyond the UZIN

PRODUCT OVERVIEW UZIN BEST SELLERS

With our extensive range of products, it is often difficult to find the right products for your projects. UZIN has therefore put together a selection of our best selling products which cover your daily work requirements for 90% of all installations. This makes searching for a product easier and allows you to focus on the right products for your project.

The UZIN Best Sellers includes our most widely used products, but we have a broader variety of products to provide solutions for different scenarios. Please visit www.uzin.co.uk to see our complete range of products.

UTZŪM

NC 15

UZIN PE 280



Rapid drying primer for use over non-absorbent subfloors and DPMs.

PRIMERS

- + Ideal for use over damp proof membranes
- + Contains carbon aggregates
- + Very fast drying

Pack Size: Approx. Coverage: 33 - 71 m² 5 kg 12 kg 80 - 170 m²



(ECT) O

ECT

ECT

PE 280

Drying Time*:

45 min.

UZIN PE 360 PLUS

Fast drying primer for new and old substrates.

- + Fast drying with excellent penetration
- + Reduces absorbency of the substrate

66 – 125 m²

and binds surface dust

+ Sustainable packaging Pack Size: Approx. Coverage: $33 - 63 \text{ m}^2$ 5 kg



UZIN PE 425

10 kg

Epoxy primer for reinforcement of weak screeds or use within the moisture suppressant system.

- + For use within a moisture suppressant system for anhydrite screeds
- + Excellent reinforcement of weak and
- porous screeds + Deeply penetrating



Drying Time*: 1st coat 1 - 2 h / 2nd coat 12 – 48 h

UZIN PE 630

For priming and filling jointed substrates in one.

mate drying time at 20 °C / 68 °F and 65 % relative humidity **See product data shee

- + Ideal for use over wooden floorboards, flooring grade plywood and old tiles
- + Fills, seals and smooths in one application
- + Fast drying, highly viscous and excellent adhesion

Pack Size: Approx. Coverage: 16 kg 30 - 60 m²



.3 Urzin 2 25 KG 📰 E 2000 20 kg 📰 UZNU UZIN

Uzin

The state

6

DAMP CONTROL SYSTEMS

UZIN L3 GOLD SYSTEM PRIMER



- + For use as a residual moisture vapour suppressant up to 95%**
- + 2 coats dry in 2 hours
- + Recyclable packaging

Pack Size: 5 kg 10 kg

Approx. Coverage: 38 - 83 m² 77 – 167 m²



UZIN L3 GOLD MOISTURE CONTROL

For use in areas of high moisture up to 95% RH**.

- + Exceptionally quick system
- + Simple and easy to use
- + Recyclable packaging, easier to handle and dispose of
- Pack Size: 20 & 4.6 kg

Approx. Coverage: 5 m² at 3 mm

Drying Time*: 2 h

UZIN PE 404

Rapid drying, residual moisture vapour suppressant for use up to 98% RH**.

- + Rapid drying, 2 coats dry in 2 hours
- + Single component so no mixing or waste
- + Easy to use and solvent-free

Pack Size: 10 kg

Approx. Coverage: 60 – 80 m²

Drying Time*: 1 h per coat

UZIN PE 480

- 1 or 2 coat epoxy DPM for use up to 99.9 % RH**.
- + For areas without a structural DPM
- + Exceptional performance even cures on wet surfaces
- + Frost resistant and solvent free

Pack Size:	Approx. Co
5 kg	10 – 20 m ²
10 kg	20 – 40 m ²

verage:



PRODUCT OVERVIEW









C25 DIN EN 13813

ECT





REPAIR MORTARS

UZIN NC 182

Low slump, multi-purpose repair mortar.

- + Moisture tolerant repair mortar for use at any thickness
- + Can be remixed during the working time if it becomes too stiff
- + Rapid setting even at low temperatures
- Pack Size: Approx. Coverage: 12.5 kg 2.7 m² at 3 mm 1 h

Drying Time*:

NC 18

NC 888 3

C16 DN EN 13 813 F5

C25

UZIN NC 888 S

Rapid drying, fine repair mortar.

- + Fine, smooth and extremely rapid setting
- + Robust foil packaging
- + No priming required before use**
- Pack Size: Approx. Coverage: 4.1 m² at 1 mm 4.5 kg
- Drying Time*: 15 min

SMOOTHING COMPOUNDS

UZIN L2 CONTRACT

Cost effective 2 part smoothing compound

- + Quick setting ready for fit on the next day
- + Excellent flow and workability
- + Suitable on substrates subject to residual construction moisture

Pack Size: Approx. Coverage: 20 kg & 4.8 kg 5 m² at 3 mm

Drying Time*:

UZIN L3 GOLD

Extremely rapid drying 2 part smoothing compound, floors can be installed after 2 hours!

- + For use without priming, even over well bonded, waterproof adhesive residues**
- + Recyclable packaging, easier to handle and dispose of
- + Can be used under a DPM and the fantastic flow provides a great finish with minimal effort

Drying Time*: Pack Size: Approx. Coverage: 20~kg & 4.6 kg $~5~m^2$ at 3 mm 2 h

UZIN NC 110

Calcium sulphate based smoothing compound.

- + For use over a variety of substrates
- + Very low stress

8

+ Excellent flow producing and exceptional smooth finish

PRODUCT OVERVIEW

Pack Size: Approx. Coverage: 25 kg 5.5 m² at 3 mm

Drying Time*: 24 h

SMOOTHING COMPOUNDS

NC 770

UZIN NC 151

Heavy duty smoothing compound.

- + Quick, reliable and consistent drying
- + Dries on absorbent and non-absorbent substrates in 6 hours
- + Great flow, easy to spread and extremely smooth finish

Pack Size: Approx. Coverage: Drying Time*: 20 kg 5 m² at 2-3 mm 6 h

UZIN NC 196

Pack Size:

20 kg

Fibre-reinforced smoothing compound for

use over floor grade plywood & chipboard.

- + Enriched with reinforcement fibres to reduce the formation of cracks
- + Excellent flow characteristics for ease of use
- + Low stress even when applied up to 40 mm Approx. Coverage:

UZIN NC 770 INDUSTRIAL TOP

5 m² at 3 mm

Topcoat for producing a wear-resistant floor finish.

- + Excellent abrasion resistance and pumpable
- + Ideal for use in industrial locations where
- there is heavy machinery or fork lifts operating + Can be used as an industrial smoothing
- compound for resin coatings

Pack Size: Approx. Coverage: 5 m² at 3 mm 25 kg

Drving Time*: 24 h

Drying Time*:

24 h

UNDERLAY

UZIN RR 620

Flexible, self-adhesive and acoustic underlay.

- + Quick, easy and cost effective alternative to plywood
- + Low residual indentation

+ Increases underfoot and ambient comfort

Pack Size: Approx. Coverage: 1 roll 7.5 m² 75mx1m

Drying Time*: None, immediately readv

ADHESIVES

UZIN KE 49 HT

High temperature or pressure sensitive adhesive for hybrid application.

- + Can be used as a wet, semi wet, pressure sensitive or contact adhesive
- + Extremely reliable adhesion and no waste
- + Open time: 10-60 min. working time: 15 - 120 min.

Pack Size: Approx. Coverage: Drying Time*: 6 kg 20 - 30 m² A1 - A2 notch 24 - 48 h 14 kg 46 - 70 m² A1 - A2 notch

UZIN KE 66

High temperature adhesive for LVT, vinyl & rubber.

- + Wet set with no lateral movement for faster working times
- + Fibre-reinforced & high shear strength for excellent adhesion
- + Open time: 5-10 min. planks & tiles / 20-25 min. sheet material, working time: approx. 20 min.

Pack Size: Approx. Coverage: Drying Time*:

6 kg	21 m ² A2 notch	24 h
14 kg	50 m ² A2 notch	

UZIN KE 2000 S

Pressure sensitive adhesive for vinyl, lino, rubber & LVT.

- + Suitable for use as a wet, semi wet, pressure
- sensitive or contact adhesive
- + Excellent early and final strength
- + Short open time: 10-45 min., working time: 15-120 min.

Pack Size: Approx. Coverage: Drying Time*: 19 - 24 m² A2 notch 24 h

6 kg 14 kg 44 - 56 m² A2 notch

UZIN KE 2428

Vinyl and carpet adhesive with excellent grab.

- + Fitter friendly, fast and reliable installation
- + Great initial grab and strong thread formation
- + Open time: 5-10 min, working time: 25-35 min.
- Pack Size: 5 kg 14 kg
- Approx. Coverage: 14 - 16 m² A2 notch 24 – 48 h 40 - 46 m² A2 notch





0

ADHESIVES

UZIN KE 2560^{uk}

Powerful carpet adhesive for carpet &

needlepunch.

- + Ouick initial grab
- + Strong thread formation and great final strengt
- + Open time: 0-10 min., working time: 35 min.
- Pack Size: 14 kg
- Approx. Coverage: 29 – 35 m² B1 notch
- Drying Time*: 24 h

UZIN U 2100

Slip resistant adhesive for carpet tiles.

- + For use on access flooring, raised flooring and smoothing compounds
- + Very strong pressure sensitive
- + Sustainable packaging

Pack Size: 10 kg

Approx. Coverage: $100 - 200 \, \text{m}^3$



TAPE ADHESIVES

UZIN REMUR

Adhesive tape for skirting, capping and coving.

- + Reinforced with metal to prevent shrinkage and gapping
- + Quick, clean & easy installation
- + Extremely strong bond

Pack Size:	Dime
8 rolls / pack	25 mr
6 rolls / pack	35 mr
2 rolls / pack	95 mr
2 rolls / pack	145 n

ensions: m x 50 m m x 50 m

m x 50 m mm x 50 m

Drying Time*: None, immediately ready

UZIN SIGAN TAPES

Double sided adhesive tapes for rapid refurbishments.

- + Different adhesive tapes for installing different types of floors over existing floor coverings or smoothing compounds
- + Quick, clean and easy with minimal disturbance

Pack Size: Approx. Coverage: 75 cm x 25 m & 20 m² 5 cm x 25 m roll









PRODUCT OVERVIEW

MACHINES FOR SUBFLOOR PREPARATION

WWW.WOLFF-TOOLS.CO.UK

When installing any floor, subfloor preparation is key. Wolff Tools range of award winning stripping machines and powerful grinding machines help you prepare the substrate quickly and easily. A variety of machines and tools are available depending on the size of your project or budget and we can help with advice to ensure you use the right machine, blade or segments.

STRIPPING MACHINES

WOLFF DURO STRIPPER OUR BEST SELLER

- + Our best-selling stripping machine for removing most types of floor coverings
- + Special bearings to reduce vibrations
- + Rugged metal casing
- + Can be operated as a handheld machine with the removal of the handle
- + Available in 115V or 230V

WOLFF VARIO STRIPPER EXTREMELY OUIET

- + Extremely quiet motor makes it ideal for use in occupied buildings i.e. hospitals, schools and offices
- + Removes vinyl, linoleum and rubber floor coverings
- + Self-propelled machine with the controls integrated into the top of the handle
- + Easy to transport thanks to detachable weight and handle
- + Pull-Back-System for safe operation in corners and along walls
- + Available in 115V or 230V

WOLFF TURBO STRIPPER POWERFUL SELF-PROPULSION

- + Extremely powerful, self-propelled with hand operated clutch for more convenient operation
- + For removing all floor coverings
- + New clutch system for smoother operation
- + Emergency stop button
- + Detachable weight and handle for easy transportation
- + Available in 115V

STRIPPING MACHINES

WOLFF BITURBO-STRIPPER **ULTIMATE POWER!**

- + Ultimate power and excellent performance due to linear blade movement
- + For removing carpets, all resilient floor coverings and wooden flooring
- + Forward and reverse self-propulsion
- + Weights can be removed and the machine can be split into two for
- easier transportation + Easy to use controls
- + Available in 115V

WOLFF ROBO STRIPPER **REMOTE CONTROLLED STRIPPING MACHINE**

- + Zero hand vibrations due to remote control operation
- + Extremely manoeuvrable
- + Quick to dismantle for easy transportation
- + Easy blade replacement and 3 adjustable angles
- + Patented torsion joint for stable and level blade
- + Available in 115V





WOLFF SAMBA VERSATILE

- + Versatile machine for grinding, cleaning and sanding
- + Robust steel gears
- + Reinforced handle
- + Large range of discs and accessories
- + Available in 115V or 230V

WOLFF NEO 230 **POWERFUL PERFORMANCE**

- + Powerful grinding machine
- + Ideal for working close to walls due to pivoting head
- + Height adjustable and folding handle
- + Diamond segments are easy to replace
- + Available in 115V or 230V

WOLFF MAMBO EVO **EXCEPTIONAL GRINDING & MILLING**

- + High torque for fast and effective operation
- + Excellent abrasion and great power even at low speeds
- + Variable speed control from 100 to 400 rpm
- + Height adjustable wheels, folding handle and detachable weight for easy transportation
- + Available in 115V or 230V



Please visit www.wolff-tools.co.uk for more information about the WOLFF product range.

















VACUUMS

WOLFF VACUCLEAN 2

HIGH-PERFORMANCE

- + High-performance industrial vacuum cleaner for coarse dirt and dust
- + Semi-automatic and highly efficient filter system using powerful air blasts for a long service life
- + The vacuum display indicates possible clogging of the filter
- + Dirt can be removed quickly, safely and hygienically using the emptying function on the container
- + Available in 115V

WOLFF VACUCLEAN 2 LP **EASY WASTE DISPOSAL**

- + Same performance as the Vacuclean 2 but with the Longopac system for removing coarse dirt and dust
- + Lift function to lower the suction unit
- + 22 m endless dust bag
- + Available in 115V







PRODUCT OVERVIEW

SYSTEM RECOMMENDATIONS WITH THE UZIN FLOOR NAVIGATOR & APP

What makes the UZIN product range so special? We think in systems, not just individual products offering our customers the best solution for any project.

Whatever the substrate, UZIN has a system for every situation. To help you choose the right system we have developed the UZIN Floor Navigator, an online tool which enables you to select the correct products for each of your projects. Simply choose the type of subfloor and floor covering, it will then recommend what products to use.

The new UZIN App also features this tool as well as instant access to all product information, product data sheets and other digital tools via direct links to our website. If you prefer to speak to our technical department or need on-site support, please call 01788 530 080.







SECTOR SOLUTIONS

VERSATILE SOLUTIONS FOR ANY SECTOR

Our systems are designed to be used in any sector but should you have queries or require any assistance we are happy to help.





Public Build Systems for r with old adhe

Industrial System for da

÷ **UZIN** offers more





UZIN have product systems which can be used in a variety of commercial sectors. The 7 systems within this brochure are just examples of solutions UZIN can provide for each sector. The systems are interchangeable and can be used for different sectors depending on the substrate, type of floor covering being installed or the needs of your clients.

Hospitals & Healthcare
Public Buildings & Offices
Housing
Education
Hotels & Restaurants
Retail & Leisure
Industrial

+ Unique system and solutions

We heavily invest into new product innovations and systems, many of which are unique, niche or specialist. Within each of the 7 systems featured, you can learn how UZIN Offers More, providing unique systems to help you streamline work, expedite projects and overcome problems you may face.



RENOVATE FLOORS IN THE QUICKEST TIME POSSIBLE

Sigan 2 Tape (or Sigan Elements Tape for LVT)

Sigan 1 Tape (or Sigan Elements Plus Tape for LVT)

Planus Primer

Vinyl Safety Flooring

UZIN NC 151 Heavy Duty Smoothing Compound or UZIN L2 Contract 2 Part Smoothing Compound

UZIN PE 360 Plus Primer

New floors in hospitals need to be very durable to withstand heavy footfall and frequent transport of beds between departments. It is also important that solvent-free and low emission products are used to create a healthier indoor environment for patients, staff and visitors. UZIN has a range of suitable EC 1 Plus certified adhesives and heavy duty smoothing compounds such as UZIN NC 151 to meet such demands.

Case Study Wythenshawe Hospital

The Starlight Children's Ward at Wythenshawe Hospital provides care, medical treatment or surgery for children aged 0-16 needing a hospital stay. The entire 2000 m² floor needed to be renovated but the Hospital didn't want to close down the ward so important care could continue during the refurbishment.

UZIN offers more:

Refurbishments projects in hospitals and other sectors, such as retail, need to be completed quickly to avoid downtime, which can affect essential care or cause a loss of sales. With SwitchTec[®] products, it is possible to renovate floors extremely quickly without causing unnecessary disturbances or closing wards and business operations. These systems are designed to be used discretely so that normal business hours are not disrupted during installation and future removal.

With Sigan tapes, a new floor covering can be applied onto an existing floor covering (or subfloor) without having to remove the old floor. New floor coverings can be installed quickly, quietly and cleanly. The new floor covering can also be used and walked upon immediately. When the covering applied becomes worn after years of use, it can be removed quickly and easily, without leaving any adhesive residues.

Old Floor Covering

Dry Cement or Anhydrite Screed

HOSPITALS & HEALTHCARE

With Sigan 1 adhesive tape, the new vinyl safety flooring was applied onto the existing substrate after it was skimmed with UZIN NC 888 S fine repair mortar and primed with Planus. The contractor, Momentum Flooring also worked in stages so areas within the ward could be kept running, whilst keeping any disturbances to a minimum.

"UZIN have the expertise and systems to help find a solution to any problem. The Sigan system allowed us to install the floor without closing down the ward."

Chris Keher, Director, Momentum Flooring Services Ltd

+ Extremely quick renovations with minimal disturbance

HOSPITALS & HEALTHCARE



MORE DURABLE & SUSTAINABLE REFURBISHMENTS

UZIN KE 66 High Temperature Adhesive, UZIN KE 2000 S Pressure Sensitive Adhesive or UZIN KE 49 HT High Temperature or Pressur Sensitive Adhesive

UZIN L3 Gold 2 Part Smoothing Compound*

UZIN L3 Gold 2 Part Smoothing Compound*

UZIN PE 480 Damp Proof Membrane*

Luxury Vinyt Tiles

UZIN L3 Gold 2 Part Smoothing Compound*

Public buildings often have different areas and use, so a variety of different types of floors may be installed within each of these locations. Whatever the type of floor covering, whether it be vinyl, lino, rubber, LVT or wood, UZIN have a suitable adhesive. UZIN U2100 tackifier is also ideal for installing carpet tiles in offices. Regardless of the floor covering, the subfloor preparation should be robust to compensate for heavy footfall and chair castors.

Case Study Islington Customer Centre

UZIN's premium quality products were used to resolve the problem by Olivers Contracts. A Wolff Samba machine with diamond segments was first used to remove all contamination and loose latex. The floor was then primed with UZIN PE 280 before UZIN NC 110 gypsum smoothing compound was applied. The luxury vinyl tiles were then installed with UZIN KE 66 high temperature adhesive. The client was exceptionally pleased with the finish throughout all areas.

finished flooring."

UZIN offers more:

When renovating older buildings, old subfloors frequently contain old adhesive residues. These can either be removed or coated with UZIN L3 Gold smoothing compound, provided the residues are well bonded to the substrate and waterproof. If not UZIN can provide a range of grinding machines via Wolff Tools to help prepare the floor. UZIN L3 Gold has a high compressive strength of 25 N, providing better durability than lower strength 2 part smoothing compounds.

The UZIN L3 Gold liquid is contained in recycled cardboard packaging making it better for the environment and easier to recycle. There is also less hassle and the expense of disposing plastic bottles.

* Please see the product data sheet for more information

PUBLIC BUILDINGS & OFFICES

At Islington Customer Centre, the old floor had been coated with some form of seal and paint. Overall, the 900 m² floor appeared soft and a little unstable. Footfall is high, so the installation system needed to be strong even though it would be applied over a soft subfloor.

"I am very pleased with the quality and appearance of the

Gareth Jenkins, Project Manager at Islington Council

+ High compressive strength and sustainable packaging



PUBLIC BUILDINGS & OFFICES

SOLUTIONS FOR ANHYDRITE SCREEDS

Carpet

UZIN KE 2560^{UK} Carpet Adhesive or UZIN KE 2428 Vinyl & Carpet Adhesive

UZIN NC 110 Gypsum Smoothing Compound

UZIN PE 280 Rapid Drying Primer

UZIN PE 480 Damp Proof Membrane or UZIN PE 404 Rapid Moisture Suppressant

UZIN PE 425 Reinforcement Primer



Time constraints are often a major factor in the housing sector, especially in new buildings. UZIN offers time-saving system solutions through the use of quick drying smoothing compounds such as UZIN L3 Gold 2 part smoothing compound or UZIN NC 151 heavy duty smoothing compound. If house builders are using anhydride screeds, UZIN also has systems and can even protect against residual moisture in anhydrite screeds up to 95% RH.

Case Study

With UZIN's specialist range of products for remedial work and residual moisture protection for anhydrite screeds, Oxden Floors Limited approached UZIN to provide a solution. Although the complications with the screed added a fair amount of additional work to a challenging 10 week programme, between the site operatives and Oxden Floors Limited, the handover was completed on time. The final finish of the subfloor preparation was well received by all. Due to the professional advice offered and the quality of the works, Oxden Floors Limited secured the contract for Phase 2 of the project.

"UZIN have the expertise and product range to overcome many issues encountered on site. This enabled us to propose a suitable solution and reduce ongoing delays to this project." Lee Fox, Managing Director, Oxden Floors Limited

UZIN offers more:

up to 95% RH*

prevent delays.

DPM must also be presen

UZIN KE 2000 S Pressure Sensitive Adhesive, UZIN KE 49 HT High Temperature or Pressure Sensitive Adhesive or UZIN KE 2428 Vinyl & Carpet Adhesive

Anhydrite Screed up to 95% RH*

Dry Anhydrite Scre

UZIN PE 360 Plus Primer

Vinyl




Farrow Court Sheltered Housing

Oxden Floors Limited were contracted to install floor coverings in 33 flats and communal areas totalling 4000 m² at Farrow Court Sheltered Housing. There was evidence of laitance on the surface of the anhydrite screed and areas of damaged floor screed due to ingress of rain and cracks.

+ Protect anhydrite screeds against residual moisture

Whether in a new build or refurbishment, protecting against subfloor moisture is critical for ensuring the success of any final floor finish. Until recently, the industry has failed to find a solution for protecting against high residual moisture in anhydrite screeds, also known as calcium sulphate or gypsum. To help expedite projects, UZIN has developed a unique system to protect anhydrite screeds against residual moisture up to 95% RH*. The system ensures any projects can be completed to schedule and helps



HOUSING



QUICK AND EASY PROTECTION AGAINST RESIDUAL MOISTURE

UZIN KE 2000 S Pressure Sensitive Adhesive, UZIN KE 49 HT High Temperature or Pressure Sensitive Adhesive or UZIN KE 2428 Vinyl & Carpet Adhesive

UZIN NC 151 Heavy Duty Smoothing Compound or UZIN L2 Contract 2 Part Smoothing Compound

UZIN PE 280 Rapid Drying Primer

UZIN PE 404 Rapid Moisture Suppressant*



UZIN L3 Gold Moisture Control

UZIN L3 Gold Primer*

Vinyl

EDUCATION

Whether in a nursery, school or university, all educational facilities have to withstand heavy foot traffic. UZIN offers suitable solutions for refurbishments in all educational establishments, with unique systems to help projects be completed within short time scales over term holidays.

Case Study Joseph Swan Academy

"The new flooring and all associated materials have brought the school back to life, breathed new life into tired corridors and worn out classroom carpets. The finish and look of the flooring materials are first class and I can testify to their durability and style. A huge thank you from everyone at Joseph Swan Academy." Allan Fuller, Head Teacher, Joseph Swan Academy

UZIN offers more:

just one day.

it is much easier to recycle and saves floor contractors the expense of

Residual Moisture in Cement Screed up to 98% RH*

Residual Moisture in Cement Screed up to 95% RH*

A UZIN system was used to install the new floors across the entire ground floor at Joseph Swan Academy, Gateshead, after the school was damaged by a flash flood. The main challenge was to refurbish the floor during the summer holiday so the school could be reopened for the start of the new term.

The flooring contractor only had 9 weeks to remove, repair and dry out the damaged floor before installing the new floor coverings. Even though the drying process took 3 weeks the flooring installation was completed on time using the UZIN L3 Gold Moisture Control system.

+ Prime, smooth & install in 5 hours up to 95% RH*

UZIN L3 Gold Moisture Control system quickly helps protect against residual moisture in cement screeds up to 95% RH and allows floors to be installed in just 4-5 hours. With the exceptionally simple UZIN L3 Gold Moisture Control System, fitters just have to follow three uncomplicated steps. Prime the substrate, mix and apply the 2 part smoothing compound and finally apply the adhesive. The rapid system also helps save time and labour as floors can be installed in

The packaging of UZIN L3 Gold primer and liquid canisters are sustainable as they are made from recycled cardboard rather than plastic. As the cardboard can be flattened,

- disposing large amounts of plastic bottles.



Only for residual moisture, a structural DPM must also be present. Please see the product data sheets for more informat

EDUCATION

UZIN provides a variety of solutions for hotels, restaurants and commercial kitchens. Floors within these locations need to be robust, whilst the appearance of the floors in hotels and restaurants is crucial. Many establishments also require low emission and solvent free products to be used to safeguard the health of guests and diners. It is also important that renovations happen guickly so businesses do not suffer adverse losses of income whilst refurbishments take place. Whatever the situation UZIN has a suitable system.

Case Study Boringdon Hall Hotel

to continue.

Russells Flooring Ltd used a UZIN system to help them overcome the problem. Two coats of UZIN PE 425 primer were first applied to the anhydrite screed, followed by two coats of UZIN PE 404 moisture suppressant and a coat of UZIN PE 280 primer. After the smoothing compound was applied, a variety of different floor coverings were installed using UZIN KE 2000 S pressure sensitive adhesive. The client was extremely happy with the finish of the floor coverings and Russells Flooring Ltd received exceptional feedback from the builders.

UZIN offers more:

Luxury Vinyl Tiles

QUICK, CONSISTENT & **RELIABLE INSTALLATIONS**

UZIN KE 66 High Temperature Adhesive, UZIN KE 2000 S Pressure Sensitive Adhesive or UZIN KE 49 HT High Temperature or Pressure Sensitive Adhesive

UZIN NC 151 Heavy Duty Smoothing Compound or UZIN L2 Contract 2 Part Smoothing Compound

UZIN PE 360 Plus Primer

HOTELS & RESTAURANTS

A variety of flooring needed to be installed across 900 m² at the new Gaia Spa at Boringdon Hall Hotel. The builders had used an anhydrite screed for the installation and the moisture levels were over 75% relative humidity (RH). Waiting for damp anhydrite screeds to dry can take a long time, so the client required a solution to enable work

"We use UZIN products regularly and find their wide range of products and service outstanding, which helps provide a first class finish for our clients."

Andrew Russell, Company Director, Russells Flooring Ltd.

+ Fast and dependable installations

When projects need to be completed quickly, you need products you can trust. UZIN NC 151 is a heavy duty smoothing compound which dries quickly, reliably and consistently. It is ready to receive most floor coverings after only 6 hours, whether applied on an absorbent or non-absorbent surface. It has great strength, excellent flow and

is easy to apply. It also produces an

- exceptional finish for all floor coverings and is ideal for projects which require
- a durable and long lasting floor finish.



HOTELS & RESTAURANTS

SAVE TIME WHEN REFURBISHING

UZIN KE 66 High Temperature Adhesive, UZIN KE 2000 S Pressure Sensitive Adhesive or UZIN KE 49 HT High Temperature or Pressure Sensitive Adhesive

JZIN NC 888 S Fine Repair Mortar

UZIN NC 196 Fibre-reinforced **Smoothing Compound**

UZIN PE 630 Filler & Primer

It is extremely important that refurbishments are completed in the guickest time possible in the retail and leisure sectors, as any downtime may have a negative impact on revenue for the client. The SwitchTec® system is ideal for use in these environments as it allows floors to be renovated in the guickest time possible without the need to close premises (please see page 17 for more information). Depending on the age of the building, a variety of different substrates may be discovered. UZIN offers solutions for any type or condition of subfloor, whether it be cement with old adhesive residues, damp anhydrite screeds or old wooden floorboards and tiles.

Case Study Sissons Barn

"The flooring in our new barn has been brilliant from the moment it went down. Both staff and guests compliment us on the effect it gives the barn and it is very comfortable under foot for long shifts and lots of dancing!" Laura Harris, Owner

UZIN offers more:

+ Quick and easy installations over floorboards, tiles and flooring grade plywood

Flat surfaces need to be created on subfloors which contain joints such as wooden floorboards, tiles and flooring grade plywood prior to the installation of the floor covering.

the formation of cracks.

Flooring Grade Plywood such as Hanson SP101

Wooden Floorboards, Flooring Grade Plywood or Ceramic Tiles*

RETAIL & LEISURE

Sissons Barn is a beautiful, oak framed venue purpose built as a prestigious setting for weddings and events. A new floor was required across all areas of the barn, which contains a stunning open plan room for seating and a dance floor as well as a bar, lounge and back of house areas. The entire front section of the large barn was made of oak and glass, so the floor needed a ripple free finish.

The flooring contractor, Superior Finish Contracts Ltd, turned to UZIN because an excellent finish was needed to match the striking surroundings. The UZIN system enabled a flat surface to be created, which would cope with heavy footfall. The flooring has also helped contribute to creating a stunning and beautiful venue.

The quickest and easiest method is with UZIN PE 630, a rapid drying primer and filler which can be applied in one coat. This creates an exceptional bond and helps save time. Applying UZIN NC 196 fibre

reinforced smoothing compound ensures the greatest reliability over such substrates as it reduces urain.

* UZIN PE 630 does not stop or disguise a floor that is deforming, it is only designed to cope with movement of that floor. It is important to ensure that any subfloor is stable, any deformation of the substrate due to changing site conditions will be reflected on the surface

RETAIL & LEISURE

EXCEPTIONAL WEAR-RESISTANT FLOOR FINISH

UZIN NC 770 Industrial Top

UZIN PE 280 Rapid Drying Primer

UZIN PE 480 Damp Proof Membrane*

Damp Cement Screed up to 99.9% RH

UZIN PE 360 Plus Primer

INDUSTRIAL

Whether in a warehouse, factory or workshop, industrial floors need to be extremely durable and offer excellent resistance. UZIN have a comprehensive industrial range for any scenario, including primers, damp proof membranes and industrial tops. UZIN can also provide resin finishes through our Arturo brand to provide total systems for industrial environments. Please contact UZIN or Arturo for additional support and advice regarding industrial solutions.

Case Study

Unipart asked Zenith Pola Flooring to install a new floor to withstand industrial traffic. In particular, they wished to create a 1000 m² 'showpiece' area for displaying to clients, which needed to be totally seamless and durable.

Zenith first utilised UZIN's subfloor preparation products before applying Arturo resin to create a seamless, low maintenance and hardwearing finish. The project was completed on schedule and without any problems.

"Zenith Pola Flooring provided a specification that allowed us to refurbish our floor without the need for a prolonged shutdown. We are extremely happy with the service provided throughout the project and with the finish of the floor." Roy Fraser, Unipart

÷ **UZIN** offers more:

+ Heavy duty finish

Dry Cement Screed

Unipart Group Showpiece HSS Fuel Cell Area

UZIN understands the various complexities of the industrial sector, providing technical support, moisture testing alongside on-site inspections and specification writing. UZIN industrial systems include UZIN NC 770 Industrial Top, a pumpable wear-resistant floor finish with outstanding flow and absorbency. It is ideal for use in industrial locations where there is heavy machinery or fork lifts operating.

UZIN NC 770 Industrial Top can also be used as an industrial smoothing underlayment ready to receive resin coatings should added protection or chemical resistance be required.









CUSTOMER LOYALTY SCHEME

POINTS MEAN PRIZES!

Collect points on your favourite UZIN products and exchange them for WOLFF Tools, Gift Cards or Merchandise!

Please visit www.uzin.co.uk for more information.

REWARDS









Installation systems for screeds, flooring and wood flooring.

Machinery and special tools for subfloor preparation and installation of floor coverings.







LG UHD TV4K

YOUR FLOOR. OUR PASSION.





Resin and cementitious floor finishes combining performance and design.

Installation systems for tiles and natural stone.

codeX

STRONG BRANDS FOR A STRONG TRADE.







Complete product range for the installation, renovation and maintenance of wood flooring.





High-quality painting, plastering and drywalling tools.



Uzin Utz UK Ltd.

Unit 2, Mitchell Court Central Park, Rugby Warwickshire, CV23 OUY United Kingdom

T +44 1788 530080 F +44 1788 536508 uzin.uk@uzin-utz.com www.uzin.co.uk



"With our expert technical support, a range of quality everyday products and unique systems we provide solutions for any commercial project."

Marc Lawrence, Head of Technical & Product Management

