

MARMOX WETROOM SYSTEMS



WATERPROOFING AND INSULATION SOLUTIONS FOR RESIDENTIAL AND COMMERCIAL APPLICATIONS

1 Multiboard Building Board

2 Multiboard Curved Board


3 Multiboard Pipe Boxing

4 Multiboard Bath Panel

5 Shower Formers Floor Level Showers

6 Showerlay³⁶⁰ Point & Linear Drains

7 Slicedstone Mosaic tiling on a roll



Marmox system versatility for residential & commercial wetrooms


Marmox systems

Built-in waterproofing and insulation solutions for walls and floors

Marmox (UK) Ltd is a British owned company that forms part of the Marmox group of companies. We provide competitive and quality waterproofing products for use in the construction and refurbishment industries. Marmox have in excess of 40 years' experience in the design, manufacture, specification and marketing of construction materials, including waterproofing and insulation products.

What is Marmox® Multiboard made of?

Marmox Multiboard consists of a core of extruded polystyrene bonded between layers of fibreglass reinforced polymer concrete. This layer provides the perfect level of porosity to bond with tile adhesive or plaster. The extruded polystyrene layer provides insulation and makes the board completely impermeable to water. The combination of the rigid outer shell and the XPS core which absorbs lateral movement makes the board an effective decoupling layer.



Total capability from concept to completion

- + Waterproofing & insulation solutions for walls & floors
- + Innovative and versatile design possibilities
- + Expert product advice to ensure the best system solution
- + Technical support specific to your project needs
- + Total peace of mind with our lifetime guarantee



Marmox product range comes with a lifetime guarantee



Contents



Multiboard Building board systems

High performing, lightweight boards, the ideal substrate for tiles and plaster, used for waterproofing, dry-lining and thermal insulation.

Multiboard Building Board Page 6

- 8 Specifications Multiboard
- 10 Multiboard Curved Board
- 11 Multiboard Pipe Boxing
- 12 Multiboard Bath Panels
- 13 Multiboard Sloped Board



Shower Formers Floor-level shower bases

Floor-level, barrier-free shower bases available in a range of options combining aesthetic appeal with great functionality.

Showerlay³⁶⁰ Floor Level Showers Page 14

- 16 Showerlay³⁶⁰ Linear Drain
- 17 Showerlay³⁶⁰ Point Drain

Minilay Point & Linear Drain Kits Pages 18

- 20-21 Specifications Showerlay³⁶⁰ & Minilay Shower Formers



SoundBoard Thermal & acoustic insulation

A waterproof tile backer board which provides effective decoupling, thermal insulation and reduces the impact noise that passes through the floor.

Soundboard Page 22

- 22 Soundboard
- 23 Specifications Soundboard



Slicedstone Natural mosaic tiling on a roll

Natural stone mosaics on a roll, with its own fully integrated 100% waterproof membrane, and inbuilt decoupling system.

Slicedstone Page 24

Applications

Marmox product solutions for residential and commercial applications

Page 26

Wetroom Benches

Page 28

Technical Support & CPDs

Page 29



Marmox Accessories Specialist finishing products

A comprehensive range of specialist finishing products to ensure total system performance.

Accessories Page 30

- 30 Marmox Plinth
- 30 Shower Niches
- 31 Multibond Sealant and Adhesive
- 31 Waterproof Tape / Reinforcing Tape
- 31 Washers / Brackets / Fixing Dowels
- 31 Waterproof Corner Pieces

THERE'S MORE
TO MARMOX CREATIVE
WETROOM SYSTEMS




Multiboard offers versatile, innovative solutions for wetroom areas

Multiboard, the high performing substrate for tiles and plaster



Multiboard is a lightweight, high-performance tile backer board, used for waterproofing, dry-lining and thermal insulation, offering the best long-term adhesion in its class. Additionally, it is a CE marked internal insulation board that can be plastered therefore it is an alternative to laminated


thermal plasterboard. Thicknesses range from 4mm to 60mm allowing Multiboard to be used to provide a platform for tiling, a waterproof barrier, thermal insulation on walls, floors and ceilings. Multiboard is easy to cut and shape providing freedom of design and quick installation.



- Key Benefits**
- + Wall and floor solutions
 - + Fully waterproof
 - + Highly insulating
 - + Ready to tile or plaster
 - + Quick & easy installation
 - + Lightweight, easy to cut
 - + Marmox Lifetime Guarantee



marmox
multiboard
Waterproofing • Insulating • Drylining



Waterproofing

Being completely waterproof, as opposed to merely water resistant, means that no water at all can be absorbed into the core of the Multiboard. This means that they will not bend, bow or distort in the way that plasterboard can for example. Multiboard can be used as a waterproofing tile backer board in many situations including wetrooms, steam rooms and even swimming pools.

Environment and Sustainability

Our factory operates a zero waste policy where all waste material from Marmox Multiboard production is recycled into other less formulation critical products. In accordance with EN13164 and directive EC1272/2008, the product is not classified as hazardous. It is HCFC and HBCD free and does not contain any REACH hazardous substances.

Marmox Multiboard - TECHNICAL DATA		
Compressive Strength (at 10% deformation)	(EN 826)	400kPa (40 tonnes/m²)
Thermal Conductivity	(EN 13164)	0.034 Watts/mK
Water Absorption of XPS	(EN 12087)	<0.7%
Coefficient of Thermal Expansion	(ASTM D696)	8 x 10 ⁻⁶ k ⁻¹
Flammability	(EN 476-6,7) (EN 13501)	Class 0 Class E
ODP		zero
GWP		0.29
Maximum Tile Loading Weight	CMB 02/16	To the limit of the tile adhesive (typically 100kg/m²)
Declaration of Performance (CE)	XPS-EN13164-T1-CS(10V)400-CC(2/1/10)115-WL(T)3	



Marmox UK partners with NBS to provide complete NBS Plus product listings to help specify our products into your next project. The link below takes you to the RIBA website where you can copy the relevant NBS Clauses into your document.
www.ribaproductselector.com/marmox-uk-ltd/25069/products.aspx

Quality Assurance

A commitment to the highest standards of quality assurance underpins everything we do. Below are some of our current accreditations.



Marmox Multiboard SIZES (FOR SQUARE METERAGE SEE TABLE BELOW)				
Thickness (mm)	Width (mm)	Length (mm)	Weight (kg)	R Value (m².k/w)
4.0	600	1250	2.30	0.11
6.0	600	1250	2.40	0.17
10.0	600	1250	2.70	0.28
10.0	600	2500	5.40	0.28
12.5	600	1250	2.80	0.35
12.5	600	2500	5.60	0.35
20.0	600	1250	3.10	0.56
20.0	600	2500	6.20	0.56
30.0	600	1250	3.40	0.83
30.0	600	2500	6.80	0.83
40.0	600	1250	4.00	1.11
40.0	600	2500	8.00	1.11
50.0	600	1250	4.20	1.39
50.0	600	2500	8.40	1.39
60.0	600	1250	4.50	1.67
60.0	600	2500	9.00	1.67
12.5	1200	2400	11.00	0.35
20.0	1200	2400	12.00	0.56

Marmox Multiboard - CONVERT TO SQUARE METRES						
marmox	Short Multiboards (Per Carton)		Short Multiboards (Per Pallet)		Long Multiboards (Per Pallet)	
Thickness (mm)	Number of boards	Square metres	Number of boards	Square metres	Number of boards	Square metres
4	10	7.5	300	225	/	/
6	8	6	240	180	/	/
10	6	4.5	150	112.5	75	112.5
12.5	6	4.5	120	90	60	90
20	5	3.75	80	60	40	60
30	4	3	60	45	60	90
40	3	2.25	45	33.75	45	67.5
50	2	1.5	36	27	36	54
60	2	1.5	30	22.5	30	45


Individual Board Sizes (m²): Short Board .75, Long Board 1.5, Big Board 2.88



Curved Board

Flexible, bendable building board to create custom shapes

Marmox Curved Boards are extremely versatile and the ideal solution to fully waterproof a bathroom or wetroom. They offer limitless design possibilities to create curved walls, curved partition walls and curved bathroom panels. Made from the same high quality material which constitute a Multiboard they provide thermal insulation and a waterproof barrier.



BEFORE



AFTER

TECHNICAL DATA		
Minimum Curvature		200mm radius
Dimensions		600 x 1250 x 20mm
Maximum Tile Loading Weight	CMB 02/16	To the limit of the tile adhesive (typically 100kg/m²)
Flammability	(EN 476-6,7)	Class 0
	(EN 13501)	Class E


* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.



Pipe Boxing

Creative, practical solutions for pipe-boxing and shelving

Specially designed to enable easy, fast and clean boxing-in of exposed pipe work. Marmox pipe boxings are completely waterproof so they are suitable for shower and wet rooms, as well as bath panels and can also be used for shelving solutions.



BEFORE



AFTER

TECHNICAL DATA				
Marmox Pipe Boxing is 20mm thick and is supplied in 1.25m lengths. The arms of the Boxing is available in the following widths:				
Dimensions	150mm x 150mm	200mm x 200mm	300mm x 300mm	400mm x 200mm


* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.



Bath Panel

Quick and easy cladding for built-in baths

Marmox Bath Panels are easy to fit surround panels for built-in baths. One of the most simple to use products on the market, our bath panels make for quick and easy installation. Marmox Bath Panels are completely waterproof and ready to be tiled once fitted.



TECHNICAL DATA	
The Marmox Bath Panel Kit includes the following:	
Bath End Panel	1 x 600mm x 800mm x 30mm Marmox Board
Bath Side Panel	1 x 600mm x 1800mm x 30mm Marmox Board
Marmox Multibond	300ml Cartridge
Marmox S/A Waterproof Tape	100mm x 2500mm
3x Adjustable Feet already fitted to the panels	


* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.



Sloped Board

Ideal for wet rooms with the drainage on the edge of the wall

Marmox Sloping Boards taper from 33mm on one edge down to 10mm on the other, making them ideal for wetrooms with the drainage along the edge of the wall. Create an effective slope that can easily be extended to the whole of the room by placing boards side by side. Marmox boards are fully waterproof and comply with freeze-thaw testing requirements and suitable for external applications.



Dimensions

- The board is made in just one size, 1200 x 1200mm
- The thickness of one edge is 33mm and this slopes down to 10mm at the opposite edge
- As shown above they can be combined with 20mm thick Marmox Multiboards to extend the slope indefinitely


TECHNICAL DATA		
Dimensions: Surface 1200mm x 1200mm Thickness 33mm → 10mm		
Thermal Conductivity	EN13164	0.034W/mK
Compressive Strength	EN862	400kPa
Coefficient of Linear Expansion	ASTM D696	8 x 10 ⁻⁶ k ⁻¹
Fire Rating	BS476	Class 0
Water Absorption	ISO 2896	<0.7%
Freeze-Thaw Resistance	ASTM 666-03	Pass

* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.

marmox
showerlay³⁶⁰
Floor level shower base

Floor-level, shower bases combining aesthetic appeal and functionality

Showerlay³⁶⁰ barrier-free shower bases in a range of options




Marmox Shower Bases are the reliable, cost effective and flexible way to create high performance showers and wet rooms. Combined with Multiboard Building Boards on walls they offer the greatest design possibilities with guaranteed water protection. With their own pre-formed

built-in fall, ready to receive tiling, they provide a floor level, barrier free shower base, combining aesthetic design with functional performance and flexible customised fitting to suit site conditions plus speed and ease of installation for installers.

*See pages 20-21 for details on sizes and formats.



Marmox floor level shower bases with Linear and Point Drains



Key Benefits

- + Fully waterproof
- + Pre-formed with built-in fall ready to receive tiling
- + Lightweight, ease of handling
- + Quick & easy installation
- + Floor level, barrier free shower base
- + Marmox Lifetime Guarantee




marmox
showerlay³⁶⁰ Linear Drain
Floor level shower base

Marmox floor level shower with linear drain

Marmox Showerlay³⁶⁰ Linear comes complete with a specially designed linear drain, which includes a stylish brushed stainless steel grating. *Available in a range of sizes, and in square or rectangular formats to provide flexibility, whilst delivering 100% waterproof performance.



*See pages 20-21 for details on sizes and formats.



A range of stainless steel linear drains is available.




The drain gully supplied can be adjusted from offering a vertical to horizontal outlet, or any angle in between. Depending on the angle of the outlet pipe, the flow rate is 30 to 50 litres per minute.


marmox
showerlay³⁶⁰ Point Drain
Floor level shower base

Marmox floor level shower with point drain

Marmox Showerlay³⁶⁰ Point Drain is supplied with a traditional square drain (point drain), with central and offset versions available. *A full range of sizes is available in both square and rectangular formats. Complete with a brushed stainless steel grate which can be adjusted to accommodate tiling thicknesses of 5mm to 15mm.



*See pages 20-21 for details on sizes and formats.



A range of brushed stainless grates is available.



The drain gully supplied can be adjusted from offering a vertical to horizontal outlet, or any angle in between. Depending on the angle of the outlet pipe, the flow rate is 30 to 50 litres per minute.



Point & Linear Drain Kits

Minilay provides the flexibility and freedom to transform any concrete floor into a tileable wetroom floor

Marmox Minilays come with a choice of 700mm long stainless steel linear grates or with a 120 x 120mm stainless steel square grate. Both of these drain types are also offered with a standard 360° Swivel Waste with a flexible outlet (allowing for horizontal or vertical drainage) or the Slimline Waste which is just 6cm deep.

Minilay Point Kits



Minilay Point Kit with Slimline Waste



Minilay Point Kit with 360° Swivel Waste

Minilay Linear Kits



Minilay Linear Kit with Slimline Waste



Minilay Linear Kit with 360° Swivel Waste

Minilays the solution to creating a sloping wetroom floor

Both waste types can be used with our Point or Linear Minilays



Slimline Waste

360° Swivel Waste

A choice of waste is available for both types of drain: our 360° Swivel Waste, where the outlet can be rotated to accommodate horizontal or vertical connection of waste –or anywhere in between. For those where underfloor space is at a premium, our low-profile Slimline Waste drain will fit the tightest of spaces, yet without compromising waste flow rate.


A Marmox Minilay is a drainage waste which has been factory fitted into a height adjustable frame which itself sits within a small rigid board. This small board provides a solid area immediately around the drain from which the shower floor can be continued with the screed. An overlapping layer of waterproof fleece is also fitted to the top of this board which is used to provide a seamless waterproof junction with the screed.



Installation height with Slimline or 360° Swivel Waste




A choice of stylish brushed stainless steel gratings is available for Point and Linear drains




For more information
on Marmox Minilay Kits
contact our Technical
Support Department
Tel: 01634 835290











marmox
showerlay³⁶⁰
Floor level shower base



SIZES - Point Drain (Centre)			SIZES - Point Drain (Offset)		
Size (mm)	Perimeter (mm)	Weight (kg)	Size (mm)	Perimeter (mm)	Weight (kg)
800 x 800	20	5	1000 x 1000	20	7
900 x 900	20	6	1300 x 800	20	7
1000 x 1000	20	7	1500 x 800	24	8
1200 x 760	20	7	1200 x 760	20	7
1200 x 900	20	8	1200 x 900	20	8
1200 x 1200	20	10	1200 x 1200	20	10
1500 x 1500	24	21	1850 x 900	24	15



These 2 sizes are also available with centre drain position



SIZES - Linear Drain (Offset)			
Size (mm)	Drain Position	Perimeter (mm)	Weight (kg)
900 x 900	Offset	40	7
1200 x 900	Offset	40	8
1200 x 1200	Offset	40	12
1850 x 900	Offset	40	12

Showerlay³⁶⁰ - TECHNICAL DATA

Dimensions	Unit	Value
Compressive Strength at 10% compression to EN 826	kPa	>400
Tensile Strength		N/A
Fall		Integrated
Thickness	mm	20, 24, 40
Minimum tile size	mm	50 x 50
Wheelchair accessible tile size	mm	50 x 50
Fire behaviour		Euroclass E
Thermal Conductivity to EN13164	W/mK	0.034

minilay^{marmox}
Point & Linear Drain Kits



Point Drain - Standard



Point Drain - Low Profile



Linear - Standard Drain



Linear - Low Profile Drain

MINILAY Product Range

Point Drain Standard			
Description	Length	Width	Height
Drain Housing	120	120	8
Cover Gratings	115	115	2
XPS Board	200	200	10
Fleece	310	310	
<small>Outlet Dia. 90mm *Grating Ext. Height 5mm extra</small>			
Point Drain Low Profile			
Description	Length	Width	Height
Drain Housing	120	120	8
Cover Gratings	115	115	2
XPS Board	200	200	10
Fleece	310	310	
<small>Outlet Dia. 90mm *Grating Ext. Height 5mm extra</small>			
Linear Standard Drain			
Description	Length	Width	Height
Drain Housing	705	75	12
Cover Gratings	697	60	10
Underside	750	140	
Fleece	900	270	
Legs fully extended			110
Height from underside to bottom of waste			90
<small>Outlet Dia.</small>			
Linear Low Profile Drain			
Description	Length	Width	Height
Poly Drain Housing	705	75	10
Cover Gratings	697	60	10
Board	800	250	20
Boards to house the Slim gully	800	250	40
Fleece	900	350	(2 X 20)
<small>Outlet Dimensions.</small>			

* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.

* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.



Waterproof tilebacker board combining acoustic and thermal insulation

SoundBoard - impact sound reduction plus thermal insulation




Marmox SoundBoard is a tile backer board which reduces the impact noise that passes through a floor into the room below. Like Multiboard it provides a completely waterproof layer, secure decoupling, thermal insulation and low compressibility but with the added benefit of effective impact sound reduction. One side of the board is coated with a sound attenuating layer of SBR rubber

that isolates the tiled surface from the floor so that there is nothing for the sound waves to travel through. The rubber compound is natural so there is no plasticiser migration ensuring the material neither shrinks, degrades or becomes brittle. SoundBoard will reduce the level of impact noise greater than the recommended minimum of 17dB.

Key Benefits

- + High thermal insulation
- + Reduces impact sound
- + Fully waterproof
- + Use with under-tile heating
- + Ready to receive tiles
- + Easy to cut
- + Marmox Lifetime Guarantee





TECHNICAL DATA		
Test	8mm	12mm
Thermal conductivity	0.042 W/mk	0.04 W/mk
Thermal resistance	0.19 m² K/W	0.30 m² K/W
Compressive strength to EN826	300 kPa	300 kPa
DL _w Weighted impact sound reduction to ISO 140-8	28 dB	28 dB
As above (with tiled surface)	20 dB	20 dB
Dimensions	1250mm x 600mm	1250mm x 600mm
Weight	4.5kg	4.9kg

* NBS Plus Marmox UK partners with NBS Plus. For more details see page 29.



Inspiring ideas for the design and renovation of bathrooms and wetrooms

Marmox Slicedstone - Natural mosaic on a roll



Marmox Slicedstone Mosaic range is sized using the latest technology in laser-processing machinery, allowing for accurately cut tiles. Backed with a decoupling waterproof membrane, the tiles are precisely spaced giving consistent 3mm grout lines that are pleasing even to the most critical eye.

The Slicedstone range comes in a choice of 10 beautiful finishes. Made from 4mm slices of Indian sedimentary rock, the surface has been treated with a clear Polycarbonate solution to create a stable surface that is waterproof, stain resistant, UV resistant and allows easy removal of adhesive and grout residue.


Key Benefits

- + 100% waterproof
- + Inbuilt decoupling system
- + Unique natural stone blend
- + Up to 80% faster to tile
- + Requires 60% less grout
- + Lightweight, easy to handle
- + 10 Year Guarantee





Available in Tile Sizes: 2.5cm x 2.5cm & 5cm x 5cm and Roll Size: 100cm x 50cm, Sheet Size: 30cm x 30cm

Choose from 10 stylish finishes



Marmox product solutions for residential and commercial applications

RESIDENTIAL & COMMERCIAL APPLICATIONS



Residential bathrooms & showers

Creating interest in the bathroom and in shower areas is easily achieved using Marmox systems. Whether it's complete bathrooms, individual washbasins, curved shower walls or special individual items, it is easy to transform a standard bathroom or shower into a unique finish.

Hotel bathrooms & showers

Marmox solutions for hotels include waterproof substrates for wall and floor tiling in bathrooms, pre-formed walk-in shower formers, curved boards for wetroom feature wall designs, and seating to create luxurious wellness areas.

Commercial washrooms, showers & changing rooms

Marmox is at the forefront of high-performance waterproofing and insulation products providing the ideal substrate for the walls and floors used for tiling in commercial washrooms, showers and changing rooms.

Swimming pools, leisure & wellness

Multiboards provide a flat and stable surface for tiling inside swimming pools. They are ideal to line swimming pools as they are completely waterproof, have sufficient strength to withstand the mass of the water and provide decoupling and thermal insulation properties. Explore our curved boards for feature wall designs, and seating for sauna and wellness areas.

Marmox Wetroom Benches

Ideal for use in showers, steam rooms, and swimming pools

Marmox pre-assembled benches are completely waterproof, making them ideal for use in any wet area, such as showers, steam rooms, and swimming pools. Marmox benches have a polymer-cement coating that enables superior adhesion when fixing tiles with a flexible tile adhesive and incorporate a void to conceal cables or pipework.

Marmox benches are available in three styles: The Square, The Regular and The Chair. The standard width is one meter; however, they can be cut to the required width or a mitre to join the benches around the corner of a room. Marmox benches are ready to go; no need to prime – adhere into place, tile and grout for your desired finish.


Marmox benches can be custom made to match your exact specification. For further information contact our Technical Support Department Tel: 01634 835290.



Square

Chair

Regular

OPTIONS FOR MADE TO MEASURE BENCHES							
	Style	Width	A. Depth Total mm	B. Depth Base mm	C. Height Total mm	D. Height of seat mm	E. Slope
	Square (MO12)	Made to measure	500	450	500	495	1%
	Regular (MO13)		511	425	476	410	1%
	Chair (MO14)		561	430	890	440	1%

Technical Support and CPDs

Founded in 1999, Marmox (UK) Ltd is a British owned company and an integral part of CMB-International; one of the world’s leading manufacturers of construction chemicals and building materials. As specialists in waterproofing and insulation solutions, Marmox is committed to technical excellence in our products, systems and support from design to completion.



Our specialist team of highly qualified and experienced technical advisors are available to support you at all stages of your project from initial design through to site support. For technical assistance please contact our technical department or request a visit from one of our specialist team to assist you in:




- + Project design guidance
- + Compliance with building regulations
- + Product specification selection
- + Product application and installation




Marmox can provide you with CPDs, which have been accredited by the RIBA CPD Certification Service as providing a valuable contribution to the Continuous Professional Development of architects, specifiers and all construction professionals. For more information or to book a CPD seminar on one of the following topics please contact our technical department or visit our website.

- + Reducing Thermal Bridging in Floor/Wall Junction Designs
- + Internal & External Boards for Waterproofing & Crack Free Tiling
- + How to stop noise from a tiled floor passing into the room below

All Marmox production is subject to the controls of ISO9001 and because our products are used globally they also conform to all European, United States and International standards where appropriate. For the UK market, Marmox Multiboard is BBA certified as a tile backer board and CE marked as an insulation board. All Marmox products have a lifetime guarantee.






Marmox UK partners with NBS to provide complete NBS Plus product listings to help specify our products into your next project. The link below takes you to the RIBA website where you can copy the relevant NBS Clauses into your document.

www.ribaproductselector.com/marmox-uk-ltd/25069/products.aspx

Marmox Accessories



A comprehensive range of specialist finishing products to ensure total system performance



Marmox Plinth

Marmox Plinth is a piece of dense waterproof XPS that is 100mm thick, so therefore raises the height of the shower base by 100mm. This allows the gully and drainpipes to sit neatly inside it. It also provides a perfectly level surface which is necessary and difficult to achieve when made in a timber frame. Marmox Plinth is suitable for use with our Showerlay and Showerstone products.

- + Hides pipework
- + Ideal for concrete floors
- + Fully waterproof
- + High strength
- + Easy to install and cut
- + Marmox Lifetime Guarantee

Marmox Multibond

A completely VOC free sealant and adhesive.



Marmox S/A Waterproof Tape




A butyl based tanking tape which will seal and waterproof joints between boards used in wet areas. Roll 100mm x 10m. For use when tiling.

Marmox Reinforcing Tape



A scrim tape to bridge all board junctions (except those in wet areas). Available in 20m or 90m rolls. For use when plastering.

Marmox Shower Niche



The Marmox Shower Niche provides a low cost, easily installed and completely waterproof alternative for shower niche construction.

- + Made from 12.5mm Marmox Multiboard
- + Completely waterproof
- + Ready to tile
- + Lightweight and easy to work with
- + Can be used to form a recess for toiletries within showers and other wet areas
- + Sizes available, recess size (external size):
 - 400 x 200mm - (500 x 300mm)
 - 400 x 300mm - (500 x 400mm)
 - 400 x 400mm - (500 x 500mm)
 - 400 x 500mm - (500 x 600mm)
- + Fits wall cavity 100mm or deeper

Plastic / Metal Washers



Required when screw fixing. Screw hole diameter: 5mm (plastic) / 6mm (metal).

Wall Bracket




A simple method of positioning boards, especially useful with pipe boxing board.

Fixing Dowels



A fast method of mechanically fixing the boards generally with the dot and dab method.

Waterproof Corner Pieces





INTERNAL & EXTERNAL CORNER PIECES

A butyl based waterproof corner, for fixing with Multibond or tile adhesive.

Quality Assurance

We are committed to the highest standards of excellence

A commitment to the highest standards of quality assurance underpins everything we do.
Below are some of our current accreditations.



Other Marmox system solutions brochures are available on request

CONTACT
MARMOX
TODAY!

For information and advice on our products and services:

Tel: +44 (0)1634 835290

sales@marmox.co.uk www.marmox.co.uk

Marmox (UK) Ltd
Caxton House,
101-103 Hopewell Drive,
Chatham, Kent, ME5 7NP
United Kingdom

Issue (2) August 2021


Waterproofing & Insulation Solutions
Marmox gives you more!