

PRODUCT DATA

tensid[®] uk ltd

Cladex Revive AL

Cleans and revives

Description and use

Cladex Revive AL is a waterborne, non hazardous cleaner, maintainer and surface reviver – all in one product. Suitable for most types of contemporary materials such as anodised aluminium, stainless steel, GRP and plastic type materials. Cladex Revive AL will provide a dirt repellent satin finish, cleaning and reviving dull and weathered surfaces.

Advantages

- Safe water based solution
- Quick drying
- Cleans and protects in one application
- Suitable for both internal and external use

Pretesting

Always test each type of surface to ensure suitability and desired results. Apply test area according to the following application procedures

Application Conditions

Minimum air temperature 5°C
Maximum relative humidity 90%
Minimum surface temperature 5°C
Maximum surface temperature 40°C

Coverage Rates

Approximately 15m² per litre, depending upon the level of soiling.

TECHNICAL DATA

Appearance: Opaque waterborne solution

pH Value: 7.5

Boiling Point: N/A

Application Instructions

1. Shake the product prior to use.
2. Apply Cladex Revive AL with a cloth or lint free paper.
3. Polish with a clean cloth.
4. A second application might in some instances be required.

N.B. Heavily soiled surfaces should be cleaned with Cladex LD or Cladex HD, prior to applying Cladex Revive AL.

Packing

1 x 10 litre plastic container

Safety Information

Wear suitable PPE – goggles and gloves to avoid splash to bare skin or eyes. Always refer to material safety data sheet before use.

Shelf Life

Cladex Revive AL may be stored for a minimum of 12 months in a tightly sealed, unopened container. Store in an ambient temperature not below 0°C or above 30°C. Protect from frost

This Product Data is compiled to be of assistance but is without gurantee. Users are responsible for safe working practices. Always refer to Material Safety Data Sheets (MSDS) for full information before using this product.

For more information and photos please visit:
www.tensid.com

Share your project photos and news on the Tensid UK social media professional community pages:



tensid[®] uk ltd



REVISION: 01 July 2015, N^o.2