

IBSTOCK® **TRADESMAN®**



Our Range.

About Tradesman®

From the 1930's onwards many houses were built using bricks made from characteristic lower Oxfordshire clays. Our Tradesman® range has been meticulously designed to blend in with these bricks, whenever they are used.



Tradesman's® superior durability and strength means they are ideal for use in most locations, such as boundary walls and wall cappings or to match existing brickwork for extensions and other refurbishments.

They are also popular because of their excellent colour consistency and are easy to lay with minimal wastage.

“

Excellent colour consistency and
easy to lay with minimal wastage










”



More than a match for the originals



-  **GREAT** Value
-  **GREAT** Frost Resistance
-  **GREAT** Anti-Chip Performance
-  **GREAT** Colour Consistency

 <p>Tradesman® Antique Rustic Blend 0389</p>	 <p>Tradesman® Sandfaced Red Multi 0384</p>
 <p>Tradesman® Common 3598</p>	 <p>Tradesman® Light 0382</p>
 <p>Tradesman® Tudor Regent 0323</p>	 <p>Tradesman® Antique Grey 0314</p>
 <p>Tradesman® Millgate Buff 0620</p>	 <p>Tradesman® Rustic Blend 0383</p>
 <p>Tradesman® Buff Multi 0304</p>	 <p>Tradesman® Cheviot 0385</p>
 <p>Tradesman® Claygate Red Multi 0329</p>	 <p>Tradesman® Light Rustic Blend 3542</p>
 <p>Tradesman® Heather Mixture 0381</p>	 <p>Tradesman® Windsor Regent 0395</p>

IBSTOCK® **TRADESMAN®**

Welcome to our Tradesman® Range

Helping you make the right choice
from the UK's largest brickmaker.

This leaflet is designed to assist your product selection whether
you are a professional house-builder, self-builder or looking to
match up your existing brickwork for an extension.

Features and benefits

- ✓ Great alternative product - More choice from an extensive range
- ✓ Excellent durability and minimal wastage - Suitable
for most applications including boundary walls and wall-cappings
- ✓ Good colour consistency - Useful for matching up existing
brickwork time after time
- ✓ Perforations - Makes the bricks easier to lay
- ✓ Cut and Bond Specials available - To give design flexibility
- ✓ Available in 2 sizes - All in 65mm with Rustic Blend, Antique
Rustic Blend, Heather Mixture and Light also available in
73mm format for matching to older buildings

www.ibstocktradesman.com




Tradesman®

Antique Rustic Blend 0389

Specification

- Product Code: **0389**
- Factory and Location: **Atlas, West Midlands**
- Durability: BS EN771-1 **F2**
- Active Soluble Salts: BS EN771-1 **S2**
- Compressive Strength (\geq N/mm²): BS EN771-1 **60**
- Water Absorption (\leq %): BS EN771-1 **9**
- Size Tolerances Mean & Range: BS EN771-1 **T2 R1**
- Type & Texture: **Wirecut Rolled**
- Special Shaped Bricks: **Cut and Bond**
- Size mm: **215 x 102 x 65 / 215 x 102 x 73**
- Pack Quantity: **400 / 336**

ALSO
AVAILABLE
IN **73MM**



Tradesman[®]

Sandfaced Red Multi 0384

Specification

- Product Code: 0384
- Factory and Location: Atlas, West Midlands
- Durability: BS EN771-1 F2
- Active Soluble Salts: BS EN771-1 S2
- Compressive Strength (≥ N/mm²): BS EN771-1 60
- Water Absorption (≤%): BS EN771-1 9
- Size Tolerances Mean & Range: BS EN771-1 T2 R1
- Type & Texture: Wirecut Sandfaced
- Special Shaped Bricks: Cut and Bond
- Size mm: 215 x 102 x 65
- Pack Quantity: 400



Tradesman® Common 3598

Specification

Product Code: **3598**

Factory and Location: **Ravenhead, Lancashire**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **50**

Water Absorption (\leq %): BS EN771-1 **12**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Smooth**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**

Pack Quantity: **500**

Tradesman® Light 0382

Specification

Product Code: **0382**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **60**

Water Absorption (\leq %): BS EN771-1 **9**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Sandfaced**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65 / 215 x 102 x 73**

Pack Quantity: **400 / 336**

ALSO
AVAILABLE
IN **73MM**



Tradesman® Tudor Regent 0323

Specification

Product Code: **0323**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **60**

Water Absorption (\leq %): BS EN771-1 **9**


Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Rolled**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**

Pack Quantity: **400**



Tradesman® Antique Grey 0314

Specification

Product Code: **0314**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **60**

Water Absorption (\leq %): BS EN771-1 **9**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Rolled**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**

Pack Quantity: **400**



Tradesman® Millgate Buff 0620

Specification

Product Code: **0620**

Factory and Location: **Cattybrook, Bristol**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **50**

Water Absorption (\leq %): BS EN771-1 **12**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Rolled**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**

Pack Quantity: **500**



Tradesman® Rustic Blend 0383

Specification

- Product Code: 0383
- Factory and Location: Atlas, West Midlands
- Durability: BS EN771-1 F2
- Active Soluble Salts: BS EN771-1 S2
- Compressive Strength (\geq N/mm²): BS EN771-1 60
- Water Absorption (\leq %): BS EN771-1 9
- Size Tolerances Mean & Range: BS EN771-1 T2 R1
- Type & Texture: Wirecut Rolled
- Special Shaped Bricks: Cut and Bond
- Size mm: 215 x 102 x 65 / 215 x 102 x 73
- Pack Quantity: 400 / 336

ALSO
AVAILABLE
IN 73MM

Tradesman® Buff Multi 0304

Specification

Product Code: **0304**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **60**

Water Absorption (\leq %): BS EN771-1 **9**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Rolled**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**


Pack Quantity: **400**



Tradesman® Cheviot 0385

Specification

- Product Code: 0385
- Factory and Location: Atlas, West Midlands
- Durability: BS EN771-1 F2
- Active Soluble Salts: BS EN771-1 S2
- Compressive Strength (\geq N/mm²): BS EN771-1 60
- Water Absorption (\leq %): BS EN771-1 9
- Size Tolerances Mean & Range: BS EN771-1 T2 R1
- Type & Texture: Wirecut Rolled
- Special Shaped Bricks: Cut and Bond
- Size mm: 215 x 102 x 65
- Pack Quantity: 400



Tradesman® Claygate Red Multi 0329

Specification

- Product Code: **0329**
- Factory and Location: **Atlas, West Midlands**
- Durability: BS EN771-1 **F2**
- Active Soluble Salts: BS EN771-1 **S2**
- Compressive Strength (\geq N/mm²): BS EN771-1 **60**
- Water Absorption (\leq %): BS EN771-1 **9**
- Size Tolerances Mean & Range: BS EN771-1 **T2 R1**
- Type & Texture: **Wirecut Rolled**
- Special Shaped Bricks: **Cut and Bond**
- Size mm: **215 x 102 x 65**
- Pack Quantity: **400**



Tradesman® Heather Mixture 0381

Specification

Product Code: **0381**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-1 **F2**

Active Soluble Salts: BS EN771-1 **S2**

Compressive Strength (\geq N/mm²): BS EN771-1 **60**

Water Absorption (\leq %): BS EN771-1 **9**

Size Tolerances Mean & Range: BS EN771-1 **T2 R1**

Type & Texture: **Wirecut Sandfaced**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65 / 215 x 102 x 73**

Pack Quantity: **400 / 336**

ALSO
AVAILABLE
IN **73MM**



Tradesman®

Light Rustic Blend 3542

Specification

Product Code: 3542

Factory and Location: Ravenhead, Lancashire

Durability: BS EN771-I F2

Active Soluble Salts: BS EN771-I S2

Compressive Strength (≥ N/mm2): BS EN771-I 50

Water Absorption (≤%): BS EN771-I 12


Size Tolerances Mean & Range: BS EN771-I T2 R1

Type & Texture: Wirecut Rolled

Special Shaped Bricks: Cut and Bond

Size mm: 215 x 102 x 65

Pack Quantity: 500



Tradesman[®] Windsor Regent 0395

Specification

Product Code: **0395**

Factory and Location: **Atlas, West Midlands**

Durability: BS EN771-I **F2**

Active Soluble Salts: BS EN771-I **S2**

Compressive Strength (\geq N/mm²): BS EN771-I **60**

Water Absorption (\leq %): BS EN771-I **9**

Size Tolerances Mean & Range: BS EN771-I **T2 R1**

Type & Texture: **Wirecut Rolled**

Special Shaped Bricks: **Cut and Bond**

Size mm: **215 x 102 x 65**

Pack Quantity: **400**

NEW
FOR 2018



IBSTOCK[®] TRADESMAN[®]


More than a match for the originals

For more information on any of our products or
to talk to a representative, please contact us on:

Sales office: **0844 800 4575**

Samples hotline: **0844 800 4578**

www.ibstocktradesman.com



To order samples from
our range and for more information
visit www.ibstocktradesman.com or
alternatively ask your local Builders Merchant.