Safetell
SECURITY | MAINTENANCE

DATASHEET

DIMENSIONS (mm)
W: 257/1112/1070/1105
H: 641/960/975/978
D: 726/730/741

CONSTRUCTION
Standard finish in stainless steel, other options are available

AVAILABILITY
Built to order

TRIPOD TURNSTILES

Safetell's Tripod Turnstiles are designed to assist pedestrian entrance control at both guarded and unmanned entrances. Typical applications include points of ticket control and fees, sport facilities and time attendance control points in working places.

MAIN FEATURES

- Easy setup – a control panel equipped with a display and a multi-function selector allows easy setup of functions and operating modes
- LED pictograms – show active/inactive traffic directions in passage, the red colour shows inactive/blocked traffic and the green colour shows active/unblocked traffic
- Work modes – the device has a number of operating modes e.g. bi-directional traffic control
- Precise measurement system – equipped with an electronic rotor position detection system that allows the control unit to precisely control the locking system as well as smooth motion of the arms (available in the model with an electro-mechanical arm movement booster)
- Arm motion booster – the device is equipped with a mechanical arm rotation booster
- Arm drop function (optional) – automatic arm-drop system in case of a power failure

OPTIONAL


- Optional finishes include RAL 9003, RAL 7016, RAL 5010, RAL 6002





SERVICE & MAINTENANCE AVAILABLE


+44 (0) 1322 223 233
sales@safetell.co.uk safetell.co.uk

TECHNICAL DRAWINGS













TECHNICAL DRAWINGS










FINISHES


INOX


GALVANISED


GALVANISED + RAL


RAL 5010

RAL 9003


RAL 7016











WE ARE FULLY ACCREDITED

SafeContractor APPROVED

BUILDER'S PROFILE

Constructionline Gold Member

LRQA CERTIFIED ISO 9001 · ISO 14001 UKAS MANAGEMENT SYSTEMS 0001

ADSA Automatic Door Suppliers Association

+44 (0) 1322 223 233

Safetell SECURITY | MAINTENANCE