



4 Colours



2 Finishes



5 Sizes


JOHNSON • TILES

Absolute Collection

Refine


Porcelain

Wall and Floor Tiles




Refine is available in **five sizes**, perfectly designed for seamless installation.

Size



Mosaic


Sheet size 300 x 300mm



Thickness

All tiles in this range are 9mm thick.

Skirting



Four colours offering a neutral and contemporary palette.



Dune



Pewter




Lavastone



Basalt

Two finishes combine form and function.

Examples below are not to scale but have been enlarged to show detail:



Natural



Grip



Dune

Dune

Size	Finish	
	Natural	Grip
600 x 100mm	REF01N	REF01G
600 x 300mm	REF01N	REF01G
600 x 600mm	REF01N	REF01G
900 x 450mm	REF01N	-
900 x 900mm	REF01N	REF01G
Mosaic		
50 x 50mm	REF1NM	-
150 x 30mm	REF1NM	-
Mixed strips	REF1NM	-
Skirting		
600 x 50mm - Bevel top	REF1NS	-
900 x 50mm - Bevel top	REF1NS	-



Pewter

Pewter

Size	Finish	
	Natural	Grip
600 x 100mm	REF02N	REF02G
600 x 300mm	REF02N	REF02G
600 x 600mm	REF02N	REF02G
900 x 450mm	REF02N	-
900 x 900mm	REF02N	REF02G
Mosaic		
50 x 50mm	REF2NM	-
150 x 30mm	REF2NM	-
Mixed strips	REF2NM	-
Skirting		
600 x 50mm - Bevel top	REF2NS	-
900 x 50mm - Bevel top	REF2NS	-



Lavastone

Lavastone

Size	Finish	
	Natural	Grip
600 x 100mm	REF03N	REF03G
600 x 300mm	REF03N	REF03G
600 x 600mm	REF03N	REF03G
900 x 450mm	REF03N	-
900 x 900mm	REF03N	REF03G
Mosaic		
50 x 50mm	REF3NM	-
150 x 30mm	REF3NM	-
Mixed strips	REF3NM	-
Skirting		
600 x 50mm - Bevel top	REF3NS	-
900 x 50mm - Bevel top	REF3NS	-



Basalt

Basalt

Size	Finish	
	Natural	Grip
600 x 100mm	REF04N	REF04G
600 x 300mm	REF04N	REF04G
600 x 600mm	REF04N	REF04G
900 x 450mm	REF04N	-
900 x 900mm	REF04N	REF04G
Mosaic		
50 x 50mm	REF4NM	-
150 x 30mm	REF4NM	-
Mixed strips	REF4NM	-
Skirting		
600 x 50mm - Bevel top	REF4NS	-
900 x 50mm - Bevel top	REF4NS	-



Refine Lavastone Natural

Refine, a simple neutral colour palette and a large selection of modular sizes and mosaics allow for the creation of stunning lay patterns.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal	Yes *	Porcelain	Various

* Only Grip finish is suitable for wet barefoot areas.

Floor values - Natural

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Dry 36+ Wet 25 - 35	R9	V2	-	Commercial

Floor values - Grip

Pendulum 4S	R value	Shade variation	Wet ramp	Traffic
Dry 36+ Wet 36+	R11	V2	B	Commercial

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
REF04N/4G	Basalt	6000-N	19
REF01N/1G	Dune	1505-Y50R	62
REF03N/3G	Lavastone	6005-Y80R	18
REF02N/2G	Pewter	4502-Y	29

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: **Refine Dune Natural**

Samples

Tel: +44 (0) 1782 524043
Fax: +44 (0) 1782 577379
Email: samples@johnson-tiles.com



Technical helpline

Tel: +44 (0) 1782 524111
Fax: +44 (0) 1782 577379
Email: techadvice@johnson-tiles.com

www.johnson-tiles.com

© 2017 Johnson Tiles.
All rights reserved.
Printed in England.