5 Colours



1 Finish



1 Size


Intro Collection

Lagos Glazed Porcelain Wall and Floor Tiles



Lagos is available in **one** subtle and versatile size.

Size



330 x 330mm

Thickness

All tiles in this range are 8.5mm thick.


One finish

Example below is not to scale but has been enlarged to show detail:



Matt

Five colours offering a neutral and contemporary palette.





Lagos Dark Grey



White		
Size	Finish	
	Matt	
330 x 330mm	LAGO4F	



Beige	PEI	ш
beige	PEI	

Beige	
Size	Finish
	Matt
330 x 330mm	LAGO5F



Light Grey PEI II

Light Grey			
Size	Finish		
	Matt		
330 x 330mm	LAGO3F		



Dark Grey

PEII

Dark Grey			
Size	Finish		
	Matt		
330 x 330mm	LAGOIF		



Black

PELI

Black		
Size	Finish	
	Matt	
330 x 330mm	LAGO2F	



Lagos Black

Lagos, a beautiful textured tile inspired by natural slate. The perfect backdrop – team with neutrals or colours on the wall for a stunning design scheme.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All sizes

Wall	Floor	Wet barefoot	Material	Finish
Internal and external	Internal	_	Glazed Porcelain	Matt

Floor values			Shade	Wet	
Colour	Pendulum 4\$	R value	variation	ramp	Traffic
White, Beige	Dry 36+ Wet 0 - 24	-	VI	-	Commercial
All other colours	Dry 36+ Wet 0 - 24	-	VI	-	Domestic

Due to the manufacturing process of all floor tiles there may be small variations in slip resistance. Given this, we suggest you refer to our website or call our technical helpline for the most up-to-date information.

Colour notations

Code	Colour	NCS	LRV
LAGO5F	Beige	2005-Y40R	54
LAGO2F	Black	8500-N	6
LAGOIF	Dark Grey	7000-N	13
LAGO3F	Light Grey	4502-Y	29
LAGO4F	White	1502-Y50R	64

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Front cover image: Lagos Black

Samples

Tel: +44 (0) 1782 524043 Fax: +44 (0) 1782 577379

Email: samples@johnson-tiles.com



Technical helpline

Email: techadvice@johnson-tiles.com