
04 02 00 01

Cristal

Glazed Ceramic Wall Tiles




Cristal is available in two sizes, perfectly designed for seamless installation.

Thickness

250 x 200mm = 8mm 150 x 150mm = 5.5mm

Two finishes, combining form and function.

Examples below are not to scale but have been enlarged to show detail:



Gloss Bumpy Gloss

Four colours, offering a neutral and contemporary palette.

For the most up-to-date availability information, please visit our website.



White



Grey Stripe Border



Beige Stripe Border



Grey Stripe Inset



Beige Stripe Inset



Blue Stripe Inset



White

White Sizes Finishes Gloss Bumpy Gloss 150 x 150mm CRWHIT CBWHIT 250 x 200mm CBWHIT



Grey Stripe Border

Grey Stripe Border		
Sizes	Finishes	
	Gloss	Bumpy Gloss
150 x 150mm	CRWHIB	



Beige Stripe Border

Beige Stripe Border		
Sizes	Finishes	
	Gloss	Bumpy Gloss
	CRWH2B	_



Grey Stripe Inset

Grey Stripe Inset			
Finishes			
Gloss	Bumpy Gloss		
CRWHII	-		
	Gloss		



150 x 150mm

Beige Stripe Inset

Beige Stripe Inset Sizes Finishes Gloss Bumpy Gloss

CRWH2I



Blue Stripe Inset

Blue Stripe Inset			
Sizes	Finishes		
	Gloss	Bumpy Gloss	
150 x 150mm	CRWH3I	-	

Cristal, simple white textured and plain tiles which are perfect either on their own, or combined with the co-ordinating border and inset tiles.

For more details on suitability, or advice on any technical issues, please contact our technical helpline below.

Specification

Size - All Sizes

Wall	Floor	Wet Barefoot	Material	Finish
Internal	-	-	Glazed Ceramic	Various

Colour Notations

Colour	Code	NCS	LRV
White	CBWHIT/CRWHIT	0500-N	86

Note: These results are from Johnson Tiles' internal test reports and are to be used for guidance only. LRV: Light Reflectance Value (Reflectance Y).

Due to the colour variation of CRWHIIB, CRWHII, CRWHI2B, CRWH2I and CRWHII an accurate NCS and Light Reflectance Value cannot be accurately calculated. For further information please contact our technical helpline.

Front Cover Image: Cristal White Bumpy Gloss 200 x 200mm

Samples

Tel: +44 (0) | 782 524043 Fax: +44 (0) | 782 577379

Email: samples@johnson-tiles.com

Technical Helpline

Tel: +44 (0) | 782 524 | | | | | Fax: +44 (0) | 782 577379

Email: techadvice@johnson-tiles.com

