

Windows and Doors Products

**WINDOWS | DOORS | ROOFLIGHTS
FINISHINGS | HARDWARE**




eurocell

Ask in branch for exclusive trade deals

Windows, Doors & Hardware

Product Range

Window Range	4
Modus Windows	6
Logik Windows	8
Charisma Vertical Sliders	10
Window Finishings	12
Rooflights	32
Doors	44
Dales Composite Doors	46
Elegance PVC-U Doors	54
Syncro Sliding Patio Doors	58
Aspect PVC-U Bi-Fold Doors	60
Studioglide Aluminium Bi-Fold Doors	62
French Doors	64
Garage Doors	68
Hardware	70



Over 6000
products
in branch




200+ branches
nationwide



Product experts
in every branch



Free surveys
& quotations



Click & collect
in branch




Free onsite
delivery*

*Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland. Minimum order value of £50.

eurocell

Eurocell Windows & Doors
From Eurocell Branches





Get Instant Quotes

Visit your local branch today to get quotes in an instant on a full range of windows and doors.

Ready To Collect In Branch
In Just 7-14* Working Days

It's a no brainer!



Save Time & Money


When you're buying Eurocell roofline products from your local branch, make sure you pick up your windows too! Whether you're looking for traditional casement windows, fully-engineered vertical sliding sash windows or our advanced tilt and turn windows, they're all in one place – saving you time and money!

Market Leading Windows –
In Branch Now!

You'll find outstanding performance right across the range. With a choice of styles, colours and finishes to suit every building, our innovative windows boast A++ energy ratings and U-values as low as 0.8. In other words, they exceed the latest energy-efficiency standards.

Fully Guaranteed

Windows bought from your local branch are covered by a 10 year guarantee.



Find Your Local Branch At
eurocell.co.uk/branchfinder

*We aim to get these to you within the specified time frame, but there may be instances when this lead time may be extended



Modus features a clean, contemporary look with slim sightlines and leading thermal performance. Containing 50%* post-consumer recycled UPVC as standard, Modus is our most sustainable profile.

- 8 Systems in 1:
- Standard sash casement
 - Slim rebate sash casement
 - Flush sash casement
 - Reversible windows
 - Tilt and Turn windows
 - Entrance doors
 - French doors
 - Composite door frame

*Average – post-consumer and virgin UPVC % content varies between profiles

Features & Benefits

Outstanding technical performance

Fast, accurate fabrication and installation

Superb energy efficiency performance

U-values as low as 0.8*

BBA certified system

Market-leading sustainability

Wide range of colour and style options

12-year guarantee for peace of mind**

* Lower U-values are achievable with Krypton gas. ** White profiles only

Style & Colour Options

WHITE
White interior

WHITE ASH
Both sides

CREAM WHITE
White interior

AGATE GREY
White interior

ANTEAK
White interior

ROSEWOOD
White interior

IRISH OAK
White interior

BLACK ASH
White interior

ANTHRACITE GREY*
White interior

SLATE GREY
White interior

MOONDUST GREY
White interior

32 Additional colours and specifications are made to order on extended lead times





The Logik profile system combines leading energy efficiency performance and aesthetics with ease of use, for the ultimate system.

Available in chamfered, flush or ovolo styles as:

- Standard casement
- Flush casement
- Tilt and Turn
- French windows
- Residential doors
- French doors

Features & Benefits

Outstanding technical performance

Fast, accurate fabrication and installation

Superb energy efficiency performance

U-values as low as 0.9*

BBA certified system

Market-leading sustainability

Wide range of colour and style options

10-year guarantee for peace of mind

* Lower U-values are achievable with Krypton gas.



Frame colours from stock

<p>WHITE White interior</p>	<p>CREAM WHITE† White interior</p>	<p>WHITE ASH† White interior</p>	<p>WHITE ASH† White Ash interior</p>	<p>AGATE GREY† White interior</p>	<p>ANTHRACITE GREY White interior</p>	<p>ANTHRACITE GREY Grey interior</p>	<p>SLATE GREY** White interior</p>
<p>BLACK ASH White interior</p>	<p>IRISH OAK† White interior</p>	<p>IRISH OAK† Irish Oak interior</p>	<p>GOLDEN OAK White interior</p>	<p>GOLDEN OAK Golden Oak interior</p>	<p>ROSEWOOD† White interior</p>	<p>ROSEWOOD† Rosewood interior</p>	<p>CHARTWELL GREEN White interior</p>
<p>DARK RED‡ White interior</p>	<p>BLUE‡ White interior</p>	<p>OLIVE GREEN‡ White interior</p>	<p>32 Additional colours and specifications are made to order on extended lead times</p> <p>† Ovolo only ** Chamfered only ° Door frame only Note: grey base product features cool colours foil</p>				




Offer your customers classically styled traditional windows with all the low-maintenance and thermal efficiency benefits of modern PVC-U.


With traditional styling, slim sightlines and a host of decorative finishing touches, they echo the elegance of the Georgian era. Optional ovolo Georgian bars and ovolo crash stops co-ordinate with the sculpted frames to give a classic cottage look, which is enhanced by decorative horns. Slot-in end caps for Georgian bars and security bars are sculpted to fit flush with the window frame, removing any need for difficult and time-consuming milling. A unique Georgian bar cruciform moulding creates a neat finish at the crossing point of vertical and horizontal bars. As well as sliding up and down, both sashes in the window also tilt inwards. This innovative slide-and-tilt slide mechanism means that the outer glass panes can be cleaned safely and easily from within the building.




Features & Benefits




Outstanding technical performance




Fast, accurate fabrication and installation




Superb energy efficiency performance




U-values as low as 1.3*




Heritage specification available



BBA certified system



Wide range of colour and style options




10-year guarantee for peace of mind

* Lower U-values are achievable with Krypton gas.


Frame Colours



WHITE
White interior



WHITE ASH
Both sides



CREAM WHITE†
White interior



CREAM WHITE†
Both sides



ROSEWOOD
White interior



ROSEWOOD†
Both sides



ANTHRACITE GREY
White interior

Additional colours and specifications are made to order on extended lead times



Window finishing

Contents

Cavity closers	14
Overhead vent	18
Glass & bridge packers	19
Window cills & accessories	20
Cill repair covers	24
Bow window accessories	25
Window boards	26
Finishing trims	28
Cosmetic repairs	31

From cavity closers to trims to window boards, our window finishing range allows you to get the perfect finish – for every job!


- **Cavity closers**
Close cavities quickly and effectively with our range of Cavalok closers, whilst improving thermal efficiency for homeowners - find out more on page 14
- **Intelligent 150mm cill**
The 150mm cill system has the flexibility to create larger sizes (up to 225mm) and accommodate project tolerance discrepancies through the use of various trims - find out more on page 20
- **Laminated window boards**
These scratch-resistant boards add the finishing touch to your window installation - find out more on page 26



Cavity closers



Intelligent cills



Laminated window boards

What is a cavity closer?

cavity closer

A cavity closer is an energy-efficient aperture former which enables brick courses to be completed and creates an Air-tight receiver for windows and doors

Benefits

- Provides a damp proof course
- Simplifies brickwork - no return bricks needed
- Provides thermal break
- Stops cold bridging which can cause condensation to form inside the opening damaging internal decoration and plasterwork
- Improves heat loss at the window junction, reducing CO₂ emissions
- Meets Accredited Construction Details regulation designed to improve the heat loss at junctions
- Meets needs of Part L of the Building Regulations




cavalok

Cavalok products are made from
100% recycled PVC-U

GET A TRADE ACCOUNT TODAY


ASK IN BRANCH FOR MORE DETAILS



over 6000
products
in branch




200+ branches
nationwide



Trade credit
available*



Dedicated
account manager



Exclusive trade
account pricing




Online trade
account

* Trade accounts are subject to T&Cs and acceptance.

Which Product Is Right For You?

Cavalok Universal Cavity Closer

- For cavity sizes 50-100mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Ensures window manufacturer can produce to correct sizes without repeated surveying - saving time and money by reducing rework or snagging
- Easy to install, use with standard plastic ties to fix into coursework as you build



Cavalok Big Blok Cavity Closer

- For cavity sizes 125-300mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Super-insulating, specially designed to meet the Code for Sustainable Homes
- Easy to install, use with standard plastic ties to fix into coursework as you build



*MTO - Max 150mm from stock.

Cavity Closer

LOOKING FOR FABRICATED CAVITY CLOSERS?

CALL US NOW 0800 988 3047

IDEAL FOR REFURBISHMENT PROJECTS

Slotted design allows you to cut down the product to fit your cavity width

Just one product to hold in stock or in the van, no assembly required

Punched flange for easy fixing

Easy way to improve the damp proof course when replacing a window

For Cavity Sizes 50 - 100mm

Frame Forming Corners

Cavalok corners



50mm

Code	Qty
CBP CAV 50 MOU	100/box

75mm, 90mm, 100mm

Code	Qty
CBP CAV 75 MOU 13	100/box

Big Blok corners



For use on all 125mm - 300mm cavity closers

Code	Qty
CBP BB MOU	200/box

Big Blok corner fillet



1.2m lengths

For use on all 125mm - 300mm cavity closers

Code	Qty
CBP BBS FIL	50 pack

Cavity Closer Sections

Trade closer




2.4m lengths

- This is a stand alone product - no extra components or assembly required!
- Suitable for applications between 50mm and 100mm

Code	Qty
MCBP TDR 100 HOR	10 pack

Window fixing strap



Code	Qty
CBPSTF7U2E	250 pack

Big Blok closer



4.8m lengths

125mm closer (insulated)

Code	Size
MCBP 125 HOR 48	4 x 4.8m

150mm closer (insulated)

Code	Qty
MCBP 150 HOR 48	4 pack

Universal closer



125mm closer (insulated)

Code	Qty
MCBP 050 HOR 48	6 pack

75mm closer (insulated)

Code	Qty
MCBP 075 HOR 48	6 pack

100mm closer (insulated)

Code	Qty
MCBP 100 HOR 48	6 pack

Frame Forming Bracing

Brace bar



4.8m lengths

For use with both Cavalok and Big Blok closer

Code	Qty
MCBP CAV BR BOX	60 pack

Brace boot



3.8m lengths

For use with both Cavalok and Big Blok closer

Code	Qty
CBP BOOT 14	100/box


Frame Installation

Brick ties



For use with both Cavalok and Big Blok closer

Code	Qty
CBP BB TIE	1000/box




Universal head vent		
Code	Foil	Stock/MTO
EWS137W	N/A	STOCK
EWS137WGY1LF	Anthracite Grey LF	STOCK
EWS137WGY2SLF	Smooth Slate Grey LF	STOCK
EWS137WROLF	Rosewood LF	MTO
EWS137WOLF	Golden Oak LF	MTO
EWS137WGY2LF	Slate Grey LF	MTO
EWS137WGY1SLF	Smooth Anthracite Grey LF	MTO
EWS137WYLF	Black Ash LF	MTO
EWS137WT1LF	Chartwell Green LF	MTO
EWS137WCR1LF	Cream White LF	MTO
EWS137WZBF	White Ash BF	MTO

Designed to be used with frames with a front to back dimension of up to 80mm.

On the inside the vent has a square box detail which allows the head of the reveal to be double boarded without obstructing the ventilation path.

Head vent spacer		
Code	Foil	Qty
VSW105W	N/A	Pack of 50


Trickle Ventilation




Trim vent and canopy

Code	Size	Qty
TS VENT	XS 4400 EA ventilator (screw fix)	50 pack


COLOUR OPTIONS



WH WHITE



C CARAMEL



BR BROWN

Glass & Bridge Packers



Bridge packers		
Code	Size	Qty
BRP283	100 x 28 x 3mm	1000 pk
BRP325	100 x 32 x 5mm	1000 pk


24mm glass packers		
Code	Size	Qty
PP24GP100	Mixed bag	100 pk
FL24F200	1-6mm mixed	200 pk

28mm glass packers		
Code	Size	Qty
FLWH28	100 x 28 x 1mm	1000 pk
FLBU28	100 x 28 x 2mm	1000 pk
FLRE28	100 x 28 x 3mm	1000 pk
FLYE28	100 x 28 x 4mm	1000 pk
FLGN28	100 x 28 x 5mm	1000 pk
FLBL28	100 x 28 x 6mm	1000 pk
PP28GP100	Mixed bag	100 pk
FL28FP200	1-6mm mixed	200 pk
FL28FP300	1-6mm mixed	300 pk

30mm glass packers		
Code	Size	Qty
FLRE30	100 x 30 x 3mm	1000 pk
FLGN30	100 x 30 x 5mm	1000 pk

32mm glass packers		
Code	Size	Qty
FLWH32	100 x 32 x 1mm	1000 pk
FLBU32	100 x 32 x 2mm	1000 pk
FLRE32	100 x 32 x 3mm	1000 pk
FLYE32	100 x 32 x 4mm	1000 pk
FLGN32	100 x 32 x 5mm	1000 pk
FLBL32	100 x 32 x 6mm	1000 pk
FL32FP200	1-6mm mixed	200 pk

Window Cills & Accessories




INTELLIGENT 150MM CILL SYSTEM

The cill provides solutions to issues commonly found on site


Allows flexibility to create larger sizes

Accommodates project tolerance discrepancies through the use of cill extender and frame extension trims




85mm A-type cill and end caps

Cill	End caps
Code	Code
AS 85	ECA 85
Colour options: WGY15S / 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ	Colour options: CO / CR / WG / O / 64




125mm A-type cill and end caps

Cill	End caps
Code	Code
AC125	ECA 125
Colour options: WGY15S / 7016 / CR / WCR1 / 7015 / 64	Colour options: 7016 / B / CO / CR / WCR1 / 7015 / 64



180mm A-type cill and end caps

Cill	End caps
Code	Code
AC180	ECA 180
Colour options: WY / CR / WO / WLO1 / CO / RO / 64	Colour options: 7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64



225mm A-type cill and end caps

Cill	End caps
Code	Code
AC 225	ECA 225
Colour options: WGY15S / CR / RO / 7015 / 64 / WZ	Colour options: 7016 / B / CO / RO / 7015 / 64

150mm A-type cill and end caps

Cill
Code
AC150
Colour options: 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ
End caps
Code
ECA 150
Colour options: 7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64

Combinations



CILL WITH
EXTENDER
See EWS 118 (below)



CILL WITH 25mm
EXTENDER TRIM
See EWS 106 (below)

























CILL WITH 10mm
EXTENDER TRIM
See EWS 136 (below)



See page 22 for
colour swatches

Colour Options


 <p>WG Y4 Agate Grey</p>	 <p>WLO 10 AnteaK</p>	 <p>WG Y1S Anthracite Grey Smooth</p>	 <p>WG Y1 Anthracite Grey</p>	 <p>BK Black</p>	 <p>WY Black Ash</p>
 <p>B Brown</p>	 <p>BB Brown Beige (to match Irish Oak)</p>	 <p>CO Caramel</p>	 <p>WT1 Chartwell Green</p>	 <p>CR Cream</p>	 <p>WCR1 Cream White</p>
 <p>WG Dark Brown (to match Rosewood)</p>	 <p>WO Golden Oak</p>	 <p>WLO1 Irish Oak</p>	 <p>GY3 Moondust Grey</p>	 <p>O Oak</p>	 <p>CO Oak on Caramel</p>
 <p>RO Rosewood</p>	 <p>7015 Slate Grey</p>	 <p>64 White</p>	 <p>WZ White Ash</p>		



<p>EWS 106 25mm x 6m knock on</p> <p>10 pack</p> 	<p>EWS 136 10mm x 6m knock on</p> <p>10 pack</p> 	<p>JT 150 150mm straight cill joint trim</p> <p>10 pack</p>  <p>Colour options: WY / CO / WG / O / 7015 / 64</p>	<p>JTA 150 150° angle cill joint trim</p> <p>10 pack</p>  <p>135° also available Code: JTA 135</p> <p>JTA 150 Colour options: B / CO / WG / O / 64</p> <p>JTA 135 Colour options: B / CO / 64</p>
<p>JTA 90i 90° internal angle joint trim</p> <p>10 pack</p>  <p>Colour options: B / CO / WG / O / 64</p>	<p>JTA 90E 90° external angle joint trim</p> <p>10 pack</p>  <p>Colour options: B / CO / WG / O / 64</p>	<p>UNS5821P Cill reinforcement</p> <p>6m lengths</p> 	<p>EWS 118 Cill extender</p> <p>6m lengths</p> 



Cill Repair Covers



4



DAMAGED CILL REPLACEMENT

Quick repair of a damaged existing cill without the costly removal and replacement of the existing cill.

Extruded to fit AC225 perfectly it is trimmable to fit AC125, AC150 & AC180 by simply cutting down the extruded “V” on the underside of the cill.


Cill cover repair				
Code	Size	Qty	Colour	
			Base	Foil
EWS119W	5m x 3.7m	5 pack	white	N/A
EWS119WO	5m x 3.7m	5 pack	white	Golden Oak
EWS119WRO	5m x 3.7m	5 pack	white	Rosewood
EWS119WGY1	5m x 3.7m	5 pack	white	Anthracite Grey

PERFECT PARTNER

With
SOUDALL SUPERGLUE
and SOUDALL
ACTIVATOR.



Bow Window Accessories



Bow canopies

- Quick and easy installation
- One piece leak-proof moulding
- Available with lead-look top
- Made from strong rigid fibreglass
- Maintenance-free

Standard		
Code	Size	Qty
BC 18	1.8m	1 pack
BC 24	2.4m	1 pack

Foam filled


Code	Size	Qty
BC 18 FF	1.8m	1 pack
BC 24 FF	2.4m	1 pack

Bow units

- Quick and easy installation
- Fully moulded GRP base unit including attached gallows bracket
- Made from strong rigid fibreglass giving a firm foundation for a bow window


Standard		
Code	Size	Qty
BA18 MK1	1.8m	1 pack
BA18 MK1	2.4m	1 pack

Gallows brackets




Code	Size
GB 7.5	7.5"
GB 10	10"
GB 713	2.4m


COLOUR OPTIONS



WH WHITE



BR BROWN



O OAK

Window Boards

Get a perfect colour match throughout your installation with stylish laminated window boards

FEATURES & BENEFITS

Adds style and elegance to complement any window or conservatory

Durable and strong laminate

Back edge and underside sealed to prevent moisture ingress

Scratch, stain and moisture resistant

Never needs painting and is easy to clean

23mm Laminated Window Boards

Standard range

Code	Size	Qty
WT150**5M	150mm x 5m	1 pack
WT200**5M	200mm x 5m	1 pack
WT225**5M	225mm x 5m	1 pack
WT250**5M	250mm x 5m	1 pack
WT300**5M	300mm x 5m	1 pack
WT350**5M	350mm x 5m	1 pack
WT600**3M	600mm x 3m	1 pack
WT900**3M	900mm x 3m	1 pack

Colour options:
WH White / RO Rosewood / WO Golden Oak / LO Light Oak/


Designer range

Code	Size	Qty
WT250***4.1M	250mm x 4.1m	1 board
WT600***3M	600mm x 3m	1 board
WT900***3M	900mm x 3m	1 board

More sizes available on made to order


Colour options:
GIS Grey Italian Slate / BC Boston Concrete / WPO White Painted Oak / VM Venato Marble / AG Anthracite / CIS Cream Italian Slate

Standard Range Colours Available



Colour matched wooden skirting boards & architraves available in Standard Range Colours, see online for more information

Designer Range Colours Available



See online for more sizes and options

Laminated Window Boards and Accessories

23mm Laminated Trim

WTFEC	Laminated end cap	WTJT	Laminated joint trim (internal joint)	WTUT	Laminated universal trim (external corner)
Foil options: WH White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey		Foil options: WH White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey		Foil options: 64 White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey	

9mm PVC Window Boards



9mm PVC Window boards

Code	Size
WB160	160mm x 5m
WB180	180mm x 5m
WB210	210mm x 5m
WB240	240mm x 5m
WB260	260mm x 5m
WB420	420mm x 5m

Colour options: 64 White

9mm Window Board Accessories

Window board retaining trim	EWS129	Window board retainer end cap	EWS229 2 pairs	Long end caps	DEC 10 pairs	Short end caps	EWBECS 5 pairs
6m lengths		2 pairs		10 pairs		5 pairs	
Colour options: W White / WO Golden Oak		Colour options: W White		Colour options: 64 White / O Golden Oak / WG Brown		Colour options: 64 White	

Bead

Code	Size
B20	20mm

Colour options:
64 White, WO Golden Oak, RO Rosewood, WZ White Ash, WGY1 Anthracite Grey, WY Black Ash, BW Blue White, WT1 Chartwell Green*, WCR1 Cream White*, WGY4 Agate Grey*, WG Woodgrain




20
x 5m

13 or 17.5mm quadrant

Code	Size
Q13	13mm
Q175	17.5mm

Colour options:
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey*, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1 Cream White, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*





20
x 5m

30
x 5m

Cloaking fillet

Code	Size
C20	20mm

Colour options:
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash*, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green*, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey, GRW7015S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

Code	Size
C30	30mm

Colour options:
64 White, RO Rosewood, WLO1 Irish Oak, WZ White Ash*, GRW7016 Anthracite Grey*, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey*, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

20mm square

Code	Size
S20	20mm

Colour options:
64 White, WO Golden Oak, RO Rosewood, WGY1 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, WG Woodgrain



20
x 5m

25mm D moulding


Code	Size
D25	25mm

Colour options:
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey, WLO10 Anteak, WGY17 Balmoral*




25
x 5m


Examples Of Use



Pencil Round Architrave
This flatback pencil-round architrave hides minimal plaster damage, whilst providing an attractive finish. Available in 3 sizes.



25mm D Moulding
Conceal window joins with a 25mm D-moulding trim to improve sightlines and create a clean, colour-matched finish.



Foam Quadrant
Neaten joins with attractive foam quadrants, available in a variety of colours. Suitable for use around windows, floors and more.

Architraves

Ogee architrave Castellated

Code	Size	Qty
OGEE50	40mm x 5m	10 pack

Colour options:
64 White



5m
lengths

Pencil round architrave Castellated

Code	Size	Qty
PR40	40mm x 5m	10 pack

Colour options:
64 White

PR60	60mm x 5m	10 pack
------	-----------	---------

Colour options:
64 White

PR90	90mm x 5m	10 pack
------	-----------	---------

Colour options:
64 White



5m
lengths

Pencil round architrave Flat

Code	Size	Qty
PF45	45mm x 5m	10 pack
PF65	65mm x 5m	10 pack
PF95	95mm x 5m	10 pack

Colour options:
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*



5m
lengths

Colour Availability

64
White

CR
Cream

WO
Golden Oak

RO
Rosewood

WLO1
Irish Oak

WZ
White Ash

GRW7016
Anthracite Grey

WGY1S
Anthracite Grey Smooth

WY
Black Ash

BW
Blue White

WT1
Chartwell Green

WCR1379
Cream White

WGY3
Moondust Grey

GRW7015
Slate Grey

WGY2S
Slate Grey Smooth

WGY4
Agate Grey

WLO10
Anteak


WGY17
Balmoral

WG
WG Woodgrain Brown

WY3
Matt Black

* Made to order


Angles



Rigid angles

Code	Size	Qty
RA2525	25mm x 25mm	20 pack
GRA4040	40mm x 40mm	20 pack
RA6060	60mm x 60mm	5 pack
RA8080	80mm x 80mm	5 pack
RA1008	100mm x 80mm	5 pack
RA6535	150mm x 35mm	10 pack


Colour options:
64 White / RO Rosewood (Except RA 6535) / WO Golden Oak (Except RA 6535) / WGY1 Anthracite Grey (Except RA6060, RA8080, RA1008 & RA 6535) / WY Black Ash (Except RA6060, RA8080, RA1008 & RA 6535)



3mm thick adjustable angles

Code	Size	Qty
AA50	50mm x 5m	20 pack
AA70	70mm x 5m	20 pack
GAA100	100mm x 5m	15 pack

Colour options:
64 White / WRO Rosewood (RO for GAA100) / WO Golden Oak / WGY1 Anthracite Grey / (Except AA70 & GAA 100) WY Black Ash (Except AA70 & GAA 100)



6mm thick hollow angles

Code	Size	Qty
HA1008	100mm x 80mm	5 pack

Colour options:
64 White / RO Rosewood / WGY1 Anthracite Grey / WY Black Ash

PERFECT PARTNER
Seal trims with
Soudal Silirub LMN.



Look in branch for full range

Cosmetic Repairs



Colour Edging Pens

Replace missing colour on window seams, wooden flooring and more

- Unique press action
- Spare tips included
- Suitable for interior and exterior applications
- Original colour edging pen with pump action is also available

Code	CEP
------	-----



Window repair kit

Successfully repair minor scratches,dents or bruises to PVC-U and timber windows

- Suitable for repairing minor scratches,dents or bruises to PVC-U and timber windows
- Contains filler for use on Mahogany, Rosewood, Golden Oak and White profile
- Original colour edging pen with pump action also available

Code	KO 614
------	--------



Colour Fill & Solvent Pack

Effectively repairs laminate and melamine flooring

Code	KO 614
------	--------

Colour options:
64 White / RW Rosewood / WO Golden Oak / O Oak

YOU CAN NOW GET AN INSTANT PRICE FOR YOUR BESPOKE WINDOW IN BRANCH TODAY!

With the launch of our new Frameworks technology, we can provide you with an instant price at your local branch.

Ordering couldn't be easier - just let our branch staff know the window style, size, colour and quantity.

Get your quote today!



Rooflights & Roof Windows

Contents

VELUX centre-pivot roof windows	34
FAKRO centre-pivot roof windows	36
Luma	38
Rooflights	42
Flat roof windows	43

- **VELUX** centre-pivot roof window gives you all the daylight and ventilation benefits you expect from a VELUX roof window with a convenient top control bar.
- **FAKRO** pivoting roof window comes with inbuilt TopSafe Anti Burglary system and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.
- **Luma** aluminium flat rooflights are made-to-measure and easy to install.
- **Rooflights** are an ideal way to increase natural light on flat roof properties.
- The **FAKRO** type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG).



VELUX centre-pivot windows



Fakro centre-pivot windows



Luma



Rooflights



Flat roof windows

Roof Windows



- VELUX CENTRE-PIVOT ROOF WINDOW
- Convenient top-opening with integrated ventilation
- Ventilation filter protects against dust and insects
- Easy to rotate the window and clean the outer glass
- Easily add blinds by simply clicking them into the patented mounting brackets

VELUX solar or electric roof windows are available for the ultimate control and convenience.

The classic VELUX centre-pivot roof window gives your customers all the daylight and ventilation benefits they expect from a VELUX roof window with a convenient top control bar - allowing them to place furniture directly below the window. The top operated roof window also features a ventilation flap, so they can air their room even when the window is closed. Suitable for roof pitches: 15°-90°.

A single roof window is ideal for small rooms. For bigger rooms, multiple or combination roof windows will help transform the space.

Interior finish options

RECOMMENDED
White maintenance-free - The most durable and robust finish that is completely maintenance-free

White painted - High quality natural pine treated with a water-based white paint for a discreet wood grain look.



VELUX centre-pivot roof windows		
GGU CK02 0070	55cm x 78cm	White maintenance-free, centre-pivot roof window. Double glazed
GGU CK04 0070	55cm x 98cm	White maintenance-free, centre-pivot roof window. Double glazed
GGU MK04 0070	78cm x 98cm	White maintenance-free, centre-pivot roof window. Double glazed
GGU MK06 0070	78cm x 118cm	White maintenance-free, centre-pivot roof window. Double glazed
GGL CK02 2070	55cm x 78cm	White painted, centre-pivot roof window. Double glazed
GGL CK04 2070	55cm x 98cm	White painted, centre-pivot roof window. Double glazed
GGL MK04 2070	78cm x 98cm	White painted, centre-pivot roof window. Double glazed
GGL MK06 2070	78cm x 118cm	White painted, centre-pivot roof window. Double glazed

All VELUX windows should be fitted with the relevant flashing



The Pro+ (2000) flashing set comes with an Underfelt collar (BFX) for a watertight seal between the roof window, the roof and the Insulation collar (BDX) for heat loss reduction and elimination of cold bridges.




- Profiled roofing material EDW
- For profiled roofing material up to 120mm.
 - Suitable for interlocking slate, thatch and profiled sheeting.
 - Roof pitches from 15°-90°



- Slate EDL
- For slate up to 8mm thick.
 - Not for interlocking slate. See EDW for details.
 - Roof pitches from 15°-90°

VELUX flashings - EDW	
EDW CK02 2000	PTF Pro+ 55x78
EDW CK04 2000	PTF Pro+ 55x98
EDW MK04 2000	PTF Pro+ 78x98
EDW MK06 2000	PTF Pro+ 78x118

VELUX flashings - EDL	
EDL CK02 2000	SF Pro+ 55x78
EDL CK04 2000	SF Pro+ 55x98
EDL MK04 2000	SF Pro+ 78x98
EDL MK06 2000	SF Pro+ 78x118



A full range of GENUINE VELUX blinds and shutters are available to order

Roof Windows

FAKRO CENTRE-PIVOT WINDOW

Comes with inbuilt topSafe anti-burglary system, and head ventilator as standard. P2 glazing unit with toughened outer pane and laminated inner pane.

Practical and stylish design

Suitable for 15-90 degree pitched roof

U Value of 1.3 W/m²K

Noise Reduction 32dB

Fire-proof & conforms with the European standards



Across the trade, it's widely recognised that high build quality begins with high-performance products. FAKRO roof windows are remarkably easy to install, thanks to a universal bracket fix system that makes fitting more flexible and a sash guiding system that maximises the effectiveness of the seals. They also feature a unique topSafe security system and the intelligent V40p automatic air inlet that optimises air flow, while minimising heat loss.

It's all part of what makes FAKRO the perfect fit for your next project.

A full range of compatible blinds and screens are available to order



FAKRO pivoting roof window

PTP-V01	55cm x 78cm	Pivot Roof Window
PTP-V02	55cm x 98cm	Pivot Roof Window
PTP-V05	78cm x 98cm	Pivot Roof Window
ELV01	55cm x 78cm	Slate Flashing
ELV02	55cm x 98cm	Slate Flashing
ELV05	78cm x 98cm	Slate Flashing
EZV01	55cm x 78cm	Tile Flashing
EZV02	55cm x 98cm	Tile Flashing
EZV05	78cm x 98cm	Tile Flashing

All FAKRO windows should be fitted with the relevant flashing



WHAT'S ON OFFER?

UPVC Pitched Roof Windows



UPVC Centre Pivot Roof Window (PTP-V)

- Pivots from the centre when opened.
- Pure White PVC finish as standard.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



UPVC Top Hung & Centre Pivot Roof Window (PPP-V)

- Pivots from top or centre when opened (preSelect dual function)
- Pure White PVC finish.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



UPVC Electrically Opening Roof Window (PTP-V Z-Wave)

- Pivots from the centre when opened.
- Electrically operated.
- Pure White PVC finish.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



Conservation

- Conservation options available across our entire UPVC range.
- Conservation windows are designed for use in conservation areas which are worthy of preservation due to historical interest.
- The main difference is they're finished in Jet Black & have a glazing bar fitted.

Internal & External Accessories

We have a full range of internal and external accessories available. Please see some of our most popular choices.



ARZ Shutter



AJP Venetian Blind



ARF Blackout Blind



XDK - Insulation Set

Flashing Kits for Pitched Roof Windows



EPV Plain Tile Flashing Kit

Suitable for non-interlocking plain tiles up to 16mm in profile on roof pitches between 25-90 degrees.



ELV Slate Tile Flashing Kit

Suitable for non-interlocking slate tiles up to 8mm in profile on roof pitches between 15-90 degrees.



EZV-A Interlocking Tile Flashing Kit

Suitable for interlocking tiles up to 45mm in profile on roof pitches between 15-90 degrees.



EHN-A Interlocking Tile Flashing Kit

Suitable for interlocking tiles up to 120mm in profile on roof pitches between 15-90 degrees.

Flat Roof Windows

We also have a fantastic range of flat roof windows available.

- Available in fixed-shut, manually opening & electrically opening.
- Suitable for roof pitches between 2 – 15 degrees.
- Joining gutters available on request.
- Hinges located on the short side of the window.



DXG



DMG




DEC

iluminate your world

Luma aluminium flat rooflights

**Made-to-measure.
Easy to install.**



Rigid slimline aluminium profile

The visible framework is minimised, and daylight is maximised.



Secured from the inside

Fixed from the inside for added security.



Double or Triple glazed options

Laminated high performance self-cleaning glass.



Excellent energy efficiency

Thermally broken frame and U-values as low as 0.9.³



10-year guarantee

For peace of mind.

Order in-branch or online
eurocell.co.uk/luma

1. Subject to maximum glass area of 2.5m² (double-glazed) / 2m² (triple-glazed). May also be subject to Eurocell's handling restrictions.
2. Extended lead times apply
3. U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed.

Thermally broken and glazing options for excellent energy efficiency

Luma's aluminium frame has an integrated thermal break, which reduces heat transfer. And it's available in double-glazed and triple-glazed options, with U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed. So, you'll stay cool in summer and warm in winter and save money on energy bills.

1. Tinted laminated glass options

Luma is available with either neutral or blue tinted glass. Tinted glass still allows the light to flood in but reduces uncomfortable glare when the sun hits the glass.

2. Secured from the inside

Exclusive to Luma

The only flat rooflight which is fixed from the inside for added security.

3. Slimline modern profile with sleek seamless glazing

Exclusive to Luma

Luma's sleek aluminium frame and unique glazing tape mean there are no chunky frames or painted borders. And there are no bars across the glass to impede your view either. The inside is beautifully finished with a PVC plasterboard trim. The result is minimal framework and maximum daylight.



Integral drainage system


Exclusive to Luma

The outer frame includes a unique drainage system that allows moisture to drain away outside for added reassurance.



High performance self-cleaning glass


Luma features self-cleaning glass. It has a special coating that uses UV rays to break down organic matter on the surface, which then washes away when it rains. So, the glass stays cleaner for longer, and the need for regular washing is significantly reduced.





Better by design

Here at Eurocell, we believe you should never have to compromise on quality or performance when you make improvements to your home. That's why innovation is at the heart of our Luma flat rooflights. We've built-in exclusive, market-leading features that come as standard to bring you a premium-quality product that performs excellently.



Future Homes Ready

Building Regulations are changing. In 2025 a new Future Homes Standard will be introduced, which requires all new homes to be future-proofed with low-carbon heating and world-leading levels of energy efficiency. So, we've designed Luma flat rooflights to be Building Regulations compliant. Not just for now but for the future too.



ARE YOU AN INSTALLER?

Easy to install and delivered straight to site

Luma flat rooflights are made to order in our factory, then delivered straight to site. They're easy to install, helping you complete the job quickly, with no fuss and no mess.



Our service promise to you

We know how important it is to you to keep your customers happy. That's why we take great pride in consistently providing a friendly, approachable service to make finding and getting what you and your customers need quick and easy. Here's how we help:



Quotes in under 1 hour

There's no waiting around. Just call, drop us an email or fill in the contact form on our website to request a quote, and we'll respond within an hour.



Lead times to suit you

Tell us when you need the products to be on site, and we'll ensure they're there at the right time.



Order checking

Our orders are thoroughly checked prior to delivery, allowing you to get on with installing Luma right away.



Technical support line

Luma flat rooflights are easy to install, but if you need help, our expert technical team are just a phone call away.

To find out more, ask our experts at your local Eurocell branch. Alternatively, simply call us on 0333 005 6525, email us at enquiries@eurocell.co.uk or visit:

eurocell.co.uk/luma

4. Installation at 5° pitch is recommended
5. Applies within normal office working hours: Mon-Fri 8.30 - 17.00

Rooflights

- Rooflights are an ideal way to increase natural light on flat roof properties.
- This product range offers high security and exceptional energy efficiency - with u-values as low as 1.8!
- The domed design offers great aesthetics, meaning they are desirable additions for residential and commercial applications.

Glazing options

CLEAR

• High light transmission

• Allows unimpeded views

OPAL

• High light transmission

• Allows unimpeded views

DIFFUSED

• Maximises privacy

• Diffuses light to avoid sun glare

BRONZE

• Reduces solar heat gain

• Reduced light-transmission

OTHER
DESIGNS
AVAILABLE

Choice of ventilation options - ask a member of staff at your **local Eurocell branch today!**

GET A TRADE ACCOUNT TODAY
ASK IN BRANCH FOR MORE DETAILS

over 6000 products in branch

200+ branches nationwide

Trade credit available*

Dedicated account manager

Exclusive trade account pricing


Online trade account

* Trade accounts are subject to T&Cs and acceptance.

Flat Roof Windows

Fakro flat roof window

- The Fakro type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG). Fakro flat roof products bring the very highest standard of natural light to interiors. They also provide ventilation and offer exceptional functionality. In short, they can transform any room under a flat roof.
- The new range of technologically advanced G windows give smart aesthetics and provide an alternative solution for bringing natural daylight into rooms below a flat roof.
- Integral upstand for quick and easy installation.
- P2 safety glazing
- 10 year warranty



DEG

Electric z-wave control

- Electrically opened with wireless Z-Wave system,
- Included in the kit: AC adaptor, remote control, rain sensor
- Sash tilts 15cm

Code	Size
FRW80EX01	01K 60x60
FRW80EX02	02K 60x90
FRW80EX03	03K 70x70
FRW80EX04	04K 80x80
FRW80EX05	05K 90x90
FRW80EX06	06K 90x120
FRW80EX07	07K 100x100
FRW80EX08	08K 120x120
FRW80EX09	09K 140x140
FRW80EX10	10K 100x150
FRW80EX11	11K 120x200



DMG

Manual opening

- Opened manually by means of ZSD control rod 2.2m long included
- Sash tilts 30cm

Code	Size
FRW80EW01	01K 60x60
FRW80EW02	02K 60x90
FRW80EW03	03K 70x70
FRW80EW04	04K 80x80
FRW80EW05	05K 90x90
FRW80EW06	06K 90x120
FRW80EW07	07K 100x100
FRW80EW08	08K 120x120
FRW80EW09	09K 140x140
FRW80EW10	10K 100x150
FRW80EW11	11K 120x200



DXG

None opening

- Non-opening

Code	Size
FRW80EU01	01K 60x60
FRW80EU02	02K 60x90
FRW80EU03	03K 70x70
FRW80EU04	04K 80x80
FRW80EU05	05K 90x90
FRW80EU06	06K 90x120
FRW80EU07	07K 100x100
FRW80EU08	08K 120x120
FRW80EU09	09K 140x140
FRW80EU10	10K 100x150
FRW80EU11	11K 120x200

Doors

Contents

Composite Doors	46
PVC-U Doors	54
PVC-U Door Canopies	56
Door Surrounds	57
Sliding Patio Doors	58
PVC-U Bi-Fold Doors	60
Aluminium Bi-Fold Doors	62
French Doors	64
Colour Options	66
Garage Doors	68



High security, low-maintenance and attractive composite, PVC-U and garage doors available in a range of colours and styles

- **Dales Doors**

Our collection of composite doors is better than ever with 22 styles available in classic, period and contemporary designs.

- **PVC-U Bi-Fold Doors**

Why not open yourself up to a new business opportunity? Aspect are a hit with customers - so why not start installing them today.

- **Aluminium Bi-Fold Doors**

Studioglide isn't just a winning combination of high performance and thermal efficiency. Quality materials and advanced design make for a smooth, reliable sliding mechanism and frames that won't expand or contract, whatever extremes the weather throws at them.

- **Syncro Sliding Patio Doors**

A slim and attractive patio door - a perfect addition to your offering.



Dales collection composite door



PVC-U Bi-Fold Doors



Studioglide Bi-Fold Doors



Syncro Sliding Patio Doors

Design Choices

Dales Doors offer a superb range of colours and styles to meet your customers' needs.

With Eurocell's composite doors, worries about unwanted intruders disappear. PVC-U edge banding comes as standard. A five-point locking system paired with a one-star cylinder with a two-star handle (delivering a three-star solution) reinforces its security credentials. Plus, choose to have our composite doors Secured by Design, which are above 'Police Preferred Specification' in independent tests.

Use our door configurator to design your door.

How to design *your perfect door*

Creating your new door is simple. The first step is to choose a door that fits your style. Then pick your perfect colour, add glazing if required, and then add your finishing touches. The following pages take you through all the options available to create your perfect door.



DESIGN YOUR DOOR AT:
designyourdoor.co.uk

Scan me
and start designing
your dream door.



Step *one* Choose your door

CLASSIC STYLE



CHATSWORTH



BRADBOURNE



BRASSINGTON



CROMFORD



ELTON



HATHERSAGE



MILLDALE



PILSLEY



THORPE



WINSTER

PERIOD STYLE



BRETTON



ASHBOURNE



HARTINGTON



LITTON



MALHAM



MIDDLETON



MIDDLETON
HALF GLAZED

CONTEMPORARY STYLE



BIRCHOVER



BUXTON



CHELMORTON



NEWHAVEN



WIRKSWORTH

Design Choices

Step *two* Choose your colour

All doors come with White internal colour as standard. However you can choose to have colour on both sides if that's your style choice.

STANDARD COLOURS




PREMIUM COLOURS



Step *three* Choose your frame colour

Frames can be coloured both sides on request and can also be sprayed in any classic RAL colour with either a smooth or foiled finish.




* The foiled Black Ash/Brown frame may appear lighter than the black door in direct sunlight

Can't see your perfect colour?

Don't worry! All our doors can be sprayed in any classic RAL* colour

*additional cost and lead times apply



SPRAYED ANY CLASSIC RAL COLOUR
INTERIOR/EXTERIOR FACE
Made-to-order

Any standard/solid/flat Classic RAL colour.
No woodgrain/pearlescent finish. Extended lead time applies - confirm when ordering.





DESIGN YOUR DOOR AT:
designyourdoor.co.uk

Scan me
and start designing your dream door.





Step *four* Choose your glass

Beauty that shines through

You can choose from bold half-glazing, through to contemporary arches and traditional glazing infused with decorative picture art. From traditional designs to abstract geometric shapes and colourful glass options, we're sure to have a design for you. Our wide range of glazing options enables you to add the finishing touch to your door and complement your home. All of our glass designs are made using the highest quality materials, so glass colours will remain bright and vibrant for years to come. Manufactured using traditional techniques and finished by hand, our glass options offer the best possible finish.

Triple-glazed units

We offer an extensive range of triple-glazed glass in many stunning designs including some Gold and Silver lead options. Constructed using hand-cut bevels and textured glass pieces, triple-glazed units are beautiful additions to any door design. What's more, they offer excellent thermal and sound insulation properties, as well as providing extra security thanks to the additional strength.

GLAZING OPTIONS

AS LITTLE AS
5 DAYS
LEAD TIME

If you choose a door that doesn't require a top or sidelight, we'll deliver it within 5-10 days. This includes doors with triple glazed units. All glass units have clear glass on the outside with your choice of backing glass in the centre as shown in the diagram below. Backing glass options are not available on triple glazed units.

Glass configuration



Creating *privacy*

Many of our glass designs can be specified with different backing glass as well as clear, offering varying levels of obscurity. Choosing the right backing glass can help increase the level of privacy your door offers, as well as match glass elsewhere in your property.

BACKING GLASS OPTIONS

Clear™	Stippolyte™	Minster™
Oak™	Contora™	Cotswold™
Everglade™	Florielle™	Pelerine™
Chantilly™	Mayflower™	Autumn™
Charcoal Sticks™	Taffeta™	Satin™ (On all door styles)

© Images reproduced by permission of Pilkington plc

Lattice†	Diamond Classic	Mene†	Bohemia	Reflections	Simplicity Gold	Simplicity Silver
Kara	Silvaner†	Gavalas†	Satin†	Rhea†	Block Lead	Prestige†
Spirit†	Bevel Diamond† Available in Clear, Red, Blue, Green and Black.	Diamond† Available in Clear, Red, Blue, Green and Black.	Sunburst Glazing Frame† Available in Red, Blue, Green and Black.	Satin	Geo Bar Only available as White, Oak on White, Oak on Oak, Rosewood on White, Rosewood on Rosewood, Anthracite on White, Slate on White, Chartwell on White and Agate on White.	
Eos† Available in Red, Blue, Green and Black.	Standard 14 choices of backing glass.	Murano† Available in Red (with Yellow insert), Blue (with light Blue insert), Green (with light Green insert) and Black (with Black insert).	Mosel†	Royal Sparkle†		
Glacier	Dorchester	Havana				


Available in: Black.

† These glass styles are supplied with a choice of backing glass.

LEAD OPTIONS:
Gold Silver Lead

GLAZING:
Double Glazing
Triple Glazing

Not all glazing options are available on all doors, please ask in branch for more detail.



DESIGN YOUR DOOR AT:
designyourdoor.co.uk

Scan me
and start designing your dream door.



Step *five* Choose your finishing touches

//HANDLES AND BARS

Lever / lever (split spindle)
Lever / lever (through spindle)

White

Gold

Chrome

Satin Silver

Satin Black

Cast Iron Effect (Black)

Long bar
Long Bar (1200mm) int & ext*
Long Bar (1200mm) ext only**

Short bar
Short Bar (600mm) int & ext*
Short Bar (600mm) ext only**

Satin Silver

Satin Black

Cylinder pull

Gold

Satin Silver

Chrome

Black

*Internal and external face of door
**External face of door only

//LETTERBOX

White

Gold

Chrome

Satin Silver

Satin Black

Cast Iron Effect(Black)

//HINGES

White

Black

Gold*

Chrome*

*not available on open out doors

//LOCK



Multi-point lock

//KNOCKERS

Standard


White

Gold

Chrome

Satin Silver

Satin Black




Bee Knockers

Gold

Chrome

Satin Silver

Black



//OTHER OPTIONS

Numbers
Available in White, Gold, Chrome, Satin Silver and Satin Black.

Spyhole
Available in White, Gold, Chrome, Satin Silver and Satin Black.

Door chain
Available in Gold and Chrome.

Colour-matched weather bar
Available in Red, Blue, White, Black, and Green.

Painted weather bar
Available in Anthracite Grey, Brown, Caramel, Chartwell Green, Cream, Duck Egg Blue, French Blue, Royal Magenta, Moondust Grey, and Slate Grey.

//FRAME EXTENSIONS

If required:	Size	Length	Size	Length
White, Oak, Rosewood, Anthracite Grey, Slate Grey and Black Ash.	15mm	1100mm	25mm	2100mm
Any RAL colour.	15mm	2100mm	50mm	1100mm
	25mm	1100mm	50mm	2100mm

//CILL OPTIONS

If required:	Size	Length	Size	Length
Available in White, Oak, Rosewood, Anthracite Grey, Slate Grey and Black Ash.	85mm	1100mm	150mm	2100mm
Any RAL colour.	85mm	2100mm	180mm	1100mm
	150mm	1100mm	180mm	2100mm

Please note:
If a cill option is chosen a metal Part M compliant threshold will be supplied.

Note: All Chrome, Gold and Satin Silver handles, knockers and letterboxes are stainless steel.

Don't forget to

complete the look

COMPOSITE SIDELIGHTS

For homes with larger openings, we offer a range of sidelight options to complement your door.

Chatsworth

Newhaven

Bradbourne Right

Bradbourne Left

Pilsley

Thorpe Solid

Thorpe

Design your
perfect door at...

designyourdoor.co.uk



Scan me
and start designing
your dream door.



the elegance collection

- VERSATILE DOORS
THAT WILL ENHANCE
ANY HOME
- Extensive choice of attractive, hard-wearing doors in a choice of styles
 - High levels of security
 - A range of glazing options available
 - Thermally efficient
 - Heat and moisture resistant
 - Inverted designs also available



Victorian



Windsor



Georgian



Cornwall




Edwardian



Back Door


DOOR PANEL AND FRAME COLOURS (ALL WHITE INSIDE FOR BOTH)




WHITE




GOLDEN OAK



ROSEWOOD




ANTHRACITE
GREY
RAL 7016



CHARTWELL
GREEN
RAL 6021

For full range
scan QR code
or pick up a
brochure in
branch



PVC-U Door Canopies






Get quick quotes on our MTO products

IDEAL FOR NEW BUILD AND REFURBISHMENT PROJECTS

Suitable for a variety of entrance doors

Designed GRP material is low-maintenance - it will never need repainting!

The ripley



Flat top, lead-look canopy with scalloped edge and Georgian period detailing will add prestige to any property

Code	Size
RIP 1500	1500mm

Colour options:
WH White

The cheltenham




3 designs

This strong, rigid GRP dual pitch canopy with tile effect roof and imitation woodgrain detailing is available with 3 design options on the gable

Code	Style
CHELT 730	730mm std
CHELT 730F	730mm fleur
CHELT 730T	730mm t-bar

Colour options:
WH White

The rockingham



3 designs

Elegant Victorian style GRP door canopy incorporating fully moulded brackets offers a period look for your customers

Code	Style
ROC B	With brackets
ROB WB	No brackets
ROC CL	Lead-top effect

Colour options:
WH White

Door Surrounds

The Victorian





Get quick quotes on our MTO products

Add prestige to entrance doors

Code	Colours
VTPS	WH White

The Georgian





Get quick quotes on our MTO products

This regal design will enhance any doorway

Code	Colours
G TPS	WH White

Freestanding Columns



The finishing touch to entrance doors

Code	Style
FP	Flat pillar
COLPL	Plain column
RCOLFLU	Fluted column

Colour options: WH White




Say hello to Syncro sliding patio doors. Relax in understated style with Syncro. The soft-close feature keeps noise to a minimum. Triple glazing and PAS24 security standards ensure maximum performance. And with each frame made from at least 40% post-consumer waste (PCW), and a grey substrate available for those chasing the modern look, there's no reason to hold back.

Close to perfection in the patio door market Syncro is available to PAS24 standards, which means you can meet Document Q – the newest security regulations for patio doors. Plus, its improved strength, security and weather performance mean it also satisfies BS6375 as standard. But that’s just for starters.


- More sustainable with frame composition made up of at least 40% PCW (post-consumer waste)
- Better thermal efficiency with U-values as low as 1.3 for double glazed units and 1.0 for triple glazed

- Maximum width of 3.5m (2 pane) and a maximum sash width of 1750mm
- Triple as well as double glazing compatible for even better insulation
- Grey substrate for total coordination with modern designs
- Soft close option


Features & Benefits




Width of up to 3.5m available



Fast, accurate fabrication and installation




Soft-close option




U1.0
WITH ARGON GAS


U-values as low as 1.0*




Wide range of colour and style options including grey substrate option



Triple glazing compatible



Delivery from 6 working days



10
YEAR

10-year guarantee for peace of mind**

* Lower U-values are achievable with Krypton gas. ** White profiles only

Colours from Stock



WHITE
White interior



GOLDEN OAK
White interior



GOLDEN OAK
Both sides



ROSEWOOD
White interior



ROSEWOOD
Both Sides



ANTHRACITE GREY
White interior




ANTHRACITE GREY
Both sides
Grey base



ANTHRACITE GREY
SMOOTH
Grey base

Made to Order



ANTHRACITE GREY MATT
Grey base

32 Additional colours and specifications are made to order on extended lead times

Note: grey base product features cool colours foil

Handle Colours



WHITE



HARDEX CHROME



HARDEX GRAPHITE



With modern, sleek elegance, panoramic doors are an increasingly popular addition to the latest home and commercial projects, creating a large opening with a low threshold for easy access that makes a stunning difference


Aspect is a high-performance, secure and visually stunning UPVC panoramic door system that’s designed for hassle-free fabrication and fitting, whether selecting bi-fold, entrance or flush French doors. Aspect offers all the aesthetic and functional benefits of timber and aluminium alternatives, but at a more affordable price. It incorporates a host of intelligently designed and precision-engineered bespoke components that enable accurate, consistent, straightforward fabrications and installation.

Fully accredited


Eurocell pushes the boundaries of design and performance in the panoramic door category. Our Aspect bi-fold was the first of a few bi-fold doors on the UK market to gain BBA accreditation and Secured by Design status.

Meeting these two important standards means that Aspect bi-fold doors are perfect for all new build applications where SBD is being specified to meet the requirements of Approved Document Q.


Features & Benefits




Purpose-designed system for superior performance



Fast, accurate installation




Patented features for superior looks




U1.0
WITH ARGON GAS


U-values as low as 1.0*




BBA certified and Secured By Design approved



Cheaper than aluminium and timber alternatives



Bespoke British designed hardware




10 YEAR


10-year guarantee for peace of mind

* Lower U-values are achievable with Krypton gas.


Frame Colours




WHITE
White interior




WHITE ASH
Both sides




WHITE ASH
White interior




GOLDEN OAK
White interior




GOLDEN OAK
Both sides




IRISH OAK
White interior




IRISH OAK
Both sides




ROSEWOOD
White interior




ROSEWOOD
Both sides



ANTHRACITE GREY
White interior



ANTHRACITE GREY
Both sides



BLACK ASH
White interior

Additional colours and specifications are made to order on extended lead times

Hardware Colours



WHITE



BLACK



CHAMPAGNE



SATIN SILVER



SILVER GREY



BRIGHT CHROME



Studioglide is our aluminium bi-folding door system with improved narrow sight lines, increased door sizes and slimmer profiles. With so many options and configurations to choose from, Studioglide offers high performance combined with contemporary styling that is perfect for any project, large or small.

Studioglide isn't just a winning combination of high performance and thermal efficiency. Quality materials and advanced design make for a smooth, reliable sliding mechanism and frames that won't expand or contract, whatever extremes the weather throws at them.

Temperatures indoors are kept comfortable too, with a thermal break in the frame that reduces heat loss and high-spec energy efficient glass to reduce energy bills even further.

Features & Benefits

Flexibility

Fast, accurate fabrication and installation

Complete range of handles and accessories

U1.3

U-values as low as 1.3

Colour options that complement the aesthetic of any property

Minimal profiles for a modern look and in-line system

Increased scalability

10 YEAR

10-year guarantee for peace of mind*

* White profiles only

Standard Frame Colours

WHITE
White interior

BLACK
Both sides

ANTHRACITE GREY
Both sides

Duo Colour Option

ANTHRACITE GREY
White Interior

Hardware Colours

WHITE

BLACK

ANTHRACITE GREY

BRUSHED SATIN

CHROME

Studioglide frames are available in a range of classic colours, complemented by shootbolt and door handles in a wide choice of colours and finishes.



Stylish versatility


Flexible and sophisticated, Lifestyle French doors are available in a range of sizes up to 2 metres wide, providing an impressive entrance to your garden. A tasteful choice of colours allows your doors to complement your home or conservatory. Whether you are looking for classic White or elegant Cream, or if you prefer the natural appearance of Rosewood or Golden Oak, we have a style that's right for you.

Individual design

A choice of frame styles – Chamfered or Ovolo and a choice of opening options mean you can tailor the finish of your French doors to your individual taste. Inward opening allows you to make the most of your patio space or you can maximise your indoor areas with an outward opening mechanism.



Ovolo (Sculptured)



Chamfered (Straight edge)



Flush Sash (Square)

The flush option

Offering all the benefits of French Doors, our flush option replicates a timber aesthetic giving a beautiful finish to any home without the need for regular maintenance. The design of our flush French Door means it perfectly suites into traditional or more contemporary properties and the extensive range of colour options available allows you greater variety to reflect your personal style.



aspect Bi-Fold Doors / Flush French Doors



WHITE
White interior



WHITE ASH
Both sides



IRISH OAK
White interior



IRISH OAK
Both sides



GOLDEN OAK
White interior



GOLDEN OAK
Both sides



ROSEWOOD
White interior



ROSEWOOD
Both sides



BLACK ASH*
White interior



ANTHRACITE GREY*
White interior



ANTHRACITE GREY SMOOTH*
White interior



ANTHRACITE GREY
Grey base

Hardware Colours



WHITE



BLACK



SATIN SILVER



SILVER GREY




BRIGHT CHROME




CHAMPAGNE


studioglide Aluminium Bi-Fold Doors




WHITE
Both sides



BLACK
Both sides



ANTHRACITE GREY
Both sides



ANTHRACITE GREY
White interior

Hardware Colours



WHITE



BLACK



ANTHRACITE GREY



BRUSHED SATIN



CHROME

† Ovolo only * Chamfered only * MTO
Note: Anthracite Grey with Grey base features cool colours foil

logik French Doors



WHITE
White interior



WHITE ASH†
Both sides



CREAM
Cream interior



IRISH OAK†
White interior



IRISH OAK†
Both sides



GOLDEN OAK
White interior



GOLDEN OAK
Both sides



ROSEWOOD
White interior



ROSEWOOD
Both sides



CREAM WHITE†
White interior



CHARTWELL GREEN†
White interior



SLATE GREY*
White interior



ANTHRACITE GREY SMOOTH*
White interior



ANTHRACITE GREY
White interior



BLACK ASH*
White interior



ANTHRACITE GREY
Grey base

Hardware Colours



WHITE



BLACK



ANTHRACITE GREY




BRUSHED SATIN



CHROME

† Ovolo only * Chamfered only
Note: Anthracite Grey with Grey base features cool colours foil

syncro Patio Doors



WHITE
White interior



GOLDEN OAK
White interior



GOLDEN OAK
Both sides



ROSEWOOD
White interior




ROSEWOOD
Both sides



ANTHRACITE GREY
White interior



ANTHRACITE GREY
Grey base




ANTHRACITE GREY SMOOTH *
Grey base




ANTHRACITE GREY MATT *
Grey base


Hardware Colours



WHITE



HARDEX CHROME



HARDEX GRAPHITE

STRONG, SECURE AND LIGHTWEIGHT GARAGE DOORS - SUITABLE FOR EVERY HOME!

High quality, low-maintenance design

Glazing available on certain styles

Two-point locking as standard on Up & Over doors

Full range of sizes including single (7'0, 7'6 and 8'0 wide) and doubles (up to 14'0)

Superior lifting gear on Up & Over doors

Choose from up to 19 colours

SECTIONAL & ROLLER DOORS AVAILABLE



Up & over doors



Roller doors



Sectional doors



Side hinged doors

Garador Garage Doors

Carlton

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.

Horizon

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.

Windsor

- Steel Up & Over Door.
- Low maintenance.
- Choice of 19 colours.

Add a quick fit steel frame

Design 210

- Steel Up & Over Door.
- Brushed steel handle.
- Plus, Anthracite Grey colour option.

Georgian

- Steel Up & Over Door.
- Perfect for modern & traditional homes.
- Choice of 19 colours.

Beaumont

- Steel Up & Over Door.
- Low maintenance.
- Canopy or track gear.
- Choice of 19 colours.

Choose from 19 colours

Kingsbury

- Timber Up & Over Door.
- Constructed from solid red cedar.
- Choice of 6 stain options

Vertical Cedar

- Timber Up & Over Door.
- Constructed from solid red cedar.
- Choice of 6 stain options

Linear Large

- Sectional Door.
- Full drive through width and height.
- 42mm thick insulated design.

Automate your garage door

Hardware

Contents

Locks	72
Handles - Door	75
Hinges	75
Letterplates	75
Centre Strikers/Cases	76
Handles - Window	77
Restrictors	78

- Eurocell offers a wide selection of Door Hardware, Window Hardware, Additional Security, Architectural Ironmongery and Tools for repair and maintenance.




3 Star Security Cylinder Locks



- 5 keys
- Dual finish
- Non-handed
- British Standard 3 star

- Anti-drill, anti-pick and anti-tamper
- Snap safe
 - 3* Kitemark



Cylinder Gauge

Cylinder Gauge Measuring Tool in Plastic

Code

ST-CYL-GAUGE

3* Key to Key Euro Cylinder

Tested to BS EN 1303 and supplied with 3 keys

Code	Size
ST-KIN35/35D-K4	35/35
ST-KIN45EX/45D-K4	45/45
ST-KIN50/50D-K4	50/50

3* Key to Turn Euro Cylinder

Dual Finish - EN 1303 - 3 Keys

Code	Size
ST-KIN35T/35D-K4	35T/35

Standard Cylinder Lock



Key to Key Euro Cylinder

Tested to BS EN 1303 and supplied with 3 keys

Code	Size
ST-ZL3535D	35/35 Euro Cylinder
ST-ZL3545D	35/45 Euro Cylinder
ST-ZL4040D	40/40 Euro Cylinder
ST-ZL4045D	40/45 Euro Cylinder
ST-ZL4050D	40/50 Euro Cylinder
ST-ZL4055D	40/55 Euro Cylinder
ST-ZL4060D	40/60 Euro Cylinder
ST-ZL4545D	45/45 Euro Cylinder
ST-ZL4550D	45/50 Euro Cylinder
ST-ZL4555D	45/55 Euro Cylinder
ST-ZL5050D	50/50 Euro Cylinder

Key to Turn Euro Cylinder

Dual Finish - EN 1303 - 3 Keys

Code	Size
ST-ZL35T35D	35T/35 Euro Cylinder
ST-ZL40T40D	40T/40 Euro Cylinder
ST-ZL50T50D	50T/50 Euro Cylinder



This multi-tool contains a cam turner for centre case testing; a cylinder measure to correctly gauge what size barrel is required and a multi-spnidle end to find out which spindle

Cylinder Cam Turner

Code

ST-TL-CAMTURNER

SCHLOSSER TECHNIK SNAP-SAFE, ANTI-PICK AND ANTI-DRILL EURO CYLINDER


Don't let your customers fall victim to insurance company small print – choose insurance-backed Schlosser replacement locks – in-branch now!

PVC-U Door repair lock kit

Kit contains:

- 1x four roller multi-point lock,
- 1x reversible one piece keep
- 8x multi-fit keep packers

- 35mm backset
- Lever / lever, night latch operation
- 92mm PZ centres
- Latch, deadbolt & 4 rollers



Code	Style
ST-MPL3255P-35LL	35/92 4 Roller repair Lock
FULLEX-REPAIRLOCK	UPVC Universal Repair Lock

GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS



over 6000 products in branch



200+ branches nationwide



Trade credit available*



Dedicated account manager



Exclusive trade account pricing



Online trade account

* Trade accounts are subject to T&Cs and acceptance.

Ferco PZ Sprung Door handle



Code	Size
ST-DH4720WH	70mm PZ (critical dimension) - measured from centre of handle spindle to centre of euro barrel (cylinder) 180mm screw fixing centres

219mm Door handle



Code	Colour
ST-DH219W	White
ST-DH219PVDG	Gold
ST-DH219MPSS	Chrome

243mm Door handle



Code	Colour
ST-DH243-PVDG	Gold
ST-DH243-MPSS	Chrome
ST-DH243-SSS	Satin
ST-DH243W	White

Flag hinge



Flag Hinge to suit sash rebate

Code	Size
ST-HIN0023AXBR-KIT	Brown
ST-HIN6114WH	White

Butt hinges 115mm



Code	Style
ST-HIN6115	0 degree
ST-HIN6116	15 degree

Colour options: BR Brown, WH White

Letterplates



Designed for 40-80mm wooden and composite doors.

Letterplate with BLACK ABS frame

Code	Style
ST-DMB1048	Aluminium 10"
ST-DMB1248	Aluminium 12"

Colour options: Options: PG Gold, PS Silver, WH White

Centre cases




Code	Style	Size
ST-MPL3113	Lockmaster PL LDB 2 Followers Centre Case only	35/92/62
ST-MPL3114	Lockmaster PL LDB 1 Followers Centre Case only	35/92
ST-MPL3350CA	Fullex XL 35mm Centre Case - Single Spindle	35/92
ST-MPL3350CA45	Fullex XL 45mm Centre Case - Single Spindle	35/92
ST-MPL3151	Milla 35mm Centre Case - Single Spindle	35/92
ST-MPL3213	GU Type Lock case - Solid spindle	35/92

Sash blocker



Code	Style
ST-SJWHITE	Non-Locking
ST-SJWH-LOCK	Locking
Colour options: BR Brown, WH White	

Composite sash blocker



Code
ST-SJ5178K-WH
Colour options: WH White

Apto cockspur handle 9mm-21mm




Code	Style	Colour
ST-WCH1801PL	Left hand	Chrome
ST-WCH1801PL	Left hand	White
ST-WCH1801PR	Right hand	Chrome
ST-WCH1801PR	Right hand	White
Colour options: SH Chrome,WH White		

Apto cockspur wedge kit


Code	Size
ST-WCH1803	(1x2mm, 1x3mm, 1x4mm & 1x5mm)
Colour options: WH White	

Window Espag handle (40mm)



Code	Style
ST-WEH5440-40SP	In-Line locking
Colour options: PGO Gold, WH White, PCH Chrome, SC Satin	

Trickle Vents



Code	Style
ST-VENT001-WH	Link Vent Mk 2: 2500 White
ST-VENT002-WH	Link Vent Mk 2: 5000 White

Window Espag Handle Kit



Code
ST-WEH5064ST
Colour options: CH-K Chrome, GO-K Gold, WH-K White, SC-K Satin Chrome

Concealed window restrictor
11.5mm



Easy to fit and fully concealed. Windows are restricted to 100mm or less depending on where the concealed restrictor is fixed. The restrictor is designed for top or side opening windows.

Code	Style
ST-WR5160LSIKIT	Left Hung with Stud Plate
ST-WR5160RSIKIT	Right Hung with Stud Plate

MINI cable restrictor 200mm



- Complies with BS EN 14351-1:2006
- Ideal for PVC-U, timber, composite doors and windows
- Supplied with fixing screws and 1 key

Code
ST-WR7210
Colour options: BR Brown, WH White

Friction stay hinges with 4mm packer (pair)



Suitable to fit either 13mm or 17mm applications

Code	Style	Stack Height
ST-WFS5200	8" Top hung standard friction stays	13mm/17mm
ST-WEH546040SST	10" Top hung standard friction stays	13mm/17mm
ST-WFS5202	12" Top or side hung standard friction stays	13mm/17mm
ST-WFS5203	16" Top or side hung standard friction stays	13mm/17mm
ST-WFS5204	20" Top hung standard friction stays	13mm/17mm
ST-WFS5205	24" Top hung standard friction stays	13mm/17mm
ST-WFS5240	12" Side hung Egress friction stays	13mm/17mm
ST-WFS5241	16" Side hung Egress friction stays	13mm/17mm
ST-WFS5246	12" Egress easy-clean friction stays	13mm/17mm

Door stay



Code	Style
ST-DOORSTAY-UNIVER	90 degree door stay - Rounded Ends includes screws

Air bag

- A great solution to saving time whilst fixing and levelling door and windows frames as well as lifting furniture and kitchen appliances
- Holds up to 200kg
- Easy to use tool with a simple squeeze pump and precise bleeder valve allowing for perfect adjustments

Code	Size
ST-ANC9695	150 x 150mm



DESIGNED BY XPERTS.
FOR EXPERTS.





Why choose a white maintenance-free finish?



Value for money

Our recommended finish now has a lower price point.



Moisture resistant

Ideal choice for all room types.



Robust & durable

Bump and scratch resistant making installation hassle-free.



Maintenance-free

Wipeable surface and no repainting required.



Earn VELUX Rewards all year round.
Scan the QR code to learn more.



eurocell.co.uk


**MADE & RECYCLED
IN THE UK**

eurocell