# Windows and Doors Products

WINDOWS | DOORS | ROOFLIGHTS
FINISHINGS | HARDWARE



eurocell

Ask in branch for exclusive trade deals

# Windows, Doors & Hardware

## Product Range


| | |
|---|---|
| Logik PVC-U Window | 4 |
| Modus PVC-U Window | 6 |
| Aluna+ Aluminium Window | 8 |
| Charisma Vertical Slider | 10 |
| ECOSlide Sash Windows | 12 |
| PVC-U Sash Windows | 14 |
| Hardware and Security | 15 |
| Doors | 16 |
| Dales Collection Composite Doors | 18 |
| Peak Collection Composite Doors | 22 |
| Elegance PVC-U Doors | 26 |
| French Doors | 28 |
| Syncro Sliding Door | 30 |
| Aluna Aluminium Slider | 32 |
| Aspect Aluminium Bi-fold Door | 34 |
| Aluna Aluminium Bi-fold Door | 36 |
| Rooflights | 38 |
| Window Finishing | 57 |
| Garage Doors | 76 |
| PVC-U Door Canopies | 77 |
| Door Surrounds | 78 |
| Hardware | 79 |






Over 6000 products in branch



200+ branches nationwide


Product experts in every branch


Free surveys & quotations


Click & collect in branch



Free onsite delivery*

*Longer lead times apply to made-to-order items. Applies to mainland UK only and excludes Northern Ireland & Northern Scotland. Minimum order value of £50.

# Windows



## Contents


| | |
|---|---|
| Logik PVC-U Window | 4 |
| Modus PVC-U Window | 6 |
| Aluna+ Aluminium Window | 8 |
| Charisma Vertical Slider | 10 |
| ECOSlide Sash Windows | 12 |
| PVC-U Sash Windows | 14 |
| Hardware and Security | 15 |


Choose Eurocell windows for outstanding energy efficiency, security and durability, with U-values as low as 0.8 and a 10-year guarantee.

- **PVC-U Windows**
  From versatile Logik to contemporary Modus, Eurocell PVC-U windows deliver reliable performance, energy efficiency and style for every project.

- **Aluminium Windows**
  Aluna+ aluminium windows combine slim sightlines, exceptional strength and excellent thermal performance for a premium contemporary finish.

- **Vertical Slider & Sash Windows**
  Vertical slider and sash windows blend traditional charm with the low-maintenance, energy-efficient benefits of modern PVC-U.


Logik PVC-U Windows


Aluna+ Aluminium Window

# Logik PVC-U Window



**The Logik profile system combines leading energy efficiency performance and aesthetics with ease of use, for the ultimate system.**

Available in chamfered, flush or ovolo styles as:

- Standard casement
- Flush casement
- Tilt and Turn
- French windows
- Residential doors
- French doors


## Features & Benefits

- **Outstanding technical performance**
- **Fast, accurate fabrication and installation**
- **Superb energy efficiency performance** (A++ FOR WINDOWS)
- **U-values as low as 0.9*** (UO.9 WITH ARGON GAS)
- **Market-leading sustainability**
- **Wide range of colour and style options**
- **10-year guarantee for peace of mind** (10 YEAR)

* Lower U-values are achievable with Krypton gas.



**Ovolo**




**Chamfered**



**Flush Sash**

## Ovolo

### From the Monochrome range




WHITE EXTRUDED | WHITE ASH | BLACK ASH | ANTHRACITE GREY WOODGRAIN

### From the Neutrals range



CREAM WHITE WOODGRAIN | AGATE GREY

### From the Traditional range



CHARTWELL GREEN

### From the Timber range



ROSEWOOD | IRISH OAK | GOLDEN OAK

**Profile exceptions**
EWS7701 only available on white and brown substrate / EWS7708 only available on white substrate. EWS135 only available on white substrate. Grey substrate not available.

## Chamfered & Flush

### From the Monochrome range



WHITE EXTRUDED | MOONDUST GREY | SLATE GREY WOODGRAIN | SLATE GREY SMOOTH | ANTHRACITE GREY WOODGRAIN | ANTHRACITE GREY SMOOTH | BLACK ASH

### From the Neutrals range




CREAM WHITE WOODGRAIN | AGATE GREY

### From the Timber range



ROSEWOOD | GOLDEN OAK

### From the Traditional range



CHARTWELL GREEN

**Profile exceptions**
EWS7001 only available on white and brown substrate / EWS7008 only available on white substrate. EWS135 only available on white substrate.

# Modus PVC-U Window



**Modus features a clean, contemporary look with slim sightlines and leading thermal performance. Containing 50%* post-consumer recycled PVC-U as standard, Modus is our most sustainable profile.**

Using innovative dual material extrusion technology (DMET) Modus is manufactured from 50% post-consumer recycled PVC-U and now contains Neovyn resin. Neovyn resin uses 37% less carbon emissions in its production process, meaning Modus offers a significantly lower carbon footprint and makes it the most obvious choice for customers looking for a more environmentally responsible and sustainable option.

7 Systems in 1:

- Standard sash casement
- Slim rebate sash casement
- Flush sash casement
- Tilt and Turn windows
- Entrance doors
- French doors
- Composite door frame

*Average – post-consumer and virgin PVC-U % content varies between profiles

## Features & Benefits

- **Outstanding technical performance**
- **Fast, accurate fabrication and installation**
- **Superb energy efficiency performance** (A++ FOR WINDOWS)
- **U-values as low as 0.8*** (UO.8 WITH ARGON GAS)
- **Market-leading sustainability**
- **Wide range of colour and style options**
- **12-year guarantee for peace of mind****

(12 YEAR)

* Lower U-values are achievable with Krypton gas. ** White profiles only

## Colours from stock

### From the Monochrome range

- WHITE EXTRUDED
- WHITE ASH
- MOONDUST GREY
- SLATE GREY WOODGRAIN
- SLATE GREY SMOOTH
- ANTHRACITE GREY WOODGRAIN
- ANTHRACITE GREY SMOOTH
- BLACK ASH

### From the Neutrals range

- CREAM WHITE WOODGRAIN
- AGATE GREY

### From the Timber range

- ANTEAK

**Profile exceptions**
EWS135 only available on white substrate





# Aluna+ Aluminium Window




**Aluminium is known as the highest-quality material on the market, renowned for its durability and hard-wearing materials. Aluminium doors and windows can be maintained for decades, due to their high resistance to the elements. It is also extremely strong, providing a high level of security in every home.**

Aluminium windows are among the best insulated on the market, thanks to their advanced thermal break technology, which prevents cold transfer. They require very little maintenance to ensure optimal performance and a fresh aesthetic.

The Aluna+ Window range is available in standard, flush, or Heritage options, all have super slim sash profiles providing minimal sightlines and maximised views. With its elegant, contemporary design, the Aluna+ Window perfectly complements our other Aluna aluminium products.

- Available in Casement, Tilt Turn, and Flush
- Heritage, flush & standard casement window options
- Energy rating A (WER)
- Side hung, top hung, and fixed light options available
- As low as 0.9 u-value with triple glazing
- As low as 1.3 u-value with double glazing

## A choice of contemporary and traditional styles



**WHITE**
Both sides

**BLACK**
Both sides

**ANTHRACITE GREY**
Both sides

**ANTHRACITE GREY**
White interior

**BLACK**
White interior

**ANY RAL**

Our Aluna products are available in any RAL colour upon request.


# Going Window Shopping?

**Our new window and door offering makes Eurocell the one-stop-shop for installers**



**Better pricing**

**Improved range**

**Quick quotes**

**Expert support**

Trustpilot

eurocell

**Ask about windows & doors in branch**

# Charisma Vertical Slider



**Offer your customers classically styled traditional windows with all the low-maintenance and thermal efficiency benefits of modern PVC-U.**

With traditional styling, slim sightlines and a host of decorative finishing touches, they echo the elegance of the Georgian era. Optional ovolo Georgian bars and ovolo crash stops co-ordinate with the sculpted frames to give a classic cottage look, which is enhanced by decorative horns. Slot-in end caps for Georgian bars and security bars are sculpted to fit flush with the window frame, removing any need for difficult and time-consuming milling. A unique Georgian bar cruciform moulding creates a neat finish at the crossing point of vertical and horizontal bars.

As well as sliding up and down, both sashes in the window also tilt inwards. This innovative slide-and-tilt slide mechanism means that the outer glass panes can be cleaned safely and easily from within the building.



Inward tilting

## Features & Benefits

- **Outstanding technical performance**
- **Fast, accurate fabrication and installation**
- **Superb energy efficiency performance**
- **U-values as low as 1.3***
- **Heritage specification available**
- **Wide range of colour and style options**
- **10-year guarantee for peace of mind**

* Lower U-values are achievable with Krypton gas.

## From the Monochrome range

**WHITE EXTRUDED**


**WHITE ASH**

**ANTHRACITE GREY WOODGRAIN**

## From the Neutrals range

**CREAM WHITE WOODGRAIN**

**Profile exceptions**
EWS135 only available on white substrate



# ECOSlide Sash Windows



**Vertical sliders are a traditional style of window. Commonly found in older properties, they are usually manufactured from timber.**

This elegant type of window is a popular replacement in period properties, with its design giving homes a sense of sophistication and charm that a traditional casement window can't match. But real casement windows can be expensive – which is why homeowners look to more affordable alternatives like PVC-U.

Choose from an extensive range of colour, finish and hardware options, and you can perfectly tailor an ECOSlide window to the look required.

- A+ rated
- U value 1.4
- Wide range of colours
- 10 year guarantee

## Profile Colour

**WHITE**

## Foil Inside and Outside Options

**WHITE**
Both sides

**CRYSTAL WHITE**
Both sides

**CREAM**
Both sides

**ANTHRACITE GREY**
Both sides

**GOLDEN OAK**
Both sides

**IRISH OAK**
Both sides

**Additional colours and specifications are made to order on extended lead times**

## Foil Outside/White Inside Options

**CHARTWELL GREEN**
White interior

**ANTHRACITE GREY**
White interior

**AGATE GREY**
White interior

**ROSEWOOD**
White interior

**BLACK/ BROWN**
White interior

**CREAM**
White interior

**GOLDEN OAK**
White interior

**IRISH OAK**
White interior

## Spraying and colour matching

**Optional spray painted finish to match virtually any RAL code or colour.**

If you're replacing existing sash windows, we can offer a wide choice of styles to match them as closely as possible, and maintain the character of your home.

We can replace bay-style windows including splay and box bay windows. These are a common feature in older properties, and when combined with a sliding sash window their installed appearance is very impressive. We can also replace arched and swept head windows. These shaped styles are incredibly eye-catching. ECOSlide PVC-U sash windows are bespoke manufactured to your exact requirements to maintain the charm and appeal of your home.

Other design options are available with internal Georgian bar or external astragal bar detailing, to ensure your new windows are as authentic as possible.



# PVC-U Sash Windows



**Sliding - convenient and simple to operate**

ECOSlide PVC-U sash windows primarily function like wooden box sash windows, with both the top and bottom sashes sliding up and down to suit your ventilation requirements.

Convenient and simple to operate, the two sliding sashes within an outer frame work independently of each other on a balanced load mechanism, designed to hold the sash at any height.



**Tilt & easy clean - incredibly low maintenance**

ECOSlide PVC-U sash windows are incredibly low maintenance, requiring only a quick wipe down with a damp cloth to keep them looking as good as new. The window sashes feature an inward opening tilt facility to allow easy and safe cleaning of the outside frame and glass from inside your home.

This is particularly useful for second storey windows, or windows positioned in a hard to reach place, like above a conservatory.



# Hardware and Security

## To give you extra peace of mind

Add the finishing touches to your new windows with traditionally-styled vertical slider hardware. Pole eyes, tilt knobs, sash lifts, sash locks and travel restrictors are fitted as standard, but we can also offer D handles if needed. All hardware is available in Chrome, Gold, White, Black or Satin Chrome to complement our range of colours.

Other additional options are available such as Georgian or Astragal glazing bars and trickle vents, to give your new windows a truly authentic and classical vertical slider look. In addition to this, ECOSlide PVC-U sash windows are designed to be extremely safe and secure. High-performance locking systems keep your home safe from potential intruders to give you extra peace of mind.

For added safety, we also offer the option of a ‘Fire Egress’ window design to provide emergency escape.

**Trickle vents**
To comply with the requirements of Part F of Building Regulations, which governs ventilation, ECOSlide comes with the maximum number of trickle vents as standard. If implemented poorly, trickle vents can ruin the appearance of a window.

However, thanks to an ingenious design, ECOSlide’s trickle vents are concealed, allowing the product to achieve Part F standard without spoiling their heritage aesthetics.




SASH LIFT



POLE EYE



SASH LOCK



TILT KNOB



TRAVEL RESTRICTOR



SECURITY BAR



TOUGHENED GLASS



TRICKLE VENT

# Doors

## Contents


| | |
|---|---|
| Dales Collection Composite Doors | 18 |
| Peak Collection Composite Doors | 22 |
| PVC-U Doors | 26 |
| French Doors | 28 |
| Sliding Doors | 30 |
| Bi-Fold Doors | 34 |




**High security, low-maintenance and attractive composite, PVC-U and garage doors available in a range of colours and styles**

- **Dales Composite Doors**
  Our collection of composite doors is better than ever with a GRP foam core and 22 styles available in classic, period and contemporary designs.

- **Peak Composite Doors**
  Built around a 48mm cross-laminated solid timber core, Peak Collection composite doors deliver outstanding strength and rigidity. Choose from a refined palette of contemporary and classic colours to suit every home style.

- **Syncro Sliding Patio Doors**
  A slim and attractive patio door - a perfect addition to your offering.

- **PVC-U Bi-Fold Doors**
  Why not open yourself up to a new business opportunity? Aspect are a hit with customers - so why not start installing them today.

- **Aluminium Bi-Fold Doors**
  The Aluna bi-fold system is endlessly versatile, suitable for projects requiring bi-folding doors and windows, single doors and French doors.



**Dales Collection Composite Door**



**Syncro Sliding Patio Doors**



**PVC-U Bi-Fold Doors**



**Aluna Aluminium Bi-Fold Doors**

# Dales Collection Composite Doors

**Dales Doors offer a superb range of colours and styles to meet your customers' needs.**

With Eurocell's composite doors, worries about unwanted intruders disappear. PVC-U edge banding comes as standard. A five-point locking system paired with a one-star cylinder with a two-star handle (delivering a three-star solution) reinforces its security credentials. Plus, choose to have our composite doors Secured by Design, which are above 'Police Preferred Specification' in independent tests.



## Style Options

### **CLASSIC** STYLE



Chatsworth | Bradbourne | Brassington | Cromford | Elton | Hathersage | Milldale | Pilsley | Thorpe | Winster

### **PERIOD** STYLE



Bretton | Ashbourne | Hartington | Litton | Malham | Middleton | Middleton Half Glazed

### **CONTEMPORARY** STYLE



Birchover | Buxton | Chelmorton | Newhaven | Wirksworth

## Colour Options

All doors come with White internal colour as standard. However you can choose to have colour on both sides if that's your style choice.

**STANDARD** COLOURS




**PREMIUM** COLOURS




**SPRAYED ANY CLASSIC RAL COLOUR**
INTERIOR/EXTERIOR FACE **Made-to-order**

Any standard/solid/flat Classic RAL colour. No woodgrain/pearlescent finish. Extended lead time applies - confirm when ordering.

## Frame Colour Options

Frames can be coloured both sides on request and can also be sprayed in any classic RAL colour with either a smooth or foiled finish.




**Anthracite Grey RAL7016** with White interior

**Slate Grey RAL7015** with White interior

**Black Ash/Brown*** with White interior

**Golden Oak** with matching interior

**Golden Oak** with White interior



**Rosewood** with matching interior

**Rosewood** with White interior

**White** with White interior

**Available in any classic RAL**

* The foiled Black Ash/Brown frame may appear lighter than the black door in direct sunlight


# Dales Collection Composite Doors

## Glass Options


5 AS LITTLE AS DAYS LEAD TIME



Lattice† | Diamond Classic | Mene† | Bohemia | Reflections | Simplicity Gold | Simplicity Silver | Kara | Silvaner†



Gavalas† | Satin† | Rhea† (Available in: Black.) | Block Lead | Prestige† | Spirit† | Bevel Diamond† (Available in Clear, Red, Blue, Green and Black.) | Diamond† (Available in Clear, Red, Blue, Green and Black.) | Sunburst Glazing Frame† (Available in Red, Blue, Green and Black.)



Satin

Geo Bar
Only available as White, Oak on White, Oak on Oak, Rosewood on White, Rosewood on Rosewood, Anthracite on White, Slate on White, Chartwell on White and Agate on White.

Eos†
Available in Red, Blue, Green and Black.


Standard
14 choices of backing glass.

Murano†
Available in Red (with Yellow insert), Blue (with light Blue insert), Green (with light Green insert) and Black (with Black insert).

Mosel†

Royal Sparkle†

Glacier



Dorchester



Havana

† These glass styles are supplied with a choice of backing glass.
Not all glazing options are available on all doors, please ask in branch for more detail.

LEAD OPTIONS:
Gold | Silver | Lead

GLAZING:
Double Glazing
Triple Glazing

## BACKING GLASS OPTIONS



Clear™ | Stippolyte™ | Minster™ | Oak™ | Contora™

Cotswold™ | Everglade™ | Florielle™ | Pelerine™ | Chantilly™

Mayflower™ | Autumn™ | Charcoal Sticks™ | Taffeta™ | Satin™ (On all door styles)

© Images reproduced by permission of Pilkington plc

## Finishing Touches

### HANDLES AND BARS



**Lever / lever (split spindle)**
**Lever / lever (through spindle)**
White | Gold | Chrome
Satin Silver | Satin Black | Cast Iron Effect (Black)



**Long bar**
Long Bar (1200mm) int & ext*
Long Bar (1200mm) ext only**

**Short bar**
Short Bar (600mm) int & ext*
Short Bar (600mm) ext only**

Satin Silver | Satin Black

**Cylinder pull**



Gold | Satin Silver | Chrome | Black

*Internal and external face of door
**External face of door only

### LETTERBOX



White | Gold | Chrome | Satin Silver | Satin Black | Cast Iron Effect (Black)

### HINGES



White | Black | Gold* | Chrome*

*not available on open out doors

### LOCK



**Multi-point lock**

### KNOCKERS

**Standard**

White | Gold | Chrome



Satin Silver | Satin Black

**Bee Knockers**

Gold | Chrome



Satin Silver | Black

### OTHER OPTIONS



**Numbers**
Available in White, Gold, Chrome, Satin Silver and Satin Black.

**Spyhole**
Available in White, Gold, Chrome, Satin Silver and Satin Black.



**Door chain**
Available in Gold and Chrome.





**Colour-matched weather bar**
Available in Red, Blue, White, Black, and Green.

**Painted weather bar**
Available in Anthracite Grey, Brown, Caramel, Chartwell Green, Cream, Duck Egg Blue, French Blue, Royal Magenta, Moondust Grey, and Slate Grey.

### FRAME EXTENSIONS

| If required: | Size | Length | Size | Length |
|---|---|---|---|---|
| White, Oak, Rosewood, Anthracite Grey, Slate Grey and Black Ash. Any RAL colour. | 15mm | 1100mm | 25mm | 2100mm |
| | 15mm | 2100mm | 50mm | 1100mm |
| | 25mm | 1100mm | 50mm | 2100mm |

### CILL OPTIONS

| If required: | Size | Length | Size | Length |
|---|---|---|---|---|
| Available in White, Oak, Rosewood, Anthracite Grey, Slate Grey and Black Ash. Any RAL colour. | 85mm | 1100mm | 150mm | 2100mm |
| | 85mm | 2100mm | 180mm | 1100mm |
| | 150mm | 1100mm | 180mm | 2100mm |

**Please note:**
If a cill option is chosen a metal Part M compliant threshold will be supplied.

**Note:** All Chrome, Gold and Satin Silver handles, knockers and letterboxes are stainless steel.

## Don't forget to *complete the look*

### COMPOSITE SIDELIGHTS

For homes with larger openings, we offer a range of sidelight options to complement your door.



Chatsworth | Newhaven | Bradbourne Right | Bradbourne Left | Pilsley | Thorpe Solid | Thorpe

# Peak Collection Composite Doors





**Wrapped in next generation Coolskin technology expertly engineered to resist extreme temperature fluctuations while preserving structural integrity and a flawless finish.**

**At the heart of your Peak Collection door is a premium cross laminated 48mm solid timber core.**

Made from highly sustainable and environmentally friendly Albasia Falcata you can rest assured that your door is looking after you and the environment.

**Colour concealed edge technology guarantees a seamless colour edge to the door faces and ensures up to 100% moisture resistance.**

10 YEAR

**Guarantee**
on colour

5 YEAR

**Guarantee**
on glazing

25 YEAR

**Guarantee**
on all hardware surfaces

## TRADITIONAL STYLES



**Aran**



**Idris**



**Ossa**



**Silva**



**Alder**



**Meru**

## COTTAGE STYLES



**Elias**



**Elbert**



**Walla**

## CONTEMPORARY STYLES



**Jaya**



**Logan**

# Peak Collection Composite Doors

## Colour Ranges

Offering timeless elegance and contemporary sophistication, offering shades that bring effortless harmony to every home.

White | Black | Anthracite Grey | Pebble Grey | Agate Grey | Blue | Duck Egg Blue | Chartwell Green



### SIDE PANELS

Glazed or *perfectly matched side panels bring an added layer of refined sophistication to your home's entrance, creating a beautifully elevated first impression.



* matching side panels are available for Alder, Silva, Elias, Elbert, Idris and Ossa only. Glazed side panels can be paired with all door styles.


## Finishing Touches

With a choice of contemporary colours and styles, you can create a look that is perfect for your home.

### DECORATIVE GLAZING







### BACKING GLASS



**Satin**



**Stippolyte**



**Minster**



**Handles**



**Knocker**



**Letterplate**



**Gold**



**Chrome**



**Graphite**



**Black**

### FRAMES



**Agate**




**Anthracite**



**White**

# the elegance collection



**VERSATILE DOORS THAT WILL ENHANCE ANY HOME**

- Extensive choice of attractive, hard-wearing doors in a choice of styles
- High levels of security
- A range of glazing options available
- Thermally efficient
- Heat and moisture resistant
- Inverted designs also available



**Victorian**



**Windsor**



**Georgian**



**Cornwall**



**Edwardian**



**Back Door**

**DOOR PANEL AND FRAME COLOURS** (ALL WHITE INSIDE FOR BOTH)




**WHITE**



**GOLDEN OAK**



**ROSEWOOD**



**ANTHRACITE GREY** RAL 7016



**CHARTWELL GREEN** RAL 6021

For full range scan QR code or pick up a brochure in branch



# French Doors





**Ovolo**
(Sculptured)



**Chamfered**
(Straight edge)

## Stylish versatility

Flexible and sophisticated, Lifestyle French doors are available in a range of sizes up to 2 metres wide, providing an impressive entrance to your garden. A tasteful choice of colours allows your doors to complement your home or conservatory. Whether you are looking for classic White or elegant Cream, or if you prefer the natural appearance of Rosewood or Golden Oak, we have a style that's right for you.

## Individual design

A choice of frame styles – Chamfered or Ovolo and a choice of opening options mean you can tailor the finish of your French doors to your individual taste. Inward opening allows you to make the most of your patio space or you can maximise your indoor areas with an outward opening mechanism.



**WHITE**
White interior



**WHITE ASH†**
Both sides



**CREAM**
Both sides



**IRISH OAK†**
White interior



**IRISH OAK†**
Both sides



**GOLDEN OAK**
White interior



**GOLDEN OAK**
Both sides



**ROSEWOOD**
White interior



**ROSEWOOD**
Both sides



**CREAM WHITE†**
White interior



**CHARTWELL GREEN†**
White interior



**SLATE GREY***
White interior



**ANTHRACITE GREY SMOOTH***
White interior



**ANTHRACITE GREY**
White interior



**BLACK ASH***
White interior



**ANTHRACITE GREY**
Grey base

**† Ovolo only * Chamfered only**
**Note: Anthracite Grey with Grey base features cool colours foil**

## Hardware Colours



**WHITE**



**BLACK**



**ANTHRACITE GREY**



**BRUSHED SATIN**



**CHROME**

# Flush French Doors

## The flush option

Offering all the benefits of French Doors, our flush option replicates a timber aesthetic giving a beautiful finish to any home without the need for regular maintenance. The design of our flush French Door means it perfectly suites into traditional or more contemporary properties and the extensive range of colour options available allows you greater variety to reflect your personal style.



# Syncro Sliding Door



**Say hello to Syncro sliding patio doors. Relax in understated style with Syncro. The soft-close feature keeps noise to a minimum. Triple glazing and PAS24 security standards ensure maximum performance. And with each frame made from at least 40% post-consumer waste (PCW), and a grey substrate available for those chasing the modern look, there's no reason to hold back.**

Close to perfection in the patio door market Syncro is available to PAS24 standards, which means you can meet Document Q – the newest security regulations for patio doors. Plus, its improved strength, security and weather performance mean it also satisfies BS6375 as standard. But that's just for starters.

- More sustainable with frame composition made up of at least 40% PCW (post-consumer waste)
- Better thermal efficiency with U-values as low as 1.3 for double glazed units and 1.0 for triple glazed
- Maximum width of 3.5m (2 pane) and a maximum sash width of 1750mm
- Triple as well as double glazing compatible for even better insulation
- Grey substrate for total coordination with modern designs
- Soft close option


## Features & Benefits

- **Width of up to 3.5m available**
- **Fast, accurate fabrication and installation**
- **Soft-close option**
- **U-values as low as 1.0***
- **Wide range of colour and style options including grey substrate option**
- **Triple glazing compatible**
- **Delivery from 6 working days**
- **10-year guarantee for peace of mind****

* Lower U-values are achievable with Krypton gas. ** White profiles only

## Colours from Stock

### From the Monochrome range



WHITE | ANTHRACITE GREY WOODGRAIN



ANTHRACITE GREY SMOOTH | BLACK ASH

### From the Timber range



GOLDEN OAK | ROSEWOOD

**Profile exceptions**
EWS135 only available on white substrate



# Aluna Aluminium Slider










**The Aluna Slider perfectly frames and enhances an outdoor view while creating a light and bright indoor space in your home.**

The design transforms entire walls into expanses of secure glass, providing the increased freedom of accessibility while creating a seamless connection between the interior and the outdoors.

The Aluna slider system is an ultra-modern, super-slim sliding patio door solution with double and triple track options with the choice of inline slider or lift & slide.

The system is designed for large opening sizes, with market-leading sash sizes achievable of up to 2.5m x 2.7m per pane. Paired with a super-slim interlock of just 25mm, the design offers impressive expanses of uninterrupted views.

The sliding doors also offer excellent thermal performance - with U-values as low as 1.4 U/m²K; effective noise reduction; and high security to PAS24 standards.

Our ALUNA products are available in any RAL colour upon request.

## Colours from Stock

**WHITE**
Both sides

**BLACK**
Both sides

**ANTHRACITE GREY**
Both sides

**ANTHRACITE GREY**
White interior

**BLACK**
White interior

## Made to Order

**ANY RAL**

# Aspect Aluminium Bi-fold Door



**With modern, sleek elegance, panoramic doors are an increasingly popular addition to the latest home and commercial projects, creating a large opening with a low threshold for easy access that makes a stunning difference**

Aspect is a high-performance, secure and visually stunning PVC-U panoramic door system that's designed for hassle-free fabrication and fitting, whether selecting bi-fold, entrance or flush French doors. Aspect offers all the aesthetic and functional benefits of timber and aluminium alternatives, but at a more affordable price. It incorporates a host of intelligently designed and precision-engineered bespoke components that enable accurate, consistent, straightforward fabrications and installation.

**Fully accredited**

Eurocell pushes the boundaries of design and performance in the panoramic door category. Our Aspect bi-fold was the first of a few bi-fold doors on the UK market to gain Secured by Design status.

Meeting this standard means that Aspect bi-fold doors are perfect for all new build applications where SBD is being specified to meet the requirements of Approved Document Q.

## Features & Benefits

- **Purpose-designed system for superior performance**
- **Fast, accurate installation**
- **Patented features for superior looks**
- **U-values as low as 1.0***
- **Cheaper than aluminium and timber alternatives**
- **Bespoke British designed hardware**
- **10-year guarantee for peace of mind**

* Lower U-values are achievable with Krypton gas.

## Frame Colours

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| **WHITE** White interior | **WHITE ASH** Both sides | **WHITE ASH** White interior | **GOLDEN OAK** White interior | **GOLDEN OAK** Both sides | **IRISH OAK** White interior | **IRISH OAK** Both sides | **ROSEWOOD** White interior | **ROSEWOOD** Both sides |
| **ANTHRACITE GREY** White interior | **ANTHRACITE GREY** Both sides | **BLACK ASH** White interior | | | | | | |

**Additional colours and specifications are made to order on extended lead times**

## Hardware Colours

**WHITE** | **BLACK** | **CHAMPAGNE** | **SATIN SILVER** | **SILVER GREY** | **BRIGHT CHROME**

# Aluna Aluminium Bi-fold Door




**The Aluna bi-fold system is endlessly versatile, suitable for projects requiring bi-folding doors and windows, single doors and French doors.**


The slim profile sections of the Aluna bi-fold minimise the visible framework and maximise the glass area, with super-slim sightlines from just 107mm. Offering one of the largest sash sizes available, Aluna offers customers dimensions of up to 1200mm wide and 3000mm high per pane.

Enjoy silky smooth opening and closing operation due to engineering-grade hardware. Ideal to open up your space to the outdoors and create a visually stunning addition to your property. The doors also offer excellent thermal performance with U-values as low as 1.1 U/$m^2$K with triple glazing, and 1.4 U/$m^2$K with double glazing, plus high security to PAS24 standards.

Available in 2 profile designs: square and textured square*. Choose square for a classic look or textured square for a more contemporary alternative.



**Configuration examples:**



**Not all configurations have an external handle for access from the outside.**

Our ALUNA products are available in any RAL colour upon request.

## Colours from Stock



**WHITE**
Both sides

**BLACK**
Both sides

**ANTHRACITE GREY**
Both sides

**ANTHRACITE GREY**
White interior

**BLACK**
White interior

## Made to Order



**ANY RAL**

# Rooflights & Roof Windows

## Contents


| | |
|---|---|
| Skypod PVC-U Roof Lantern | 40 |
| Iconiq Aluminium Roof Lantern | 44 |
| Luma Aluminium Flat Rooflight | 48 |
| Flat Roof Windows | 51 |
| Velux Roof Windows | 52 |
| Fakro Roof Windows | 54 |



- **Skypod** PVC-U roof lantern is designed to maximise natural light while delivering strong thermal performance, modern styling and straightforward installation.

- **Iconiq** aluminium roof lanterns combine engineering excellence with sleek contemporary styling to create an impress architectural feature. Designed with installer efficiency and thermal performance in mind, the patent fast-fit Q-lok assembly helps simplify installation while reducing mechanical fixings.

- **Luma** aluminium flat rooflights are made-to-measure and easy to install.

- **VELUX** centre-pivot roof window gives you all the daylight and ventilation benefits you expect from a VELUX roof window with a convenient top control bar.

- **FAKRO** pivoting roof window comes with inbuilt TopSafe Anti Burglary system and Head ventilator as standard. P2 Glazing unit with toughened outer pane and laminated inner pane.



Skypod Iconiq



Luma



VELUX Centre-Pivot Windows



Fakro Centre-Pivot Windows

# Skypod PVC-U Roof Lantern

- **Skypod PVC-U** roof lanterns are available in a wide range of sizes and styles
- Skypod is suitable for a wide range of projects such as flat-roofed extensions, orangeries, new builds, kitchen-diners and garage conversions
- **Enjoy larger glass areas**
  With clean lines and sleek looks, a Skypod roof lantern adds height and volume to your customer's room
- **An energy efficient solution**
  Skypod can achieve exceptional U-values as low as 1.0* to save your customer's money on their energy bills



## Skypod

**Pitched lantern roofs**

DELIVERED IN 5 WORKING DAYS - ORDER ONLINE TODAY!

### Why Choose Skypod?

Great looks, energy efficient, easy installation and a more cost-effective solution than conservatory roof systems or aluminium skylights - Skypod brings a stylish new living space that's flooded with natural light.




- Fast, accurate installation
- A choice of frame and glass colours
- U-values as low as 1.0*
- Designed for superior performance
- Cheaper than aluminium alternatives





*Centre pane U-value. Standard U-value is 1.2. U-value is applicable to glass only

# Skypod PVC-U Roof Lantern




Skypod Plus is an addition to the successful Skypod range. Building on the existing purpose designed thermally broken aluminium ridge and ring beam, Skypod Plus now offers aluminium rafter top caps powder coated in smooth grey and white, to sit alongside the existing black. This means the whole of the external face offers stunning architectural aesthetics. All internal bars are capped in the conventional way with PVC-U and are available in white, grey or black finish.

Skypod Plus is available in 2 or 3 bar options and square shaped. The system has a fixed roof pitch of 20° and is supplied in a choice of five self-cleaning, temperature controlling glass options, with a centre pane U-value of 1.0W/m²K achievable.

The contemporary and balanced aesthetics on Skypod Plus have been achieved by avoiding the use of bulky end caps, crestings and finials, which are incorporated into lantern roofs when using standard conservatory components.






## Skypod Frame Colours

**WHITE**
White interior

**ANTHRACITE GREY**
White interior

**ANTHRACITE GREY***
Anthracite interior

**ROSEWOOD**
White interior

**GOLDEN OAK**
White interior

## Skypod Plus Frame Colours

**MATT BLACK**
White interior

**MATT BLACK**
Black interior**

**GREY**
White interior

**GREY**
Grey interior**

**WHITE**
White interior

## Glass Colours

**BLUE**

**NEUTRAL**

**BRONZE**

**AQUA**

**CLEAR**


**Additional colours and specifications are made to order on extended lead times**

## skypod skypod plus

Available in fixed 20° pitches



**No ‘side-bars’ needed on sizes up to 1.5m × 2.75m**



**Up to 1.5m × 7.45m**



**Up to 2.75m × 8.7m**



**Up to 2.75m × 2.75m**



**Up to 1.5m × 1.5m**

**Note: Design will vary dependent on size. All Skypod lantern roofs are made-to-order, and you will receive a design to sign-off before the item goes into production.**

# Iconiq Aluminium Roof Lantern

## Iconiq at a glance



### Q-lok technology

Eliminates the need for mechanical fixings.

### Made to measure for every project

Custom sizing ensures a perfect fit, with square and rectangular options up to 3.5m x 9.75m. The largest spanning lantern on the market means you never have to turn down a project.

### Largest span

The strongest GRP ring beam on the market gives unmatched strength.



### Secure & built to last

Internally fitted glazing clips and interlocking eaves create a strong, secure structure. Anti-tamper screws and tapered frame edges add extra security for your customers' peace of mind.

### Fast quotes, short lead times

Fast quotes with lead times tailored to your schedule. Tell us when you need it, and we'll make sure it's ready and on-site.




### 10-year Guarantee

Built to last and backed by a decade of durability. Sell with confidence, knowing your customers are covered.




### Integral drainage for zero hassle

A unique, purpose-designed system prevents water ingress via the crown moulding, reducing the risk of call-backs.



### Slide & Lock

Precision connections fit together in minutes.



### Minimal fixings

Simple installation.



### Energy efficient by design

Our GRP thermally efficient ring beam and patented Q-lok system create an insulating barrier, making this the most thermally efficient lantern on the market - another great selling point.

# Iconiq Aluminium Roof Lantern



A revolutionary aluminium roof lantern designed to make your job easier and your work stand out. Made from premium materials and offering the fastest installation time on the market, Iconiq helps you complete projects more quickly.

Built with installers in mind, it's efficient, durable and easy to fit – meaning less time on-site and fewer maintenance issues. A high-quality product all round, Iconiq helps you win more work.

Plus, with its sleek design and exceptional performance, homeowners will love it too.

## The Eurocell Iconiq Service Promise

**Customer first**
Whatever you need, we're here to help.

**Fast quotes**
Receive a detailed, personalised fast quote.

**Technical support line**
Need help? Our expert team is just a call away.

**Assisted surveys**
Need a site survey? We'll arrange for an engineer to assist.

**Order checking**
Every order is checked before delivery, so you can get straight to work.

**Lead times to suit you**
Tell us when you need it and we'll make sure it arrives on time.

**Assisted installations**
Need installation support? We'll arrange help on-site.


**Always a solution**
No matter the project, we have a roof lantern to fit.

## Installation is effortless


Thanks to our Q-lok system you can get it all done in **under 1 hour** and move on to your next job. No on-site drilling or silicone needed.




Watch Iconiq's innovation



➤ **Rapid-fit slide & lock connections**



➤ **Fit together in seconds**



➤ **Minimal fixings**

## Spans that demand attention

The strongest GRP ring beam on the market gives unmatched strength to weight ratio, allowing us to create the largest lanterns available on the market. You can take on bigger projects with confidence.

More size options mean more opportunities to say yes to jobs, giving you greater flexibility and more satisfied customers.



Up to 1.75m x 1.75m




Up to 1.75m x 3m



Up to 1.75m x 7.75m



Up to 3.5m x 3.5m



Up to 3.5m x 9.75m

## Frame colours

**MATT BLACK** RAL 9005

**WHITE** RAL 9003

**ANTHRACITE GREY** RAL 7016

**ANY RAL COLOUR** SPRAYED[2]

## Glass options

**CLEAR** LAMINATED

**BRONZE** TINTED

**BLUE** TINTED

**NEUTRAL** TINTED

**AQUA** TINTED

# illumanate your world

## Luma aluminium flat rooflights

**Made-to-measure.**
**Easy to install.**

**Rigid slimline aluminium profile**
The visible framework is minimised, and daylight is maximised.

**Secured from the inside**
Fixed from the inside for added security.

**Double or Triple glazed options**
Laminated high performance self-cleaning glass.

**Excellent energy efficiency**
Thermally broken frame and U-values as low as 0.9.[3]

**10-year guarantee**
For peace of mind.

## Order in-branch or online
**eurocell.co.uk/luma**

1. Subject to maximum glass area of 2.5m² (double-glazed) / 2m² (triple-glazed). May also be subject to Eurocell's handling restrictions.
2. Extended lead times apply
3. U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed.

### Thermally broken and glazing options for excellent energy efficiency

Luma's aluminium frame has an integrated thermal break, which reduces heat transfer. And it's available in double-glazed and triple-glazed options, with U-values of 1.3 W/m²K for double and 0.92 W/m²K for triple-glazed. So, you'll stay cool in summer and warm in winter and save money on energy bills.

### 1. Tinted laminated glass options

Luma is available with either neutral or blue tinted glass. Tinted glass still allows the light to flood in but reduces uncomfortable glare when the sun hits the glass.

### 2. Secured from the inside


Exclusive to Luma


The only flat rooflight which is fixed from the inside for added security.

### 3. Slimline modern profile with sleek seamless glazing

Exclusive to Luma

Luma's sleek aluminium frame and unique glazing tape mean there are no chunky frames or painted borders. And there are no bars across the glass to impede your view either. The inside is beautifully finished with a PVC plasterboard trim. The result is minimal framework and maximum daylight.





### Integral drainage system

Exclusive to Luma

The outer frame includes a unique drainage system that allows moisture to drain away outside for added reassurance.



### High performance self-cleaning glass

Luma features self-cleaning glass. It has a special coating that uses UV rays to break down organic matter on the surface, which then washes away when it rains. So, the glass stays cleaner for longer, and the need for regular washing is significantly reduced.

POWER UP
·REWARD SCHEME·

"MY POINTS ADD UP FAST. THEY PAID FOR MY LAST HOLIDAY!"

IAN - DARWIN BUILDING PLASTICS

JOIN THOUSANDS OF POWER UP MEMBERS TODAY


eurocell

# Flat Roof Windows

## Fakro flat roof window

- The Fakro type G product range includes flat roof windows which are non-opening (DXG), manually opening (DMG) or electrically operated (DEG). Fakro flat roof products bring the very highest standard of natural light to interiors. They also provide ventilation and offer exceptional functionality. In short, they can transform any room under a flat roof.
- The new range of technologically advanced G windows give smart aesthetics and provide an alternative solution for bringing natural daylight into rooms below a flat roof.
- Integral upstand for quick and easy installation.
- P2 safety glazing
- 10 year warranty






DEG

## Electric z-wave control

- Electrically opened with wireless Z-Wave system,
- Included in the kit: AC adaptor, remote control, rain sensor
- Sash tilts 15cm

| Code | Size |
|---|---|
| FRW80EX01 | 01K 60x60 |
| FRW80EX02 | 02K 60x90 |
| FRW80EX03 | 03K 70x70 |
| FRW80EX04 | 04K 80x80 |
| FRW80EX05 | 05K 90x90 |
| FRW80EX06 | 06K 90x120 |
| FRW80EX07 | 07K 100x100 |
| FRW80EX08 | 08K 120x120 |
| FRW80EX09 | 09K 140x140 |
| FRW80EX10 | 10K 100x150 |
| FRW80EX11 | 11K 120x200 |




DMG

## Manual opening

- Opened manually by means of ZSD control rod 2.2m long included
- Sash tilts 30cm

| Code | Size |
|---|---|
| FRW80EW01 | 01K 60x60 |
| FRW80EW02 | 02K 60x90 |
| FRW80EW03 | 03K 70x70 |
| FRW80EW04 | 04K 80x80 |
| FRW80EW05 | 05K 90x90 |
| FRW80EW06 | 06K 90x120 |
| FRW80EW07 | 07K 100x100 |
| FRW80EW08 | 08K 120x120 |
| FRW80EW09 | 09K 140x140 |
| FRW80EW10 | 10K 100x150 |
| FRW80EW11 | 11K 120x200 |



DXG

## None opening

- Non-opening

| Code | Size |
|---|---|
| FRW80EU01 | 01K 60x60 |
| FRW80EU02 | 02K 60x90 |
| FRW80EU03 | 03K 70x70 |
| FRW80EU04 | 04K 80x80 |
| FRW80EU05 | 05K 90x90 |
| FRW80EU06 | 06K 90x120 |
| FRW80EU07 | 07K 100x100 |
| FRW80EU08 | 08K 120x120 |
| FRW80EU09 | 09K 140x140 |
| FRW80EU10 | 10K 100x150 |
| FRW80EU11 | 11K 120x200 |

# Velux Roof Windows




The classic VELUX centre-pivot roof window gives your customers all the daylight and ventilation benefits they expect from a VELUX roof window with a convenient top control bar - allowing them to place furniture directly below the window. The top operated roof window also features a ventilation flap, so they can air their room even when the window is closed. Suitable for roof pitches: 15°-90°.

A single roof window is ideal for small rooms. For bigger rooms, multiple or combination roof windows will help transform the space.

## Interior finish options

**RECOMMENDED**

**White maintenance-free** - The most durable and robust finish that is completely maintenance-free



**White painted** - High quality natural pine treated with a water-based white paint for a discreet wood grain look.



## VELUX centre-pivot roof windows

White maintenance-free, centre-pivot roof window. Double glazed

| | |
|---|---|
| **GGUCK020070** | 55cm x 78cm |
| **GGUCK040070** | 55cm x 98cm |
| **GGUMK040070** | 78cm x 98cm |
| **GGUMK060070** | 78cm x 118cm |
| **GGLCK022070** | 55cm x 78cm |
| **GGLCK042070** | 55cm x 98cm |
| **GGLMK042070** | 78cm x 98cm |
| **GGLMK062070** | 78cm x 118cm |

All VELUX windows should be fitted with the relevant flashing



The Pro+ (2000) flashing set comes with an Underfelt collar (BFX) for a watertight seal between the roof window, the roof and the Insulation collar (BDX) for heat loss reduction and elimination of cold bridges.




Profiled roofing material EDW

- For profiled roofing material up to 120mm.
- Suitable for interlocking slate, thatch and profiled sheeting.
- Roof pitches from 15°-90°




Slate EDL


- For slate up to 8mm thick.
- Not for interlocking slate. See EDW for details.
- Roof pitches from 15°-90°

## VELUX flashings - EDW

| | |
|---|---|
| **EDWCK022000** | PTF Pro+ 55x78 |
| **EDWCK042000** | PTF Pro+ 55x98 |
| **EDWMK042000** | PTF Pro+ 78x98 |
| **EDWMK062000** | PTF Pro+ 78x118 |

## VELUX flashings - EDL

| | |
|---|---|
| **EDLCK022000** | SF Pro+ 55x78 |
| **EDLCK042000** | SF Pro+ 55x98 |
| **EDLMK042000** | SF Pro+ 78x98 |
| **EDLMK062000** | SF Pro+ 78x118 |



# Fakro Roof Windows



| FAKRO CENTRE-PIVOT WINDOW |
|---|
| Comes with inbuilt topSafe anti-burglary system, and head ventilator as standard. P2 glazing unit with toughened outer pane and laminated inner pane. |
| Practical and stylish design |
| Suitable for 15-90 degree pitched roof |
| U Value of 1.3 W/m²K |
| Noise Reduction 32dB |
| Fire-proof & conforms with the European standards |

BETTER FIT A FAKRO

Across the trade, it's widely recognised that high build quality begins with high-performance products. FAKRO roof windows are remarkably easy to install, thanks to a universal bracket fix system that makes fitting more flexible and a sash guiding system that maximises the effectiveness of the seals. They also feature a unique topSafe security system and the intelligent V40p automatic air inlet that optimises air flow, while minimising heat loss.

**It's all part of what makes FAKRO the perfect fit for your next project.**

**A full range of compatible blinds and screens are available to order**

ASK IN BRANCH FOR BLINDS AND ACCESSORY OPTIONS

## FAKRO pivoting roof window

| | | |
|---|---|---|
| **PTP-V01** | 55cm x 78cm | Pivot Roof Window |
| **PTP-V02** | 55cm x 98cm | Pivot Roof Window |
| **PTP-V05** | 78cm x 98cm | Pivot Roof Window |
| **ELV01** | 55cm x 78cm | Slate Flashing |
| **ELV02** | 55cm x 98cm | Slate Flashing |
| **ELV05** | 78cm x 98cm | Slate Flashing |
| **EZV01** | 55cm x 78cm | Tile Flashing |
| **EZV02** | 55cm x 98cm | Tile Flashing |
| **EZV05** | 78cm x 98cm | Tile Flashing |

All FAKRO windows should be fitted with the relevant flashing





# WHAT'S ON OFFER?

## UPVC Pitched Roof Windows



**UPVC Centre Pivot Roof Window (PTP-V)**
- Pivots from the centre when opened.
- Pure White PVC finish as standard.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



**UPVC Top Hung & Centre Pivot Roof Window (PPP-V)**
- Pivots from top or centre when opened (preSelect dual function)
- Pure White PVC finish. topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



**UPVC Electrically Opening Roof Window (PTP-V Z-Wave)**
- Pivots from the centre when opened.
- Electrically operated.
- Pure White PVC finish.
- topSafe anti-burglary system as standard.
- V35 Air Inlet for ventilation.
- 10 Year warranty.
- Option of Golden Oak & Pine Veneer.



**Conservation**
- Conservation options available across our entire UPVC range.
- Conservation windows are designed for use in conservation areas which are worthy of preservation due to historical interest.
- The main difference is they're finished in Jet Black & have a glazing bar fitted.

## Internal & External Accessories

We have a full range of internal and external accessories available. Please see some of our most popular choices.



**ARZ Shutter**



**AJP Venetian Blind**



**ARF Blackout Blind**



**XDK - Insulation Set**

## Flashing Kits for Pitched Roof Windows



**EPV Plain Tile Flashing Kit**
Suitable for non-interlocking plain tiles up to 16mm in profile on roof pitches between 25-90 degrees.



**ELV Slate Tile Flashing Kit**
Suitable for non-interlocking slate tiles up to 8mm in profile on roof pitches between 15-90 degrees.



**EZV-A Interlocking Tile Flashing Kit**
Suitable for interlocking tiles up to 45mm in profile on roof pitches between 15-90 degrees.



**EHN-A Interlocking Tile Flashing Kit**
Suitable for interlocking tiles up to 120mm in profile on roof pitches between 15-90 degrees.

## Flat Roof Windows

**We also have a fantastic range of flat roof windows available.**
- Available in fixed-shut, manually opening & electrically opening.
- Suitable for roof pitches between 2 – 15 degrees.
- Joining gutters available on request.
- Hinges located on the short side of the window.



**DXG**



**DMG**



**DEG**

POWER UP
· REWARD SCHEME ·

SIGN UP.
SPEND.
EARN

- No membership cards
- No extra steps
- No brainer

Just shop and watch your points grow
**Redeem with 100+ reward brands**

eurocell

SIGN UP &
START EARNING

JOIN TODAY

# Window finishing

## Contents


| | |
|---|---|
| Cavity Closer | 58 |
| Overhead Vent | 62 |
| Glass & Bridge Packers | 63 |
| Window Cills & Accessories | 64 |
| Cill Repair Covers | 68 |
| Bow Window Accessories | 69 |
| Window Boards | 70 |
| Finishing Trims | 72 |
| Cosmetic Repairs | 75 |


From cavity closers to trims to window boards, our window finishing range allows you to get the perfect finish – for every job!

- **Cavity closers**
  Close cavities quickly and effectively with our range of Cavalok closers, whilst improving thermal efficiency for homeowners - find out more on page 58.

- **Intelligent 150mm cill**
  The 150mm cill system has the flexibility to create larger sizes (up to 225mm) and accommodate project tolerance discrepancies through the use of various trims - find out more on page 64.

- **Laminated window boards**
  These scratch-resistant boards add the finishing touch to your window installation - find out more on page 70.





Cavity closers



Intelligent cills

# Cavity Closer

A cavity closer is an energy-efficient aperture former which enables brick courses to be completed and creates an Air-tight receiver for windows and doors



## Benefits

- Provides a damp proof course
- Simplifies brickwork - no return bricks needed
- Provides thermal break
- Stops cold bridging which can cause condensation to form inside the opening damaging internal decoration and plasterwork
- Improves heat loss at the window junction, reducing $CO_2$ emissions
- Meets Accredited Construction Details regulation designed to improve the heat loss at junctions
- Meets needs of Part L of the Building Regulations

cavalok

Cavalok products are made from **100% recycled PVC-U**

## GET A TRADE ACCOUNT TODAY

ASK IN BRANCH FOR MORE DETAILS

- **over 6000 products in branch**
- **200+ branches nationwide**
- **Trade credit available***
- **Dedicated account manager**
- **Exclusive trade account pricing**
- **Online trade account**


* Trade accounts are subject to T&Cs and acceptance.



# Which Product Is Right For You?

### Cavalok Universal Cavity Closer

- For cavity sizes 50-100mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Ensures window manufacturer can produce to correct sizes without repeated surveying - saving time and money by reducing rework or snagging
- Easy to install, use with standard plastic ties to fix into coursework as you build



### Cavalok Big Blok Cavity Closer

- For cavity sizes 125-300mm
- Use for new build projects
- Cavity closer is assembled into a window template
- Super-insulating, specially designed to meet the Code for Sustainable Homes
- Easy to install, use with standard plastic ties to fix into coursework as you build



# Cavity Closer




## Frame Forming Corners

### Cavalok corners



**50mm**

| Code | Qty |
|---|---|
| CBP CAV 50 MOU | 100/box |

**75mm, 90mm, 100mm**

| Code | Qty |
|---|---|
| CBP CAV 75 MOU 13 | 100/box |

### Big Blok corners



For use on all 125mm - 300mm cavity closers

| Code | Qty |
|---|---|
| CBP BB MOU | 200/box |

### Big Blok corner fillet




For use on all 125mm - 300mm cavity closers

| Code | Qty |
|---|---|
| CBP BBS FIL | 50 pack |

## Cavity Closer Sections


### Trade closer




- This is a stand alone product - no extra components or assembly required!
- Suitable for applications between 50mm and 100mm

| Code | Qty |
|---|---|
| MCBP TDR 100 HOR | 10 pack |

### Window fixing strap



| Code | Qty |
|---|---|
| CBPSTF7U2E | 250 pack |

### Big Blok closer




**125mm closer (insulated)**

| Code | Size |
|---|---|
| MCBP 125 HOR 48 | 4 x 4.8m |

**150mm closer (insulated)**

| Code | Qty |
|---|---|
| MCBP 150 HOR 48 | 4 pack |

### Universal closer



**125mm closer (insulated)**

| Code | Qty |
|---|---|
| MCBP 050 HOR 48 | 6 pack |

**75mm closer (insulated)**


| Code | Qty |
|---|---|
| MCBP 075 HOR 48 | 6 pack |

**100mm closer (insulated)**

| Code | Qty |
|---|---|
| MCBP 100 HOR 48 | 6 pack |

## Frame Forming Bracing

### Brace bar




**For use with both Cavalok and Big Blok closer**

| Code | Qty |
|---|---|
| MCBP CAV BR BOX | 60 pack |

### Brace boot




**For use with both Cavalok and Big Blok closer**

| Code | Qty |
|---|---|
| CBP BOOT 14 | 100/box |

## Frame Installation


### Brick ties



**For use with both Cavalok and Big Blok closer**

| Code | Qty |
|---|---|
| CBP BB TIE | 1000/box |

# Ventilation & Glass Packers




## Universal head vent

| Code | Foil | Stock/MTO |
|---|---|---|
| **EWS137W** | N/A | STOCK |
| **EWS137WGY1LF** | Anthracite Grey LF | STOCK |
| **EWS137WGY2SLF** | Smooth Slate Grey LF | STOCK |
| **EWS137WROLF** | Rosewood LF | MTO |
| **EWS137WOLF** | Golden Oak LF | MTO |
| **EWS137WGY2LF** | Slate Grey LF | MTO |
| **EWS137WGY1SLF** | Smooth Anthracite Grey LF | MTO |
| **EWS137WYLF** | Black Ash LF | MTO |
| **EWS137WT1LF** | Chartwell Green LF | MTO |
| **EWS137WCR1LF** | Cream White LF | MTO |
| **EWS137WZBF** | White Ash BF | MTO |

**Designed to be used with frames with a front to back dimension of up to 80mm.**

**On the inside the vent has a square box detail which allows the head of the reveal to be double boarded without obstructing the ventilation path.**

## Head vent spacer

| Code | Foil | Qty |
|---|---|---|
| **VSW105W** | N/A | Pack of 50 |

## Trickle Ventilation



### Trim vent and canopy


XS 4400 EA ventilator (screw fix)

| Code | Colour | Qty |
|---|---|---|
| **TS VENT WH** | White | 50 pack |
| **TS VENT C** | Caramel | 50 pack |
| **TS VENT BR** | Brown | 50 pack |

**COLOUR OPTIONS**

WHITE | CARAMEL | BROWN

## Glass & Bridge Packers




## Bridge packers

| Code | Size | Qty |
|---|---|---|
| **BRP283** | 100 x 28 x 3mm | 1000 pk |
| **BRP325** | 100 x 32 x 5mm | 1000 pk |

## 24mm glass packers

| Code | Size | Qty |
|---|---|---|
| **PP24GP100** | Mixed bag | 100 pk |
| **FL24F200** | 1-6mm mixed | 200 pk |

## 28mm glass packers

| Code | Size | Qty |
|---|---|---|
| **FLWH28** | 100 x 28 x 1mm | 1000 pk |
| **FLBU28** | 100 x 28 x 2mm | 1000 pk |
| **FLRE28** | 100 x 28 x 3mm | 1000 pk |
| **FLYE28** | 100 x 28 x 4mm | 1000 pk |
| **FLGN28** | 100 x 28 x 5mm | 1000 pk |
| **FLBL28** | 100 x 28 x 6mm | 1000 pk |
| **PP28GP100** | Mixed bag | 100 pk |
| **FL28FP200** | 1-6mm mixed | 200 pk |
| **FL28FP300** | 1-6mm mixed | 300 pk |


## 30mm glass packers

| Code | Size | Qty |
|---|---|---|
| **FLRE30** | 100 x 30 x 3mm | 1000 pk |
| **FLGN30** | 100 x 30 x 5mm | 1000 pk |

## 32mm glass packers

| Code | Size | Qty |
|---|---|---|
| **FLWH32** | 100 x 32 x 1mm | 1000 pk |
| **FLBU32** | 100 x 32 x 2mm | 1000 pk |
| **FLRE32** | 100 x 32 x 3mm | 1000 pk |
| **FLYE32** | 100 x 32 x 4mm | 1000 pk |
| **FLGN32** | 100 x 32 x 5mm | 1000 pk |
| **FLBL32** | 100 x 32 x 6mm | 1000 pk |
| **FL32FP200** | 1-6mm mixed | 200 pk |

# Window Cills & Accessories



INTELLIGENT 150MM CILL SYSTEM

The cill provides solutions to issues commonly found on site


Allows flexibility to create larger sizes

Accommodates project tolerance discrepancies through the use of cill extender and frame extension trims

## 150mm A-type cill and end caps

| Cill |
|---|
| **Code** |
| **AC150** |
| **Colour options:** 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ |
| **End caps** |
| **Code** |
| **ECA 150** |
| **Colour options:** 7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64 |

**Combinations**



**CILL WITH EXTENDER**
See EWS 118 (below)




**CILL WITH 25mm EXTENDER TRIM**
See EWS 106 (below)



**CILL WITH 10mm EXTENDER TRIM**
See EWS 136 (below)








## 85mm A-type cill and end caps

| Cill | End caps |
|---|---|
| **Code** | **Code** |
| **AS 85** | **ECA 85** |
| **Colour options:** WGY15S / 7016 / WY / CR / WCR1 / WO / WLO1 / CO / RO / 64 / WZ | **Colour options:** CO / CR / WG / O / 64 |





## 125mm A-type cill and end caps

| Cill | End caps |
|---|---|
| **Code** | **Code** |
| **AC125** | **ECA 125** |
| **Colour options:** WGY15S / 7016 / CR / WCR1 / 7015 / 64 | **Colour options:** 7016 / B / CO / CR / WCR1 / 7015 / 64 |




## 180mm A-type cill and end caps

| Cill | End caps |
|---|---|
| **Code** | **Code** |
| **AC180** | **ECA 180** |
| **Colour options:** WY / CR / WO / WLO1 / CO / RO / 64 | **Colour options:** 7016 / BK / B / BB / CO / CR / WCR1 / WG / O / 64 |




## 225mm A-type cill and end caps

| Cill | End caps |
|---|---|
| **Code** | **Code** |
| **AC 225** | **ECA 225** |
| **Colour options:** WGY15S / CR / RO / 7015 / 64 / WZ | **Colour options:** 7016 / B / CO / RO / 7015 / 64 |



See page 66 for colour swatches

## Colour Options

| | | | | | |
|---|---|---|---|---|---|
| **WGY4** Agate Grey | **WLO10** Anteak | **WGY1S** Anthracite Grey Smooth | **WGY1** Anthracite Grey | **BK** Black | **WY** Black Ash |
| **B** Brown | **BB** Brown Beige (to match Irish Oak) | **CO** Caramel | **WT1** Chartwell Green | **CR** Cream | **WCR1** Cream White |
| **WG** Dark Brown (to match Rosewood) | **WO** Golden Oak | **WLO1** Irish Oak | **GY3** Moondust Grey | **O** Oak | **CO** Oak on Caramel |
| **RO** Rosewood | **7015** Slate Grey | **64** White | **WZ** White Ash | | |





### EWS 106 — 25mm x 6m knock on

10 pack




### EWS 136 — 10mm x 6m knock on

10 pack



### 150mm straight cill joint trim


10 pack



| Code | Colour |
|---|---|
| JT150WY | Black Ash |
| JT150CO | Oak on Caramel |
| JT150WG | Dark Brown |
| JT150O | Oak |
| JT1507015 | Slate Grey |
| JT15064 | White |

### 135° and 150° angle cill joint trim

10 pack



| Code | Colour |
|---|---|
| JTA135B | 135° Brown |
| JTA135CO | 135° Oak on Caramel |
| JTA13564 | 135° White |
| JTA150B | 150° Brown |
| JTA150CO | 150° Oak on Caramel |
| JTA150WG | 150° Dark Brown |
| JTA150O | 150° Oak |
| JTA15064 | 150° White |

### UNS5821P — Cill reinforcement

6m lengths



### EWS 118 — Cill extender

6m lengths



### 90° internal angle joint trim

10 pack



| Code | Colour |
|---|---|
| JT90iB | Brown |
| JT90iCO | Oak on Caramel |
| JT90iWG | Dark Brown |
| JT90iO | Oak |
| JT90i64 | White |

### 90° external angle joint trim

10 pack




| Code | Colour |
|---|---|
| JTA90EB | Brown |
| JTA90ECO | Oak on Caramel |
| JTA90EWG | Dark Brown |
| JTA90EO | Oak |
| JTA90E64 | White |



# Cill Repair Covers










DAMAGED CILL REPLACEMENT

Quick repair of a damaged existing cill without the costly removal and replacement of the existing cill.

Extruded to fit AC225 perfectly it is trimmable to fit AC125, AC150 & AC180 by simply cutting down the extruded “V” on the underside of the cill.

## Cill cover repair

| Code | Size | Qty | Colour | |
|---|---|---|---|---|
| | | | Base | Foil |
| **EWS119W** | 5m x 3.7m | 5 pack | white | N/A |
| **EWS119WO** | 5m x 3.7m | 5 pack | white | Golden Oak |
| **EWS119WRO** | 5m x 3.7m | 5 pack | white | Rosewood |
| **EWS119WGY1** | 5m x 3.7m | 5 pack | white | Anthracite Grey |


**PERFECT PARTNER**

With **SOUDAL SUPERGLUE** and **SOUDAL ACTIVATOR.**






# Bow Window Accessories




## Bow canopies

- Quick and easy installation
- One piece leak-proof moulding
- Available with lead-look top
- Made from strong rigid fibreglass
- Maintenance-free

**Standard**

| Code | Size | Qty |
|---|---|---|
| **BC18** | 1.8m | 1 pack |
| **BC24** | 2.4m | 1 pack |

**Foam filled**

| Code | Size | Qty |
|---|---|---|
| **BC18FF** | 1.8m | 1 pack |
| **BC24FF** | 2.4m | 1 pack |

## Bow units

- Quick and easy installation
- Fully moulded GRP base unit including attached gallows bracket
- Made from strong rigid fibreglass giving a firm foundation for a bow window

**Standard**

| Code | Size | Qty |
|---|---|---|
| **BA18 MK1** | 1.8m | 1 pack |
| **BA18 MK1** | 2.4m | 1 pack |

## Gallows brackets



| Code | Size |
|---|---|
| **GB 7.5** | 7.5” |
| **GB 10** | 10” |
| **GB 713** | 2.4m |

**COLOUR OPTIONS**



**WH WHITE** | **BR BROWN** | **O OAK**



# Window Boards

**Get a perfect colour match throughout your installation with stylish laminated window boards**

| FEATURES & BENEFITS |
|---|
| Adds style and elegance to complement any window or conservatory |
| Durable and strong laminate |
| Back edge and underside sealed to prevent moisture ingress |
| Scratch, stain and moisture resistant |
| Never needs painting and is easy to clean |

## 23mm Laminated Window Boards

### Standard range

| Code | Size | Qty |
|---|---|---|
| **WT150**5M** | 150mm x 5m | 1 pack |
| **WT200**5M** | 200mm x 5m | 1 pack |
| **WT225**5M** | 225mm x 5m | 1 pack |
| **WT250**5M** | 250mm x 5m | 1 pack |
| **WT300**5M** | 300mm x 5m | 1 pack |
| **WT350**5M** | 350mm x 5m | 1 pack |
| **WT600**3M** | 600mm x 3m | 1 pack |
| **WT900**3M** | 900mm x 3m | 1 pack |

**Colour options:**
WH White / RO Rosewood / WO Golden Oak / LO Light Oak

### Designer range

| Code | Size | Qty |
|---|---|---|
| **WT250***4.1M** | 250mm x 4.1m | 1 board |
| **WT600***3M** | 600mm x 3m | 1 board |
| **WT900***3M** | 900mm x 3m | 1 board |

More sizes available on made to order

**Colour options:**
GIS Grey Italian Slate / WPO White Painted Oak / VM Venato Marble / AG Anthracite / CIS Cream Italian Slate

**Standard Range Colours Available**



WHITE (WH)



ROSEWOOD (RO)

Colour matched wooden skirting boards & architraves available in Standard Range Colours, see online for more information



GOLDEN OAK (WO)



LIGHT OAK (LO)

**Designer Range Colours Available**



GREY ITALIAN SLATE (GIS)



WHITE PAINTED OAK (WPO)



VENATO MARBLE (VM)



ANTHRACITE (AG)



CREAM ITALIAN SLATE (CIS)

**See online for more sizes and options**

# Laminated Window Boards and Accessories

## 23mm Laminated Trim

**WTFEC** Laminated end cap



**Foil options:**
WH White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey

**WTJT** Laminated joint trim (internal joint)



**Foil options:**
WH White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey

**WTUT** Laminated universal trim (external corner)



**Foil options:**
64 White / ROF Rosewood / OF Golden Oak / LOF Light Oak / CR Cream / AG Anthracite Grey / LG Light Grey / MG Medium Grey / SG Stone Grey

## 9mm PVC Window Boards



### 9mm PVC Window boards

| Code | Size |
|---|---|
| **WB16064** | 160mm x 5m |
| **WB18064** | 180mm x 5m |
| **WB21064** | 210mm x 5m |
| **WB24064** | 240mm x 5m |
| **WB26064** | 260mm x 5m |
| **WB42064** | 420mm x 5m |

## 9mm Window Board Accessories

**Window board retaining trim**



| Code | Colour |
|---|---|
| **EWS129W** | White |
| **EWS129WO** | Golden Oak |

**Window board retainer end cap**



| Code | Colour |
|---|---|
| **EWS229W** | White |

**Long end caps**



| Code | Colour |
|---|---|
| **DEC64** | White |
| **DECO** | Golden Oak |
| **DECWG** | Brown |

**Short end caps**



| Code | Colour |
|---|---|
| **EWBECS64** | White |

# Finishing Trims

## Bead




| Code | Size |
|---|---|
| B20 | 20mm |

**Colour options:**
64 White, WO Golden Oak, RO Rosewood, WZ White Ash, WGY1 Anthracite Grey, WY Black Ash, BW Blue White, WT1 Chartwell Green*, WCR1 Cream White*, WGY4 Agate Grey*, WG Woodgrain

## 20mm square




| Code | Size |
|---|---|
| S20 | 20mm |

**Colour options:**
64 White, WO Golden Oak, RO Rosewood, WGY1 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, WG Woodgrain, WGY4 Agate Grey


## 13 or 17.5mm quadrant



| Code | Size |
|---|---|
| Q13 | 13mm |
| Q175 | 17.5mm |

**Colour options:**
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey*, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1 Cream White, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

## 25mm D moulding




| Code | Size |
|---|---|
| D25 | 25mm |

**Colour options:**
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey, WLO10 Anteak, WGY17 Balmoral*




## Cloaking fillet

| Code | Size |
|---|---|
| C20 | 20mm |

**Colour options:**
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash*, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green*, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey, GRW7015S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

| Code | Size |
|---|---|
| C30 | 30mm |

**Colour options:**
64 White, RO Rosewood, WLO1 Irish Oak, WZ White Ash*, GRW7016 Anthracite Grey*, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey*, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

## Examples Of Use



### Pencil Round Architrave
This flatback pencil-round architrave hides minimal plaster damage, whilst providing an attractive finish. Available in 3 sizes.



### 25mm D Moulding
Conceal window joins with a 25mm D-moulding trim to improve sightlines and create a clean, colour-matched finish.



### Foam Quadrant
Neaten joins with attractive foam quadrants, available in a variety of colours. Suitable for use around windows, floors and more.

# Architraves

## Ogee architrave Castellated




| Code | Size |
|---|---|
| OGEE5064 | 40mm x 5m |

**Colour options:**
64 White

## Pencil round architrave Castellated




| Code | Size |
|---|---|
| PR4064 | 40mm x 5m |

**Colour options:**
64 White


## Pencil round architrave Flat




| Code | Size |
|---|---|
| PF45 | 45mm x 5m |
| PF65 | 65mm x 5m |
| PF95 | 95mm x 5m |


**Colour options:**
64 White, CR Cream, WO Golden Oak, RO Rosewood, WLO1 Irish Oak, WZ White Ash, GRW7016 Anthracite Grey, WGY1S Anthracite Grey Smooth, WY Black Ash, BW Blue White, WT1 Chartwell Green, WCR1379 Cream White, WGY3 Moondust Grey*, GRW7015 Slate Grey, WGY2S Slate Grey Smooth, WGY4 Agate Grey*, WLO10 Anteak*, WGY17 Balmoral*

# Colour Availability




* Made to order


## Angles




### Rigid angles

| Code | Size |
|---|---|
| RA2525 | 25mm x 25mm |
| GRA4040 | 40mm x 40mm |
| RA6060 | 60mm x 60mm |
| RA8080 | 80mm x 80mm |
| RA1008 | 100mm x 80mm |
| RA6535 | 150mm x 35mm |


**Colour options:**
64 White / RO Rosewood (Except RA 6535) / WO Golden Oak (Except RA 6535) / WGY1 Anthracite Grey (Except RA6060, RA8080, RA1008 & RA 6535) / WY Black Ash (Except RA6060, RA8080, RA1008 & RA 6535) / WGY4 Agate Grey




### 6mm thick hollow angles

| Code | Size |
|---|---|
| HA1008 | 100mm x 80mm |

**Colour options:**
64 White / RO Rosewood / WGY1 Anthracite Grey / WY Black Ash




### 3mm thick adjustable angles

| Code | Size |
|---|---|
| AA50 | 50mm x 5m |
| AA70 | 70mm x 5m |
| GAA100 | 100mm x 5m |

**Colour options:**
64 White / WRO Rosewood (RO for GAA100) / WO Golden Oak / WGY1 Anthracite Grey / (Except AA70 & GAA 100 ) WY Black Ash (Except AA70 & GAA 100)

**PERFECT PARTNER**

Seal trims with
**Soudal Silirub LMN.**




**Look in branch for full range**

## Cosmetic Repairs



### Colour Edging Pens

**Replace missing colour on window seams, wooden flooring and more**

- Unique press action
- Spare tips included
- Suitable for interior and exterior applications
- Original colour edging pen with pump action is also available
- Available in various colours

**Code** CEP



### Window repair kit

**Successfully repair minor Scratches to windows**

- Suitable for repairing minor scratches,dents or bruises to PVC-U and timber windows
- Contains filler for use on Mahogany, Rosewood, Golden Oak and White profile
- Original colour edging pen with pump action also available

**Code** KO 614

**Going Window Shopping?**

**Better pricing**
**Improved range**
**Quick quotes**
**Expert support**

**Our new window and door offering makes Eurocell the one-stop-shop for installers**

Trustpilot



**Ask about windows & doors in branch**

# Garage Doors



STRONG, SECURE AND LIGHTWEIGHT GARAGE DOORS - SUITABLE FOR EVERY HOME!

- High quality, low-maintenance design
- Glazing available on certain styles
- Two-point locking as standard on Up & Over doors
- Full range of sizes including single (7'0, 7'6 and 8'0 wide) and doubles (up to 14'0)
- Superior lifting gear on Up & Over doors
- Choose from up to 19 colours

**SECTIONAL & ROLLER DOORS AVAILABLE**

**ASK IN BRANCH**



**Up & over doors**



**Roller doors**



**Sectional doors**



**Side hinged doors**

# PVC-U Door Canopies



**Get quick quotes on our MTO products**

IDEAL FOR NEW BUILD AND REFURBISHMENT PROJECTS

- Suitable for a variety of entrance doors
- Designed GRP material is low-maintenance - it will never need repainting!

## The Ripley



Flat top, lead-look canopy with scalloped edge and Georgian period detailing will add prestige to any property

| Code | Size |
|---|---|
| **RIP 1500** | 1500mm |

**Colour options:**
WH White

## The Cheltenham




This strong, rigid GRP dual pitch canopy with tile effect roof and imitation woodgrain detailing is available with 3 design options on the gable

| Code | Style |
|---|---|
| **CHELT 730** | 730mm std |
| **CHELT 730F** | 730mm fleur |
| **CHELT 730T** | 730mm t-bar |

**Colour options:**
WH White

## The Rockingham




Elegant Victorian style GRP door canopy incorporating fully moulded brackets offers a period look for your customers

| Code | Style |
|---|---|
| **ROC B** | With brackets |
| **ROB WB** | No brackets |
| **ROC CL** | Lead-top effect |

**Colour options:**
WH White

# Door Surrounds

## The Victorian




| Add prestige to entrance doors | |
|---|---|
| **Code** | **Colours** |
| **VTPS** | WH White |

## The Georgian




| This regal design will enhance any doorway | |
|---|---|
| **Code** | **Colours** |
| **G TPS** | WH White |

## Freestanding Columns



| The finishing touch to entrance doors | |
|---|---|
| **Code** | **Style** |
| **FP** | Flat pillar |
| **COLPL** | Plain column |
| **RCOLFLU** | Fluted column |
| **Colour options:** WH White | |




# Hardware

## Contents


| | |
|---|---|
| Locks | 80 |
| Window Fitter's Tools | 82 |
| Handles - Door | 83 |
| Hinges | 83 |
| Letterplates | 83 |
| Centre Strikers/Cases | 84 |
| Handles - Window | 85 |
| Restrictors | 86 |


- Eurocell offers a wide selection of Door Hardware, Window Hardware, Additional Security, Architectural Ironmongery and Tools for repair and maintenance.




## 3 Star Security Cylinder Locks





- 5 keys
- Dual finish
- Non-handed
- British Standard 3 star

**Anti-drill, anti-pick and anti-tamper**
- Snap safe
- 3* Kitemark



| Cylinder Gauge |
|---|
| Cylinder Gauge Measuring Tool in Plastic |
| **Code** |
| **ST-CYL-GAUGE** |

| 3* Key to Key Euro Cylinder | |
|---|---|
| Tested to BS EN 1303 and supplied with 3 keys | |
| **Code** | **Size** |
| **ST-KIN35/35D-K4** | 35/35 |
| **ST-KIN45EX/45D-K4** | 45/45 |
| **ST-KIN50/50D-K4** | 50/50 |

| 3* Key to Turn Euro Cylinder | |
|---|---|
| Dual Finish - EN 1303 - 3 Keys | |
| **Code** | **Size** |
| **ST-KIN35T/35D-K4** | 35T/35 |

## Standard Cylinder Lock





| Key to Key Euro Cylinder | |
|---|---|
| Tested to BS EN 1303 and supplied with 3 keys | |
| **Code** | **Size** |
| **ST-ZL3535D** | 35/35 Euro Cylinder |
| **ST-ZL3545D** | 35/45 Euro Cylinder |
| **ST-ZL4040D** | 40/40 Euro Cylinder |
| **ST-ZL4045D** | 40/45 Euro Cylinder |
| **ST-ZL4050D** | 40/50 Euro Cylinder |
| **ST-ZL4055D** | 40/55 Euro Cylinder |
| **ST-ZL4060D** | 40/60 Euro Cylinder |
| **ST-ZL4545D** | 45/45 Euro Cylinder |
| **ST-ZL4550D** | 45/50 Euro Cylinder |
| **ST-ZL4555D** | 45/55 Euro Cylinder |
| **ST-ZL5050D** | 50/50 Euro Cylinder |

| Key to Turn Euro Cylinder | |
|---|---|
| Dual Finish - EN 1303 - 3 Keys | |
| **Code** | **Size** |
| **ST-ZL35T35D** | 35T/35 Euro Cylinder |
| **ST-ZL40T40D** | 40T/40 Euro Cylinder |
| **ST-ZL50T50D** | 50T/50 Euro Cylinder |

### SCHLOSSER TECHNIK SNAP-SAFE, ANTI-PICK AND ANTI-DRILL EURO CYLINDER

Don't let your customers fall victim to insurance company small print – choose insurance-backed Schlosser replacement locks – in-branch now!



This multi-tool contains a cam turner for centre case testing; a cylinder measure to correctly gauge what size barrel is required and a multi-spindle end to find out which spindle

| Cylinder Cam Turner |
|---|
| **Code** |
| **ST-TL-CAMTURNER** |

### PVC-U Door repair lock kit

Kit contains:
1x four roller multi-point lock,
1x reversible one piece keep
8x multi-fit keep packers

- 35mm backset
- Lever / lever, night latch operation
- 92mm PZ centres
- Latch, deadbolt & 4 rollers



| Code | Style |
|---|---|
| **ST-MPL3255P-35LL** | 35/92 4 Roller repair Lock |
| **FULLEX-REPAIRLOCK** | PVC-U Universal Repair Lock |

# Window Fitter's Tools



**Glazing Shovel**

| Code |
|---|
| GLSHOVEL |



**Double Pad Suction Lifter**

| Code |
|---|
| SUC10002 |



**Triple Pad Suction Lifter**

| Code |
|---|
| SUC10003 |



**Glass-O-Meter**

| Code |
|---|
| GTG20000 |



**Inflatable Air Wedge 160x160mm**

| Code |
|---|
| DR8972 |



**Roughneck Panel & Board Carrier**

| Code |
|---|
| ROU32025 |



**Roughneck Door & Board Lifter**

| Code |
|---|
| RNECK32500 |



**Roughneck Contractor Foam Gun**

| Code |
|---|
| RNECK32310 |



**Roughneck Professional Foam Gun**

| Code |
|---|
| RNECK32320 |



**OX Trade 400ml Heavy Duty Caulk Gun**

| Code |
|---|
| OX-T046507 |



**TRACER TRUESHOT Marking Kit**

| Code |
|---|
| ACSMK1 |



**TRACER Complete Marking Kit**

| Code |
|---|
| TRC-AMK4 |



**TRACER Deep Pencil Marker & Site Holster**

| Code |
|---|
| TRC-ADP2 |



**Tracer DeepHole Pencil W/replacement leads**

| Code |
|---|
| TRCAMK1 |



**Roughneck Utility Bar 15in**

| Code |
|---|
| ROU64495 |



**Roughneck Wrecking Bar 12in**

| Code |
|---|
| ROU64412 |



**Roughneck 24" Gorilla Bar**

| Code |
|---|
| ROU64407 |



**Roughneck Toolbox Bar Set 4 Piece**

| Code |
|---|
| RNECK64951 |



**OX Pro Moulding Bar 250mm / 10"**

| Code |
|---|
| OX-P083110 |



**OX Pro Claw Bar 300mm / 12"**

| Code |
|---|
| OX-P083012 |



**OX Pro Handy Bar 380mm / 15"**

| Code |
|---|
| OX-P093015 |



# Hardware

## Ferco PZ Sprung Door handle



| Code | Size |
|---|---|
| ST-DH4720WH | 70mm PZ (critical dimension) - measured from centre of handle spindle to centre of euro barrel (cylinder) 180mm screw fixing centres |

## 219mm Door handle



| Code | Colour |
|---|---|
| ST-DH219W | White |
| ST-DH219PVDG | Gold |
| ST-DH219MPSS | Chrome |

## 243mm Door handle



| Code | Colour |
|---|---|
| ST-DH243-PVDG | Gold |
| ST-DH243-MPSS | Chrome |
| ST-DH243-SSS | Satin |
| ST-DH243W | White |

## Flag hinge



**Flag Hinge to suit sash rebate**

| Code | Size |
|---|---|
| ST-HIN0023AXBR-KIT | Brown |
| ST-HIN6114WH Flag hinge sash rebate 14-25mm | White |

## Butt hinges 115mm



| Code | Style |
|---|---|
| ST-HIN6115 | 0 degree |
| ST-HIN6116 | 15 degree |

**Colour options:** BR Brown, WH White

## Letterplates



Designed for 40-80mm wooden and composite doors.

**Letterplate with BLACK ABS frame**

| Code | Style |
|---|---|
| ST-DMB1048 | Aluminium 10" |
| ST-DMB1248 | Aluminium 12" |

**Colour options:** Options: PG Gold, PS Silver, WH White

# Hardware

## Centre cases



ST-MPL3113
ST-MPL3114



ST-MPL3350CA
ST-MPL3350CA4



ST-MPL3151
ST-MPL3213

| Code | Style | Size |
|---|---|---|
| **ST-MPL3113** | Lockmaster PL LDB 2 Followers Centre Case only | 35/92/62 |
| **ST-MPL3114** | Lockmaster PL LDB 1 Followers Centre Case only | 35/92 |
| **ST-MPL3350CA** | Fullex XL 35mm Centre Case - Single Spindle | 35/92 |
| **ST-MPL3350CA45** | Fullex XL 45mm Centre Case - Single Spindle | 35/92 |
| **ST-MPL3151** | Milla 35mm Centre Case - Single Spindle | 35/92 |
| **ST-MPL3213** | GU Type Lock case - Solid spindle | 35/92 |

## Sash blocker



**Locked position**




**Open position**



| Code | Style |
|---|---|
| **ST-SJWHITE** | Non-Locking |
| **ST-SJWH-LOCK** | Locking |
| **Colour options:** BR Brown, WH White | |

## Composite sash blocker






| Code |
|---|
| **ST-SJ5178K-WH** |
| **Colour options:** WH White |

## Apto cockspur handle 9mm-21mm




| Code | Style | Colour |
|---|---|---|
| **ST-WCH1801PL** | Left hand | Chrome |
| **ST-WCH1801PL** | Left hand | White |
| **ST-WCH1801PR** | Right hand | Chrome |
| **ST-WCH1801PR** | Right hand | White |
| **Colour options:** SH Chrome,WH White | | |

## Apto cockspur wedge kit

| Code | Size |
|---|---|
| **ST-WCH1803** | (1x2mm, 1x3mm, 1x4mm & 1x5mm) |
| **Colour options:** WH White | |


## Window Espag handle (40mm)




In-line window Espag handle
Non-handed universal fitting


| Code | Style |
|---|---|
| **ST-WEH5440-40SP** | In-Line locking |
| **Colour options:** PGO Gold, WH White, PCH Chrome, SC Satin | |

## Trickle Vents




| Code | Style |
|---|---|
| **ST-VENT001-WH** | Link Vent Mk 2: 2500 White |
| **ST-VENT002-WH** | Link Vent Mk 2: 5000 White |

## Window Espag Handle Kit




Each repair handle comes with 10mm, 15mm, 20mm and 30mm spindle.

| Code |
|---|
| **ST-WEH5064ST** |
| **Colour options:** CH-K Chrome, GO-K Gold, WH-K White, SC-K Satin Chrome |

## Concealed window restrictor 11.5mm



Easy to fit and fully concealed. Windows are restricted to 100mm or less depending on where the concealed restrictor is fixed. The restrictor is designed for top or side opening windows.

| Code | Style |
|---|---|
| **ST-WR5160LSIKIT** | Left Hung with Stud Plate |
| **ST-WR5160RSIKIT** | Right Hung with Stud Plate |

## MINI cable restrictor 200mm



- Complies with BS EN 14351-1:2006
- Ideal for PVC-U, timber, composite doors and windows
- Supplied with fixing screws and 1 key

| Code |
|---|
| **ST-WR7210** |
| **Colour options:** BR Brown, WH White |

## Friction stay hinges with 4mm packer (pair)



**Suitable to fit either 13mm or 17mm applications**

| Code | Style | Stack Height |
|---|---|---|
| **ST-WFS5200** | 8" Top hung standard friction stays | 13mm/17mm |
| **ST-WEH546040SST** | 10" Top hung standard friction stays | 13mm/17mm |
| **ST-WFS5202** | 12" Top or side hung standard friction stays | 13mm/17mm |
| **ST-WFS5203** | 16" Top or side hung standard friction stays | 13mm/17mm |
| **ST-WFS5204** | 20" Top hung standard friction stays | 13mm/17mm |
| **ST-WFS5205** | 24" Top hung standard friction stays | 13mm/17mm |
| **ST-WFS5240** | 12" Side hung Egress friction stays | 13mm/17mm |
| **ST-WFS5241** | 16" Side hung Egress friction stays | 13mm/17mm |
| **ST-WFS5246** | 12" Egress easy-clean friction stays | 13mm/17mm |

## Door stay



| Code | Style |
|---|---|
| **ST-DOORSTAY-UNIVER** | 90 degree door stay - Rounded Ends includes screws |

## Air bag

- A great solution to saving time whilst fixing and levelling door and windows frames as well as lifting furniture and kitchen appliances
- Holds up to 200kg
- Easy to use tool with a simple squeeze pump and precise bleeder valve allowing for perfect adjustments

| Code | Size |
|---|---|
| **ST-ANC9695** | 150 x 150mm |



Xpert

# DESIGNED BY XPERTS. FOR EXPERTS.












VELUX®





# Why choose a white maintenance-free finish?

**Value for money**
Our recommended finish now has a lower price point.

**Moisture resistant**
Ideal choice for all room types.

**Robust & durable**
Bump and scratch resistant making installation hassle-free.

**Maintenance-free**
Wipeable surface and no repainting required.

**Earn VELUX Rewards all year round.**
**Scan the QR code to learn more.**

**eurocell**.co.uk

MADE & RECYCLED IN THE UK

eurocell

Product specification is subject to change without notification.
Please also note that colours shown are illustrative only, as the printing process does not allow 100% accurate colours to be reproduced.