

ecological

Solutions from PPG™

JOHNSTONE'S®

TRADE

ecological

Solutions from PPG™

As a leading paint manufacturer, PPG is committed to providing its customers with products that reduce environmental impact.

But PPG's dedication to sustainability goes beyond just making products.

Our innovations are helping to address some of the world's most pressing problems related to energy, the environment, security and other issues.

PPG's Ecological Solutions range represents our commitment to making "green" products that are kinder to the environment. Included in the Ecological range is a collection of Johnstone's paints that have been awarded the coveted EU Ecolabel accreditation.

All Ecolabel accredited Johnstone's products are manufactured under the ISO14001 Environmental Management System.

Committed
to a sustainable
future.



www.johnstonestrade.com

Econfident!

Many products in the marketplace claim to be "environmentally friendly", but amongst all the clever marketing noise, how do customers really know that manufacturer's claims are true?

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental and performance standards. Stringent tests are used to assess the product's impact on the environment, from raw-materials, to application and performance.

The Ecolabel logo is a mark that can be trusted by consumers on products that meet these tough standards.

At Johnstone's, we don't believe that product performance should be compromised or that a premium price should be charged for eco-friendly alternatives. This is why we have chosen for our existing products to undergo these stringent tests and achieve Ecolabel accreditation.

- ✓ Same Product
- ✓ Same Quality
- ✓ No Price Premium
- ✓ Ecolabel Accredited



www.johnstonestrade.com



ecological
Solutions from PPG™

Covaplus Vinyl Matt

A premium quality, matt emulsion formulated for interior use on walls and ceilings. It provides a durable, wipeable finish with excellent opacity and colour retention.



www.johnstonestrade.com



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Colour range:	16,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Excellent coverage	Attractive finish with coverage up to 14m ² per litre
High levels of opacity	Wipeable finish that hides surface imperfections
Water based	Quick drying and low odour

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Covaplus Vinyl Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Covaplus Vinyl Matt

Application Tool:

Fat Hog medium pile roller sleeves



ecological
Solutions from PPG™

Jonmat Premium Contract Matt

A contract matt emulsion with excellent opacity and coverage ideal for use on new plaster.



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	5Ltr, 10Ltr & 15Ltr
Colour range:	7,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Ideal for new plaster	Can be applied once the plaster has changed colour
Breathable	Allows excess water in the plaster to escape preventing damp
Excellent flow & coverage	Provides speed and ease of application

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Jonmat Premium Contract Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Jonmat Premium Contract Matt

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological

Solutions from PPG™

Flat Matt

A high quality emulsion, suitable for use on interior walls and ceilings giving a fashionable dead flat matt finish.



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	2.5Ltr & 5Ltr
Colour range:	16,000 colours
Finish:	Dead flat matt
VOC:	Low

Features & Benefits

Dead flat matt finish

Fashionable finish, which hides surface imperfections

Durable & wipeable

Retains a freshly painted look for longer

Quick drying

Provides speed and ease of application

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Flat Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Flat Matt

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological

Solutions from PPG™

Ultra High Opacity Matt

A high opacity emulsion designed to achieve the appearance of a two coat application in just one coat. It provides a high opacity finish that is quick drying and produces a tough, hard wearing matt finish.



www.johnstonestrade.com

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.



Certificate number UK/07/003

Product Information

Recoat:	4 hours
Coverage:	8m ² per litre
Pack size:	5Ltr
Colour range:	7,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Ultimate opacity

Designed to achieve the appearance of 2 coats in 1

Outstanding coverage

Great for covering over dark surface colours

Water based

Quick drying and low odour

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Ultra High Opacity Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Ultra High Opacity Matt

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological
Solutions from PPG™

Acrylic Durable Matt

A premium quality emulsion, with outstanding durability for use on interior walls and ceilings. Meeting Class 1 of the EU Scrub Test ISO 11998, Acrylic Durable Matt is ideal for high traffic environments.



www.johnstonestrade.com

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.



Certificate number UK/07/003

Product Information

Recoat:	4 hours
Coverage:	12m ² per litre
Pack size:	2.5Ltr, 5Ltr & 10Ltr
Colour range:	16,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Outstanding durability

Cost saving opportunities due to extended maintenance cycles

Class 1 of ISO 11998

Highest achievable scrub rating according to EU standards

Stain resistant

Tough, scrubable and washable matt finish

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Acrylic Durable Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Acrylic Durable Matt

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological

Solutions from PPG™

Acrylic Eggshell

A premium quality, mid sheen finish with outstanding durability. Acrylic Eggshell provides a finish that is resistant to condensation and yellowing, ideal for use on kitchen and bathroom walls.



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	4 hours
Coverage:	11-13m ² per litre
Pack size:	2.5Ltr & 5Ltr
Colour range:	16,000 colours
Finish:	Mid sheen
VOC:	Low

Features & Benefits

Outstanding durability	Can be scrubbed clean extending maintenance cycles
Resistant to condensation	Ideal for use on kitchen and bathroom walls
Mid sheen finish	Tough, scrubable and washable eggshell finish

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Acrylic Eggshell thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Acrylic Eggshell

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological
Solutions from PPG™

Acrylic Satin

A premium satin sheen finish for use on interior and exterior wood and suitably primed metal surfaces. Acrylic Satin is quick drying and non-yellowing.



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat: 4 hours

Coverage: 12m² per litre

Pack size: 1Ltr, 2.5Ltr & 5Ltr

Colour range: 16,000 colours

Finish: Satin

VOC: Low

Features & Benefits

Non-yellowing

Stays whiter for longer

Satin sheen finish

An ideal alternative to a traditional gloss finish

Water based

Quick drying and low odour

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Acrylic Satin thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Acrylic Satin

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



ecological

Solutions from PPG™

Vinyl Silk

A premium emulsion for interior use on walls and ceilings. Vinyl Silk provides a durable sheen finish that is easy to clean and resistant to fading and yellowing.



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	3-4 hours
Coverage:	10-12m ² per litre
Pack size:	1Ltr, 2.5Ltr, 5Ltr & 10Ltr
Colour range:	16,000 colours
Finish:	Silk
VOC:	Low

Features & Benefits

Excellent coverage

Ideal for application over embossed wallcoverings

Durable sheen finish

Produces a washable surface that is easy to clean

Water based

Quick drying and low odour

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Vinyl Silk thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Vinyl Silk

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.



ecological
Solutions from PPG™

Dry Lining Paint

A high quality emulsion formulated for direct application to new plaster boards or pre-prepared dry lining boards.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	10Ltr
Colour range:	7,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Innovative formulation	Direct application without the need for a primer
Smooth & consistent	For a uniform finish on all board types and jointing compounds
Enhanced opacity	Hides surface imperfections highlighted by critical lighting

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Dry Lining Paint thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Dry Lining Paint

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



www.johnstonestrade.com



ecological

Solutions from PPG™

Endura Super Durable Matt

A premium quality emulsion, with outstanding durability for use on interior walls and ceilings. Meeting Class 1 at 10,000 scrubs of the EU Scrub Test ISO 11998, Endura Super Durable Matt is ideal for high traffic environments.



www.johnstonestrade.com



www.johnstonestrade.com



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	11-13m ² per litre
Pack size:	5Ltr
Colour range:	7,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Outstanding durability

Cost saving opportunities due to extended maintenance cycles

Class 1 of ISO 11998

Highest achievable scrub rating according to EU standards

Stain resistant

Retains a freshly painted look for longer

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Endura Super Durable Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Endura Super Durable Matt

Application Tool:

Fat Hog medium pile roller sleeves



ecological
Solutions from PPG™

Microbarr Anti Bacterial Acrylic Matt

A high performance emulsion, formulated to inhibit the growth of MRSA & E-coli by using silver ion technology.

Microbarr is developed to assist in the fight against hospital acquired infections caused by harmful bacteria.



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	5Ltr
Colour range:	16,000 colours
Finish:	Matt
VOC:	Low

Features & Benefits

Innovative formulation	Proven to actively inhibit bacteria
Silver ion technology	Inhibits the growth of MRSA & E-coli
Stain resistant & washable	Retains a freshly painted look for longer

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Microbarr Anti Bacterial Acrylic Matt thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Microbarr Anti Bacterial Acrylic Matt

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



www.johnstonestrade.com



ecological

Solutions from PPG™

Microbarr Anti Bacterial Acrylic Eggshell

A high performance emulsion formulated to inhibit the growth of MRSA & E-coli by using silver ion technology.

Microbarr is developed to assist in the fight against hospital acquired infections caused by harmful bacteria.



Certificate number UK/07/003

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.

Product Information

Recoat:	2-4 hours
Coverage:	12-14m ² per litre
Pack size:	5Ltr
Colour range:	16,000 colours
Finish:	Mid sheen
VOC:	Low

Features & Benefits

Innovative formulation	Proven to actively inhibit bacteria
Silver ion technology	Inhibits the growth of MRSA & E-coli
Stain resistant & washable	Retains a freshly painted look for longer

System & Application Tools

The ideal system to use is as follows:

Step 1 – Mist coat to seal absorbent surfaces:

1x coat of Johnstone's Microbarr Anti Bacterial Acrylic Eggshell thinned up to 10% with clean water

Step 2 – Top Coat:

2x full coats of Johnstone's Microbarr Anti Bacterial Acrylic Eggshell

Application Tool:

Fat Hog medium pile roller sleeves



www.johnstonestrade.com



www.johnstonestrade.com



ecological
Solutions from PPG™

Joncryl Water-Based Primer Undercoat

A high quality water based primer and undercoat in one, formulated for interior and exterior use on new or bare wood, plaster, hardboard, cement or brickwork.



www.johnstonestrade.com

The European Ecolabel is the premier EU environmental accreditation. The Ecolabel mark is only awarded to products that meet the highest environmental standards. Stringent tests are used to assess the product's impact on the environment, from raw materials, to application and performance.



Certificate number UK/07/003

Product Information

Recoat:	1-2 hours
Coverage:	12-14m ² per litre
Pack size:	1Ltr, 2.5Ltr & 5Ltr
Colour range:	White
Finish:	Matt
VOC:	Low

Features & Benefits

High opacity

Ideal basecoat for both broad wall and water based trim products

Primer & undercoat

Only one product required providing cost saving opportunities

Water based

Quick drying and low odour, the ideal alternative to solvent based undercoat

System & Application Tools

The ideal system to use is as follows:

Step 1 – Primer:

1x coat of Johnstone's Joncryl Water-Based Primer Undercoat

Step 2 – Top Coat:

2x full coats of required trim finish

Application Tool:

Fat Hog medium pile roller sleeves or brushes



www.johnstonestrade.com

JOHNSTONE'S[®]

TRADE

www.johnstonestrade.com



PPG Industries

Bringing innovation to the surface.[™]

Huddersfield Road, Birstall, Batley,
West Yorkshire, WF17 9XA



Certificate number UK/07/003



Mixed Sources

Product group from well-managed
forests, and other controlled sources
www.fsc.org Cert no. TT-COC-002632
© 1996 Forest Stewardship Council