

watco®

- Money back guarantee
- Manufactured in the UK
- Unique formulations



Discover our best ever formulas

See pages 20, 54 & 48





Introducing our Best Ever Formula



At Watco, we're always looking for ways to improve our products to bring you better value and brilliantly protected floors. So, we got our paint chemists to start reformulating our range of concrete and epoxy floor paints. They're now harder wearing, more scratch resistant and have


better adhesion than ever before. After much engineering and almost a thousand tests, we're proud to introduce our best ever range.

Chris Budd,
Head of Technical Advice

Require a site visit?

If you are planning a project and require further help and advice simply speak to our team about booking a free appointment with one of our technical advisers.

We will then arrange a visit to your premises and will work with you to find the perfect solution.




contents




4-19

REPAIRS



20-47

FLOOR COATINGS



48-55

ANTI SLIP FLOOR COATINGS



56-63

ANTI-SLIP PRODUCTS




64-65

TAPES




66-69

LINE MARKING



70-77

SPECIALIST COATINGS




78-81

ROOFING



82-85

MATTING




86-91

TRAFFIC CONTROL



92-97

PROTECT



98-99

TOOLS & INDEX

Easy ordering



By telephone

01483 418 418

Mon-Fri 8am – 5.30pm



Online

www.watco.co.uk



By post

Watco UK Ltd
Watco House, Filmer Grove
Godalming, Surrey GU7 3AL



By email

sales@watco.co.uk

Discover our Best Ever Formula



Tested
against leading
competitors

CONCRETE FLOOR PAINT

See pages 20-23

Scientifically
proven superior
performance

EPOXY GLOSS COAT

See pages 24-27

More
hardwearing
than before

SAFETY COAT


See pages 48-51

Concrex® Permanent granite-hard floor repairs.

Our best-selling floor repair mortar comes in several easy-to-use versions



Where to use Concrex®



Concrex® Coloured	Light Grey
Concrex® Coloured	Blue
Concrex® Coloured	Stone
Concrex® Coloured	Black
Concrex® Coloured	Tile Red
Concrex® Coloured	Green
Concrex® Coloured	Buff
Concrex® (all others)	Original

The colours shown here are intended to give an indication and should not be taken as an accurate guide

Watco Concrex®

Our original, best-selling floor repair mix: fast, permanent and strong. Outstanding strength and reliability are guaranteed with minimal prep time from one of our most popular and trusted products.

Concrex® cures to a granite-hard finish that is impervious and non-dusting.

- **Easy to apply** Cures in 3 to 6 hours
- **Coverage 1.2m²** per 10kg at 5mm thick
- **Virtually indestructible** 8 times stronger than concrete
- **Minimal prep time** Saves labour costs; mix and apply in minutes
- **Tack Coat Primer** Essential for shallow applications and screeding

► 10kg • £80.80

► 25kg • £159.10

Watco Concrex® Rapid Set

Ideal for rapid repairs in all heavily trafficked industrial areas. Hard-working and as strong as Concrex®, this cures in only 3 hours under normal conditions.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Take your time** 30 to 60 minute working life, so there's no need to rush

► 10kg • £95.80

► 25kg • £183.50

Watco Concrex® Cold Set

Specialist formula for making long-lasting repairs to colder areas. The perfect product for all-year-round repairs.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Ultra strong** The repair answer for places such as cold rooms, entrance ways and outside areas where temperatures drop to 0°C

► 10kg • £95.80

► 25kg • £183.50

Watco Concrex® Advanced

Our most technologically advanced concrete repair product yet. Years of research and expertise in our laboratories has gone into creating Concrex® Advanced.

Based on our best-selling Concrex®, this Advanced formula offers a range of high-tech benefits that will save you time and offer an even stronger, more hard-wearing finish.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Super-fast** Curing time from as little as 1 hour at 15°C to 20°C
- **Extremely tough** Ceramic additive offers exceptional abrasion resistance
- **Excellent resistance** Modified epoxy resin base gives superior resistance to chemicals
- **Tack Coat Primer** Essential for shallow applications and screeding

► 10kg • £109.70

► 25kg • £213.20

Watco Concrex® Acid Strength

Repairs acid-damaged concrete, permanently. The best resistance to chemicals that you can get with a curing time of just 5 to 6 hours at 20°C.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Superior Resistance** Withstands 95% sulphuric acid

► 10kg • £95.80

Watco Concrex® Coloured

Saving you the time and hassle of painting after repair work. Our top-selling product is easy to use and can cope with heavy traffic at only 5mm thickness.

Coloured epoxy resin mortar for a better blend with a coloured floor.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Looks the part** Available in 7 colours

► 10kg • £94.40

► 25kg • £191.40

Watco Concrex® Sub Zero

Perfect results under the toughest conditions when other repair mortars fail. The answer when you have to undertake thin section and feather edge repairs in brutally cold weather.

This cures down to an incredible -20°C, and it's also impermeable and non dusting.

- **Coverage 1.2m²** per 10kg at 5mm thick
- **Does it all** Chemical resistant and anti-slip too

► 10kg • £95.80

Buy more, save more...		1-3 units	4-11 units	12+ packs
Concrex® Original	10kg	£80.80	£72.70	£68.60
Concrex® Original	25kg	£159.10	£143.20	£135.30
Concrex® Rapid Set	10kg	£95.80	£86.30	£81.40
Concrex® Rapid Set	25kg	£183.50	£165.20	£156.00
Concrex® Cold Set	10kg	£95.80	£86.30	£81.40
Concrex® Cold Set	25kg	£183.50	£165.20	£156.00
Concrex® Advanced	10kg	£109.70	£98.90	£93.20
Concrex® Advanced	25kg	£213.20	£192.30	£181.20
Concrex® Acid Strength	10kg	£95.80	£86.30	£81.40
Concrex® Coloured	10kg	£94.40	£89.70	£80.20
Concrex® Coloured	25kg	£191.40	£181.80	£162.60
Concrex® Sub Zero	10kg	£95.80	£86.30	

You may also need...

Tools and Primers	Each
Tack Coat 1m ²	£21.40
Tack Coat 6m ²	£61.20
10" Steel Float	£6.60
4" Mix and Apply Trowel	£6.00
Large Concrex® Application Kit	£24.00
Small Concrex® Application Kit	£13.80
Concrex® Mixing Tub	£9.70

Concrex® Deep Fill Stronger repairs with less fuss



Concrex® Deep Fill

Watco Concrex® Deep Fill

Economical and ultra-strong repair formula for deep holes. Using advanced technology, Watco's Concrex® Deep Fill can be applied in one layer, reducing downtime and making it the ideal solution for getting rid of deep holes in heavy traffic areas.

A lower cost Concrex® option for difficult deep holes. Concrex® Deep Fill is a super-strong repair product that's suitable for internal and external use to fill holes in concrete, sand and cement, and even metal.

- **Coverage** Approx **0.5m²** per 25kg at 30mm thick
- **Choose your finish** For a smoother finish and feather-edge, use with our other Watco Concrex® products, or simply leave it with a coarser surface
- **Apply with ease** Mix the 2 components and apply in a single 15 to 100mm layer. Priming is not usually needed, however Concrex® Deep Fill can be used with **Watco Tack Coat**, our adhesive primer designed to help bonding in difficult areas
- **Less time waiting** Cures in 5 to 6 hours at 15°C to 20°C

► **25kg • £104.10**

Watco Concrex® Deep Fill Cold Cure

Deals with deep holes when the temperature falls to freezing level.

Delivers the same strength and features of our standard Concrex® Deep Fill, but specially formulated to handle essential repairs in cold conditions between 0°C and 10°C.

- **Coverage** Approx **0.5m²** per 25kg at 30mm thick
- **Likes the cold** Cures in 6 to 8 hours at 10°C and in 24-48 hours at 0°C

► **25kg • £125.90**

Watco Concrex® Deep Fill Rapid

When time's an issue this fills deep holes fast. Offers the same coverage, usage and depth as our standard Concrex® Deep Fill, but designed to get areas back in action even quicker.

- **Coverage** Approx **0.5m²** per 25kg (30mm thickness)
- **Need for speed** Can be applied at temperatures above 10°C and is ready for light traffic in just 3 hours at 15°C to 20°C

► **25kg • £125.90**

Watco Concrex® Coving Mortar

Create coved skirting for easier cleaning. Our Coving Mortar uses Concrex® technology for tough, chemical and impact resistant skirting.

- **Coverage** Each 5kg pack produces approx **5 metres** of 50mm x 50mm coved skirting and can be applied with a coving trowel for depths between feather-edge and 50mm. Use 1m² **Watco Tack Coat** as a primer for every two packs of Concrex Coving Mortar
- **Stays strong** Even with feather-edges
- **Applies with ease** Suitable for concrete, sand and cement, and metal
- **Fast finish** Cures in 3 to 6 hours at 15°C to 20°C

► **5kg • £55.70**



Concrex® Coving Mortar



Concrex® Flex

Watco Concrex® Flex

Solid and strong where there's movement. Concrex® Flex is a specifically designed resin blend to cope with movement and vibration, making problem areas a thing of the past.

Featuring the same super tough properties of Concrex®, Concrex® Flex is ideal for repairs around expansion joints, it is suitable for interior and exterior use, and can be painted.

- **Coverage** Approx **1.2m²** per 10kg at 5mm thick
- **Repairs damage** Ideal for use on damaged concrete around expansion joints, ramps, guide rails, drains, and manhole covers. Creates feather-edges without breaking
- **Fast working** Cures in 5 to 6 hours at 15°C to 20°C, and is ready for heavy traffic in 12 to 16 hours
- **Fuss free** Applies easily using a steel float or trowel. **Watco Tack Coat** recommended before use

► **10kg • £103.30**

Watco Tack Coat

Epoxy resin adhesive primer for stronger repairs. New formula, designed for use with Concrex® in shallow, fiddly, or vertical repairs, it can be applied to damp or dry surfaces at temperatures above 0°C.

- **Works with most materials** Suitable for use with concrete, render, stone, sand and cement, and metal – inside or out. Can be applied on top of existing paint once loose paint flakes are removed
- **Job done** Can be overcoated with Concrex® within 30 to 60 minutes
- **Watco Tack Coat Sub Zero** Available for use with Concrex® Sub Zero at temperatures as low as -20°C

► **1m² • £21.40**

► **6m² • £61.20**

► **Sub Zero 750ml • £25.50**

Watco Concrex® Application Kits

Large Application Kit includes:

4 plastic bags for transporting, 750ml white spirit, 10" steel float, 6" trowel, wire brush/scrapper, 5 cloths and nitrile gloves.

Ideal for 25kg of Concrex®

► **Large • £24.00**

Small Application Kit includes:

2 plastic bags for transporting, 250ml white spirit, mix and apply trowel, wire brush/scrapper, cloth and disposable gloves.

Ideal for 10kg of Concrex®

► **Small • £13.80**

Concrex® Mixing Tub

440mm x 650mm x 150mm deep




You may also need...

Buy more, save more...		1-3 units	4-11 units	12+ packs
Concrex® Deep Fill	25kg	£104.10	£93.80	£88.50
Concrex® Deep Fill Cold Cure	25kg	£125.90	£113.40	£107.00
Concrex® Deep Fill Rapid	25kg	£125.90	£113.40	£107.00
Concrex® Rapid Set	25kg	£183.50	£165.20	£156.00
Concrex® Coving Mortar	5kg	£55.70	£52.90	
Concrex® Flex	10kg	£103.30	£98.10	

Tools	Each
4" Trowel	£6.00
Coving Trowel	£28.60
Concrex® Mixing Tub	£9.70

Flowpatch® Easy pour, rapid setting floor repairs for heavy traffic areas



FIX IT FAST PROMISE

If your repair using
Flowpatch®
isn't ready for traffic in
two hours we'll give you
your money back

Flowpatch



Watco Flowpatch®

Simply add water, mix and pour to repair any area of damaged concrete. For rapid repairs to concrete, this will be ready for foot traffic after just 30 minutes and for forklift use within a couple of hours.

Flowpatch® will give a slip-resistant finish for real peace of mind and it can be applied quickly and easily to either dry or damp surfaces.

- **Coverage** 0.5m² per 25kg at 25mm thick
- **Sets at low temperatures** No need to wait for warm conditions. Cures at 10°C

► 25kg • £112.00



Watco Flowpatch® Coloured

The perfect product for quick repairs to holes in coloured concrete. No need for overcoating and coverage is 0.5m per 25kg at 25mm thick.

- **Coverage** 0.5m² per 25kg at 25mm thick
- **Colour** Four great options available. See panel, below left

► 25kg • £129.80

Watco Flowpatch® Deep Fill

Just what you need for filling holes between 50mm and 200mm deep. The coarser aggregate in this effective formula makes it a more economical way to deal with deeper holes and damaged concrete.

- **Coverage** is 0.25m² per 25kg at 50mm thick

► 25kg • £91.00

Watco Flowpatch® Sub Zero

Special formula for use when temperatures drop as low as -20°C.

Because this product can be poured into holes from just 20mm to 100mm deep in one application, there's no need to build up the repair in layers.

- **Coverage** is 0.25m² at 20mm thick per 10kg – and 0.6m² at 20mm thick per 25 kg
- **Fast curing** Ready for light traffic after 1 hour
- **Versatile** Can be used inside and out

► 10kg • £66.30

► 25kg • £165.20

Flowpatch® Coloured	Blue
Flowpatch® Coloured	Green
Flowpatch® Coloured	Stone
Flowpatch® Coloured	Tile Red
Flowpatch® (all others)	Original

The colours shown here are intended to give an indication and should not be taken as an accurate guide



Flowpatch® Coloured



Flowpatch® Deep Fill

You may also need...

Buy more, save more...		1-3 units	4-17 units	18+ packs
Flowpatch®	25kg	£112.00	£106.40	£78.40
Flowpatch® Coloured	25kg	£129.80	£123.30	£90.90
Flowpatch® Deep Fill	25kg	£91.00	£86.40	£63.60
Flowpatch® Sub Zero	10kg	£66.30	£62.90	£46.40
Flowpatch® Sub Zero	25kg	£165.20	£157.00	£115.70

Tools	Each
10" Steel Float	£6.60
Mixing blade	£10.80

Get concrete looking like new again



Concrex® Fine Filler

Watco Concrex® Fine Filler

Before painting, repair minor imperfections in your floors with this extremely strong filler. Strong enough for fine crack repairs in areas that are subject to heavy traffic.

This is an extremely strong two pack epoxy resin paste that is ideal for horizontal and vertical surfaces, inside and out. It is an economical solution for scratches or small holes, will not shrink as it cures, and boasts good chemical resistance.

- **Quick repairs** Not only is it easy to mix (50:50 ratio by weight or volume) but it is also economical. Just mix only as much as you need at one time, and the repair will cure in just one hour at 15°C-20°C
- **Versatile** Ideal for repairing scratches, blemishes, small gaps, cracks and holes in concrete and masonry
- **Strong** The adhesive strength of Concrex Fine Filler is greater than the strength of concrete itself, so you can rely on it even in heavy traffic areas.
- **Ideal preparation** Once applied you can leave your repaired area as is, or paint over with a Watco coating

► 1.5kg • £41.90



Flexible Crack Sealant Tremco SP540


Watco Flexible Crack Sealant Tremco SP540

Easy to apply, flexible sealant designed for floors and walls. Watco Flexible Crack Sealant fills and seals joints or cracks between 3 and 25mm wide to form a hardwearing, chemical resistant repair that moves with your material (±25%).

This economical sealant is enough to fill approx. 9 metres of 6mm wide and 6mm deep crack with a single cartridge.

- **Trouble Free** Easily applied with a standard **Skeleton Gun**. Adheres to metal, enamel, wood, GRP and plastics, without the need for primer. Can be painted over after 24 hours
- **Stands tough** Suitable for horizontal and vertical repairs on most surfaces, with slump resistance
- **Rapid results** Tack-free in less than 4 hours at 15°C to 20°C

► 310ml • £18.60



Floor Joint Sealant

Watco Floor Joint Sealant

A flexible seal for cracks in concrete flooring and expansion joints. Based on the latest polyurethane technology, our pourable, two-part Floor Joint Sealant protects floor joints and slab edges.

Use masking tape along the edge for a flawless finish.

- **Coverage** approx **20 metres** of a joint 10mm wide x 10mm deep per 2 litre pack
- **Battles bad weather** Fills and seals both interior and exterior moving and non-moving concrete floor joints
- **Seals in a flash** Cures in 8 to 12 hours at 15°C to 20°C. Requires our 250ml **Floor Joint Sealant Primer** before use. For deep floor joints we recommend using **Watco Back Up Rods**
- **Super resistance** Excellent compression and recovery makes this perfect for heavy traffic areas. Resists chemical spills

► 2L • £61.00

► 250ml Primer • £11.50

You may also need...

Tools	Each
10m Back Up Rod 15 mm diameter	£6.70
10m Back Up Rod 20 mm diameter	£8.80
10m Back Up Rod 25 mm diameter	£12.30



Flexible Joint Repair

Watco Flexible Joint Repair

A heavy duty flexible repair for expansion joints. This tough, flexible filler means what is usually a two stage job is now just one simple process.

Most traditional flexible filler applications require two steps - reforming joint edges with mortar, and then filling the joint with expansion materials. Watco Flexible Joint Repair eliminates the need to reform joint edges, making the process one simple step rather than two.

- **Quick and easy** Repair broken expansion joints - ready for use in 8-12 hours
- **Flexible polyurethane mortar** Fills the joint and the broken concrete joint edges in one simple process
- **Ultra strong** Suitable for heavy traffic including forklift

► **2.5L • £65.00**



Cold cure version available

Fine Crack Filler

Watco Fine Crack Filler

Our tough solution for fine cracks.

A no-shrink two-part epoxy liquid that doesn't require sanding down and is ideal for interior and exterior cracks 2 to 3mm wide.

- **Done in a flash** Cures in only 4 hours at 15°C to 20°C
- **Goes the distance** 500ml will fill over **25 metres** of a crack 2mm wide by 5mm deep
- **Choose your surface** Suitable for concrete, and sand and cement and it can be coated with any type of floor paint
- **Cold cure version** For applications in temperatures as low as 0°C

► **500ml • £27.60**

► **500ml Cold Cure • £30.10**



Vertical Crack Filler

Watco Vertical Crack Filler

Gravity-proof adhesive filler for high strength repairs. Vertical Crack Filler is an extra-strong repair formula for all exterior and interior stonework.

Virtually solvent free and easy to apply, the filler doesn't slump during application and can be used on cracks up to 10mm wide.

- **Super speed** Cures in only 3 to 4 hours at 15°C to 20°C
- **Everything you need** Also works as a general purpose adhesive. Comes as a kit with the epoxy resin and curing agent (total volume 310ml), an empty cartridge that fits a standard skeleton gun, and plunger and nozzle
- **Handles most materials** Ideal for concrete, mortar, brick, stone, glass, steel, other metals and many types of timber

► **310ml • £24.00**

TOOLS!

Check out our range to find the right tools for the job



You may also need...

Tools	Each
10" Steel Float	£6.60
Skeleton Gun	£4.80

Strong repairs to damage in tricky areas



Concrex® Vertical

Watco Concrex® Vertical

An easy way to repair vertical surfaces. Specially designed by Watco to fix damaged concrete, our super-tough formula contains lightweight fillers capable of handling even overhead repairs.

Ideal for frost-affected concrete with exposed reinforcement, Watco Concrex Vertical stands up tough against the elements. Concrex Vertical is a two-part epoxy resin mortar that's suitable for concrete, stone and metal.

For cold weather we have Concrex Vertical Cold Set which can be applied at any depth, from feather-edge to 50mm, at temperatures down to zero degrees.

- **Coverage** Approx **2.4m²** at 5mm, per 10kg pack
- **Gravity defying** Shatterproof against impact and won't slump during application. Perfect for repairs to pillars, sills, beams, render and stonework
- **Fast track** Cures in only 5 to 6 hours at 15 to 20°C, and 10 hours at 10°C. Will hold lightweight fixing while wet and can be drilled once cured
- **Minimal prep** Requires **Watco Tack Coat** before use. If rusty, use **Watco Primebase** prior to Tack Coat

▶ **10kg • £85.80**

Watco Concrex® Vertical Cold Cure

Make repairs to vertical surfaces in temperatures as low as 0°C. Extreme strength vertical and overhead repairs are possible even in cold temperatures with Concrex Vertical Cold Cure.

Formulated for fixing up damaged masonry on vertical surfaces externally or in internal cold rooms.

- **Coverage** Approx **2.4m²** at 5mm, per 10kg pack
- **Ideal in low temperatures** Cures as low as 0°C so is ideal for interior cold rooms, or exterior areas in winter months. Use on concrete, sand, cement, and metal
- **Gravity defying** Will not slump during application, or shatter under impact damage
- **Fast finish** Cures in 24 hours at 0°C to a durable, impervious, chemical resistant finish
- **Minimal prep** Requires **Watco Tack Coat** before use. If rusty, use **Watco Primebase** prior to Tack Coat

▶ **10kg • £95.80**



Step Repair Kit

Watco Step Repair Kit

All the essentials needed to repair your concrete steps. This kit contains everything you need to permanently repair concrete steps, inside and out.

- **Kit contains:**
 - 10kg Watco Concrex
 - 1m² Watco Tack Coat
 - 250ml Low Odour White Spirit
 - Wire Brush/ Scraper
 - Disposable Paint Brush
 - Cloths & Rubber Gloves
 - Mix and Apply Trowel
- **Coverage** Approx. **1.2m²** at 5mm thick per pack
- **Tack Coat primer** Essential for shallow applications and screeding

▶ **£95.70**

QUICK DELIVERY

We hold huge stocks so we won't keep you waiting!
We offer a 2-3 day standard delivery or next day delivery is available for orders placed by 2pm.



Watco Putty Patch

Long-lasting, durable repairs now only take 10 minutes with our mouldable repair mortar. Simply shape the easy to mix material with your hands to fit almost any profile that needs repairing.

For quick repairs to concrete, inside and out, our solution is Putty Patch. The putty-like consistency can easily be formed and shaped by hand or trowel, and will set in just 10 minutes

- **Coverage** As a guide, each 10kg unit will cover approximately **1m²** when applied 5mm thick
- **Incredibly easy to use** Simply add water, mix, and apply. Shape it to fit your difficult repairs, such as curved step nosing's, kerbs, moulded stonework or concrete, and other damaged vertical or horizontal surfaces

- **Super Speed** Initial set time is just 10 minutes, and will set hard in 60 minutes. Over the next few days the surface strength will continue to improve
- **Works at low temperatures** Ideal for rapid repairs, even in colder temperatures as it will set as low as 5°C
- **Versatile** Apply at any depth from 5-100mm, and smooth off or feather edge as necessary

► **10kg • £47.50**



TOOLS!

Check out our range to find the right tools for the job

Steel float




You may also need...

Tools	Each
Tack Coat 1m ²	£21.40
Tack Coat 6m ²	£61.20
10" Steel Float	£6.60

Flowtop® Make damaged and dangerous concrete safe. Tough enough to withstand forklift trucks



Flowtop® – How to apply



Flowtop® is extremely simple and effortless to use.

1 Apply the primers that are included in the pack

2 Mix the product using the mixing blade in an electric drill

3 Pour out the mixed product

4 Spread the mixed product with a trowel

5 Remove any air with a spiked roller

6 As a guide, a 25kg pack of Flowtop® will cover approx 3.7m² at 3mm thick

Flowtop® Coloured

Blue

Flowtop® Coloured

Green

Flowtop® Coloured

Stone

Flowtop® Coloured

Tile Red

Flowtop® (all others)

Original

Flowtop®

The colours shown here are intended to give an indication and should not be taken as an accurate guide

Watco Flowtop®

Tackle large areas of uneven and damaged floor quickly and easily. Smooth, non-dusting surfaces are easy to achieve and you can successfully apply a top coat of paint as well.

- **Coverage** Approx **3.7m²** at 3mm thick; **2.25m²** at 5mm thick; and **1.1m²** at 10mm thick
- **Good for garages** Provides a smooth easy to clean surface
- **Forklift friendly** Excellent resistance to forklift trucks and stands up to general industrial wear and tear
- **Colour options** Available in a choice of colours
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £75.40



Watco Flowtop® Advanced

Our toughest resurfacer restores rough or damaged concrete to its original condition – or better! The research and expertise of our team of chemists has resulted in an even better version of our popular Flowtop® product.

An Advanced resurfacer which also gives superior resistance to chemicals and abrasion.

- **Coverage** Approx **3.7m²** at 3mm thick; **2.25m²** at 5mm thick; and **1.1m²** at 10mm thick
- **time saver** Easy to apply; saves time, effort and costs
- **Unrivalled** abrasion resistance Stands up to the heaviest industrial use
- **Strength in depth** Our epoxy resin redefines the meaning of strong
- **Back in a day** Foot traffic can resume after only 6 hours
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £96.90

Watco Flowtop® Coloured

Resurface damaged, uneven concrete and keep your floors looking great. This self-levelling compound makes it easier than ever.

You can pour a new floor directly from the container with Flowtop® Coloured, which saves you time, effort, and mess. It will self level to a smooth, easy to clean surface, in a choice of 4 colours.

- **Coverage** Approx **3.7m²** at 3mm thick; **2.25m²** at 5mm thick; and **1.1m²** at 10mm thick
- **Reinforced with fibre** A stronger, more durable surface that will withstand forklift truck traffic at only 3mm thick
- **Easy to use** Just 4 steps to a smooth, tough floor thanks to the pourable and self levelling formulation
- **Reliable** Slip resistant, non-dusting finish, which can be over coated or left as a tough wearing surface
- **Colour options** Choose from Blue, Green, Buff, or Tile Red
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £91.40

TOOLS!

Check out our range to find the right tools for the job

Mixing blade



Spiked shoes



Steel float



Spiked roller



Flowtop® Coloured

You may also need...

Buy more, save more...		1-3 units	4-17 units	18+ packs
Flowtop® Grey	25kg	£75.40	£71.60	£56.50
Flowtop® Advanced Grey	25kg	£96.90	£91.80	£72.70
Flowtop® Coloured	25kg	£91.40	£86.80	£68.50

Tools	Each
Mixing Blade	£10.80
7" Spiked Roller	£17.30
Telescopic Handle	£10.20
Spiked Shoes	£26.70
Steel Float	£6.60

Bitu-Mend® Easy, instant pot hole repairs



Bitu-Mend® – and Tamper

Bitu-Mend® – How to apply



Clean



Fill



Tamp

Watco Bitu-Mend®

Fast, durable, trusted pothole repairs. Our standard Bitu-Mend is ideal for repairing exterior potholes in asphalt and concrete.

Containing a unique aggregate mix for added strength, Bitu-Mend is easily compacted with just a tamper and repairs depths for 25mm to 75mm. A choice of black or red.

- **Coverage** Approx **0.5m²** for 25kg at 25mm
- **All in one** No mixing required, Bitu-Mend pours straight from the pack. Pack also includes primer
- **Straight to work** Can be driven on by cars or HGVs straight after application

► **25kg Black • £50.90**

► **25kg Red • £64.60**



Tamper

A 4.5kg square tamper with a 1370mm steel shaft that ensures the optimum application of Bitu-Mend®



Watco Bitu-Mend® Advanced

Heavy-wear epoxy resin delivers permanent repairs. Our advanced formula is specially designed to deliver stronger, longer-lasting repairs for holes in concrete and asphalt surfaces.

Bitu-Mend Advanced's unique technology guarantees a thinner, more durable repair than traditional bitumen-based products, to meet the needs of heavy traffic areas.

Bitu-Mend Advanced is an epoxy resin formulation, ideal for repairs of interior and exterior holes at depths from 10mm to 100mm. Available in black.

- **Coverage** Approx **1m²** per 25kg at 15mm
- **Heavy duty healing** Super strong for areas where forklifts and lorries operate
- **Goodbye hazards** Resurfaces trip hazards such as potholes and worn patches in asphalt and tarmac. Also suitable for bedding in and fixing guide rails etc
- **No pricey tools** Apply using just a trowel. Cures in just 12 hours at 15°C to 20°C

► **25kg • £98.70**



The colours shown here are intended to give an indication and should not be taken as an accurate guide

Hand Shovel

Black steel shovel with a 5" handle, it ensures the optimum application of Bitu-Mend®



Watco Bitu-Mend® Deep Fill

One application epoxy repair for deep holes. Bitu-Mend Deep Fill is ideal for fixing holes between 15 and 200mm deep.

Suitable for heavy traffic areas, it provides strength throughout the repair and cures to a black, slip-free finish.

- **Coverage** Approx **0.5m²** at 30mm
- **Easy does it** No primer required. Can be walked on after 8 to 12 hours and is ready for heavy traffic after 12 to 24 hours (at 10°C to 20°C). Apply using a trowel, or a tamper for multiple repairs
- **Inside and out** Suitable for interior and exterior asphalt and concrete surfaces

► **25kg • £71.60**

Watco Bitu-Mend® Pour & Restore

New pourable resin for asphalt and tarmac. Bitu-Mend Pour & Restore repairs shallow damage between 6 and 20mm deep, while delivering a slip resistant surface tough enough even for cars and lorries.

With the combined strength of epoxy resin and our easy to mix granite aggregate, Pour & Restore guarantees a durable finish that blends with the surrounding area.

Pourable consistency means the product self-smoothes with only a little help from a trowel to restore pitted, dished or worn surfaces.

- **Coverage** Approx **1.5m²** at 6mm or **1m²** at 10mm deep
- **Easy fix** With a simple mix and apply method, it's the easy alternative to digging out damaged asphalt. Ideal for car parks, yards, and pavements
- **Fast drying** Touch dry in 1 hour and ready for traffic in 16 hours at 20°C to 25°C

► **15kg • £62.00**

You may also need...

Buy more, save more...		1-9 units	10-32 units	33+ packs
Bitu-Mend® Black	25kg	£50.90	£43.40	£35.60
Bitu-Mend® Red	25kg	£64.60	£55.00	
Bitu-Mend® Advanced	25kg	£98.70	£88.70	£69.20
Bitu-Mend® Deep Fill	25kg	£71.60	£64.60	£50.10
Bitu-Mend® Pour & Restore	15kg	£62.00	£58.90	

Tools	Each
Tamper	£31.70
6" Trowel	£3.00
Hand Shovel	£3.90

Repair and protect asphalt and concrete



Asphalt Crack Filler

Watco Asphalt Crack Filler

Repair and protect against water and erosion. Cracks in asphalt spoil its appearance and can soon lead to water ingress, erosion and faster deterioration of the surface.

This rubberised bitumen filler is the answer. Crack repairs are now easy to sort. Cures in 2 to 4 hours at 15°C to 20°C or may take up to 10 hours for wider cracks.

- **Coverage** 5 litres fills **100m** of 5mm wide x 5mm deep cracks
- **Fully flexible** Expansion and movement no longer a problem
- **Keeps water out** Tough and long-lasting with excellent adhesion and prevents water ingress
- **Go large** Can be mixed with **Sand Additive** for larger repairs to cracks between 3 and 25mm

► **5L • £37.10**



Concrex® Asphalt Repair

Watco Concrex® Asphalt Repair

For repairs to the hardest-working surfaces. When it comes to areas where traffic such as forklifts and heavy, narrow wheeled trolleys are used, most asphalt repair products remain slightly soft and can't cope. This one is different.

The ideal answer for repairing thin asphalt screeds and toppings, Concrex Asphalt Repair is perfect for car parks, loading bays and other heavily-used areas.

- **Coverage** Approx **1m²** per 25kg at 15mm thick
- **Extremely hard-wearing** Strong enough to hold posts and guard rails
- **Goes thin** Coarse texture blends right in and can be applied thinly when required

► **25kg • £98.70**



Asphalt Easy Fill

Watco Asphalt Easy Fill

Quick, fast crack repairs that last. Flexible rubber-based sealant seals cracks and joints in no time. Can be used on asphalt, concrete, metal, stone and brick and dries in just 24 hours.

- **Damage protection** Prevents erosion and damage by keeping out water
- **Fine Finish** Ideal for finishing off edges covered by Bitu-Mend

► **310ml • £10.20**

Our Guarantee

All Watco concrete and asphalt resurfacing products are not only quick and easy to use – we are so confident of results, we guarantee your money back if you are not satisfied

TOOLS!

Check out our range to find the right tools for the job



You may also need...

Tools	Each
2L Spouted Jug	£5.60
5kg Sand Additive	£10.60
Skeleton Gun	£4.80
Foam Squeegee	£10.50
Telescopic Handle	£10.20



Road Patch Rapid

Watco Road Patch Rapid

Patch repairs to asphalt and concrete are quicker than ever. Just 2 hours after repairing your road you can be back in action.

Road Patch Rapid is ideal for repairs in heavy traffic areas that need to be brought back into use quickly. In 2 hours your surface will be able to withstand light traffic. Use for repairs all year round, at temperatures as low as -20°C.

- **Easy to apply** Ideal for repairing holes in heavy traffic areas that need to be back in use quickly
- **Incredibly strong** The non shrinking material repairs old asphalt and concrete to a granite like finish
- **Fast curing** In 1 hour the surface will be showerproof, after 2 hours it will withstand light traffic, and in just 6-8 hours the repair will be fully cured and ready for car traffic, in temperatures of 15°C
- **Withstands the cold** The magnesium phosphate based formula generates heat when it is mixed with water, so you can use it at temperatures as low as -20°C
- **Coverage** 25kg produces approximately 4.6 litres of mortar, this covers **0.25m²** when applied at 20mm thick

► **25kg • £101.50**



Asphalt Resurfacer

Watco Asphalt Resurfacer

Seal, resurface and transform tired and worn asphalt. Damaged surfaces look as good as new with this easy-to-apply resurfacer that needs no primer and offers excellent UV and weathering protection.

- **Coverage** Approx **8m²** per 25kg at 2mm thick and **15m²** at 1mm thick
- **Quick drying** Ready for light traffic in 24 hours
- **Safe surface** Gives a matt, non-slip finish
- **Easy to use** Safe and low odour, easy application with a 5" brush

► **25kg • £128.80**

	Dark Grey
	Tile Red
	Mid Green
	Black



Concrete Resurfacer

Watco Concrete Resurfacer

Bring new life to tired and drab concrete. The easiest way to brighten up old exterior concrete, this is easy to apply with a 5" brush. Smooths quickly, or go over it with a patterned roller to add a textured finish.

Comes in a choice of three colours.

- **Coverage** Approx **8m²** per 25kg at 2mm thick and **15m²** at 1mm thick
- **Easy to apply** No primer required and one coat is enough
- **Strong in sun** Excellent resistance to UV
- **Feet and wheels** Tough enough both for cars and pedestrian traffic

► **25kg • £128.80**

	Light Grey
	Dark Grey
	Stone



How the best just got better



Bringing superior quality concrete floor paints to our customers has always been at the heart of everything we do. But it wasn't enough. We wanted to offer you the best. We were already using the toughest polyurethane resins and best pigments in our formulation, so we had to look beyond. After extensive testing and trials, our paint chemists blended ceramic and 'diamond hard' wax with resin to create the best single pack concrete floor paint on the market.





CONCRETE FLOOR PAINT | BEST EVER FORMULA

WHAT MAKES IT THE BEST?

Our new formulation delivers levels of durability, adhesion and scratch resistance never seen before. Our Concrete Floor Paint formulas are now twice as abrasion resistant than before, as well as 400% harder, and more scratch resistant, than a leading competitor and have 50% better adhesion. That means they'll last longer, leaving more time between repainting.

WHY IS THE BEST, BEST FOR YOU?

Because our new formula will last twice as long, you'll save on maintenance costs and repainting over the long term. Not only does it adhere to floors, it stays stuck and superior scratch resistance keeps them looking better for longer. With Watco Concrete Floor Paint protecting your floors, you can focus on your next project without worrying about the last.



OUR GUARANTEE TO YOU

We're so confident that we've created the best quality concrete floor paints for you, they're 100% guaranteed. If you experience any problems or you're not entirely happy, just call us on **01483 418 418**.

WHAT ABOUT COLOUR?

Our customers have come to expect a wide choice of colours, and will now enjoy an even broader range in our anti slip and matt concrete floor paints. Along with our new formulation, we've also modified a few of our colours and will be happy to help you find the one you're looking for. In addition we've also tested all shades to make sure they fall within RAL guidelines where a RAL number is quoted. See next page for more information.

Transform your premises with Watco Concrete Floor Paint Best Ever Formula



Concrete Floor Paint



Before



After

Watco Concrete Floor Paint is available in a range of finishes:

Mid Gloss Matt Anti Slip	Light Grey RAL No. 7038
Mid Gloss Matt Anti Slip	Mid Grey RAL No. 7037
Mid Gloss Matt Anti Slip	Dark Grey RAL No. 7015
Mid Gloss	Stone RAL No. 7032
Mid Gloss Matt Anti Slip	Mid Blue RAL No. 5015
Mid Gloss Matt Anti Slip	Blue Grey RAL No. 7000
Mid Gloss	Mid Green RAL No. 6002
Mid Gloss	White RAL No. 9010
Mid Gloss Matt Anti Slip	Tile Red
Mid Gloss Matt Anti Slip	Sandstone RAL No. 1014
Mid Gloss Anti Slip	Hazard Yellow RAL No. 1018
Mid Gloss Anti Slip	Signal Red RAL No. 3020
Mid Gloss Anti Slip	Signal Green RAL No. 6032

Watco Concrete Floor Paint

Brighten and dustproof dull, drab concrete with our toughest ever Mid-Gloss single pack floor paint. Our unique formula based on a blend of ceramic and polyurethane resins will transform your concrete floor into a dustproof, oil resistant and easy clean surface. Tested to CE Mark EN1504-2, Watco Concrete Floor Paint demonstrates superior impact, wear and scratch resistance, hardness, adhesion and durability.

- **Coverage** Approx. 40m² per 5L per coat. Two coats are recommended
- **Likes most surfaces** Concrete, wood, metal, painted or unpainted
- **Many uses** Ideal for warehouses, production areas, workshops and general use areas
- **New formula** Now lasts twice as long
- **Attractive** Mid Gloss finish
- **Easy to apply** Use a medium pile roller
- **New Colour Range** Now to RAL reference

► 5L • £70.90



100% HARDER WEARING
THAN OUR PREVIOUS FORMULA

Watco Matt Concrete Floor Paint

Improves the appearance of worn or pitted concrete. Our Matt Concrete Floor Paint has all the benefits of the Mid Gloss version in an attractive Matt finish.

- **Conseals and protects** Ideal for disguising minor imperfections in concrete surfaces and sealing dirt marks and stains

► 5L • £70.90

Watco Anti Slip Concrete Floor Paint

Added texture for better, safer grip. With all the features of the standard Watco Concrete Floor Paint, our Anti Slip version includes an additional anti slip aggregate to give the surface better adhesion and increased grip to help prevent workplace accidents, even in wet or oily conditions.

This evenly textured, easily cleanable coating can be applied to concrete, metal or wood and is available in 7 colours.

- **Better texture** Includes a fine aggregate that disperses as paint is applied by roller, making the surface easier to maintain with a more uniform texture than other solutions

► 5L • £76.40

Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete Page 44	Dirty, oily painted surfaces Page 44
Watco Concroff	Watco Powerfloat Primer
Greasy, oily bare concrete Page 44	Powerfloated, very smooth surfaces Page 45

Tests and Standards Compliance

Finish	Result/Rating						
Mid Gloss	 ADHESION EN 1542 3.2 MPa (3.2 N/mm ²)	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 GLOSS VALUE 92
Matt	 ADHESION EN 1542 3.2 MPa (3.2 N/mm ²)	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 GLOSS VALUE 4
Anti slip	 ADHESION EN 1542 3.2 MPa (3.2 N/mm ²)	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 SLIP RESISTANCE BS7976-2 67 PTV (Dry) 60 PTV (Wet)

Refer to page 98 for more information on our Tests and Standards Compliance

You may also need...


Tools	Each
5" Paint Brush	£7.10
Medium Pile 12" Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70
Watco Painting Kit	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes;	

40%
HARDER WEARING
THAN BEFORE

Better performance - guaranteed

Our unique new formula

At Watco, we've been working tirelessly to develop an epoxy gloss coat floor paint to exceed your expectations. Our paint chemists created a unique new formulation based on two pack epoxy resin blended with ceramic and 'diamond hard' wax. We then put it through rigorous testing to ISO standards to make sure we were bringing you the best.



WHAT MAKES IT THE BEST?

Our new formula, with a blend of superior resins including 'diamond hard' wax and ceramic additive, brings you a paint that's 40% harder wearing than our previous formulation and 3 times harder than a leading competitor's. That means it lasts longer, delivering the value for money for you've come to expect from Watco. Our paint is also 20% glossier than a leading competitor's, leaving an attractive finish that lasts year after year.

50%
BETTER ADHESION
THAN BEFORE

OUR GUARANTEE TO YOU

We're so confident that we've created the best quality concrete floor paints for you, they're 100% guaranteed. If you experience any problems or you're not entirely happy, just call us on 01483 418 418.

OVER
20%
GLOSSIER
THAN A LEADING
COMPETITOR
PRODUCT

HOW DO I KNOW IT'S TOUGH?

To make some of the toughest paint, we put it through its paces during testing. That's why all grades carry CE Mark EN1504-2. The test results showed superior abrasion, scratch and impact resistance and impressive adhesion, hardness and flexibility. It's everything you need to coat and protect floors for the future.

DRIES FASTER

Our new formula is not only tough, it dries faster than before. So fast, in fact, that you can apply two coats in just one day. You can save on time and costs with greatly reduced downtime when repainting your floor. It's now even quicker to get that attractive, low maintenance, hard-wearing floor finish you're looking for.

2X

HARDER WEARING
THAN LEADING
COMPETITOR

BEST EVER FORMULA

Epoxy Gloss Coat

AN EXTREMELY TOUGH
EPOXY RESIN FLOOR COATING

LA MEILLEURE FORMULE

Laque'sol Époxy

PEINTURE DE SOL EXTRÊMEMENT
RÉSISTANTE

UNSERE BESTE FORMEL

Epoxyguard Lösemittelfrei

SEHR STARK BELASTBARE
EPOXIDHARZ-BODENBESCHICHTUNG

BESTE FORMULE COIT

Epoxy Gloss Coat

EXTREEM DUURZAME EPOXYHARSCOATING
VOOR DE VLOER

5L



CALL FOR A FREE SAMPLE

MATT AND HYGIENIC FINISHES

Our new formulation also comes in a matt finish to reduce glare and cover up minor imperfections in concrete floors. In addition, we also offer hygienic grade paint with silver ion technology for areas where cleanliness and hygiene are as important as a hard-wearing finish.

Epoxy Gloss Coat Best Ever Formula is now even more durable, more scratch resistant and has greater bonding power

The Watco Epoxy Gloss Coat range is the first choice for workshops, showrooms and heavy traffic areas. For anti slip versions of these products, please see the Watco Safety Coat range on page 50.



Watco Epoxy Gloss & Matt Coats are available in a range of finishes:

Gloss Matt Hygienic	Light Grey RAL No. 7035
Gloss Matt Hygienic	Mid Grey RAL No. 7036
Gloss Matt Hygienic	Dark Grey RAL No. 7005
Gloss Matt Hygienic	Black RAL No. 9005
Gloss Matt Hygienic	Mid Blue RAL No. 5015
Gloss Matt Hygienic	Dark Blue RAL No. 5005
Gloss Matt Hygienic	Deep Red RAL No. 3003
Gloss Matt Hygienic	Signal Red RAL No. 3020
Gloss Matt Hygienic	Hazard Yellow RAL No. 1021
Gloss Matt Hygienic	White RAL No. 9010
Gloss Matt Hygienic	Mid Green RAL No. 6002
Gloss Matt Hygienic	Tile Red
Gloss Matt Hygienic	Sandstone RAL No. 1014
Gloss Matt Hygienic	Blue Grey RAL No. 7000
Gloss Matt Hygienic	Stone RAL No. 7032

Watco Epoxy Gloss Coat

Highly durable, attractive gloss finish. Ideal for environments where a tough, easy clean surface is required.

The new, reinforced epoxy resin formulation also dries in half the time, so you can apply two coats in one day and get the floor back into use faster.

The attractive new colour range is now produced to RAL classic colours.

- **Coverage** Approx **30m²** per 5 litres per coat. Two coats usually required
- **Strong barrier** Resistant to oil, solvents, and harsh cleaning chemicals. Designed for factories, warehouses, workshops and showrooms
- **Fast results** Cures in only 3 hours at 15°C-20°C so you can apply 2 coats in a single day. Ready to take light traffic in 12 hours and heavy traffic in 24 hours
- **Trouble free** Easy to mix, equipment can be cleaned in water. Watco Epoxy Gloss Coat goes over existing coatings, concrete, sand and cement, and wood. Also suitable for concrete with underfloor heating
- **Concrete option**
Use **Watco Powerfloat Primer** for application over powerfloated floors

► 5L • £128.90



40%
HARDER WEARING
THAN BEFORE

Watco Epoxy Matt Coat

Protects, while hiding imperfections. Ideal if you want the features of Epoxy Gloss Coat – but with a matt finish.

- **Coverage** Approx **30m²** per 5 litres per coat
- **Hide and disguise** Ideal for older, scratched or pitted floors, or where a low glare, smart matt finish is required

► 5L • £128.90

Watco Epoxy Gloss Coat Hygienic

Ultimate paint for hygiene and safety. Well-suited to catering and hospital use. Epoxy Gloss Coat Hygienic guarantees safe, odourless, non-flammable surfaces. With just two coats, it also brings the benefits of our standard Epoxy Gloss Coat.

- **Coverage** Approx **30m²** per 5 litres per coat
- **Food friendly** Great for food storage and preparation areas, canteens, and medical rooms
- **Good under pressure** Withstands everyday heavy use, solvents and cleaning chemicals

► 5L • £145.10

Watco Epoxy Matt Coat Hygienic

Like Epoxy Gloss Coat Hygienic. All the benefits plus the addition of silver ion technology.

- **Coverage** Approx **30m²** per 5 litres per coat

► 5L • £145.10

Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete Page 44	Dirty, oily painted surfaces Page 44
Watco Concroff	Watco Powerfloat Primer
Greasy, oily bare concrete Page 44	Powerfloated, very smooth surfaces Page 45

Tests and Standards Compliance


Finish	Result/Rating					
Gloss	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 FOOD TAIN EN 1773 ✓
	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE
Matt	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE
	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE

Refer to page 98 for more information on our Tests and Standards Compliance

You may also need...

Tools	Each
5" Paint Brush	£7.10
Medium Pile 12" Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70
Watco Painting Kit	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes;	

Epoxicote™ Industrial strength flooring in just one coat



**TOUGH
& EASY**

Epoxicote is super tough and easy to use

Epoxicote™ High Build

Watco Epoxicote™ High Build

Enhanced formula delivers an ultra hard-wearing chemical resistant gloss floor coating. Our popular range of heavy-duty floor paint, designed for really tough environments, has been through a major update.

Watco has pushed coating technology to the limit to develop a highly advanced formulation that puts Epoxicote High Build into a class of its own.

Epoxicote High Build is a virtually solvent free floor coating that guarantees excellent wear, an easy-to-clean surface and ultimate protection for your floor.

Available in 9 colours.

- **Coverage** Approx **18m²** with one thick coat per 4 litre pack
- **Super tough finish** For production areas, warehouses, garages and wherever there's a risk of chemical or oil spills including Skydrol
- **Covers all surfaces** Sticks fast to concrete, brick, metal and wood

- **Quick to cure** Light traffic after 12 hours
- **Easy application** Use a roller, ideally at around 15°C, one coat's usually enough
- **Minimal prep** Goes directly onto most surfaces but for porous surfaces, use **Watco 4-Hour Epoxy Primer** or **Watco Powerfloat Primer** on powerfloated concrete

► **4L • £153.40**

Watco Epoxicote™ High Build Rapid

When time's important, use our quick drying version. Epoxicote High Build Rapid uses a unique formulation that cuts curing time to a minimum.

Yet it's still easy to use and provides a rock-hard floor surface.

- **Back in action quickly** High Build Rapid is ready for light traffic in 4 to 6 hours

► 4L • £168.50

Watco Epoxicote™ High Build Anti Slip Rapid

All the safety benefits of High Build Anti Slip but the curing time is cut by 50%. The ideal answer for high demand areas that can't be out of action for long.

- **Quick turnaround** Rapid curing gets floors back into action in 4 to 6 hours

► 4L • £173.60

	Light Grey
	Mid Grey
	Dark Grey
	Black
	Mid Blue
	Mid Green
	Tile Red
	Stone
	Safety yellow

You may also need...

Tools	Each
Roller/Frame and Handle	£33.50
Replacement Roller	£7.30
Plastic Scuttle	£6.70

Watco Epoxicote™ High Build Anti Slip

Reduce accidents in wet and oily areas.

All the distinctive characteristics of the standard version plus the added advantage of excellent slip resistance.

Perfect for painting difficult areas where you need to reduce the risk of accidents.

- **Tackles wet and oily hazards** Non-slip formulation makes it ideal for loading bays or areas around machinery
- **Reduces accident risk** Integral aggregate makes the gloss surface highly non-slip to improve safety

► 4L • £158.50

Watco Epoxicote™ High Build Cold Cure

Guaranteed hard wearing coating at 0°C. High Build Cold Cure is formulated to bring a tough approach to floors and surfaces even when it's freezing.

- **Thrives in the cold** Cures to form the unique High Build surface that's ready to take light traffic after 48 hours even at 0°C

► 4L • £168.50

Watco Epoxicote™ High Build Cold Cure Anti Slip

Makes floors safer, even at freezing point. Epoxicote High Build Cold Cure Anti Slip shares the same exceptional properties as Cold Cure but with the added benefit of a high degree of anti-slip.

- **Reduces accidents** Aggregate improves safety on wet, freezing floors

► 4L • £173.60

Watco Epoxicote™ High Build Advanced

Our strongest and most resilient coating ever. We took the already incredible Epoxicote High Build formulation and boosted it with even more useful features to cope with areas of extremely heavy traffic and the most challenging environments.

It costs a bit more, but Advanced provides a surface hardness like no other, thanks to the ceramic additive, which also offers excellent resistance to abrasion and improved stain protection.

What's more, it is easy to apply with a roller, building up a tough resistant surface up to 200 microns thick with just a single coat.

- **Eco and user friendly** Low solvent content, virtually odourless when applied
- **Perfect under pressure** 100% solids epoxy formula makes it long lasting even with the heaviest of traffic
- **Easy to clean** High gloss makes it hygienic and easy to keep clean, even with chemical or oil spills
- **Looks good** Great for areas that get plenty of traffic – showrooms, warehouses etc

► 4L • £182.60

Watco Epoxicote™ High Build Advanced Anti Slip

Hard wearing and non-slip makes for safe, tough floors. Delivers all that High Build Advanced offers but with a non-slip surface too, thanks to the integral aggregate.

- **Health and safety at work** Anti-slip aggregate reduces workplace accidents
- **Even better** Aggregate is suspended within the coating to give uniform anti-slip properties across the entire surface

► 4L • £187.70

Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete Page 44	Dirty, oily painted surfaces Page 44
Watco 4-Hr Epoxy Primer	Watco Powerfloat Primer
Porous, open textured surfaces Page 45	Powerfloated, very smooth surfaces Page 45

Resiflow Ultra-durable self-levelling floor system. When you need more than a floor coating



Resiflow – How it's applied



Pour the mixed product on to the substrate



Spread with the Resiflow Applicator



Finish with a spiked roller to prevent air bubbles

Watco Resiflow Supergloss

Our glossiest floor screed. Watco Resiflow Supergloss is our top-of-the-range floor finish. Just mix, pour and spread and you'll have a showroom-standard floor that will perform perfectly for years and years.

This 1 to 2mm thick self-levelling epoxy resin offers the ultimate floor covering for durability and appearance.

- **Coverage** Approx **10m²** at 1mm, **5m²** at 2mm per 20kg unit
- **Tough surface** 100% solids epoxy resin can cope with extremely heavy footfall
- **Attractive** A glossy finish that is ideally suited for showrooms, production areas, shops and where a smart, easy maintenance floor is important
- **Easy to apply and clean** No fuss, no mess

► **20kg • £137.70**

Watco Resiflow Chemical Grade

For greater protection from spills.

Ultra-resistant flooring offers total confidence for where strong chemicals are stored or there is a risk of spills.

While Resiflow Supergloss has good general chemical resistance, this ultra-resistant version is designed for areas where strong chemical spills are an issue.

- **Coverage** Approx **10m²** at 1mm, **5m²** at 2mm per 20kg unit
- **Acid test** Shrugs off 10% nitric, sulphuric and hydrochloric acids and much more
- **Level best** Use the **Resiflow Applicator** (see Tools) to produce a self levelling, hard wearing surface
- **Preparation** Porous surfaces should be primed with **Watco 4-Hour Epoxy Primer**

► **20kg • £137.70**

Watco Resiflow Anti Slip

Peace of mind in potentially slippery areas of flooring. This low sheen finish, anti-slip Resiflow version is ideal for heavy-use locations that may be prone to spillages.

It's thick, low sheen finish covers floor imperfections while providing a safer, slip-resistant finish. One coat is enough for most surfaces.

- **Coverage** Approx 5 to **10m²** per 20kg

► **20kg • £112.70**

Watco Resiflow Flex

Flexible, tough and glossy flooring for a first-class finish every time.

Resiflow Flex's polyurethane-based formulation offers increased flexibility while providing the same high-gloss and chemical resistance properties of Resiflow Supergloss.

The highly flexible finish resists cracking in difficult areas, such as mezzanines around vibrating machinery, or in areas subject to movement or impact. It can be applied to concrete as well as old (at least six months) asphalt.

- **Coverage** **7m²** at 1mm, **3.5m²** at 2mm, **1.75m²** at 4mm, **1.17m²** at 6mm
- **Extra tough** Can cope with heavily used areas such as those around machinery without cracking
- **Extra resistant** Able to withstand diesel, motor oil, coolant and other common chemicals
- **Fast drying** Touch dry in only 5 hours at 15°C to 20°C. Full resistance achieved in just 7 days

► **13kg • £142.80**

**MADE BY
US FOR YOU**

We have been certified for ISO9001 'Design, manufacture and supply' since 1993, acknowledging our on-going commitment to high standards of quality and service.

You may also need...


Tools	Each
Resiflow Applicator	£45.00
Replacement Blade	£9.50
Spiked Roller	£17.30
10" Steel Float	£6.60

Preparation - we recommend...

Watco Etch & Clean New or bare concrete Page 44	Watco Bio D Dirty, oily painted surfaces Page 44
Watco 4-Hr Epoxy Primer Porous, open textured surfaces Page 45	Watco Powerfloat Primer Powerfloated, very smooth surfaces Page 45

Supergloss Chemical Grade	Light Grey
Supergloss/Anti Slip Chemical Grade Flex	Mid Grey
Supergloss Chemical Grade Flex	Mid Blue
Supergloss Chemical Grade Flex	Tile Red

Safety Coat Food Safe Formulated to improve safety in a busy work areas



FOOD FOR THOUGHT

Ask us for advice when choosing the best coatings to transform your food preparation and storage areas

Safety Coat Food Safe

Watco Food Safe Coating

Specialist coating designed to meet food industry rigours. This gloss floor paint is formulated to meet the requirements of EN17/3 as a non-toxic product.

Food Safe Coating also has a food taint test certificate. This floor paint is suitable for coating concrete or sand and cement floors and will take light traffic in 6 to 8 hours, and be back into full action within 12 hours.

We recommend two coats to get the maximum advantages from the paint and it can be applied to interior and exterior floors at any temperature between -10°C and 30°C.

- **Coverage** Approx **25m²** per 2.5 litres
- **Easy to clean** Strong surface stands up to steam cleaning
- **Designed for food** Qualifies for a food- taint certificate

► **2.5L • £112.00**

Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure	Light Grey
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Mid Grey
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Mid Blue
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Tile Red
Safety Coat Food Safe Safety Coat Cold Cure	White
Safety Coat Food Safe Safety Coat Cold Cure	Black
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure	Mid Green
Safety Coat Food Safe Safety Coat Cold Cure	Safety Yellow

Watco Safety Coat Food Safe

Anti-slip paint for all food storage areas. Having the same characteristics as the Food Safe Coating, our non-slip, strong, resistant, two-part resin floor coating is also designed to meet the rigorous standards of the food industry by meeting the requirements of the strict standard, EN71/3.

With its non-slip properties to help safety in the workplace, our food industry coating is formulated to stand up to the rigours of a busy work area while demonstrating excellent resistance to chemicals.

It can be applied at almost any temperature – between -10°C and 30°C to concrete and sand and cement floors

- **Coverage** Approx **25m²** per 2.5 litres
- **Helps with worker safety** Non slip surface even in wet or slippery areas
- **Back in a day** Takes heavy traffic in just 12 hours

► **2.5L • £117.30**

Watco Cold Set Coating

New formula delivers top performance even at low temperatures. Unlike conventional floor paints, Cold Set Coating will cure during the winter, making it ideal for refurbishment and maintenance of unheated areas.

Ultra hard-wearing, it will withstand heavy wear and chemical attacks.

- **Coverage** Approx **25m²** per coat per 2.5 litres, less for textured or porous surfaces, and if used below 0°C
- **All weather** Exceptional UV resistance for exterior and interior applications. Suitable for walk-in fridges and freezers, cold stores and loading bays. Works on concrete, sand and cement, and previously painted surfaces
- **Cold capable** Ready for foot traffic in 18 hours at 5°C, 24 hours at 0°C

► **2.5L • £112.00**

You may also need...

Tools	Each
Microfibre Roller Frame and Handle	£33.50
Plastic Scuttle	£9.50

Watco Safety Coat Cold Cure

Takes freezing conditions in its stride.

The ideal flooring solution for when temperatures are extreme.

Fridges, freezers, cold stores and loading bays suffer the worst the elements can throw at them so it's vital your flooring can cope.

- **Coverage** Approx **25m²** per coat per 2.5 litre unit onto a non-porous surface, or **10-15m²** onto a porous or textured surface. Coverage will be reduced if applying at temperatures below 0°C
- **Loves low temperatures** Good for outdoor spaces too, can be applied in conditions as low as -10°C
- **No fade** Excellent UV resistance

► **2.5L • £116.00**

Watco Flexicoat™

Flexible protection for heavy-wear areas – ideal for mezzanine floors, for example. Our two-pack polyurethane Flexicoat™ is a tough, ultra flexible solution that both seals and waterproofs floors, while filling smaller cracks to cut down on preparation time.

- **Coverage** Approx **20m²** per 5 litres per coat. One coat usually sufficient
- **No more cracks** Resists the movement of vibrating machinery or flexible mezzanine floors
- **Ultra tough** Usable on interiors and exteriors at risk from leaks, including plant and boiler rooms. Suitable for concrete and asphalt. Asphalt must be 6 months old. Also resistant to diesel, motor oil, coolant, and other commonly used chemicals
- **Easy care** Can be steam cleaned
- **Covers quickly** Usually requires only one coat. Flexicoat cures in 12 hours at 15°C to 20°C

► **5L • £154.50**

Chemi-Coat® Tough one-coat, heavy duty, chemical resistant coating for floors and walls



Chemi-Coat® Resistance

Chemi-Coat® Chemi-Coat® Rapid Chemi-Coat® Cold Cure

Resistant to:

Petrol, 25% Lactic Acid, Diesel, 10% Hydrochloric Acid, Xylene, 10% Nitric Acid, Salt, 25% Sulphuric Acid, White Spirit, 20% Phosphoric Acid, Bleach, 10% Citric Acid, 20% Ammonia, 20% Caustic Soda, Anti Freeze, Sugar Solutions, Mineral Oil, 10% Oxalic Acid, Detergents, 5% Acetic Acid, Methylated Spirits, Skydrol (0-1)

Chemi-Coat® Acid Strength

Rating Key (at 25°C):

0 = No Effect; 1 = Stains/Dulls; 2 = Blisters; 3 = Lifts Film

Acetic Acid 98% (0-1), Ammonia 28% (0), Brake Fluid (0), Calcium Chloride 10% (0), Diesel (0), Formic Acid 38% (1), Petrol (0), Hydrochloric Acid 37% (0), Hydrofluoric Acid 48% (0-1), Nitric Acid 30% (1), Phosphoric Acid 25% (1), Sulphuric Acid 98% (0-1), Xylene (0), Skydrol (0-1)

Chemi-Coat® Anti Slip

Petrol, Diesel, 10% Hydrochloric Acid, Xylene, 10% Nitric Acid, 25% Sulphuric Acid, 20% Phosphoric Acid, 20% Caustic Soda, 5% Acetic Acid

Watco Chemi-Coat®

New high performance formula for chemical resistant gloss coating. Our chemical resistant epoxy resin paint, designed to withstand chemical spills, is now even tougher thanks to Watco's new technology formulation.

Using just a single coat, Watco Chemi-Coat's advanced formula delivers a durable and ultra resistant surface that you can rely on.

Chemi-Coat is a heavy duty, gloss floor and wall coating that's virtually odourless, hygienic and easy to wipe clean. Available in nine colours.

- **Coverage** 4 litre pack will cover up to **18m²** with one thick coat
- **Super tough finish** Resistant to heavy wear and perfect for areas at risk from chemical spills. Ready for heavy traffic after 24 hours
- **Stops chemical damage** Highly resistant to many chemicals (see list above right for full details)
- **One's enough** Can be used over existing coatings. Use a roller, ideally at around 20°C and one coat is usually enough
- **Good on floors and walls** Use on horizontal and vertical surfaces made from concrete, brick or steel, and with underfloor heating up to 30°C. **Watco 4-Hour Epoxy Primer** is recommended when applying to porous surfaces. **Watco Powerfloat Primer** to be used on powerfloated concrete and other smooth surfaces

► 4L • £153.40

Watco Chemi-Coat® Rapid

The quick drying version. Same chemical resistance as standard Chemi-Coat, but faster curing time.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Quick's the word** The area is ready for heavy traffic in just 6 hours (at 20°C)

► 4L • £168.50

TOOLS!

Check out our range to find the right tools for the job

You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70

Watco Chemi-Coat® Cold Cure

Coating that cures even when it's cold.

Chemi-Coat Cold Cure delivers all the useful features of our standard Chemi-Coat in one coat, even at freezing temperatures.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Likes the cold** Specially formulated coating for cold areas from 0°C to 10°C. Ready for heavy traffic in 48 hours at 0°C
- **Works with the weather** Can be applied indoors and outdoors all year round

► 4L • £168.50

Watco Chemi-Coat® Acid Strength

Ultimate resistance against the toughest chemicals.

Chemi-Coat Acid Strength offers the tough durability of our standard Chemi-Coat and also guarantees a protective finish capable of withstanding even extra strong chemicals.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Stops acid attacks** Resistant to acids, including 98% sulphuric acid. Thick coating makes it ideal for chemical bund areas where safety is key

► 4L • £173.80

Watco Chemi-Coat® Anti Slip

Reduces surface slip for increased safety.

Chemi-Coat Anti Slip delivers all the excellent features of standard Chemi-Coat but with coarse aluminium oxide grit for maximum grip and wear resistance.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Health and safety priority** Anti-slip aggregate reduces workplace accidents

► 4L • £158.50

Chemi-Coat® (all)	Black
Chemi-Coat® (all)	Light Grey
Chemi-Coat® (all)	Mid Grey
Chemi-Coat® (all)	Dark Grey
Chemi-Coat® (all)	Stone
Chemi-Coat® (all)	Mid Blue
Chemi-Coat® (all)	Mid Green
Chemi-Coat® (all except Chemi-Coat® Acid Strength)	Tile Red
Chemi-Coat® (all)	Safety Yellow

Spectrum Transform your premises with over 190 RAL colours to choose from



Watco Spectrum

Whether you want to mark out an area, or paint your whole floor in an exact shade, we have the colour for you. With over 190 bespoke colours to choose from it has never been easier to get the perfect look for your premises.

If you couldn't find your ideal shade out of the 13 colours of Concrete Floor Paint available, then Spectrum is the product for you. Choose from 190 RAL colours to find the perfect colour for your premises, and get the same strength and benefits of **Watco Concrete Floor Paint**

- **Any colour** The wide range of colours means that you can mark out your premises more effectively than before or match your floors to your brand identity
- **Strong Formula** The tough single pack urethane formulation transforms, brightens, strengthens, and dustproofs your floors, and is designed for both internal and external use
- **Easy to apply** This coating is easy to apply and results in an easy to clean, mid-gloss finish
- **Can be used on most surfaces** Strong enough for general use in warehouses, factories and workshops, attractive enough for use in showrooms, retail areas, leisure facilities, or play areas.

Please be aware that For technical reasons it is not possible to tint this paint formulation to certain colours, e.g. florescent colours, but over 95% of the RAL colours are available. Some slight shade variation may occur. If a colour match is critical please ask for a sample.



► **5L* • £75.00**

You may also need...

Tools	Each
5" Paint Brush	£7.10
12" Medium Pile Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70

Next day delivery not available with this product.


*Supplied in 5 litre, single pack units. Whilst the addition of most colour tints produces 5 litres certain shades may reduce the volume to 4.7 litres.

Fastcoat Innovative Resin formulation.


Prepare and paint your floors in just one day



Fastcoat – How it's applied



1
Clean and prepare with our solvent-impregnated wipes



2
Repair holes with rapid-curing Watco Concrex® Fine Filler




3
Prime with Fastcoat Primer



4
Mix two-part top coat



5
Cutting in Do edges first by brush



6
Apply two top coats of Fastcoat by roller

Watco Fastcoat

Quick's the word with our newest floor paint. Fastcoat is a brilliant new resin formulation that allows you to have your floor cleaned, prepared and painted within a single day.

Uniquely developed by Watco's paint chemists, Fastcoat is a revolution in floor coatings that has only been made possible by recent developments in polyaspartic resin technology. Our unique formulation uses this incredibly versatile resin to produce a high grade, high performance paint. Available in five popular colours, Fastcoat provides a tough, resilient surface with a smart, gloss finish that is ideal for production areas, warehouses, showrooms – all heavily used areas. Once the cleaning, repairing and priming is completed, the floor is given two top coats and will be ready to take light traffic within 6 to 8 hours and heavy traffic in 12 hours.

- **Coverage** 25m² per 2.5L, per coat. Two coats usually required
- **Lightning fast** Get the second coat on within 2 hours at 20°C
- **All conditions** Goes down easily in a wide range of conditions, from -10°C to +30°C. Slower drying below 20°C

► 2.5L • £112.00

Watco Fastcoat Anti Slip

All the benefits of Fastcoat, but includes a fine, slip-resistant aggregate. An easy to apply, fast drying, gloss finish for use on floors both indoors and out.

- **Coverage** 25m² per 2.5L, per coat. Two coats usually required

► 2.5L • £116.00

Watco Fastcoat Primer

Apply to painted or bare concrete. Dries to a tacky finish at 20°C, and ready for top-coating in only 30 minutes to 1 hour

- **Coverage** Approx 25m² per 2.5L

► 2.5L • £85.50

You may also need...

	Light Grey
	Mid Grey
	Mid Blue
	Mid Green
	Tile Red

Tools	Each
Fastcoat Wipes for 25m ²	£10.00
Wipes Application Tool	£12.00
Concrex® Fine Filler 1.5kg (includes gloves, applicator & 2 spatulas)	£41.90
Microfibre Roller Frame and Handle	£33.50
Plastic Scuttle	£6.70

Decorative coatings

Combining durability and style



Stellar Metallic Chip

FREE SAMPLES

It helps to try before you buy so to help you check colour, slip resistance and other variables, we will happily send you a free dry or liquid sample.

Watco Stellar Metallic Chip

Your floors will make a lasting impression when you use our unique chip coating. Enhance your premises with this decorative and durable metallic floor coating.

This unique floor coating offers outstanding wear resistance, durability, and a highly decorative appearance. A hard-wearing metallic chip is sealed with a polyaspartic resin to produce an attractive finish.

- **Coverage** Approx 10m² per pack
- **Brighten your floors** The impressive, light reflecting surface will brighten up

your premises, and you can choose from 5 attractive colours

- **For any environment** Ideal for use in showrooms, retail areas, bars, restaurants, or anywhere you want an attractive & durable floor
- **Slip resistant** Fine surface texture specially designed for slip resistance
- **Unique** The innovative heavy duty formulation is unique to Watco - you won't get a floor coating like this anywhere else

► 5L • £215.00

	Silver Black
	White Gold
	Silver
	Gold
	Bronze



Watco Stellar Metallic Coating

A highly attractive metallic coating that will transform your floor. Hard-wearing, glossy and easy to apply, the metallic effect reflects the light, lifting dull areas and transforming floors.

The two part epoxy resin formulation will take heavy wear, including forklifts, making this coating ideal for warehouses, production areas and workshops as well as showrooms and restrooms.

Stellar Metallic Coating base coat should be roller applied. To ensure the best finish, the top coat should be spray applied. Please contact us for further details.

- **Coverage** Approx **30m²** per 5 litres for base and top coats, when applied by roller
- **Choice of colours** Available in a range of colours including Silver, Gold, Copper, Pearl, Cobalt and Ruby
- **No waiting** Apply to Base Coat one day and finish with the Metallic Top Coat the next.

► **5L • £220.50**

	Silver
	Gold
	Copper
	Pearl
	Cobalt
	Ruby

Watco Stellar Flake System





You no longer have to choose between style and strength. This sleek, decorative coating is ideal for use where appearance, practicality, and durability are important.

A unique blend of coloured PVA flake is bound into two coats of polyaspartic resin to achieve a light reflecting gloss finish and outstanding wear resistance.

- **Coverage** Approx **10m²** per 2.5 litre pack when applied by roller
- **Strong** Ultra-tough and easy to clean
- **Chemical resistant** Resistant to common chemicals and staining from everyday spillages
- **Choice of colours** Choose from 4 nature inspired colours

- **Versatile** Ideal for showrooms, retail areas, reception areas, or anywhere that appearance is important

► **5L • £250.00**

	Glacier
	Dolomite
	Flint
	Granite

You may also need...

Tools	Each
Roller Frame and Handle	£33.50
Replacement Roller	£7.30
9" Roller and Tray	£9.00

Preparation - we recommend...

Watco Etch & Clean New or bare concrete Page 44	Watco Bio D Dirty, oily painted surfaces Page 44
Watco Concroff Greasy, oily bare concrete Page 44	Watco Powerfloat Primer Powerfloated, very smooth surfaces Page 45

Protecta-Coat Tough long-lasting protection for floors



Protecta-Coat

Watco Protecta-Coat

Hard-wearing resin coating provides long-term protection. Developed by Watco using the latest polyaspartic resin technology, our two pack liquid coating enhances the appearance of surfaces, while providing one coat resistance against wear and tear.

Protecta-Coat gives a clear, mid-gloss finish and strong protection for coloured and decorative surfaces.

Suitable for internal and external use, it provides excellent chemical resistance, while our Protecta-Coat Anti Slip version greatly improves safety at work.

- **Coverage** Approx **30m²** per 2.5 litres.
- **Handles hard jobs** Can be applied at temperatures from -10°C up to 30°C and in areas such as warehouses and showrooms and walk-in fridges. Resists chalking, fading, weathering and has exceptional resistance to UV
- **Hassle free application** Ensure the area is clean, dry and free from grease. Takes only one coat. For Anti Slip, an aggregate is simply added to the mix before application
- **Back in action fast** Ready for light traffic in 6 to 8 hours, and heavy traffic in 12 hours at 20°C
- **Safety first** Protects from chemical spills. The addition of a special aggregate means **Protecta-Coat Anti Slip** provides added grip to reduce accidents

▶ **2.5L • Standard • £93.80**

▶ **2.5L • Anti Slip • £99.60**

You may also need...

Tools	Each
Short Pile Roller Frame and Handle	£33.50
Short Pile Replacement Roller	£7.70
Plastic Scuttle	£6.70

Preparation - we recommend...

Watco Etch & Clean New or bare concrete Page 44	Watco Bio D Dirty, oily painted surfaces Page 44
Watco Concroff Greasy, oily bare concrete Page 44	Watco Powerfloat Primer Powerfloated, very smooth surfaces Page 45

Seal and protect smooth or powerfloated concrete



Powerfloat Sealer

Watco Powerfloat Sealer

Seals and protects smooth or powerfloated concrete. Unique epoxy resin formula can be applied directly to powerfloated concrete removing the need for blasting or texturing.

Powerfloat Sealer maintains the attractive smooth surface of concrete while avoiding costly shotblasting work.

- **One coat** seals, dustproofs and protects
- **Hardwearing** Suitable for busy, heavy traffic areas
- **4 finishes** Choose from: Gloss Matt, Gloss Anti Slip, Matt Anti Slip
- **Easy to apply** Just apply with a roller directly to the smooth surface

- **Coverage** Approx **30m²** per 5 litres
- **Curing time** 16 hours at 15°C-20°C for heavy traffic

► **5L • Gloss • £70.80**

► **5L • Gloss Anti Slip • £75.00**

► **5L • Matt • £70.80**

► **5L • Matt Anti Slip • £75.00**

Use a medium pile roller for a smooth application



You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70

Preparation - we recommend...

Watco Concroff	Watco Etch & Clean
Greasy, oily bare concrete	New or bare concrete
Page 44	Page 44

Hardens and dustproofs porous concrete



INSTANT
QUOTE

Please call our Customer Service team on 01483 418 418 to discuss your requirements. We can give you a quote straight away.

Concrete Sealer Water Based Vynacoat	Light Grey
Vynacoat	Mid Grey
Concrete Sealer Water Based/Solvent Based Universal Sealer Vynacoat Anti Slip Tile Kit	Clear
Vynacoat	Mid Blue
Vynacoat	Tile Red
Vynacoat	Mid Green
Vynacoat	Yellow
Vynacoat	Black

Concrete Sealer Solvent Based

Watco Concrete Sealer Water Based

For stain resistant and easy to clean surfaces. Concrete Sealer Water Based provides a low sheen, acrylic finish in just one or two coats.

Odourless and virtually solvent free, our water-based Concrete Sealer produces minimal darkening of most surfaces. Available in a clear and light grey tint finish.

- **Coverage** Approx **40m²** per 5 litres
- **Cuts down on cleaning** Dustproofs and seals, while making interior surfaces stain resistant and easier to clean. Penetrates and coats surfaces with a micro-porous formulation, allowing material to breathe
- **Heavy duty** Ideal for heavy use areas such as warehouses, factories and garages. For interior or exterior use on concrete and other cement-based materials. Only suitable for porous surfaces
- **Minimal fuss** Cures in 12 hours at 15°C to 20°C

► 5L • Clear • £59.40

► 25L • Clear • £238.40

► 5L • Coloured • £66.00

Watco Concrete Sealer Solvent Based

Solvent-based lacquer for a tough, glossy surface. Concrete Sealer Solvent Based is a clear polyurethane lacquer that improves the appearance of interior concrete-based surfaces and delivers a durable, scratch resistant gloss finish in just two coats.

- **Coverage** Approx **45m²** per 5 litres
- **Heavy duty defence** Moisture curing solution guarantees excellent chemical resistance. Withstands regular forklift truck use, so it's ideal for heavy wear environments such as factories, warehouses, workshops and garages
- **Fast finish** Ready for a second coat in 8 hours. Cures in 12 hours at 15°C to 20°C. For use in well ventilated areas. Can be applied to sealed or painted areas

► 5L • £59.80

Watco Universal Sealer Dustproofers

Strengthens and dustproofs porous concrete. Our Universal Sealer Dustproofers is a water-based, colourless and virtually odourless micronised acrylic that gets to work deep beneath new or old concrete surfaces.

The result is a hardened, dustproof surface with just one coat.

- **Coverage** Approx **30m²** per 5 litres, depending on porosity
- **Clean sweep** Very easy application with a broom for interior and exterior surfaces including sand and cement, and concrete
- **Increased quality** Strengthens weak, dusty, poor quality concrete and similar surfaces, while the micro-porous formula allows materials to breathe
- **Quick and low cost** Usually one coat is enough, cures in 12 hours at 15°C to 20°C

► 5L • £54.50

► 25L • £225.50

Use a soft broom for an easy application of Universal Sealer Dustproofers.



TOOLS!

Check out our range to find the right tools for the job

You may also need...

Tools	Each
Roller Frame and Handle	£33.50
Soft Broom	£10.00

Vynacoat

Transform drab, worn or stained vinyl or lino with our two pack polyaspartic resin coating. Its fine texture makes wet or slippery areas safer.

This tough coating features excellent chemical, UV and fade resistance making it suitable for kitchens, walk in fridges, assembly lines, canteens, corridors, stairwells, shops and toilets etc.

- **Coverage** Approx. **25m²** per 2.5 litre unit, one coat of the clear version is usually sufficient; two coats of the coloured version may be required, especially on darker surfaces
- **Colours Available** Comes in 7 different colours as well as a clear version
- **Curing time** Light traffic in 6-8 hours at 20°C, heavy traffic 12 hours at 20°C

► 2.5L • £101.30

Anti Slip Tile Kit

Everything you need to clean, prepare, prime and finish your tiled floor from start to finish. The clear two pack polyaspartic coating maintains the tiles appearance and keeps areas safe where spillages can occur.

This durable coating has excellent UV and abrasion resistance and is also resistant to chalking, fading and weathering. It can be applied to glazed, ceramic or quarry tiles.

- **Anti Slip Tile Kit contains** Tile Cleaner 1L, IPA Solvent Wipes, Tile Primer, Anti Slip Tile coating and gloves. The Tile Cleaner removes dirt and grease, the solvent wipes just ensure and grease residue is removed. One coat of Tile Primer (25-30m² per 5L) provides the correct base for one coat of the Anti Slip Tile Coating.
- **Coverage** Approx. 1 kit covers **25-30m²**
- **Versatile** Suitable for interior and exterior use
- **Curing time** Light traffic in 6-8 hours at 20°C

► 25m² • £159.00



Watco Etch & Clean

Get floors clean and ready to accept coverings, both indoors and out. Our acid-based etchant is excellent at getting rid of unwanted dirt from bare concrete to provide the very best base for painting.

It's useful too for reducing alkalinity on new concrete that can potentially cause problems with the effectiveness of a coating.

- **Coverage** Approx **20m²** per 5 litres
- **Scrubs up well** Removes dirt and laitance (weak, dusty layer) on new concrete
- **Strong bonds** Ensures excellent bonding of all coatings
- **Easy to use** The pink liquid gel turns clear when it's done its job

► **5L • £26.60**



Watco Bio-D

Prepare floors with no odours. Biodegradable degreaser that can be used on concrete, asphalt, sand and cement in any confined spaces or where strong odours would be a problem.

Masonry and concrete floor surfaces washed with Bio-D and then rinsed with water are left ready for painting and require no second stage cleaner to remove residues before further treatment.

- **Coverage** Approx **20m²** per 5 litres
- **Eco Friendly** solvent free and biodegradable, rinse off with zero harmful effects
- **Goes further** can be diluted with water for lighter cleaning jobs

► **5L • £30.20**

► **25L • £114.90**



Watco Concروff®

Powerful de-greasing action the green way. Special formulation that offers all the benefits of a strong degreaser but without the use of hazardous chemicals.

Concروff is ideal for floor preparation prior to repair or painting. It is safe for use on most painted surfaces and can be rinsed away or mopped up with absorbent granules when done.

- **Coverage** Approx **20m²** per 5 litres
- **Super-concentrated** Formula can cope with even the most thickly impacted grease and oil. Suitable for use both inside and out, easily applied with a stiff broom
- **Multi-tasking** Can also be used to degrease machines

► **5L • £34.00**



Watco New Concrete Primer

If you have a new concrete floor waiting to be painted, this is the solution you have been looking for. Now you can apply a coat of paint to a concrete floor that is just 10 days old.

Most surface coatings can only be applied to dry floors... not anymore! If the concrete has dried for 10 days, and the surface is reasonably hard and level, then you can use this concrete primer, and within 4-48 hours you can have a freshly painted floor.

- **Fast drying** Dries in 3-4 hours at 15°C-20°C, so you can overcoat in just 1 day, reducing downtime
- **Easy to apply** Easy to spread, low viscosity formula which is virtually solvent free and has good chemical resistance
- **Can be used on new concrete** Allows coatings to be used on concrete containing as much as 95% humidity

► **6kg • £103.00**



Powerfloat Primer & Rapid

Watco Powerfloat Primer & Rapid

Tricky to paint surfaces need a primer that's up to scratch.

Floors with hard, smooth surfaces are prone to rejecting paint.

But our Powerfloat Primer formulation will ensure a perfect finish every time.

- **Coverage** Approx **30m²** per 5 litres and one coat is usually all that's needed
- **Roll it on** Easy application with a roller
- **No waiting** Can usually be over-coated in 16 hours; Rapid in just 3 hours
- **Hard surfaces** Use on powerfloated or glazed concrete, ceramic tiles, stainless steel and aluminium
- **Colour** Clear and Light Grey; **Rapid** Light Grey only

► **5L • Standard • £70.80**

► **5L • Rapid • £81.30**




4-Hour Epoxy Primer

Watco 4-Hour Epoxy Primer

Difficult surfaces are ready to go in a single day. Fast-acting, virtually solvent-free primer reduces suction on porous surfaces.

- **Coverage** Depends on the porosity but you can expect to be able to cover **20m²** per 5 litres
- **Deep penetration** Major benefits over water-based primers when it comes to penetration and curing
- **Superior** Binding of weak and friable surfaces
- **Cuts costs** Reduces time and labour by doing the job in just one coat

► **5L • £81.70**



Oil Block Primer


Watco Oil Block Primer

Now you can paint your contaminated, oily surfaces with ease. Just one coat will prepare your oily, difficult to clean floors for painting.

Oil Block Primer is a two part epoxy primer that has been specially developed to aid adhesion to porous surfaces that are hard to thoroughly clean.

- **Easy to use** The solvent penetrates the substrate and combines with oily residues, making it easy for you to paint your floors
- **Suitable for most surfaces** Suitable for concrete, brick and masonry, and timber surfaces in warehouses, factories, garages, or machine workshops
- **Best for interior areas** Intended for mineral oil residues, such as motor oil or cutting oils, in interior areas

► **4L • £62.80**



Tile Primer

Watco Tile Primer


Get tiles ready for painting without flaking problems. Our primer makes it easy to paint difficult surfaces such as glazed tiles.

The milky-white coating of Watco Tile Primer becomes transparent when the product dries and if you need to retain an existing floor pattern, you simply cover the primer with a clear top coat, such as **Protecta-Coat**. Hard-working epoxy formula that is easy to apply.

- **Coverage** Approx **30m²** per 5 litres
- **No patches** Milky colouring makes it easy to see which areas have been coated before drying clear

► **5L • £70.80**

Attractive, protective paints for all exterior surfaces



Anti Slip Traffic Paint

Use Watco road paints to highlight hazards, mark out parking bays and pedestrian areas, or simply to rejuvenate existing surfaces

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint	Light Grey
---	-------------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint Asphalt Paint/ Heavy Duty Asphalt Paint Road Paint Rapid	Mid Grey
---	-----------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint Asphalt Paint/ Heavy Duty Asphalt Paint Road Paint Rapid	Black
---	--------------

Anti Slip Traffic Paint Asphalt Paint/Heavy Duty Asphalt Paint	White
--	--------------

Asphalt Paint/ Heavy Duty Asphalt Paint Road Paint Rapid	Mid Blue
--	-----------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint	Safety Blue
---	--------------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint Asphalt Paint/ Heavy Duty Asphalt Paint	Tile Red
---	-----------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint Asphalt Paint/ Heavy Duty Asphalt Paint	Mid Green
---	------------------

Anti Slip Traffic Paint/ Heavy Duty Anti Slip Traffic Paint Asphalt Paint/ Heavy Duty Asphalt Paint	Yellow
---	---------------

Road Paint Rapid	Safety Red
------------------	-------------------



Asphalt Paint



Asphalt Binder



Watco Road Paint Rapid



Black Top: before and after

Watco Anti Slip Traffic Paint

Textured, slip resistant coating for traffic areas. With UV resistance and low slip potential for pedestrians (Wet PTV 55), Watco's Anti Slip Traffic Paint delivers improved safety by highlighting hazards and safe walking zones.

Anti Slip Traffic Paint is a durable traffic paint that's suitable for use on interior and exterior asphalt and concrete surfaces, including car parks, vehicle areas, tennis courts and playgrounds.

Available in 8 colours.

- **Coverage** Approx. **15m² to 20m²** for one coat per 5 litres
- **Trouble free** Can be applied to damp surfaces. No primer is required and curing time is only 24 hours at 15°C to 20°C
- **One coat coverage** Usually requires only one coat. For garages and vehicle workshops we recommend using one of our epoxy resin coatings, such as **Watco Safety Coat**
- **Meets Building Regulations** Our Safety Blue colour option complies with Part M of Building Regulations for disabled car parking bays

► 5L • £104.80

Watco Heavy Duty Anti Slip Traffic Paint

Extra reassurance for those outdoor surfaces that take the most traffic. A finely-textured and chemical-resistant paint that's a solvent based, two-part epoxy resin.

You can rely on it for places that take a serious amount of wear.

- **Heavy traffic** Ideal for car parks, driveways and cycle lanes

► 5L • £116.20

You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Soft Broom	£10.00
Plastic Scuttle	£6.70

Watco Asphalt Paint

Colourful protection for asphalt surfaces. Our Asphalt Paint's unique formulation creates a flexible, waterproof coating that's perfect for brightening up the appearance of light to medium traffic areas.

Virtually solvent free and odourless, Watco Asphalt Paint can be easily applied with only a brush or roller. Available in 7 colours.

- **Coverage** **20m² to 30m²** per 5 litres, for one coat
- **Done in one** Usually requires just one coat and cures in 24 hours at 15°C to 20°C. Suitable for many uses including asphalt, concrete, brick, masonry and other similar porous surfaces
- **Whatever the weather** Excellent resistance to UV and weathering. Can even be applied to damp surfaces

► 5L • £87.50

Watco Heavy Duty Asphalt Paint

Brilliant coverage for places where other water-based paints fail. Makes hard-working areas look great as well as offering heavy-duty protection from the elements.

Suitable for car parks, playgrounds, warehouses, tennis courts, plant rooms and traffic routes, Watco Heavy Duty Asphalt Paint has a coverage of 20m² to 30m² per 5 litres and one coat is usually all that's needed.

- **Doesn't fade** Superior resistance to wear, UV and weathering
- **Rich colour** Better coverage thanks to high pigment levels
- **Flexi surface** A flexible, waterproof membrane that easily copes with heavy usage
- **Damp start** Can even be applied to damp surfaces. No need to wait for the good weather

► 5L • £106.60

Watco Asphalt Binder

Transforms old asphalt so it looks brand new. If your asphalt is crumbling, faded and stained, there's no need to rip it up.

This product binds and strengthens old asphalt in a way that looks freshly laid.

- **Coverage** Approx **10m² to 20m²** from 5 litres, depending on surface texture
- **Easy application** Just spread it on with a broom
- **Cover up** Hides ingrained dust and cement spills from building work

► 5L • £48.10

Watco Road Paint Rapid

Quick acting, hard-wearing road paint. Road Paint Rapid is a tough, fast drying solution for busy exterior areas such as car parks, walkways, and school playgrounds.

Suitable for bare concrete and asphalt surfaces, it's easy to apply with a brush or roller and handles even heavy traffic after just one coat. Exceptional wear resistance makes it ideal for heavy traffic areas.

Available in 4 colours.

- **Coverage** **15m² to 18m²** per 5 litres
- **Super speedy** Showerproof in only an hour and ready for light traffic after just 2 hours at 15°C to 20°C. Suitable for vehicle traffic after 6 to 8 hours at 15°C
- **Cool under pressure** Can be applied at temperatures as low as 5°C

► 5L • £76.50

Watco Black Top

One coat is all you need. Give grey and weathered asphalt and tarmac a new lease of life.

- **Coverage** **5m² to 10m²** per 5 litres, per coat of Black Top
- **Looks like new** Covers old stains
- **No waiting** Cures in 2-5 hours at between 5°C and 20°C

► 5L • £41.60

Preparation - we recommend...

Watco Bio D

Dirty, oily painted surfaces
Page 44

A new standard in safety



Peter Dennis - Watco Group Chemist

Your safety is our concern. That's what drove us to create an even better epoxy Safety Coat for your floors. Our paint chemists have worked on a new, unique formula that not only contains a fine anti-slip particle, but also a 'diamond hard' wax and ceramic additive to make it 40% harder wearing than before. It's not just better, it's our best.

HOW DOES IT WORK?

Our Safety Coat is an extremely tough, two pack epoxy resin engineered for areas where you need traction to keep you from slipping. Its fine, anti-slip particle is suspended in the paint, leaving a finely textured surface that looks better than gritty surfaces. The texture also makes it easier to clean, saving you much needed time and effort.

WHAT DO THE TESTS SAY?

To bring you the best possible epoxy Safety Coat, we put it through rigorous testing, where our new formulation more than proved itself. It'll bring you even more abrasion, scratch and impact protection than you'd hoped for. We also made sure it held up to adhesion, hardness, chemical resistance and flexibility testing to deliver a coat that'll last year after year.

THE COARSE COAT

We've thought carefully about your different needs, which is why we've also reformulated our epoxy Safety Coat Coarse. It's been designed for those areas that get very wet or greasy. It contains a larger anti-slip particle to enhance grip and slip resistance. It's simple to apply with a roller, again, easier to clean and has been developed with low odour.

A COAT FOR MANY AREAS

Our epoxy Safety Coat also comes in a hygienic grade option, which contains silver ion technology. This is perfect for areas where cleanliness and hygiene are as important as a hard-wearing finish.

OUR GUARANTEE TO YOU

We're so confident that we've created the best quality concrete floor paints for you, they're 100% guaranteed. If you experience any problems or you're not entirely happy, just call us on 01483 418 418.



“It’s not just better,
it’s our best.”

Learn more at watco.co.uk/besteverformula

Safety Coat Best Ever Formula for non-slip floors you can trust

Safety Coat's unique formula has now been reinforced making it our most durable water based safety floor coating ever.

A 'diamond hard' wax and ceramic dispersion has been blended with epoxy resin to make our new 'Best Ever' formula 40% harder wearing than before. It also dries in half the time so you can apply 2 coats in one day and get your floor back into use twice as quickly.



Watco Safety Coat is available in a range of finishes:

Standard/Coarse Hygienic Hygienic Coarse	Light Grey RAL No. 7035
Standard/Coarse Hygienic Hygienic Coarse	Mid Grey RAL No. 7036
Standard/Coarse Hygienic Hygienic Coarse	Dark Grey RAL No. 7005
Standard/Coarse Hygienic Hygienic Coarse	Black RAL No. 9005
Standard/Coarse Hygienic Hygienic Coarse	Mid Blue RAL No. 5015
Standard/Coarse Hygienic Hygienic Coarse	Dark Blue RAL No. 5005
Standard/Coarse Hygienic Hygienic Coarse	Deep Red RAL No. 3003
Standard/Coarse Hygienic Hygienic Coarse	Signal Red RAL No. 3020
Standard/Coarse Hygienic Hygienic Coarse	Hazard Yellow RAL No. 1021
Standard/Coarse Hygienic Hygienic Coarse	White RAL No. 9010
Standard/Coarse Hygienic Hygienic Coarse	Mid Green RAL No. 6002
Standard/Coarse Hygienic Hygienic Coarse	Tile Red
Standard/Coarse Hygienic Hygienic Coarse	Sandstone RAL No. 1014
Standard/Coarse Hygienic Hygienic Coarse	Blue Grey RAL No. 7000
Standard/Coarse Hygienic Hygienic Coarse	Stone RAL No. 7032

Watco Safety Coat

Non-slip and easy-clean. Areas with heavy traffic need a resilient, reliable product that also looks the part.

Traditional non-slip paints can be gritty and hard to clean. But our unique formula includes a special aggregate suspended in the paint that makes for an appealing covering, which can be cleaned in no time and offers a reassuringly safe non-slip surface. For interior use.

- **Coverage** Approx **30m²** per 5 litres, per coat
- **Fast curing** Dries in only 3 hours at 20°C for light traffic or application of a second coat
- **Safe and reliable** Fine particles are embedded in a hard-wearing epoxy resin coating
- **Eco friendly** Virtually solvent-free and non-flammable
- **Non slip reassurance** Low slip potential (Wet PTV 65) and suitable for heavy wear areas including concrete, sand and cement, and wood

► **5L • £146.70**



Watco Safety Coat Coarse

Added slip resistance for wet or greasy floors.

Safety Coat contains a very fine particle which makes smooth floors non slip. For wet or greasy areas where additional help may be required choose Safety Coat Coarse. A larger particle size increases slip resistance in the wet.

- **Coverage** Approx **30m²** per 5L per coat
- **Easy to apply** 2 coats normally required
- **Fast curing** Dries in only 3 hours at 20°C for light traffic or application of a second coat

► **5L • £146.70**

Watco Safety Coat Hygienic

Contains silver ion technology to provide cleanliness you can trust. All the benefits of Safety Coat but with an additive which makes it ideal for food areas, cleanrooms, restrooms, etc.

- **Coverage** Approx **30m²** per 5L per coat
- **Easy to apply** 2 coats normally required
- **Fast curing** Dries in only 3 hours at 20°C for light traffic or application of a second coat

► **5L • £156.40**

Watco Safety Coat Coarse Hygienic

Helps keep wet, greasy areas clean.















- **Easy to Apply** 2 coats normally required
- **Fast curing** Dries in only 3 hours at 20°C for light traffic or application of a second coat

► **5L • £156.40**

Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete	Dirty, oily painted surfaces
Page 44	Page 44
Watco Concroff	Watco Powerfloat Primer
Greasy, oily bare concrete	Powerfloated, very smooth surfaces
Page 44	Page 45

Tests and Standards Compliance

Finish	Result/Rating						
Standard/ Hygienic	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 SLIP RESISTANCE BS7976-2 67 PTV (Dry) 63 PTV (Wet)	 EN 1504-2 CE	 FOOD TAIN EN 1773 ✓
	 ADHESION EN 1542 4.1 MPa (4.1 N/mm²)	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 45862 7N	 FLEX ISO 1519 2mm	 SLIP RESISTANCE BS7976-2 65 PTV (Dry) 59 PTV (Wet)	 EN 1504-2 CE	 FOOD TAIN EN 1773 ✓

Refer to page 98 for more information on our Tests and Standards Compliance

You may also need...

Tools	Each
Watco Painting Kit	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes; paint mixer	


Safety Grip® For when the going gets tough.

The special coarse finish provides a secure non-slip surface even in areas that are wet or prone to oil spills



Safety Grip®	White
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Black
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Light Grey
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Mid Grey
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Tile Red
Safety Grip® Safety Grip® Cold Cure	Stone
Safety Grip® Safety Grip® Cold Cure	Buff
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Safety Blue
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Red
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Green
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Yellow*

The uses of Safety Grip®



*A coat of Watco Epoxy Gloss Coat Hazard Yellow (page 26) is recommended on darker substrates or bare concrete prior to applying Watco Safety Grip Safety Yellow

Watco Safety Grip®

Works on wet surfaces. Turn dangerous surfaces into a slip-free zone.

You can't compromise on safety in areas of potential hazard and our coating offers complete reassurance.

The coarse texture of this coating works even when surfaces are wet or oily so it's perfect for spots such as loading bays, areas around machinery or inside exterior doors where a wet floor is an issue.

- **Coverage** Approx **5m²** per pack. One coat is usually sufficient
- **Safe Surface** Heavy-duty epoxy resin coating that's virtually solvent free
- **Takes the strain** Can withstand constant foot and wheeled traffic
- **Prevents contamination** Chemical resistant
- **Independently tested** Slip resistance – wet PTV94

► **5m² • £108.00**



Watco Safety Grip® Rapid

Fast solution. There's no time lost with our fast-drying formula.

- **Coverage** Approx **5m²** per pack
- **Added grip** Only one coat needed. Roller out, scatter aggregate and roll again
- **Speedy solution** Surface is good to go for light traffic in just 8 hours

► **5m² • £114.90**

Watco Safety Grip® Cold Cure

Best choice when it's cold. Safe and secure footing even in the iciest temperatures.

Perfect for unheated areas, outside in the winter months or anywhere the temperature drops below 10°C.

- **Coverage** Approx **5m²** per pack
- **Cold Curing** Cures at 0°C


► **5m² • £114.90**

Watco Safety Grip® Flex

Tough, flexible and 100% reliable. All the benefits of our anti slip coating but with added flexibility for those areas where there may be movement, such as metal or wooden ramps.

- **Coverage** Approx **5m²** per pack
- **Reliable all rounder** Can be used inside and out on concrete, asphalt that's more than 6 months old, wood and metal

► **5m² • £113.80**



Preparation - we recommend...

Watco Etch & Clean
New or bare concrete Page 44
Watco Galvaprime
If applying to galvanised metal Page 78

Watco Bio D
Dirty, oily painted surfaces Page 44
Watco Powerfloat Primer
Powerfloated, very smooth surfaces Page 45

You may also need...

Tools	Each
Galvaprime 1L	£24.00
For use on galvanised surfaces - see page 78	
12" Roller Frame & Handle	£33.50
Replacement Roller	£7.70


Peace of mind for decking and outdoor timber surfaces



Decksafe Advanced



Decksafe



Decking Cleaner

Watco Decksafe® Advanced

Tough durable coating makes decking super safe. The very latest technology ensures you get good-looking, hard-working decking and pathways.

Our research into polyaspartic resin technology has led to an advanced, exceptionally durable, formula. Decksafe Advanced helps to prolong the life of your decking and offers the reassurance of our patented anti-slip texture in just one coat.

- **Coverage 20m²** per coat (depending on porosity). Suitable for softwood and hardwood
- **Sun loving** Resists UV fading and discolouration
- **Easy going** Apply with a short pile roller or brush
- **Flexible** Prevents surface cracking from movement
- **Non scratch** Resists abrasion and even chemical spills

► **2.5L • £101.30**

Watco Decksafe®

Makes decking non slip quickly and easily. Our basic but strong formula makes stained or unstained decking safer for light to medium use.

- **Easy to apply** Use a roller or brush for a finely textured matt finish
- **Coverage 40m²** per 5 litres per coat
- **Safe in the wet** Extremely low slip potential – Wet PTV 65
- **Quick work** Touch dry in 4 hours
- **Natural look** Oak version leaves a tinted finish

► **5L • £66.30**

Watco Decking Cleaner

Powerful cleaner smartens up wooden decking. Keep decking looking its best with our water-based and biodegradable cleaner.

Removes all kinds of dirt, algae and lichen in no time.

- **Coverage** Approx 20m² per 5 litres
- **Shifts stubborn spots** Use undiluted for the tough ones

► **5L • £19.20**

Decksafe® Advanced Decksafe®	Clear
Decksafe®	Oak

A single coat of Watco exterior floor finish is all it takes to provide a tough, non-slip surface suitable for pedestrian and vehicle traffic



Watco Grip-Master

New formula is easily applied and is ready for use in four to six hours. This super tough anti-slip coating looks great and is easy to apply with a roller to walkways and ramps.

- **Coverage** Approx up to **5m²** per unit. Coverage rates will be reduced on very coarse or open textured surfaces
- **Safety first** A rapid-curing coloured epoxy resin that holds the anti-slip aggregate in an attractive colour blend
- **For feet and wheels** Can be used in areas of both pedestrian and vehicle traffic

► **5m² • £101.50**

Grip-Master Comfort

Made using recycled car tyres for a less abrasive finish. A safer alternative for Grip Master, to improve safety in areas where people might fall.

An anti slip finish for areas used by children or vulnerable people who could fall. Made with recycled materials for a less abrasive, impact and noise absorbing finish.

- **Coverage** Same as **Grip-Master**
- **Safe and comfortable** Recycled rubber crumb creates a cushioned, slip resistant finish
- **No waiting** Easily and quickly applied - ready for use in just 4-6 hours
- **Perfect for childrens play areas** Withstands heavy traffic, and can be applied to concrete, tarmac and asphalt, so is perfect for a car park or children's play areas

► **5m² • £101.50**

Grip-Master

You may also need...

	Grip-Master Comfort	Black
	Grip-Master	Natural Grey
	Grip-Master	Natural Stone

Tools	Each
Roller/Frame and Handle	£33.50
Replacement Roller	£7.30

Easy to apply long-lasting safety



Anti Slip GRP Treads



Epoxy Grip Strip



Anti Slip Aluminium Treads

Watco Anti Slip GRP Treads

Ultra tough GRP base for added grip in heavy duty areas. Resistant to rotting, warping, swelling, sunlight and extreme temperatures, Anti Slip GRP (Glass Reinforced Plastic) Treads deliver a coarse, anti-slip surface even when wet.

With chamfered edges to minimise trip hazards in situations such as external steps, walkways, jetties and the like. These black Anti Slip GRP treads are an ideal choice for both interior and exterior surfaces.

- **Match your needs** Suitable for concrete, timber, brick, stone, and metal Available in 120mm wide and 600mm, 1200mm, or 2400mm lengths
- **Easy fix** Attach permanently with screws (not supplied). On uneven surfaces use **Watco Adhesive Mastic** (page 60) in addition to screws to help prevent rocking

- ▶ 600mm x 120mm • £10.00
- ▶ 1200mm x 120mm • £19.00
- ▶ 2400mm x 120mm • £36.00

TOOLS!

Check out our range to find the right tools for the job



Watco Epoxy Grip Strip

Versatile anti-slip grip does much more than just look smart. Epoxy Grip Strip combines our durable epoxy resin base and carborundum grit to create an attractive finish for heavy wear areas.

Suitable for interior and exterior surfaces including concrete and wood, Epoxy Grip Strip allows you to tailor the design to the job.

- **Coverage** One cartridge will provide a line approx 10m long x 15mm wide
- **No hassle** Simply spread the black epoxy resin paste between two lines of adhesive tape and sprinkle the grit. Remove the tape to reveal a sleek, anti-slip black strip
- **Added safety** Allows water to drain away more easily
- **Finished in a flash** Cures in 16 hours at 15°C to 20°C

- ▶ 310ml • Cartridge Kit • £41.90

Preparation - we recommend...

Watco Bio D


Dirty, oily painted surfaces
Page 44

Watco Anti Slip Aluminium Treads

These self-adhesive plates are the easy way to improve safety around your premises. Tough, resin bound aluminium oxide provides a long-lasting, gritty finish to these stair treads. Easy to apply inside and out, on a range of surfaces.

- **Can be used on most surfaces** Ideal for application to cold, damp or difficult to clean surfaces, and can be used on steps or walkways
- **Quick** The anti slip insert is firmly stuck to the surface and pre-drilled for screw fixing, so can be applied in no time at all
- **DDA Compliant** Helps meet the requirements of the Disability Discrimination Act (DDA) and 2004 Building Regulations

- ▶ 635mm x 115mm • £26.90



You may also need...

Tools	Each
Skeleton Gun	£4.80
Epoxy Grip Strip Application Tape 50m	£17.00



FREE
Cut to size
service
available



Watco Firm-Step® Standard GRP Step Covers

An affordable and versatile solution for slippery steps. For interior and exterior use in areas of medium foot traffic.

Our 55mm DDA compliant Step Covers are tough and chemical resistant, which make them suitable for industrial and commercial use, such as fire escapes and all staircases.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required. Alternatively, **Watco UltraBond Tape** and **Primer** can be used to bond the tread to dry indoor steps
- **Cut to size** Watco offers a free 24/48 hour cut to size service
- **Versatile** Suitable for concrete, wood, stone, tiles and metal
- **Safety first** Independently tested for slip resistance

Firm-Step® Standard Step Covers



Firm-Step® Standard Sheets



Watco Firm-Step® Standard GRP Sheets

An affordable solution for slippery areas of medium foot traffic. Watco's general purpose Firm-Step® Standard sheets should be used to make slippery walkways, ramps and mezzanine floors safe.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required. Alternatively, **Watco UltraBond Tape** and **Primer** can be used to bond the sheets to dry indoor floors
- **Cut to size** Watco offers a free 24/48 hour cut to size service
- **Can be used with Watco Firm-Step® Standard Step Covers**

Firm-Step® Standard Step Covers	Each
600mm x 345mm x 55mm	£17.56
1000mm x 345mm x 55mm	£29.26
1500mm x 345mm x 55mm	£43.89
2000mm x 345mm x 55mm	£58.52
3000mm x 345mm x 55mm	£87.78
Firm-Step® Standard Sheets	Each
800mm x 1200mm	£55.44
1200mm x 1200mm	£73.15
2400mm x 1200mm	£146.30

You may also need...

Tools	Each
GRP Adhesive Mastic 310ml	£4.10
UltraBond Tape 3 x 10m	£29.99

Heavy duty slip resistance



Watco Firm-Step® Heavy Duty GRP Step Covers

Ultra tough tread and nosing. For interior and exterior use, Firm-Step® Heavy Duty Step Covers have a unique ceramic grit surface which offers outstanding wear resistance.

Convenient and versatile, they protect against corrosion and guarantee grip where it matters most. Firm-Step® Heavy Duty stair treads combine Glass Reinforced Plastic (GRP) tread and 55mm high visibility nosing to meet DDA and building regulations. Available in fine or coarse grade*, our step covers come in nine tread colour combinations.

- **Application** We recommend screw fixing to most substrates, combined with Watco Adhesive Mastic to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required
- **Wet weather proof** Extremely low slip potential, even when wet (Wet PTV 67)
- **Suits your needs** Available in various standard sizes, or choose made to measure with our free 24/48 hour cut to size service - any size up to 5000mm x 345mm
- **Guarantee** Firm-Step Heavy Duty Step Covers come with a 10 year guarantee against breakage
- **Decorative Appearance** Metallic chip effect is available for areas where appearance is important

*Gold, White Gold, Silver, Silver Black and Bronze available in fine grade with White nosings only.

Firm-Step® Heavy Duty Step Covers *Indicates the nosing colour

	Stone
	Black + Yellow*
	Black + White*
	Grey + Yellow*
	Grey + White*
	Stone + White*

Step Covers in the colours below all have White nosings and are only available in fine grade.

	Gold
	White Gold
	Bronze
	Silver
	Silver Black

*Guaranteed against breaking

Firm-Step® Heavy Duty Step Covers Fine/Coarse - Black, Grey and Stone		Each
600mm x 220mm x 55mm		£25.20
1000mm x 220mm x 55mm		£40.00
1500mm x 220mm x 55mm		£57.00
2000mm x 220mm x 55mm		£72.00
3000mm x 220mm x 55mm		£102.00
600mm x 345mm x 55mm		£27.36
1000mm x 345mm x 55mm		£43.44
1500mm x 345mm x 55mm		£61.90
2000mm x 345mm x 55mm		£78.19
3000mm x 345mm x 55mm		£110.77
Firm-Step® Heavy Duty Step Covers Fine - Gold, White Gold, Silver, Silver Black and Bronze		Each
600mm x 220mm x 55mm		£32.91
1000mm x 220mm x 55mm		£52.25
1500mm x 220mm x 55mm		£74.45
2000mm x 220mm x 55mm		£94.05
3000mm x 220mm x 55mm		£133.25
600mm x 345mm x 55mm		£34.65
1000mm x 345mm x 55mm		£55.00
1500mm x 345mm x 55mm		£78.37
2000mm x 345mm x 55mm		£99.00
3000mm x 345mm x 55mm		£140.25



*Guaranteed against breaking



Firm-Step® Heavy Duty Sheets

	Black
	Stone
	Yellow
	Grey
	Gold
	White Gold
	Bronze
	Silver
	Silver Black

Watco Firm-Step® Heavy Duty GRP Sheets

Slip resistance for heavy use areas. Firm-Step® Heavy Duty GRP sheets bring maximum safety underfoot in heavy traffic industrial environments.

Ideal for areas in constant use, Firm-Step® Heavy Duty sheets enable you to produce continuous slip resistant walkways and workspaces with hardly any downtime. The resin bonded ceramic grit surface offers the same superior durability as the Heavy Duty Step Covers. Available in nine colours and fine or coarse grades*.

- **Totally tough** Won't rot, warp or corrode, making it ideal for wet or very cold areas where the application of a coating may be impractical. Can also be used around oily machines and for chemically damaged floors
- **Super safe** Extremely low slip potential (Wet PTV 67). Heavy wear slip resistance for vehicles, forklifts and pedestrians
- **Tailored for you** Our free cut to size service can provide any size up to 2400mm x 1200mm. Can be trimmed on site with a hacksaw if required
- **Application** We recommend screw fixing to most substrates, combined with Watco Adhesive Mastic to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required

*Gold, White Gold, Silver, Silver Black and Bronze available in fine grade only.

Firm-Step® Heavy Duty Sheets	
Fine/Coarse - Black, Grey and Stone	Each
800mm x 1200mm	£100.00
1200mm x 1200mm	£135.00
2400mm x 1200mm	£225.00
Firm-Step® Heavy Duty Sheets	
Fine - Gold, White Gold, Silver, Silver Black and Bronze	Each
800mm x 1200mm	£125.00
1200mm x 1200mm	£173.00
2400mm x 1200mm	£299.00

Simple solutions for slip-free steps



Watco Firm-Step® Precision Step Covers

Stylish and modern aluminium anti slip step cover solution for heavy footfall areas. A premium step cover combines aluminium with anti slip resin inserts.

This aesthetically pleasing step cover offers exceptional durability with a contemporary finish that will blend in with modern design.

- **Guarantee** Watco Firm-Step® Precision Step Covers come with a 15 year guarantee against breakage.
- **Application** Drilling with mechanical fixing is recommended. The can be pre-drilled, just call our technical sales team
- **Versatile** Suitable for all staircases, stadiums, night clubs, and areas of extreme foot traffic that requires a less industrial look

▶ 1000mm x 200mm x 55mm • £114.95


▶ 1500mm x 200mm x 55mm • £163.35

Firm-Step® Precision Step Covers

*Indicates the nosing colour



*Guaranteed against breaking



Firm-Step® Edge



Firm-Step® Edge Glow

Watco Firm-Step® Edge

Virtually indestructible anti slip for steps. Firm-Step Edge is an ultra tough, fibreglass step nosing.

Resistant to stretching, warping and swelling, our interior and exterior versions both provide a superior gritted surface and chamfered back edge to minimise slip and trip hazards. Available in 3 colours and medium (interior) or coarse grade (exterior).

	Black
	Yellow
	White

- **No waiting** Can be installed in minutes and walked on straight away. Fixes in place with drilling, screwing, or gluing to reasonably dry areas using **Watco Adhesive Mastic**
- **Fits the job** Suitable for concrete, timber, brick, stone and metal. Available in sizes from 1000mm to 3000mm, Firm-Step Edge can be cut to size on site with a hacksaw (or similar tool)
- **Wet protect** Low slip potential. Wet PTV 60 (medium grade) and 65 (coarse grade). 55mm riser option helps meet 2004 Building regulations

You may also need...

Tools	Each
GRP Adhesive Mastic 310ml	£4.10
Skeleton Gun	£4.80


Watco Firm-Step® Edge Glow

Finished with a photoluminescent surface. All the benefits of Firm-Step® Edge, but can be used in the dark.

- **Extra Safety** Highlights the surface when the lights go out, making it excellent in the event of an emergency
- **Glow in the dark** Lasts for up to 3 hours
- **Medium grade grit** Suitable for internal use

Firm-Step® Edge	Each
Medium (interior)/Coarse (exterior)	
Length 1000mm	£18.80
Length 1500mm	£27.00
Length 2000mm	£37.30
Length 3000mm	£52.20
Firm-Step® Glow	Each
Medium Grade (interior)	
1000mm x 70mm x 30mm	£18.80
1000mm x 70mm x 30mm	£27.00

Instant safety for interior steps and walkways




Watco Stair Nosing

These easy to apply stair nosing's help prevent slips and highlights step edges. Choose from a range of colours of this durable and attractive aluminium nosing.

For inside areas, these aluminium stair nosing's with a coloured infill of matt PVC are anti slip, durable, and attractive

- **Versatile** Suitable for smooth flooring or medium depth carpet/carpet tiles
- **Ideal for interior areas** Can withstand medium to light traffic
- **Easy application** Simply drill and screw the nosing to the step edge, then fit the self-adhesive PVC strip to conceal the fixings
- **Choice of Colour** 6 coloured inserts available



Back edge of nosing butts up to lino or carpet

Stair Nosing	Black
Stair Nosing	Light Grey
Stair Nosing	Dark Blue
Stair Nosing	Red
Stair Nosing	White
Stair Nosing	Yellow

Watco Aluminium Nosing

The perfect solution to slippery and hazardous steps. These professional looking powder coated nosing's are will improve safety in your premises.

An anti-slip nosing with a powder coated finish and chamfered back edge to minimise any potential trip hazard whilst keeping your premises looking smart

- **Internal and external** Use on a range of surfaces including concrete, timber, stone and metal
- **Easy Application** Simply drill, screw or glue in place
- **Your choice** Choose from two profiles and two colour options; yellow to highlight step edges or metallic grey for a smoother look

Stair Nosing	Each
66mm x 32mm x 1.22m	£20.90
66mm x 32mm x 2.46m	£39.50
56mm x 32mm x 1.22m	£18.60
56mm x 32mm x 2.46m	£37.00
85mm x 32mm x 1.22m	£28.50
85mm x 32mm x 2.46m	£54.30
Aluminium Nosing	Each
750mm x 70mm x 30mm	£18.90
1000mm x 70mm x 30mm	£25.00
1500mm x 70mm x 30mm	£36.30
2000mm x 70mm x 30mm	£72.50
750mm x 55mm x 55mm	£18.90
1000mm x 55mm x 55mm	£25.00
1500mm x 55mm x 55mm	£36.30
2000mm x 55mm x 55mm	£72.50



Surestep® Treads



Conformable Surestep® Treads

Watco Surestep® Treads

Self adhesive anti-slip for long-lasting safety. Surestep and Conformable Surestep Treads are easily applied to give long-lasting safety with a tough, grit finish.

Surestep Treads' PVC backing bonds to all smooth, non-porous surfaces, while Conformable Surestep Treads' flexible aluminium backing moulds to textured areas such as profiled metal.

Available in yellow, black, or hazard (yellow and black stripes).

- **Access all areas** Use for medium duty interior and exterior surfaces, including concrete, timber, brick, stone, and metal
- **Fit for purpose** Water-resistant self adhesive means treads can be easily applied (rubber mallet required for Conformable Surestep Treads). Available in size 610mm x 150mm. Standard Surestep Treads are available in standard, medium, or coarse grades
- **Safety first** Standard Surestep Treads deliver a pressure sensitive, low slip potential surface (Wet PTV 71)

► **Standard Grade** • £10.40

► **Medium Grade** • £11.40

► **Coarse Grade** • £12.40

	Black
	Black + Yellow
	Yellow

Watco IPA Cleaner

Wipe down easily for a brilliantly grease and dirt-free surface.

Use before applying our **Safety Tapes and Surestep Treads**. Coverage is 10m² to 15m² per litre

► **1L** • £18.00

Watco Conformable Surestep® Treads

With a quick and easy installation you can be sure your textured surfaces are completely safe. These aluminium tread plates are extremely tough & have a flexible, conformable backing.

Anti slip, self-adhesive aluminium tread plates that help to improve safety on profiled metal, chequer plate and profiled slabs.

- **Hard-wearing** A long-lasting, gritty finish is achieved thanks to the hard-wearing, resin-bonded aluminium oxide
- **Easy to apply** The flexible backing conforms to textured surfaces which makes application even easier
- **Versatile** Suitable for use internally and externally, in both industrial and commercial locations
- **DDA Compliant** Helps meet the requirements of the Disability Discrimination Act (DDA) and 2004 Building Regulations

► **610mm x 150mm** • £11.20

	Black
	Yellow + Black
	Yellow

You may also need...

Tools	Each
Rubber Mallet	£3.00
Safety Tape Primer 500ml	£17.30
Safety Tape Edge Sealer 140ml	£13.80


Safety for walkways, ramps and decking



Rollgrip



Surestep® Roll



FREE
Cut to size
service
available

GRP Decking Strips

Watco Rollgrip

Achieve an attractive, slip resistant stone finish with this easy to install matting. A tough waterproof membrane for exterior pedestrian areas.

For an attractive finish for pedestrian areas, Rollgrip is easy to apply, tough, and waterproof

- **Slip resistant** A flexible bitumen and polymer base firmly holds an attractive blend of polished stone aggregate
- **Self Adhesive** No fixings necessary
- **Suitable for most surfaces** Can be used on concrete, asphalt, steel and wood, and ideal for footpaths, bridges, flat roofs and other pedestrian areas
- **Preparation** Rollgrip primer is essential

► **5m x 1m • £202.80**

► **Primer 1L • £10.60**

Surestep® Roll	Each
Standard/Coarse/Extra Coarse	
9.1m x 610mm	£272.30
9.1m x 1000mm	£341.70
4.5m x 1000mm	£189.70
18m x 500mm	£441.70
GRP Decking Strips	Pack of 10
Medium/Extra Coarse	
1200mm x 50mm	£138.00
1200mm x 90mm	£191.00
1200mm x 120mm	£272.00
2400mm x 50mm	£268.00
2400mm x 90mm	£379.00
2400mm x 120mm	£540.00


Watco Surestep® Roll

Improve safety around your premises in an instant. This anti slip sheet on a self adhesive roll is an easy and effective safety measure.

For a long-lasting slip resistant surface Surestep roll is a quick and easy solution. The self adhesive sheet has a tough, resin-bonded aluminium oxide surface with a gritty finish and can be applied in an instant

- **Internal and external use** Ideal for areas where slips are a risk, especially paths, ramps, loading bays or entrance halls
- **Versatile** Suitable for commercial and industrial use and can withstand medium levels of traffic
- **Preparation** Use **Watco Safety Tape Primer** on bare, porous surfaces (page 64)

Surestep® Roll is available in a choice of 3 grades



Standard Grade
Low slip potential
Wet PTV 71



Coarse Grade
Low slip potential
Wet PTV 75



Extra Coarse Grade
Extremely low slip potential
Wet PTV 80 (*black only)

Watco GRP Decking Strips

Easy-to-fit strips make slippery decking safer instantly. Glass Reinforced Plastic (GRP) strips in two textures – medium and extra coarse – bring security underfoot on unprotected decks.

Watco Decking Strips are suitable for use in both commercial and domestic areas and are especially effective in wet conditions.

- **Waterproof and rotproof** Makes damp and slippery wooden walkways safer to walk on
- **Easy fit** Pre-drilled and with all screws supplied
- **Child friendly** Medium coarse option perfect for decks used by children or vulnerable adults

Surestep® Roll Decking Strips	Black
Surestep® Roll Decking Strips	Yellow
Surestep® Roll	Black + Yellow
Decking Strips	Stone



Conformable Safety Tape

Watco Conformable Safety Tape

Super strong anti-slip tape that fits existing textures. Make chequer plate and profiled metal safer.

Resin bonded aluminium oxide grit tape with a flexible backing conforms to the texture of the surface beneath.

- **Safe option** Extremely hard-wearing, improves safety on chequer plate and profiled metal
- **Hammer it home** Self adhesive and easy to apply with a rubber mallet

Conformable	Black
Conformable	Yellow
Conformable	Yellow + Black

Conformable Safety Tape	Each
18m x 25mm	£18.80
18m x 50mm	£82.70
18m x 100mm	£114.10
18m x 150mm	£148.30
18m x 300mm	£285.60



UltraBond Tape

Watco UltraBond Tape

Stronger than conventional adhesives, and easier than mechanical fixings. Use UltraBond Tape to permanently bond a range of substrates easily, quickly, and effectively.

UltraBond Tape is a permanent bonding, double sided tape, which works on a range of substrates and has hundreds of uses around your premises

- **Ultra Strong** Remarkable bonding power takes hold instantly, and fully sets to permanent bonding over 24 hours - supplied as 3 x 10 metre rolls
- **Versatile** Can be used almost anywhere around your premises; mount signs or mirrors, fix broken fixtures, or wherever you would have otherwise drilled, screw fixed or raw plugged items
- **Easy to use** Simply cut off a length of double sided tape and apply to your surface - it works on metal, sealed concrete, masonry, wood, plastics and more
- **Resistant** UltraBond Tape resists moisture and UV, so can be used inside and out
- **Preparation** For unsealed and porous surfaces use **Watco Tape Primer**

► **3 x 10m • £29.99**



Hazard Safety Tape

Watco Tape Primer

Increase adhesion of self-adhesive tapes and thermoplastic markings when applying to dusty surfaces. Seal and bind dusty, porous surfaces with Watco Tape Primer before applying self-adhesive tapes to promote good adhesion.

- **Effectively binds** Suitable for dusty, gritty surfaces including unsealed, porous concrete, brick and stone
- **Rapid curing** Ready for tape to be applied in 30 minutes
- **One coat** Apply by brush before using Watco Ultrabond, Safety Tape, Thermoline, Thermoplastic Strips, or any of our self adhesive tapes

► **1L • £18.50**


Trusty Tapes for tough jobs



Safety Tape



Safety Tape Edge Sealer



Safety Tape Primer

Watco Safety Tape

Tough tape that offers real peace of mind. You can feel confident about safety with these tapes made from hard-working aluminium oxide grit on a PVC backing.

A huge suitable surface temperature range between -30°C and 70°C, means they're a great anti-slip aid for just about any location. Plus, they can be used with **Watco Safety Tape Edge Sealer** to keep water at bay. The tapes come in three grades; Standard, Coarse and Extra Coarse in seven different widths. Samples available on request.

- **Long-lasting** Clean the surface with **Watco IPA Cleaner** to give a good key for the adhesive
- **Low slip potential** Wet PTV 71 and great slip resistance
- **Stick to it** Works on concrete, timber, brick, stone and metal

Safety Tape/ Hazard Safety Tape Standard/Coarse/Extra Coarse*	Each
18m x 25mm	£30.80
18m x 50mm	£57.60
18m x 75mm	£69.70
18m x 100mm	£86.10
18m x 150mm	£125.60
18m x 300mm	£216.80
18m x 500mm	£340.20

*Extra Coarse only available in black

Watco Hazard Safety Tape

This high visibility tape stands out where you need it most.

- **Easy to use** with self-adhesive backing that's stable under the same wide range of temperatures as Safety Tape: -30°C to 70°C

Watco Safety Tape Edge Sealer

Protect tape edges from wear and water and ensure a longer lasting finish.

► 140ml tube • £13.80

Watco Safety Tape Primer

A better grip for surfaces that are dusty or porous.

► 500ml • £17.30

You may also need...

Tools	Each
Rubber Mallet	£3.00
IPA Cleaner 1L	£18.00
Rubber Roller	£7.30

Safety Tape	Light Grey
Safety Tape	Black
Safety Tape	Blue
Safety Tape	Green
Safety Tape	Red
Safety Tape	Transparent
Safety Tape	Yellow Fluorescent
Safety Tape	White
Safety Tape	Photo Luminescent
Safety Tape	Yellow
Safety Tape	Brown
Hazard Safety Tape	Yellow + Black
Hazard Safety Tape	Red + White
Hazard Safety Tape	Black + Luminescent





Easy Marking Tape



Heavy Duty Line Marking Tape

Watco Easy Marking Tape

Eye-catching safety tape that won't curl or tear. Research in our labs has led to this incredibly strong 160 microns thick tape with a high spec adhesive that makes light work of line marking.

Good inside and out. Use **Watco Safety Tape Primer** for dusty or porous surfaces.

- **Here to stay** Virtually permanent after just one day's curing
- **Top marks** Waxed backing paper makes it easier to plan; simply cut pieces to size before sticking down

▶ 30m x 50mm • £21.10

Watco Heavy Duty Line Marking Tape

Long-lasting, 1000 microns (1mm) high-performance tape that keeps working even when the lights go out. High performance tape with a self-adhesive backing you can trust to stay firm.

- **Bright idea** Photoluminescent grade glows for up to 30mins once lights are off
- **Safe option** Easy to clean – comes with a two-year guarantee and chamfered edges to reduce the chances of tripping
- **Hazard marker** Perfect for walkways, loading areas or hazardous areas

▶ 30m x 50mm • £92.80

▶ 30m x 75mm • £133.60

▶ 30m x 100mm • £173.70

Heavy Duty Line Marking Tape	Black
Heavy Duty Line Marking Tape Easy Marking Tape	Blue
Heavy Duty Line Marking Tape Easy Marking Tape	Green
Heavy Duty Line Marking Tape Easy Marking Tape	Red
Heavy Duty Line Marking Tape	Orange
Heavy Duty Line Marking Tape Easy Marking Tape	White
Heavy Duty Line Marking Tape	Photo Luminescent
Heavy Duty Line Marking Tape Easy Marking Tape	Yellow
Heavy Duty Line Marking Tape Easy Marking Tape	Yellow + Black
Heavy Duty Line Marking Tape Easy Marking Tape	Red + White

Remove sticky residues with **Watco Protect Wax, Tar & Tape Residue Remover** (see p93).



TOOLS!

Check out our range to find the right tools for the job



You may also need...

Tools	Each
Rubber Mallet	£3.00
IPA Cleaner 1L	£18.00
Rubber Roller	£7.30



Thermoline®

Watco Thermoline®

Preformed long-lasting lines and symbols. Thermoline is a thermoplastic formulation, providing permanent 2mm thick markings for heavy traffic areas such as roads and warehouses.

Our preformed lines and symbols mean there's no cutting required. Simply lay your shape on a suitable surface and heat using the **Watco Thermoline Blowtorch**.

- **Big choice** Select from a wide range of symbol options and 2 different colours. Thermoline White contains reflective particles for added road safety
- **Cools down in a flash** Ready for traffic in approx 1 hour
- **One man job** Quick and easy application for interior and exterior surfaces including concrete, tarmac, asphalt, brick, masonry, metal, and other similar surfaces
- **Preparation Watco Tape Primer** should be used on dusty, porous surfaces

Thermoline® Lines	Each
1m x 100mm - Pack of 10	£52.90
1m x 100mm - Pack of 50	£226.70
5m x 100mm - Pack of 10	£234.40
Thermoline® Symbols	Each
Straight Arrow* 2m	£47.00
Walking Man 980mm	£77.60
Disabled 800mm x 800mm	£47.00
Disabled 1.4m x 1.4m (DDA Compliant)	£85.50
*Only available in white	
Blowtorch (Excludes gas)	£102.40



Permaline

Watco Permaline

Lines that are here to stay, where visibility is needed the most. A brand new concept in line marking.

It's virtually permanent and designed for the most demanding, heavy traffic areas – 3mm thick heavy duty pre-drilled GRP strips with chamfered edges to reduce the tripping hazard.

- **Easy lay** Trim and screw on site
- **Fix and go** Once fixed in place it's good to go straight away
- **Machine friendly** Oil and chemical resistant, so can be used even around machinery bays

► **50mm x 3m • £23.50**

Thermoline® Permaline Stepmarker	White
Thermoline® Permaline Stepmarker	Safety Yellow



Watco Stepmarker

Watco Stepmarker

Lasting slip resistant coating for lines and step edges. Watco Stepmarker is an easy to apply pre-blended aggregate that stands tough against the wear of regular foot traffic, while highlighting edges and potential trip hazards.

Available in 2 colours.

- **Coverage** 1 litre produces **100mm wide line for approx. 25m** of step edges
- **Helps stop slips** Low slip potential even when wet (Wet PTV of 56) makes it ideally suited to surfaces that suffer daily wear including step edges and loading bays. Can be used as an extra tough line marker (if using indoors, ensure the area is well ventilated). Suitable for concrete, brick, asphalt, stone, wood, and metals
- **No hassle** Can be used as low as 5°C. Ready for foot traffic in 4 hours at 15°C

► **1L • £43.90**



Use a 2" paint brush to apply

You may also need...

Tools	Each
2" Paint Brush	£3.40
Cleaning Solvent TH99 - 2.5L	£22.70



Epoxyline



High Visibility Paint



Toughline®

Epoxyline

This epoxy resin paint will give you long-lasting lines even in your heaviest traffic areas. Cures so quickly that you can be back in action the next day.

Ideal for use in heavy traffic areas, this epoxy resin line marking paint cures quickly and has excellent resistance to abrasion and harsh chemicals.

- **Coverage** Approx. **50m of 50mm wide line** per litre (2.5m²). One coat is normally sufficient if you're applying by brush
- **Fast dry** Touch dry overnight, with full chemical resistance in 5 days
- **Suitable for most areas** Suitable for areas subject to chemical spillage, as well as any high traffic interior areas
- **Low odour** Virtually solvent free and odourless
- **Easy to apply** Simply apply by brush, one coat is usually sufficient and is suitable for bare concrete and well bonded paint

► **1L • £41.90**

High Visibility Paint

Increase visibility of hazards around your premises with this fluorescent paint. Highlight trip hazards, mark out lines, or draw attention to low beams.

High Visibility Paint is a solvent free, easy to apply fluorescent paint. Ideal for highlighting hazards and marking out important lines around your premises, inside and out.

- **Coverage** approx. **10-15m²** per 2.5 litres per coat depending upon texture of substrate. One coat is normally sufficient
- **Easy to apply** Easily applied by brush or roller, the thick consistency can be effectively applied to horizontal and vertical surfaces
- **High visibility** Use to mark out lines, hazardous beams, trip hazards, or snag points in any area, including walkways, playgrounds, and warehouses
- **Resistant** Excellent resistance to UV, weathering, and can withstand light - medium traffic
- **Suitable when damp** It has a flexible, waterproof membrane and can even be applied to damp surfaces

► **2.5L • £62.80**

Watco Toughline®

Quality line markings made for cold and exterior surfaces. Using Watco's brilliant, versatile polyaspartic resin technology, Toughline guarantees high quality, wear and tear resistant lines for those difficult cold, wet environments.

Toughline® resists chemicals, chalking, fading, weathering and UV discolouration, making this the ideal paint choice for heavily-trafficked and chilly areas such as unheated warehouses, walk-in fridges, cold stores and loading bays.


Available in 2 colours.

- **Coverage** Approx **75m of 50mm wide line**, per litre
- **Welcomes warm and cold** Can be applied at temperatures from -10°C to 30°C. Stands up to heavy traffic in just 12 hours at 20°C, and 48 hours at -10°C
- **Versatile** Suitable for porous surfaces, including concrete

► **1L • £48.10**

Epoxyline Toughline®	White
Epoxyline Toughline®	Safety Yellow
High Visibility Paint	Fluorescent Yellow

Coatings are easily applied with a 9" roller and tray




You may also need...

Tools	Each
2" Paint Brush	£3.40
9" Roller and Tray	£9.00
Cleaning Solvent TH99 - 2.5L	£22.70

Refresh car parks with our line marking paints



Sprayline® Plus



Roadmarker



Trafficline

Watco Sprayline® Plus

Industry standard aerosol line paint.

Sprayline Plus is a fast, accurate and easy to apply industrial grade aerosol paint for use with Watco's Sprayline Plus Applicator.

Ideal for marking out light to medium traffic areas including car parks and factory floors, it produces high visibility lines in nearly no time. Available in two colours.

- **Coverage** Approx **60 to 100m (50mm wide line) per 750ml**
- **Makes its mark** Durable and weather resistant. Suitable for concrete, sand and cement, and asphalt. Requires only one coat for smoother surfaces, and two for textured areas
- **First to the finish line** Touch dry in 15 minutes at temperatures above 10°C

► 750ml • £19.30

Watco Sprayline® Plus Applicators

Store, transport and apply Sprayline with our easy folding applicator.

Sprayline Plus Applicators are designed for use with Sprayline Plus paint.

While the 4 wheel applicator covers large areas fast, the 2 wheel applicator is the ideal choice for curved lines.

- **Custom lines** Both applicators can be adjusted to produce lines between 25mm to 50mm wide

► 2 Wheel Applicator • £128.50

► 4 Wheel Applicator • £203.50

Watco Roadmarker

Tough and rapid solvent based exterior paint. Roadmarker chlorinated rubber paint is fast drying and can be applied with a roller or brush: ideal for marking bare exterior concrete and asphalt in heavy traffic areas.

- **Coverage** Approx **250 to 300m of 50mm wide line (12 to 15m² per pack)** Thickness 300 microns
- **Low maintenance** Usually requires just one coat and can be applied at temperatures as low as 0°C. Tolerates slightly damp surfaces. Showerproof after 1 hour and ready for pedestrian traffic in 4 hours at 10°C
- **Roadmarker Reflective** Available for enhanced visibility

► 5L • £64.80

► 5L • Reflective • £70.70

Trafficline

Our most versatile line marking paint for your interior and exterior areas. Ideal for marking out your car park

Trafficline is an advanced acrylic formulation which is suitable for almost any surface - it can even go over existing paint. Easy to use and water based for an easy clean up.

- **Flexible for multiple surfaces** The acrylic formulation means this paint is flexible, and can be used on a number of surfaces, including asphalt, tarmac, porous concrete, metals, and more
- **Quick and easy** One coat is all you need, and the brushes wash out easily with water, so line marking is now a much quicker job
- **Whatever the weather** Can be applied to slightly damp surfaces
- **Coverage** Approx **200m at 50mm wide line per 5 litres**, depending on substrate. One coat usually sufficient

► 5L • £87.50

Roadmarker Trafficline Sprayline® Plus	White
Roadmarker Trafficline Sprayline® Plus	Yellow

You may also need...

Tools	Each
2" Paint Brush	£3.40
Cleaning Solvent TH99 - 2.5L	£22.70

Resurface floors to protect against water and chemical spills



Plant Room Coating

Plant Room Coating

Tough, seamless, flexible protection for your premises. Contain spillages and leaks in your plant rooms. It is very important that spillages and leaks in plant rooms are contained, and chemicals or water don't seep through flooring to rooms below.

Plant Room Coating is a flexible, waterproof, durable coating which fills and bridges joints and cracks.

• **Thick and flexible** This waterproof coating will fill bridge and fill joints and gaps

- **Excellent adhesion** Prevent liquids from burst pipes or a leaking tank from damaging your premises
- **Non toxic formulation** Can be used not only in plant rooms but anywhere that spillages need to be contained
- **Save time** One coat is usually sufficient, and is suitable for use on concrete, brickwork, stone, masonry, or plaster
- **Coverage 12.5m²** per 25kg at 1mm thick. One coat usually sufficient

► **25kg • £111.40**

	Grey
	Tile Red
	Green
	Off White

Tile Red and Green contain a colour pigment.



Watco Liquid Waterproofer


Non-toxic, breathable and watertight.

You can feel confident that areas prone to damp will stay dry with this waterproofer that's vapour permeable and lets surfaces breathe easily.

Mix thickly for use on vertical surfaces such as basement walls and storage tanks. Provides a smooth or textured finish depending on the roller used.

- **Coverage** per 25kg: thickness/area:
Protection and repair: (apply 1 coat) 1mm/12.5m²
Waterproofing up to 3 metres head of water: (apply 1 coat) 1.25mm/8.3m²
Waterproofing over 3 metres head of water: (apply 2 coats) 2mm/6.25m²
Frost protection and abrasion resistance: (apply 2 coats) 2.25mm/5.5m²
- **Where there's water** Can be used everywhere from swimming pools to basements and workshops prone to damp
- **Winter challenge** Resistant to frost and salt attack
- **Non toxic** Safe to use, even for drinking water

► **25kg • £127.50**




Watco Bund Sealer

Unbeatable formula seals and protects against attack from chemicals. Watco Bund Sealer's new easier-to-apply formula, with glass flake reinforcement, guarantees exceptional resistance to chemicals including Skydrol.

Specially designed for bund areas and storage tanks where durability really counts, Bund Sealer waterproofs and protects floors and walls with an ultra tough surface up to 450 microns thick in just one coat. Available in two colours.

- **Do it in one** 4 litre pack will cover up to 14m² with one thick coat
- **Strong protection** Designed for use on interior and exterior surfaces such as metal tanks and pipes, concrete, sand and cement, and asphalt. Can be applied to damp surfaces
- **Pollution control** Helps comply with the Control of Pollution (Oil Storage) Regulation
- **Flexible curing temperatures** Cures in 48 hours at 0°C and 24 hours at 10°C

► **4L • £163.20**



Fibreglass Reinforcing Tape

Waterproof and strengthen vulnerable joints in bund areas. Ideal for use with Watco Bund Sealer, this easy to cut and use tape provides you with additional reinforcement where there are cracks and joints

- **Prevents leaks** Simply apply along the joint where the bund wall meets the bund floor to prevent bund areas from developing leaks
- **Versatile** Can be used with products other than Watco Bund Sealer if required

► **Each • £30.00**



Seal and protect interior walls



Watco Wallseal

Protect and dustproof your walls without affecting their appearance. This transparent coating produces a silky, low sheen finish that resists staining.

Wallseal will seal, dustproof, and protect dusty concrete pillars and gritty brick walls, with minimal darkening of the substrate.

- **Coverage** Approx. **40m²** per 5 litres per coat
- **Resists staining** Will seal and dustproof your surfaces
- **Versatile** Use internally on render, plaster, concrete, blockwork or brickwork
- **Easy to apply** The water base formula dustproofs the surface in one coat. A second coat may be required for a 'wipe clean' sealed surface

- ▶ **5L • £64.70**
- ▶ **25L • £258.10**



Watco Wallguard

Silver Ion Technology sets Wallguard apart from other wall coatings. Achieve a hygienic, easily cleanable, attractive finish.

Ideal for industrial and commercial environments, Wallguard uses self cross linking acrylic technology to produce a hygienic, durable, and easily cleaned surface.

- **Coverage** Approx. **50m²** per 5 litres per coat. Two coats are normally required
- **Hygienic Coating** Protects against fungal degradation. Designed for food production areas, hospitals, schools, kitchens and anywhere hygiene is important
- **Easy to clean** The easy to wipe surface is durable enough that repeated cleaning will not deplete the coating

- ▶ **5L • £95.30**

Proud winners of the Direct Commerce Award



All our interior wall coatings are easily applied by a roller and tray



You may also need...

	White
	Cream

Tools	Each
9" Roller and Tray	£9.00



Industrial Wall Coating

Watco Industrial Wall Coating

Cut application costs and redecoration time with this fast curing wall coating. This thick emulsion has exceptional covering power.

Watco Industrial Wall Coating provides excellent covering power with just one application. The special high build non drip formulation will bring a bright, clean appearance to your industrial premises.

- **Coverage** Approx. **50m²** per 10 litres per coat
- **Easy to apply** Can be applied to old and worn brick work, as well as blockwork or concrete interior areas. One coat is usually sufficient
- **No hassle** Cures in 12 hours at 15°C

► **10L • £54.00**

BOOK A SITE VISIT

With one of our experts to see what products will be best for your project



Hygienic Wall Coating

Watco Hygienic Wall Coating

Protect against fungal degradation and bacterial growth. Easy clean finish with excellent wear and abrasion resistance.

A tough, scrubbable epoxy resin wall coating ideal for food preparation and industrial processing areas where hygiene is important.

- **Coverage** Approx. **20m²** per 3 litres per coat. Two coats are normally required
- **Excellent adhesion** Can even be applied to damp surfaces
- **Strong epoxy formula** This means the surface is scrubbable and has excellent abrasion, wear and chemical resistance
- **Compliant** Conforms to requirements for direct contact with potable water
- **Many uses** Designed for use in industrial processing areas, veterinary areas, hospitals, laundries, changing rooms, showers, toilets and more

► **3L • £105.90**



Resists harsh scrubbing

You may also need...

Tools	Each
9" Roller and Tray	£9.00
5" Paint Brush	£7.10

	White
--	-------

Our specialist coatings won't let damp win



Damp Proof Course



Weatherguard 10


Watco Damp Proof Course

Stop rising damp in your walls. High penetration formula cures slowly and forms a barrier against damp.

This damp proof injection is the easy way to stop rising damp, and the advanced formulation means you can make fewer holes than usual. The highly concentrated silicone cream uses capillary action to spread through your wall and create an effective new damp proof course.

- **Effective** High penetration formula for maximum effectiveness and fewer holes needed than conventional systems
- **No need for special tools** You don't need any high pressure tools or special skills, simply drill 12mm diameter holes at 120mm intervals and inject the cream using a standard skeleton gun.
- **Safe and easy to use** Use the low hazard cream from inside or outside the building on brick, blockwork, or stone surfaces which are affected by rising damp
- **Suitable for most surfaces** Can be used on single skin or cavity walls up to 440mm thick

► **310ml • £26.50**



Watco Damp Proof Course injection cream penetrates across a wall and cures slowly to form a barrier against rising damp.

Wall thickness	110mm	220mm	330mm	440mm
Drill depth	100mm	190mm	310mm	430mm
Allow 1 cartridge for each unit length of wall	3.4m	1.7m	1.0m	0.7m

Watco Weatherguard 10

Flexible, weatherproofing guaranteed to last at least a decade.

Our tough exterior elastomeric membrane formula can take extreme weather and temperatures while allowing walls to breathe.

Suitable for brick, concrete, masonry, tiles and wood.

- **Coverage** Approx **40m²** per 10 litres
- **Multi-purpose** Decorative, solar reflective and anti-fungal
- **Fast acting** Touch dry in 4 to 6 hours

► **10L • £96.40**

	White
	Cream

Coatings are easily applied with a 9" roller and tray



You may also need...

Tools	Each
9" Roller and Tray	£9.00
5" Paint Brush	£7.10
Mixing Blade	£10.80



Rainshield

Watco Rainshield

Great protection from frost and rain damage. No damp, no staining and minimal colour change for your brickwork or concrete in a single coat.

- **Coverage** Approx 25m² per 5 litres
- **Resists frost** Helps prevent frost spalling and crumbling and repels damp
- **Repellent surface** Stands up to rain and damp even in the most exposed environments
- **Done in a day** Dries in 24 hours and a single coat's enough

► 5L • £43.80



Masonry Waterproofer


Watco Masonry Waterproofer

For good-looking walls that cope with the elements. Keep old buildings dryer and warmer with this breathable product that penetrates much deeper than traditional liquid systems, yet doesn't block pores.

Easy to use cream formula can be applied by roller and works on bricks, mortar and stone.

- **Coverage** Approx 25m² per 5 litres
- **Fully transparent** Turns clear in as little as an hour and is effective after 24 to 48 hours

► 5L • £113.80



Immediately after application



After 2 hours

Watco Masonry Waterproofer dries clear in two hours and penetrates the bricks to give long-lasting transparent protection after 24 to 48 hours

Our specialist coatings won't let damp win



Concrex® Damp Repair Kit



Rust-Stop Metal Paint

Watco Concrex® Damp Repair Kit

Permanently repair wet and damp areas around your premises. Our kit includes everything you need for incredibly tough damp repairs.


Our Concrex Damp Repair Kit is all you need for incredibly tough, highly adhesive epoxy resin repairs to areas that cannot be dried out easily.

- **Kit contains:** 10kg Concrex, 1m² Tack Coat Damp Prime, a 1½" (38mm) brush
- **Interior and exterior** Allows repairs to be carried out on damp surfaces
- **Coverage** Approx. **1.2m²** at 5mm thick

► **10kg • £104.70**



Primebase



Untreated rusty steel

Freshly coated with Primebase

Cured and corrosive resistant

Watco Primebase

Prime rusty surfaces with this metal primer. This unique rust converter and primer bites into rust, converting it into an inert, corrosion resistant layer.

It also primes the surface with a tough coating ready for overcoating.

- **Coverage** Approx. 10m² per litre
- **Tough and weatherproof**
- **Versatile** Use on silos, storage tanks, pipework, steel racking, structural steel, and more
- **Easy to apply** Apply two coats, by brush or airless spray

► **1L • £35.30**

► **5L • £131.70**

Watco Rust-Stop Metal Paint

Flexible, self priming gloss coating which can be directly applied to rust. Strong coloured finish ideal for industrial environments.

This high quality alkyd gloss coating can be applied directly to rust to give a strongly coloured, heat resistant finish.

- **Coverage** Approx. 7.5m² per 750ml unit per coat. One or two coats normally sufficient
- **Saves time** Contains rust inhibitors so can be applied directly to rusty metal, saving you preparation time
- **Easy to apply** Sag resistant and will not show brush strokes after curing. After application you can easily clean Rust-Stop off your brushes with white spirit
- **Use inside and out** Ideal for use in industrial areas, both inside and out, and can be applied as low as 5°C, and is heat resistant up to 90°C
- **Use on most metal surfaces** Suitable for use on any bare or sound pre-painted metal surface except not bare aluminium

► **750ml • £24.80**

	Silver
	Black
	Blue
	Green
	Red
	White
	Yellow



Watco Dampguard

Decorate, damp proof and maintain a clean surface with this easy to apply, fast drying coating. In 4 hours you can apply the second coat, and after 1 hour the surface will be dry to touch.

Ideal for basements or any area with a damp problem, Dampguard consists of two coats; a primer and a damp proof, wipe clean top coat to finish. Use inside or outside to prevent water seepage through a range of surfaces, and to keep your premises looking attractive and well maintained.

- **Coverage** Approx. **8-10m²** per 5 litres
- **Multiple use** Suitable for use on cement, masonry, concrete brick walls, and basement floor slabs, above or below ground
- **Tested strength** Twice the strength of latex waterproofers, Dampguard resists up to 2 bar (35psi) of water pressure
- **Easy to use** Suitable for dry or damp surfaces, ad fast drying - apply a second coat after 4 hours, and it will be touch dry in 1 hour
- **Attractive Finish** This easy to clasn coating is designed to have an attractive finish, however you can overcoat after 14 days if desired although this will reduce mould resistance

► **5L • £57.10**



Watco Dampguard Advanced

Specially formulated, this is Watco's best damp proofer yet. Hard wearing epoxy resin coating which protects and waterproofs walls and floors.

Resists two bars (35psi) of pressure.

- **Coverage** Approx **20m²** per 3 litres. Two coats required
- **Safe application** Suitable for use in confined areas
- **Hard wearing** Scrubbable, chemical resistant surface
- **Keeps dry** Microporous paint allowed moisture vapour to escape from substrate.
- **Versatile** Use on bricks, render and concrete.
- **Two coats** required

► **3L • £87.20**

Dampguard	White
Dampguard Advanced	Warm White
Dampguard Advanced	Cream

Give roofs a new lease of life



Roofite® Scrim



Roofite® Solar Reflective



Roofsafe

Watco Galvaprime

Prime and prepare galvanised surfaces for great results. This is a quick and easy option for priming galvanised or zinc sprayed metal prior to coating that ensures you end up with powerful adhesion.

- **Rapid drying** Can be overcoated the same day

► 1L • £24.00



Watco Roofite® Scrim

Perfect for bridging gaps and holes. 4m x 1.25m sheet size.

► 4m x 1.25m sheet • £23.60

► 4m x 1.25m sheet (5 pack) • £114.00



Roofite® Joint Sealant

Watco Roofite® Solar Reflective

Versatile, tough and watertight. A one-coat formula of bitumen, rubber and tough fibre reinforcement that will bridge small holes, cracks and splits.

Ideal for weather-proofing roofs where heat build-up can be a problem.

- **Coverage** Approx 10m² per 10kg
- **Easy to use** You can even apply it when it's raining
- **Quick cure** Dries in 24 hours

► 10kg • £88.10

► 25kg • £190.80

Watco Roofsafe

For roofs that need to be waterproof and safe. An anti-slip, tough coating that keeps the elements out and allows people to walk on roofed areas with confidence.

Thick, flexible formulation can be applied in the wet and is immediately water-repellant, making Roofsafe ideal for emergency repairs. One coat of Roofsafe is usually enough for swiftly waterproofing asphalt, bitumen-based surfaces, concrete, roofing felt, asbestos, plastic, brick and metal.

- **Coverage** Approx 10m² per 5kg
- **Colour choice** Comes in 4 colours so you can easily mark out accessible areas
- **Fills cracks** Flexible 'high build' formulation bridges splits and fills cracks up to 2mm wide

► 5kg • £70.40

Watco Roofite® Joint Sealant

Instant joint and crack repair for roofs. A highly flexible bitumen based roof, gutter and lap jointing sealant ideal for preventing leaks.

This formula is suitable for most roofing materials including: felt, metal, paint, stone brick and construction based plastics.

- **Quick Drying** 24 hours in dry conditions
- **Easy Application** Can be applied with a standard cartridge gun

► 310ml • £10.20



Roofite® Pour & Restore

Watco Roofite® Pour & Restore

Thick, flexible and totally watertight. Bridges minor splits and cracks and levels surfaces that undulate.

Apply by squeegee; cures in 24 hours.

- **Coverage** Approx **3.75m²** (2mm coat) per 10kg
- **Saves money** Long-lasting and strong enough to avoid costly re-roofing

► **5kg • £42.60**

Watco Roofite® Repair Mortar

Fix your leaking roof or gutter with this flexible waterproofer. Roofite Repair Mortar is a thick, trowellable waterproofer which will repair your leaky roof or gutters.

- **Versatile** Suitable for filling horizontal and vertical holes or depressions where surface water can be a problem, and will cure in 24 - 48 hours
- **Coverage** Each 5kg pack covers **5m²** at 1mm thick, and is ideal for all types of repairs to splits and tears around pipes and gutters

► **5kg • £48.10**



Roofite® can even be applied in the rain

Watco Roofite®

Quick, easy and long-lasting roof repairs.

Our unique formula is a mix of thick bitumen, rubber and tough fibre, which means you're getting something tough and protective on your roof.

Use this on any concrete, corrugated iron, tiled or felted roofs for a completely impermeable coating.

- **Coverage** Approx **10m²** per 10kg
- **Bridge builder** No more need for costly repair jobs. Bridges small holes, cracks and splits effectively and securely

- **Easy application** One coat usually does the job

- **Stops leaks** Solves porosity problems in asbestos, ideal for fixing holes, tears and cracks in most roofing materials and just right for emergencies, too

- **Curing time** A surface skin will form after approx. 24 hours. Curing will commence once any surface water has evaporated

► **5kg • £40.00**

► **25kg • £161.70**

Roofsafe Roofite® Roofite® Pour & Restore	Black
Roofsafe	Mid Grey
Roofsafe	Green
Roofsafe	Tile Red

You may also need...

Tools	Each
5" Paint Brush	£7.10

Seal, protect and repair roofs



Liquid Roof Membrane

Watco Liquid Roof Membrane

Keep your flat or pitched roof protected, dry and looking good. Our fibre reinforced formula will make sure that you get a seamless finish and worry-free protection in those roof areas where the risk of water leakage is high.

Two coats applied by roller will provide a tough, UV-resistant 1mm plus sealing membrane.

The inert fibre reinforcement provides extra protection where the risk of leakage is high.

- **Coverage** Approx **5 to 7m²** per 5 litres per coat, **12 to 16m²** per 12.5 litres
- **Not weather dependant** Apply even when the roof is slightly damp
- **No splitting** High elasticity allows a roof to move without splitting
- **Breathes easily** Allows substrate to breathe and release vapours
- **Anti Slip Liquid Roof Membrane** For areas where safety is important

► **5L • £94.40**

► **12.5L • £230.10**

► **5L • Anti Slip • £105.40**

► **12.5L • Anti Slip • £257.60**



Solar Reflective Coating

Watco Solar Reflective Coating


Keep buildings cool and comfortable. Fine glass microspheres in our special formula maximise solar reflection and surface cooling, which means it feels cooler inside when temperatures soar.

- **Coverage** Approx **15 to 20m²** per 5 litres
- **Keeping cool** Our tests show this reflects 89% of infra red radiation and 94% of visible light giving a Total Solar Reflectance (TSR) of 88%
- **Effective protector** Will survive 10 years of extreme weather and temperatures

► **5L • £73.10**

Liquid Roof Membrane	Light Grey
Balcony Coating	Grey
Balcony Coating	Blue
Balcony Coating	Buff
Balcony Coating	Green
Balcony Coating	Tile Red
Solar Reflective Coating	White

Balcony Coating Blue, Buff, Green and Tile Red contain a colour pigment.



Balcony Coating

Watco Balcony Coating

Great protection for balconies and walkways. This hard-working, flexible waterproofer is perfect for those areas where water ingress causes problems.

Its liquid formula means it can be easily applied around pipes and other protrusions. One coat is usually all you need. Cracks and joints between floors and walls should be bridged with **Watco Fibreglass Tape** for the best results.

- **Coverage** Approx **12.5m²** at 1mm thick per 25kg
- **Versatile protection** Fill cracks and apply around pipes and rainwater outlets for more effective protection than sheet materials
- **Walk safely** Flexible, anti-slip surface won't split with substrate movement

► **25kg • £123.60**

You may also need...

Tools	Each
Fibreglass Reinforcing Tape (75mm x 50m)	£30.00



Flashing Bandage

Watco Flashing Bandage

A simple, strong, self-adhesive repair solution. It's easy to achieve long-lasting roof repairs with this flexible tape.


This industrial grade self-adhesive tape is flexible, strong, and watertight, ideal for repairs to damaged roofs

- **Ultra Strong** The lead colour aluminium surface is tough and durable
- **Versatile** Use to repair all types of roofing materials, roof ridges, chimney surrounds etc.
- **Fix cracks and holes easily** Suitable for flashing, cracks in concrete, or holes in pipes or gutters
- **Various sizes** Each roll is 10m in length, and is available in 100mm, 150mm, or 200mm widths

- ▶ 10m x 100mm • £14.30
- ▶ 10m x 150mm • £20.90
- ▶ 10m x 200mm • £27.60
- ▶ 1L • Primer • £8.90



Flashing Bandage



Roof Walkway Matting

Watco Roof Walkway Matting

Hurricane-proof, easy to lay, maintenance free. The self-draining open grid design of this matting keeps it safe even in icy weather and it can withstand winds of at least 94mph too.

No fixings required; weight holds it in place. Available in black and grey.

- **Self Maintenance** Specifically designed as safe a safe walk way for flat roofs
- **All weather access** UV resistant and non-slip in the rain



Our Roof Walkway Matting comes in handy rolls




Roof Walkway Matting

	Light Grey
	Black
	Yellow

Roof Walkway Matting	Each
42kg Grey/Black 10m long x 600mm wide x 14mm deep	£373.00
62kg Grey/Black 10m long x 910mm wide x 14mm deep	£556.50
83kg Grey/Black 10m long x 1220mm wide x 14mm deep	£732.30
42kg Yellow 10m long x 600mm wide x 14mm deep	£429.00
62kg Yellow 10m long x 910mm wide x 14mm deep	£640.10
83kg Yellow 10m long x 1220mm wide x 14mm deep	£842.20

Heavy duty slip resistance



Firm Step Grating



Firm Step Duckboard

Watco Firm-Step® Grating

A flexible and incredibly strong GRP grating. Use instead of metal or wood to create your mezzanines and raised walkways for a safe, anti slip surface.

Almost indestructible surfaces are necessary in many busy workplaces, and now you can achieve that with our Firm-Step Grating. Made using GRP you can lay it loose or fix to concrete, timber, brick, stone or metal.

- **Perfect for heavy use** Takes an even load of up to 3.6 tonnes so is ideal for heavily used areas
- **Slip Resistant** Use in hazardous areas without worry - wet PTV 65, chemical resistant, and fire retardant (made of a resin certified to BS476)
- **Flexible** Will flex under point loading and recover to its original position
- **Protects against water damage** Keeps your products and employees away from water damage and wet feet



Type M Hold Down Clips:
Designed to fix grating on support structure and prevent it from turning in all four directions.



Type L Clips:
Secures grating to support frames.



Type C Clips:
Connects two adjacent grating bars.



Watco Firm-Step® Duckboard

Take a step towards workplace safety. Our virtually indestructible GRP work platforms help prevent slips in hazardous areas.

Ideal for use in wet areas, or around oily machinery and chemicals thanks to its corrosion and slip resistant properties, Firm-Step Duckboard increases safety, inside and out.

- **Safety first** Chemical Resistant, wet PTV 65, so low slip potential, and made of fire retardant resin certified to BS476
- **Incredible GRP strength** Lightweight enough to be lifted and moved
- **Adjustable feet** 25mm open grid for use on uneven, wet or oily surfaces
- **Choice of colour** Available in Green, Yellow or Grey for both interior and exterior use



Firm-Step® Grating	Each
1985mm x 996mm x 25mm deep	£277.50
3010mm x 996mm x 25mm deep	£378.30
3660mm x 1220mm x 25mm deep	£517.10
1985mm x 996mm x 38mm deep	£348.40
3010mm x 996mm x 38mm deep	£452.20
3660mm x 1220mm x 38mm deep	£601.50
Edge Ramp 996mm x 122mm x 25mm deep	£28.60
Edge Ramp 996mm x 122mm x 38mm deep	£39.20
L Fixing - including bolt, washer & nut	£3.50
M Fixing - including bolt, washer & nut	£3.50
C Fixing - including bolt, washer & nut	£3.50
Firm-Step® Duckboard	Each
996mm x 996mm x 25mm	£144.30
996mm x 1985mm x 25mm	£277.50



Duckboard Roll



Interlocking Flooring



Soft Step

Watco Duckboard Roll

Strong, flexible, and slip resistant grid for your contaminated or damaged floors. More durable than conventional duckboard, this roll is comfortable, economical, and suitable for areas where drainage is key.

- **Extra Strength** Solid PVC bars are welded together into a two layer grid for extra durability, but is still comfortable to stand on, both in shoes and bare foot

- ▶ **600mm wide** • £51.40 per metre
- ▶ **800mm wide** • £68.40 per metre
- ▶ **1000mm wide** • £85.60 per metre
- ▶ **600mm x 10m** • £399.20
- ▶ **800mm x 10m** • £533.30
- ▶ **1000mm x 10m** • £667.30

Watco Heavy Duty Duckboard Roll

This exceptionally hard wearing mat will protect from chemicals, oils, and acids. An essential matting for dangerous wet, industrial areas.

Extra heavy duty mat for industrial areas in wet environments, or subjected to chemical, oil, or acid spills.

- **Extra strong joints** Made from two layers of non-porous, flexible PVC that are welded together
- **Protect shoes from spills** Added height and serrations cut into the underbars for rapid drainages
- **Suitable for all weather** Can be used in temperatures as low as -23°C and up to 60°C

- ▶ **600mm x 5m** • £245.30
- ▶ **910mm x 5m** • £370.80
- ▶ **1220mm x 5m** • £430.00

Watco Interlocking Flooring

Easy to install alternative covering for areas where repairs can be costly. The quick tile solution for weak, damaged or dangerous floors.

- **Quick and easy** Anti slip PVC floor tiles with no gluing required. Once fitted the tiles can be lifted and transported as required
- **Simple Solution** Ideal for floors that cannot be adequately prepared for painting and are often subject to impact, abrasion or vibration

- ▶ **7mm x 500mm x 500mm** • £11.20
- ▶ **7mm x 500mm x 90mm** • £5.10
- ▶ **7mm x 500mm x 90mm** • £7.10

Heavy Duty Duckboard Roll Interlocking Flooring	Black
Heavy Duty Duckboard Roll	Black + Yellow
Heavy Duty Duckboard Roll Interlocking Flooring	Blue
Heavy Duty Duckboard Roll Interlocking Flooring	Red
Interlocking Flooring	Dark Grey
Interlocking Flooring	Yellow
Interlocking Flooring	Green

Watco Soft Step

Prevent slips and promote hygiene in wet walkways. This comfortable matting will protect your premises and its visitors.


Ideal matting for wet areas where hygiene and safety are key, but appearance also matters.

- **Safe and Clean** Suitable for swimming pools, bathrooms, shower rooms and saunas
- **Anti bacterial treated plastic** Has an anti slip, drainable surface that is easy to clean using a water jet
- **Cut on site** Use scissors to cut to size and connect the mats using the available connectors

- ▶ **600mm x 900mm** • £38.50
- ▶ **600mm x 15m** • £395.30
- ▶ **Connector pack (40)** • £12.80

Soft Step Interlocking Flooring	Grey
Soft Step	Light Blue
Soft Step	Water Blue
Soft Step	Sand
Soft Step	Flecked White
Soft Step	Light Green
Soft Step	Dark Red

Create safer entrances with our matting range.



Entrance Plus Tiles

Watco Entrance Plus Tiles

Smart and attractive tiles that scrape away dirt and absorb moisture, so your floors stay in good condition for longer.

Easily adaptable to your premises - simply cut to the shape you require.

Simply click these smart tiles together to cover the desired area and protect your floors. Neaten up the edges and prevent trips with the edging strip, and your entrance is ready for high levels of pedestrian traffic.

- **Quick and easy** Interlock these flexible floor tiles with ease. Cut or trim them where needed, and use the connector to finish the job with the neat edge strip
- **Ideal for busy areas** Ideal for use in busy footwells or entrances, and can be used internally or externally, in covered areas
- **Easy to clean** The PVC tile has a high quality carpet insert which is easily cleaned by vacuuming



Edge Strip

Connector

Entrance Plus Tiles	Each
300mm x 450mm	£27.10
Edge Strip 900mm	£6.50
Edge Strip Connector Female 300mm - Pack of 3	£3.10
Edge Strip Connector Male 300mm - Pack of 3	£3.10
Edge Strip Connector Female 450mm - Pack of 3	£3.10
Edge Ramp & Corner - Pack of 3	£3.10



Black/Grey

Black/Charcoal



Entrance Mat

Watco Entrance Mat

Make the right first impression with our decorative and slip resistant entrance mats. This all purpose entrance mat will brighten up your entrances, whilst trapping dirt and debris, to protect your floors and make cleaning easier.

- **Quick drying** The surface is quick drying, crush resistant, non skid, and comfortable to walk on
- **Improve safety** Use in internal entrances where safety and appearance matter
- **Choice of size and colour** Available in 5 attractive colours, and in 3 different sizes

- ▶ 600mm x 900mm • £18.00
- ▶ 900mm x 1500mm • £45.00
- ▶ 1200mm x 1800mm • £70.00




Grey

Slate Blue

Brown

Green

Red



Washable Entrance Mat


Watco Washable Entrance Mat

Trap 90% of dirt with our washable entrance mat. Designed to easily maintain cleanliness around your premises.

A highly effective door mat with wet absorption that traps 90% of dirt. Better yet, it can be washed, so it's now even easier to maintain a clean, presentable premises.

- **Retains Moisture** The nylon/polyester carpet pile will retain up to 3.5 litres of moisture per m²
- **Traps dirt** 90% of dirt, grit, grease and moisture will be trapped
- **Completely washable** This mat is bleach resistant and won't fade
- **Safety first** The non skid rubber backing will prevent slips and trips

- ▶ 600mm x 850mm • £44.80
- ▶ 850mm x 1200mm • £88.80
- ▶ 850mm x 1500mm • £109.50
- ▶ 1150mm x 1750mm • £168.50



Black/Blue

Black/Steel

Black/Brown

Black/Red



Water-Trap Mat



Exterior Mat

Watco Water-Trap Mat

Contain dirt and moisture before it gets trodden into your floors. Keep your premises free from dirt all year round.

This heavy duty indoor entrance mat is specially designed to be long-lasting and effectively trap dirt and moisture.

- **Long lasting** Made with a polypropylene loop pile surface and a nitrile rubber backing
- **Inside and out** Use in sheltered conditions with heavy pedestrian traffic
- **Absorbs water** It will absorb 5.4 litres of water per m², and its moulded pattern surface will scrape off excess dirt

► 600mm x 900mm • £52.50

► 850mm x 1500mm • £130.00



► 1150mm x 1750mm • £200.00

Watco Exterior Mat

Protect your floors by trapping dirt before it gets indoors. Use this hard wearing rubber mat externally to trap dirt before visitors enter your premises.

- **Traps Dirt** Raised circular surface designed to trap dirt and debris whilst holes allow for drainage
- **Safety First** This mat has superior slip resistance, and the moulded bevelled edge reduces trip hazards

► 900mm x 1500mm • £48.50



Anti Fatigue Mat

Watco Anti Fatigue Mat


Reduce discomfort and increase productivity around your workplace.

Take a step to a safer, more comfortable work environment.

Minimise the effects of standing on cold, hard concrete floors, whilst also improving blood circulation and reducing pressure on the feet, legs, and back.

- **Ideal for dry conditions** Perfect for production areas, assembly lines, packing benches, or anywhere that staff are standing for long periods
- **Slip resistant** Manufactured from 100% closed cell vinyl foam the mat is slip resistant in dry environments
- **Choice of colour** Choose from Grey, Charcoal, or Safety (charcoal with a yellow stripe on each side for visibility)

Anti Fatigue Mat	Each
600mm x 900mm - Charcoal or Grey	£27.10
600mm x 900mm - Safety Yellow	£27.10
900mm x 1500mm - Charcoal or Grey	£65.40
900mm x 1500mm - Safety Yellow	£69.10
900mm x 3000mm - Charcoal or Grey	£107.50
900mm x 3000mm - Safety Yellow	£120.00
900mm x 18,300mm - Charcoal or Grey	£560.00
900mm x 18,300mm - Safety Yellow	£595.00



Cost effective traffic control



Watco Compact Speed Bumps

Cost-effective traffic control. Calm traffic around your premises with these anti skid bumps.

Manufactured from heavy duty recycled rubber these speed bumps have a textured finish to prevent skidding, and can withstand heavy loads up to 40 tonnes.

- **High visibility** Brightly coloured so they are highly visible in daytime, with white reflectors in middle sections so they can also be seen at night
- **Suitable for most surfaces** Suitable for concrete and asphalt road surfaces that are subjected to traffic up to 40 tonne HGVs
- **Safety first** Slow traffic around your premises down to 10mph
- **Choose your length** Available in 500mm wide segments to suit any road width, with 100mm fixing bolts supplied



Watco Parking Bumpers

High visibility bumpers to protect walls, fences, and car park areas. These easily installed Parking Bumpers will help protect against accidents in car parking areas.

- **Increase visibility** Made using recycled rubber they feature broad reflective yellow stripes
- **Resistant to grease and acid** Can withstand temperatures from -40°C to 80°C
- **Easy to install** Can be applied by just one person. We supply fixings for asphalt surfaces



Compact Speed Bump	Each
End Section - Yellow 250mm x 345mm 50mm (W x D x H)	£41.90
End Section - Black 250mm x 345mm 50mm (W x D x H)	£41.90
Inner Section - Yellow & Black 500mm x 345mm 50mm (W x D x H)	£59.90
Parking Bumper	Each
915mm	£74.00
1830mm	£137.90
Fixings for asphalt surfaces	£4.90
Fixings for concrete surfaces	£4.90



Cable Protectors



Watco Heavy Duty Cable Protector

Heavy duty protection for your industrial cables. Ideal for use in areas that are often subjected to heavy goods traffic.


This robust cable protector has a hinged lid for ease of use, will withstand heavy goods traffic, and has an anti slip surface. Use in and around your premises where you want to prevent damage to your industrial cables.

- **Extremely strong** These heavy duty rubber protectors are designed to withstand heavy goods traffic, with a maximum load of 6000kg per axle
- **Convenient** The anti slip hinged lid means that cables can be inserted after the cable protectors have been laid
- **Can be laid loose** No ground fixings are necessary. However bolt holes are provided for more permanent installations
- **Cable channels** Includes three cable channels for a variety of cabling, each 60mm x 50mm deep

Watco Cable Protectors


Prevent damage to your industrial cables. Install these cable protectors in no time at all, and you will have heavyweight protection for your heavy duty cables around your warehouse, building site or factory.

- **Choose from 2 sizes** 20mm or 40mm diameter holes
- **Easy to install** Made of heavyweight rubber so they will stay in place on the ground with no specialist fixings
- **Simple to use** Cables are simply inserted through the top of the cable protector



Heavy Duty Cable Protector	Each
960mm x 600mm 75mm	£95.00
Left Angle 500/200mm x 600mm 75mm	£50.75
Right Angle 500/200mm x 600mm 75mm	£50.75
End Section Female - 283mm x 600mm 75mm	£19.50
End Section Male - 283mm x 600mm 75mm	£19.50

Strong but lightweight steel handrail system



Watco Handrail System

Strong but lightweight steel handrail system that is warm to the touch. Easy to assemble modular system.

This steel handrail is coated with PVC so that it is warm to the touch, and comes in a number of differently shaped components to provide a safe, robust, well mounted handrail to aid safety around your premises. The system easily slots together and fixed in place with secure bolts.

- **Strong, easily assembled** components that have been load tested in accordance with BS6399-1:1996 and BS6180:1999
- **A wide variety of shaped tubes and connectors**, including angled connectors allowing the system to be used on stairways
- **Slip resistant tubes** can be cut to size on site as needed

See above for an example of the components and methods used for a strong, well mounted handrail system for walkways or flights of stairs. More combinations are possible, for our full range of components visit our website or call us on **01483 418 418**.

	Light Grey
	Yellow

For this application you will need:

- 1 Angle Connectors x 2



- 2 Wall Mount Elbow Brackets x 2



- 3 Wall Mount Tee Brackets x 2



- 4 790mm Tubes x 3
+
5 900mm Tubes x 1



Cutting the Tube

Bespoke tube sizes can be produced either during manufacturing or on-site, the simple procedure is:

1. Cut tube to required length using a chop saw with a metal cutting blade.
2. The pre-drilled fixing holes would usually be removed during the cutting process and will need to be re-drilled to allow for components to be fixed to the tube.
3. Measure 31mm in from the newly cut length of tube and mark centrally in accord with the pre-drilled holes at the other end of the tube.
4. Pilot drill a hole between 3mm and 5mm through one side of the tube. (Repeat this process on both sides of the tube.)
5. Drill 12mm holes through both sides of the tube using the pilot holes as a guide.
6. Using a cutting knife, bevel the PVC outer around the 12mm drilled hole to allow security fixing to pull down flush to follow with the pre-drilled holes maintaining the aesthetics of the product.

Hand Rail System	Each
1 Angle Connector	£9.60
2 Wall Mount Elbow Bracket	£10.50
3 Wall Mount Tee Bracket	£10.00
4 790mm Tube	£13.50
5 900mm Tube	£15.10

Warn pedestrians of hazards



Tactile Plates

Watco Tactile Plates

Install these virtually indestructible plates to warn pedestrians of hazards. Available in three different versions for a range of applications.

Warn pedestrians and the visually impaired of hazards, changes in elevation, and crossings with these Tactile Plates.

- **Safe and long-lasting** Constructed of rot resistant, virtually indestructible GRP, and coated with aluminium oxide grit for slip and wear resistance
- **Cost effective** To avoid costly excavation these tiles are glued with **Watco Adhesive Mastic** and screwed to the existing substrate
- **Each tile** is only **4mm** thick
- **3 versions** Choose from Corduroy version, On Street version, or Off Street version, depending on your needs

Corduroy version

Warns visually impaired people of the presence of hazards such as stairs or pedestrian crossings. Available in Buff.


On Street version

Each tile has 36 blisters in regular rows and columns to indicate the edge of a footway near a crossing. Designed to help prevent the visually impaired from inadvertently walking on to a vehicular route. Available in Tile Red and Buff.


Off Street version

The blisters on this tile run parallel in one direction, but are irregular in the other direction. They indicate movement in one direction is safe and are ideal for train or light rail platforms. Available in Buff.


Corduroy version



On Street version




Off Street version



	Buff
	Tile Red

'Corduroy' hazard warning surface at top of stairs to extend at least 400 mm on all sides of stairs and to step 400 mm from nosing



Tactile Plates	Each
Corduroy (Buff only)	£32.00
On Street	£30.50
Off Street (Buff only)	£30.50
All tiles are 400mm x 400mm x 4mm	

High visibility impact protection



Racking Protectors



Steel Safety Rail



Heavy Duty Edge Buffer

Watco Racking Protectors

Heavy duty, high visibility racking protection. Watco Racking Protectors are available with either two or three sides, and are ideal for protecting vulnerable pallet racking frame ends, machinery and more.

- **Durable and visible** Made from heavy duty 6mm gauge steel for durability, and powder coated in bright yellow with black stripes for visibility
 - **Provides extra protection** Use around vulnerable pallet racking frame ends, partitioning systems, machinery, mezzanine support columns and anywhere that needs an extra level of protection
 - **Quick and easy** Install with fixing bolts
- 3 sides x 400mm high • £121.60
- 2 sides x 400mm high • £89.70
- 2 sides x 800mm high • £248.40
- 2 sides x 1200mm high • £348.80
- Bolts (4 x 12mm x 100mm) • £11.20

Watco Steel Safety Rail

Separate and protect vulnerable areas with our high impact safety rails. These Safety Rails are available for both internal and external use, in pedestrian areas, loading bays or around machinery to promote safety and increase visibility.

- **Highest quality** Manufactured to a high quality with virtually no distortion or corrugation at bends
 - **Strong 48mm tube** made of strong 2mm gauge steel
 - **Internal and external** Hot-dipped galvanised rails, painted yellow and black will withstand outdoor elements
- Internal - Length 1000mm • £214.40
- Internal - Length 1500mm • £254.40
- Internal - Length 2000mm • £288.70
- External - Length 1000mm • £287.40
- External - Length 1500mm • £342.20
- External - Length 2000mm • £389.00
- Bolts (4 x 12mm x 100mm) • £2.30

Watco Heavy Duty Edge Buffer

Make your premises safer by increasing visibility of edges and corners. Tough, durable natural rubber absorbs and deflects impacts.

Ideal for use on corners, columns, pillars and doorways, these edge buffers provide you with visible impact protection to make your premises safer.

- **Prevents damage** The natural rubber material will deflect and absorb vehicle impacts, even in heavily trafficked areas
 - **High visibility** Reflective yellow strips give high visibility at night and in dim conditions
 - **Natural rubber** material will deflect and absorb vehicle impacts, even in heavily trafficked areas
 - **Easy to install** Can be used on already damaged masonry
- 3kg • £30.00




Watco Impact Protection

Increase safety around your premises with these highly visible foam cushions. Avoid injuries and protect property.

These easy to fit foam cushions are coated in durable plastic and designed to protect your employees and visitors from injury. The bright colours warn of potential danger, and the high density polyurethane foam absorbs impact.

• **Minimum effort required** - Impact Protection is easy to cut with a knife or fine saw, easy to apply, and is covered in durable plastic that is easy to keep clean

- **Easy to install** Surface and Edge Protection are self adhesive, and you simply push the Profile Protection on to edges to install
- **Temperature resistant** from -40°C up to 90°C, so can be used almost anywhere
- **Ideal for a range of uses**, including racking machinery, walls, internal kerbs, trolley parks, and shelving




Watco Hazard Surestep®

Highlight hazardous areas around your premises with our anti slip adhesive surface. Self adhesive backing ensures easy application and repositioning.

A highly visible, easy to apply, anti slip surface to improve safety in your hazardous areas. Suitable for both industrial and commercial use.

- **Hardwearing** A hard aluminium oxide grit bonded to a flexible PVC roll makes this both hardwearing and flexible
- **Easy to apply** The self adhesive backing makes it easy to apply. Suitable for loading bays, landings, around machinery, or anywhere hazardous internally or externally
- **Versatile** Use on concrete, timber, brick stone or metal. Safety Tape Primer should be used on dusty porous surfaces

- ▶ **9.1m x 300mm • £113.10**
- ▶ **9.1m x 508mm • £186.20**




Impact Protection	Each
Model A - 1m length	£47.60
Model A - 5m length (Yellow/Black only)	£193.40
Model B - 1m length	£40.40
Model C - 1m length	£45.00
Model D - 1m length	£40.40
Model E - 1m length	£40.40
Model E - 5m length (Yellow/Black only)	£164.00
Model F - 1m length	£40.40
Model F - 5m length (Yellow/Black only)	£164.00
Model G - 1m length	£74.50
Model H - 1m length	£47.60
Model H - 5m length (Yellow/Black only)	£193.40

Industrial strength degreasers and cleaners



Industrial Floor Degreaser



Industrial Floor Cleaner

Watco Protect Industrial Floor Degreaser

Industrial strength alkaline degreaser that won't cause damage to your floors. Get rid of ingrained dirt and heavy oil deposits.

This strong, concentrated degreaser removes heavy oil deposits and dirt without damaging or dulling your floor finish.

Works on many surfaces Use on bare concrete, sealed concrete, tiles, vinyl, or any painted surface

Coverage Each 5L pack will clean approximately 30m²

► 5L • £9.99

Watco Protect Industrial Floor Degreaser Tablets

A powerful degreaser for your floors, walls, and equipment. In a convenient, eco-friendly tablet form for easy storage and transportation.

This easy to use, strong degreaser is suitable for removing oil deposits from hard floor finishes.

Use on hard floor finishes Suitable for most hard floor finished such as painted and sealed surfaces, but unsuitable for use on polished surfaces

Easy to use Simply dilute 1 tablet in 1L of clean water, and apply to the affected area

► 100 Tablet Pack • £27.99

► 2 x 100 Tablet Packs • £49.99

Watco Protect Industrial Floor Cleaner

Remove dirt and light oil deposits from your floors with this high performance cleaner. Ideal for all hard floor surfaces.

This alkaline cleaner contains emulsifying degreasants and surfactants to ensure that your premises maintains a high standard of cleanliness.

Works on many surfaces Use on all hard floor surfaces including concrete, painted surfaces, vinyl, and tiles

Coverage 5 litres will clean approximately 1000m² once diluted with water

► 5L • £7.99

Watco Protect Polished Floor Cleaner Tablets

Maintain cleanliness without dulling the finish on your floors. These convenient tablets are suitable for daily use, and are much more easily stored & transported than bulky liquid bottles.

Our neutral floor cleaner is designed for making cleaning your polished or decorative floors much easier. It is low foaming and can be used daily for a high level of cleanliness and no degradation of the quality of your floors.

Easy to use Simply dilute 1 tablet in 10L of clean, cold water, and apply. Each pack contains 100 tablets

► 100 Tablet Pack • £27.99

Floor polish and stain removers



Floor Polish

Watco Protect Floor Polish

Improve the look of your floors, whilst making them easier to clean. Cover up to 250m² with each bottle.

Give your painted floors a high gloss finish with our highly effective floor polish. Restore and maintain an attractive glossy finish around your premises.

- **Helps with maintenance** Using this water based acrylic emulsion will make your floors easier to clean
- **Extremely simple to use** Apply the polish with a cloth or mop and allow to dry
- **Coverage** 5L will cover up to 250m² with one coat

► 5L • £14.99

► 5L • 4 Pack • £54.99

Watco Protect Floor Polish Stripper


The quick and easy way to remove old emulsion polish build up. No need for a scrubbing machine.

This alkaline cleaner breaks down old or contaminated emulsion polish build-up without the need for a scrubbing machine.

- **Versatile** Suitable for any previously polished surface, excepting linoleum
- **No need for hard work** Simply dilute 1L in 10L of water and apply. After 20 minutes mop up the resultant slurry
- **Coverage** When diluted a 5L unit will treat approximately 500m²

► 5L • £9.99

► 5L • 4 Pack • £34.99



Oil Spot Cleaner

Watco Protect Oil Spot Cleaner

Easily remove oil stains with our powerful degreaser. In under 10 minutes you can dissolve your stubborn stains.

This water-based degreaser is safe to use on most surfaces, inside and out. One application is usually sufficient for this fast working cleaner.

- **Quick and easy** For most stains one application is all that's needed, however further application may be needed for stubborn stains
- **Versatile** Suitable for concrete, painted floors, tiles, vinyl and asphalt
- **Tackles tough substances** Dissolves oil in just 5-10 minutes

► 750ml • £7.99

► 750ml • 6 Pack • £42.00

Watco Protect Wax, Tar & Tape Residue Remover

Easily get rid of ingrained sticky residues around your premises. In just 10 minutes your floors can be clean and clear of contaminants that are usually hard to remove.

Our highly versatile adhesive remover will deal with contaminants that are difficult to remove with ease in under 10 minutes.

- **Removes difficult contaminants** Old tape residues, food and drink stains, smoke damage and marker pens are just a small selection
- **Versatile** Suitable for use on many surfaces except leather and varnished surfaces
- **Low Odour** This is a water based residue remover making it virtually odourless

► 750ml • £7.99

► 750ml • 6 Pack • £42.00



Be prepared with Watco Protect

GENERAL PURPOSE (GREY)

Suitable for: • Coolants
• Solvents • Gasoline
• Vegetable oil • Kerosene
• And other water-based fluids

CHEMICAL (YELLOW)


Suitable for: • Aggressive chemicals • Citric acid • Sodium hydroxide
• And other unknown chemicals.

OIL ONLY (WHITE)

Suitable for: • Hydraulic oil
• Motor oil • Brake fluid
• Cooking oil



Absorbent Cushions



Watco Protect Absorbent Cushions

Ideal for soaking up liquids in tight, hard to reach spaces. Can be used in conjunction with absorbent pads and socks to tackle larger spills.

These absorbent cushions are highly effective at soaking up spillages, especially in tight and hard to reach spaces.

- **Multipurpose** Can be used day to day for stripping or leaking, as well as in emergency measure for soaking spillages. Available for chemical, oil or general purpose spills
- **Convenient size** Each cushion measures 35cm x 45cm, and when used in quantity can form an efficient absorbent spillage barrier
- **20 per pack**, available for Chemical, Oil, or General Purpose spills

- ▶ **General Purpose** • £65.00
- ▶ **Chemical** • £65.00
- ▶ **Oil** • £65.00

Watco Protect Absorbent Pads

Essential to have on hand in workplaces where minor spills are a regular occurrence. Also effective to use in quantity for larger spillages.

Available to use with oil, chemical, and more general spills, there is a pad for every situation.

- **Easy to use** Ideal alongside our absorbent cushions and socks for larger spill areas
- **Suitable for large spills** Each pack contains 100 pads which are 400mm x 500mm

- ▶ **General Purpose** • £65.00
- ▶ **Chemical** • £99.50
- ▶ **Oil** • £94.10

Watco Protect Absorbent Socks

Create barriers to contain spillages, or soak up large spills with these absorbents. Choose from two sizes depending on spill size.

Ideal for absorbing larger spills and creating barriers to stop spills from spreading, these Absorbent Socks can be used for oil, chemical, or general spills.

- **Choice of size** Choose from a **20 pack** of 1.2m x 80mm socks or a **pack of 8** measuring 3m x 80mm
- **Quick and effective** Use with our absorbent cushions and pads to quickly and effectively clean up large spills

- ▶ **General Purpose 1.2m x 80mm** • £40.00
- ▶ **General Purpose 3m x 80mm** • £40.00
- ▶ **Chemical 1.2m x 80mm** • £40.00
- ▶ **Chemical 3m x 80mm** • £40.00
- ▶ **Oil 1.2m x 80mm** • £40.00
- ▶ **Oil 3m x 80mm** • £40.00



Spill Control Drain Cover

Watco Protect Spill Control Drain Cover

Prevent unnecessary pollution caused by spillages. Our neoprene drain covers are easy to use and can be used alongside our Spill Control range to prevent spillages from entering drains and causing unnecessary pollution.

- **Easy to use** Simply lay flat over any drain when a spill occurs
- **Coverage** Sized 1m x 1m to completely cover your standard sized drains

► 1.0m x 1.0m • £22.00



Watco Protect Oil Spill Drain Booms

Protect your drainage system from oil spills. Tough outer netting means they are extremely durable.

Complete with rope and rings, our Oil Only Drain Booms are easy to deploy and retrieve, and will not absorb water - just oil.

- **Long lasting** Polypropylene netting on the outside means the booms are durable and long lasting
- **Perfect for absorbing oil** Ideally used for absorbing oil from contaminated water
- **Absorbs plenty** Supplied in packs of 10 that will soak up to 125L, each boom is 0.2m x 0.5m

► 10 x 0.2m x 0.5m • £75.00



Oil Spill Drain Booms



Absorbent Granules

An environmentally conscious way to clean up spillages. Easy to use, simply pour, wait for absorption, and sweep away.

Our absorbent granules are ideal for quickly cleaning up after spillages. They are chemically inert, flame retardant, and environmentally friendly.

- **Versatile** Use on spills containing oil, chemicals, acids and general liquids
- **Coverage** Each 8kg pack will absorb up to 30 litres of liquid
- **Environmentally safe** Made using recycled softwood

► 8kg • £10.00

Absorbent Granules Anti Slip

Reduce the risk of slips caused by spillages in your workplace. These granules will not become soggy and slippery once saturated.

Unlike most spill control granules that can be a slip hazard once saturated, these Anti Slip Granules remain granular even after absorbing liquid. Use on spills of oil, chemicals, acids, and general liquids.

- **Versatile** Ideal for spillages on walkways and busy areas, or areas where oil spills cannot be effectively removed
- **Pour what you need** Simply pour the required amount of granules onto the spillage, wait for absorption and sweep away
- **Coverage** Each 10kg pack will absorb up to 20L of liquid

► 10kg • £12.00



Watco Protect Spill Kit Bag & Bin - Oil

Take effective action against oil spills in your premises up to 222L. The Spill Kit Bags are available in 3 sizes and the Spill Kit Bins are available in 2 sizes. All are suitable for oil and petroleum-based spills, including paints and other non-water soluble chemicals.

Water will not be absorbed.

- **Ideal for a range of spills** Can be used on spills containing hydraulic oil, motor oil, brake fluid and cooking oil

Watco Protect Spill Kit Bag & Bin - Chemical

Don't let chemical spills get out of hand. The contents of these handy spill kits are made from polypropylene and treated with a surfactant so are suitable for a range of chemical spills. The Spill Kit Bags are available in 3 sizes and the Spill Kit Bins are available in 2 sizes.

The contents of the kits are chemically inert so will not react to aggressive fluids.

- **Stand up to aggressive chemicals** Suitable for use on chemicals such as citric acid, sodium hydroxide, hydrochloric acid and more

Watco Protect Spill Kit Bag & Bin - General

Spills up to 222L are no problem with these general purpose kits. Absorb oils, coolants, solvents and water-based fluids anywhere in your workplace with a range of absorbent tools. The Spill Kit Bags are available in 3 sizes and the Spill Kit Bins are available in 2 sizes.

- **Ideal for general use** Suitable for coolants, solvents, gasoline, vegetable oil, kerosene, and water-based fluids

	Absorbent pads	Absorbent socks (8cm x 1.2m)	Absorbent socks (8cm x 3m)	Small absorbent cushions	Medium absorbent cushions	Large absorbent cushions	Bag absorbent granules	Person protection equipment	Disposal bags & ties	
Spill Kit Bags										Each
Spill Kit Bag Oil 20L	10	2	-	-	-	-	-	1		£20.00
Spill Kit Bag Oil 45L	20	3	-	-	-	1	-	1	2	£60.00
Spill Kit Bag Oil 88L	40	4	1	-	-	1	-	1	3	£80.00
Spill Kit Bag General 20L	10	2	-	-	-	-	-	-	1	£20.00
Spill Kit Bag General 38L	20	4	-	-	-	-	-	-	2	£60.00
Spill Kit Bag General 73L	40	4	1	-	1	1	-	1	3	£80.00
Spill Kit Bag Chemical 13L	10	2	-	-	-	-	-	-	1	£28.00
Spill Kit Bag Chemical 30L	20	3	-	-	-	-	-	1	2	£65.00
Spill Kit Bag Chemical 57L	40	4	1	-	1	1	-	1	3	£90.00
Spill Kit Bins										Each
Spill Kit Bin Oil 14L	50	5	2	-	2	-	1	1	4	£150.00
Spill Kit Bin Oil 222L	100	10	4	4	-	3	1	1	6	£300.00
Spill Kit Bin Chemical 14L	50	5	2	-	2	-	1	1	4	£150.00
Spill Kit Bin Chemical 222L	100	10	4	4	-	3	1	1	6	£300.00
Spill Kit Bin General 110L	50	5	2	-	2	-	1	1	4	£150.00
Spill Kit Bin General 220L	100	10	4	4	-	3	1	1	6	£300.00

JUST THE JOB

Don't get caught short by not having the right tools. Order from us today

THE KIT YOU'LL NEED | TOOLS

Plastic scuttle 5 litre plastic scuttle for use with 12" roller



► £6.70

12" roller / frame with handle

A sturdily constructed roller complete with frame and telescopic handle
Medium or microfibre roller / frame & handle

► £33.50

Medium or microfibre replacement roller
► £7.70



Spiked roller Releases air from Watco Flowtop prior to curing, ensuring a bubble-free finish



Spiked roller ► £17.30

Telescopic handle ► £10.20

Skeleton gun Suitable for using with:
Watco Vertical Crack Filler, Watco Adhesive Mastic



► £4.80



Mixing tray Multi-purpose, durable mixing tray for Watco Concrex® or cement mortar. Prevents unsightly ground stains. 950 x 950 x 50mm deep

► £28.70

Fibreglass reinforcing tape

Strengthens and waterproofs joints in bund areas, floors, etc



► £30.00 per roll

Trowels and floats

A selection of high quality, durable steel tools with wooden handles, for use with Watco repair and resurfacing products



4" mix & apply trowel ► £6.00

6" trowel ► £3.00

11" notched trowel ► £7.00

10" steel float ► £6.60

Spouted jug Use with Watco Floor Joint Sealant or Asphalt Crack Filler



► £5.60


5" paint brush The ideal general purpose paint brush
£7.10 each



1.5" paint brush For line painting and small areas
£2.10



Mixing blade Fits an electric hand drill for simple and efficient mixing of Watco Flowtop® or Waterproof Coating



► £10.80


Hand shovel Black, all-steel shovel with a 5" handle. Ensures optimum application of Watco Bitu-Mend



► £3.90

Stiff and soft 12" brooms

Available with stiff or soft 12" wide heads and a 55" (1.4m) wooden handle (requires assembly)



► £10.00

Roller and tray Medium pile, simulated sheepskin, 9" roller chosen for use with Watco products



► £9.00

Masking tape Low tack tape for neat lines and edges on smooth surfaces. 50mm x 50m roll



► £3.00

Tamper 4.5kg square with a 1370mm laquered steel shaft. Ensures optimum application of Watco Bitu-Mend



► £31.70

Cleaning solvent xylene-based solvent for cleaning splashes and application tools for many Watco coatings



► £22.70 2.5L


Concrex® application kits

Large application kit includes:

4 plastic bags for transporting, 750ml white spirit, 10" steel float, mix & apply trowel, wire brush / scraper, 5 cloths and nitrile gloves. Ideal for 25kg of Concrex® ► £24.00

Small application kit includes:

2 plastic bags for transporting, 250ml white spirit, mix & apply trowel, wire brush / scraper, cloth and disposable gloves. Ideal for 10kg of Concrex® ► £13.80



The ultimate test

To bring you the best floor paint, we put it through its paces, because we know you'll do the same. We carried out a range of tests on our new 'Best Ever Formulation' products, which contain a unique blend of 'diamond hard' wax and ceramic. It wasn't enough for our products to be 'our best', we wanted them to be 'the best'. That's why we also tested them against other leading brands for adhesion, hardness, scratch and abrasion resistance, and gloss levels. The results speak for themselves. We did this so you can be sure you're applying the toughest paint that'll last for years.

When you see the product in the catalogue, the relevant tests will be indicated by an icon. The test result is included in the icon. The table below shows a scale or classification for each test so you can see how the result is rated. For full details of the test methods used, please see watco.co.uk/testing



Tests

Slip Resistance BS7976-2 60 PTV	High: 0-24 PTV Moderate: 25-35 PTV Low: 36+ PTV	Flexibility ISO 1519 2 mm	Flexibility ISO 1519 Flexibility is measured using a Mandral Flex Tester, 2mm is the most flexible, 36mm the least.	36mm —————> 2mm Lowest —————> Highest
Impact Resistance ISO 6272 CLASS 3	Impact Resistance The Pendulum Test Value (PTV) is measured in wet conditions. A number above 36 indicates a 'low slip potential'.	Adhesion Test ISO 2409 CLASS 0	Adhesion Test ISO 2409 Cross-Cut Test method. Class 0 is highest adhesion, Class 5 is lowest.	Class: 5 → 4 → 3 → 2 → 1 → 0 Lowest —————> Highest
Adhesion Test EN 1542 3MPa (3 Nmm ²)	Adhesion Test Adhesion is expressed in MegaPascals (MPa) or Newton millimetres squared (Nmm ²). Greater than 2 MPa is a CE mark pass.	Abrasion Resistance ISO 5470-1 300mg	Abrasion Resistance ISO 5470-1 Taber test method expresses results in mg on a scale between 0mg (highest resistance) and 3000mg (lowest). A reading below 3000mg is a CE mark pass.	3000mg —————> 0mg Lowest —————> Highest
Scratch Resistance ISO 45862-2 20N	Scratch Resistance Scratch resistance is measured using a Sclerometer and the resistance is measured in Newtons. 1N is the lowest resistance, 20N the highest.	Chemical Resistance VERY GOOD	Chemical Resistance Refer to product Technical Datasheet for individual chemical tests. Product rated overall as 'Excellent, Very Good, Good, or Limited'.	
Surface Spread of Flame BS476 CLASS 1	Surface Spread of Flame Highest flame spread rating is Class '0'.	Water Permeability EN 1062-3 0.01kg/m ² (24h) ^{0.5}	Water Permeability EN 1062-3 To achieve a CE mark, the measurement must be less than 0.1 kg/m ² (24 h) ^{0.5}	CE Marking Critical Value: < 0.1kg/m ² (24 h) ^{0.5}
Food Taint Test EN 17/3	Food Taint Test Safe for food production areas	Slip Resistance DIN 51130 R11	Slip Resistance DIN 51130 An 'R' rating between 9 and 13 indicates the level of slip resistance, R13 being the most slip resistant.	R9 —————> R13 Lowest —————> Highest
Gloss Value 105	Gloss Value Rating is a 'Gloss Unit' measured on an Optical Glossmeter.	HARDNESS 7H	Wolff-Wilborn Hardness Test Also known as the 'pencil test', a 9H reading is the measure of a hardest coating, HB is the softest.	HB —————> 9H Least Hard —————> Hardest

Standards Compliance

EN 1504-2 CE	EN 1504-2 This mark indicates that a coating has passed all the tests required to carry a CE mark.	BREEAM COMPLIANT	BREEAM COMPLIANT	ISO 16000 A+	ISO 16000 The 'Loi Grenelle' measurement of the effect of a product's VOC level within a building. A+ is the top safety rating.	REACH COMPLIANT	REACH COMPLIANT
------------------------	--	-------------------------	-------------------------	------------------------	---	------------------------	------------------------

index

4-Hour Epoxy Primer 45

A

Aluminium Nosing 61
Anti Fatigue Mat 85
Anti Slip Aluminium Treads 56
Anti Slip Concrete Floor Paint - Best Ever Formula 23
ANTI SLIP FLOOR COATINGS 48
Anti Slip GRP Treads 56
ANTI SLIP PRODUCTS 56
Anti Slip Tile Kit 43
Anti Slip Traffic Paint 47
Asphalt Binder 47
Asphalt Easy Fill 18
Asphalt Paint 47
Asphalt Resurfacer 19
Asphalt Crack Filler 18

B

Back Up Rod 10
Balcony Coating 80
Bio-D 44
Bitu-Mend 17
Bitu-Mend Advanced 17
Bitu-Mend Deep Fill 17
Bitu-Mend Pour & Restore 17
Black Top 47
Bund Sealer 71

C

Cable Protectors 87
Chemi-Coat 35
Chemi-Coat Acid Strength 35
Chemi-Coat Anti Slip 35
Chemi-Coat Cold Cure 35
Chemi-Coat Rapid 35
Cold Set Coating 33
Compact Speed Bumps 86
Concrete Floor Paint - Best Ever Formula 23
Concrete Resurfacer 19
Concrete Sealer Solvent Based 43
Concrete Sealer Water Based 43
Concrex 5
Concrex Acid Strength 5
Concrex Advanced 5
Concrex Applications Kits 7
Concrex Asphalt Repair 18
Concrex Cold Set 5
Concrex Coloured 5
Concrex Coving Mortar 6
Concrex Damp Repair Kit 76
Concrex Deep Fill 6
Concrex Deep Fill Cold Cure 6
Concrex Deep Fill Rapid 6
Concrex Fine Filler 10
Concrex Flex 7
Concrex Mixing Tub 7
Concrex Rapid Set 5
Concrex Sub Zero 5
Concrex Vertical 12
Concrex Vertical Cold Cure 12
Concroff 44
Conformable Safety Tape 64
Conformable Surestep treads 62

D

Damp Proof Course 74
Dampguard 77
Dampguard Advanced 77
Decking Cleaner 54
Decksafe 54

Decksafe Advanced 54
Duckboard Roll 83

E

Easy Marking Tape 66
Entrance Mat 84
Entrance Plus Tiles 84
Epoxicote High Build 28
Epoxicote High Build Advanced 29
Epoxicote High Build Advanced Anti Slip 29
Epoxicote High Build Anti Slip 29
Epoxicote High Build Anti Slip Rapid 29
Epoxicote High Build Cold Cure 29
Epoxicote High Build Cold Cure Anti Slip 29
Epoxicote High Build Rapid 29
Epoxy Gloss Coat - Best Ever Formula 27
Epoxy Gloss Coat Hygienic - Best Ever Formula 27
Epoxy Grip Strip 56
Epoxy Matt Coat - Best Ever Formula 27
Epoxy Matt Coat Hygienic - Best Ever Formula 27
Epoxyline 68
Etch & Clean 44
Exterior Mat 85

F

Fastcoat 37
Fastcoat Anti Slip 37
Fastcoat Primer 37
Fibreglass Reinforcing Tape 71
Fine Crack Filler 11
Fine Crack Filler Cold Cure 11
Firm-Step Duckboard 82
Firm-Step Edge 60
Firm-Step Edge Glow 60
Firm-Step Grating 82
Firm-Step Heavy Duty GRP Covers 58
Firm-Step Heavy Duty GRP Sheets 59
Firm-Step Precision Stair Treads 60
Firm-Step Standard GRP Covers 57
Firm-Step Standard GRP Sheets 57
Flashing Bandage 81
Flexible Crack Sealant 10
Flexible Joint Repair 11
Flexicoat 33
FLOOR COATINGS 20
Floor Joint Sealant 10
Floor Joint Sealant Primer 10
Flowpatch 9
Flowpatch Coloured 9
Flowpatch Deep Fill 9
Flowpatch Sub Zero 9
Flowtop 15
Flowtop Advanced 15
Flowtop Coloured 15
Food Safe Coating 33

G

Galvaplime 78
Grip-Master 55
Grip-Master Comfort 55
GRP Adhesive Mastic 60
GRP Decking Strips 63

H

Handrail System 88
Hazard Safety Tape 65
Hazard Surestep 91
Heavy Duty Duckboard Roll 83

Heavy Duty Anti Slip Traffic Paint 47

Heavy Duty Asphalt Paint 47
Heavy Duty Cable Protector 87
Heavy Duty Edge Buffer 90
Heavy Duty Line Marking Tape 66
High Visibility Paint 68
Hygienic wall Coating 73

I

Impact Protection 91
Industrial Wall Coating 73
Interlocking Flooring 83
IPA Cleaner 62

L

LINE MARKING 66
Liquid Roof Membrane 80
Liquid Waterproofer 71

M

Masonry Waterproofer 75
MATTING 82
Matt Concrete Floor Paint - Best Ever Formula 23

N

New Concrete Primer 44

O

Oil Block Primer 45

P

Parking Bumpers 86
Permaline 67
Plant Room Coating 70
Powerfloat Primer 45
Powerfloat Primer Rapid 45
Powerfloat Sealer 41
Primebase 76
PROTECT 92
Protect Absorbent Cushions 94
Protect Absorbent Granules 95
Protect Absorbent Pads 94
Protect Absorbent Socks 94
Protect Degreaser Tablets 92
Protect Floor Polish 93
Protect Floor Polish Stripper 93
Protect Industrial Floor Degreaser 92
Protect Industrial Floor Cleaner 92
Protect Oil Drain Booms 95
Protect Oil Spot Cleaner 93
Protect Polish Floor Cleaner Tablets 92
Protect Spill Control Drain Cover 95
Protect Spill Kit Bag Chemical 96
Protect Spill Kit Bag General 96
Protect Spill Kit Bag Oil 96
Protect Spill Kit Bin Chemical 96
Protect Spill Kit Bin General 96
Protect Spill Kit Bin Oil 96
Protect Wax, Tar & Tape Remover 93
Protecta-Coat 40
Protecta-Coat Anti Slip 40
Putty Patch 13

R

Racking Protectors 90
Rainshield 75
REPAIRS 4
Resiflow Anti Slip 31
Resiflow Chemical Grade 31
Resiflow Flex 31
Resiflow Supergloss 31
Road Paint Rapid 47

Road Patch Rapid 19
Roadmarker 69
Roadmarker Reflective 69
Rollgrip 63
ROOFING 78
Roofite 79
Roofite Joint Sealant 78
Roofite Pour & Restore 79
Roofite Repair Mortar 79
Roofite Scrim 78
Roofite Solar Reflective 78
Roofsafe 78
Roof Walkway Matting 81
Rust-Stop Metal Paint 76

S

Safety Coat - Best Ever Formula 51
Safety Coat Coarse - Best Ever Formula 51
Safety Coat Coarse Hygienic - Best Ever Formula 51
Safety Coat Cold Cure 33
Safety Coat Food Safe 33
Safety Coat Hygienic - Best Ever Formula 51
Safety Grip 53
Safety Grip Cold Cure 53
Safety Grip Flex 53
Safety Grip Rapid 53
Safety Tape 65
Safety Tape Edge Sealer 65
Safety Tape Primer 65
Soft Step 83
Solar Reflective Coating 80
SPECIALIST COATINGS 70
Spectrum 36
Sprayline Plus 69
Sprayline Plus Applicator 69
Stair Nosing 61
Steel Safety Rail 90
Stellar Flake System 39
Stellar Metallic Chip 38
Stellar Metallic Coating 39
Step Repair Kit 12
Stepmarker 67
Surestep Roll 63
Surestep Treads 62

T

Tack Coat 7
Tacktile Plates 89
TAPES 64
Tape Primer 64
Thermoline 67
Tile Primer 45
Tools 98
Toughline 68
TRAFFIC CONTROL 86
Trafficline 69

U

UltraBond Tape 64
Universal Sealer Dustproofer 43

V

Vertical Crack Filler 11
Vynacoat 43

W

Wallguard 72
Wallseal 72
Washable Entrance Mat 84
Water-Trap mat 85
Weatherguard 10 74

Return address:
Orbital Mailing, The Boulevard, Ashford, Kent TN24 0GA



Please quote when ordering
Keycode

Customer Account Number



If you have finished with this catalogue, please recycle or pass it on to a colleague.

Our product range has now been reformulated for a scientifically proven superior performance.

See inside for more

Watco products are designed for use by business customers.
Prices exclude VAT and delivery.

Watco UK Ltd, Watco House, Filmer Grove, Godalming, Surrey GU7 3AL
Phone **01483 418 418** Fax **01483 428 888**
Email **sales@watco.co.uk** web **www.watco.co.uk**



BCF
British Coatings Federation

watco