

# watco®

- Money back guarantee
- Manufactured in the UK
- Unique formulations

## STRONGER. FASTER. EASIER.



Technologically developed  
for a superior performance.

See pages 4, 36 & 42



# 90 years of innovation

Our inhouse chemists are constantly researching and developing products to ensure your maintenance jobs are stronger, faster and easier. That's why we are introducing three of our top innovations; Concrex Advanced, Fastcoat and Powerfloat Sealer. Take a look inside our latest catalogue for more.



## The most highly qualified paint range

Our chemists recently completed a series of tests across our entire coatings range, to ISO standards. Nearly 800 tests later, we're the most qualified floor paint range available. And because we formulate and manufacture our floor coatings and repair products in our own UK factory, you're guaranteed quality from beginning to end.

## contents

04	REPAIRS
24	FLOOR COATINGS
52	ANTI SLIP FLOOR COATINGS
58	ANTI SLIP PRODUCTS
66	TAPES
68	LINE MARKING
72	SPECIALIST COATINGS
80	ROOFING
84	MATTING
90	TRAFFIC CONTROL
94	PROTECT
95	TOOLS
96	TESTS
97	INDEX

## What you'll get with Watco

- ▶ Award Winning Technical Advisors
- ▶ Free Samples
- ▶ Money-back Guarantees
- ▶ Free Site Visits
- ▶ Next Day Delivery

**Get in touch today**



## Easy ordering



By telephone

**01483 418 418**

Mon-Fri 8am – 5.30pm



By email

[sales@watco.co.uk](mailto:sales@watco.co.uk)



Online

[watco.co.uk](http://watco.co.uk)



By post

Watco UK Ltd  
Watco House, Filmer Grove  
Godalming, Surrey GU7 3AL



# STRONGER. FASTER. EASIER.



**Virtually  
indestructible  
repairs to  
concrete**

**CONCREX® ADVANCED**

**See pages 4-7**

**Back  
to business  
in one day**

**FASTCOAT**

**See pages 36-38**

**The easy way  
to seal smooth  
concrete**

**POWERFLOAT SEALER**

**See pages 42-44**

# CONCREX® ADVANCED

## The strongest repair mortar for concrete



2

**GRANITE HARD**  
Ceramic additive makes  
Concrex Advanced  
virtually indestructible

1

**QUICK CURING**  
Dries quickly to  
withstand heavy traffic  
in 1 hour

Concrex Advanced is based on our best-selling Concrex, but offers you even more benefits, such as an ultra-fast setting formula to speed up your repair job.

Concrex Advanced, is granite hard and virtually indestructible, making it the perfect solution for repairing warehouse and production floors. Its powerful epoxy resin and ceramic additive come pre-blended with the aggregate to save you preparation time. The Concrex Advanced formula is fast curing. So fast, in fact, it can withstand heavy traffic in just 1 hour. That means you'll be able to get back to business with minimal downtime. The new formula stands up to temperatures as low as 10°C and has excellent chemical resistance to protect your floor for years to come.



3

**CHEMICAL RESISTANCE**

Keep floors looking better  
for longer

4

**ABRASION RESISTANCE**


For a stronger, longer  
lasting repair

**BEST  
SELLER**



# Concrex® Permanent granite-hard floor repairs.


Our best-selling floor repair mortar comes in several easy-to-use versions



## info

Watco Tack Coat is essential for shallow application and screeding

## Where to use Concrex®



Concrex® Coloured	Light Grey
Concrex® Coloured	Blue
Concrex® Coloured	Stone
Concrex® Coloured	Black
Concrex® Coloured	Tile Red
Concrex® Coloured	Green
Concrex® Coloured	Buff
Concrex® (all others)	Original

The colours shown here are intended to give an indication and should not be taken as an accurate guide



## Watco Concrex®

**Our original, best-selling floor repair mix: fast, permanent and strong.** Outstanding strength and reliability are guaranteed with minimal prep time from one of our most popular and trusted products.

Concrex® cures to a granite-hard finish that is impervious and non-dusting.

- **Easy to apply** Cures in 3 to 6 hours. Ready for light traffic in 8-12 hours at 20°C
- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Virtually indestructible** 8 times stronger than concrete. Full strength achieved at 5mm thickness
- **Minimal prep time** Saves labour costs; mix and apply in minutes
- **Tack Coat Primer** Essential for shallow applications and screeding

► 10kg • £80.80  
► 25kg • £159.10

## Watco Concrex® Rapid Set

**Ideal for rapid repairs in all heavily trafficked industrial areas.** Hard-working and as strong as Concrex®, this cures in only 3 hours under normal conditions.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Take your time** 30 to 60 minute working life, so there's no need to rush

► 10kg • £95.80  
► 25kg • £183.50

## Watco Concrex® Cold Set

**Specialist formula for making long-lasting repairs to colder areas.** The perfect product for all-year-round repairs.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Ultra strong** The repair answer for places such as cold rooms, entrance ways and outside areas where temperatures drop to 0°C

► 10kg • £95.80  
► 25kg • £183.50

## Watco Concrex® Advanced

**Our most technologically advanced concrete repair product yet.** Years of research and expertise in our laboratories has gone into creating Concrex® Advanced.

Based on our best-selling Concrex®, this Advanced formula offers a range of high-tech benefits that will save you time and offer an even stronger, more hard-wearing finish.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Super-fast** Curing time from as little as 1 hour at 15°C to 20°C
- **Extremely tough** Ceramic additive offers exceptional abrasion resistance
- **Excellent resistance** Modified epoxy resin base gives superior resistance to chemicals
- **Tack Coat Primer** Essential for shallow applications and screeding

► 10kg • £109.70  
► 25kg • £213.20

## Watco Concrex® Acid Strength

**Repairs acid-damaged concrete, permanently.** The best resistance to chemicals that you can get with a curing time of just 5 to 6 hours at 20°C.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Superior Resistance** Withstands 95% sulphuric acid

► 10kg • £95.80

## Watco Concrex® Coloured

**Saving you the time and hassle of painting after repair work.** Our top-selling product is easy to use and can cope with heavy traffic at only 5mm thickness.

Coloured epoxy resin mortar for a better blend with a coloured floor.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Looks the part** Available in 7 colours

► 10kg • £94.40  
► 25kg • £191.40

## Watco Concrex® Sub Zero

**Perfect results under the toughest conditions when other repair mortars fail.** The answer when you have to undertake thin section and feather edge repairs in brutally cold weather.

This cures down to an incredible -20°C, and it's also impermeable and non dusting.

- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Does it all** Chemical resistant and anti-slip too

► 10kg • £95.80

Buy more, save more...		1-3 units	4-11 units	12+ packs
Concrex® Original	10kg	£80.80	£72.70	£68.60
Concrex® Original	25kg	£159.10	£143.20	£135.30
Concrex® Rapid Set	10kg	£95.80	£86.30	£81.40
Concrex® Rapid Set	25kg	£183.50	£165.20	£156.00
Concrex® Cold Set	10kg	£95.80	£86.30	£81.40
Concrex® Cold Set	25kg	£183.50	£165.20	£156.00
Concrex® Advanced	10kg	£109.70	£98.90	£93.20
Concrex® Advanced	25kg	£213.20	£192.30	£181.20
Concrex® Acid Strength	10kg	£95.80	£86.30	£81.40
Concrex® Coloured	10kg	£94.40	£89.70	£80.20
Concrex® Coloured	25kg	£191.40	£181.80	£162.60
Concrex® Sub Zero	10kg	£95.80	£86.30	

## You may also need...

Tools and Primers	Each
Tack Coat 1m <sup>2</sup>	£21.40
Tack Coat 6m <sup>2</sup>	£61.20
Tack Coat Sub Zero 750ml	£25.50
10" Steel Float	£6.60
4" Mix and Apply Trowel	£6.00
Large Concrex® Application Kit	£24.00
Small Concrex® Application Kit	£13.80
Concrex® Mixing Tub	£9.70

# Concrex® Deep Fill Stronger repairs with less fuss

## info

For a smooth finish, apply a first layer of Concrex® Deep Fill and one layer of Concrex®

Concrex® Deep Fill

## Watco Concrex® Deep Fill

**Economical and ultra-strong repair formula for deep holes.** Using advanced technology, Watco's Concrex® Deep Fill can be applied in one layer, reducing downtime and making it the ideal solution for getting rid of deep holes in heavy traffic areas.

A lower cost Concrex® option for difficult deep holes. Concrex® Deep Fill is a super-strong repair product that's suitable for internal and external use to fill holes in concrete, sand and cement, and even metal.

- **Coverage** Approx **0.5m²** per 25kg at 30mm thick
- **Choose your finish** For a smoother finish and feather-edge, use with our other Watco Concrex® products, or simply leave it with a coarser surface
- **Apply with ease** Mix the 2 components and apply in a single 15 to 100mm layer. Priming is not usually needed, however Concrex® Deep Fill can be used with **Watco Tack Coat**, our adhesive primer designed to help bonding in difficult areas
- **Less time waiting** Cures in 5 to 6 hours at 15°C to 20°C

► **25kg • £104.10**

## Watco Concrex® Deep Fill Cold Cure

**Deals with deep holes when the temperature falls to freezing level.** Delivers the same strength and features of our standard Concrex® Deep Fill, but specially formulated to handle essential repairs in cold conditions between 0°C and 10°C.

- **Coverage** Approx **0.5m²** per 25kg at 30mm thick
- **Likes the cold** Cures in 6 to 8 hours at 10°C and in 24-48 hours at 0°C

► **25kg • £125.90**

## Watco Concrex® Deep Fill Rapid

**When time's an issue this fills deep holes fast.** Offers the same coverage, usage and depth as our standard Concrex® Deep Fill, but designed to get areas back in action even quicker.

- **Coverage** Approx **0.5m²** per 25kg (30mm thickness)
- **Need for speed** Can be applied at temperatures above 10°C and is ready for light traffic in just 3 hours at 15°C to 20°C

► **25kg • £125.90**

## Watco Concrex® Coving Mortar

**Create coved skirting for easier cleaning.** Our Coving Mortar uses Concrex® technology for tough, chemical and impact resistant skirting.

- **Coverage** Each 5kg pack produces approx **5 metres** of 50mm x 50mm coved skirting and can be applied with a coving trowel for depths between feather-edge and 50mm. Use 1m² **Watco Tack Coat** as a primer for every two packs of Concrex Coving Mortar
- **Stays strong** Even with feather-edges
- **Applies with ease** Suitable for concrete, sand and cement, and metal
- **Fast finish** Cures in 3 to 6 hours at 15°C to 20°C

► **5kg • £55.70**



Concrex® Coving Mortar





Concrex® Flex

## Watco Concrex® Flex

**Solid and strong where there's movement.** Concrex® Flex is a specifically designed resin blend to cope with movement and vibration, making problem areas a thing of the past.

Featuring the same super tough properties of Concrex®, Concrex® Flex is ideal for repairs around expansion joints, it is suitable for interior and exterior use, and can be painted.

- **Coverage** Approx **1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Repairs damage** Ideal for use on damaged concrete around expansion joints, ramps, guide rails, drains, and manhole covers. Creates feather-edges without breaking
- **Fast working** Cures in 5 to 6 hours at 15°C to 20°C, and is ready for heavy traffic in 12 to 16 hours
- **Fuss free** Applies easily using a steel float or trowel. **Watco Tack Coat** recommended before use

► **10kg • £103.30**

## Watco Tack Coat

**Epoxy resin adhesive primer for stronger repairs.** New formula, designed for use with Concrex® in shallow, fiddly, or vertical repairs, it can be applied to damp or dry surfaces at temperatures above 0°C.



CURES AT  
0°C

- **Works with most materials** Suitable for use with concrete, render, stone, sand and cement, and metal – inside or out. Can be applied on top of existing paint once loose paint flakes are removed
- **Job done** Can be overcoated with Concrex® within 30 to 60 minutes. Essential for shallow applications and screeding
- **Watco Tack Coat Sub Zero** Available for use with Concrex® Sub Zero at temperatures as low as -20°C

► **1m<sup>2</sup> • £21.40**

► **6m<sup>2</sup> • £61.20**

► **Sub Zero 750ml • £25.50**

## Watco Concrex® Application Kits

**Large Application Kit includes:**

4 plastic bags for transporting, 750ml white spirit, 10" steel float, 6" trowel, wire brush/scrapper, 5 cloths and nitrile gloves.

Ideal for 25kg of Concrex®

► **Large • £24.00**

**Small Application Kit includes:**

2 plastic bags for transporting, 250ml white spirit, mix and apply trowel, wire brush/scrapper, cloth and disposable gloves.

Ideal for 10kg of Concrex®

► **Small • £13.80**

## Concrex® Mixing Tub

440mm x 650mm x 150mm deep



## You may also need...

Buy more, save more...		1-3 units	4-11 units	12+ packs
Concrex® Deep Fill	25kg	£104.10	£93.80	£88.50
Concrex® Deep Fill Cold Cure	25kg	£125.90	£113.40	£107.00
Concrex® Deep Fill Rapid	25kg	£125.90	£113.40	£107.00
Concrex® Rapid Set	25kg	£183.50	£165.20	£156.00
Concrex® Coving Mortar	5kg	£55.70	£52.90	
Concrex® Flex	10kg	£103.30	£98.10	

Tools	Each
4" Trowel	£6.00
Coving Trowel	£28.60
Concrex® Mixing Tub	£9.70

# Flowpatch® Easy pour, rapid setting floor repairs for heavy traffic areas



## FIX IT FAST PROMISE

If your repair using Flowpatch® isn't ready for traffic in two hours we'll give you your money back



HEAVY  
DUTY



FIBRE REINFORCED  
FOR EXTRA STRENGTH

Flowpatch®

Flowpatch® – How to apply:



**1** Prepare the damaged area by sweeping out any debris and loose material. For dirt or oily surfaces an industrial degreaser such as **Watco Concroff** (page 48) or **Watco Bio-D** (page 48) should be used.



**2** Mix the Flowpatch repair mortar with water, keeping in mind the mixing ratio 3 parts Flowpatch 1 part water. For easy mixing use a Watco Mixing Blade.



**3** Pour the mixture into the damaged area. Flowpatch is a self-levelling compound and requires minimal effort. Spreading the mixture over with a trowel will give a professional finish.





## Watco Flowpatch®

Simply add water, mix and pour to repair any area of damaged concrete. For rapid repairs to concrete, this will be ready for foot traffic after just 30 minutes and for forklift use within a couple of hours.

Flowpatch® will give a slip-resistant finish for real peace of mind and it can be applied quickly and easily to either dry or damp surfaces.

- **Coverage** 0.5m<sup>2</sup> per 25kg at 25mm thick
- **Sets at low temperatures** No need to wait for warm conditions. Cures at 10°C

► 25kg • £112.00



## Watco Flowpatch® Coloured

The perfect product for quick repairs to holes in coloured concrete. No need for overcoating and coverage is 0.5m per 25kg at 25mm thick.

- **Coverage** 0.5m<sup>2</sup> per 25kg at 25mm thick
- **Colour** Four great options available. See panel, below left

► 25kg • £129.80

Flowpatch® Coloured	Blue
Flowpatch® Coloured	Green
Flowpatch® Coloured	Stone
Flowpatch® Coloured	Tile Red
Flowpatch® (all others)	Original

The colours shown here are intended to give an indication and should not be taken as an accurate guide



Flowpatch® Coloured

## Watco Flowpatch® Deep Fill

Just what you need for filling holes between 50mm and 200mm deep. The coarser aggregate in this effective formula makes it a more economical way to deal with deeper holes and damaged concrete.

- **Coverage** is 0.25m<sup>2</sup> per 25kg at 50mm thick

► 25kg • £91.00

## Watco Flowpatch® Sub Zero

Special formula for use when temperatures drop



CURES AT  
-20°C

as low as -20°C. Because this product can be trowelled into holes from just 20mm to 100mm deep in one application, there's no need to build up the repair in layers.

- **Coverage** is 0.25m<sup>2</sup> at 20mm thick per 10kg – and 0.6m<sup>2</sup> at 20mm thick per 25 kg
- **Fast curing** Ready for light traffic after 1 hour
- **Versatile** Can be used inside and out

► 10kg • £66.30

► 25kg • £165.20



Flowpatch® Deep Fill

## You may also need...

Buy more, save more...		1-3 units	4-17 units	18+ packs
Flowpatch®	25kg	£112.00	£106.40	£78.40
Flowpatch® Coloured	25kg	£129.80	£123.30	£90.90
Flowpatch® Deep Fill	25kg	£91.00	£86.40	£63.60
Flowpatch® Sub Zero	10kg	£66.30	£62.90	£46.40
Flowpatch® Sub Zero	25kg	£165.20	£157.00	£115.70

Tools	Each
10" Steel Float	£6.60
Mixing blade	£10.80

# Get concrete looking like new again



Floor Joint Sealant

## Watco Floor Joint Sealant

A flexible seal for cracks in concrete flooring and expansion joints. Based on the latest polyurethane technology, our pourable, two-part Floor Joint Sealant protects floor joints and slab edges.

Use masking tape along the edge for a flawless finish.

- **Coverage** approx **20 metres** of a joint 10mm wide x 10mm deep per 2 litre pack
- **Battles bad weather** Fills and seals both interior and exterior moving and non-moving concrete floor joints

- **Seals in a flash** Cures in 8 to 12 hours at 15°C to 20°C. Requires our 250ml **Floor Joint Sealant Primer** before use. For deep floor joints we recommend using **Watco Back Up Rods**
- **Super resistance** Excellent compression and recovery makes this perfect for heavy traffic areas. Resists chemical spills

► **2L • £61.00**

► **250ml Primer • £11.50**

### info

Apply masking tape before pouring sealant for a flawless finish



## You may also need...

Tools	Each
10m Back Up Rod 15 mm diameter	£6.70
10m Back Up Rod 20 mm diameter	£8.80
10m Back Up Rod 25 mm diameter	£12.30





Flexible Joint Repair

## Watco Flexible Joint Repair

**A heavy duty flexible repair for expansion joints.** This tough, flexible filler means what is usually a two stage job is now just one simple process.

Most traditional flexible filler applications require two steps - reforming joint edges with mortar, and then filling the joint with expansion materials. Watco Flexible Joint Repair eliminates the need to reform joint edges, making the process one simple step rather than two.

- **Quick and easy** Repair broken expansion joints - ready for use in 8-12 hours
- **Flexible polyurethane mortar** Fills the joint and the broken concrete joint edges in one simple process
- **Ultra strong** Suitable for heavy traffic including forklift

▶ **2.5L • £65.00**



Cold cure version available

Fine Crack Filler

## Watco Fine Crack Filler

**Our tough solution for fine cracks.**

A no-shrink two-part epoxy liquid that doesn't require sanding down and is ideal for interior and exterior cracks 2 to 3mm wide.

- **Done in a flash** Cures in only 4 hours at 15°C to 20°C
- **Goes the distance** 500ml will fill over **25 metres** of a crack 2mm wide by 5mm deep
- **Choose your surface** Suitable for concrete, and sand and cement and it can be coated with any type of floor paint
- **Cold cure version** For applications in temperatures as low as 0°C

▶ **500ml • £27.60**

▶ **500ml Cold Cure • £30.10**

### info

Where possible, use masking tape to minimise overspill



Flexible Crack Sealant Tremco SP540

## Watco Flexible Crack Sealant Tremco SP540

**Easy to apply, flexible sealant designed for floors and walls.** Watco Flexible Crack Sealant fills and seals joints or cracks between 3 and 25mm wide to form a hardwearing, chemical resistant repair that moves with your material (±25%).

This economical sealant is enough to fill approx. 9 metres of 6mm wide and 6mm deep crack with a single cartridge.

- **Trouble Free** Easily applied with a standard **Skeleton Gun**. Adheres to metal, enamel, wood, GRP and plastics, without the need for primer. Can be painted over after 24 hours
- **Stands tough** Suitable for horizontal and vertical repairs on most surfaces, with slump resistance
- **Rapid results** Tack-free in less than 4 hours at 15°C to 20°C

▶ **310ml • £12.50**

### TOOLS

Check out our range to find the right tools for the job



## You may also need...

Tools	Each
10" Steel Float	£6.60
Mixing Tub	£9.70
Mix and Apply Trowel	£6.00
Skeleton Gun	£4.80

# Strong repairs to damage in tricky areas



## Watco Concrex® Vertical

**An easy way to repair vertical surfaces.** Specially designed by Watco to fix damaged concrete, our super-tough formula contains lightweight fillers capable of handling even overhead repairs.


Ideal for frost-affected concrete with exposed reinforcement, Watco Concrex Vertical stands up tough against the elements. Concrex Vertical is a two-part epoxy resin mortar that's suitable for concrete, stone and metal.

For cold weather we have Concrex Vertical Cold Set which can be applied at any depth, from feather-edge to 50mm, at temperatures down to zero degrees.

- **Coverage** Approx **2.4m<sup>2</sup>** at 5mm, per 10kg pack
- **Gravity defying** Shatterproof against impact and won't slump during application. Perfect for repairs to pillars, sills, beams, render and stonework
- **Fast track** Cures in only 5 to 6 hours at 15 to 20°C, and 10 hours at 10°C. Will hold lightweight fixing while wet and can be drilled once cured
- **Minimal prep** Requires **Watco Tack Coat** before use. If rusty, use **Watco Primebase** prior to Tack Coat

▶ **10kg • £85.80**

▶ **10kg • Cold Cure • £95.80**



Concrex® Fine Filler

## Watco Concrex® Fine Filler

**Before painting, repair minor imperfections in your floors with this extremely strong filler. Strong enough for fine crack repairs in areas that are subject to heavy traffic.**

This is an extremely strong two pack epoxy resin paste that is ideal for horizontal and vertical surfaces, inside and out. It is an economical solution for scratches or small holes, will not shrink as it cures, and boasts good chemical resistance.

- **Quick repairs** Not only is it easy to mix (50:50 ratio by weight or volume) but it is also economical. Just mix only as much as you need at one time, and the repair will cure in just one hour at 15°C-20°C
- **Versatile** Ideal for repairing scratches, blemishes, small gaps, cracks and holes in concrete and masonry
- **Strong** The adhesive strength of Concrex Fine Filler is greater than the strength of concrete itself, so you can rely on it even in heavy traffic areas.
- **Ideal preparation** Once applied you can leave your repaired area as is, or paint over with a Watco coating

► **1.5kg • £41.90**



Vertical Crack Filler

## Watco Vertical Crack Filler

**Gravity-proof adhesive filler for high strength repairs.**

Vertical Crack Filler is an extra-strong repair formula for all exterior and interior stonework.

Virtually solvent free and easy to apply, the filler doesn't slump during application and can be used on cracks up to 10mm wide.

- **Super speed** Cures in only 3 to 4 hours at 15°C to 20°C
- **Everything you need** Also works as a general purpose adhesive. Comes as a kit with the epoxy resin and curing agent (total volume 310ml), an empty cartridge that fits a standard skeleton gun, and plunger and nozzle
- **Handles most materials** Ideal for concrete, mortar, brick, stone, glass, steel, other metals and many types of timber

► **310ml • £24.00**



# Strong repairs to damage in tricky areas



Watco High Strength Epoxy Resin Grout

## Watco High Strength Epoxy Resin Grout

**Outstanding adhesion, strength, and versatility.** Hold machinery fixings permanently in place.

The extreme strength and adhesion properties of this 100% solids epoxy resin means you can rely on it permanently. With excellent resistance to a range of acids and oils it is ideal for industrial environments

- **Long-lasting strength** Tensile strength >30 MPa at 20°C. Compressive strength >60 MPa at 20°C
- **Fill voids and cracks** Provide permanent fixings for bolts, railings, and posts, or to anchor machinery which vibrates in use
- **Excellent chemical resistance** Impervious to dilute acids, alkalis, oils and petrol

► **2kg • £30.00**



Step Repair Kit

## Watco Step Repair Kit

**All the essentials needed to repair your concrete steps.** This kit contains everything you need to permanently repair concrete steps, inside and out.

### • Kit contains:

- 10kg Watco Concrex
- 1m<sup>2</sup> Watco Tack Coat
- 250ml Low Odour White Spirit
- Wire Brush/ Scraper
- Disposable Paint Brush
- Cloths & Rubber Gloves
- Mix and Apply Trowel

• **Coverage** Approx. **1.2m<sup>2</sup>** at 5mm thick per pack

• **Tack Coat primer** Essential for shallow applications and screeding

► **£95.70**

► **Cold Cure • £110.50**



## Watco Putty Patch

**Long-lasting, durable repairs now only take 10 minutes with our mouldable repair mortar. Simply shape the easy to mix material with your hands to fit almost any profile that needs repairing.**

For quick repairs to concrete, inside and out, our solution is Putty Patch. The putty-like consistency can easily be formed and shaped by hand or trowel, and will set in just 10 minutes

- **Coverage** As a guide, each 10kg unit will cover approximately **1m<sup>2</sup>** when applied 5mm thick
- **Incredibly easy to use** Simply add water, mix, and apply. Shape it to fit your difficult repairs, such as curved step nosing's, kerbs, moulded stonework or concrete, and other damaged vertical or horizontal surfaces

- **Super Speed** Initial set time is just 10 minutes, and will set hard in 60 minutes. Over the next few days the surface strength will continue to improve
- **Works at low temperatures** Ideal for rapid repairs, even in colder temperatures as it will set as low as 5°C
- **Versatile** Apply at any depth from 5-100mm, and smooth off or feather edge as necessary

► **10kg • £47.50**

### TOOLS

Check out our range to find the right tools for the job

#### Steel float



## QUICK DELIVERY

We hold huge stocks so we won't keep you waiting!  
We offer a 2-3 day standard delivery or next day delivery is available for orders placed by 2pm.



## You may also need...


Tools	Each
Tack Coat 1m <sup>2</sup>	£21.40
Tack Coat 6m <sup>2</sup>	£61.20
10" Steel Float	£6.60
Mix and Apply Trowel	£6.00



# Flowtop® Make damaged and dangerous concrete safe. Tough enough to withstand forklift trucks



## Flowtop® – How to apply



Flowtop® is extremely simple and effortless to use.

**1** Apply the primers that are included in the pack

**2** Mix the product using the mixing blade in an electric drill

**3** Pour out the mixed product

**4** Spread the mixed product with a trowel

**5** Remove any air with a spiked roller

**6** As a guide, a 25kg pack of Flowtop® will cover approx 3.7m² at 3mm thick

Flowtop® Coloured

Blue

Flowtop® Coloured

Green

Flowtop® Coloured

Stone

Flowtop® Coloured

Tile Red

Flowtop® (all others)

Original

The colours shown here are intended to give an indication and should not be taken as an accurate guide

Flowtop®

## Watco Flowtop®

Tackle large areas of uneven and damaged floor quickly and easily. Smooth, non-dusting surfaces are easy to achieve and you can successfully apply a top coat of paint as well.

- **Coverage** Approx **3.7m<sup>2</sup>** at 3mm thick; **2.25m<sup>2</sup>** at 5mm thick; and **1.1m<sup>2</sup>** at 10mm thick
- **Reinforced with fibre** A stronger, more durable surface that will withstand forklift truck traffic at only 3mm thick
- **Good for garages** Provides a smooth easy to clean surface
- **Forklift friendly** Excellent resistance to forklift trucks and stands up to general industrial wear and tear
- **Colour options** Available in a choice of colours
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £75.40



## Watco Flowtop® Advanced

Our toughest resurfacer restores rough or damaged concrete to its original condition – or better! The research and expertise of our team of chemists has resulted in an even better version of our popular Flowtop® product.

An Advanced resurfacer which also gives superior resistance to chemicals and abrasion.

- **Coverage** Approx **3.7m<sup>2</sup>** at 3mm thick; **2.25m<sup>2</sup>** at 5mm thick; and **1.1m<sup>2</sup>** at 10mm thick
- **Time saver** Easy to apply; saves time, effort and costs
- **Unrivalled** abrasion resistance Stands up to the heaviest industrial use
- **Strength in depth** Our epoxy resin redefines the meaning of strong
- **Back in a day** Foot traffic can resume after only 6 hours
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £96.90

## Watco Flowtop® Coloured

Resurface damaged, uneven concrete and keep your floors looking great. This self-levelling compound makes it easier than ever.

You can pour a new floor directly from the container with Flowtop® Coloured, which saves you time, effort, and mess. It will self level to a smooth, easy to clean surface, in a choice of 4 colours.

- **Coverage** Approx **3.7m<sup>2</sup>** at 3mm thick; **2.25m<sup>2</sup>** at 5mm thick; and **1.1m<sup>2</sup>** at 10mm thick
- **Reinforced with fibre** A stronger, more durable surface that will withstand forklift truck traffic at only 3mm thick
- **Easy to use** Just 4 steps to a smooth, tough floor thanks to the pourable and self levelling formulation
- **Reliable** Slip resistant, non-dusting finish, which can be over coated or left as a tough wearing surface
- **Colour options** Choose from Blue, Green, Buff, or Tile Red
- **Curing time** Foot Traffic after 6 hours, forklifts after 24 hours at 15°C-20°C

► 25kg • £91.40

**TOOLS**  
Check out our range to find the right tools for the job

Mixing blade



Spiked shoes



Steel float



Spiked roller



Flowtop® Coloured

## You may also need...

Buy more, save more...		1-3 units	4-17 units	18+ packs
Flowtop® Grey	25kg	£75.40	£71.60	£56.50
Flowtop® Advanced Grey	25kg	£96.90	£91.80	£72.70
Flowtop® Coloured	25kg	£91.40	£86.80	£68.50

Tools	Each
Mixing Blade	£10.80
7" Spiked Roller	£17.30
Telescopic Handle	£10.20
Spiked Shoes	£26.70
Steel Float	£6.60



# Bitu-Mend® Easy, instant pot hole repairs



Bitu-Mend® – How to apply





## Watco Bitu-Mend®

**Fast, durable, trusted pothole repairs.** Our

standard Bitu-Mend is ideal for repairing exterior potholes in asphalt and concrete.

Containing a unique aggregate mix for added strength, Bitu-Mend is easily compacted with just a tamper and repairs depths for 25mm to 75mm. A choice of black or red.

- **Coverage** Approx **0.5m²** for 25kg at 25mm
- **All in one** No mixing required, Bitu-Mend pours straight from the pack. Pack also includes primer
- **Straight to work** Can be driven on by cars or HGVs straight after application

► **25kg Black • £50.90**

► **25kg Red • £64.60**



### Tamper

A 4.5kg square tamper with a 1370mm steel shaft that ensures the optimum application of Bitu-Mend®



## Watco Bitu-Mend® Advanced

**Heavy-wear epoxy resin delivers**

**permanent repairs.**

Our advanced formula is specially designed to deliver stronger, longer-lasting repairs for holes in concrete and asphalt surfaces.

Bitu-Mend Advanced's unique technology guarantees a thinner, more durable repair than traditional bitumen-based products, to meet the needs of heavy traffic areas.

Bitu-Mend Advanced is an epoxy resin formulation, ideal for repairs of interior and exterior holes at depths from 10mm to 100mm. Available in black.

- **Coverage** Approx **1m²** per 25kg at 15mm
- **Heavy duty healing** Super strong for areas where forklifts and lorries operate
- **Goodbye hazards** Resurfaces trip hazards such as potholes and worn patches in asphalt and tarmac. Also suitable for bedding in and fixing guide rails etc
- **No pricey tools** Apply using just a trowel. Cures in just 12 hours at 15°C to 20°C

► **25kg • £98.70**



The colours shown here are intended to give an indication and should not be taken as an accurate guide

### Hand Shovel

Black steel shovel with a 5" handle, it ensures the optimum application of Bitu-Mend®



## Watco Bitu-Mend® Deep Fill

**One application epoxy repair for deep holes.** Bitu-Mend Deep Fill is ideal for fixing holes between 15 and 200mm deep.

Suitable for heavy traffic areas, it provides strength throughout the repair and cures to a black, slip-free finish.

- **Coverage** Approx **0.5m²** at 30mm
- **Easy does it** No primer required. Can be walked on after 8 to 12 hours and is ready for heavy traffic after 12 to 24 hours (at 10°C to 20°C). Apply using a trowel, or a tamper for multiple repairs
- **Inside and out** Suitable for interior and exterior asphalt and concrete surfaces

► **25kg • £71.60**

## Watco Bitu-Mend® Pour & Restore

**New pourable resin for asphalt and tarmac.** Bitu-Mend Pour & Restore repairs shallow damage between 6 and 20mm deep, while delivering a slip resistant surface tough enough even for cars and lorries.

With the combined strength of epoxy resin and our easy to mix granite aggregate, Pour & Restore guarantees a durable finish that blends with the surrounding area.

Pourable consistency means the product self-smoothes with only a little help from a trowel to restore pitted, dished or worn surfaces.

- **Coverage** Approx **1.5m²** at 6mm or **1m²** at 10mm deep
- **Easy fix** With a simple mix and apply method, it's the easy alternative to digging out damaged asphalt. Ideal for car parks, yards, and pavements
- **Fast drying** Touch dry in 1 hour and ready for traffic in 16 hours at 20°C to 25°C

► **15kg • £62.00**

## You may also need...

Buy more, save more...		1-9 units	10-32 units	33+ packs
Bitu-Mend® Black	25kg	£50.90	£43.40	£35.60
Bitu-Mend® Red	25kg	£64.60	£55.00	
Bitu-Mend® Advanced	25kg	£98.70	£88.70	£69.20
Bitu-Mend® Deep Fill	25kg	£71.60	£64.60	£50.10
Bitu-Mend® Pour & Restore	15kg	£62.00	£58.90	

Tools	Each
Tamper	£31.70
6" Trowel	£3.00
Hand Shovel	£3.90



# Repair and protect asphalt and concrete



Asphalt Crack Filler

## Watco Asphalt Crack Filler

**Repair and protect against water and erosion.** Cracks in asphalt spoil its appearance and can soon lead to water ingress, erosion and faster deterioration of the surface.

This rubberised bitumen filler is the answer. Crack repairs are now easy to sort. Cures in 2 to 4 hours at 15°C to 20°C or may take up to 10 hours for wider cracks.

- **Coverage** 5 litres fills **100m** of 5mm wide x 5mm deep cracks
- **Fully flexible** Expansion and movement no longer a problem
- **Keeps water out** Tough and long-lasting with excellent adhesion and prevents water ingress
- **Go large** Can be mixed with **Sand Additive** for larger repairs to cracks between 3 and 25mm

► **5L • £37.10**



Concrex® Asphalt Repair

## Watco Concrex® Asphalt Repair

**For repairs to the hardest-working surfaces.** When it comes to areas where traffic such as forklifts and heavy, narrow wheeled trolleys are used, most asphalt repair products remain slightly soft and can't cope. This one is different.

The ideal answer for repairing thin asphalt screeds and toppings, Concrex Asphalt Repair is perfect for car parks, loading bays and other heavily-used areas.

- **Coverage** Approx **1m<sup>2</sup>** per 25kg at 15mm thick
- **Extremely hard-wearing** Strong enough to hold posts and guard rails
- **Goes thin** Coarse texture blends right in and can be applied thinly when required

► **25kg • £98.70**



Asphalt Easy Fill

## Watco Asphalt Easy Fill

**Quick, fast crack repairs that last.** Flexible rubber-based sealant seals cracks and joints in no time. Can be used on asphalt, concrete, metal, stone and brick and dries in just 24 hours.

- **Damage protection** Prevents erosion and damage by keeping out water
- **Fine Finish** Ideal for finishing off edges covered by Bitu-Mend

► **310ml • £10.20**

## Our Guarantee

**All Watco concrete and asphalt resurfacing products are not only quick and easy to use – we are so confident of results, we guarantee your money back if you are not satisfied**

### TOOLS

Check out our range to find the right tools for the job



## You may also need...

Tools	Each
2L Spouted Jug	£5.60
5kg Sand Additive	£10.60
Skeleton Gun	£4.80
Foam Squeegee	£10.50
Telescopic Handle	£10.20



Road Patch Rapid

## Watco Road Patch Rapid

**Patch repairs to asphalt and concrete are quicker than ever.** Just 2 hours after repairing your road you can be back in action.

Road Patch Rapid is ideal for repairs in heavy traffic areas that need to be brought back into use quickly. In 2 hours your surface will be able to withstand light traffic. Use for repairs all year round, at temperatures as low as -20°C.

- **Easy to apply** Ideal for repairing holes in heavy traffic areas that need to be back in use quickly
- **Incredibly strong** The non shrinking material repairs old asphalt and concrete to a granite like finish
- **Fast curing** In 1 hour the surface will be showerproof, after 2 hours it will withstand light traffic, and in just 6-8 hours the repair will be fully cured and ready for car traffic, in temperatures of 15°C
- **Withstands the cold** The magnesium phosphate based formula generates heat when it is mixed with water, so you can use it at temperatures as low as -20°C
- **Coverage** 25kg produces approximately 4.6 litres of mortar, this covers **0.25m<sup>2</sup>** when applied at 20mm thick

► **25kg • £101.50**



Asphalt Resurfacer

## Watco Asphalt Resurfacer

**Seal, resurface and transform tired and worn asphalt.** Damaged surfaces look as good as new with this easy-to-apply resurfacer that needs no primer and offers excellent UV and weathering protection.

- **Coverage** Approx **8m<sup>2</sup>** per 25kg at 2mm thick and **15m<sup>2</sup>** at 1mm thick
- **Flexible system** Copes with natural movements in the substrate
- **Quick drying** Ready for light traffic in 24 hours
- **Safe surface** Gives a matt, non-slip finish
- **Easy to use** Safe and low odour, easy application with a 5" brush

► **25kg • £128.80**

	Dark Grey
	Tile Red
	Mid Green
	Black



Concrete Resurfacer

## Watco Concrete Resurfacer

**Bring new life to tired and drab concrete.** The easiest way to brighten up old exterior concrete, this is easy to apply with a 5" brush. Smooths quickly, or go over it with a patterned roller to add a textured finish.

Comes in a choice of three colours.

- **Coverage** Approx **8m<sup>2</sup>** per 25kg at 2mm thick and **15m<sup>2</sup>** at 1mm thick
- **Flexible system** Copes with natural movements in the substrate
- **Easy to apply** No primer required and one coat is enough
- **Strong in sun** Excellent resistance to UV
- **Feet and wheels** Tough enough both for cars and pedestrian traffic

► **25kg • £128.80**


	Light Grey
	Dark Grey
	Stone






# Epoxy Gloss Coat Best Ever Formula is now even more durable, more scratch resistant and has greater bonding power

The Watco Epoxy Gloss Coat range is the first choice for workshops, showrooms and heavy traffic areas. For anti slip versions of these products, please see the Watco Safety Coat range on page 53.



Epoxy Matt Coat



Epoxy Gloss Coat Hygienic

Watco Epoxy Gloss & Matt Coats are available in a range of finishes:

Gloss Matt Hygienic	<b>Light Grey</b> RAL No. 7035
Gloss Matt Hygienic	<b>Mid Grey</b> RAL No. 7036
Gloss Matt Hygienic	<b>Dark Grey</b> RAL No. 7005
Gloss Matt Hygienic	<b>Black</b> RAL No. 9005
Gloss Matt Hygienic	<b>Mid Blue</b> RAL No. 5015
Gloss Matt Hygienic	<b>Dark Blue</b> RAL No. 5005
Gloss Matt Hygienic	<b>Deep Red</b> RAL No. 3003
Gloss Matt Hygienic	<b>Signal Red</b> RAL No. 3020
Gloss Matt Hygienic	<b>Hazard Yellow</b> RAL No. 1021
Gloss Matt Hygienic	<b>White</b> RAL No. 9010
Gloss Matt Hygienic	<b>Mid Green</b> RAL No. 6002
Gloss Matt Hygienic	<b>Tile Red</b>
Gloss Matt Hygienic	<b>Sandstone</b> RAL No. 1014
Gloss Matt Hygienic	<b>Blue Grey</b> RAL No. 7000
Gloss Matt Hygienic	<b>Stone</b> RAL No. 7032

## Watco Epoxy Gloss Coat

**Highly durable, attractive gloss finish.** Ideal for environments where a tough, easy clean surface is required.

The new, reinforced epoxy resin formulation also dries in half the time, so you can apply two coats in one day and get the floor back into use faster.

The attractive new colour range is now produced to RAL classic colours.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres per coat. For interior use only. Two coats usually required
- **Strong barrier** Resistant to oil, solvents, and harsh cleaning chemicals. Designed for factories, warehouses, workshops and showrooms
- **Fast results** Cures in only 4-6 hours at 20°C so you can apply 2 coats in a single day. Ready to take light traffic in 12 hours and heavy traffic in 24 hours
- **Trouble free** Easy to mix and apply, equipment can be cleaned in water. Watco Epoxy Gloss Coat goes over existing coatings, concrete, sand and cement, and wood. Also suitable for concrete with underfloor heating
- **Concrete option**  
Use **Watco Powerfloat Primer** for application over powerfloated floors

► 5L • £128.90



**40%**  
HARDER WEARING  
THAN BEFORE

## Watco Epoxy Matt Coat

**Protects, while hiding imperfections.** Ideal if you want the features of Epoxy Gloss Coat – but with a matt finish.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres per coat
- **Hide and disguise** Ideal for older, scratched or pitted floors, or where a low glare, smart matt finish is required

► 5L • £128.90

## Watco Epoxy Gloss Coat Hygienic

**Ultimate paint for hygiene and safety. Well-suited to catering and hospital use.** Epoxy Gloss Coat Hygienic guarantees safe, odourless, non-flammable surfaces. With just two coats, it also brings the benefits of our standard Epoxy Gloss Coat.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres per coat
- **Food friendly** Great for food storage and preparation areas, canteens, and medical rooms
- **Good under pressure** Withstands everyday heavy use, solvents and cleaning chemicals

► 5L • £145.10

## Watco Epoxy Matt Coat Hygienic

**Like Epoxy Gloss Coat Hygienic.** All the benefits plus the addition of silver ion technology.














- **Coverage** Approx **30m<sup>2</sup>** per 5 litres per coat
- **Independently tested** Safe to use in food preparation areas

► 5L • £145.10

## Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete	Dirty, oily painted surfaces
Page 48	Page 48
Watco Concroff	Watco Powerfloat Primer
Greasy, oily bare concrete	Powerfloated, very smooth surfaces
Page 48	Page 49

## Tests and Standards Compliance

Finish	Result/Rating					
Gloss	 ADHESION EN 1542 4.1MPa/Nmm <sup>2</sup>	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 EN 1504-2
	 FOOD TAIN EN 1773 ✓					
Matt	 ADHESION EN 1542 4.1MPa/Nmm <sup>2</sup>	 ABRASION RESISTANCE ISO 5470-1 57mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 EN 1504-2

Refer to page 96 for more information on our Tests and Standards Compliance

## You may also need...

Tools	Each
5" Paint Brush	£7.10
Medium Pile 12" Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70
Watco Painting Kit	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes;	



# Transform your premises with Watco Concrete Floor Paint Best Ever Formula



Watco Concrete Floor Paint is available in a range of finishes:

High Gloss Matt Anti Slip	<b>Light Grey</b> RAL No. 7038
High Gloss Matt Anti Slip	<b>Mid Grey</b> RAL No. 7037
High Gloss Matt Anti Slip	<b>Dark Grey</b> RAL No. 7015
High Gloss	<b>Stone</b> RAL No. 7032
High Gloss Matt Anti Slip	<b>Mid Blue</b> RAL No. 5015
High Gloss Matt Anti Slip	<b>Blue Grey</b> RAL No. 7000
High Gloss	<b>Mid Green</b> RAL No. 6002
High Gloss	<b>White</b> RAL No. 9010
High Gloss Matt Anti Slip	<b>Tile Red</b>
High Gloss Matt Anti Slip	<b>Sandstone</b> RAL No. 1014
High Gloss Anti Slip	<b>Hazard Yellow</b> RAL No. 1018
High Gloss Anti Slip	<b>Signal Red</b> RAL No. 3020
High Gloss Anti Slip	<b>Signal Green</b> RAL No. 6032



Before



After

## Watco Concrete Floor Paint

Brighten and dustproof dull, drab concrete with our toughest ever High Gloss single pack floor paint. Our unique formula based on a blend of ceramic and polyurethane resins will transform your concrete floor into a dustproof, oil resistant and easy clean surface. Tested to CE Mark EN1504-2, Watco Concrete Floor Paint demonstrates superior impact, wear and scratch resistance, hardness, adhesion and durability.

- **Coverage** Approx. 40m<sup>2</sup> per 5L per coat. Two coats are recommended
- **Likes most surfaces** Concrete, wood, metal, painted or unpainted. For interior use only
- **Many uses** Ideal for warehouses, production areas, workshops and general use areas
- **New formula** Now lasts twice as long
- **Attractive** High Gloss finish
- **Easy to apply** Use a medium pile roller. Cut in using a brush
- **New Colour Range** Now to RAL reference

► 5L • £70.90



**100% HARDER WEARING**  
THAN OUR PREVIOUS FORMULA

## Watco Matt Concrete Floor Paint

Improves the appearance of worn or pitted concrete. Our Matt Concrete Floor Paint has all the benefits of the High Gloss version in an attractive Matt finish.

- **Conseals and protects** Ideal for disguising minor imperfections in concrete surfaces and sealing dirt marks and stains

► 5L • £70.90

## Watco Anti Slip Concrete Floor Paint

Added texture for better, safer grip. With all the features of the standard Watco Concrete Floor Paint, our Anti Slip version includes an additional anti slip aggregate to give the surface better adhesion and increased grip to help prevent workplace accidents, even in wet or oily conditions.

This evenly textured, easily cleanable coating can be applied to concrete, metal or wood and is available in 10 colours.

- **Better texture** Includes a fine aggregate that disperses as paint is applied by roller, making the surface easier to maintain with a more uniform texture than other solutions

► 5L • £76.40

## Preparation - we recommend...

Watco Etch & Clean	Watco Bio D
New or bare concrete Page 48	Dirty, oily painted surfaces Page 48
Watco Concroff	Watco Powerfloat Primer
Greasy, oily bare concrete Page 48	Powerfloated, very smooth surfaces Page 49

## Tests and Standards Compliance

Finish	Result/Rating						
High Gloss	 ADHESION EN 1542 3.25MPa/Nmm <sup>2</sup>	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 GLOSS VALUE 92
Matt	 ADHESION EN 1542 3.25MPa/Nmm <sup>2</sup>	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 GLOSS VALUE 4
Anti slip	 ADHESION EN 1542 3.25MPa/Nmm <sup>2</sup>	 ABRASION RESISTANCE ISO 5470-1 127mg	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 EN 1504-2 CE	 SLIP RESISTANCE BS7976-2 67 PTV (Dry) 60 PTV (Wet)

Refer to page 96 for more information on our Tests and Standards Compliance

## You may also need...

Tools	Each
5" Paint Brush	£7.10
Medium Pile 12" Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70
Watco Painting Kit	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes;	



# Epoxicote™ Industrial strength flooring in just one coat



## Watco Epoxicote™ High Build

**Enhanced formula delivers an ultra hard-wearing chemical resistant gloss floor coating.** Our popular range of heavy-duty floor paint, designed for really tough environments, has been through a major update.

Watco has pushed coating technology to the limit to develop a highly advanced formulation that puts Epoxicote High Build into a class of its own.

Epoxicote High Build is a virtually solvent free floor coating that guarantees excellent wear, an easy-to-clean surface and ultimate protection for your floor in one coat.

Available in 9 colours.

- **Coverage** Approx **18m<sup>2</sup>** with one thick coat per 4 litre pack
- **Super tough finish** For interior use only including, production areas, warehouses, garages and wherever there's a risk of chemical or oil spills including Skydrol
- **Covers all surfaces** Sticks fast to concrete, brick, metal and wood
- **Quick to cure** Light traffic after 6 hours at 20°C
- **Easy application** Use a roller, ideally at around 15°C, one coat's usually enough
- **Minimal prep** Goes directly onto most surfaces but for porous surfaces, use **Watco 4-Hour Epoxy Primer** or **Watco Powerfloat Primer** on powerfloated concrete

▶ **4L • £153.40**

## Preparation - we recommend...

<b>Watco Etch &amp; Clean</b>
New or bare concrete Page 48
<b>Watco 4-Hr Epoxy Primer</b>
Porous, open textured surfaces Page 48
<b>Watco Bio D</b>
Dirty, oily painted surfaces Page 48
<b>Watco Powerfloat Primer</b>
Powerfloated, very smooth surfaces Page 49

## Tests and Standards Compliance

Finish	Result/Rating					
<b>High Build/ Rapid/ Cold Cure</b>	 ABRASION RESISTANCE ISO 5470-1 166mg	 HARDNESS 9H	 SCRATCH RESISTANCE ISO 4588-2 7N	 IMPACT RESISTANCE ISO 6272 CLASS 2	 FLEX ISO 1519 2mm	 EN 1504-2 CE
<b>High Build Advanced</b>	 ABRASION RESISTANCE ISO 5470-1 153mg	 HARDNESS 9H	 SCRATCH RESISTANCE ISO 4588-2 7N	 IMPACT RESISTANCE ISO 6272 CLASS 2	 FLEX ISO 1519 2mm	 EN 1504-2 CE
<b>Anti Slip Versions</b> *Slip Resistance BS7976-2: 57PTV – High Build Advanced Anti Slip only	 ABRASION RESISTANCE ISO 5470-1 166mg	 HARDNESS 9H	 SCRATCH RESISTANCE ISO 4588-2 7N	 IMPACT RESISTANCE ISO 6272 CLASS 2	 SLIP RESISTANCE BS7976-2 66 PTV 57 PTV*	 EN 1504-2 CE

Refer to page 96 for more information on our Tests and Standards Compliance

## Watco Epoxicote™ High Build Rapid

**When time's important, use our quick drying version.** Epoxicote High Build Rapid uses a unique formulation that cuts curing time to a minimum.

Yet it's still easy to use and provides a rock-hard floor surface.

- **Back in action quickly** High Build Rapid is ready for light traffic in 8 hours at 20°C

► 4L • £168.50

## Watco Epoxicote™ High Build Anti Slip Rapid

**All the safety benefits of High Build Anti Slip but the curing time is cut by 50%.**

The ideal answer for high demand areas that can't be out of action for long.

- **Quick turnaround** Rapid curing gets floors back into action in 4 to 6 hours at 30°C
- **Even better** Aggregate is suspended within the coating to give uniform anti slip properties across the entire surface

► 4L • £173.60

	Light Grey
	Mid Grey
	Dark Grey
	Black
	Mid Blue
	Mid Green
	Tile Red
	Stone
	Safety yellow

## Watco Epoxicote™ High Build Anti Slip

**Reduce accidents in wet and oily areas.**

All the distinctive characteristics of the standard version plus the added advantage of excellent slip resistance.

Perfect for painting difficult areas where you need to reduce the risk of accidents.

- **Tackles wet and oily hazards** Non-slip formulation makes it ideal for loading bays or areas around machinery
- **Reduces accident risk** Integral aggregate makes the gloss surface highly non-slip to improve safety
- **Even better** Aggregate is suspended within the coating to give uniform anti slip properties across the entire surface

► 4L • £158.50

## Watco Epoxicote™ High Build Cold Cure

**Guaranteed hard wearing coating at 0°C.** High Build Cold Cure is formulated to bring a tough approach to floors and surfaces even when it's freezing.

- **Thrives in the cold** Cures to form the unique High Build surface that's ready to take light traffic after 48 hours even at 0°C

► 4L • £168.50

## Watco Epoxicote™ High Build Cold Cure Anti Slip

**Makes floors safer, even at freezing point.** Epoxicote High Build Cold Cure Anti Slip shares the same exceptional properties as Cold Cure but with the added benefit of a high degree of anti-slip.

- **Reduces accidents** Aggregate improves safety on wet, freezing floors
- **Even better** Aggregate is suspended within the coating to give uniform anti slip properties across the entire surface

► 4L • £173.60

## Watco Epoxicote™ High Build Advanced

**Our strongest and most resilient coating ever.** We took the already incredible Epoxicote High Build formulation and boosted it with even more useful features to cope with areas of extremely heavy traffic and the most challenging environments.

It costs a bit more, but Advanced provides a surface hardness like no other, thanks to the ceramic additive, which also offers excellent resistance to abrasion and improved stain protection.

What's more, it is easy to apply with a roller, building up a tough resistant surface up to 200 microns thick with just a single coat.

- **Eco and user friendly** Low solvent content, virtually odourless when applied
- **Perfect under pressure** 100% solids epoxy formula makes it long lasting even with the heaviest of traffic
- **Easy to clean** High gloss makes it hygienic and easy to keep clean, even with chemical or oil spills
- **Looks good** Great for areas that get plenty of traffic – showrooms, warehouses etc

► 4L • £182.60

## Watco Epoxicote™ High Build Advanced Anti Slip

**Hard wearing and non-slip makes for safe, tough floors.** Delivers all that High Build Advanced offers but with a non-slip surface too, thanks to the integral aggregate.

- **Health and safety at work** Anti-slip aggregate reduces workplace accidents
- **Even better** Aggregate is suspended within the coating to give uniform anti slip properties across the entire surface

► 4L • £187.70

### You may also need...

Tools	Each
Roller/Frame and Handle	£33.50
Replacement Roller	£7.30
Plastic Scuttle	£6.70



# Resiflow Ultra-durable self-levelling floor system. When you need more than a floor coating



## Watco Resiflow Supergloss

**Our glossiest floor screed.** Watco Resiflow Supergloss is our top-of-the-range floor finish. Just mix, pour and spread and you'll have a showroom-standard floor that will perform perfectly for years and years.

This 1 to 2mm thick self-levelling epoxy resin offers the ultimate floor covering for durability and appearance. For interior use only.

- **Coverage** Approx **10m<sup>2</sup>** at 1mm, **5m<sup>2</sup>** at 2mm per 20kg unit
- **Tough surface** 100% solids epoxy resin can cope with extremely heavy footfall. Superior wear and abrasion resistance with just one 1-2mm thick application
- **Attractive** A glossy finish that is ideally suited for reception areas, workshops, switchgear, plant rooms, food and pharmaceutical and lab areas, showrooms, production areas, shops and where a smart, easy maintenance floor is important
- **Easy to apply and clean** Light traffic in 16 hours at 20°C
- **Extra resistant** Excellent resistance to oils and general chemical spills. It's A+ VOC emissions rating indicates a low level of VOC, making it safe to use in confined spaces

► **20kg • £137.70**

### Resiflow – How it's applied



1 Pour the mixed product on to the substrate



2 Spread with the Resiflow Applicator



3 Finish with a spiked roller to prevent air bubbles

## Watco Resiflow Chemical Grade

**For greater protection from spills.** Ultra-resistant flooring offers total confidence for where strong chemicals are stored or there is a risk of spills.

While Resiflow Supergloss has good general chemical resistance, this ultra-resistant version is designed for areas where strong chemical spills are an issue.

- **Coverage** Approx **10m<sup>2</sup>** at 1mm, **5m<sup>2</sup>** at 2mm per 20kg unit
- **Acid test** Shrugs off 10% nitric, sulphuric and hydrochloric acids and much more
- **Level best** Use the **Resiflow Applicator** (see Tools) to produce a self levelling, hard wearing surface
- **Preparation** Porous surfaces should be primed with **Watco 4-Hour Epoxy Primer**

► **20kg • £137.70**

## Watco Resiflow Anti Slip

**Peace of mind in potentially slippery areas of flooring.** This low sheen finish, anti-slip Resiflow version is ideal for heavy-use locations that may be prone to spills.

It's thick, low sheen finish covers floor imperfections while providing a safer, slip-resistant finish. One coat is enough for most surfaces.

- **Coverage** Approx 5 to **10m<sup>2</sup>** per 20kg

► **20kg • £112.70**

## Watco Resiflow Flex

**Flexible, tough and glossy flooring for a first-class finish every time.**

Resiflow Flex's polyurethane-based formulation offers increased flexibility while providing the same high-gloss and chemical resistance properties of Resiflow Supergloss.

The highly flexible finish resists cracking in difficult areas, such as mezzanines around vibrating machinery, or in areas subject to movement or impact. It can be applied to concrete as well as old (at least six months) asphalt.

- **Coverage** **7m<sup>2</sup>** at 1mm, **3.5m<sup>2</sup>** at 2mm, **1.75m<sup>2</sup>** at 4mm, **1.17m<sup>2</sup>** at 6mm
- **Extra tough** Can cope with heavily used areas such as those around machinery without cracking
- **Extra resistant** Able to withstand diesel, motor oil, coolant and other common chemicals
- **Fast drying** Touch dry in only 5 hours at 15°C to 20°C. Full resistance achieved in just 7 days

► **13kg • £142.80**

## Preparation - we recommend...













Supergloss Chemical Grade	Light Grey
Supergloss/Anti Slip Chemical Grade Flex	Mid Grey
Supergloss Chemical Grade Flex	Mid Blue
Supergloss Chemical Grade Flex	Tile Red

<b>Watco Etch &amp; Clean</b>
New or bare concrete Page 48
<b>Watco 4-Hr Epoxy Primer</b>
Porous, open textured surfaces Page 48
<b>Watco Bio D</b>
Dirty, oily painted surfaces Page 48
<b>Watco Powerfloat Primer</b>
Powerfloated, very smooth surfaces Page 49

## You may also need...

Tools	Each
Resiflow Applicator	£45.00
Replacement Blade	£9.50
Spiked Roller	£17.30
10" Steel Float	£6.60

## Tests and Standards Compliance


Finish	Result/Rating					
<b>Resiflow Supergloss</b>	 ABRASION RESISTANCE ISO 5470-1 114mg	 HARDNESS 9H	 SCRATCH RESISTANCE ISO 4586-2 14N	 IMPACT RESISTANCE ISO 6272 CLASS 1	 FLEX ISO 1519 2mm	 EN 1504-2 CE
<b>Resiflow Chemical Grade</b>	 ABRASION RESISTANCE ISO 5470-1 114mg	 HARDNESS 9H	 SCRATCH RESISTANCE ISO 4586-2 14N	 IMPACT RESISTANCE ISO 6272 CLASS 1	 CHEMICAL RESISTANCE EXCELLENT	 EN 1504-2 CE

Refer to page 96 for more information on our Tests and Standards Compliance

## MADE BY US FOR YOU

We have been certified for ISO9001 'Design, manufacture and supply' since 1993, acknowledging our on-going commitment to high standards of quality and service.

# Safety Coat Food Safe Formulated to improve safety in a busy work areas



## FOOD FOR THOUGHT

Ask us for advice when choosing the best coatings to transform your food preparation and storage areas

Safety Coat Food Safe



## Watco Food Safe Coating

**Specialist coating designed to meet food industry rigours.** This gloss floor paint is formulated to meet the requirements of EN17/3 as a non-toxic product.

Food Safe Coating also has a food taint test certificate. This floor paint is suitable for coating concrete or sand and cement floors and will take light traffic in 6 to 8 hours, and be back into full action within 12 hours.

We recommend two coats to get the maximum advantages from the paint and it can be applied to interior and exterior floors at any temperature between -10°C and 30°C.

- **Coverage** Approx **25m<sup>2</sup>** per 2.5 litres
- **Easy to clean** Strong surface stands up to steam cleaning
- **Designed for food** Qualifies for a food- taint certificate

► **2.5L • £112.00**

Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure	Light Grey
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Mid Grey
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Mid Blue
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure Flexicoat	Tile Red
Safety Coat Food Safe Safety Coat Cold Cure	White
Safety Coat Food Safe Safety Coat Cold Cure	Black
Food Safe Coating Safety Coat Food Safe Cold Set Coating Safety Coat Cold Cure	Mid Green
Safety Coat Food Safe Safety Coat Cold Cure	Safety Yellow

## Watco Safety Coat Food Safe

**Anti-slip paint for all food storage areas.** Having the same characteristics as the Food Safe Coating, our non-slip, strong, resistant, two-part resin floor coating is also designed to meet the rigorous standards of the food industry by meeting the requirements of the strict standard, EN71/3.

With its non-slip properties to help safety in the workplace, our food industry coating is formulated to stand up to the rigours of a busy work area while demonstrating excellent resistance to chemicals.

It can be applied at almost any temperature – between -10°C and 30°C to concrete and sand and cement floors

- **Coverage** Approx **25m<sup>2</sup>** per 2.5 litres
- **Helps with worker safety** Non slip surface even in wet or slippery areas
- **Back in a day** Takes heavy traffic in just 12 hours

► **2.5L • £117.30**

## Watco Cold Set Coating

**New formula delivers top performance even at low temperatures.** Unlike conventional floor paints, Cold Set Coating will cure during the winter, making it ideal for refurbishment and maintenance of unheated areas.

Ultra hard-wearing, it will withstand heavy wear and chemical attacks.

- **Coverage** Approx **25m<sup>2</sup>** per coat per 2.5 litres, less for textured or porous surfaces, and if used below 0°C
- **All weather** Exceptional UV resistance for exterior and interior applications. Suitable for walk-in fridges and freezers, cold stores and loading bays. Works on concrete, sand and cement, and previously painted surfaces
- **Cold capable** Ready for foot traffic in 18 hours at 5°C, 24 hours at 0°C

► **2.5L • £112.00**

## You may also need...

Tools	Each
Microfibre Roller Frame and Handle	£33.50
Plastic Scuttle	£9.50

## Watco Safety Coat Cold Cure

**Takes freezing conditions in its stride.**

The ideal flooring solution for when temperatures are extreme.

Fridges, freezers, cold stores and loading bays suffer the worst the elements can throw at them so it's vital your flooring can cope.

- **Coverage** Approx **25m<sup>2</sup>** per coat per 2.5 litre unit onto a non-porous surface, or **10-15m<sup>2</sup>** onto a porous or textured surface. Coverage will be reduced if applying at temperatures below 0°C
- **Loves low temperatures** Good for outdoor spaces too, can be applied in conditions as low as -10°C
- **No fade** Excellent UV resistance

► **2.5L • £116.00**

## Watco Flexicoat™

**Flexible protection for heavy-wear areas – ideal for mezzanine floors, for example.** Our two-pack polyurethane Flexicoat™ is a tough, ultra flexible solution that both seals and waterproofs floors, while filling smaller cracks to cut down on preparation time.

- **Coverage** Approx **20m<sup>2</sup>** per 5 litres per coat. One coat usually sufficient
- **No more cracks** Resists the movement of vibrating machinery or flexible mezzanine floors
- **Ultra tough** Usable on interiors and exteriors at risk from leaks, including plant and boiler rooms. Suitable for concrete and asphalt. Asphalt must be 6 months old. Also resistant to diesel, motor oil, coolant, and other commonly used chemicals
- **Easy care** Can be steam cleaned
- **Covers quickly** Usually requires only one coat. Flexicoat cures in 12 hours at 15°C to 20°C

► **5L • £154.50**

# Chemi-Coat® Tough one-coat, heavy duty, chemical resistant coating for floors and walls



**WATCH OUR 'HOW TO' VIDEOS**  
[watco.co.uk/paintvideo](http://watco.co.uk/paintvideo)

**CHEMICAL RESISTANT**

**TOO TOUGH TO FAIL**  
No quibble money back guarantee if Chemi-Coat doesn't work for you

Chemi-Coat

## Chemi-Coat® Resistance

### Chemi-Coat® Chemi-Coat® Rapid Chemi-Coat® Cold Cure

#### Resistant to:

Petrol, 25% Lactic Acid, Diesel, 10% Hydrochloric Acid, Xylene, 10% Nitric Acid, Salt, 25% Sulphuric Acid, White Spirit, 20% Phosphoric Acid, Bleach, 10% Citric Acid, 20% Ammonia, 20% Caustic Soda, Anti Freeze, Sugar Solutions, Mineral Oil, 10% Oxalic Acid, Detergents, 5% Acetic Acid, Methylated Spirits, Skydrol (0-1)

### Chemi-Coat® Acid Strength

#### Rating Key (at 25°C):

0 = No Effect; 1 = Stains/Dulls; 2 = Blisters; 3 = Lifts Film

Acetic Acid 98% (0-1), Ammonia 28% (0), Brake Fluid (0), Calcium Chloride 10% (0), Diesel (0), Formic Acid 38% (1), Petrol (0), Hydrochloric Acid 37% (0), Hydrofluoric Acid 48% (0-1), Nitric Acid 30% (1), Phosphoric Acid 25% (1), Sulphuric Acid 98% (0-1), Xylene (0), Skydrol (0-1)

### Chemi-Coat® Anti Slip

Petrol, Diesel, 10% Hydrochloric Acid, Xylene, 10% Nitric Acid, 25% Sulphuric Acid, 20% Phosphoric Acid, 20% Caustic Soda, 5% Acetic Acid

## Watco Chemi-Coat®

**New high performance formula for chemical resistant gloss coating.** Our chemical resistant epoxy resin paint, designed to withstand chemical spills, is now even tougher thanks to Watco's new technology formulation.

Using just a single coat, Watco Chemi-Coat's advanced formula delivers a durable and ultra resistant surface that you can rely on.

Chemi-Coat is a heavy duty, gloss floor and wall coating that's virtually odourless, hygienic and easy to wipe clean. Available in nine colours.

- **Coverage** 4 litre pack will cover up to **18m²** with one thick coat
- **Super tough finish** Resistant to heavy wear and perfect for areas at risk from chemical spills. Ready for heavy traffic after 24 hours
- **Stops chemical damage** Highly resistant to many chemicals (see list above right for full details)
- **One's enough** Can be used over existing coatings. Use a roller, ideally at around 20°C and one coat is usually enough
- **Good on floors and walls** Use on horizontal and vertical surfaces made from concrete, brick or steel, and with underfloor heating up to 30°C. **Watco 4-Hour Epoxy Primer** is recommended when applying to porous surfaces. **Watco Powerfloat Primer** to be used on powerfloated concrete and other smooth surfaces

► 4L • £153.40

## Watco Chemi-Coat® Rapid

**The quick drying version.** Same

chemical resistance as standard Chemi-Coat, but faster curing time.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Quick's the word** The area is ready for heavy traffic in just 6 hours (at 20°C)

► 4L • £168.50

## TOOLS

Check out our range to find the right tools for the job

## Watco Chemi-Coat® Cold Cure



CURES AS LOW AS 0°C

**Coating that cures even when it's cold.**

Chemi-Coat Cold Cure delivers all the useful features of our standard Chemi-Coat in one coat, even at freezing temperatures.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Likes the cold** Specially formulated coating for cold areas from 0°C to 10°C. Ready for heavy traffic in 48 hours at 0°C
- **Works with the weather** Can be applied indoors and outdoors all year round

► 4L • £168.50

## Watco Chemi-Coat® Acid Strength

**Ultimate resistance against the toughest chemicals.** Chemi-Coat Acid Strength offers the tough durability of our standard Chemi-Coat and also guarantees a protective finish capable of withstanding even extra strong chemicals.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Stops acid attacks** Resistant to acids, including 98% sulphuric acid. Thick coating makes it ideal for chemical bund areas where safety is key

► 4L • £173.80

## Watco Chemi-Coat® Anti Slip

**Reduces surface slip for increased safety.**

Chemi-Coat Anti Slip delivers all the excellent features of standard Chemi-Coat but with coarse aluminium oxide grit for maximum grip and wear resistance.

- **Coverage** A 4 litre pack will cover up to **18m²** with one thick coat
- **Health and safety priority** Anti-slip aggregate reduces workplace accidents

► 4L • £158.50

## You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70



# FASTCOAT

## Back to business in just one day



We understand that time means money. That's why we set our chemists the challenge of creating a paint that will dry in just one day. The result is Watco Fastcoat.

Traditionally, floor paint could take up to a week to dry, meaning operations would have to stop. Now, thanks to Fastcoat's polyaspartic paint formula, it'll cure in no time at all, allowing light traffic within 6 hours.

Fastcoat has a tough gloss finish and can be used inside or outside. It protects against chalking, fading, weathering, and even has exceptional resistance to UV radiation. In addition, the high-quality paint has excellent chemical resistance to keep your floors looking better for longer.

**SUPER  
QUICK  
FORMULA**

1

**ULTRA-QUICK CURING**

Ready for light traffic  
in just 6 hours

2

**TOUGH GLOSS FINISH**

Perfect for inside  
or outside areas

3

**CHEMICAL RESISTANCE**

Keep floors looking  
better for longer

4

**TECHNOLOGICALLY  
ADVANCED**

Polyaspartic formula  
delivers a versatile  
resilient finish

**watco**

**Fastcoat**

HAVE YOUR FLOOR CLEANED,  
PREPARED AND PAINTED  
WITHIN A SINGLE DAY

**Rapid'sol**

NETTOYER, PRÉPARER ET PEINDRE  
SON SOL EN UNE SEULE JOURNÉE

**Express-  
Beschichtung**

REINIGEN, VORBEREITEN UND  
STREICHEN BEREITS INNERHALB  
EINES TAGES MÖGLICH

**5L**

**25**



# Fastcoat Innovative Resin formulation.

## Prepare and paint your floors in just one day



### Watco Fastcoat

**Quick's the word with our fastest floor paint.** Fastcoat is a brilliant new resin formulation that allows you to have your floor cleaned, prepared and painted within a single day.

Uniquely developed by Watco's paint chemists, Fastcoat is a revolution in floor coatings that has only been made possible by recent developments in polyaspartic resin technology. Our unique formulation uses this incredibly versatile resin to produce a high grade, high performance paint. Fastcoat provides a tough, resilient surface with a smart, gloss finish that is ideal for production areas, warehouses, showrooms – all heavily used areas. Ready to take light traffic within 6 hours and heavy traffic in 16 hours at 20°C.

- **Coverage 25m<sup>2</sup>** per 2.5L, per coat. Two coats usually required
- **Lightning fast** Get the second coat on within 2 hours at 20°C
- **All conditions** Goes down easily in a wide range of conditions, from -10°C to 25°C. Slower drying below 20°C

► 2.5L • £112.00

### Watco Fastcoat Anti Slip

**All the benefits of Fastcoat, but includes a fine, slip-resistant aggregate.** An easy to apply, fast drying, gloss finish for use on floors both indoors and out.

- **Coverage 25m<sup>2</sup>** per 2.5L, per coat. Two coats usually required








► 2.5L • £116.00

	Light Grey
	Mid Grey
	Mid Blue
	Mid Green
	Tile Red

### You may also need...

Tools	Each
Microfibre Roller Frame and Handle	£33.50
Plastic Scuttle	£6.70

### Tests and Standards Compliance

Finish	Result/Rating					
Fastcoat	 ABRASION RESISTANCE ISO 5470-1 349mg	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 2	 ADHESION ISO 2409 CLASS 0	 FLEX ISO 1519 2mm	 EN 1504-2 CE
Fastcoat Anti Slip	 ABRASION RESISTANCE ISO 5470-1 349mg	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 2	 ADHESION ISO 2409 CLASS 0	 SLIP RESISTANCE BS7976-2 69 PTV	 EN 1504-2 CE

Refer to page 96 for more information on our Tests and Standards Compliance



# Spectrum Transform your premises with over 190 RAL colours to chose from



## Watco Spectrum

Whether you want to mark out an area, or paint your whole floor in an exact shade, we have the colour for you. With over 190 bespoke colours to choose from it has never been easier to get the perfect look for your premises.

If you couldn't find your ideal shade out of the 13 colours of Concrete Floor Paint available, then Spectrum is the product for you. Choose from 190 RAL colours to find the perfect colour for your premises, and get the same strength and benefits of **Watco Concrete Floor Paint**

- **Any colour** The wide range of colours means that you can mark out your premises more effectively than before or match your floors to your brand identity
- **Strong Formula** The tough single pack urethane formulation transforms, brightens, strengthens, and dustproofs your floors, and is designed for both internal and external use
- **Easy to apply** This coating is easy to apply and results in an easy to clean, mid-gloss finish
- **Can be used on most surfaces** Strong enough for general use in warehouses, factories and workshops, attractive enough for use in showrooms, retail areas, leisure facilities, or play areas.

Please be aware that For technical reasons it is not possible to tint this paint formulation to certain colours, e.g. florescent colours, but over 95% of the RAL colours are available. Some slight shade variation may occur. If a colour match is critical please ask for a sample.



► **5L\* • £75.00**

## You may also need...


Tools	Each
5" Paint Brush	£7.10
12" Medium Pile Roller Frame & Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70

**Next day  
delivery not  
available with  
this product.**

\*Supplied in 5 litre, single pack units. Whilst the addition of most colour tints produces 5 litres certain shades may reduce the volume to 4.7 litres.

# Decorative coatings

## Combining durability and style



### Watco Stellar Metallic Chip

**Your floors will make a lasting impression when you use our unique chip coating.** Enhance your premises with this decorative and durable metallic floor coating.

This unique floor coating offers outstanding wear resistance, durability, and a highly decorative appearance. A hard-wearing metallic chip is sealed with a polyaspartic resin to produce an attractive finish.

- **Coverage** Approx **10m<sup>2</sup>** per pack
- **Brighten your floors** The impressive, light reflecting surface will brighten up

your premises, and you can choose from 5 attractive colours

- **For any environment** Ideal for use in showrooms, retail areas, bars, restaurants, or anywhere you want an attractive & durable floor
- **Slip resistant** Fine surface texture specially designed for slip resistance
- **Unique** The innovative heavy duty formulation is unique to Watco - you won't get a floor coating like this anywhere else

► **10m<sup>2</sup> kit • £215.00**

**FREE  
SAMPLES**

It helps to try  
before you  
buy.

	Silver Black
	White Gold
	Silver
	Gold
	Bronze





Watco Stellar Flake System

## Watco Stellar Flake System





**You no longer have to choose between style and strength.** This sleek, decorative coating is ideal for use where appearance, practicality, and durability are important.

A unique blend of coloured PVA flake is bound into two coats of polyaspartic resin to achieve a light reflecting gloss finish and outstanding wear resistance.

- **Coverage** Approx **10m<sup>2</sup>** per 2.5 litre pack when applied by roller
- **Strong** Ultra-tough and easy to clean
- **Chemical resistant** Resistant to common chemicals and staining from everyday spillages
- **Choice of colours** Choose from 4 nature inspired colours

- **Versatile** Ideal for showrooms, retail areas, reception areas, or anywhere that appearance is important

▶ **10m<sup>2</sup> kit • £250.00**

	Glacier
	Dolomite
	Flint
	Granite



## Watco Stellar Metallic Coating

**A highly attractive metallic coating that will transform your floor.** Hard-wearing, glossy and easy to apply, the metallic effect reflects the light, lifting dull areas and transforming floors.

The two part epoxy resin formulation will take heavy wear, including forklifts, making this coating ideal for warehouses, production areas and workshops as well as showrooms and restrooms.

Stellar Metallic Coating base coat should be roller applied. To ensure the best finish, the top coat should be spray applied. Please contact us for further details.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres for base and top coats, when applied by roller
- **Choice of colours** Available in a range of colours including Silver, Gold, Copper, Pearl, Cobalt and Ruby
- **No waiting** Apply to Base Coat one day and finish with the Metallic Top Coat the next.

▶ **30m<sup>2</sup> kit • £220.50**

	Silver
	Gold
	Copper
	Pearl
	Cobalt
	Ruby

## You may also need...

Tools	Each
Roller Frame and Handle	£33.50
Replacement Roller	£7.30
9" Roller and Tray	£9.00

## Preparation - we recommend...

<b>Watco Etch &amp; Clean</b> New or bare concrete <b>Page 48</b>	<b>Watco Bio D</b> Dirty, oily painted surfaces <b>Page 48</b>
<b>Watco Concroff</b> Greasy, oily bare concrete <b>Page 48</b>	<b>Watco Powerfloat Primer</b> Powerfloated, very smooth surfaces <b>Page 49</b>



# POWERFLOAT SEALER

## The easy way to seal smooth concrete



**"This innovative formulation successfully bonds to smooth concrete, something that other sealers simply cannot do."**

Steve Chanter | Product & Operations Director

Our Powerfloat Sealer has been specifically created to make it easier than ever to seal powerfloated concrete floors.

Previously, you'd either have to grind or shotblast the floor to provide a key for the sealer. But thanks to Powerfloat Sealer's unique epoxy formulation, you can apply it directly to the smooth surface with a roller. This means you don't need to spend money for other treatments to achieve the good looking, smooth appearance you're after. What's more, just one coat seals, protects and resists dust to keep your floor looking great for years to come.

**UNIQUE  
FORMULA**

1

**EASY TO COAT**

Unique epoxy  
formulation to apply  
sealer directly to floor

2

**QUICKER TO SEAL**

No grinding or  
shotblasting needed  
before coating

3

**AVAILABLE IN  
4 FINISHES**

Matt, gloss, gloss anti-slip  
and matt anti-slip

4

**DRIES QUICKLY**

Just 16 hours at 15-20°C  
for heavy traffic

5

**ONE COAT**

Just one coat will seal,  
protect and resist dust



# Seal and protect smooth or powerfloated concrete



UNIQUE  
FORMULATION

Powerfloat Sealer

## Watco Powerfloat Sealer

**Seals and protects smooth or powerfloated concrete.** Unique epoxy resin formula can be applied directly to powerfloated concrete removing the need for blasting or texturing.

Powerfloat Sealer maintains the attractive smooth surface of concrete while avoiding costly shotblasting work.

- **One coat** seals, dustproofs and protects
- **Hardwearing** Suitable for busy, heavy traffic areas
- **4 finishes** Choose from: Gloss Matt, Gloss Anti Slip, Matt Anti Slip
- **Easy to apply** Just apply with a roller directly to the smooth surface

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres
- **Curing time** 16 hours at 15°C-20°C for heavy traffic

- ▶ **5L • Gloss • £70.80**
- ▶ **5L • Gloss Anti Slip • £75.00**
- ▶ **5L • Matt • £70.80**
- ▶ **5L • Matt Anti Slip • £75.00**

Use a medium pile roller for a smooth application



## You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Plastic Scuttle	£6.70

## Preparation - we recommend...

Watco Concroff	Watco Etch & Clean
Greasy, oily bare concrete	New or bare concrete
Page 48	Page 48



# Protecta-Coat Tough long-lasting protection for floors



## Watco Protecta-Coat

**Hard-wearing resin coating provides long-term protection.** Developed by Watco using the latest polyaspartic resin technology, our two pack liquid coating enhances the appearance of surfaces, while providing one coat resistance against wear and tear.

Protecta-Coat gives a clear, mid-gloss finish and strong protection for coloured and decorative surfaces.

Suitable for internal and external use, it provides excellent chemical resistance, while our Protecta-Coat Anti Slip version greatly improves safety at work.

- **Coverage** Approx **30m<sup>2</sup>** per 2.5 litres.
- **Handles hard jobs** Can be applied at temperatures from -10°C up to 30°C and in areas such as warehouses and showrooms and walk-in fridges. Resists chalking, fading, weathering and has exceptional resistance to UV
- **Hassle free application** Ensure the area is clean, dry and free from grease. Takes only one coat. For Anti Slip, an aggregate is simply added to the mix before application
- **Back in action fast** Ready for light traffic in 6 to 8 hours, and heavy traffic in 12 hours at 20°C
- **Safety first** Protects from chemical spills. The addition of a special aggregate means **Protecta-Coat Anti Slip** provides added grip to reduce accidents

▶ **2.5L • Standard • £93.80**

▶ **2.5L • Anti Slip • £99.60**

## You may also need...

Tools	Each
Short Pile Roller Frame and Handle	£33.50
Short Pile Replacement Roller	£7.70
Plastic Scuttle	£6.70

## Preparation - we recommend...

<b>Watco Etch &amp; Clean</b> New or bare concrete <b>Page 48</b>	<b>Watco Bio D</b> Dirty, oily painted surfaces <b>Page 48</b>
<b>Watco Concroff</b> Greasy, oily bare concrete <b>Page 48</b>	<b>Watco Powerfloat Primer</b> Powerfloated, very smooth surfaces <b>Page 49</b>

# Hardens and dustproofs porous concrete

INSTANT  
QUOTE

Please call our Customer Service team on 01483 418 418 to discuss your requirements. We can give you a quote straight away.



info

Penetrates, hardens and dustproofs in 1 coat

HEAVY  
TRAFFIC

Concrete Sealer Solvent Based

Concrete Sealer Water Based Vynacoat	Light Grey
Vynacoat	Mid Grey
Concrete Sealer Water Based/Solvent Based Universal Sealer Vynacoat Anti Slip Tile Kit	Clear
Vynacoat	Mid Blue
Vynacoat	Tile Red
Vynacoat	Mid Green
Vynacoat	Yellow
Vynacoat	Black

## Watco Concrete Sealer Water Based

**For stain resistant and easy to clean surfaces.** Concrete Sealer Water Based provides a glossy, acrylic finish in just one or two coats.

Odourless and virtually solvent free, our water-based Concrete Sealer produces minimal darkening of most surfaces. Available in a clear and light grey tint finish.

- **Coverage** Approx **40m<sup>2</sup>-50m<sup>2</sup>** per 5 litres depending on the porosity of the substrate
- **Cuts down on cleaning** Dustproofs and seals, while making interior surfaces stain resistant and easier to clean. Penetrates and coats surfaces with a micro-porous formulation, allowing material to breathe
- **Heavy duty** Ideal for heavy use areas such as warehouses, factories and garages. For interior or exterior use on concrete and other cement-based materials. Only suitable for porous surfaces such as concrete, sand and cement
- **Minimal fuss** Light traffic after 12 hours at 10°C

► 5L • Clear • £59.40

► 25L • Clear • £238.40

► 5L • Coloured • £66.00

## Watco Concrete Sealer Solvent Based

**Solvent-based lacquer for a tough, glossy surface.** Concrete Sealer Solvent Based is a clear polyurethane lacquer that improves the appearance of interior concrete-based surfaces and delivers a durable, scratch resistant gloss finish in just two coats.

- **Coverage** Approx **40m<sup>2</sup>-45m<sup>2</sup>** per 5 litres depending on the porosity of the substrate
- **Heavy duty defence** Moisture curing solution guarantees excellent chemical resistance. Withstands regular forklift truck use, so it's ideal for heavy wear environments such as factories, warehouses, workshops and garages
- **Fast finish** Ready for a second coat in 6 hours. Light traffic after 8 hours at 20°C. For use in well ventilated areas. Can be applied to sealed or painted areas

► 5L • £59.80

## Watco Universal Sealer Dustproof

**Strengthens and dustproofs porous concrete.** Our Universal Sealer Dustproof is a water-based, colourless and virtually odourless micronised acrylic that gets to work deep beneath new or old concrete surfaces.

The result is a hardened, dustproof surface with just one coat.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres, depending on porosity
- **Clean sweep** Very easy application with a broom for interior and exterior surfaces including sand and cement, and concrete
- **Increased quality** Strengthens weak, dusty, poor quality concrete and similar surfaces, while the micro-porous formula allows materials to breathe
- **Quick and low cost** Usually one coat is enough, cures in 12 hours at 15°C to 20°C

► 5L • £54.50

► 25L • £225.50

### info

One coat stabilises and hardens weak, porous concrete



Use a soft broom for an easy application of Universal Sealer Dustproof and Concrete Sealer Water Based.

### TOOLS

Check out our range to find the right tools for the job

## Vynacoat

**Transform drab, worn or stained vinyl or lino with our two pack polyaspartic resin coating.** Its fine texture makes wet or slippery areas safer.

This tough coating features excellent chemical, UV and fade resistance making it suitable for kitchens, walk in fridges, assembly lines, canteens, corridors, stairwells, shops and toilets etc.

- **Coverage** Approx. **25m<sup>2</sup>** per 2.5 litre unit, one coat of the clear version is usually sufficient; two coats of the coloured version may be required, especially on darker surfaces
- **Colours Available** Comes in 7 different colours as well as a clear version
- **Curing time** Light traffic in 6-8 hours at 20°C, heavy traffic 12 hours at 20°C

► 2.5L • £101.30

## Anti Slip Tile Kit

**Everything you need to clean, prepare, prime and finish your tiled floor from start to finish.** The clear two pack polyaspartic coating maintains the tiles appearance and keeps areas safe where spillages can occur.

This durable coating has excellent UV and abrasion resistance and is also resistant to chalking, fading and weathering. It can be applied to glazed, ceramic or quarry tiles.

- **Anti Slip Tile Kit contains** Tile Cleaner 1L, IPA Solvent Wipes, Tile Primer, Anti Slip Tile coating and gloves. The Tile Cleaner removes dirt and grease, the solvent wipes just ensure and grease residue is removed. One coat of Tile Primer (25-30m<sup>2</sup> per 5L) provides the correct base for one coat of the Anti Slip Tile Coating.
- **Coverage** Approx. 1 kit covers **25-30m<sup>2</sup>**
- **Versatile** Suitable for interior and exterior use
- **Curing time** Light traffic in 6-8 hours at 20°C

► 25m<sup>2</sup> • £159.00

## You may also need...

Tools	Each
Roller Frame and Handle	£33.50
Soft Broom	£10.00






## Watco Etch & Clean

**Get floors clean and ready to accept coverings, both indoors and out.** Our acid-based etchant is excellent at getting rid of unwanted dirt from bare concrete to provide the very best base for painting.

It's useful too for reducing alkalinity on new concrete that can potentially cause problems with the effectiveness of a coating.

- **Coverage** Approx **20m<sup>2</sup>** per 5 litres
- **Scrubs up well** Removes dirt and laitance (weak, dusty layer) on new concrete
- **Strong bonds** Ensures excellent bonding of all coatings
- **Easy to use** The pink liquid gel turns clear when it's done its job

► **5L • £26.60**



## Watco Bio-D

**Prepare floors with no odours.** Biodegradable degreaser that can be used on concrete, asphalt, sand and cement in any confined spaces or where strong odours would be a problem.

Masonry and concrete floor surfaces washed with Bio-D and then rinsed with water are left ready for painting and require no second stage cleaner to remove residues before further treatment.

- **Coverage** Approx **20m<sup>2</sup>** per 5 litres
- **Eco Friendly** solvent free and biodegradable, rinse off with zero harmful effects
- **Goes further** can be diluted with water for lighter cleaning jobs

► **5L • £25.30**

► **25L • £89.60**



## Watco Concroff®

**Powerful de-greasing action the green way.** Special formulation that offers all the benefits of a strong degreaser but without the use of hazardous chemicals.

Concroff is ideal for floor preparation prior to repair or painting. It is safe for use on most painted surfaces and can be rinsed away or mopped up with absorbent granules when done.

- **Coverage** Approx **20m<sup>2</sup>** per 5 litres
- **Super-concentrated** Formula can cope with even the most thickly impacted grease and oil. Suitable for use both inside and out, easily applied with a stiff broom
- **Multi-tasking** Can also be used to degrease machines

► **5L • £29.00**



## Watco New Concrete Primer

**If you have a new concrete floor waiting to be painted, this is the solution you have been looking for.** Now you can apply a coat of paint to a concrete floor that is just 10 days old.

Most surface coatings can only be applied to dry floors... not anymore! If the concrete has dried for 10 days, and the surface is reasonably hard and level, then you can use this concrete primer, and within 4-48 hours you can have a freshly painted floor.

- **Coverage** **15m<sup>2</sup>** per 6kg unit depending on application and porosity of the substrate. 2 coats recommended
- **Fast drying** Dries in 3-4 hours at 15°C-20°C, so you can overcoat in just 1 day, reducing downtime
- **Easy to apply** Easy to spread, low viscosity formula which is virtually solvent free and has good chemical resistance
- **Can be used on new concrete** Allows coatings to be used on concrete containing as much as 95% humidity

► **6kg • £103.00**



Powerfloat Primer & Rapid

## Watco Powerfloat Primer & Rapid

**Tricky to paint surfaces need a primer that's up to scratch.**

Floors with hard, smooth surfaces are prone to rejecting paint.

But our Powerfloat Primer formulation will ensure a perfect finish every time.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres and one coat is usually all that's needed
- **Roll it on** Easy application with a roller
- **No waiting** Can usually be over-coated in 16 hours; Rapid in just 3 hours
- **Hard surfaces** Use on powerfloated or glazed concrete, ceramic tiles, stainless steel and aluminium
- **Colour** Clear and Light Grey; **Rapid** Light Grey only

► **5L • Standard • £70.80**

► **5L • Rapid • £81.30**



4-Hour Epoxy Primer

## Watco 4-Hour Epoxy Primer

**Difficult surfaces are ready to go in a single day.** Fast-acting, virtually solvent-free primer reduces suction on porous surfaces.

- **Coverage** Depends on the porosity but you can expect to be able to cover **20m<sup>2</sup>** per 5 litres
- **Deep penetration** Major benefits over water-based primers when it comes to penetration and curing
- **Superior** Binding of weak and friable surfaces
- **Cuts costs** Reduces time and labour by doing the job in just one coat

► **5L • £81.70**



Oil Block Primer

## Watco Oil Block Primer

**Now you can paint your contaminated, oily surfaces with ease.** Just one coat will prepare your oily, difficult to clean floors for painting.

Oil Block Primer is a two part epoxy primer that has been specially developed to aid adhesion to porous surfaces that are hard to thoroughly clean.

- **Easy to use** The solvent penetrates the substrate and combines with oily residues, making it easy for you to paint your floors
- **Suitable for most surfaces** Suitable for concrete, brick and masonry, and timber surfaces in warehouses, factories, garages, or machine workshops
- **Best for interior areas** Intended for mineral oil residues, such as motor oil or cutting oils, in interior areas

► **4L • £62.80**



Tile Primer

## Watco Tile Primer

**Get tiles ready for painting without flaking problems.** Our primer makes it easy to paint difficult surfaces such as glazed tiles.

The milky-white coating of Watco Tile Primer becomes transparent when the product dries and if you need to retain an existing floor pattern, you simply cover the primer with a clear top coat, such as **Protecta-Coat**. Hard-working epoxy formula that is easy to apply.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres
- **No patches** Milky colouring makes it easy to see which areas have been coated before drying clear

► **5L • £70.80**

# Attractive, protective paints for all exterior surfaces



Use Watco road paints to highlight hazards, mark out parking bays and pedestrian areas, or simply to rejuvenate existing surfaces

## info

Keeping tins warm before use makes application easier

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint

**Light Grey**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint  
Asphalt Paint/ Heavy  
Duty Asphalt Paint  
Road Paint Rapid

**Mid Grey**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint  
Asphalt Paint/ Heavy  
Duty Asphalt Paint  
Road Paint Rapid

**Black**

Anti Slip Traffic Paint  
Asphalt Paint/Heavy  
Duty Asphalt Paint

**White**

Asphalt Paint/ Heavy  
Duty Asphalt Paint  
Road Paint Rapid

**Mid Blue**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint

**Safety Blue**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint  
Asphalt Paint/ Heavy  
Duty Asphalt Paint

**Tile Red**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint  
Asphalt Paint/ Heavy  
Duty Asphalt Paint

**Mid Green**

Anti Slip Traffic Paint/  
Heavy Duty Anti Slip  
Traffic Paint  
Asphalt Paint/ Heavy  
Duty Asphalt Paint

**Yellow**

Road Paint Rapid

**Safety Red**

## Tests and Standards Compliance

Finish	Result/Rating					
<b>Anti Slip Traffic Paint</b>	 ABRASION RESISTANCE ISO 5470-1 333mg	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 3	 ADHESION ISO 2409 CLASS 0	 SLIP RESISTANCE BS7976-2 52 PTV	 EN 1504-2 CE
<b>Heavy Duty Anti Slip Traffic Paint</b>	 ABRASION RESISTANCE ISO 5470-1 56mg	 HARDNESS 9H	 IMPACT RESISTANCE ISO 6272 CLASS 3	 ADHESION ISO 2409 CLASS 0	 SLIP RESISTANCE BS7976-2 56 PTV	 EN 1504-2 CE
<b>Asphalt Paint</b>	 ABRASION RESISTANCE ISO 5470-1 333mg	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 3	 ADHESION ISO 2409 CLASS 0	 FLEX ISO 1519 2 mm	 EN 1504-2 CE
<b>Heavy Duty Asphalt Paint</b>	 ABRASION RESISTANCE ISO 5470-1 191mg	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 3	 ADHESION ISO 2409 CLASS 0	 FLEX ISO 1519 2 mm	 EN 1504-2 CE

Refer to page 96 for more information on our Tests and Standards Compliance



## Watco Anti Slip Traffic Paint

**Textured, slip resistant coating for traffic areas.** With UV resistance and low slip potential for pedestrians (Wet PTV 55), Watco's Anti Slip Traffic Paint delivers improved safety by highlighting hazards and safe walking zones.

Anti Slip Traffic Paint is a durable traffic paint that's suitable for use on interior and exterior asphalt and concrete surfaces, including car parks, vehicle areas, tennis courts and playgrounds.

Available in 8 colours.

- **Coverage** Approx. **15m<sup>2</sup> to 20m<sup>2</sup>** for one coat per 5 litres
- **Trouble free** Can be applied to damp surfaces. No primer is required and curing time is only 24 hours at 15°C to 20°C
- **One coat coverage** Usually requires only one coat. For garages and vehicle workshops we recommend using one of our epoxy resin coatings, such as **Watco Safety Coat**
- **Meets Building Regulations** Our Safety Blue colour option complies with Part M of Building Regulations for disabled car parking bays

► 5L • £104.80

## Watco Heavy Duty Anti Slip Traffic Paint

**Extra reassurance for those outdoor surfaces that take the most traffic.** A finely-textured and chemical-resistant paint that's a solvent based, two-part epoxy resin.

You can rely on it for places that take a serious amount of wear.



HEAVY  
DUTY

- **Coverage** Approx. **15m<sup>2</sup> to 20m<sup>2</sup>** for one coat per 5 litres
- **Heavy traffic** Ideal for car parks, driveways and cycle lanes

► 5L • £116.20

### You may also need...

Tools	Each
Medium Pile Roller Frame and Handle	£33.50
Medium Pile Replacement Roller	£7.30
Soft Broom	£10.00
Plastic Scuttle	£6.70

## Watco Asphalt Paint

**Colourful protection for asphalt surfaces.** Our Asphalt Paint's unique formulation creates a flexible, waterproof coating that's perfect for brightening up the appearance of light to medium traffic areas.

Virtually solvent free and odourless, Watco Asphalt Paint can be easily applied with only a brush or roller. Available in 7 colours.

- **Coverage** **20m<sup>2</sup> to 30m<sup>2</sup>** per 5 litres, for one coat
- **Done in one** Usually requires just one coat and cures in 24 hours at 15°C to 20°C. Suitable for many uses including asphalt, concrete, brick, masonry and other similar porous surfaces
- **Whatever the weather** Excellent resistance to UV and weathering. Can even be applied to damp surfaces

► 5L • £87.50

## Watco Heavy Duty Asphalt Paint

**Brilliant coverage for places where other water-based paints fail.** Makes hard-working areas look great as well as offering heavy-duty protection from the elements.

Suitable for car parks,

playgrounds, warehouses, tennis courts, plant rooms and traffic routes, Watco Heavy Duty Asphalt Paint has a coverage of 20m<sup>2</sup> to 30m<sup>2</sup> per 5 litres and one coat is usually all that's needed.



HEAVY  
DUTY

- **Doesn't fade** Superior resistance to wear, UV and weathering
- **Rich colour** Better coverage thanks to high pigment levels
- **Flexi surface** A flexible, waterproof membrane that easily copes with heavy usage
- **Damp start** Can even be applied to damp surfaces. No need to wait for the good weather

► 5L • £106.60

## Watco Asphalt Binder

**Transforms old asphalt so it looks brand new.** If your asphalt is crumbling, faded and stained, there's no need to rip it up.

This product binds and strengthens old asphalt in a way that looks freshly laid.

- **Coverage** Approx **10m<sup>2</sup> to 20m<sup>2</sup>** from 5 litres, depending on surface texture
- **Easy application** Just spread it on with a broom
- **Cover up** Hides ingrained dust and cement spills from building work

► 5L • £48.10

## Watco Road Paint Rapid

**Quick acting, hard-wearing road paint.** Road Paint Rapid is a tough, fast drying solution for busy exterior areas such as car parks, walkways, and school playgrounds.

Suitable for bare concrete and asphalt surfaces, it's easy to apply with a brush or roller and handles even heavy traffic after just one coat. Exceptional wear resistance makes it ideal for heavy traffic areas.

Available in 4 colours.

- **Coverage** **15m<sup>2</sup> to 18m<sup>2</sup>** per 5 litres
- **Super speedy** Showerproof in only an hour and ready for light traffic after just 2 hours at 15°C to 20°C. Suitable for vehicle traffic after 6 to 8 hours at 15°C
- **Cool under pressure** Can be applied at temperatures as low as 5°C

► 5L • £76.50

## Watco Black Top

**One coat is all you need.** Give grey and weathered asphalt and tarmac a new lease of life.

- **Coverage** **5m<sup>2</sup> to 10m<sup>2</sup>** per 5 litres, per coat of Black Top
- **Looks like new** Covers old stains
- **No waiting** Cures in 2-5 hours at between 5°C and 20°C

► 5L • £41.60

### Preparation - we recommend...

#### Watco Bio D

Dirty, oily painted surfaces

Page 48

# Safety Coat Best Ever Formula for non-slip floors you can trust

Safety Coat's unique formula has now been reinforced making it our most durable water based safety floor coating ever.

A 'diamond hard' wax and ceramic dispersion has been blended with epoxy resin to make our new 'Best Ever' formula 40% harder wearing than before. It also dries in half the time so you can apply 2 coats in one day and get your floor back into use twice as quickly.



Watco Safety Coat is available in a range of finishes:

Standard/Coarse Hygienic Hygienic Coarse	<b>Light Grey</b> RAL No. 7035
Standard/Coarse Hygienic Hygienic Coarse	<b>Mid Grey</b> RAL No. 7036
Standard/Coarse Hygienic Hygienic Coarse	<b>Dark Grey</b> RAL No. 7005
Standard/Coarse Hygienic Hygienic Coarse	<b>Black</b> RAL No. 9005
Standard/Coarse Hygienic Hygienic Coarse	<b>Mid Blue</b> RAL No. 5015
Standard/Coarse Hygienic Hygienic Coarse	<b>Dark Blue</b> RAL No. 5005
Standard/Coarse Hygienic Hygienic Coarse	<b>Deep Red</b> RAL No. 3003
Standard/Coarse Hygienic Hygienic Coarse	<b>Signal Red</b> RAL No. 3020
Standard/Coarse Hygienic Hygienic Coarse	<b>Hazard Yellow</b> RAL No. 1021
Standard/Coarse Hygienic Hygienic Coarse	<b>White</b> RAL No. 9010
Standard/Coarse Hygienic Hygienic Coarse	<b>Mid Green</b> RAL No. 6002
Standard/Coarse Hygienic Hygienic Coarse	<b>Tile Red</b>
Standard/Coarse Hygienic Hygienic Coarse	<b>Sandstone</b> RAL No. 1014
Standard/Coarse Hygienic Hygienic Coarse	<b>Blue Grey</b> RAL No. 7000
Standard/Coarse Hygienic Hygienic Coarse	<b>Stone</b> RAL No. 7032

## Watco Safety Coat

**Non-slip and easy-clean.** Areas with heavy traffic need a resilient, reliable product that also looks the part.

Traditional non-slip paints can be gritty and hard to clean. But our unique formula includes a special pre-blended aggregate suspended in the paint that makes for an appealing covering, which can be cleaned in no time and offers a reassuringly safe non-slip surface. For interior use.

- **Coverage** Approx **30m<sup>2</sup>** per 5 litres, two coats required
- **Fast curing** Recoat in 4-6 hours and light traffic after 12 hours
- **Safe and reliable** Fine particles are embedded in a hard-wearing epoxy resin coating. Suitable for warehouses, production areas, workshops, showrooms and potentially slippery heavy wear areas.
- **Eco friendly** Virtually solvent-free and non-flammable
- **Non slip reassurance** Low slip potential (Wet PTV 55) and suitable for heavy wear areas including concrete, sand and cement, and wood

► 5L • £146.70



## Preparation - we recommend...

<b>Watco Etch &amp; Clean</b> New or bare concrete Page 48	<b>Watco Bio D</b> Dirty, oily painted surfaces Page 48
<b>Watco Concroff</b> Greasy, oily bare concrete Page 48	<b>Watco Powerfloat Primer</b> Powerfloated, very smooth surfaces Page 49

## Tests and Standards Compliance

Finish	Result/Rating						
<b>Standard/ Hygienic</b>	 ADHESION EN 1542 4.1MPa/Nmm <sup>2</sup>	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 SLIP RESISTANCE BS7976-2 55 PTV	 EN 1504-2	 FOOD TAIN EN 1773 ✓
<b>Coarse/ Hygienic Coarse</b>	 ADHESION EN 1542 4.1MPa/Nmm <sup>2</sup>	 IMPACT RESISTANCE ISO 6272 CLASS 3	 SCRATCH RESISTANCE ISO 4586-2 7N	 FLEX ISO 1519 2mm	 SLIP RESISTANCE BS7976-2 59 PTV	 EN 1504-2	 FOOD TAIN EN 1773 ✓

Refer to page 96 for more information on our Tests and Standards Compliance

## Watco Safety Coat Coarse

**Added slip resistance for wet or greasy floors.**

Safety Coat contains a very fine particle which makes smooth floors non slip. For wet or greasy areas where additional help may be required choose Safety Coat Coarse. A larger particle size increases slip resistance in the wet.

- **Coverage** Approx **30m<sup>2</sup>** per 5L per coat
- **Easy to apply** 2 coats normally required
- **Fast curing** Recoat in 4-6 hours and light traffic after 12 hours
- **Non slip reassurance** Low slip potential (Wet PTV 59) and suitable for heavy wear areas including concrete, sand and cement, and wood

► 5L • £146.70

## Watco Safety Coat Hygienic

**Contains silver ion technology to provide cleanliness you can trust.** All the benefits of Safety Coat but with an additive which makes it ideal for food areas, cleanrooms, restrooms, etc.

- **Coverage** Approx **30m<sup>2</sup>** per 5L per coat
- **Easy to apply** 2 coats normally required
- **Fast curing** Recoat in 4-6 hours and light traffic after 12 hours
- **Non slip reassurance** Low slip potential (Wet PTV 55) and suitable for heavy wear areas including concrete, sand and cement, and wood

► 5L • £156.40

## Watco Safety Coat Coarse Hygienic

**Helps keep wet, greasy areas clean.**

- **Easy to Apply** 2 coats normally required
- **Fast curing** Recoat in 4-6 hours and light traffic after 12 hours
- **Non slip reassurance** Low slip potential (Wet PTV 59) and suitable for heavy wear areas including concrete, sand and cement, and wood

► 5L • £156.40

## You may also need...

Tools	Each
<b>Watco Painting Kit</b> Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes; paint mixer	£54.00




## Safety Grip® For when the going gets tough.

The special coarse finish provides a secure non-slip surface even in areas that are wet or prone to oil spills



Safety Grip®	White
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Black
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Light Grey
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Mid Grey
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Tile Red
Safety Grip® Safety Grip® Cold Cure	Stone
Safety Grip® Safety Grip® Cold Cure	Buff
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid Safety Grip® Flex	Safety Blue
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Red
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Green
Safety Grip® Safety Grip® Cold Cure Safety Grip® Rapid	Safety Yellow*

The uses of Safety Grip®



\*A coat of Watco Epoxy Gloss Coat Hazard Yellow (page 24) is recommended on darker substrates or bare concrete prior to applying Watco Safety Grip Safety Yellow

## Watco Safety Grip®

**Watco Safety Grip** is a heavy duty, coarse textured, chemical resistant, anti slip two pack epoxy resin coating designed to provide a safe surface inside and out. You can't compromise on safety in areas of potential hazard and our coating offers complete reassurance.

Using a high build coat of Safety Grip is ideal for slippery, hazardous, wet or oily areas including around machinery, steps and ramps, loading bays, walkways and car parks.

- **Coverage** Approx **5m<sup>2</sup>** per pack. One coat is usually sufficient
- **Independently tested** Slip resistance PTV Wet (69) indicates low slip potential. This coating also carries ISO testing to CE Mark EN1504-2
- **Takes the strain** Can withstand constant heavy traffic. Expect light traffic after 16 hours, and heavy traffic after 24 hours at 20°C
- **Virtually solvent free** The A+ VOC emissions rating indicates a low level of VOC

► **5m<sup>2</sup> • £108.00**

## Watco Safety Grip® Rapid

**Fast solution.** Carries all the benefits of Watco Safety Grip with the added benefit of rapid curing. Takes light traffic after 8 hours at 20°C.

- **Coverage** Approx **5m<sup>2</sup>** per pack. One coat is usually sufficient
- **Added grip** Only one coat needed. Roller out, scatter aggregate and roll again
- **Speedy solution** Surface is good to go for light traffic in just 8 hours

► **5m<sup>2</sup> • £114.90**

## Watco Safety Grip® Cold Cure

**Best choice when it's cold.** Safe and secure footing even in the iciest temperatures.

Perfect for unheated areas, outside in the winter months or anywhere the temperature drops below 10°C.



CURES AT  
0°C

- **Coverage** Approx **5m<sup>2</sup>** per pack. One coat needed

► **5m<sup>2</sup> • £114.90**

## Watco Safety Grip® Flex

**Tough, flexible, two pack polyurethane coating.** All the benefits of our anti slip coating but with added flexibility for those areas where there may be movement, such as metal or wooden ramps.

- **Coverage** Approx **5m<sup>2</sup>** per pack. One coat needed
- **Reliable all rounder** Can be used inside and out on concrete, asphalt that's more than 6 months old, wood and metal. Takes light traffic after 12 hours at 20°C

► **5m<sup>2</sup> • £113.80**




Safety Grip Flex provides a secure surface on steps that may flex under foot

## Tests and Standards Compliance

Finish	Result/Rating					
Standard/Rapid/ Cold Cure	 SLIP RESISTANCE BS7976-2 69 PTV	 HARDNESS 8H	 IMPACT RESISTANCE ISO 6272 CLASS 1	 ADHESION ISO 2409 CLASS 0	 ABRASION RESISTANCE ISO 5470-1 163mg	 EN 1504-2 CE
Safety Grip Flex	 SLIP RESISTANCE BS7976-2 74 PTV	 HARDNESS 7H	 IMPACT RESISTANCE ISO 6272 CLASS 3	 ADHESION ISO 2409 CLASS 0	 ABRASION RESISTANCE ISO 5470-1 155mg	 EN 1504-2 CE

Refer to page 96 for more information on our Tests and Standards Compliance



You may need to prepare concrete with Watco Bio-D

## Preparation - we recommend...

<b>Watco Etch &amp; Clean</b>
New or bare concrete
<b>Page 48</b>
<b>Watco Galvaprime</b>
If applying to galvanised metal
<b>Page 80</b>

<b>Watco Bio D</b>
Dirty, oily painted surfaces
<b>Page 48</b>
<b>Watco Powerfloat Primer</b>
Powerfloated, very smooth surfaces
<b>Page 49</b>

## You may also need...

Tools	Each
<b>Galvaprime 1L</b>	£24.00
For use on galvanised surfaces - see page 80	
<b>12" Roller Frame &amp; Handle</b>	£33.50
<b>Replacement Roller</b>	£7.70




## Peace of mind for decking and outdoor timber surfaces



Decksafe Advanced



Decksafe



Decking Cleaner

### Watco Decksafe® Advanced

**Tough durable coating makes decking super safe.** The very latest technology ensures you get good-looking, hard-working decking and pathways.

Our research into polyaspartic resin technology has led to an advanced, exceptionally durable, formula. Decksafe Advanced helps to prolong the life of your decking and offers the reassurance of our patented anti-slip texture in just one coat.

- **Coverage** 20m<sup>2</sup> per coat (depending on porosity). Suitable for softwood and hardwood
- **Sun loving** Resists UV fading and discolouration
- **Easy going** Apply with a short pile roller or brush
- **Flexible** Prevents surface cracking from movement
- **Non scratch** Resists abrasion and even chemical spills

► 2.5L • £101.30

### Watco Decksafe®

**Makes decking non slip quickly and easily.** Our basic but strong formula makes stained or unstained decking safer for light to medium use.

- **Easy to apply** Use a roller or brush for a finely textured matt finish
- **Coverage** 40m<sup>2</sup> per 5 litres per coat
- **Safe in the wet** Extremely low slip potential – Wet PTV 65
- **Quick work** Touch dry in 4 hours
- **Natural look** Oak version leaves a tinted finish

► 5L • £66.30

GRP  
Decking Strips  
see page  
65

### Watco Decking Cleaner

**Powerful cleaner smartens up wooden decking.** Keep decking looking its best with our water-based and biodegradable cleaner.

Removes all kinds of dirt, algae and lichen in no time.

- **Coverage** Approx 20m<sup>2</sup> per 5 litres
- **Shifts stubborn spots** Use undiluted for the tough ones

► 5L • £19.20

Decksafe® Advanced  
Decksafe®

Clear

Decksafe®

Oak



A single coat of Watco exterior floor finish is all it takes to provide a tough, non-slip surface suitable for pedestrian and vehicle traffic



## Watco Grip-Master

**New formula is easily applied and is ready for use in four to six hours.** This super tough anti-slip coating looks great and is easy to apply with a roller to walkways and ramps.

- **Coverage** Approx up to **5m<sup>2</sup>** per unit. Coverage rates will be reduced on very coarse or open textured surfaces
- **Safety first** A rapid-curing coloured epoxy resin that holds the anti-slip aggregate in an attractive colour blend
- **For feet and wheels** Can be used in areas of both pedestrian and vehicle traffic

► **5m<sup>2</sup> • £101.50**

## Grip-Master Comfort

**Made using recycled car tyres for a less abrasive finish.** A safer alternative for Grip Master, to improve safety in areas where people might fall.

An anti slip finish for areas used by children or vulnerable people who could fall. Made with recycled materials for a less abrasive, impact and noise absorbing finish.

- **Coverage** Same as **Grip-Master**
- **Safe and comfortable** Recycled rubber crumb creates a cushioned, slip resistant finish
- **No waiting** Easily and quickly applied - ready for use in just 4-6 hours
- **Perfect for childrens play areas** Withstands heavy traffic, and can be applied to concrete, tarmac and asphalt, so is perfect for a car park or children's play areas

► **5m<sup>2</sup> • £101.50**

Grip-Master

## You may also need...

	Grip-Master Comfort	Black
	Grip-Master	Natural Grey
	Grip-Master	Natural Stone

Tools	Each
Roller/Frame and Handle	£33.50
Replacement Roller	£7.30

## Easy to apply long-lasting safety



Anti Slip GRP Treads



Epoxy Grip Strip



Anti Slip Aluminium Treads

### Watco Anti Slip GRP Treads

**Ultra tough GRP base for added grip in heavy duty areas.** Resistant to rotting, warping, swelling, sunlight and extreme temperatures, Anti Slip GRP (Glass Reinforced Plastic) Treads deliver a coarse, anti-slip surface even when wet.

With chamfered edges to minimise trip hazards in situations such as external steps, walkways, jetties and the like. These black Anti Slip GRP treads are an ideal choice for both interior and exterior surfaces.

- **Match your needs** Suitable for concrete, timber, brick, stone, and metal Available in 120mm wide and 600mm, 1200mm, or 2400mm lengths
- **Easy fix** Attach permanently with screws (not supplied). On uneven surfaces use **Watco Adhesive Mastic** in addition to screws to help prevent rocking

▶ 600mm x 120mm • £10.00

▶ 1200mm x 120mm • £19.00

▶ 2400 mm x 120mm • £36.00

### Watco Epoxy Grip Strip

**Versatile anti-slip grip does much more than just look smart.** Epoxy Grip Strip combines our durable epoxy resin base and carborundum grit to create an attractive finish for heavy wear areas.

Suitable for interior and exterior surfaces including concrete and wood, Epoxy Grip Strip allows you to tailor the design to the job.

- **Coverage** One cartridge will provide a line approx 10m long x 15mm wide
- **No hassle** Simply spread the black epoxy resin paste between two lines of adhesive tape and sprinkle the grit. Remove the tape to reveal a sleek, anti-slip black strip
- **Added safety** Allows water to drain away more easily
- **Finished in a flash** Cures in 16 hours at 15°C to 20°C

▶ 310ml • Cartridge Kit • £41.90

### Watco Anti Slip Aluminium Treads

**These self-adhesive plates are the easy way to improve safety around your premises.** Tough, resin bound aluminium oxide provides a long-lasting, gritty finish to these stair treads. Easy to apply inside and out, on a range of surfaces.

- **Can be used on most surfaces** Ideal for application to cold, damp or difficult to clean surfaces, and can be used on steps or walkways. When used externally we recommend **Safety Tape Primer** for effective adhesion.
- **Quick** The anti slip insert is firmly stuck to the surface and pre-drilled for screw fixing, so can be applied in no time at all
- **DDA Compliant** Helps meet the requirements of the Disability Discrimination Act (DDA) and 2004 Building Regulations

▶ 635mm x 115mm • £26.90



### You may also need...

Tools	Each
Safety Tape Primer	£17.30
GRP Adhesive Mastic 310ml	£4.10
Skeleton Gun	£4.80
Epoxy Grip Strip Application Tape 50m	£17.00

### TOOLS

Check out our range to find the right tools for the job



### Preparation - we recommend...

#### Watco Bio D

Dirty, oily painted surfaces

Page 48





Firm-Step® Standard Step Covers

**FREE**  
Cut to size  
service  
available



Firm-Step® Standard Sheet

## info

Can easily be cleaned with a stiff broom and a mild detergent such as Watco Industrial Floor Cleaner to remove stubborn contamination

## Watco Firm-Step® Standard GRP Step Covers

**An affordable and versatile solution for slippery steps.** For interior and exterior use in areas of medium foot traffic.

Our 55mm DDA compliant Step Covers are tough and chemical resistant, which make them suitable for industrial and commercial use, such as fire escapes and all staircases.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required. Alternatively, **Watco UltraBond Tape** and **Tape Primer** can be used to bond the tread to dry indoor steps
- **Cut to size** Watco offers a free 24/48 hour cut to size service
- **Versatile** Suitable for concrete, wood, stone, tiles and metal
- **Safety first** Independently tested for slip resistance

### Firm-Step® Standard Step Covers



Black + Yellow

### Firm-Step® Standard Sheets



Black

Stone

Yellow

## Watco Firm-Step® Standard GRP Sheets

**An affordable solution for slippery areas of medium foot traffic.** Watco's general purpose Firm-Step® Standard sheets should be used to make slippery walkways, ramps and mezzanine floors safe.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required. Alternatively, **Watco UltraBond Tape** and **Tape Primer** can be used to bond the sheets to dry indoor floors
- **Cut to size** Watco offers a free 24/48 hour cut to size service
- **Can be used with Watco Firm-Step® Standard Step Covers**


Firm-Step® Standard Step Covers	Each
600mm x 345mm x 55mm	£17.56
1000mm x 345mm x 55mm	£29.26
1500mm x 345mm x 55mm	£43.89
2000mm x 345mm x 55mm	£58.52
3000mm x 345mm x 55mm	£87.78
Firm-Step® Standard Sheets	Each
800mm x 1200mm	£55.44
1200mm x 1200mm	£73.15
2400mm x 1200mm	£146.30

## You may also need...

Tools	Each
GRP Adhesive Mastic 310ml	£4.10
UltraBond Tape 3 x 10m	£29.99
Industrial Floor Cleaner 5L	£7.99
Stiff Broom	£10.00
Safety Tape Primer	£18.50



# Heavy duty slip resistance



Firm-Step® Heavy Duty Step Covers

## Watco Firm-Step® Heavy Duty GRP Step Covers

**Ultra tough tread and nosing.** For interior and exterior use, Firm-Step® Heavy Duty Step Covers have a unique ceramic grit surface which offers outstanding wear resistance.

Convenient and versatile, they protect against corrosion and guarantee grip where it matters most. Firm-Step® Heavy Duty stair treads combine Glass Reinforced Plastic (GRP) tread and 55mm high visibility nosing to meet DDA and building regulations. Available in fine or coarse grade.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required
- **Wet weather proof** Extremely low slip potential, even when wet (Wet PTV 67)
- **Suits your needs** Available in various standard sizes, or choose made to measure with our free 24/48 hour cut to size service - any size up to 5000mm x 345mm
- **Guarantee** Firm-Step Heavy Duty Step Covers come with a 10 year guarantee against breakage

**\*Guaranteed against breaking**

**Firm-Step® Heavy Duty Step Covers** \*Indicates the nosing colour

	Stone
	Black + Yellow*
	Black + White*
	Grey + Yellow*
	Grey + White*
	Stone + White*

Firm-Step® Heavy Duty Step Covers Fine/Coarse - Black, Grey and Stone	Each
600mm x 220mm x 55mm	£25.20
1000mm x 220mm x 55mm	£40.00
1500mm x 220mm x 55mm	£57.00
2000mm x 220mm x 55mm	£72.00
3000mm x 220mm x 55mm	£102.00
600mm x 345mm x 55mm	£27.36
1000mm x 345mm x 55mm	£43.44
1500mm x 345mm x 55mm	£61.90
2000mm x 345mm x 55mm	£78.19
3000mm x 345mm x 55mm	£110.77



## Watco Firm-Step® Heavy Duty GRP Sheets

**Slip resistance for heavy use areas.** Firm-Step® Heavy Duty GRP sheets bring maximum safety underfoot in heavy traffic industrial environments.

Ideal for areas in constant use, Firm-Step® Heavy Duty sheets enable you to produce continuous slip resistant walkways and workspaces with hardly any downtime. The resin bonded ceramic grit surface offers the same superior durability as the Heavy Duty Step Covers. Available in fine or coarse grades.

- **Totally tough** Won't rot, warp or corrode, making it ideal for wet or very cold areas where the application of a coating may be impractical. Can also be used around oily machines and for chemically damaged floors
- **Super safe** Extremely low slip potential (Wet PTV 67). Heavy wear slip resistance for vehicles, forklifts and pedestrians

- **Tailored for you** Our free cut to size service can provide any size up to 2400mm x 1200mm. Can be trimmed on site with a hacksaw if required

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required



**\*Guaranteed against breaking**

### Firm-Step® Heavy Duty Sheets

	Black
	Stone
	Yellow
	Grey

Firm-Step® Heavy Duty Sheets Fine/Coarse - Black, Grey and Stone	Each
800mm x 1200mm	£100.00
1200mm x 1200mm	£135.00
2400mm x 1200mm	£225.00



## Simple solutions for slip-free steps



Firm-Step® Edge

### Watco Firm-Step® Edge

**Virtually indestructible anti slip for steps.** Firm-Step Edge is an ultra tough, fibreglass step nosing.


Resistant to stretching, warping and swelling, our interior and exterior versions both provide a superior gritted surface and chamfered back edge to minimise slip and trip hazards. Available in 3 colours; black, yellow & white and medium (interior) or coarse grade (exterior).

- **No waiting** Can be installed in minutes and walked on straight away. Fixes in

place with drilling, screwing, or gluing to reasonably dry areas using **Watco Adhesive Mastic**

- **Fits the job** Suitable for concrete, timber, brick, stone and metal. Available in sizes from 1000mm to 3000mm, Firm-Step Edge can be cut to size on site with a hacksaw (or similar tool)
- **Wet protect** Low slip potential. Wet PTV 60 (medium grade) and 65 (coarse grade). 55mm riser option helps meet 2004 Building regulations

Firm-Step® Edge Medium (interior)/Coarse (exterior)	Each
Length 1000mm	£18.80
Length 1500mm	£27.00
Length 2000mm	£37.30
Length 3000mm	£52.20



Firm-Step® Precision Stair Treads

### Watco Firm-Step® Precision Step Covers

**Stylish and modern aluminium anti slip step cover solution for heavy footfall areas.** A premium step cover combines aluminium with anti slip resin inserts.

This aesthetically pleasing step cover offers exceptional durability with a contemporary finish that will blend in with modern design.

- **Guarantee** Watco Firm-Step® Precision Step Covers come with a 15 year guarantee against breakage.
- **Application** Drilling with mechanical fixing is recommended. They can be pre-drilled, just call our technical sales team
- **Versatile** Suitable for all staircases, stadiums, night clubs, and areas of extreme foot traffic that requires a less industrial look

▶ 1000mm x 200mm x 55mm • £114.95

▶ 1500mm x 200mm x 55mm • £163.35

#### Firm-Step® Precision Step Covers

\*Indicates the nosing colour




**\*Guaranteed against breaking**

### You may also need...

Tools	Each
GRP Adhesive Mastic 310ml	£4.10
Skeleton Gun	£4.80



# Instant safety for interior steps and walkways




## Watco Stair Nosing

These easy to apply stair nosing's help prevent slips and highlights step edges. Choose from a range of colours of this durable and attractive aluminium nosing.

For inside areas, these aluminium stair nosing's with a coloured infill of matt PVC are anti slip, durable, and attractive

- **Versatile** Suitable for smooth flooring or medium depth carpet/carpet tiles
- **Ideal for interior areas** Can withstand medium to light traffic
- **Easy application** Simply drill and screw the nosing to the step edge, then fit the self-adhesive PVC strip to conceal the fixings
- **Choice of Colour** 6 coloured inserts available



Back edge of nosing butts up to lino or carpet

Stair Nosing	Black
Stair Nosing	Light Grey
Stair Nosing	Dark Blue
Stair Nosing	Red
Stair Nosing	White
Stair Nosing	Yellow

## Watco Aluminium Nosing

The perfect solution to slippery and hazardous steps. These professional looking powder coated nosing's are will improve safety in your premises.

An anti-slip nosing with a powder coated finish and chamfered back edge to minimise any potential trip hazard whilst keeping your premises looking smart

- **Internal and external** Use on a range of surfaces including concrete, timber, stone and metal
- **Easy Application** Simply drill, screw or glue in place
- **Your choice** Choose from two profiles and two colour options; yellow to highlight step edges or metallic grey for a smoother look

Stair Nosing	Each
66mm x 32mm x 1.22m	£20.90
66mm x 32mm x 2.46m	£39.50
56mm x 32mm x 1.22m	£18.60
56mm x 32mm x 2.46m	£37.00
85mm x 32mm x 1.22m	£28.50
85mm x 32mm x 2.46m	£54.30
Aluminium Nosing	Each
750mm x 70mm x 30mm	£18.90
1000mm x 70mm x 30mm	£25.00
1500mm x 70mm x 30mm	£36.30
2000mm x 70mm x 30mm	£72.50
750mm x 55mm x 55mm	£18.90
1000mm x 55mm x 55mm	£25.00
1500mm x 55mm x 55mm	£36.30
3000mm x 55mm x 55mm	£72.50



Surestep® Treads



Conformable Surestep® Treads

## Watco Surestep® Treads

**Self adhesive anti-slip for long-lasting safety.** Surestep and Conformable Surestep Treads are easily applied to give long-lasting safety with a tough, grit finish.

Surestep Treads' PVC backing bonds to all smooth, non-porous surfaces, while Conformable Surestep Treads' flexible aluminium backing moulds to textured areas such as profiled metal.

Available in yellow, black, or hazard (yellow and black stripes).

- **Access all areas** Use for medium duty interior and exterior surfaces, including concrete, timber, brick, stone, and metal
- **Fit for purpose** Water-resistant self adhesive means treads can be easily applied (rubber mallet required for Conformable Surestep Treads). Available in size 610mm x 150mm. Standard Surestep Treads are available in standard, medium, or coarse grades
- **Safety first** Standard Surestep Treads deliver a pressure sensitive, low slip potential surface (Wet PTV 71)

► **Standard Grade** • £10.40

► **Medium Grade** • £11.40

► **Coarse Grade** • £12.40

	Black
	Black + Yellow
	Yellow

## Watco IPA Cleaner

**Wipe down easily for a brilliantly grease and dirt-free surface.** Use before applying our **Safety Tapes** and **Surestep Treads**. Coverage is 10m<sup>2</sup> to 15m<sup>2</sup> per litre

► **1L** • £18.00

## Watco Conformable Surestep® Treads

**With a quick and easy installation you can be sure your textured surfaces are completely safe.** These aluminium tread plates are extremely tough & have a flexible, conformable backing.

Anti slip, self-adhesive aluminium tread plates that help to improve safety on profiled metal, chequer plate and profiled slabs.

- **Hard-wearing** A long-lasting, gritty finish is achieved thanks to the hard-wearing, resin-bonded aluminium oxide
- **Easy to apply** The flexible backing conforms to textured surfaces which makes application even easier
- **Versatile** Suitable for use internally and externally, in both industrial and commercial locations
- **DDA Compliant** Helps meet the requirements of the Disability Discrimination Act (DDA) and 2004 Building Regulations

► **610mm x 150mm** • £11.20

### info


The rubber mallet helps application on textured surfaces

	Black
	Yellow + Black
	Yellow


## You may also need...

Tools	Each
Rubber Mallet	£3.00
Safety Tape Primer 500ml	£17.30
Safety Tape Edge Sealer 140ml	£13.80


# Safety for walkways, ramps and decking



Rollgrip



Surestep® Roll



**FREE**  
Cut to size  
service  
available

GRP Decking Strips

## Watco Rollgrip

**Achieve an attractive, slip resistant stone finish with this easy to install matting.** A tough waterproof membrane for exterior pedestrian areas.

For an attractive finish for pedestrian areas, Rollgrip is easy to apply, tough, and waterproof

- **Slip resistant** A flexible bitumen and polymer base firmly holds an attractive blend of polished stone aggregate
- **Self Adhesive** No fixings necessary. **Safety Tape Edge Sealer** is recommended to ensure the edges are well bonded
- **Suitable for most surfaces** Can be used on concrete, asphalt, steel and wood, and ideal for footpaths, bridges, flat roofs and other pedestrian areas
- **Preparation** Rollgrip primer is essential

► **5m x 1m • £202.80**

► **Primer 1L • £10.60**

Surestep® Roll	
Standard/Coarse/Extra Coarse	Each
9.1m x 610mm	£272.30
9.1m x 1000mm	£341.70
4.5m x 1000mm	£189.70
18m x 500mm	£441.70
GRP Decking Strips	
Medium/Extra Coarse	Pack of 10
1200mm x 50mm	£138.00
1200mm x 90mm	£191.00
1200mm x 120mm	£272.00
2400mm x 50mm	£268.00
2400mm x 90mm	£379.00
2400mm x 120mm	£540.00


## Watco Surestep® Roll

**Improve safety around your premises in an instant.** This anti slip sheet on a self adhesive roll is an easy and effective safety measure.

For a long-lasting slip resistant surface Surestep roll is a quick and easy solution. The self adhesive sheet has a tough, resin-bonded aluminium oxide surface with a gritty finish and can be applied in an instant

- **Internal and external use** Ideal for areas where slips are a risk, especially paths, ramps, loading bays or entrance halls
- **Versatile** Suitable for commercial and industrial use and can withstand medium levels of traffic
- **Preparation** Use **Watco Safety Tape Primer** on bare, porous surfaces (page 64)

Surestep® Roll is available in a choice of 3 grades



**Standard Grade**  
Low slip potential  
Wet PTV 71



**Coarse Grade**  
Low slip potential  
Wet PTV 75



**Extra Coarse Grade**  
Extremely low slip potential  
Wet PTV 80 (\*black only)

## Watco GRP Decking Strips

**Easy-to-fit strips make slippery decking safer instantly.** Glass Reinforced Plastic (GRP) strips in two textures – medium and extra coarse – bring security underfoot on unprotected decks.

Watco Decking Strips are suitable for use in both commercial and domestic areas and are especially effective in wet conditions.

- **Waterproof and rotproof** Makes damp and slippery wooden walkways safer to walk on
- **Easy fit** Pre-drilled and with all screws supplied
- **Child friendly** Medium coarse option perfect for decks used by children or vulnerable adults

### info

Can be trimmed to size on site with a hacksaw

Surestep® Roll Decking Strips	<b>Black</b>
Surestep® Roll Decking Strips	<b>Yellow</b>
Surestep® Roll	<b>Black + Yellow</b>
Decking Strips	<b>Stone</b>





Conformable Safety Tape



UltraBond Tape



Hazard Safety Tape

## Watco Conformable Safety Tape

**Super strong anti-slip tape that fits existing textures. Make chequer plate and profiled metal safer.**

Resin bonded aluminium oxide grit tape with a flexible backing conforms to the texture of the surface beneath.

- **Safe option** Extremely hard-wearing, improves safety on chequer plate and profiled metal
- **Hammer it home** Self adhesive and easy to apply with a rubber mallet

Conformable	Black
Conformable	Yellow
Conformable	Yellow + Black

Conformable Safety Tape	Each
18m x 25mm	£42.80
18m x 50mm	£82.70
18m x 100mm	£114.10
18m x 150mm	£148.30
18m x 300mm	£285.60

## Watco UltraBond Tape

**Stronger than conventional adhesives, and easier than mechanical fixings. Use UltraBond Tape to permanently bond a range of substrates easily, quickly, and effectively.**

UltraBond Tape is a permanent bonding, double sided tape, which works on a range of substrates and has hundreds of uses around your premises

- **Ultra Strong** Remarkable bonding power takes hold instantly, and fully sets to permanent bonding over 24 hours - supplied as 3 x 10 metre rolls
- **Versatile** Can be used almost anywhere around your premises; mount signs or mirrors, fix broken fixtures, or wherever you would have otherwise drilled, screw fixed or raw plugged items
- **Easy to use** Simply cut off a length of double sided tape and apply to your surface - it works on metal, sealed concrete, masonry, wood, plastics and more
- **Resistant** UltraBond Tape resists moisture and UV, so can be used inside and out
- **Preparation** For unsealed and porous surfaces use **Watco Tape Primer**

► **3 x 10m • £29.99**

## Watco Tape Primer

**Increase adhesion of self-adhesive tapes and thermoplastic markings when applying to dusty surfaces. Seal and bind dusty, porous surfaces with Watco Tape Primer before applying self-adhesive tapes to promote good adhesion.**

- **Effectively binds** Suitable for dusty, gritty surfaces including unsealed, porous concrete, brick and stone
- **Rapid curing** Ready for tape to be applied in 30 minutes
- **One coat** Apply by brush before using Watco Ultrabond, Safety Tape, Thermoline, Thermoplastic Strips, or any of our self adhesive tapes

► **1L • £18.50**


# Trusty Tapes for tough jobs



Safety Tape



Safety Tape Edge Sealer



Safety Tape Primer

## Watco Safety Tape

**Tough tape that offers real peace of mind.** You can feel confident about safety with these tapes made from hard-working aluminium oxide grit on a PVC backing.

A huge suitable surface temperature range between -30°C and 70°C, means they're a great anti-slip aid for just about any location. Plus, they can be used with **Watco Safety Tape Edge Sealer** to keep water at bay. The tapes come in three grades; Standard, Coarse and Extra Coarse in seven different widths. Samples available on request.

- **Long-lasting** Clean the surface with **Watco IPA Cleaner** to give a good key for the adhesive
- **Low slip potential** Wet PTV 71 and great slip resistance
- **Stick to it** Works on concrete, timber, brick, stone and metal

Safety Tape/ Hazard Safety Tape Standard/Coarse/Extra Coarse*	Each
18m x 25mm	£30.80
18m x 50mm	£57.60
18m x 75mm	£69.70
18m x 100mm	£86.10
18m x 150mm	£125.60
18m x 300mm	£216.80
18m x 500mm	£340.20

\*Extra Coarse only available in black

## Watco Hazard Safety Tape

**This high visibility tape stands out where you need it most.**

- **Easy to use** with self-adhesive backing that's stable under the same wide range of temperatures as Safety Tape: -30°C to 70°C

### info

Store and apply at a temperature above 10°C to ensure adhesive properties are not affected

## Watco Safety Tape Edge Sealer

**Protect tape edges from wear and water and ensure a longer lasting finish.**

► 140ml tube • £13.80

## Watco Safety Tape Primer

**A better grip for surfaces that are dusty or porous.**

► 500ml • £17.30

## You may also need...

Tools	Each
Rubber Mallet	£3.00
IPA Cleaner 1L	£18.00
Rubber Roller	£7.30

Safety Tape	Light Grey
Safety Tape	Black
Safety Tape	Blue
Safety Tape	Green
Safety Tape	Red
Safety Tape	Transparent
Safety Tape	Yellow Fluorescent
Safety Tape	White
Safety Tape	Photo Luminescent
Safety Tape	Yellow
Safety Tape	Brown
Hazard Safety Tape	Yellow + Black
Hazard Safety Tape	Red + White
Hazard Safety Tape	Black + Luminescent





Easy Marking Tape



Heavy Duty Line Marking Tape

## Watco Easy Marking Tape

**Eye-catching safety tape that won't curl or tear.** Research in our labs has led to this incredibly strong 160 microns thick tape with a high spec adhesive that makes light work of line marking.

Good inside and out. Use **Watco Safety Tape Primer** for dusty or porous surfaces.

- **Here to stay** Virtually permanent after just one day's curing
- **Top marks** Waxed backing paper makes it easier to plan; simply cut pieces to size before sticking down

▶ 30m x 50mm • £21.10

## Watco Heavy Duty Line Marking Tape

**Long-lasting, 1000 microns (1mm) high-performance tape that keeps working even when the lights go out.** High performance tape with a self-adhesive backing you can trust to stay firm.

- **Bright idea** Photoluminescent grade glows for up to 30mins once lights are off
- **Safe option** Easy to clean – comes with a two-year guarantee and chamfered edges to reduce the chances of tripping
- **Hazard marker** Perfect for walkways, loading areas or hazardous areas

▶ 30m x 50mm • £92.80

▶ 30m x 75mm • £133.60

▶ 30m x 100mm • £173.70

Heavy Duty Line Marking Tape	Black
Heavy Duty Line Marking Tape Easy Marking Tape	Blue
Heavy Duty Line Marking Tape Easy Marking Tape	Green
Heavy Duty Line Marking Tape Easy Marking Tape	Red
Heavy Duty Line Marking Tape	Orange
Heavy Duty Line Marking Tape Easy Marking Tape	White
Heavy Duty Line Marking Tape	Photo Luminescent
Heavy Duty Line Marking Tape Easy Marking Tape	Yellow
Heavy Duty Line Marking Tape Easy Marking Tape	Yellow + Black
Heavy Duty Line Marking Tape Easy Marking Tape	Red + White

Remove sticky residues with **Watco Protect Wax, Tar & Tape Residue Remover** (Find online at [watco.co.uk](http://watco.co.uk)).



### TOOLS

Check out our range to find the right tools for the job



## You may also need...

Tools	Each
Rubber Mallet	£3.00
IPA Cleaner 1L	£18.00
Rubber Roller	£7.30





Thermoline®

## Watco Thermoline®

**Preformed long-lasting lines and symbols.** Thermoline is a thermoplastic formulation, providing permanent 2mm thick markings for heavy traffic areas such as roads and warehouses.

Our preformed lines and symbols mean there's no cutting required. Simply lay your shape on a suitable surface and heat using the **Watco Thermoline Blowtorch**.

- **Big choice** Select from a wide range of symbol options and 2 different colours. Thermoline White contains reflective particles for added road safety
- **Cools down in a flash** Ready for traffic in approx 1 hour
- **One man job** Quick and easy application for interior and exterior surfaces including concrete, tarmac, asphalt, brick, masonry, metal, and other similar surfaces
- **Preparation Watco Tape Primer** should be used on dusty, porous surfaces

Thermoline® Lines	Each
1m x 100mm - Pack of 10	£52.90
1m x 100mm - Pack of 50	£226.70
5m x 100mm - Pack of 10	£234.40
Thermoline® Symbols	Each
Straight Arrow* 2m	£47.00
Walking Man 980mm	£77.60
Disabled 800mm x 800mm	£47.00
Disabled 1.4m x 1.4m (DDA Compliant)	£85.50
*Only available in white	
Blowtorch (Excludes gas)	£102.40



Permaline

## Watco Permaline

**Lines that are here to stay, where visibility is needed the most.** A brand new concept in line marking.

It's virtually permanent and designed for the most demanding, heavy traffic areas – 3mm thick heavy duty pre-drilled GRP strips with chamfered edges to reduce the tripping hazard.

- **Easy lay** Trim and screw on site
- **Fix and go** Once fixed in place it's good to go straight away
- **Machine friendly** Oil and chemical resistant, so can be used even around machinery bays

► **50mm x 3m • £23.50**

Thermoline® Permaline Stepmarker	White
Thermoline® Permaline Stepmarker	Safety Yellow



Watco Stepmarker

## Watco Stepmarker

**Lasting slip resistant coating for lines and step edges.** Watco Stepmarker is an easy to apply pre-blended aggregate that stands tough against the wear of regular foot traffic, while highlighting edges and potential trip hazards.

Available in 2 colours.

- **Coverage** 1 litre produces **100mm wide line for approx. 25m** of step edges
- **Helps stop slips** Low slip potential even when wet (Wet PTV of 56) makes it ideally suited to surfaces that suffer daily wear including step edges and loading bays. Can be used as an extra tough line marker (if using indoors, ensure the area is well ventilated). Suitable for concrete, brick, asphalt, stone, wood, and metals
- **No hassle** Can be used as low as 5°C. Ready for foot traffic in 4 hours at 15°C

► **1L • £43.90**



Use a 2" paint brush to apply

## You may also need...

Tools	Each
Tape Primer	£18.50
2" Paint Brush	£3.40
Cleaning Solvent TH99 - 2.5L	£22.70



Epoxyline



High Visibility Paint



Toughline®

## Epoxyline

This epoxy resin paint will give you long-lasting lines even in your heaviest traffic areas. Cures so quickly that you can be back in action the next day.

Ideal for use in heavy traffic areas, this epoxy resin line marking paint cures quickly and has excellent resistance to abrasion and harsh chemicals.

- **Coverage** Approx. **50m of 50mm wide line** per litre (2.5m<sup>2</sup>). One coat is normally sufficient if you're applying by brush
- **Fast dry** Touch dry overnight, with full chemical resistance in 5 days
- **Suitable for most areas** Suitable for areas subject to chemical spillage, as well as any high traffic interior areas
- **Low odour** Virtually solvent free and odourless
- **Easy to apply** Simply apply by brush, one coat is usually sufficient and is suitable for bare concrete and well bonded paint

► **1L • £41.90**

## High Visibility Paint

Increase visibility of hazards around your premises with this fluorescent paint. Highlight trip hazards, mark out lines, or draw attention to low beams.

High Visibility Paint is a solvent free, easy to apply fluorescent paint. Ideal for highlighting hazards and marking out important lines around your premises, inside and out.

- **Coverage** approx. **10-15m<sup>2</sup>** per 2.5 litres per coat depending upon texture of substrate. One coat is normally sufficient
- **Easy to apply** Easily applied by brush or roller, the thick consistency can be effectively applied to horizontal and vertical surfaces
- **Resistant** Excellent resistance to UV, weathering, and can withstand light - medium traffic
- **Suitable when damp** It has a flexible, waterproof membrane and can even be applied to damp surfaces

► **2.5L • £62.80**

## Watco Toughline®

Quality line markings made for cold and exterior surfaces. Using Watco's brilliant, versatile polyaspartic resin technology, Toughline guarantees high quality, wear and tear resistant lines for those difficult cold, wet environments.

Toughline® resists chemicals, chalking, fading, weathering and UV discolouration, making this the ideal paint choice for heavily-trafficked and chilly areas such as unheated warehouses, walk-in fridges, cold stores and loading bays.

Available in 2 colours.

- **Coverage** Approx **75m of 50mm wide line**, per litre
- **Welcomes warm and cold** Can be applied at temperatures from -10°C to 30°C. Stands up to heavy traffic in just 12 hours at 20°C, and 48 hours at -10°C
- **Versatile** Suitable for porous surfaces, including concrete

► **1L • £48.10**

## info

When painting onto a dark substrate we recommend using white Asphalt Paint as a base coat

Coatings are easily applied with a 9" roller and tray



Epoxyline Toughline®	White
Epoxyline Toughline®	Safety Yellow
High Visibility Paint	Fluorescent Yellow


## You may also need...

Tools	Each
2" Paint Brush	£3.40
9" Roller and Tray	£9.00
Cleaning Solvent TH99 - 2.5L	£22.70

# Refresh car parks with our line marking paints



Sprayline® Plus



Roadmarker



Trafficline

## Watco Sprayline® Plus

### Industry standard aerosol line paint.

Sprayline Plus is a fast, accurate and easy to apply industrial grade aerosol paint for use with Watco's Sprayline Plus Applicator.

Ideal for marking out light to medium traffic areas including car parks and factory floors, it produces high visibility lines in nearly no time. Available in two colours.

- **Coverage** Approx **60 to 100m (50mm wide line) per 750ml**
- **Makes its mark** Durable and weather resistant. Suitable for concrete, sand and cement, and asphalt. Requires only one coat for smoother surfaces, and two for textured areas
- **First to the finish line** Touch dry in 15 minutes at temperatures above 10°C

► 750ml • £19.30

## Watco Sprayline® Plus Applicators

### Store, transport and apply Sprayline with our easy folding applicator.

Sprayline Plus Applicators are designed for use with Sprayline Plus paint.

While the 4 wheel applicator covers large areas fast, the 2 wheel applicator is the ideal choice for curved lines.

- **Custom lines** Both applicators can be adjusted to produce lines between 25mm to 50mm wide

► 2 Wheel Applicator • £128.50

► 4 Wheel Applicator • £203.50

## Watco Roadmarker

**Tough and rapid solvent based exterior paint.** Roadmarker chlorinated rubber paint is fast drying and can be applied with a roller or brush: ideal for marking bare exterior concrete and asphalt in heavy traffic areas.

- **Coverage** Approx **250 to 300m of 50mm wide line (12 to 15m² per pack)** Thickness 300 microns
- **Low maintenance** Usually requires just one coat and can be applied at temperatures as low as 0°C. Tolerates slightly damp surfaces. Showerproof after 1 hour and ready for pedestrian traffic in 4 hours at 10°C
- **Roadmarker Reflective** Available for enhanced visibility

► 5L • £64.80

► 5L • Reflective • £70.70

## Trafficline

**Our most versatile line marking paint for your interior and exterior areas. Ideal for marking out your car park.**

Trafficline is an advanced acrylic formulation which is suitable for almost any surface - it can even go over existing paint. Easy to use and water based for an easy clean up.

- **Flexible for multiple surfaces** The acrylic formulation means this paint is flexible, and can be used on a number of surfaces, including asphalt, tarmac, porous concrete, metals, and more
- **Quick and easy** One coat is all you need, and the brushes wash out easily with water, so line marking is now a much quicker job
- **Whatever the weather** Can be applied to slightly damp surfaces
- **Coverage** Approx **200m at 50mm wide line per 5 litres**, depending on substrate. One coat usually sufficient

► 5L • £87.50

Roadmarker Trafficline Sprayline® Plus	White
Roadmarker Trafficline Sprayline® Plus	Yellow

## You may also need...

Tools	Each
2" Paint Brush	£3.40
Cleaning Solvent TH99 - 2.5L	£22.70



# Resurface floors to protect against water and chemical spills



## Plant Room Coating

**Tough, seamless, flexible protection for your premises. Contain spillages and leaks in your plant rooms. It is very important that spillages and leaks in plant rooms are contained, and chemicals or water don't seep through flooring to rooms below.**

Plant Room Coating is a flexible, waterproof, durable coating which fills and bridges joints and cracks.

• **Two coats** are usually sufficient, and is suitable for use on concrete, brickwork, stone, masonry, or plaster. Provides a

lightly textured surface great for slip resistance

- **Thick and flexible** This waterproof coating will fill bridge and fill joints and gaps
- **Excellent adhesion** Prevent liquids from burst pipes or a leaking tank from damaging your premises
- **Non toxic formulation** Can be used not only in plant rooms but anywhere that spillages need to be contained
- **Coverage 12.5m<sup>2</sup>** per 25kg at 1mm thick.

► **25kg • £111.40**



CHEMICAL  
RESISTANT

	Grey
	Tile Red
	Green
	Off White

Tile Red and Green contain a colour pigment.



CURES AS  
LOW AS 0°C



CHEMICAL  
RESISTANT

## Watco Liquid Waterproofer

**Non-toxic, breathable and watertight.**

You can feel confident that areas prone to damp will stay dry with this waterproofer that's vapour permeable and lets surfaces breathe easily.

Mix thickly for use on vertical surfaces such as basement walls and storage tanks. Provides a smooth or textured finish depending on the roller used.

- **Coverage** per 25kg: thickness/area:  
**Protection and repair:** (apply 1 coat) 1mm/12.5m<sup>2</sup>  
**Waterproofing up to 3 metres head of water:** (apply 1 coat) 1.25mm/8.3m<sup>2</sup>  
**Waterproofing over 3 metres head of water:** (apply 2 coats) 2mm/6.25m<sup>2</sup>  
**Frost protection and abrasion resistance:** (apply 2 coats) 2.25mm/5.5m<sup>2</sup>
- **Where there's water** Can be used everywhere from swimming pools to basements and workshops prone to damp
- **Winter challenge** Resistant to frost and salt attack
- **Non toxic** Safe to use, even for drinking water

► **25kg • £127.50**

Off White

## Watco Bund Sealer

**Unbeatable formula seals and protects against attack from chemicals.** Watco Bund Sealer's new easier-to-apply formula, with glass flake reinforcement, guarantees exceptional resistance to chemicals including Skydrol.

Specially designed for bund areas and storage tanks where durability really counts, Bund Sealer waterproofs and protects floors and walls with an ultra tough surface up to 450 microns thick in just one coat. Available in two colours.

- **Do it in one** 4 litre pack will cover up to 14m<sup>2</sup> with one thick coat
- **Strong protection** Designed for use on interior and exterior surfaces such as metal tanks and pipes, concrete, sand and cement, and asphalt. Can be applied to damp surfaces
- **Pollution control** Helps comply with the Control of Pollution (Oil Storage) Regulation
- **Flexible curing temperatures** Cures in 48 hours at 0°C and 24 hours at 10°C

► **4L • £163.20**

Light Grey

Black

## Fibreglass Reinforcing Tape

**Waterproof and strengthen vulnerable joints in bund areas.** Ideal for use with Watco Bund Sealer, this easy to cut and use tape provides you with additional reinforcement where there are cracks and joints

- **Prevents leaks** Simply apply along the joint where the bund wall meets the bund floor to prevent bund areas from developing leaks
- **Versatile** Can be used with products other than **Watco Bund Sealer** if required

► **Each • £30.00**



### info

Use the fibreglass reinforcing tape in corners, joints and cracks to improve protection

# Seal and protect interior walls



## Watco Wallseal

**Protect and dustproof your walls without affecting their appearance. This transparent coating produces a silky, low sheen finish that resists staining.**

Wallseal will seal, dustproof, and protect dusty concrete pillars and gritty brick walls, with minimal darkening of the substrate.

- **Coverage** Approx. **40m<sup>2</sup>** per 5 litres per coat
- **Resists staining** Will seal and dustproof your surfaces
- **Versatile** Use internally on render, plaster, concrete, blockwork or brickwork
- **Easy to apply** The water base formula dustproofs the surface in one coat. A second coat may be required for a 'wipe clean' sealed surface

- ▶ **5L • £64.70**
- ▶ **25L • £258.10**



## Watco Wallguard

**Silver Ion Technology sets Wallguard apart from other wall coatings. Achieve a hygienic, easily cleanable, attractive finish.**

Ideal for industrial and commercial environments, Wallguard uses self cross linking acrylic technology to produce a hygienic, durable, and easily cleaned surface.

- **Coverage** Approx. **50m<sup>2</sup>** per 5 litres per coat. Two coats are normally required
- **Hygienic Coating** Protects against fungal degradation. Designed for food production areas, hospitals, schools, kitchens and anywhere hygiene is important
- **Easy to clean** The easy to wipe surface is durable enough that repeated cleaning will not deplete the coating

- ▶ **5L • £95.30**

**Proud winners of the Direct Commerce Award**



All our interior wall coatings are easily applied by a roller and tray



## You may also need...

	White
	Cream

Tools	Each
9" Roller and Tray	£9.00





Industrial Wall Coating

## Watco Industrial Wall Coating

**Cut application costs and redecoration time with this fast curing wall coating. This thick emulsion has exceptional covering power.**

Watco Industrial Wall Coating provides excellent covering power with just one application. The special high build non drip formulation will bring a bright, clean appearance to your industrial premises.

- **Coverage** Approx. **50m<sup>2</sup>** per 10 litres per coat
- **Easy to apply** Can be applied to old and worn brick work, as well as blockwork or concrete interior areas. One coat is usually sufficient
- **No hassle** Cures in 12 hours at 15°C

► **10L • £54.00**

## BOOK A SITE VISIT

With one of our experts to see what products will be best for your project



Hygienic Wall Coating

## Watco Hygienic Wall Coating

**Protect against fungal degradation and bacterial growth. Easy clean finish with excellent wear and abrasion resistance.**

A tough, scrubbable epoxy resin wall coating ideal for food preparation and industrial processing areas where hygiene is important.

- **Coverage** Approx. **20m<sup>2</sup>** per 3 litres per coat. Two coats are normally required
- **Excellent adhesion** Can even be applied to damp surfaces
- **Strong epoxy formula** This means the surface is scrubbable and has excellent abrasion, wear and chemical resistance
- **Compliant** Conforms to requirements for direct contact with potable water
- **Many uses** Designed for use in industrial processing areas, veterinary areas, hospitals, laundries, changing rooms, showers, toilets and more

► **3L • £105.90**



Resists harsh scrubbing

## You may also need...

Tools	Each
9" Roller and Tray	£9.00
5" Paint Brush	£7.10

	White
--	-------

# Our specialist coatings won't let damp win



Damp Proof Course



Weatherguard 10


## Watco Damp Proof Course

**Stop rising damp in your walls.** High penetration formula cures slowly and forms a barrier against damp.

This damp proof injection is the easy way to stop rising damp, and the advanced formulation means you can make fewer holes than usual. The highly concentrated silicone cream uses capillary action to spread through your wall and create an effective new damp proof course.

- **Effective** High penetration formula for maximum effectiveness and fewer holes needed than conventional systems
- **No need for special tools** You don't need any high pressure tools or special skills, simply drill 12mm diameter holes at 120mm intervals and inject the cream using a standard skeleton gun.
- **Safe and easy to use** Use the low hazard cream from inside or outside the building on brick, blockwork, or stone surfaces which are affected by rising damp
- **Suitable for most surfaces** Can be used on single skin or cavity walls up to 440mm thick

► **310ml • £26.50**



Watco Damp Proof Course injection cream penetrates across a wall and cures slowly to form a barrier against rising damp.

Wall thickness	110mm	220mm	330mm	440mm
Drill depth	100mm	190mm	310mm	430mm
Allow 1 cartridge for each unit length of wall	3.4m	1.7m	1.0m	0.7m

## Watco Weatherguard 10

**Flexible, weatherproofing guaranteed to last at least a decade.**

Our tough exterior elastomeric membrane formula can take extreme weather and temperatures while allowing walls to breathe.

Suitable for brick, concrete, masonry, tiles and wood.

- **Coverage** Approx **40m<sup>2</sup>** per 10 litres
- **Breathable and flexible** This tough elastomeric membrane is capable of withstanding up to 10 years or more of extreme weather and temperature changes.
- **Easy clean surface** Two coats may be required
- **Multi-purpose** Decorative, solar reflective and anti-fungal
- **Fast acting** Touch dry in 4 to 6 hours

► **10L • £96.40**

White
Cream

Coatings are easily applied with a 9" roller and tray



## You may also need...

Tools	Each
9" Roller and Tray	£9.00
5" Paint Brush	£7.10
Mixing Blade	£10.80





Rainshield

## Watco Rainshield

Great protection from frost and rain damage. No damp, no staining and minimal colour change for your brickwork or concrete in a single coat.

- **Coverage** Approx 25m<sup>2</sup> per 5 litres
- **Resists frost** Helps prevent frost spalling and crumbling and repels damp
- **Repellent surface** Stands up to rain and damp even in the most exposed environments
- **Done in a day** Dries in 24 hours and a single coat's enough

► 5L • £43.80



Masonry Waterproofer


## Watco Masonry Waterproofer

For good-looking walls that cope with the elements. Keep old buildings dryer and warmer with this breathable product that penetrates much deeper than traditional liquid systems, yet doesn't block pores.


Easy to use cream formula can be applied by roller and works on bricks, mortar and stone.

- **Coverage** Approx 25m<sup>2</sup> per 5 litres
- **Fully transparent** Turns clear in as little as an hour and is effective after 24 to 48 hours

► 5L • £113.80



Immediately after application



After 2 hours


Watco Masonry Waterproofer dries clear in two hours and penetrates the bricks to give long-lasting transparent protection after 24 to 48 hours



# Our specialist coatings won't let damp win



Concrex® Damp Repair Kit

FLEXIBLE  
TOP LAYERAPPLY AS  
LOW AS 5°C

Rust-Stop Metal Paint

## Watco Concrex® Damp Repair Kit

**Permanently repair wet and damp areas around your premises.** Our kit includes everything you need for incredibly tough damp repairs.


Our Concrex Damp Repair Kit is all you need for incredibly tough, highly adhesive epoxy resin repairs to areas that cannot be dried out easily.

- **Kit contains:** 10kg Concrex, 1m<sup>2</sup> Tack Coat Damp Prime, a 1½" (38mm) brush
- **Interior and exterior** Allows repairs to be carried out on damp surfaces
- **Coverage** Approx. **1.2m<sup>2</sup>** at 5mm thick

► **10kg • £104.70**



Primebase



1

Untreated rusty steel

2

Freshly coated with Primebase

3

Cured and corrosion resistant

## Watco Primebase

**Prime rusty surfaces with this metal primer.** This unique rust converter and primer bites into rust, converting it into an inert, corrosion resistant layer.

It also primes the surface with a tough waterproof coating ready for overcoating.

- **Coverage** Approx. 10m<sup>2</sup> per litre
- **Versatile** Use on silos, storage tanks, pipework, steel racking, structural steel, and more
- **Easy to apply** Apply two coats, by brush or airless spray

► **1L • £35.30**

► **5L • £131.70**

## Watco Rust-Stop Metal Paint

**Flexible, self priming gloss coating which can be directly applied to rust.** Strong coloured finish ideal for industrial environments.

This high quality alkyd gloss coating can be applied directly to rust to give a strongly coloured, heat resistant finish.

- **Coverage** Approx. 7.5m<sup>2</sup> per 750ml unit per coat. One or two coats normally sufficient
- **Saves time** Contains rust inhibitors so can be applied directly to rusty metal, saving you preparation time
- **Easy to apply** Sag resistant and will not show brush strokes after curing. After application you can easily clean Rust-Stop off your brushes with white spirit
- **Use inside and out** Ideal for use in industrial areas, both inside and out, and can be applied as low as 5°C, and is heat resistant up to 90°C
- **Use on most metal surfaces** Suitable for use on any bare or sound pre-painted metal surface except not bare aluminium

► **750ml • £24.80**

	Silver
	Black
	Blue
	Green
	Red
	White
	Yellow



## Watco Dampguard

Decorate, damp proof and maintain a clean surface with this easy to apply, fast drying coating. In 4 hours you can apply the second coat, and after 1 hour the surface will be dry to touch.

Ideal for basements or any area with a damp problem, Dampguard consists of two coats; a primer and a damp proof, wipe clean top coat to finish. Use inside or outside to prevent water seepage through a range of surfaces, and to keep your premises looking attractive and well maintained.

- **Coverage** Approx. **8-10m<sup>2</sup>** per 5 litres
- **Multiple use** Suitable for use on cement, masonry, concrete brick walls, and basement floor slabs, above or below ground
- **Tested strength** Twice the strength of latex waterproofers, Dampguard resists up to 2 bar (35psi) of water pressure
- **Easy to use** Suitable for dry or damp surfaces, ad fast drying - apply a second coat after 4 hours, and it will be touch dry in 1 hour
- **Attractive Finish** This easy to clean coating is designed to have an attractive finish, however you can overcoat after 14 days if desired although this will reduce mould resistance

► **5L • £57.10**



### info

Emulsion paint can be applied to Watco Dampguard Advanced since it is generally permeable to moisture vapour. The surface should be abraded to provide a key

## Watco Dampguard Advanced

Specially formulated, this is Watco's best damp proofers yet. Hard wearing epoxy resin coating which protects and waterproofs walls and floors.

Resists two bars (35psi) of pressure.

- **Coverage** Approx **20m<sup>2</sup>** per 3 litres. Two coats required
- **Safe application** Suitable for use in confined areas
- **Hard wearing** Scrubbable, chemical resistant surface
- **Keeps dry** Microporous paint allowed moisture vapour to escape from substrate.
- **Virtually solvent free** A penetrative, epoxy resin coating for damp internal locations. Decorates and damp proofs in one
- **Versatile** Use on bricks, render and concrete.
- **Two coats** required

► **3L • £87.20**

Dampguard	White
Dampguard Advanced	Warm White
Dampguard Advanced	Cream



# Give roofs a new lease of life



Roofite® Scrim



Roofite® Solar Reflective



Roofsafe

## Watco Galvaprime

**Prime and prepare galvanised surfaces for great results.** This is a quick and easy option for priming galvanised or zinc sprayed metal prior to coating that ensures you end up with powerful adhesion.

- **Rapid drying** Can be overcoated the same day

► 1L • £24.00



## Watco Roofite® Scrim

**Perfect for bridging gaps and holes.** 4m x 1.25m sheet size.

► 4m x 1.25m sheet • £23.60

► 4m x 1.25m sheet (5 pack) • £114.00



Roofite® Joint Sealant

## Watco Roofite® Solar Reflective

**Versatile, tough and watertight.** A one-coat formula of bitumen, rubber and tough fibre reinforcement that will bridge small holes, cracks and splits.

Ideal for weather-proofing roofs where heat build-up can be a problem.

- **Coverage** Approx 10m<sup>2</sup> per 10kg
- **Easy to use** You can even apply it when it's raining
- **Quick cure** Dries in 24 hours

► 10kg • £88.10

► 25kg • £190.80

## Watco Roofsafe

**For roofs that need to be waterproof and safe.** An anti-slip, tough coating that keeps the elements out and allows people to walk on roofed areas with confidence.

Thick, flexible formulation can be applied in the wet and is immediately water-repellant, making Roofsafe ideal for emergency repairs. One coat of Roofsafe is usually enough for swiftly waterproofing asphalt, bitumen-based surfaces, concrete, roofing felt, asbestos, plastic, brick and metal.

- **Coverage** Approx 10m<sup>2</sup> per 5kg
- **Colour choice** Comes in 4 colours so you can easily mark out accessible areas
- **Fills cracks** Flexible 'high build' formulation bridges splits and fills cracks up to 2mm wide

► 5kg • £70.40

## Watco Roofite® Joint Sealant

**Instant joint and crack repair for roofs.** A highly flexible bitumen based roof, gutter and lap jointing sealant ideal for preventing leaks.

This formula is suitable for most roofing materials including: felt, metal, paint, stone brick and construction based plastics.

- **Quick Drying** 24 hours in dry conditions
- **Easy Application** Can be applied with a standard cartridge gun

► 310ml • £10.20





Roofite® Pour &amp; Restore

## Watco Roofite® Pour & Restore

**Thick, flexible and totally watertight.** Bridges minor splits and cracks and levels surfaces that undulate.

Cover large areas quickly applying by squeegee; cures in 24 hours.

- **Coverage** Approx **3.75m<sup>2</sup>** (2mm coat) per 10kg
- **Saves money** Long-lasting and strong enough to avoid costly re-roofing

► **5kg • £42.60**

## Watco Roofite® Repair Mortar

**Fix your leaking roof or gutter with this flexible waterproofer.** Roofite Repair Mortar is a thick, trowellable waterproofer which will repair your leaky roof or gutters.

- **Versatile** Suitable for filling horizontal and vertical holes or depressions where surface water can be a problem, and will cure in 24 - 48 hours
- **Coverage** Each 5kg pack covers **5m<sup>2</sup>** at 1mm thick, and is ideal for all types of repairs to splits and tears around pipes and gutters

► **5kg • £48.10**



Roofite® can even be applied in the rain

## Watco Roofite®

**Quick, easy and long-lasting roof repairs.** Our unique formula is a mix of thick bitumen, rubber and tough fibre, which means you're getting something tough and protective on your roof.

Use this on any concrete, corrugated iron, tiled or felted roofs for a completely impermeable coating.

- **Coverage** Approx **10m<sup>2</sup>** per 10kg
- **Bridge builder** No more need for costly repair jobs. Bridges small holes, cracks and splits effectively and securely

- **Easy application** One coat usually does the job
- **Stops leaks** Solves porosity problems in asbestos, ideal for fixing holes, tears and cracks in most roofing materials and just right for emergencies, too
- **Curing time** A surface skin will form after approx. 24 hours. Curing will commence once any surface water has evaporated

► **5kg • £40.00**

► **25kg • £161.70**



Roofite® Repair Mortar

Roofsafe Roofite® Roofite® Pour & Restore	Black
Roofsafe	Mid Grey
Roofsafe	Green
Roofsafe	Tile Red


## You may also need...

Tools	Each
5" Paint Brush	£7.10


# Seal, protect and repair roofs



Liquid Roof Membrane



Solar Reflective Coating



Balcony Coating

## Watco Liquid Roof Membrane

Keep your flat or pitched roof protected, dry and looking good. Our fibre reinforced formula will make sure that you get a seamless finish and worry-free protection in those roof areas where the risk of water leakage is high.

Two coats applied by roller will provide a tough, UV-resistant 1mm plus sealing membrane.

The inert fibre reinforcement provides extra protection where the risk of leakage is high.

- **Coverage** Approx **5 to 7m<sup>2</sup>** per 5 litres per coat, **12 to 16m<sup>2</sup>** per 12.5 litres
- **Not weather dependant** Apply even when the roof is slightly damp
- **No splitting** High elasticity allows a roof to move without splitting
- **Breathes easily** Allows substrate to breathe and release vapours
- **Anti Slip Liquid Roof Membrane** For areas where safety is important

▶ **5L • £94.40**

▶ **12.5L • £230.10**

▶ **5L • Anti Slip • £105.40**

▶ **12.5L • Anti Slip • £257.60**

## Watco Solar Reflective Coating

Keep buildings cool and comfortable. Fine glass microspheres in our special formula maximise solar reflection and surface cooling, which means it feels cooler inside when temperatures soar.

- **Coverage** Approx **15 to 20m<sup>2</sup>** per 5 litres
- **Keeping cool** Our tests show this reflects 89% of infra red radiation and 94% of visible light giving a Total Solar Reflectance (TSR) of 88%
- **Effective protector** Will survive 10 years of extreme weather and temperatures

▶ **5L • £73.10**

Liquid Roof Membrane	Light Grey
Balcony Coating	Grey
Balcony Coating	Blue
Balcony Coating	Buff
Balcony Coating	Green
Balcony Coating	Tile Red
Solar Reflective Coating	White

Balcony Coating Blue, Buff, Green and Tile Red contain a colour pigment.

## Watco Balcony Coating

Great protection for balconies and walkways. This hard-working, flexible waterproofer is perfect for those areas where water ingress causes problems.

Its liquid formula means it can be easily applied around pipes and other protrusions. Two coats are normally required. Cracks and joints between floors and walls should be bridged with **Watco Fibreglass Tape** for the best results.

- **Coverage** Approx **12.5m<sup>2</sup>** at 1mm thick per 25kg
- **Versatile protection** Fill cracks and apply around pipes and rainwater outlets for more effective protection than sheet materials
- **Walk safely** Flexible, anti-slip surface won't split with substrate movement

▶ **25kg • £123.60**

## You may also need...

Tools	Each
<b>Watco Painting Kit</b>	£54.00
Kit comprises: 12" medium pile roller, frame & telescopic handle; replacement roller; plastic scuttle; 5" & 2" paint brushes	
<b>Fibreglass Reinforcing Tape (75mm x 50m)</b>	£30.00





Flashing Bandage

## Watco Flashing Bandage

**A simple, strong, self-adhesive repair solution.** It's easy to achieve long-lasting roof repairs with this flexible tape.


This industrial grade self-adhesive tape is flexible, strong, and watertight, ideal for repairs to damaged roofs

- **Ultra Strong** The lead colour aluminium surface is tough and durable
- **Versatile** Use to repair all types of roofing materials, roof ridges, chimney surrounds etc.
- **Fix cracks and holes easily** Suitable for flashing, cracks in concrete, or holes in pipes or gutters
- **Various sizes** Each roll is 10m in length, and is available in 100mm, 150mm, or 200mm widths

- ▶ **10m x 100mm • £14.30**
- ▶ **10m x 150mm • £20.90**
- ▶ **10m x 200mm • £27.60**
- ▶ **1L • Primer • £8.90**



Flashing Bandage



Roof Walkway Matting

## Watco Roof Walkway Matting

**Hurricane-proof, easy to lay, maintenance free.** The self-draining open grid design of this matting keeps it safe even in icy weather and it can withstand winds of at least 94mph too.

No fixings required; weight holds it in place. Available in black and grey.

- **Self Maintenance** Specifically designed as a safe walk way for flat roofs
- **All weather access** UV resistant and non-slip in the rain



Our Roof Walkway Matting comes in handy rolls




Roof Walkway Matting

	Light Grey
	Black
	Yellow

Roof Walkway Matting	Each
42kg Grey/Black 10m long x 600mm wide x 14mm deep	£373.00
62kg Grey/Black 10m long x 910mm wide x 14mm deep	£556.50
83kg Grey/Black 10m long x 1220mm wide x 14mm deep	£732.30
42kg Yellow 10m long x 600mm wide x 14mm deep	£429.00
62kg Yellow 10m long x 910mm wide x 14mm deep	£640.10
83kg Yellow 10m long x 1220mm wide x 14mm deep	£842.20



## Heavy duty slip resistance



Firm Step Grating



Duckboard Roll

### Watco Firm-Step® Grating

**A flexible and incredibly strong GRP grating.** Use instead of metal or wood to create your mezzanines and raised walkways for a safe, anti slip surface.

Almost indestructible surfaces are necessary in many busy workplaces, and now you can achieve that with our Firm-Step Grating. Made using GRP you can lay it loose or fix to concrete, timber, brick, stone or metal.

- **Perfect for heavy use** Takes an even load of up to 3.6 tonnes so is ideal for heavily used areas
- **Slip Resistant** Use in hazardous areas without worry - wet PTV 65, chemical resistant, and fire retardant (made of a resin certified to BS476)
- **Flexible** Will flex under point loading and recover to its original position
- **Protects against water damage** Keeps your products and employees away from water damage and wet feet




**Type M Hold Down Clips:**  
Designed to fix grating on support structure and prevent it from turning in all four directions.



**Type L Clips:**  
Secures grating to support frames.



**Type C Clips:**  
Connects two adjacent grating bars.



Firm-Step® Grating	Each
1985mm x 996mm x 25mm deep	£277.50
3010mm x 996mm x 25mm deep	£378.30
3660mm x 1220mm x 25mm deep	£517.10
1985mm x 996mm x 38mm deep	£348.40
3010mm x 996mm x 38mm deep	£452.20
3660mm x 1220mm x 38mm deep	£601.50
Edge Ramp 996mm x 122mm x 25mm deep	£28.60
Edge Ramp 996mm x 122mm x 38mm deep	£39.20
L Fixing - including bolt, washer & nut	£3.50
M Fixing - including bolt, washer & nut	£3.50
C Fixing - including bolt, washer & nut	£3.50

### Watco Duckboard Roll

**Strong, flexible, and slip resistant grid for your contaminated or damaged floors.** More durable than conventional duckboard, this roll is comfortable, economical, and suitable for areas where drainage is key.

- **Extra Strength** Solid PVC bars are welded together into a two layer grid for extra durability, but is still comfortable to stand on, both in shoes and bare foot

- ▶ **600mm wide • £51.40 per metre**
- ▶ **800mm wide • £68.40 per metre**
- ▶ **1000mm wide • £85.60 per metre**
- ▶ **600mm x 10m • £399.20**
- ▶ **800mm x 10m • £533.30**
- ▶ **1000mm x 10m • £667.30**



Interlocking Flooring



Soft Step

## Watco Interlocking Flooring



**Easy to install alternative covering for areas where repairs can be costly.** The quick tile solution for weak, damaged or dangerous floors.

- **Quick and easy** Anti slip PVC floor tiles with no gluing required. Once fitted the tiles can be lifted and transported as required
- **Simple Solution** Ideal for floors that cannot be adequately prepared for painting and are often subject to impact, abrasion or vibration

▶ **7mm x 500mm x 500mm • £11.20**

▶ **7mm x 500mm x 90mm • £5.10**

▶ **7mm x 500mm x 90mm • £7.10**



## Watco Soft Step

**Prevent slips and promote hygiene in wet walkways.** This comfortable matting will protect your premises and its visitors.


Ideal matting for wet areas where hygiene and safety are key, but appearance also matters.

- **Safe and Clean** Suitable for swimming pools, bathrooms, shower rooms and saunas
- **Anti bacterial treated plastic** Has an anti slip, drainable surface that is easy to clean using a water jet
- **Cut on site** Use scissors to cut to size and connect the mats using the available connectors

▶ **600mm x 900mm • £38.50**

▶ **600mm x 15m • £395.30**

▶ **Connector pack (40) • £12.80**





## Create safer entrances with our matting range



NEW

Internal Entrance Mat

### Watco Internal Entrance Mat

Make the right first impression with our decorative and slip resistant entrance mat. This all purpose entrance mat scrapes dirt and wipes moisture to protect your floors.

- **Safety first** Slip and stain resistant PVC backing
- **Choice of colour** Choose from 4 attractive colours
- **Easily Maintained** 100% polypropylene fibre 'scraping' surface can be vacuumed

▶ **600mm x 900mm • £16.75**



NEW

Tough Step Mat

### Watco Tough Step Mat

Keep entrance ways clean with our heavy duty ribbed mat. The polypropylene fibres effectively scrapes dirt and moisture in the carpet surface channels.

- **Non Slip** Features a stain and slip resistant PVC backing

▶ **600mm x 900mm • £19.50**

▶ **900mm x 1500mm • £48.68**



Washable Entrance Mat

### Watco Washable Entrance Mat




Trap 90% of dirt with our washable entrance mat. Designed to easily maintain cleanliness around your premises.

A highly effective door mat with wet absorption that traps 90% of dirt. Better yet, it can be washed, so it's now even easier to maintain a clean, presentable premises.

- **Retains Moisture** The nylon/polyester carpet pile will retain up to 3.5 litres of moisture per m<sup>2</sup>
- **Traps dirt** 90% of dirt, grit, grease and moisture will be trapped
- **Completely washable** This mat is bleach resistant and won't fade
- **Safety first** The non skid rubber backing will prevent slips and trips

▶ **850mm x 1200mm • £97.38**

▶ **1150mm x 1750mm • £184.88**







Water-Trap Mat

## Watco Water-Trap Mat

**Contain dirt and moisture before it gets trodden into your floors. Keep your premises free from dirt all year round.**

This heavy duty indoor entrance mat is specially designed to be long-lasting and effectively trap dirt and moisture.

- **Long lasting** Made with a polypropylene loop pile surface and a nitrile rubber backing
- **Inside and out** Use in sheltered conditions with heavy pedestrian traffic
- **Absorbs water** It will absorb 5.4 litres of water per m<sup>2</sup>, and its moulded pattern surface will scrape off excess dirt

▶ 850mm x 1500mm • £115.63

▶ 1150mm x 1750mm • £178.20



NEW

All Weather Mat

## Watco All Weather Mat

**Keep entrance ways clean with this natural rubber mat. The flexible rubber nodules deliver excellent dirt scraping and trapping action.**

Dirt is effectively brushed off then retained in a solid base.

- **Versatile** Ideal for most weather conditions making it suitable for internal and external use.
- **Non slip** Features a slip resistant base to help retain its position
- **Safety first** Safety bevelled edges all round

▶ 600mm x 800mm • £27.88

▶ 800mm x 1000mm • £53.08



NEW

External Entrance Mat


## Watco External Entrance Mat

**Extremely tough rubber matting for demanding conditions** Suitable for icy, snow prone locations.

- **Slip resistant** Conforms to Slip Resistant Test EN 13552 Category R10
- **Your choice** Available in a Honeycomb or Octomat design
- **Versatile** Internal and external use. Connectors are available to link the matting for larger coverage areas

▶ 800mm x 1200mm • £55.05

▶ 1000mm x 1500mm • £84.23



Full range  
and sizes  
online

## Reduce back strain with our anti fatigue matting



### Watco Anti Fatigue Mat

**Reduce discomfort and increase productivity around your workplace.**

**Take a step to a safer, more comfortable work environment.**


Minimise the effects of standing on cold, hard concrete floors, whilst also improving blood circulation and reducing pressure on the feet, legs, and back.

- **Ideal for dry conditions** Perfect for production areas, assembly lines, packing benches, or anywhere that staff are standing for long periods
- **Slip resistant** Manufactured from 100% closed cell vinyl foam the mat is slip resistant in dry environments
- **Choice of colour** Choose from Grey, Black, or Safety (charcoal with a yellow stripe on each side for visibility)

▶ 600mm x 900mm • £35.20\*

▶ 900mm x 1500mm • £70.45\*

\*Black and Grey only.  
Prices for Safety available online



### Watco Bubble Anti Fatigue Mat

**Ideal for manufacturing production areas where employees are standing in static positions.** The bubbled surface helps to stimulate blood circulation.

- **Versatile** Available as a complete mat or in interlocking sections for longer runs
- **Chemical resistant** Unaffected by water and most mild acids
- **Easy to clean** Use a high pressure hose (not exceeding 60psi) to remove dirt and debris from the mat

▶ 900mm x 1200mm • Black • £95.48

▶ 900mm x 1200mm • Safety • £157.43



### Watco Electrical Safety Mat

**Make safety a priority in electrical areas.**

**This purposely designed mat provides safety against electrical shocks.**

Perfect for use in front of switchboards and high voltage equipment.

- **Added safety** Fine fluted surface offers slip resistance
- **Proven results** 6mm tested to 11,000 volts for 450 volt rated working. 9mm tested to 15,000 volts for 650 volt rated working. 9mm conforms to BS921/1976
- **Easy to clean** Hose down or pressure wash using a mild detergent

▶ 3mm x 1000mm x 10m • £433.88

▶ 5mm x 1000mm x 10m • £707.30





Kitchen Mat

## Watco Kitchen Mat


**Get a grip on greasy floors.**

Exceptional slip resistances offered from its 'cross-grip' surface.

Ideal for food processing and manufacturing areas that are prone to spills.

- **Effective drainage** Open holes in the surface allow spills to efficiently drain
- **Excellent resistance** Stands up to grease, oils fats and detergents
- **Hygienic** Effective anti-fatigue and hygienic anti-microbial properties
- **Easy to clean** Machine washable

▶ **900mm x 1500mm • £149.58**



Spill Resistance Mat


## Watco Spill Resistance Mat

**Tough non-slip mat suitable for wet and dry environments.** Suitable for kitchens, food processing plants, entrance areas and general industrial use where spills are likely to occur.

- **Slip resistant** Excellent for wet and oily areas
- **Chemical resistant** 100% nitrile rubber offers resistance to many chemicals, alkalis, detergents, oils and machine coolants
- **Easy to clean** Machine washable

▶ **850mm x 1500mm • £166.50**

▶ **850mm x 3000mm • £333.08**



Workstation Mat

## Watco Workstation Mat

**Flexible PVC floor tiles ideal for wet areas.** The anti slip top surface provides safe footing when in wet conditions.

Specially designed understuds allow exceptional drainage properties, whilst also allowing air circulation.

- **Chemical resistant** PVC is resistance to most oils and chemicals
- **Hygienic** PVC does not support the growth of bacteria
- **Versatile** Can also be used on shelves
- **Easy to clean** Can be cleaned in a commercial dishwasher

▶ **600mm x 1200mm • £138.75**

▶ **1000mm x 1500mm • £258.50**



Black



Black



Black

**Full range  
and sizes  
online**



## Cost effective traffic control



### Watco Compact Speed Bumps

**Cost-effective traffic control.** Calm traffic around your premises with these anti skid bumps.

Manufactured from heavy duty recycled rubber these speed bumps have a textured finish to prevent skidding, and can withstand heavy loads up to 40 tonnes.

- **High visibility** Brightly coloured so they are highly visible in daytime, with white reflectors in middle sections so they can also be seen at night
- **Suitable for most surfaces** Suitable for concrete and asphalt road surfaces that are subjected to traffic up to 40 tonne HGVs



- **Safety first** Slow traffic around your premises down to 10mph
- **Choose your length** Available in 500mm wide segments to suit any road width, with 100mm fixing bolts supplied

Compact Speed Bump	Each
End Section - Yellow 250mm x 345mm 50mm (W x D x H)	£41.90
End Section - Black 250mm x 345mm 50mm (W x D x H)	£41.90
Inner Section - Yellow & Black 500mm x 345mm 50mm (W x D x H)	£59.90

### Watco Parking Bumpers

**High visibility bumpers to protect walls, fences, and car park areas.** These easily installed Parking Bumpers will help protect against accidents in car parking areas.

- **Increase visibility** Made using recycled rubber they feature broad reflective yellow stripes
- **Resistant to grease and acid** Can withstand temperatures from -40°C to 80°C
- **Easy to install** Can be applied by just one person. We supply fixings for asphalt surfaces

Parking Bumper	Each
915mm	£74.00
1830mm	£137.90
Fixings for asphalt surfaces	£4.90
Fixings for concrete surfaces	£4.90



### Watco Heavy Duty Cable Protector

**Heavy duty protection for your industrial cables.** Ideal for use in areas that are often subjected to heavy goods traffic.

This robust cable protector has a hinged lid for ease of use, will withstand heavy goods traffic, and has an anti slip surface. Use in and around your premises where you want to prevent damage to your industrial cables.

- **Extremely strong** These heavy duty rubber protectors are designed to withstand heavy goods traffic, with a maximum load of 6000kg per axle
- **Convenient** The anti slip hinged lid means that cables can be inserted after the cable protectors have been laid
- **Can be laid loose** No ground fixings are necessary. However bolt holes are provided for more permanent installations
- **Cable channels** Includes three cable channels for a variety of cabling, each 60mm x 50mm deep



Heavy Duty Cable Protector	Each
960mm x 600mm 75mm	£95.00
Left Angle 500/200mm x 600mm 75mm	£50.75
Right Angle 500/200mm x 600mm 75mm	£50.75
End Section Female - 283mm x 600mm 75mm	£19.50
End Section Male - 283mm x 600mm 75mm	£19.50


# High visibility impact protection



Impact Protection



Impact Protection



Hazard Surestep®

## Watco Hazard Surestep®

**Highlight hazardous areas around your premises with our anti slip adhesive surface. Self adhesive backing ensures easy application and repositioning.**

A highly visible, easy to apply, anti slip surface to improve safety in your hazardous areas. Suitable for both industrial and commercial use.

- **Hardwearing** A hard aluminium oxide grit bonded to a flexible PVC roll makes this both hardwearing and flexible
- **Easy to apply** The self adhesive backing makes it easy to apply. Suitable for loading bays, landings, around machinery, or anywhere hazardous internally or externally
- **Versatile** Use on concrete, timber, brick stone or metal. Safety Tape Primer should be used on dusty porous surfaces

► 9.1m x 300mm • £113.10

► 9.1m x 508mm • £186.20

## Watco Impact Protection

**Increase safety around your premises with these highly visible foam cushions.**

**Avoid injuries and protect property.**

These easy to fit foam cushions are coated in durable plastic and designed to protect your employees and visitors from injury. The bright colours warn of potential danger, and the high density polyurethane foam absorbs impact.

- **Minimum effort required** - Impact Protection is easy to cut with a knife or fine saw, easy to apply, and is covered in durable plastic that is easy to keep clean

- **Easy to install** Surface and Edge Protection are self adhesive, and you simply push the Profile Protection on to edges to install
- **Temperature resistant** from -40°C up to 90°C, so can be used almost anywhere
- **Ideal for a range of uses**, including racking machinery, walls, internal kerbs, trolley parks, and shelving

	White
	Yellow/Black

Impact Protection	Each
Model A - 1m length	£47.60
Model A - 5m length (Yellow/Black only)	£193.40
Model B - 1m length	£40.40
Model C - 1m length	£45.00
Model D - 1m length	£40.40
Model E - 1m length	£40.40
Model E - 5m length (Yellow/Black only)	£164.00
Model F - 1m length	£40.40
Model F - 5m length (Yellow/Black only)	£164.00
Model G - 1m length	£74.50
Model H - 1m length	£47.60
Model H - 5m length (Yellow/Black only)	£193.40



Heavy Duty Edge Buffer

## Watco Heavy Duty Edge Buffer

**Make your premises safer by increasing visibility of edges and corners. Tough, durable natural rubber absorbs and deflects impacts.**


Ideal for use on corners, columns, pillars and doorways, these edge buffers provide you with visible impact protection to make your premises safer.

- **Prevents damage** The natural rubber material will deflect and absorb vehicle impacts, even in heavily trafficked areas
- **High visibility** Reflective yellow strips give high visibility at night and in dim conditions
- **Natural rubber** material will deflect and absorb vehicle impacts, even in heavily trafficked areas
- **Easy to install** Can be used on already damaged masonry

► 3kg • £30.00



# Strong but lightweight steel handrail system



## Watco Handrail System

**Strong but lightweight steel handrail system that is warm to the touch. Easy to assemble modular system.**

This steel handrail is coated with PVC so that it is warm to the touch, and comes in a number of differently shaped components to provide a safe, robust, well mounted handrail to aid safety around your premises. The system easily slots together and fixed in place with secure bolts.

- **Strong, easily assembled** components that have been load tested in accordance with BS6399-1:1996 and BS6180:1999
- **A wide variety of shaped tubes and connectors**, including angled connectors allowing the system to be used on stairways
- **Slip resistant tubes** can be cut to size on site as needed

info

See above for an example of the components and methods used for a strong, well mounted handrail system for walkways or flights of stairs. More combinations are possible, for our full range of components visit our website or call us on **01483 418 418**

Light Grey

Yellow

### For this application you will need:

- 1 Angle Connectors x 2



- 2 Wall Mount Elbow Brackets x 2



- 3 Wall Mount Tee Brackets x 2



- 4 790mm Tubes x 3  
+  
5 900mm Tubes x 1



### Cutting the Tube

Bespoke tube sizes can be produced either during manufacturing or on-site, the simple procedure is:

1. Cut tube to required length using a chop saw with a metal cutting blade.
2. The pre-drilled fixing holes would usually be removed during the cutting process and will need to be re-drilled to allow for components to be fixed to the tube.
3. Measure 31mm in from the newly cut length of tube and mark centrally in accord with the pre-drilled holes at the other end of the tube.
4. Pilot drill a hole between 3mm and 5mm through one side of the tube. (Repeat this process on both sides of the tube.)
5. Drill 12mm holes through both sides of the tube using the pilot holes as a guide.
6. Using a cutting knife, bevel the PVC outer around the 12mm drilled hole to allow security fixing to pull down flush to follow with the pre-drilled holes maintaining the aesthetics of the product.


Hand Rail System	Each
1 Angle Connector	£9.60
2 Wall Mount Elbow Bracket	£10.50
3 Wall Mount Tee Bracket	£10.00
4 790mm Tube	£13.50
5 900mm Tube	£15.10




# Warn pedestrians of hazards




## Corduroy version



## On Street version



## Off Street version



'Corduroy' hazard warning surface at top of stairs to extend at least 400 mm on each side of stairs and to step 400 mm from nosing

## Watco Tactile Plates

**Install these virtually indestructible plates to warn pedestrians of hazards. Available in three different versions for a range of applications.**

Warn pedestrians and the visually impaired of hazards, changes in elevation, and crossings with these Tactile Plates.

- **Safe and long-lasting** Constructed of rot resistant, virtually indestructible GRP, and coated with aluminium oxide grit for slip and wear resistance
- **Cost effective** To avoid costly excavation these tiles are glued with **Watco Adhesive Mastic** and screwed to the existing substrate
- **Each tile** is only **4mm** thick
- **3 versions** Choose from Corduroy version, On Street version, or Off Street version, depending on your needs

### Corduroy version



Warns visually impaired people of the presence of hazards such as stairs or pedestrian crossings. Available in Buff.

### On Street version

Each tile has 36 blisters in regular rows and columns to indicate the edge of a footway near a crossing. Designed to help prevent the visually impaired from inadvertently walking on to a vehicular route. Available in Tile Red and Buff.

### Off Street version

The blisters on this tile run parallel in one direction, but are irregular in the other direction. They indicate movement in one direction is safe and are ideal for train or light rail platforms. Available in Buff.



Tactile Plates	Each
Corduroy (Buff only)	£32.00
On Street	£30.50
Off Street (Buff only)	£30.50
All tiles are 400mm x 400mm x 4mm	
GRP Adhesive Mastic	£4.80



**watco**  
**Protect**

## Be prepared with Watco Protect

**Watco Protect is designed to protect, maintain and extend the lifetime of your floors.** The range includes some of the strongest industrial floor cleaners and degreasers to keep your floors looking their best.

The range also includes several kits for dealing with oil, chemical and general spillages. See the table below to see which one is best for you.

### GENERAL PURPOSE (GREY)

Suitable for: • Coolants  
• Solvents • Gasoline  
• Vegetable oil • Kerosene  
• And other water-based fluids

### CHEMICAL (YELLOW)

Suitable for: • Aggressive chemicals • Citric acid • Sodium hydroxide  
• And other unknown chemicals.

### OIL ONLY (WHITE)

Suitable for: • Hydraulic oil  
• Motor oil • Brake fluid  
• Cooking oil

## FLOOR CARE

**Watco Protect Industrial Floor Degreaser**

**Watco Protect Industrial Floor Degreaser Tablets**

**Watco Protect Industrial Floor Cleaner**

**Watco Protect Polished Floor Cleaner Tablets**

**Watco Protect Floor Polish**

**Watco Protect Floor Polish Stripper**

**Watco Protect Oil Spot Cleaner**

**Watco Protect Wax, Tar & Tape Remover**

## SPILL CONTROL

**Watco Protect Absorbent Cushions**

**Watco Protect Absorbent Pads**

**Watco Protect Absorbent Socks**

**Watco Protect Oil Spill Drain Booms**

**Watco Protect Spill Control Drain Cover**

**Watco Protect Absorbent Granules**

**Watco Protect Absorbent Granules Anti Slip**

**Watco Protect Spill Kit Bins (3 versions)**

**Watco Protect Spill Kit Bags (3 versions)**



See our full range online at  
**watco.co.uk**  
or call our expert team on  
**01483 418 418**

# JUST THE JOB

Don't get caught short by not having the right tools. Order from us today

## THE KIT YOU'LL NEED | TOOLS

**Plastic scuttle** 5 litre plastic scuttle for use with 12" roller



► £6.70

**12" roller / frame with handle**

A sturdily constructed roller complete with frame and telescopic handle  
Medium or microfibre roller / frame & handle

► £33.50

Medium or microfibre replacement roller  
► £7.70



**Spiked roller** Releases air from Watco Flowtop prior to curing, ensuring a bubble-free finish



Spiked roller ► £17.30

Telescopic handle ► £10.20

**Skeleton gun** Suitable for using with:  
Watco Vertical Crack Filler, Watco Adhesive Mastic



► £4.80



**Mixing tray** Multi-purpose, durable mixing tray for Watco Concrex® or cement mortar. Prevents unsightly ground stains. 950 x 950 x 50mm deep

► £28.70

**Fibreglass reinforcing tape** Strengthens and waterproofs joints in bund areas, floors, etc



► £30.00 per roll

**Trowels and floats**

A selection of high quality, durable steel tools with wooden handles, for use with Watco repair and resurfacing products



4" mix & apply trowel ► £6.00

6" trowel ► £3.00

11" notched trowel ► £7.00

10" steel float ► £6.60

**Spouted jug** Use with Watco Floor Joint Sealant or Asphalt Crack Filler



► £5.60


**5" paint brush** The ideal general purpose paint brush  
£7.10 each



**1.5" paint brush** For line painting and small areas  
£2.10



**Mixing blade** Fits an electric hand drill for simple and efficient mixing of Watco Flowtop® or Waterproof Coating



► £10.80


**Hand shovel** Black, all-steel shovel with a 5" handle. Ensures optimum application of Watco Bitu-Mend



► £3.90

**Stiff and soft 12" brooms**

Available with stiff or soft 12" wide heads and a 55" (1.4m) wooden handle (requires assembly)



► £10.00

**Roller and tray** Medium pile, simulated sheepskin, 9" roller chosen for use with Watco products



► £9.00

**Masking tape** Low tack tape for neat lines and edges on smooth surfaces. 50mm x 50m roll



► £3.00

**Tamper** 4.5kg square with a 1370mm laquered steel shaft. Ensures optimum application of Watco Bitu-Mend



► £31.70

**Cleaning solvent** xylene-based solvent for cleaning splashes and application tools for many Watco coatings



► £22.70 2.5L

**Concrex® application kits**

**Large application kit** includes:

4 plastic bags for transporting, 750ml white spirit, 10" steel float, mix & apply trowel, wire brush / scraper, 5 cloths and nitrile gloves. Ideal for 25kg of Concrex® ► £24.00

**Small application kit** includes:

2 plastic bags for transporting, 250ml white spirit, mix & apply trowel, wire brush / scraper, cloth and disposable gloves. Ideal for 10kg of Concrex® ► £13.80





## The ultimate test

To bring you the best floor paint, we put it through its paces, because we know you'll do the same. We carried out a range of tests on our new 'Best Ever Formulation' products, which contain a unique blend of 'diamond hard' wax and ceramic. It wasn't enough for our products to be 'our best', we wanted them to be 'the best'. That's why we also tested them against other leading brands for adhesion, hardness, scratch and abrasion resistance, and gloss levels. The results speak for themselves. We did this so you can be sure you're applying the toughest paint that'll last for years.

When you see the product in the catalogue, the relevant tests will be indicated by an icon. The test result is included in the icon. The table below shows a scale or classification for each test so you can see how the result is rated. For full details of the test methods used, please see [watco.co.uk/testing](http://watco.co.uk/testing)



## Tests

<b>Slip Resistance</b> <b>BS7976-2</b> 60 PTV	High: 0-24 PTV Moderate: 25-35 PTV Low: 36+ PTV	<b>Flexibility</b> <b>ISO 1519</b> 2mm	<b>Flexibility</b> <b>ISO 1519</b> Flexibility is measured using a Mandral Flex Tester, 2mm is the most flexible, 36mm the least.	36mm —————> 2mm Lowest —————> Highest
<b>Impact Resistance</b> <b>ISO 6272</b> CLASS 3	Class 1 >4Nm Class 2 >10Nm Class 3 >20Nm	<b>Adhesion Test</b> <b>ISO 2409</b> CLASS 0	<b>Adhesion Test</b> <b>ISO 2409</b> Cross-Cut Test method. Class 0 is highest adhesion, Class 5 is lowest.	Class: 5 → 4 → 3 → 2 → 1 → 0 Lowest —————> Highest
<b>Adhesion Test</b> <b>EN 1542</b> 3.0MPa/Nmm <sup>2</sup>	>2MPa (Nmm <sup>2</sup> ) = test pass	<b>Abrasion Resistance</b> <b>ISO 5470-1</b> 300mg	<b>Abrasion Resistance</b> <b>ISO 5470-1</b> Taber test method expresses results in mg on a scale between 0mg (highest resistance) and 3000mg (lowest). A reading below 3000mg is a CE mark pass.	3000mg —————> 0mg Lowest —————> Highest
<b>Scratch Resistance</b> <b>ISO 45862-2</b> 20N	1N —————> 20N Lowest —————> Highest	<b>Chemical Resistance</b> VERY GOOD	<b>Chemical Resistance</b> Refer to product Technical Datasheet for individual chemical tests. Product rated overall as 'Excellent, Very Good, Good, or Limited'.	
<b>Surface Spread of Flame</b> <b>BS476</b> CLASS 1	Class: 0 → 1 → 2 → 3 → 4 Best rating	<b>Water Permeability</b> <b>EN 1062-3</b> 0.01kg/m <sup>2</sup> (24h) <sup>0.5</sup>	<b>Water Permeability</b> <b>EN 1062-3</b> To achieve a CE mark, the measurement must be less than 0.1 kg/m <sup>2</sup> (24 h) <sup>0.5</sup>	CE Marking Critical Value: < 0.1kg/m <sup>2</sup> (24 h) <sup>0.5</sup>
<b>Food Taint Test</b> <b>EN 17/3</b>	Safe for food production areas	<b>Slip Resistance</b> <b>DIN 51130</b> R11	<b>Slip Resistance</b> <b>DIN 51130</b> An 'R' rating between 9 and 13 indicates the level of slip resistance, R13 being the most slip resistant.	R9 —————> R13 Lowest —————> Highest
<b>Gloss Value</b> 105	Matt 0-10%, Low Sheen 10-25%, Eggshell 26-40%, Semi-Gloss 41-69%, Gloss 70-85%, High Gloss +85%	<b>Hardness</b> <b>7H</b>	<b>Wolff-Wilborn Hardness Test</b> Also known as the 'pencil test', a 9H reading is the measure of a hardest coating, HB is the softest.	HB —————> 9H Least Hard —————> Hardest

## Standards Compliance

<b>EN 1504-2</b> CE	<b>EN 1504-2</b> This mark indicates that a coating has passed all the tests required to carry a CE mark.	<b>BREEAM COMPLIANT</b>	<b>ISO 16000</b> The 'Loi Grenelle' measurement of the effect of a product's VOC level within a building. A+ is the top safety rating.	<b>ISO 16000</b> The 'Loi Grenelle' measurement of the effect of a product's VOC level within a building. A+ is the top safety rating.	<b>REACH COMPLIANT</b>	<b>REACH COMPLIANT</b>
------------------------	--	-------------------------	---	---	------------------------	------------------------

4-Hour Epoxy Primer	49
<b>A</b>	
Aluminium Nosing	63
All Weather Mat	87
Anti Fatigue Mat	88
Anti Slip Aluminium Treads	58
Anti Slip Concrete Floor Paint - Best Ever Formula	27
<b>ANTI SLIP FLOOR COATINGS</b>	52
Anti Slip GRP Treads	58
<b>ANTI SLIP PRODUCTS</b>	58
Anti Slip Tile Kit	47
Anti Slip Traffic Paint	51
Asphalt Binder	51
Asphalt Easy Fill	22
Asphalt Paint	51
Asphalt Resurfacer	23
Asphalt Crack Filler	22
<b>B</b>	
Back Up Rod	12
Balcony Coating	82
Bio-D	48
Bitu-Mend	21
Bitu-Mend Advanced	21
Bitu-Mend Deep Fill	21
Bitu-Mend Pour & Restore	21
Black Top	51
Bubble Anti Fatigue Mat	88
Bund Sealer	73
<b>C</b>	
Chemi-Coat	35
Chemi-Coat Acid Strength	35
Chemi-Coat Anti Slip	35
Chemi-Coat Cold Cure	35
Chemi-Coat Rapid	35
Cold Set Coating	33
Compact Speed Bumps	90
Concrete Floor Paint - Best Ever Formula	27
Concrete Resurfacer	23
Concrete Sealer Solvent Based	47
Concrete Sealer Water Based	47
Concrex	7
Concrex Acid Strength	7
Concrex Advanced	7
Concrex Applications Kits	9
Concrex Asphalt Repair	22
Concrex Cold Set	7
Concrex Coloured	7
Concrex Coving Mortar	8
Concrex Damp Repair Kit	78
Concrex Deep Fill	8
Concrex Deep Fill Cold Cure	8
Concrex Deep Fill Rapid	8
Concrex Fine Filler	15
Concrex Flex	9
Concrex Mixing Tub	9
Concrex Rapid Set	7
Concrex Sub Zero	7
Concrex Vertical	14
Concrex Vertical Cold Cure	14
Concroff	48
Conformable Safety Tape	66
Conformable Surestep treads	64
<b>D</b>	
Damp Proof Course	76
Dampguard	79
Dampguard Advanced	79
Decking Cleaner	56
Decksafe	56
Decksafe Advanced	56
Duckboard Roll	84
<b>E</b>	
Easy Marking Tape	68
Electrical Safety Mat	88

Epoxicote High Build	28
Epoxicote High Build Advanced	29
Epoxicote High Build	
Advanced Anti Slip	29
Epoxicote High Build Anti Slip	29
Epoxicote High Build Anti Slip Rapid	29
Epoxicote High Build Cold Cure	29
Epoxicote High Build Cold Cure Anti Slip	29
Epoxicote High Build Rapid	29
Epoxy Gloss Coat - Best Ever Formula	25
Epoxy Gloss Coat Hygienic - Best Ever Formula	25
Epoxy Grip Strip	58
Epoxy Matt Coat - Best Ever Formula	25
Epoxy Matt Coat Hygienic - Best Ever Formula	25
Epoxyline	70
Etch & Clean	48
External Entrance Mat	87
<b>F</b>	
Fastcoat	38
Fastcoat Anti Slip	38
Fibreglass Reinforcing Tape	73
Fine Crack Filler	13
Fine Crack Filler Cold Cure	13
Firm-Step Edge	62
Firm-Step Grating	84
Firm-Step Heavy Duty GRP Covers	60
Firm-Step Heavy Duty GRP Sheets	61
Firm-Step Precision Stair Treads	62
Firm-Step Standard GRP Covers	59
Firm-Step Standard GRP Sheets	59
Flashing Bandage	83
Flexible Crack Sealant	13
Flexible Joint Repair	13
Flexicoat	33
<b>FLOOR COATINGS</b>	24
Floor Joint Sealant	12
Floor Joint Sealant Primer	12
Flowpatch	11
Flowpatch Coloured	11
Flowpatch Deep Fill	11
Flowpatch Sub Zero	11
Flowtop	19
Flowtop Advanced	19
Flowtop Coloured	19
Food Safe Coating	33
<b>G</b>	
Galvaplime	80
Grip-Master	57
Grip-Master Comfort	57
GRP Adhesive Mastic	59
GRP Decking Strips	65
<b>H</b>	
Handrail System	92
Hazard Safety Tape	67
Hazard Surestep	91
Heavy Duty Anti Slip Traffic Paint	51
Heavy Duty Asphalt Paint	51
Heavy Duty Cable Protector	90
Heavy Duty Edge Buffer	91
Heavy Duty Line Marking Tape	68
High Strength Epoxy Resin Grout	16
High Visibility Paint	70
Hygienic wall Coating	75
<b>I</b>	
Impact Protection	91
Industrial Wall Coating	75
Interlocking Flooring	85
Internal Entrance Mat	86
IPA Cleaner	64
<b>K</b>	
Kitchen Mat	89

<b>L</b>	
<b>LINE MARKING</b>	68
Liquid Roof Membrane	82
Liquid Waterproofer	73
<b>M</b>	
Masonry Waterproofer	77
<b>MATTING</b>	84
Matt Concrete Floor Paint - Best Ever Formula	27
<b>N</b>	
New Concrete Primer	48
<b>O</b>	
Oil Block Primer	49
<b>P</b>	
Parking Bumpers	90
Permaline	69
Plant Room Coating	72
Powerfloat Primer	49
Powerfloat Primer Rapid	49
Powerfloat Sealer	44
Primebase	78
<b>PROTECT</b>	94
Protect Absorbent Cushions	94
Protect Absorbent Granules	94
Protect Absorbent Pads	94
Protect Absorbent Socks	94
Protect Degreaser Tablets	94
Protect Floor Polish	94
Protect Floor Polish Stripper	94
Protect Industrial Floor Degreaser	94
Protect Industrial Floor Cleaner	94
Protect Oil Drain Booms	94
Protect Oil Spot Cleaner	94
Protect Polish Floor Cleaner Tablets	94
Protect Spill Control Drain Cover	94
Protect Spill Kit Bag Chemical	94
Protect Spill Kit Bag General	94
Protect Spill Kit Bag Oil	94
Protect Spill Kit Bin Chemical	94
Protect Spill Kit Bin General	94
Protect Spill Kit Bin Oil	94
Protect Wax, Tar & Tape Remover	94
Protecta-Coat	45
Protecta-Coat Anti Slip	45
Putty Patch	17
<b>R</b>	
Rainshield	77
<b>REPAIRS</b>	4
Resiflow Anti Slip	31
Resiflow Chemical Grade	31
Resiflow Flex	31
Resiflow Supergloss	30
Road Paint Rapid	51
Road Patch Rapid	23
Roadmarker	71
Roadmarker Reflective	71
Rollgrip	65
<b>ROOFING</b>	80
Roofite	81
Roofite Joint Sealant	80
Roofite Pour & Restore	81
Roofite Repair Mortar	81
Roofite Scrim	80
Roofite Solar Reflective	80
Roofsafe	80
Roof Walkway Matting	83
Rust-Stop Metal Paint	78
<b>S</b>	
Safety Coat - Best Ever Formula	53
Safety Coat Coarse - Best Ever Formula	53
Safety Coat Coarse Hygienic - Best Ever Formula	53
Safety Coat Cold Cure	33

Safety Coat Food Safe	33
Safety Coat Hygienic - Best Ever Formula	53
Safety Grip	55
Safety Grip Cold Cure	55
Safety Grip Flex	55
Safety Grip Rapid	55
Safety Tape	67
Safety Tape Edge Sealer	67
Safety Tape Primer	67
Soft Step	85
Solar Reflective Coating	82
<b>SPECIALIST COATINGS</b>	72
Spectrum	39
Spill Resistance Mat	89
Sprayline Plus	71
Sprayline Plus Applicator	71
Stair Nosing	63
Stellar Flake System	41
Stellar Metallic Chip	40
Stellar Metallic Coating	41
Step Repair Kit	16
Stepmarker	69
Surestep Roll	65
Surestep Treads	64
<b>T</b>	
Tack Coat	9
Tactile Plates	93
<b>TAPES</b>	66
Tape Primer	66
<b>TESTING</b>	96
Thermoline	69
Tile Primer	49
<b>TOOLS</b>	95
Toughline	70
Tough Step Mat	86
<b>TRAFFIC CONTROL</b>	90
Trafficline	71
<b>U</b>	
UltraBond Tape	66
Universal Sealer Dustproofer	47
<b>V</b>	
Vertical Crack Filler	15
Vynacoat	47
<b>W</b>	
Wallguard	74
Wallseal	74
Washable Entrance Mat	86
Water-Trap Mat	87
Weatherguard 10	76
Workstation Mat	87

# Transform your premises with Watco Concrete Floor Paint Best Ever Formula



## Watco Concrete Floor Paint

**Brighten and dustproof dull, drab concrete with our toughest ever Mid-Gloss single pack floor paint.** Our unique formula based on a blend of ceramic and polyurethane resins will transform your concrete floor into a dustproof, oil resistant and easy clean surface. Tested to CE Mark EN1504-2, Watco Concrete Floor Paint demonstrates superior impact, wear and scratch resistance, hardness, adhesion and durability.

- **Coverage** Approx. **40m<sup>2</sup>** per 5L per coat. Two coats are recommended
- **Likes most surfaces** Concrete, wood, metal, painted or unpainted
- **Many uses** Ideal for warehouses, production areas, workshops and general use areas
- **New formula** Now lasts twice as long
- **Attractive** Mid Gloss finish
- **Easy to apply** Use a medium pile roller
- **New Colour Range** Now to RAL reference

► **5L • £70.90**

**Learn more about our Best Ever Formula on page 27**



## Watco Firm-Step® Standard GRP Step Covers

**An affordable and versatile solution for slippery steps.** For interior and exterior use in areas of medium foot traffic.

Our 55mm DDA compliant Step Covers are tough and chemical resistant, which make them suitable for industrial and commercial use, such as fire escapes and all staircases.

- **Application** We recommend screw fixing to most substrates, combined with **Watco Adhesive Mastic** to prevent rocking on uneven surfaces. Screws and fixing plugs and a free pre-drilling service are available if required. Alternatively, **Watco UltraBond Tape** and **Primer** can be used to bond the tread to dry indoor steps
- **Cut to size** Watco offers a free 24/48 hour cut to size service
- **Versatile** Suitable for concrete, wood, stone, tiles and metal
- **Safety first** Independently tested for slip resistance

Firm-Step® Standard Step Covers	Each
600mm x 345mm x 55mm	£17.56
1000mm x 345mm x 55mm	£29.26
1500mm x 345mm x 55mm	£43.89
2000mm x 345mm x 55mm	£58.52
3000mm x 345mm x 55mm	£87.78

**More Anti Slip Products on pages 58-67**



# Concrex® Our best-selling epoxy repair mortar for granite-hard repairs to concrete



HEAVY  
DUTY

## Watco Concrex®

**Our original, best-selling floor repair mix: fast, permanent and strong.**

Outstanding strength and reliability are guaranteed with minimal prep time from one of our most popular and trusted products.


Concrex® cures to a granite-hard finish that is impervious and non-dusting.

- **Easy to apply** Cures in 3 to 6 hours
- **Coverage 1.2m<sup>2</sup>** per 10kg at 5mm thick
- **Virtually indestructible** 8 times stronger than concrete
- **Minimal prep time** Saves labour costs; mix and apply in minutes
- **Tack Coat Primer** Essential for shallow applications and screeding


▶ 10kg • £80.80

▶ 25kg • £159.10


Where to use Concrex®




Damaged steps



Fitting  
guide rails



Worn floors



Different levels



Holed floors



Spalled  
expansion joints

Concrex®

Original

## You may also need...

Tools and Primers	Each
Tack Coat 1m <sup>2</sup>	£21.40
Tack Coat 6m <sup>2</sup>	£61.20
10" Steel Float	£6.60
4" Mix and Apply Trowel	£6.00
Large Concrex® Application Kit	£24.00
Small Concrex® Application Kit	£13.80
Concrex® Mixing Tub	£9.70



When ordering quote Keycode

& Customer Account Number



Our products have been technologically formulated for superior performance. Ensuring that when you buy from Watco, you're buying the best.

Peter Dennis - Watco Group Chemist

## Expert Advice

For product or application advice, technical or safety information, talk to our team of technical advisers – they're here to help before, during and after application. Call now on **01483 418 418**.

Watco products are designed for use by business customers.  
Prices exclude VAT and delivery.

Watco UK Ltd, Watco House, Filmer Grove, Godalming, Surrey GU7 3AL  
Phone **01483 418 418** Fax **01483 428 888**  
Email [sales@watco.co.uk](mailto:sales@watco.co.uk) web [www.watco.co.uk](http://www.watco.co.uk)



BCF  
British Coatings Federation

**watco**