

COBA

flooring



COBA Flooring

Brochure 2019-20

Uniclass L5367-P71	EPIC E482-X71
CI/SIB (71.3)	Tn6



MORE THAN JUST
MATTING
www.cobaflooring.com

Introduction

COBA Flooring is the specialist commercial flooring arm of COBA Europe Ltd, dedicated to meeting the demands of our expanding entrance matting and floor covering business.

Our History

COBA has been providing effective, and innovative, matting and flooring solutions for over 40 years. COBA Flooring was born out of an increased demand for our entrance matting range.

Our Passion

Entrance matting should never be an after-thought. We feel passionately that if the right floor matting is specified first time, the benefits can be felt further down the line – from initial cost savings through to reduced cleaning and replacement expense.

Our Offering

Our BIM-ready product range offers an option for every budget and situation. It broadly spans interlocking entrance tiles (available ex-stock), custom made aluminium entrance systems (manufactured in the UK), as well as a selection of floor covering solutions.

Partnership

We partner our clients to offer support throughout each phase of the specification and purchase process, through to the installation and beyond. These include architects, specifiers, quantity surveyors, interior designers, flooring contractors and facilities managers.

One Stop Service

From specification through to bespoke manufacture and installation, we can support the process every step of the way. From our state-of-the-art facility in Leicestershire, we design and manufacture many of our products here in the UK.

Our Environmental Commitment

COBA Europe holds ISO 14001:2015 certification in recognition of our Environmental Management System. Wherever possible, we use recycled materials and look to eliminate both landfill and energy wastage.

The National Forest is a local organisation and one we have donated to since 2015. 2020 marks a relaunch of our Forest Floor Initiative, part of which sees COBA become official CSR partner to the charity.




How to Specify Entrance Matting

This brief guide is intended to assist you in making the right choice of entrance matting first time around. Our Support Team is also on hand to answer any queries and arrange site surveys for the most accurate product specifications.

Look out for the icons throughout the brochure, to help you find the best suited products for your environment. For more information on specification check out our free **Guide to Specification** at www.cobaflooring.com

Zones

We recommend a zoning system when choosing your entrance matting. Whether your entrance extends outdoors or is fully covered, creating three zones delivers optimum dirt barrier performance, ensuring interior floors are kept clean and hazard free.



Light
Less than
80 people per
hour 3-4 metres



Medium
Up to 300 people
per hour
6-7 metres



High
Around 600
people per hour
8-10 metres



Very High
Over 5,000 people
per day
9-12 metres



Light
Suitcases,
Wheelchairs



Medium
Supermarket Trolleys,
Sack barrows,
Luggage trolleys



Heavy Duty
Supermarket
Cages, Pallet
Trucks



Max Duty
Forklift Trucks,
Hydraulic Cranes



**Most Effective
Against
Dirt/Soil**



**Most Effective
Against
Moisture**

Pedestrian Traffic

It is important that matting is a sufficient length to allow moisture and debris to be wiped off footwear as people walk across the mat. Our COBA Flooring team recommends a minimum of six footsteps for this to be effective.

Wheeled Traffic

Depending on the nature of the building, the entrance may have to contend with different types of wheeled traffic. It is important that all matting complies with DDA Regulations/The Equality Act, so that wheelchairs can safely move on and off.

Contaminants

All of our products protect you against contaminants but some products are more effective than others for removing either dirt or moisture. Use these icons to determine which.



Key Factors

As well as performance, Entrance Matting should match your interior design and be able to be simply integrated into your overall building architecture. That's why we offer BIM level 2 objects for many of our products helping you to specify the right product first time. We also offer a wide variety of customisable elements, from profile height, to inserts and colours, we'll work with you to create a high performance, sophisticated entrance solution.



1 Year
Warranty



3 Year
Warranty



5 Year
Warranty



10 Year
Warranty



NBS Plus
Member



EasyInstall™
Product

Warranty

Our Entrance Matting ranges all carry limited warranties. All warranties we offer cover improper material or workmanship placed under normal conditions. Please note that some warranties apply only to specific parts of a product.

Site Surveys & Samples

We're a customer-focused business providing a high quality, efficient and reliable service from the time of enquiry, to after sales support. Our trained sales staff operating out of COBA offices throughout Europe, provide our customers – whether distributors or end users – with local support and knowledge. We also offer free samples and site surveys ensuring you pick the right product, first time.

EasyInstall™

Our range of simple to install, off-the-shelf modular systems, ideal for last minute jobs.














Entrance Architect

Become an Expert on Entrance and Barrier Matting with our award winning product selector app, **Entrance Architect**.

Download Entrance Architect **FREE** today on the Apple or Android app stores!



Entrance Matting Product Selector

Product and Page		Warranty		Zone		Contaminant		Pedestrian Traffic				Wheeled Traffic			
															
		Years	External	Intermediate	Internal	Moisture	Dirt	Low	Medium	High	Very High	Light	Medium	Heavy	Max Duty
Plan.a	6	10		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plan.a (PVC Inserts)	6	10	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓
Plan.b	8	5	✓	✓			✓	✓	✓	✓		✓	✓	✓	
Plan.c	9	10		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Plan.e	10	5	✓	✓		✓	✓	✓	✓	✓		✓	✓	✓	
PathMaster Alu	12	3		✓		✓	✓	✓	✓	✓	✓	✓			
PathMaster Duo	14	3		✓		✓	✓	✓	✓			✓			
PathMaster ³	15	3		✓		✓	✓	✓	✓			✓			
Premier Track	16	5		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Premier Plus	18	5		✓		✓	✓	✓	✓	✓		✓	✓	✓	
Premier Rib	19	5		✓			✓	✓	✓	✓	✓	✓	✓	✓	
Premier Surface	20	5		✓		✓	✓	✓	✓	✓		✓	✓	✓	
Treadwell	21	3		✓		✓	✓	✓	✓	✓		✓	✓	✓	
Precision Nib	26	1				✓	✓	✓	✓			✓	✓		
Precision Loop	27	1				✓	✓	✓	✓			✓	✓		
Alba	28	3				✓	✓	✓	✓			✓	✓		
Needlepunch	29	1				✓	✓	✓				✓	✓		
Toughrib Diagonal	30	1		✓		✓	✓	✓				✓	✓		
Toughrib Contract	31	1		✓		✓	✓	✓				✓			
Octoroll	32	1		✓			✓	✓	✓	✓		✓	✓	✓	

Entrance Matting Specification CPD

Want to learn more about Entrance Matting? Why not take our free CPD? We uncover some of the lesser-known considerations that every specifier should be thinking of when selecting a matting solution for their next project.


Available on our website or we can visit your offices to deliver the training in person. Email contact@cobaflooring.com for more info.




Plan.a

Protect against dirt and moisture with a high-quality and stylish entrance matting system


Robust, high-quality aluminium system for heavy-duty use designed to cope with high footfall. • Flexible, yet durable PVC linking joints for ease of handling and easy fitting. • Custom-made to order to your specification. • Choose from one, or a combination of different surface options. • Also now available with vibrant coloured needlepunch or needlefelt polypropylene carpet inserts as used our Logomat Precision products. • Logomats can be incorporated into any Plan.a design. • Product Height: 10 mm or 17 mm



Vibrant Precision Inserts also available! See Pages 26-27




Ramped Edging for Low Profile




T Profile for Low Profile




T Profile



Low Profile Frame for Recessed Wells




Frame Profile for Recessed Wells




Expansion Strip

Low Profile



Standard Profile



A Carpet / PVC inserts
B Aluminium

C Flexible PVC connector
D Foam cushion

Insert Options



Alba - P.28



Needlepunch - P.29



PVC Brushes



PVC Scrapers



Open



Closed



Precision Logomats can now be used as inserts within the aluminium rails of Plan.a, allowing you to brand your entire entrance matting system! See page 24 for more info.



The Project

The Bridgewater Hall, officially opened in 1996, is Manchester's internationally acclaimed concert venue which hosts over 250 musical performances a year, spanning a wide range of musical genres. New entrance matting was required for The Public Main Entrance, The Box Office Entrance and The Artists' Entrance.

COBA Flooring was recommended by The Bridgewater Hall's janitorial supplier to provide the solution. Plan.a was selected and custom-made to order for the three recessed matwells, and subsequently installed by COBA.

One of the main challenges of the installation was the tight timescales – the matting had to be installed swiftly to ensure completion before the evening performance.

The installation involved removing the old matting and carrying out some sub-floor preparation to ensure the surface area was level.

Plan.a with Alba (nylon) carpet and PVC scrapers was then installed in each area. The Bridgewater Hall opted for a closed construction surface design.



The Client's Reaction


"COBA only had a very restricted time to fit the entrance matting in three different locations, so the pressure was immense but still COBA's team managed to deliver on time and with great precision. They were a very good team, professional, conscientious, attentive and reactive to our business needs," says Armelle Rainjonneau, House Manager – The Bridgewater Hall. She added: "I have no issues in recommending COBA to other organisations. We experienced good all-round service and we are very pleased with the finished result."

Plan.b

Protect against dirt and moisture with a high-quality and stylish entrance matting system

Brushes remove soil, grit and debris by ‘brushing’ the contour of shoes, providing optimum cleaning

- Strips are linked via flexible, stainless steel wires for ease of installation.
- Flexibility to install in recessed matwells or lay to surface with optional edging.
- Suitable for indoor and outdoor use.
- Custom-made to order with a choice of 13 colour-ways and bespoke logo options.
- Flexibility with design to include curves, diagonals and angles.
- Product Height: 22 mm



Colours







Plan.c


Protect against dirt and moisture with a robust aluminium system for high traffic entrances

Assembled in modules for easier transportation and installation.


- Profiles are connected via heavy-duty steel wire for added durability.
- Reversible closed surface aluminium entrance matting.
- Suitable for indoor use.
- Two surface options: Rubber profiles with nylon filaments / Rubber scraper profiles.
- Custom-made to order.
- Product Height: 18 mm




Black Rubber Fibre



Beige Rubber Fibre



Black Rubber Scraper







Plan.e

Robust aluminium entrance matting with low profile

- Durable linking joints for ease of handling/fitting. •
- Suitable for high volume footfall in commercial locations.
 - Available with most standard carpet insert options.
 - Custom-made to order. • Product Height: 12 mm



Alba Inserts - P



Needlepunch Inserts - P





Project

The Anchorage, Salford Quays

Client:	Ardmac
Products:	Plan.a 17mm Closed Construction Brush and Needlepunch Alternating Inserts
Area:	109m ²
Date:	February 2019




PathMaster Alu

The most budget-conscious entrance matting available to feature aluminium


100% polypropylene needlepunch carpet with aluminium scraping inserts to effectively remove moisture and dirt. • Supplied on flexible rolls of up to 10 m lengths in 2 m widths, easy to fit – simply butt tightly together for desired width. • Easy installation in recessed wells or by gluing to the floor surface with optional bevelled edging. • Cut to size and shape on site if necessary, using a hand grinder or jigsaw. • Product Height: 12 mm



Sizes	Charcoal
2 m x 10 m	PMB010004
2m x per linear metre (max. 10m)	PMB010004C
Sizes	Grey
2 m x 10 m	PMB060004
2m x per linear metre (max. 10m)	PMB060004C



Charcoal



Grey






Project Dudley College

Client: Speller Metcalf
Products: Premier Track Tiles and PathMaster Alu
Location: Dudley
Area: 22m²



New

Logo's can now be integrated into the aluminium rails of our Plan.a system!




PathMaster Duo

Stylish carpet entrance matting designed to protect internal flooring

Solid surface prevents debris falling through - easily maintained with vacuuming • Supplied on flexible rolls of up to 20 m lengths in 2 m widths – simply butt tightly together for desired width. • Easy to install in recessed wells or glued to the floor surface with optional bevelled edging. • Anti-slip latex backing, prevents the mat from slipping • Product Height: 11 mm



Sizes	Charcoal	Grey
2m x 20m	PMDB010001	PMDB060001
2m x per linear metre (max. 20m)	PMDB010001C	PMDB060001C



Charcoal



Grey



PathMaster³

Unpack and lay in minutes, not hours


Innovative product, a whole entrance mat in a box. • Easier to transport than matting on a roll. • Potentially less wastage compared with cutting from a roll. • Simple entrance matting solution with practical and creative design impact. • 'EasyInstall™', just lay into place on the subfloor using a tackifier or adhesive. • You only need to cut the last row of tiles. • Product Height: 13 mm




Size	Anthracite	Grey	Anthracite/Grey
45 cm x 45 cm	PM010007	PM060007	-
23.5 cm x 75 cm	-	-	PM010008



Anthracite



Grey



Anthracite/Grey





Premier Track

Protect internal flooring with heavy-duty, premium quality entrance tiles


Effectively removes moisture and debris, even from wheeled trolleys, without buckling. • Safe for high heeled footwear, heels won't get stuck in the tiles. • Move, clean or replace individual tiles - they clip together with ease. • Easily cut to shape, so you can fit to any space and install faster with fewer specialist tools. • Exceptionally durable carpet inserts manufactured from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Ideal for recessed entrance wells. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2. • Product Height: 16 mm



Sizes	Surface	Anthracite	Blue	Brown	Grey
29 cm x 44 cm	Open	PT010101	PT010201	PT010501	PT010601
30 cm x 45 cm	Closed	PT010101C	PT010201C	PT010501C	PT010601C




Profile



A Alba nylon carpet insert B PVC

Surface



A Open B Closed



Anthracite



Blue



Brown



Grey



Case Study

Royal Victoria Place

Client:	Royal Victoria Place Shopping Centre
Contractor:	UK Facilities Solutions Ltd
Location:	Royal Tunbridge Wells, Kent
Products:	Premier Track Tiles, Premier Grip Tiles, and Logo Mats
Area:	78m ²

About Royal Victoria Place Shopping Centre

The popular Royal Victoria Place Shopping Centre in Kent first opened its doors in 1992 and today has over 90 top name stores spanning three floors, as well as a wide choice of places in which families can dine and relax. Located in the heart of Royal Tunbridge Wells, and open seven days a week, Royal Victoria Place Shopping Centre attracts over 10 million visitors per annum. Given the levels of pedestrian traffic, the entrance matting had been subjected to some wear and tear, and needed to be replaced to refresh the main entrance areas.

The Project

UK Facilities Solutions provides a comprehensive range of reactive maintenance and upgrade services to Royal Victoria Place. The facilities company, also based in Kent, specialises in working with the leisure and retail sector. It was tasked with sourcing suitable replacement entrance matting for the Shopping Centre and via the RIBA Product Selector, narrowed down the selection to COBA Flooring and specifically, the Premier range of entrance tiles. After some further research, a combination of interlocking Premier Grip Tiles and Premier Track Tiles, complete with the integration of a custom printed Logo Mat, was selected based on price, aesthetics, functionality and durability.

Two entrances, including Calverley Road and the main entrance area on Fiveways, have been revitalised following the installation of Premier entrance matting covering floor areas of 5m x 6m and 8m x 6m respectively. The installation in recessed matwells was straightforward and hassle-free, and carried out by UK Facilities Solutions.

By choosing a combination of Premier Tile products, an interlocking system, the entrances have been designed to get maximum benefit from scraping and wiping footwear, while looking very stylish and effectively promoting the Royal Victoria Place brand through the Logo Mat. On entering, shoppers initially walk over Premier Grip Tiles (100% PVC) which perform a dirt scraping action, and then onto Premier Track Tiles (a combination of PVC and carpet) which help to wipe any remaining moisture and residue from footwear. A bespoke Logo Mat featuring the Royal Victoria Place branding has been inlaid within the design. This has created two very smart entrance areas to the Shopping Centre. The Premier system is easy to clean and maintain too. Royal Victoria Place Shopping Centre uses a rotating brush system with hot water extraction every month, which lifts the dirt out of the fibres of the matting and deep cleans the PVC element of it also.

About Premier Entrance Tiles

The Premier range from COBA Flooring includes a collection of high quality PVC/carpet interlocking entrance tile systems. The tiles can be linked together to cover any sized floor area and either installed in a recessed matwell or laid to the floor surface with optional bevelled edging. They can also be easily cut to shape. The PVC base tile is manufactured from 100% recycled materials, and each tile measures 29cm x 44cm. Premier Track features a high quality nylon carpet insert available in blue, brown or grey while Premier Grip, a black scraper mat, is 100% PVC making it suitable for indoor and outdoor applications. The tiles are safe for use with high heels and suitable for wheeled trolleys. Custom printed solution-dyed nylon Logo Mats can be integrated within the Premier range through COBA's rubber bonding process. There is a choice of up to six colours for logos or messages, from a standard palette of 40.



The Client's Reaction

"The new entrance matting has really refreshed both entrances to Royal Victoria Place, and we are very pleased with its appearance and performance. The logo effectively promotes our brand, and creates a positive first impression."

*Nick Connell, Operations Manager,
Royal Victoria Place Shopping
Centre.*


Premier Plus

Interlocking carpet entrance tiles to keep internal floor coverings clean and slip free

Quality needlepunch carpet inserts available in two colours, which effectively scrape dirt and wipe moisture. • Tiles simply clip together on site for ease of transportation and installation. • Move, clean or replace individual tiles - they clip together with ease. • Tiles offer flexibility in the size and shape which can be covered. • Easily cut to shape, so you can fit to any space and install faster with fewer specialist tools. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2. • Product Height: 18 mm




Sizes	Surface	Charcoal	Grey
29 cm x 44 cm	Open	PMP010101	PMP010601
30 cm x 45 cm	Closed	PMP010101C	PMP010601C




Charcoal



Grey





Premier Rib

Hardwearing anti-slip scraper for the perfect entrance matting system


Perfect for use at the point of entry for high footfall entrance matting systems.

- Excellent in combination with other Premier tiles in order to remove moisture and debris from footwear.
- Tested for trolley use
- Ribbed rubber inserts ensure reduced risk of slipping.
- Easy to install, clean and maintain
- Product Height: 12 mm



Sizes	Surface	Black
29 cm x 44 cm	Open	PR010101
30 cm x 45 cm	Closed	PR010101C


Surface



A Open

B Closed

Profile



A Ribbed PVC Scrapers

B PVC




Premier Surface

Entrance tiles designed to be laid directly to the floor surface


No matwell required, interlocking entrance tiles can be laid to surface. • Solid surface tiles effectively capture dirt to protect interior floors. • Hardwearing nylon carpet inserts scrape dirt and wipe moisture. • PVC base tile is manufactured from 100% recycled materials. • Optional 'impact-resistant' bevelled edges and corners and T-pieces withstand heavy shopping trolleys. • Co-ordinating Alba carpet can also be supplied in rolls for primary and secondary dirt barrier use. • Fire tested to BS EN 13501-1 and slip tested to BS 7676-2. • Product Height: 12 mm



Material Specification



Profile



A Alba nylon carpet insert B PVC

Size	Anthracite	Blue	Brown	Grey
30 cm x 30 cm	PSC010101	PSC010201	PSC010501	PSC010601

Edging	Black
Edging: 78 mm x 2.0 m lengths	PSE00002
Corners: 100 mm x 100 mm	PSC00004



Anthracite



Blue



Brown



Grey




Treadwell

100% recycled, hardwearing entrance floor tiles

Ideal for entrances with medium to high footfall. • Fit for use with trolleys. • Entrance floor tile manufactured from 100% recycled material. • Looks stylish when laid in uniform or parquet. • Product Height: 10 mm



Size	Natural
305 mm x 305 mm (Pack of 10)	TW050001





Stress Free Installation

Installation

Specifying the right entrance matting for your building is one thing but installation of some of the most popular systems such as aluminium matting is also a specialist job. That's why we offer a complete supply and install service.

Our trusted team have years of experience working with COBA products, and know them inside out. We can even install your project overnight to prevent any business downtime. Once we've installed your project we'll clear up and dispose of any rubbish, leaving you to admire your new flooring installation!

Just In Time Entrance Matting

Supply

With distribution centres across Europe we're proud to be able to offer next day delivery on many of our products, perfect for those last minute jobs!

Our **EasyInstall™** range of entrance matting has been developed with this in mind. Off the shelf, modular systems, they are quick to order and install. If you've got more time to spare, why not get in touch with our team for free samples, site surveys and support!

EasyInstall™



Measure



Order



Unbox



Install



Logomat


Make an instant impact at the point of entry

Customised door mat printed with your individual logos or messages.

- Choose from up to 66 colours (maximum of 6 per logo mat).
- Whilst also making a statement, Logomat is a real performer in trapping dirt and moisture.
- Keeps your entrance clean while also conveying your brand.
- Comes with an 11-year warranty against fading, ensuring your personalised logos and messages look great.
- Easy to clean, with standard sizes machine washable.
- Anti-slip backing to keep the mat in place.
- Product Height: 11 mm



Printed or Precision cut logomats can be incorporated into any of our Entrance Matting range.



Promomat

Outstanding promotional floor mat in your design

- Printed digitally for superb colour reproduction and definition.
- All round brand experience at events by adding graphics on the floor.
 - Ideal when large numbers of mats are needed.
 - Don't let your product go unnoticed – the high quality colour reproduction is ideal for enhancing point of sale experiences.
 - Extend your corporate identity through the whole building for seamless branding.
 - A great gift for clients and prospects.
 - Cost effective addition to any range of promotional items – has been used to promote films, events and product launches.
 - Product Height: 6 mm



Because Promomat is printed digitally, virtually any design and colour can be reproduced - giving you full creative control.

Logomat Precision

Premium inlay logomats manufactured from our Precision carpet

Custom quality Logomats • Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining. • Choose from 2 material types; Precision Loop or Precision Nib (see page 26 & 27 for spec) and 33 vibrant colours to recreate your logo • Low installation cost. • Needlefelt/punch construction provides good crush resistance. • Logomats can be incorporated into any of our ranges. • Logomats can now be used as the carpet inserts within our Plan.a entrance matting systems. • Manufactured in the UK.



Precision Logomats can now be used as inserts within our Plan.a aluminium system, allowing you to effectively brand your entire entrance matting system!

Project

Groupon Office

Client:	Groupon
Contractor:	Capital Support Services
Products:	Precision Loop Logo mats
Location:	Groupon HQ, London
Date:	October 2019
Area:	90m ² (18 mats)






Precision Nib

High quality print logo mats in your design


High quality rugged matting material available in stunning colourways.

- Hardwearing, UV and stain resistant.
- Ideal for use in logomat designs – choose from the 18 colours to recreate your design.
- Heavy weight pile and large nib design provides outstanding scrubbing action.
- Needle punch construction provides optimal crush resistance.
- Edges will not unravel or fray.
- Logomats made in Britain.
- Product Height: 11 mm +15% / -10%



Size	Black	Charcoal	Grey	Wine Red	Red
2 m x 23 m	SC010001	SC110001	SC060001	SC320001	SC310001
Size	Light Beige	Golden Beige	Orange	Dark Brown	Dark Green
2 m x 23 m	SC210001	SC220001	SC170001	SC050001	SC040001

Size	Apple Green	Navy Blue	Sky Blue	Baby Blue	Yellow
2 m x 23 m	SC420001	SC180001	SC020001	SC430001	SC070001
Size	Purple	Pink	White		
2 m x 23 m	SC200007	SC260001	SC130001		



Precision Loop


Popular inlay logomats

Perfect material to produce inlay logomats with a smooth surface.

- Durable entrance carpet, UV and stain resistant.
- Ideal for use in logomat designs
- Choose from 15 colours to recreate your design.
- Heavy weight pile provides outstanding absorbing and wiping action.
- Needlefelt construction provides good crush resistance.
- Edges will not unravel or fray.
- Logomats made in Britain.
- Product Height: 12.5 mm +15% / -10%



Size	Black	Dark Grey	Charcoal	Light Grey	Wine Red
2 m x 23 m	PL010001	PL160001	PL110001	PL060001	PL320001
Size	Red	Light Brown	Orange	Dark Brown	Dark Green
2 m x 23 m	PL030001	PL190001	PL170001	PL050001	PL040001
Size	Apple Green	Blue	Sky Blue	Yellow	White
2 m x 23 m	PL420001	PL180001	PL020001	PL070001	PL100001



Alba

Absorbent carpet entrance matting to protect interior floor surfaces

Adaptable carpet entrance matting for high volume entrance areas, walkways and corridors. • Nylon pile is highly absorbent and also withstands crushing. • Suitable for glue down, wall to wall, or floor surface applications. • Available with optional edging depending on the requirements of the application. • Can be used as part of a two-step system in heavy traffic environments. • Exceptionally durable carpet made from ECONYL®, a recycled nylon material made from discarded fishing nets and other sources. • Product Height: 7.5 mm +15% / -10%



Sizes	Anthracite	Blue	Brown	Grey
2 m x per linear metre	AB010008C	AB020008C	AB050008C	AB060008C



Anthracite



Blue



Brown



Grey



Needlepunch

Versatile dirt scraper carpet available in long runs

Textured polypropylene fibres provide outstanding scraper action to remove dirt and moisture. • Adaptable carpet matting for interior walkways and reception areas providing a total dirt-barrier solution. • Suitable for use in recessed matwells in entrance areas. • Available with optional edging to prevent tripping. • Suitable for glue down, wall to wall, or lay to surface applications. • Product Height: 10.8 mm +15% / -10%



Sizes	Charcoal	Grey
2 m x per linear metre (max 21 m)	NP010001C	NP060001C
2 m x 21 m	NP010001	NP060001



Charcoal



Grey



Toughrib Diagonal

Ribbed carpet entrance matting designed to rigorously scrape debris and moisture

Premium quality, heavy-duty entrance matting featuring attractive diagonal ribbed design for optimum scraping.

- 100% solution dyed UV stabilised polypropylene fibres for rigorous scraping performance.
- Features a robust duo rubber backing to prevent movement.
- Supplied in rolls of up to 25 m or in cut linear metre lengths.
- Product Height: 8.2 mm +15% / -10%




Sizes	Charcoal	Dark Blue	Grey
2 m x 25 m roll	TRD010001	TRD020001	TRD060001
2 m x per linear metre	TRD010001C	TRD020001C	TRD060001C



Dark Blue



Charcoal



Grey

Toughrib Contract

Ribbed entrance matting on a roll
designed to scrape dirt and wipe moisture

A popular choice for flooring contractors requiring versatile rolls of entrance carpet. • Debris and moisture are captured in the ridges and can be vacuumed for easy maintenance. • Adaptable carpet entrance matting that can be used in recessed matwells or on pedestrian walkways. • 100% polypropylene pile is durable and suitable for heavy-duty use. • Product Height: 6.5 mm +15% / -10%



Sizes	Charcoal	Blue	Brown	Grey
2 m x 30 m roll	TR010006	TR020006	TR050006	TR060006
2 m x per linear metre	TR010006C	TR020006C	TR050006C	TR060006C



Charcoal



Blue



Brown



Grey




Octoroll

Ultra-tough rubber entrance matting by the metre

The ideal choice for demanding entrances. • Perfect for outside use - rubber is naturally slip resistant. • Hardwearing and durable. • Withstands even the most demanding weather conditions with an operating temperature from -20°C to +160°C. • Large holes allow debris to fall through the mat and provides good drainage for rainwater. • Product Height: 22 mm



Sizes	Black
1 m x 9.3 m	RM010014
1 m x per linear metre	RM010014C






Floor Coverings

External and internal floor coverings

Our expansion into the flooring market has brought with it a choice of floor covering products for commercial and industrial environments. Our heavy-duty rubber and PVC flooring is ideal for demanding applications, such as warehouses, garages and showrooms.



COBAGRiP® Range

Floor safety, whatever the weather!

COBAGRiP® is a range of UV stabilised GRP sheets, treads and stair nosing designed to offer exceptional levels of slip-resistance both indoors and out, while having outstanding wear and tear qualities. It is an ideal underfoot safety solution for pedestrian and factory walkways, access ramps, gangways and bridges.

The Silicone Carbide 'gritted' top surface provides effective underfoot grip and is resistant to most solvents and chemicals. It is manufactured using flame retardant materials. Easy to install, simply bond or screw to the existing floor surface, COBAGRiP® is a cost-effective means of refurbishing damaged or slippery floors. Easy to clean (pressure wash).


See the full COBAGRiP® range on pages 37-39.

**Ramp Slip Tested to R13 in accordance with DIN 51130: 2010.
Pendulum Slip Tested in accordance with BS 7976-2: 2002.*


Tough-Lock

Easy to install Interlocking PVC tiles, perfect for a quick solution to damaged floors

The resilient PVC material is suitable for both heavy and light industrial use, including withstanding the weight of most forklift trucks. • Tiles are easy to install, with a simple interlocking system. • Bevelled edging is available to add that finishing touch. • ESD and Anti-Static versions are available to help protect personnel and components. • Available as a studded or textured tile. • Product Height: 5 mm or 7 mm



Studded Tile	Black	Grey	Blue	Red	Green	Yellow
0.5 m x 0.5 m x 7 mm	TLS010002H	TLS060002H	TLS020002H	TLS030002H	TLS040002H	TLS070002H



Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5 m x 0.5 m x 5 mm	TLT010003H	TLT060003H	-	TLT030003H	TLT040003H	TLT070003H
0.5 m x 0.5 m x 7 mm	TLT010002H	TLT060002H	TLT020002H	TLT030002H	TLT060002H	TLT070002H

Tough-Lock Edging (pack of 4)	Black	Tough-Lock Edging (pack of 4)	Black
Bevelled Edge 515 mm x 80 mm x 5 mm	TLE010001E	Bevelled Corner Edge 515 mm x 80 mm x 5 mm	TLC010001E



Add impact to your **Tough-Lock** floor by incorporating permanent floor markings.

We can incorporate almost any logo or image into your **Tough-Lock** floor to create a permanent and highly visual sign or message. The logo tiles are manufactured by CNC water laser jet cutting which ensures a clean and precise cut.

Available in black, light grey, dark grey, graphite, black, red, green, yellow, dark blue and white. (Special colours subject to availability).





Tough-Lock Eco

Interlocking floor covering made from 100% recycled resilient PVC

100% recycled PVC version of Tough-Lock. • Available as a studded or textured tile. • Recycled PVC material PVC material is suitable for both heavy and light industrial use. • Tiles are easy to install, with a simple interlocking system. • Bevelled edging is available to add that finishing touch. • ESD and Anti-Static versions are available to help protect personnel and components. • Product Height: 5 mm

Tile Size (pack of 4)	Black
500 mm x 500 mm	TLS010001E





Studded Tile

**Hardwearing slip resistant rubber tiles
for commercial environments**

Studded design provides an anti-slip solution for commercial environments. • Easily applied by adhesion to the floor with Adesilex G19 or Adesilex VS45 • Made from a natural and synthetic rubber mix free from PVC, plasticisers and formaldehyde. • Product Height: 2.5 mm \pm 0.2 mm

Tile Size	Black	Blue	Dark Grey	Light Grey	Oyster White
485 mm x 485 mm (\pm 1 mm)	SRTA104	SRTA116	SRTA106	SRTA105	SRTA117



Black



Dark Grey




Light Grey



Blue



Oyster White





Project

Spiral Stairs, Bishopsgate

Client:	Rees Flooring
Contractor:	Multiplex Construction
Location:	15 Bishopsgate, London
Products:	GRP Nosings and GRP Sheets

COBA Flooring supplied and installed this particular project. This was a challenging install due to the spiral stair case, our installation team templated the area to ensure the best finish. We supplied 17 GRP Sheets and 30 Stair Nosings in total.





COBAGRiP® Sheet

GRP flooring is the ideal solution to combat slip hazards such as liquids and ice

An easy to install anti-slip solution for internal and external areas. • Simply bond or screw the GRP flooring onto the existing floor surface. • Available in a range of colours which meet the Equality Act requirements, including black, grey and yellow. • Product Height: 5 mm

Sizes	Black	Grey	Yellow
1.2 m x 2.4 m	GRP010001	GRP060001	GRP070001
1.2 m x 1.2 m	GRP010002	GRP060002	GRP070002
0.8 m x 1.2 m	GRP010003	GRP060003	GRP070003

COBAGRiP® Light

GRP flooring solution for use on undulating surfaces


An easy to install anti-slip solution for internal and external areas. • Made from silicon carbide it's ideal for use on undulating surfaces including factory walkways, ramps and bridges. • Product Height: 2.4 mm

Sizes	Black	Grey	Yellow
1.2 m x 2.4 m	GRP010001L	GRP060001L	GRP070001L
1.2 m x 1.2 m	GRP010002L	GRP060002L	-
0.8 m x 1.2 m	GRP010003L	GRP060003L	-

Colour options (Sheet & Light)



Black



Grey



Yellow





COBAGRiP® Stair Nosing

Increase stair safety with highly visible anti-slip stair nosing

Durable and easy to install on both existing and new-build steps. • A hard wearing, gritty surface available in bright colours helps protect against slips and trips whilst meeting the Equality Act requirements (DDA). • Manufactured with chamfered back edge for additional safety. • Product Height: 5 mm

Sizes	Yellow
3 m x 55 mm x 55 mm	GRP070001N
2 m x 55 mm x 55 mm	GRP070002N
1.5 m x 55 mm x 55 mm	GRP070003N
1 m x 55 mm x 55 mm	GRP070004N



COBAGRiP® Stair Tread

Increase stair safety with a non-slip silicon carbide surface finish

Fully cover a stair area with an anti-slip surface. • Each stair tread covers the entire step area, overlapping the edge onto the riser acting as stair protectors. • Available in yellow or white, which both meet current Equality Act requirements. • Product Height: 5 mm

Sizes	Black/Yellow	Black/White
3 m x 345 mm x 55 mm	GRP010701S	GRP010131S
2 m x 345 mm x 55 mm	GRP010702S	GRP010132S
1.5 m x 345 mm x 55 mm	GRP010703S	GRP010133S
1 m x 345 mm x 55 mm	GRP010704S	GRP010134S



Want to find out more?

Download our FREE Guides to Entrance Matting series.
Visit www.cobaflooring.com

Get in Touch

- +44 (0)1788 228 566
- contact@cobaflooring.com
- www.cobaflooring.com
- [@COBAFlooring](https://twitter.com/COBAFlooring)
- COBAFlooring

