



MORE THAN JUST  
MATTING

**COBA**  
europe



Facilities Management  
2019-20 Catalogue





Regardless of building size, there is always a responsibility to provide a safe and clean environment for staff and visitors. COBA Europe is proud to offer a collection of floor level safety and hygiene products for effective Facilities Management. Choosing quality first time gives you peace of mind and saves you time and money in the long run.

#### Our History

COBA has been providing effective, and innovative, matting and flooring solutions for over 30 years. In this time, we have expanded and refined a range of dependable products, ideal for facilities management.

#### Our Passion

Floor mats are an often-overlooked item, but if the right product is applied first time, the benefits can be felt further down the line – from initial cost savings through to reduced cleaning and replacement expense.

#### Our Reach

As part of the international COBA group, which has localised facilities in the UK, Europe and South Africa, our customers have the reassurance that they are dealing with a professional, global name with a long-established heritage in the floor matting industry.

#### Service

Our experienced team of matting experts are free and available for site survey visits around the UK and Ireland. We will work with you to determine the best product solution for your environment, so that your investment is rewarded.

#### Solutions

Our product range offers an option for every budget and situation. It broadly spans loose lay and fitted entrance mats, floor tapes and paint, cable protectors, electrical safety matting, and both anti-fatigue and non-slip mats for personnel in the workplace.

#### Next Day Delivery

We are able to offer next day delivery on stock items – please request when placing your order. Standard delivery is 2-3 working days.

## Contents

### Flooring

4-6

- Non-Slip Floor Coverings
- Interlocking Floor Tiles

### Floor Level Safety Accessories

7-9

- Floor Tapes
- Line Marking Paint

### Entrance Mats

10-15

- External Entrance Mats
- Internal Entrance Mats

### Entrance Matting Systems

16-25

- Aluminium Systems
- Modular Tile Systems
- Aluminium-Effect and Designer Matting
- Bespoke Logo Matting
- Entrance Carpet by the roll

### Electrical Safety

26-28

- Cable Protectors
- Switchboard Matting

### Workplace Matting

29-33

- Personal Anti-Fatigue Mats
- Heavy Duty Rubber Tiles

### Mats for Catering & Hospitality

34

### Mats for Leisure

35

## The Issues



#### Slips and Trips

Still the largest cause of accidents in the workplace, serious injury can occur in an instant. Effective entrance matting can reduce walked in dirt and moisture, greatly reducing risk. Non-slip accessories throughout the building then further protect you from this costly hazard.



#### Cleaning Costs

It can cost £500 to remove 1kg once inside a building and it's possible for 1 person to walk in 0.58 grams of dirt per day. 1,000 people in 20 days generate 11kg – or £5,800 in potential cleaning costs. Entrance matting can reduce walked in dirt by up to 90%.



#### Health and Wellbeing

An increasingly hot topic in recent years, the health and wellbeing of workers is not only important, but if properly managed can provide return value through reduced absenteeism and staff turnover.



#### Life Cycle Sustainability

One of the first entrance matting manufacturers to embrace BIM, COBA has level-2 compliant objects for its products available for new construction projects. In principle we are committed to finding the right solution for each building so that its life is maximised and environmental impact reduced.



# Flooring

External and internal floor coverings

Flooring not only performs the job of providing a safe walking surface in and around facilities but are an important aesthetic feature of any building. Slip and trip accidents are still the biggest cause of workplace injury, and in an increasingly litigious society it's important to ensure floors are designed to reduce risk factors wherever possible.

Our COBAGRiP® range of GRP sheets and accessories has been assembled to offer facilities managers easy to understand solutions for most outside walkways, including steps and stairs. They offer extremely good non-slip properties even in wet weather, which is why they are also popular with Local Councils. Our collection of PVC and rubber floor tiles then provide quick and cost-effective flooring options for refurb projects.

KEEP  
WALKWAYS  
SAFE

## COBAGRiP® Sheet

Reduce the danger posed by rain, snow and ice in external areas

Available in a range of colours to meet all DDA requirements. • Suitable for external walkways, ramps and platforms. • Ideal for refurbishment - simply bond or screw to the existing floor surface. • Colour options: black, grey and yellow. • Product Height: 5mm


Sizes	Black	Grey	Yellow
1.2m x 2.4m	GRP010001	GRP060001	GRP070001
1.2m x 1.2m	GRP010002	GRP060002	GRP070002
0.8m x 1.2m	GRP010003	GRP060003	GRP070003

## COBAGRiP® Light

Reduce the risk of slips on uneven surfaces

Ideal for use on undulating surfaces. • A lighter sheet for weight sensitive areas e.g. bridges and walkways. • Product Height: 2.4mm

Sizes	Black	Grey	Yellow
1.2m x 2.4m	GRP010001L	GRP060001L	GRP070001L
1.2m x 1.2m	GRP010002L	GRP060002L	-
0.8m x 1.2m	GRP010003L	GRP060003L	-




SAFE WALKING

## GripGuard


Economical anti-slip floor covering for use outdoors

Mineral coated matting provides a 'super-grip' standing surface. • Effectively reduces the risk of slipping in wet conditions. • Low profile design sits almost flush to the floor surface reducing trip accidents. • Easy to install and clean. • Anti-skid backing holds the mat firmly in position. • Product Height: 2.25 ± 0.2mm

Sizes	Black
0.9m x 6m	GG010003
0.9m x per linear metre	GG010003C
0.9m x 1.5m	GG010002



## IDEAL FOR STAIR MAINTENANCE



## COBAGRiP® Stair Tread

Easily applied to existing stairs to reduce slip risk

Designed to fully cover the stair area. • 55mm x 55mm contrasting coloured nosing meeting DDA requirements. • Can be used in conjunction with COBAGRiP Sheet. • Product Height: 5mm

Sizes	Black/Yellow	Black/White
3m x 345mm x 55mm	GRP010701S	GRP010131S
2m x 345mm x 55mm	GRP010702S	GRP010132S
1.5m x 345mm x 55mm	GRP010703S	GRP010133S
1m x 345mm x 55mm	GRP010704S	GRP010134S




## COBAGRiP® Stair Nosing

A simple fix to stair edges to reduce slip risk

Suitable for use on existing or new-build steps. • Manufactured with chamfered back edge for additional safety. • Bright colour for visibility meeting DDA requirements. • Product Height: 5mm

Sizes	Yellow
3m x 55mm x 55mm	GRP070001N
2m x 55mm x 55mm	GRP070002N
1.5m x 55mm x 55mm	GRP070003N
1m x 55mm x 55mm	GRP070004N



## COBArib

Protect floor and counter surfaces

Durable hardwearing natural rubber. • Ribbed surface has effective slip-resistance. • Provides insulation from cold concrete floors. • Has some noise insulation properties. • Available in both fine and wide options. • Product Height: 3mm or 6mm

Sizes	Standard		Wide	
	3mm	6mm	3mm	6mm
0.9m x 10m	RR010010	RR010030	RR010010W	RR010030W
0.9m x per linear metre	RR010010C	RR010030C	RR010010WC	RR010030WC
1.2m x 10m	RR010020	RR010040	RR010020W	RR010040W
1.2m x per linear metre	RR010020C	RR010040C	RR010020WC	RR010040WC


















## Interlocking Floor Tiles

IDEAL FOR FLOOR  
REFURBISHMENT

### Tough-Lock A smart solution for floor refurbishment

Interlocking tile manufactured from resilient PVC. • Available in two finishes – Studded and Textured. • Effective for refurbishing floors, such as covering damaged surfaces. • Suitable for heavy and light industrial use, as well as commercial locations. • Can withstand the weight of most forklift trucks. • Tile system simply interlocks for easy installation. • Available in Anti-Static and ESD versions on request. • Bevelled edging available. • Product Height: 5mm or 7mm

						
Studded Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	TLS010002H	TLS060002H	TLS020002H	TLS030002H	TLS040002H	TLS070002H
						
Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 5mm	TLT010003H	TLT060003H	TLT030003H	TLT040003H	TLT070003H	TLT070003H
Textured Tile	Black	Grey	Blue	Red	Green	Yellow
0.5m x 0.5m x 7mm	TLT010002H	TLT060002H	TLT020002H	TLT030002H	TLT060002H	TLT070002H




### Tough-Lock Eco 100% Recycled economical floor covering

Smart interlocking tile manufactured from 100% recycled PVC. • Studded surface design. • Effective for refurbishing floors, such as covering damaged surfaces. • Suitable for heavy and light industrial use, as well as commercial locations. • Can withstand the weight of most forklift trucks. • Tile system simply interlocks for easy installation. • Bevelled edging available. • Product Height: 5mm



<b>Tile Size (pack of 4)</b>	<b>Black</b>
500mm x 500mm	TLS010001E
<b>Edging (pack of 4)</b>	<b>Black</b>
Bevelled Edge 515mm x 80mm x 5mm	TLE010001E
Bevelled Corner Edge 515mm x 80mm x 5mm	TLC010001E

### Studded Tile Classic floor tile design

Hardwearing natural/synthetic rubber floor tile with studded design. • Popular for many commercial environments. • Raised studs provide some slip-resistance underfoot. • Free from PVC, Plasticizers and Formaldehyde. • Applied by adhesion to the floor. • Product Height: 2.5mm +/- 0.2mm



<b>Tile Size</b>	<b>Black</b>	<b>Light Grey</b>	<b>Dark Grey</b>	<b>Blue</b>	<b>Oyster White</b>
485mm x 485mm (+/- 1mm)	SRTA104	SRTA105	SRTA106	SRTA116	SRTA117



## Floor Tapes

# Floor Level Safety Accessories

Floor Tape and Paint for site demarcation

Personal safety is no more important than when navigating a site on foot, especially to someone less familiar with a building's layout. Clearly visible floor markings and barriers help raise protection in all areas, but especially safety-sensitive areas such as warehouses or where vehicles such as forklifts are in use. Our range of high quality tapes and paints are ideal for the conscientious facilities manager looking to reduce the risk of accidents.

### Gripfoot Grit tape, cleats and tiles for slip-resistance

Abrasive grit 'anti-slip' products with self-adhesive backing available in tapes, cleats and tiles. • Provides additional grip underfoot on smooth surfaces. • Hardwearing and easy to install. • Gripfoot Tape – versatile for floor surfaces, machinery and vehicles. • Gripfoot Cleats (rectangular) are designed for use on steps and stairs. • Gripfoot Tiles (square) are ideal for increasing safety on smooth, tiled floors. • Hazard version (tape only) in yellow/black provides high visibility in darkness or low light conditions. Red/White hazard option also available. • Conforms to Slip Resistance Test EN 13552 Category R13

<b>Tapes</b>	<b>Black</b>
25mm x 18.3m	GF010001
50mm x 18.3m	GF010002
102mm x 18.3m	GF010003
152mm x 18.3m	GF010004
<b>Tiles</b>	<b>Black</b>
140mm x 140mm	GF010005
<b>Cleats</b>	<b>Black</b>
152mm x 610mm	GF010006



							
Tapes	Black	Blue	Yellow	Red	Green	Luminous	Clear
50mm x 18.3m	GF010001	GF020002	GF070002	GF030002	GF040002	GF110002	GF120002

### Gripfoot Conformable Reduce slips on steps and walkways with easy to apply tape

Abrasive grit non-slip tape with self-adhesive backing. • Easy for anyone to install. • Hardwearing, providing a long lifespan. • Tape is ideal for floors, ramps, machinery and vehicles. • Cleats (rectangular) are designed for use on steps and stairs. • Tiles (square) are ideal for increasing safety on smooth, tiled floors. • Hazard version (tape only) in yellow/black provides high visibility in darkness or low light conditions. Red/White hazard option also available. • Product Height: 0.75mm ± 0.05mm

<b>Sizes</b>	<b>Black</b>
50mm x 18.3m	GF010002C
102mm x 18.3m	GF010003C
152mm x 18.3m	GF010004C
140mm x 140mm	GF010005C
152mm x 610mm	GF010006C

		
<b>Tapes</b>	<b>Black/Yellow</b>	<b>Red/White</b>
50mm x 18.3m	GF010702	GF031002





Floor Tapes

	Aisleways & Traffic lanes
	Production or racks, machines, benches and other equipment that does not fall under any other colour guidelines
	Locations where defective products, scrap materials, or items in the facility that need to be reworked are stored
	Materials & manufacturing: Finished goods
	Materials & manufacturing: Raw Materials
	Materials & manufacturing: Work in progress
	Areas which represent physical or health risks to employees. Indicates extra caution is to be exercised
	Areas to be kept clear for safety reasons (around emergency access points, electrical panels, fire fighting equipment)
	Safety Hazard & First Aid



QUICK AND COST  
EFFECTIVE DEMARCATION

COBATape

Ideal for any large floor areas where pedestrian safety is important.

Mark out areas easily and effectively • Self-adhesive backing allows for easy application. • White tape ideal for sports courts. • Plain and striped options to follow colour standards.

						
Yellow	White	Red	Green	Blue	Black	
Size	TP070002	TP130002	TP030002	TP040002	TP020002	TP010002
50mm x 33m						

					
Black/Yellow	White/Red	White/Green			
Hazard	TP010702	TP130302	TP130402		
50mm x 33m					



Barrier Tape

Non-adhesive tape to cordon off areas

Strong non-adhesive tape can be quickly deployed but lasts. • Widely used by the construction industry for temporary barriers. • High contrasting stripes offer a clear visual warning.

Roll Size	Red/White
76.2mm x 500m	BT130301



Line Marking Paint

Line Marking Paint

Long-lasting permanent line paint

Designed for the line marking traffic in car parks, sports courts, schools, and inside facilities. • Hardwearing permanent line marking paint. • Fast-drying in a choice of colours. • Suitable for use on concrete, tarmac and composites. • Internal and external use – CFC free aerosol.

Permanent	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	QLL00001P	QLL00002P	QLL00003P	QLL00004P	QLL00005P	QLL00007P	QLL00013P	QLL00017P

Temporary Line Marking Paint

Aerosol paint that gradually fades away

Temporary line marking paint which can be removed with water and a brush. • Rapid touch dry in 5 minutes. • Paint gradually weathers away in 4-6 weeks.

Temporary	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	QLT00001P	QLT00002P	QLT00003P	QLT00004P	QLT00005P	QLT00007P	QLT00013P	QLT00017P

Survey Paint

Weather-resistant, quick drying

Survey Paint can last up to 3 months. • Weather-resistant. • Touch dry in 5 minutes.

Survey	Black	Blue	Red	Green	Grey	Yellow	White	Orange
750ml (6 pack)	QLS00001P	QLS00002P	QLS00003P	QLS00004P	QLS00005P	QLS00007P	QLS00013P	QLS00017P



PERMANENT AND  
TEMPORARY OPTIONS

Paint Applicator

Allows fast, accurate application of all types of aerosol paint. • Handheld and wheeled versions available. • Wheeled applicator available in a two can version for extra capacity.

Applicators	Part Code
Handheld Applicator	QLA000001
4 Wheel Applicator	QLA000002
4 Wheel Applicator - 2 Cans	QLA000003





# Entrance Mats

Stop dirt and moisture at the door and protect internal floors

Buying entrance mats outright often makes financial sense in the long term. Rather than paying a monthly fee for servicing, a mat can remain effective for several years if well looked after. In addition, there is an environmental cost attached to serviced mats, from the transport to and from facilities, and the harsh chemicals used to clean them.

## Ringmat Extremely tough rubber matting

The ideal choice for demanding conditions such as icy, snow prone locations. • Provides excellent slip resistance – conforms to Slip Resistance Test EN 13552 Category R10. • Large holes allow debris to fall through the mat. • The raised pattern scrapes dirt and debris from footwear. • Available in Honeycomb and Octomat designs. • Octomat gives the option of brush inserts for enhanced scraping. • Optional B1 fire tested mats are available. • 1. Connectors available to link matting for larger area coverage. • Material: rubber. • Product Height: 23mm

Octomat	Part Code	Honeycomb	Part Code
0.4m 0.6m (17mm)	RM010012	0.4m 0.6m (23mm)	RM010011
0.6m x 0.8m	RM010009	0.6m x 0.8m	RM010006
0.5m x 1m	RM010013	0.8m x 1.2m	RM010001
1m x 1.5m	RM010003	1m x 1.5m	RM010002



Octomat



Honeycomb



## Fingertip Natural rubber doormat gives dirt the brush-off

Flexible natural rubber nodules deliver excellent dirt scraping and trapping action. • Dirt is effectively brushed off then retained in a solid base. • Ideal for most weather conditions making it suitable for outdoor use. • Slip-resistant base to help retain position. • Safety bevelled edges all round. • Material: rubber. • Product Height: 13mm

Sizes	Part Code
0.6m x 0.8m	FT010001
0.8m x 1m	FT010002
0.9m x 1.5m	FT010006
0.9m x 1.8m	FT010003

## COBAScrape A hardwearing nitrile, multi-tasker

Heavy-duty 100% nitrile doormat. • Ideal for wet, greasy or oily conditions. • Raised pattern scrapes dirt and retains water. • Holds up to 2.6 litres water/m<sup>2</sup> or 1.5kg of dry dust/m<sup>2</sup>. • Helps to reduce the risk of slipping on wet floors. • Machine washable. Suitable for outdoor and indoor use. • Safety bevelled edging as standard. • Material: Nitrile rubber. • Product Height: 6mm

Sizes	Part Code
0.85m x 0.75m	CS010001
0.85m x 1.5m	CS010002
0.85m x 3m	CS010003
1.15m x 1.75m	CS010004

## Octoroll Reduce dirt and moisture ingress to a building

Extremely tough rubber matting can last for years. • Available by the metre for easy ordering. • The ideal choice for busy entrances in any weather. • Large holes allow debris to fall through the mat and remain outside. • The surface pattern scrapes dirt and debris from footwear. • Product Height: 13mm


Sizes	Black
1m x 9.3m	RM010014
1m x per linear metre	RM010014C



## Entramat Reduce walked in debris with this effective scraper mat

Light and flexible mat is easy to move and clean. • Trademarked woven PVC design in production for 40 years! • High-quality material provides long life outdoors. • Cross-ribbed surface scrapes footwear and the open holes capture debris. • Bevelled edging provides safety for pedestrian and wheeled traffic. • Available in Standard and Heavy-Duty weave options. • Product Height: 12mm

Sizes	Heavy	Standard
0.6m x 1.2m	ED010101	ES010101
1m x 1.5m	ED010102,	ES010102
1.2m x 1.8m	ED010103	ES010103



## Rampmat Economical entrance mat for outside

Raised honeycomb pattern captures moisture and debris. • Manufactured from durable NBR rubber making this suitable for all weathers. • Moulded bevelled edging for safety and wheeled access. • Product Height: 10mm

Sizes	Black
0.8m x 1.2m	RP010002
0.9m x 1.5m	RP010001







Internal Entrance Mats

Internal Entrance Mats

COBAwash®  
Machine washable entrance mat for extended lifespan

Offers effective floor protection even in busy pedestrian entrances. • Easy care, smaller sizes\* can be washed in a standard washing machine. (All sizes can be washed in an industrial washing machine.) • Tufted nylon/polyester carpet pile retains up to 3.5 litres/m² of moisture. • Also traps up to 800g of debris/dry dust. • Bleach / fade resistant – 11 year warranty against significant colour loss. • Pile material: nylon/polyester. • Features a robust nitrile backing • Product Height: 9mm

Sizes	Black/Steel	Black/Brown	Black/Blue	Black/Red
0.6m x 0.85m*	LM010601	LM010501	LM010201	LM010301
0.85m x 1.2m*	LM010604	LM010504	LM010204	LM010304
0.85m x 1.5m	LM010602	LM010502	LM010202	LM010302
1.15m x 1.75m	LM010603	LM010503	LM010203	LM010303




Black/Steel



Black/Brown



Black/Blue




Black/Red




Vyna-Plush  
The perfect low cost doormat

Budget doormat offering all-round performance. • Scrapes dirt and wipes moisture. • 100% polypropylene fibre 'scraping' surface. • Slip and stain-resistant PVC 'stay in place' backing. • Pile material: 100% polypropylene. • Backing: Slip and stain-resistant PVC. • Product Height: 7mm

Sizes	Black/Steel	Black/Brown
0.6m x 0.9m	VP010601	VP010501
0.9m x 1.2m	VP010604	VP010504
0.9m x 1.5m	VP010602	VP010502
1.2m x 1.8m	VP010603	VP010503
0.9m x per linear metre (max. 25m)	VP010607C	VP010507C
1.2m x per linear metre (max. 25m)	VP010608C	VP010508C
Sizes	Black/Blue	Black/Red
0.6m x 0.9m	VP010201	VP010301
0.9m x 1.2m	VP010204	VP010304
0.9m x 1.5m	VP010202	VP010302
1.2m x 1.8m	VP010203	VP010303
0.9m x per linear metre (max. 25m)	VP010207C	VP010307C
1.2m x per linear metre (max. 25m)	VP010208C	VP010308C




Black/Steel



Black/Brown



Black/Blue



Black/Red

Entra-Plush  
Crush-resistant carpet doormat

Effective carpet doormat for floor protection. • Crush resistant, quick drying carpet surface. • Ideal for wiping moisture from wet footwear. • Polypropylene fibres scrape and trap dirt. • Slip and stain-resistant PVC 'stay in place' backing. • Pile material: 100% polypropylene. • Backing: Slip and stain-resistant PVC. • Product Height: 7mm

Sizes	Blue	Red
0.6m x 0.9m	PP020001	PP030001
0.9m x 1.5m	PP020002	PP030002
1.2m x 1.8m	PP020003	PP030003
Sizes	Brown	Grey
0.6m x 0.9m	PP050001	PP060001
0.9m x 1.5m	PP050002	PP060002
1.2m x 1.8m	PP050003	PP060003



Blue



Red



Brown



Grey



Toughrib  
Robust surface is tough on dirt

Ribbed carpet surface scrapes dirt and moisture from shoes. • Debris is collected in the carpet surface 'channels'. • Non-staining, slip-resistant PVC backing. • Pile material: 100% polypropylene. • Backing: Slip and stain-resistant PVC. • Product Height: ISO 1766 - 6mm ±0.5mm

Sizes	Charcoal	Brown	Grey	Red	Green
0.6m x 0.9m	TR010001	TR050001	TR060001	TR030001	TR040001
0.8m x 1.2m	TR010004	TR050004	TR060004	TR030004	TR040004
0.9m x 1.5m	TR010002	TR050002	TR060002	TR030002	TR040002
1.2m x 1.8m	TR010003	-	-	-	-



Charcoal



Brown



Grey



Red




Green

Microfibre Doormat  
Stop moisture from creating slips hazards

Microfibre carpet doormat has super absorbency. • Washable mat provides extended lifespan. • Microfibre technology is more hygienic. • Superior 'brushing and wiping' with 'rapid dry' properties – even out performs cotton. • Flexible, ultra-fine fibres (even finer than a human hair) provide deep- cleaning action on passing footwear. • Effectively penetrates those hard to reach treads on footwear and wheeled trolleys. • Friction from the fibres generates a static charge that attracts and traps dust/debris. • Filament structure creates a capillary effect for improved dirt retention/absorbency. • Luxuriously soft pile that looks smart and will not lint. • Environmentally-friendly – does not require chemical pre-treatment or washing detergents. • Pile material: Microfibre. - Product Height: 8mm

Sizes	Black	Beige
0.6m x 0.9m	MF010001	MF210001
0.9m x 1.5m	MF010002	MF210002



Black



Beige





Internal Entrance Mats




PROTECT  
INTERNAL  
FLOORS

Enviro-Mat  
Environmentally friendly doormat

Made from 100% recycled bottles and tyres. • Heavy-duty recycled rubber backing helps to grip to the floor surface. • Raised pattern polyester carpet surface captures dirt. • Total carpet coverage eliminates torn borders. • UV and fade resistant surface. • Pile material: 100% recycled plastic (bottles). • Backing: 100% recycled rubber (tyres). • Product Height: 10mm


Sizes	Black	Brown	Grey	Blue
0.6m x 0.9m	EM010001	EM050001	EM060001	EM020001
0.9m x 1.5m	EM010002	EM050002	EM060002	EM020002
1.2m x 1.8m	EM010003	EM050003	EM060003	EM020003



Superdry  
Doormat with maximum  
moisture-retention

Raised reinforced 'waffle' pattern scrapes dirt. • All round high performance doormat. • Heavy-duty polypropylene loop pile surface. • Lipped edges retain moisture within the mat frame. • Rubber backing holds the mat in place. • Pile material: Polypropylene. • Backing: anti-slip rubber. • Product Height: 7mm

Sizes	Anthracite	Blue	Red
0.6m x 0.9m	WH010001	WH020001	WH030001
0.9m x 1.5m	WH010003	WH020003	WH030003
1.2m x 1.8m	WH010004	WH020004	WH030004
Sizes	Brown	Grey	
0.6m x 0.9m	WH050001	WH060001	
0.9m x 1.5m	WH050003	WH060003	
1.2m x 1.8m	WH050004	WH060004	



Internal Entrance Mats


Logomat  
Communicate branding from  
the moment visitors arrive

Impressive statement, makes an instant impact. • Customised doormat for individual logos or messages. • Choose from 66 colours (maximum of six per mat). • Equal performance in trapping dirt and moisture. • Durable solution-dyed nylon surface tufted into a non-woven polyester. • Soft carpet pile retains moisture, holding up to 2.5 litres water/m<sup>2</sup>. • 11 year warranty against fading. • Standard sizes are machine washable for easy care. • Pile material: nylon/polyester. • Backing: anti-slip nitrile rubber. • Product Height: 7.5mm or 10mm

Sizes	Part Code
0.85m x 1.5m	LG000001
1.15m x 1.75m	LG000002
Special size	LG000005



FLOOR LEVEL  
BRANDING







Professional design and  
installation service available  
– ask for details


Plan.a  
The most durable entrance matting solution

Versatile system can be configured to any facility's needs. • Robust aluminium for heavy-duty use. • Flexible PVC linking joints for ease of handling/fitting. • Three surface options available – 20mm strip inserts of either carpet, scrapers or brushes. • Choose from one, or a combination of surface options. • Custom-made to order in the UK. • Product Height: 10mm or 17mm


Alba - Premium Nylon Carpet



Needlepunch -  
Polypropylene Carpet



PVC Scrapers/Brushes



NEW  
Vibrant Precision carpet  
inserts now available.

Finishing Accessories



The Project

The Bridgewater Hall is Manchester's internationally acclaimed concert venue which hosts over 250 musical performances a year, spanning a wide range of musical genres including classical music, rock pop and jazz.

Now 22 years old, the time had come to replace the floor matting to three of its entrance areas. The House Manager turned to the venue's janitorial supplier, who in turn recommended COBA Flooring, approved supplier and one the UK's leading entrance matting manufacturers.

COBA's team carried out several site visits and was instrumental in providing technical support and advice, along with COBA's customer service teams. The dimensions of the three entrance areas were measured and the matting was custom-made to order. COBA then carried out the installation of the 'Plan.a' mat system.

One of the main challenges of the installation was a tight timescale – the matting had to be installed swiftly to ensure completion before the evening performance. The installation involved removing the old matting and carrying out some sub-floor preparation to ensure the surface area was level.

The Client's Reaction

*"COBA only had a very restricted time to fit the entrance matting in three different locations, so the pressure was immense but still COBA's team managed to deliver on time and with great precision." says Armelle Rainjonneau, House Manager – The Bridgewater Hall. "They were a very good team, professional, conscientious, attentive and reactive to our business needs."*

**Contractor:** Manufactured and installed by COBA Flooring  
**Project:** The Bridgewater Hall  
**Location:** Manchester  
**Products:** Plan.a





# Supply & Install

**Supply:**  
With distribution centres across Europe we're proud to be able to offer next day delivery on many of our products, perfect for those last minute jobs! Our **EasyInstall™** range of entrance matting has been developed with this in mind. Off the shelf, modular systems, they are quick to order and install. If you've got more time to spare, why not get in touch with our team for free samples, site surveys and support!

**Installation:**  
Specifying the right entrance matting for your building is one thing but installation of some of the most popular systems such as aluminium matting is also a specialist job. That's why we offer a complete supply and install service.


Our trusted team have years of experience working with COBA products, and know them inside out. We can even install your project overnight to prevent any business downtime. Once we've installed your project we'll clear up and dispose of any rubbish, leaving you to admire your new flooring installation!



## Entrance Architect

Become an Expert on Entrance and Barrier Matting with **Entrance Architect** the latest app from COBA Europe.

**Download Entrance Architect FREE today on the Apple or Android app stores!**



## Plan.b Protect against dirt and moisture with a high-quality and stylish entrance matting system

Brushes remove soil, grit and debris by 'brushing' the contour of shoes, providing optimum cleaning • Strips are linked via flexible, stainless steel wires for ease of installation. • Flexibility to install in recessed matwells or lay to surface with optional edging. • Suitable for indoor and outdoor use. • Custom-made to order with a choice of 13 colour-ways and bespoke logo options. • Flexibility with design to include curves, diagonals and angles. • Product Height: 22 mm




## Plan.b High-quality, stylish brush system for dirt control

A combination of durable nylon brushes embedded in flexible 100% recycled PVC strips. • Strips are linked via flexible, stainless steel wires. • Brushes remove soil, grit and debris by 'brushing' the contour of shoes. • Install in recessed matwells or lay to surface with optional edging. • Suitable for indoor and outdoor use. • Custom-made to order with a choice of 13 colour-ways and bespoke logo options. • Production techniques allow for matting with curves, diagonals and angles. • Product Height: 22mm



## Plan.c Reversible aluminium entrance matting lasts twice as long

Closed surface allows dirt to easily be removed daily. • A robust aluminium system for high traffic entrances. • Two surface options: • Rubber profiles with nylon filaments • Rubber scraper profiles • Assembled in modules for easier transportation and installation. • Profiles are connected via heavy-duty steel wire. • Suitable for indoor use. • Custom-made to order. • Product Height: 18mm




## Plan.e Robust aluminium entrance matting with low profile

Durable linking joints for ease of handling/fitting. • Suitable for high volume footfall in commercial locations. • Available with most standard carpet insert options. • Custom-made to order. • Product Height: 12mm


### Alba - Premium Nylon Carpet



### Needlepunch - Polypropylene Carpet



### PVC Scrapers/Brushes







**Premier Track**  
**Premium ‘easy-fit’ system for quick installation.**

Tiles supplied boxed - simply interlocked in to place. • Heavy-duty tiles can withstand high traffic levels. • Ideal for recessed entrance wells. • Crush-resistant nylon carpet insert effectively scrapes dirt and wipes moisture. • Suitable for use with wheeled trolleys • Safe for high heeled footwear. • Move, clean or replace individual tiles with ease. • Product Height: 16mm




Sizes	Surface	Anthracite	Blue
29cm x 43cm	Open	PT010101	PT010201
29cm x 43cm	Closed	PT010101C	PT010201C
Sizes	Surface	Brown	Grey
29cm x 43cm	Open	PT010501	PT010601
29cm x 43cm	Closed	PT010501C	PT010601C



**Premier Plus**  
**Midweight ‘easy-fit’ matting system for quick installation.**

Tiles supplied boxed - simply interlocked in to place. • Quality needlepunch carpet insert effectively scrapes dirt and wipes moisture. • Ideal for recessed entrance wells. • Links together to cover all floor sizes – indoor use. • Move, clean or replace individual tiles with ease. • Flexible - easily cut to shape. • Product Height: 18mm

Sizes	Surface	Charcoal	Grey
29cm x 43cm	Open	PMP010101	PMP010601
29cm x 43cm	Closed	PMP010101C	PMP010601C



**Premier Rib**  
**The perfect anti-slip scraper to accompany premier plus or premier track**

Ideal for use at the point of entry before the other Premier tiles in order to remove moisture and debris from footwear. • Ribbed rubber inserts ensure reduced risk of slipping. • Easy to install, clean and maintain. • Links directly with Premier Plus & Premier Track tiles. • Product Height: 12mm


Sizes	Surface	Black
29cm x 43cm	Open	PR010101
29cm x 43cm	Closed	PR010101C



**Premier Surface**  
**Entrance matting that can be fitted on top of existing floor surface.**

No need for a matwell - required by most matting systems. • Interlocking tiles make covering a large area easy work. • Solid surface tiles effectively capture dirt to protect interior floors. • Hardwearing nylon carpet inserts scrape dirt and wipe moisture. • PVC base tile is manufactured from 100% recycled materials. • Suitable for high volume footfall in commercial locations. • Optional ‘impact-resistant’ bevelled edges and corners and T-pieces withstand heavy shopping trolleys. • Co-ordinating Alba carpet can also be supplied in rolls for primary and secondary dirt barrier use. • Product Height: 12mm

Size	Anthracite	Blue	Brown	Grey
30cm x 30cm	PSC010101	PSC010201	PSC010501	PSC010601
Edging	Black			
Edging: 78mm x 2.0m lengths	PSE00002			
Corners: 100mm x 100mm	PSC00004			



**Treadwell**  
**Save time on installation with an easy to fit tile format**

Effective scraping mat made from recycled tyres. • Suitable for installation in recessed matwells. • Looks stylish when laid in uniform or parquet. • Pattern complements an array of interiors. • Product Height: 10mm

Size	Natural
305mm x 305mm (Pack of 10)	TW050001







# Aluminium-Look & Designer Matting

## PathMaster Alu


Budget-conscious entrance matting featuring premium appearance aluminium

Needlepunch carpet with aluminium inserts effectively scrapes and traps dirt and moisture. • Supplied on flexible rolls of up to 10m lengths in 2m widths – simply butt tightly together for desired width. • Install in recessed wells or glue to the floor surface with optional bevelled edging. • Cut to size and shape, on site if necessary, using a hand grinder or jigsaw. • Product Height: 10mm

Sizes	Charcoal	Grey
2m x 10m	PMB010004	PMB060004
2m x per linear metre (max. 10m)	PMB010004C	PMB060004C

### Colour Options

(Delivery 5 working days)



Charcoal



Grey



Beige



Brown



### Colour Options

(Delivery 15 working days)



# Aluminium-Look & Designer Matting

EASY TO INSTALL

## PathMaster Duo

Entrance matting on a roll is easy to lay


Stylish stripe pattern makes a feature of the entrance. • Solid surface prevents debris falling through, that can then be easily cleaned off. • Supplied on flexible rolls of up to 20m lengths in 2m widths – simply butt tightly together for desired width. • Install in recessed wells or glue to the floor surface with optional bevelled edging. • Anti-slip latex backing. • Product Height: 13mm

Sizes	Charcoal	Grey
2m x 20m	PMD010001	PMD060001
2m x per linear metre (max. 20m)	PMD010001C	PMD060001C

### Colour Options



Charcoal



Grey



LOOKING FOR A BUDGET ALTERNATIVE TO ALUMINIUM?


## PathMaster<sup>3</sup>

Reduce cleaning costs in style with this designer entrance mat


Versatile - can be laid straight or in parquet. • Easier to transport that matting on a roll. • Easy to install - just lay into place on the subfloor using a tackifier or adhesive. You only need to cut the last row of tiles. • Solid surface prevents dirt from falling through the mat, making cleaning a quick task. • Potentially less wastage when compared with cutting from a roll. • Replace individual tiles if they become damage - not the whole matting area. • Product Height: 13mm

Size	Anthracite	Grey
45cm x 45cm	PM010007	PM060007
Size	Anthracite/Grey	
23.5cm x 75cm	PM010008	


### Colour Options



Anthracite



Grey



Anthracite/Grey







## Bespoke Logo Matting

BESPOKE  
LOGO  
MATTING



## Precision Nib

Premium logo mats are hand finished in the UK

High quality rugged matting material available in stunning colourways. • Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining. • Ideal for recreating logos – choose from the 18 colours to recreate your design. • Heavy weight pile and large nib design provides outstanding scrubbing action. • Needlepunch construction provides optimal crush resistance. • Edges will not unravel or fray. • Low installation cost. • Product Height: 11mm +/- 10%

Size	Black	Charcoal	Grey	Wine Red	Red
2m x 23m	SC010001	SC110001	SC060001	SC320001	SC310001
Size	Light Beige	Golden Beige	Orange	Dark Brown	Dark Green
2m x 23m	SC210001	SC220001	SC170001	SC050001	SC040001
Size	Apple Green	Navy Blue	Sky Blue	Baby Blue	Yellow
2m x 23m	SC420001	SC180001	SC020001	SC430001	SC070001
Size	Purple	Pink	White		
2m x 23m	SC200007	SC260001	SC130001		

### Colour Options



## Precision Loop

A popular material to produce inlay logomats with a smooth surface. • Solution dyed polypropylene fibres for unbeatable resistance to wear, UV and staining. • Ideal for use in logomat designs • choose from 15 colours to recreate your design. • Heavy weight pile provides outstanding absorbing and wiping action. • Needlefelt construction provides good crush resistance. • Edges will not unravel or fray. • Logomats made in Britain. • Low installation cost.



CHOOSE  
FROM 15  
COLOURS

Size	Black	Dark Grey	Charcoal	Light Grey	Wine Red
2m x 23m	PL010001	PL160001	PL110001	PL090001	PL010001
Size	Red	Light Brown	Orange	Dark Brown	Dark Green
2m x 23m	PL160001	PL160001	PL160001	PL050001	PL010001
Size	Apple Green	Blue	Sky Blue	Yellow	White
2m x 23m	PL010001	PL160001	PL020001	PL070001	PL010001

## Alba

### Premium carpet entrance matting on a roll

Exceptionally durable nylon carpet. • Ideal for high volume entrance areas, such as walkways and corridors. • Nylon pile is highly absorbent and also withstands crushing. • An effective way to protect interior floor surfaces. • Available with optional edging depending on the requirements of the application. • Suitable for glue down, wall to wall, or floor surface applications. • Can be used as part of a two step system in heavy traffic environments. • Product Height: 9.2mm

Size	Anthracite	Blue	Brown	Grey
2m x per linear metre	AB010008C	AB020008C	AB050008C	AB060008C

## Needlepunch

### Versatile dirt scraper carpet available in long runs


Textured polypropylene fibres provide outstanding scraper action. • Popular for both interior walkways and reception areas providing a total dirt-barrier solution. • Also frequently used in recessed matwells in entrance areas. • Available with optional edging. • Suitable for glue down, wall to wall, or lay to surface applications. • Product Height: 10.8mm

Sizes	Charcoal	Grey
2m x per linear metre (max 21m)	NP010001C	NP060001C
2m x 21m	NP010001	NP060001


## Entrance Carpet by the roll



### Alba



### Needlepunch




SIMPLE  
ECONOMICAL  
MATTING

## Toughrib Diagonal

Heavy-duty diagonally ribbed matting

Premium quality, heavy-duty entrance matting featuring attractive diagonal ribbed design. • Supplied in rolls of up to 25m or in cut linear metre lengths. • 100% solution dyed UV stabilised polypropylene fibres for rigorous scraping performance. • Features a robust duo rubber backing. • Product Height: 8.2mm

Sizes	Charcoal	Dark Blue	Grey
2m x 25m roll	TRD010001	TRD020001	TRD060001
2m x per linear metre	TRD010001C	TRD020001C	TRD060001C




## Toughrib Contract

Ribbed entrance matting on a roll

A popular choice for fast refurbishment. • Ribbed surface not only looks smart, but is designed to scrape dirt and wipe moisture. • Debris and moisture is captured in the ridges and easily vacuumed. • 100% polypropylene pile is durable and suitable for heavy-duty use. • Primary (latex) and secondary (gel foam) backing. • Can be used in recessed matwells or on pedestrian walkways. • Product Height: 7.5mm ± 10%

Sizes	Charcoal	Blue	Brown	Grey
2m x 30m roll	TR010006	TR020006	TR050006	TR060006
2m x per linear metre	TR010006C	TR020006C	TR050006C	TR060006C






# Electrical Safety

Mats and accessories for use around electricity



Trailing cables regularly pose a risk in most buildings, but it's normally too late when they're identified as a trip hazard. Our range of cable protectors not only prevent damage to the cable and its contents but highlight the hazard to pedestrians and greatly reduce the risk of tripping. Switchboards and other high voltage areas present one of the biggest risks in any building. Properly insulating workers in such conditions is not only a legal requirement, but common sense.

REDUCE TRIP HAZARDS


GP1





GP1 Safety



GP2



GP2 Safety



## CablePro GP

Reduce the risk of trips from trailing cables

A general purpose hole design designed to accommodate several cables. • Available in practical 3m or 9m lengths - can be cut down as required. • Quick and easy for anyone to install. • Durable material can easily withstand pedestrian and wheeled traffic. • Protect cables and wires from being pulled or crushed causing costly damage. • Hazard strip version for increased visibility in darker environments.



Part	Colour	3m	9m
GP1	Black	CP010012	CP010005
GP1 Safety	Black/Yellow	CP010711	CP010701
GP2	Black	CP010013	CP010006
GP2 Safety	Black/Yellow	CP010712	CP010702

## CablePro Data


Reduce the risk of trips from trailing data cables

Multiple channels for telephone, power or ethernet cables. • Ideal for keeping multiple cable types separated. • Seam in base for snapping in cables. • Cuts with a knife, so can be customised to suit and exact distance.

Data1



Data2





Part	Colour	3m	9m
Data1	Black	CP010010	CP010003
Data2	Black	CP010011	CP010004

## CablePro HD



Mitigate the risk of trips caused by large cable hazards

Two heavy duty options for areas with heavy traffic or larger cables. • Tough ramped edges keep cables protected from wheeled traffic such as cars and forklifts. • 23mm diameter channels accommodate larger cables.

HD1



HD2



Part	Colour	3m	4.5m	9m
HD1	Black	CP010007	-	CP010001
HD2	Black	-	CP010009	CP010002

## CablePro Mat

Mat designed to be laid over cables to reduce trip hazard

Special mat for protection from tripping hazards due to loose cables lying around. • Extremely durable nylon surface in dappled colour shades. • Cleated non-slip backing made from durable nitrile rubber with integrated cable run. • Edge in hazard stripe. • Light-resistant and suitable for underfloor heating. • Anti-static.

Size	Part Code
0.4m x 1.2m	CPM010701

PROTECT LOOSE CABLES







Switchboard Matting



HIGH VOLTAGE AREAS



**COBASwitch**  
Insulate personnel from electric shock

Purpose-designed switchboard matting • Provides safety for operatives against electrical shocks. • For use in front of switchboards and high voltage equipment. • Slip-resistant fine fluted surface. • 6mm tested to 11,000 volts for 450 volt rated working. • 9mm tested to 15,000 volts for 650 volt rated working. • 9mm conforms to BS921/1976.

Sizes	6mm	9.5mm
0.9m x 10m	SM010010	SM010030
0.9m x per linear metre	SM010010C	SM010030C
1.2m x 10m	SM010020	SM010040
1.2m x per linear metre	SM010020C	SM010040C

**COBASwitch VDE**  
Electrical switchboard matting

Lightweight mat designed for use in front of open switchboards and high voltage equipment. • Provides safety for operatives against electric shock. • Fine fluted surface has slip-resistance benefits. • 4.5mm x 10m rolls - VDE approved. • Tested to 50,000 volts according to DIN EN60243-1 (VDE0303 part 21) IEC 60243-2:1996.

Sizes	Grey
1m x 10m	SM060010
1m x per linear metre	SM060010C


**COBASwitch BS EN: 61111**  
Protect personnel from electric shock to latest standards

Electrical insulating matting that conforms to BS EN 61111:2009. • Provides safety for operatives against electrical shocks. • Ideal for use in front of switchboards and high voltage equipment. • Ribbed surface offers traction underfoot. • Resistant to acid, oil, and low temperatures. • Manufactured with colour coded tape to depict the classification on the reverse of the matting.



Sizes	Part Code
1m x 10m x 3mm	SM010050
1m x per linear metre x 3mm	SM010050C
1m x 10m x 4mm	SM010060
1m x per linear metre x 4mm	SM010060C
1m x 10m x 5mm	SM010070
1m x per linear metre x 5mm	SM010070C

Thickness	Tested to	Working Voltage	Withstand Tested To
3mm	BS EN 61111:2009 Class 0	1KV	10KV
4mm	BS EN 61111:2009 Class 2	17KV	30KV
5mm	BS EN 61111:2009 Class 4	36KV	50KV



Prolonged standing on hard floor surfaces in static positions can lead to fatigue, pain and serious health issues such as MSDs (Musculoskeletal Disorders).



**Standing Fatigue in the Workplace**

**What is a Musculoskeletal Disorder?**  
Musculoskeletal Disorders (MSDs) are injuries or conditions affecting the movement of the human body, or the loco-motor apparatus. They are problems that affect the muscles, tendons, ligaments, vascular system, nerves, soft tissues, bones and joints.

Very often such problems creep in gradually. They can affect both the upper and lower limbs, as well as the back. **Many MSDs are preventable.**


MSDs are currently the most common work-related health condition in the EU. They are expected to affect some 50% of the population by 2030.<sup>1</sup>

**The Problem with Standing**  
When standing still, gravity causes fluid to settle in the feet and legs, which in turn can create pooling and swelling. Standing puts the circulatory system under pressure, in particular the Venous System, making the heart work harder. Regular standing in static positions can slowly damage the elasticity of soft tissues. This degenerative damage can lead to rheumatic diseases.

As tiredness sets in joints such as the ankles and knees can tense up and become locked. There is a tendency to shift weight from one side to the other, increasing the release of muscular energy which can lead to fatigue.

86%

Found Anti-Fatigue matting had helped to reduce pain or serious health complaints of staff<sup>4</sup>



82%

Found Anti-Fatigue matting to have a positive effect on increasing productivity in their company<sup>4</sup>

**Anti-Fatigue matting can help...**  
Anti-Fatigue matting can relieve the pressure from standing. It has been scientifically proven to reduce discomfort and fatigue, especially to the lower and upper legs, and lower back areas compared to standing on hard floor surfaces.


**How does Anti-Fatigue matting work?**  
Anti-Fatigue mats encourage regular foot movement (even in static positions). The feet subtly adapt to the mats cushioned surface, promoting healthy circulation. This movement, although subtle, makes the foot and calf muscles expand and contract, activating the Venous Pump pushing blood back up to the heart against the force of gravity. This naturally occurs when we walk. Anti-Fatigue mats help to replicate this action even when the user is standing in a static position.

Over **45%** of European workers complain of standing in tiring positions at work<sup>3</sup>

**14 days**  
Average time lost due to each MSD case<sup>2</sup>

**6.6 million**  
Working days lost to MSDs in the UK in 2017-18<sup>2</sup>

Download our Standing Safety ebook **#StandUpForHealth** for more information



**Picking the right matting product**

Choose the right matting each time with **MatBrain™**, the ultimate product selector support tool.

Also available as a mobile app **Mats in Mind** on the Apple and Android app stores!









NEW

Orthomat® Comfort Plus  
Thicker foam anti-fatigue mat for dry workplaces

A thicker, single layer foam anti-fatigue mat for maximum levels of comfort. • Insulates against cold concrete floors. • Best suited to dry environments. • Ideal for light or moderate industrial use. • Checkerplate surface provides attractive appearance. • Available in mats and rolls. • Fire tested to BS EN 13501-1. • Material: Open Cell PVC (Foam) • Product Height: 15 mm



Sizes	Black
0.6 m x 0.9 m	OCP010001
0.9 m x 1.5 m	OCP010002
0.9 m x 1.83 m	OCP0100003
0.9 m x per linear metre	OCP010003C
1.2 m x 18.3 m	OCP010006
1.2 m x per linear metre	OCP010006C



Orthomat® Lite  
Light duty foam standing mat for workstations

Cost-effective anti-fatigue matting. • Offers the user relief from fatigue caused by standing. • Insulates against cold concrete floors. • Ideal for light to medium use in dry environments. • Pebble surface provides additional traction. • Product Height: 6mm



Sizes	Black
0.9m x 36.5m x 6mm	CV010001
0.9m x 6mm x per linear metre	CV010001C
0.9m x 1.5m x 6mm	CV010002
0.9m x 2m x 6mm	CV010003
0.9m x 3m x 6mm	CV010004
0.9m x 1.82m x 6mm	CV010005
0.9m x 0.76m x 6mm	CV010006




Orthomat® Office  
The new standard in standing at work

Made from high-density foam to provide the right balance between cushioning and support. • Ideal for users of standing desks. • Helps to delay the onset of pain and tiredness otherwise experienced from standing on hard or firm floor surfaces. • Features a textured underside and gentle bevelled edges to reduce trip hazards, while creating a neat 'anti-curl' finish that sits flush to the floor. • Made from Polyurethane, a resilient material renowned for its durability. • Handy size for ease of handling making lifting and moving an effortless task. • Fits into most office workstations. • Product Height: 16mm



Size	Black
0.5m x 0.8m	OO010001



Orthomat® Standard  
Medium duty standing mat for workstations

Improve comfort and reduce fatigue for workers standing all day. • Single layer foam suitable for most dry environments. • Safety version available with bright yellow borders. • Insulates against cold concrete floors. • Product Height: 9mm



Sizes	Black	Grey	Black/Yellow
0.6m x 0.9m	AF010001	AF060001	AF010701
0.9m x 1.5m	AF010002	AF060002	AF010702
0.9m x 18.3m	AF010003	AF060003	AF010703
0.9m x per linear metre	AF010003C	AF060003C	AF010703C
1.2m x 18.3m	AF010005	-	AF010706
1.2m x per linear metre	AF010005C	-	AF010706C




Orthomat® Dot  
Single layer foam anti-fatigue workplace mat with dot pattern surface.

Ideal for light to medium use in dry environments. • Safety version available with bright yellow borders. • Insulates against cold concrete floors. • Product Height: 9mm



Sizes	Black	Black/Yellow
0.6m x 0.9m	AD010001	AD010701
0.9m x 1.5m	AD010002	AD010702
0.9m x 18.3m	AD010003	AD010703
0.9m x linear metre	AD010003C	AD010703C
1.2m x 18m	AD010005	AD010705
1.2m x linear metre	AD010005C	AD010705C



Orthomat® Ribbed  
Reduce standing fatigue with this ribbed pattern standing mat

Ideal for catering or shop staff on their feet all day. • Single layer anti-fatigue mat with ribbed surface. • Ideal for light to medium use in dry environments. • Safety version available with bright yellow borders. • Insulates against cold concrete floors. • Product Height: 9mm



Sizes	Black	Grey	Grey/Yellow
0.6m x 0.9m	AL010001	AL060001	AL060701
0.9m x 1.5m	AL010002	AL060002	AL060702
0.6m x 18.3m	AL010004	AL060004	-
0.6m x per linear metre	AL010004C	AL060004C	-
0.9m x 18.3m	AL010003	AL060003	AL060703
0.9m x per linear metre	AL010003C	AL060003C	AL060703C
1.2m x 18.3m	AL010006	AL060005	AL060704
1.2m x per linear metre	AL010006C	AL060005C	AL060704C



Orthomat® Diamond  
Comfortable standing mat with diamond plate design

Foam anti-fatigue workplace mat suited to many working environments. • Ideal for light to medium use in dry workspaces. • Black/yellow version available with bright yellow borders. • Insulates against cold concrete floors. • Product Height: 9mm



Sizes	Black	Black/Yellow
0.6m x 0.9m	DAF010001	DAF010701
0.9m x 1.5m	DAF010002	DAF010702
0.9m x 18.3m	DAF010003	DAF010703
0.9m x linear metre	DAF010003C	DAF010703C
1.2m x 18m	DAF010005	DAF010705
1.2m x linear metre	DAF010005C	DAF010705C

Anti-Fatigue Rating

Wear Rating

Slip Rating

Suitable for Wet Environments

Suitable for Oily Environments

Fire Tested

Suitable for High Voltage Environments

Static Dissipative






Personal Anti-Fatigue Mats



IDEAL FOR  
RECEPTION AREAS



Black



Blue



Green

Orthomat® Premium

An ideal mat for reception areas where workers move in a confined space

Dual layer construction for superior comfort and durability. • Tough textured top surface for excellent resilience against wear and tear. • Low density under layer provides extremely effective underfoot cushioning. • Exceptional fatigue-relief properties – a real investment for the workplace. • Tapered edges to reduce trip hazards. • Range of colours available. • Product Height: 12.5mm



Sizes	Black	Blue	Green
0.6m x 0.9m	FF010001	-	-
0.9m x 1.5m	FF010002	-	-
0.9m x 18.3m	FF010003	FF020003	FF040003
0.9m x per linear metre	FF010003C	FF020003C	FF040003C
0.9m x 3.65m	FF010004	-	-
0.6m x 18.3m	FF010005	-	-
0.6m x per linear metre	FF010005C	-	-
1.2m x 18.3m	FF010006	-	FF040005
1.2m x per linear metre	FF010006C	-	-

Marble Anti-Fatigue

Ideal mat for areas where appearance is important.

Marble design anti-fatigue matting suits many interiors • Plush foam backing for comfort. • Popular for retail counter areas. • Supplied with ramped edges as standard. • Product Height: 12.5mm




Sizes	Black
0.6m x 0.9m	MT010001
0.9m x 1.5m	MT010002
0.9m x 3m	MT010004
0.9m x per linear metre	MT010003C
0.9m x 18.3m	MT010003

Orthomat® Ultimate  
The ultimate comfort floor mat - designed for areas with moisture and/or oil

Outer layer encapsulates entire mat for extended durability - unlike standard laminated mats • Soft foam inner layer cushions impact from standing to delay fatigue. • High density composition gives essential underfoot support and shape recovery. • Neat, tapered edges are heat-sealed using specialist technology developed by COBA Europe. • Robust ramped edges limit trip hazard. • Product Height: 10mm



Sizes	Black
0.6m x 0.9m	OU010001
0.9m x 1.5m	OU010002
0.9m x 18.3m	OU010003
0.9m x per linear metre (max. 18.3m)	OU010003C



Heavy Duty Anti-Fatigue Matting



COVER ANY SIZED AREA WITH A  
DURABLE COMFORTABLE SURFACE

Solid Fatigue-Step

Ultra-comfortable interlocking tiles

Interlocking solid surface tiles in two options:- • Solid Fatigue-Step (a blend of natural rubber and nitrile) • Solid Fatigue-Step Nitrile (100% nitrile) • Nitrile option has excellent resistance to oils, chemicals and grease. • Tiles link together to provide a very comfortable anti-fatigue surface. • Can withstand temperatures of up to 160°C and spillage of molten glass. • Individual tiles can be moved and replaced with ease. • Optional bevelled edging in yellow or black. • Product Height: Standard - 18mm. Nitrile - 16mm



Tile Size	Black	B1 Nitrile
0.9m x 0.9m	ST010001	ST010001B1



Fatigue-Step

Anti-slip floor tiles for moisture prone areas such as bars and kitchens

Interlocking open holed tiles in two options:- • Fatigue-Step (for general use) • Fatigue-Step Nitrile (for especially oily areas) • Soft, yet resilient rubber floor tiles. • Open holes allow efficient drainage of spilt liquids. • Effective anti-fatigue properties for prolonged standing. • Product Height: 18mm



Tile Size	Black	Nitrile
0.9m x 0.9m	SS010001	SS010007


Fatigue-Step Grit Top

Extra tough grit surface tiles for safety and comfort

Extremely robust interlocking tiles for heavy-duty use. • Made from nitrile for excellent resistance to oils and chemicals. • Carbide bonded 'grit' top surface provides exceptional grip even in oily conditions. • Provides high levels of comfort underfoot to relieve fatigue. • Open holes for efficient drainage of spilt liquids. • Optional black or yellow bevelled edging. • Product Height: 18mm



Tile Size	Black
0.9m x 0.9m	SS010001G



Fatigue-Step Edging	Black	Yellow
Female Corner Edge	SS010002F	SS070002F
Male Corner Edge	SS010002M	SS070002M
Female Corner Edge Nitrile	SS010002FN	SS070002FN
Male Corner Edge Nitrile	SS010002MN	SS070002MN
Female Corner Edge B1	-	SS070002B1F
Male Corner Edge B1	-	SS070002B1M



Mats for Catering & Hospitality

Rampmat  
Economical anti-fatigue mat -  
ideal for bars and kitchens

Low cost but durable comfort mat for the workplace. • Raised circular surface for slip resistance. • Open drainage holes for spilt liquids. • Made from hardwearing NBR rubber. • Moulded bevelled edges reduce trip hazards. • Product Height: 10mm



Sizes	Black
0.9m x 1.5m	RP010001
0.8m x 1.2m	RP010002

 **REDUCE SLIPS IN WET ENVIRONMENTS**

IMPROVE COMFORT  
AND HYGIENE

K-Mat  
Reduce slip hazards on greasy floors

100% nitrile mat is super durable. • Excellent resistance to grease, oils, fats and detergents. • Easily cleaned in a commercial washing machine for easy maintenance. • Ideal for food processing/manufacturing areas. • 'Cross-grip' surface for exceptional slip-resistance. • Open holes for efficient drainage. • Hygienic anti-microbial properties. • Product Height: 9mm



Size	Part Code
0.85m x 1.5m	KM010001



NEW

Hygimat  
A revolutionary hygienic anti-fatigue mat

Improve feeling of comfort and energy whilst standing at work. • Ideal for any workplace where hygiene is important e.g. healthcare, food manufacturing, catering, hospitality, clean rooms or food retail. • Made from a revolutionary 'gel foam' material that combines the best in durability and comfort. • Material also has anti-microbial properties • Closed cell construction means that no liquids can penetrate the mat and reduce performance. • Version with holes is ideal for wet workplaces in need of drainage. • Oil resistant. • Easily cleaned – can be cleaned with detergent or can be steam sterilised. • Fire tested to BS EN 13501-1 and slip tested to DIN 51130. • Material: Rubberised Gel Foam • Product Height: 17 mm ±1 mm




Sizes	Black
0.6 m x 0.9 m (Solid surface)	HYS010001
0.9 m x 1.5 m (Solid surface)	HYS010002
0.9 m x 1.8 m (Solid surface)	HYS010003
0.6 m x 0.9 m (With holes)	HYG010001
0.9 m x 1.5 m (With holes)	HYG010002
0.9 m x 1.8 m (With holes)	HYG010003

Leisure Mat  
The original PVC safety matting for leisure

Premium quality PVC leisure matting. • PVC does not support the growth of bacteria. • Designed to reduce the risk of slipping. • Popular for pools and changing areas. • Interwoven design for drainage. • Safety bevelled edging as standard. • Conforms to Slip Resistance Test DIN51097 Category B. • Product Height: 12mm

Sizes	Blue	Red	Green
0.6m x 1.2m	LM020612	LM030612	LM040612
1m x 1.5m	LM021015	LM031015	LM041015



Mats for Leisure

DeckStep  
Ribbed vinyl matting for swimming pools



Raise people's feet off wet floor surfaces. • Reduce the risk of slips by keeping feet above surface water. • Provides a more comfortable barefoot walking surface than tiled floors. • Textured surface provides slip resistance. • Flexible and lightweight – easy to move and clean. • Ribs are welded together for strength. • Slip tested to DIN 51130 and DIN 51097. • Material: PVC • Product Height: 11.5 mm ±0.5 mm



Sizes	Black	Blue	Red	Green	Grey
0.59 m x 10 m	DS010610	DS020610	DS030610	DS040610	DS060610
0.59 m x per linear metre	DS010610C	DS020610C	DS030610C	DS040610C	DS060610C
1.0 m x 10 m	DS011010	DS021010	DS031010	DS041010	DS061010
1.0 m x per linear metre	DS011010C	DS021010C	DS031010C	DS041010C	DS061010C
1.2 m x 10 m	DS011210	DS021210	DS031210	DS041210	DS061210
1.2 m x per linear metre	DS011210C	DS021210C	DS031210C	DS041210C	DS061210C

Flexi-Deck  
Ideal for shower rooms and  
swimming pool walkways

Flexible, hygienic PVC floor tile. • Reduces slipping on wet surfaces. • Textured top surface. • Comfortable to walk on barefoot. • Holes provide efficient drainage of water. • Underside studs enhance drainage. • Easy to roll up, clean and relocate.Product Height: 13mm



Sizes	Black	Blue	Red	Green	Grey
Tile 30cm x 30cm (Pack of 9)	FD010001	FD020001	FD030001	FD040001	FD060001
Female Edge (pack of 3)	FD010002F3	FD020002F3	FD030002F3	FD040002F3	FD060002F3
Male Edge (pack of 3)	FD010002M3	FD020002M3	FD030002M3	FD040002M3	FD060002M3
Corner (Pack of 4)	FD010004	FD020004	FD030004	FD040004	FD060004



A collection of high quality floor level safety and hygiene products for effective Facilities Management, designed to help your business:

- Tackle Slips and Trips
- Reduce Cleaning Costs
- Improve Health and Wellbeing

### Germany

☎ +49 (2161) 2945-0  
✉ [verkauf@cobaeeurope.de](mailto:verkauf@cobaeeurope.de)  
💻 [www.cobaeeurope.de](http://www.cobaeeurope.de)

### Slovakia

☎ +421 41 507 11 12  
✉ [sales@cobaeeurope.sk](mailto:sales@cobaeeurope.sk)  
💻 [www.cobaeeurope.sk](http://www.cobaeeurope.sk)

### Poland


☎ +48 (12) 446 92 30  
✉ [sales@cobaeeurope.pl](mailto:sales@cobaeeurope.pl)  
💻 [www.cobaeeurope.pl](http://www.cobaeeurope.pl)

### France

☎ +33 (0) 645 30 9278  
✉ [sales@cobaeeurope.fr](mailto:sales@cobaeeurope.fr)  
💻 [www.cobaeeurope.fr](http://www.cobaeeurope.fr)

### South Africa

☎ +27 (0)11 452 7961  
✉ [sales@cobafrica.com](mailto:sales@cobafrica.com)  
💻 [www.cobafrica.co.za](http://www.cobafrica.co.za)



## Contact us today

☎ +44 (0)1788 228 555  
✉ [sales@cobaeeurope.com](mailto:sales@cobaeeurope.com)  
💻 [www.cobaeeurope.com](http://www.cobaeeurope.com)  
🐦 @COBAeurope  
in COBAeurope