

Tufted Loop Pile Carpet Tiles

Fibre Bonded Carpet Tiles & Sheet

Entrance Solutions

Outdoor Sports & Play Surface Solutions



CONTENTS

- 04** Tufted Loop Pile Carpet Tile Collection
- 20** Fibre Bonded Carpet Tiles and Sheet Collection
- 34** Bespoke carpets, Logo and inlay solutions
- 35** Backing Solutions
- 36** Entrance Solutions Collection
- 42** Outdoor Sports and Play Surface Solutions

For more information on our versatile range of carpet solutions and to explore our online virtual design studio please visit our website:

www.rawsoncarpetsolutions.co.uk



WELCOME

Rawson Carpets are part of W E Rawson Ltd. For 150 years, this privately-owned company has grown organically through the manufacture and cutting-edge uses of non-woven industrial textiles. Our growth remains strong because of W E Rawson’s ongoing commitment to innovation, designed to meet the world’s ever-changing and varied market needs.

Managed by the founder’s descendants even today, this proud family-owned business has succeeded and expanded through two World Wars and numerous economic downturns. What’s the secret to this global organisation’s resilience and continued growth among diverse, geographic markets? It’s quite simple, really. It’s the tradition of innovation.

At Rawson Carpet Solutions division we pride ourselves on the heritage of our brand. The experience and reputation has enabled us to evolve with the interiors market, and with our latest products we are proud to offer a broader and more exciting range that is at the forefront of design and performance.

Tufted Loop **Pile** Carpet Tiles

For a statement floor covering, a floor covering with design at heart, Rawson proudly introduce new comfortable and quiet Nylon Loop tile products.

Durable, cleanable and very aesthetically pleasing, the tufted range will contribute to a great space.

Meeting the often stringent demands of a school, shop or busy office, the range provides choice, quality and great design.



RIVEN

Riven is a statement floor, personalised and flowing. Slate, Shale, Concrete and Graphite, with 2 ply construction, are shades which alone, or combined, can give the feel of nature’s materials as matching yarns run through each colour. Moss, Rock, Brook and Stone are offered with colour, natural expression, and individuality. Here is a range that gives choice and design freedom. Each colour sits beautifully alone. Or, blend Riven’s textured design with other matching product colour ranges. Multi loop textured design in quality nylon yarn. Available in tile or plank. A deep and luxurious tile for your space.



Slate



Concrete



Shale



Moss



Graphite



Rock



Brook



Carbon

TECH SPECIFICATION	PLANK	TILE
Fibre Type	Scroll Structured Loop Plank	Scroll Structured Loop Tile
Fibre Weight (±10%)	750g/m²	750g/m²
Total Tile Weight (±10%)	4450g/m²	4450g/m²
Total Thickness (±10%)	7.0mm	7.0mm
Dimensions	100cm x 25cm	50x50cm
Backing Material	Modified Bitumen with reinforcing Glass Fibre	Modified Bitumen with reinforcing Glass Fibre
Tiles per Box	20	20

INDUSTRY SUITABILITY

Offices, corridors, schools.

PERFORMANCE / DURABILITY

Extra heavy loop, heavy contract.

Light reflectance values available online









FANFARE


The deepest and most luxurious of our tufted products. Fanfare gives exceptional comfort underfoot and great aesthetics which is clearly visible from our latest project images. A favourite amongst our clients and designers.




Black




Silver




Charcoal




Chilli




Light Green



Pewter



Grey



Coral

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Solution Dyed Polyamide
Fibre Weight (±10%)	750g/m ²
Total Tile Weight (±10%)	4540g/m ²
Total Thickness (mm) (±10%)	7.0
Dimensions	50x50cm
Backing Material	Bitumen with Glass Crenette for stability
Tiles per Box	20

INDUSTRY SUITABILITY

Offices, corridors, schools.

PERFORMANCE / DURABILITY

Extra heavy loop, heavy contract.

Light reflectance values available online



JAZZ

A Heavy Contract loop pile carpet tile available in 15 distinct colourways including our new deep black luxurious addition. A popular solution for the education and office environment and a range that satisfies most theme aspirations.

TECHNICAL SPECIFICATION TILE

Fibre Type	100% Nylon Solution Dyed
Fibre Weight (±10%)	500g/m ²
Total Carpet Weight (±10%)	4300g/m ²
Total Thickness (mm) (±10%)	6.0
Dimensions	50x50cm
Tiles per Box	20


INDUSTRY SUITABILITY

General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.

PERFORMANCE / DURABILITY

Heavy Commercial / contract.
Suitable for caster chair use.

Light reflectance
values available online




JAZZ LINES


Jazz Lines is a nylon loop, gradient lined design addition to the standard Jazz range. The design provides the range with many design possibilities. A perfect solution for transitioning a colour through the floor covering, or go wild with random graded tiles to create a truly unique space.

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Nylon Solution Dyed
Fibre Weight (±10%)	500g/m ²
Total Carpet Weight (±10%)	4300g/m ²
Total Thickness (mm) (±10%)	6.0
Dimensions	50x50cm
Tiles per Box	20
INDUSTRY SUITABILITY	
General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.	
PERFORMANCE / DURABILITY	
Heavy commercial / contract. Suitable for caster chair use.	


Light reflectance
values available online




Jazz Lines Tile 1




Jazz Lines Tile 2



Jazz Lines Tile 3



Jazz Lines Tile 4



JAZZ CUT

A deep luxurious cut pile carpet tile in range of 12 exciting colours. Laid tessellated or broadloom, the product provides exception comfort and thermal performance.

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Nylon Solution Dyed
Fibre Weight (±10%)	800g/m ²
Total Carpet Weight (±10%)	4600g/m ²
Total Thickness (mm) (±10%)	6.0
Dimensions	50x50cm
Tiles per Box	20
INDUSTRY SUITABILITY	
General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.	
PERFORMANCE / DURABILITY	

Heavy Commercial / contract.
Suitable for caster chair use.

Light reflectance
values available online



MICROLOOP

Microloop is a product offering a modern look. The low level loop allows for a crisp aesthetic whilst still maintaining the durability you would expect. BRE A+ rated and class 33 for building usage supports its versatility as a product.

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Nylon Solution Dyed
Fibre Weight (±10%)	500g/m ²
Total Carpet Weight (±10%)	4300g/m ²
Total Thickness (mm) (±10%)	5.0
Dimensions	50x50cm
Tiles per Box	20
INDUSTRY SUITABILITY	
General public and private sector areas, retail shops, student residences, domestic areas, care homes, offices and stairways.	



SIGNAL

Introducing our Nylon multi loop patterned carpet tile, laid broadloom, tessellated or brickbond. The product range allows for a multitude of design and a pleasing pattern to your space. The range is BRE +A rated and class 33 for all commercial environments.

TECHNICAL SPECIFICATION	TILE
Fibre Type	Nylon low level loop
Fibre Weight (±10%)	520g/m²
Total Carpet Weight (±10%)	3610g/m²
Total Thickness (mm) (±10%)	5
Dimensions	50x50cm
Tiles per Box	20 or 5m²

Light reflectance values available online




Signal Blue



Signal Beige



Signal Green




Signal Grey




Signal Indigo


CRISS CROSS




BRICKBOND




DOUBLE STEP



BROADLOOM



TESSELLATED



COUNTRYSIDE

Taking inspiration from weather and nature, the Countryside collection is warm and comforting. The high-end tufted tile is dense and durable providing an impressive solution to all environments.

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Polyamide
Fibre Weight (±10%)	670g/m ²
Total Carpet Weight (±10%)	4160g/m ²
Total Thickness (mm) (±10%)	6.0
Dimensions	50x50cm
Tiles per Box	20

INDUSTRY SUITABILITY

Heavy contract suitable for all retail outlets, school, universities, public and commercial offices, corridor and stairs entrance areas.

PERFORMANCE / DURABILITY

Heavy commercial / contract.
Suitable for caster chair use.

Light reflectance
values available online



Autumn



Harvest



Fields



Pastures



Haystack



Stream



River



Lavender



Wilderness




EDEN



Grey



Silver



Anthracite



Navy



Atlantic



Blue



Azure



Green



Lovat



Mustard



Pink



Red

A budget conscious loose-lay tile for heavy domestic and general use. This loop pile constructed carpet tile gives excellent wear performance and is easily cleaned. The Eden range is available across 12 practical colour ways suitable for most applications.

TECHNICAL SPECIFICATION	TILE
Fibre Type	100% Polypropylene
Fibre Weight (±10%)	370g/m ²
Total Tile Weight (±10%)	4180g/m ²
Total Thickness (mm) (±10%)	5.9
Dimensions	50x50cm
Tiles per Box	20

INDUSTRY SUITABILITY

Schools, offices, commercial, public and private sector buildings, residences, corporate outlets, domestic areas, care homes and other general flooring areas.

PERFORMANCE / DURABILITY

General contract,
heavy domestic use.

Light reflectance
values available online

Fibre Bonded Carpet Tiles & Sheet

Rawson's heritage, 'a world of fibres', is clearly displayed with our fibre bonded carpet offering.

As one of the original UK manufacturers of fibre bonded carpet tile and sheet, you can rely on the quality, dense needle punched ranges.

New colours in our Heritage ranges provide more appeal and now we have pleasure in introducing new products to the range which surely push the boundaries of what a fibre bonded tile aesthetic can achieve.

Our carpet tiles and sheet offer exceptional quality and durability. The clear advantages of using a fibre bonded product from Rawson include low maintenance, comfort under foot, great thermal properties and impressive acoustic reduction contributing, to a calm and productive learning or working environment.



EUROCORD

A heavy contract carpet sheet or tile with a great heritage. This durable fine ribbed product has become the benchmark for the contract carpet market in education and public buildings. A new wide range of colours offer ideal styling options for the creative. A practical and hard wearing floor solution that delivers to your promise.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	930g/m²	930g/m²
Total Weight (±10%)	1150g/m²	4150g/m²
Total Thickness (mm) (±10%)	5.8	6.7
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	20	

INDUSTRY SUITABILITY

All private and public sector buildings, showrooms, corridors, halls, banks, offices and places of worship.

PERFORMANCE / DURABILITY

Easy contract use, easy to maintain, Rawson best seller for the education and retail sector.


Light reflectance values available online



Thunder



Dark Grey




Charcoal



Cool Grey



Cosmic



Silver



Midnight



Cobalt



Sapphire



Lagoon



Diamond



Marine



Sea



Vineyard



Lawn



Damson



Ruby



Oats



Sand



Lime



Aqua



Red



Purple



Orange

FREEWAY

A durable broad ribbed heavy contract carpet sheet and tile. The new range of colours is specifically designed to satisfy the most discerning of clients and tastes. This versatile carpet is suitable for installation in the following areas: schools, libraries, universities, reception and public spaces, hospitals, sport, exhibition, caravans and boats.




Storm



Graphite



Gunmetal



Dark Grey



Cool Grey



Stellar



Atlantic



Indigo



Ultra



Pacific



Azure



Freeway Purple



Dark Green



Green



Light Green



Freeway Lime



Beryl



Freeway Aqua



Beige



Scarlet



Mulberry



Nut

TECH SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	930g/m²	930g/m²
Total Weight (±10%)	1100g/m²	4100g/m²
Total Thickness (mm) (±10%)	6.0	7.0
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	20	
INDUSTRY SUITABILITY		

Classroom, corridors, stairs, offices, retail shops, banks, places of worship, pubs, exhibitions, caravans, mobile homes, public / private sector buildings.

PERFORMANCE / DURABILITY

Heavy contract, suitable for use with caster chairs.

Light reflectance values available online

FELKIRK

This 100% polypropylene luxury velour carpet sheet and tile is engineered to meet the stringent demands of a dynamic school or office environment. Lasting elegance and superb stain resistance, Felkirk is again a heritage range and has earned its reputation as a hard wearing answer to busy floors.

Now with added primary colours the range gives the opportunity for expression.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1000g/m²	1000g/m²
Total Weight (±10%)	1300g/m²	4300g/m²
Total Thickness (mm) (±10%)	7.0	9.0
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles per Box	16	
INDUSTRY SUITABILITY		

Schools, universities, residencies, offices, retail outlets, commercial institutions and general public and private sector buildings.


PERFORMANCE / DURABILITY

Heavy contract. Suitable for use with caster chairs.

Light reflectance values available online



Bring the outside inside with our new colour turf. Popular for the golf enthusiast, sports shop, or simply to create that most natural aesthetic feel in the office, school or crèche environment.





LASERLIGHT AND NEON

A dense, quality dark carpet tile with modern bright highlight colours. Very hard wearing and easy to maintain. Ideal for busy environments. The design can be accented with borders or features by using the accompanying 'neon' range. A matching tile in bright colours that match the highlights in laserlight. This product range lends itself to many design options.

LASERLIGHT



NEON



LASERLIGHT TECHNICAL SPECIFICATION

Fibre Type	75% Polypropylene 25% Polyester
Fibre Weight (±10%)	1000g/m²
Total Tile Weight (±10%)	4160g/m²
Total Thickness (mm) (±10%)	9.7
Dimensions	50x50m
Tiles per Box	20

INDUSTRY SUITABILITY

Ideal for schools, colleges, offices and other busy public areas.

PERFORMANCE / DURABILITY

Ideal for caster chair use, heavy contract/commercial use.

Light reflectance values available online

NEON TECHNICAL SPECIFICATION

Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	950g/m²
Total Tile Weight (±10%)	4110g/m²
Total Thickness (mm) (±10%)	9.7
Dimensions	50x50cm
Tiles per Box	20

INDUSTRY SUITABILITY

Ideal for schools, colleges, offices and other busy public areas.

PERFORMANCE / DURABILITY

Ideal for caster chair use, heavy contract/commercial use.

Light reflectance values available online


DASH TILE

Dash Tile is one the newer additions to the Rawson range. Designed and constructed for the office and education markets, the tiles are exceptionally durable and are supplied in a series of eye-catching yet subtle colourways which add to the pleasing nature of the space.

TECH SPECIFICATION	TILE
Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	930g/m²
Total Weight (±10%)	4150g/m²
Total Thickness (mm) (±10%)	9.7 mm
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per Box	20
INDUSTRY SUITABILITY	
Ideal for schools, colleges, offices and other busy public areas.	
PERFORMANCE / DURABILITY	

Heavy contract use, suitable for castor chairs.

Light reflectance values available online



CHAMPION

Heavy contract sheet and tile material in an interesting and heritage cobble design. Ideally suited for the discerning client looking for style and practicality. This popular product remains the choice of many looking for a high wearing, easy to fit and economical answer to flooring needs.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	80% Polypropylene 20% Polyester	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	900g/m²	900g/m²
Total Weight (±10%)	1100g/m²	4100g/m²
Total Thickness (±10%)	6.6mm	8.5mm
Dimensions	2x30m	50x50cm
Backing Material	Bitumen	
Tiles Per Box	20	
INDUSTRY SUITABILITY		

Public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres. Heavy contract use.

Light reflectance values available online



DENBY



One of the original coverings from Rawson, Denby is still a firm economical functional favourite.


TECHNICAL SPECIFICATION	SHEET
Fibre Type	80% Polypropylene 20% Polyester
Fibre Weight (±10%)	720g/m²
Total Weight (±10%)	860g/m²
Total Thickness (mm) (±10%)	5.0
Dimensions	2x30m
INDUSTRY SUITABILITY	

Public and private sector buildings, halls, schools, retail, commercial institutions and libraries etc.

Light reflectance values available online

TITAN

A new, very heavy set sheet or tile solution for extremely heavy use areas. The careful selection of fibres and configuration gives a floor covering which will stand the test of time and is quite often used as a secondary barrier entry floor system too.



TECHNICAL SPECIFICATION	TILE
Fibre Type	75% Polypropylene 25% Polyester
Fibre Weight (+10%)	1478g/m²
Total Tile Weight (+10%)	4978g/m²
Total Thickness (mm) (+10%)	11
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per Box	20

INDUSTRY SUITABILITY

Public and private sector buildings, shops, offices, commercial institutions, retail, banks, health, sport and leisure centres. Heavy contract use.

PERFORMANCE / DURABILITY

Extremely heavy contract, suitable for use with caster chairs.

Light reflectance values available online

BESPOKE CARPETS, LOGO AND INLAY SOLUTIONS

As a long standing manufacturer, Rawson has the ability to manufacture carpets to suit the often specific demands of our clients, whether that be for a special colour match or certain resistance, we are the team to talk to.

Indeed, a lot of our work is in providing specifically produced products to satisfy client's needs. Please contact us to see if we can help.

The range is complemented with the ability of our team to provide intricate inlay or logo mat solutions. All we need is a PDF and we can create a personalised tile or entrance mat for your facility. This can be done in any product in any colour. Logo mats can be completed using pre-cast rubber edged profiles for a complete durable mat.



BACKING SOLUTIONS



QUIET BACK

Our 6mm polyester backed comfortable backing solution creates a quiet and cushioned floor covering. Achieving sound reductions of up to 28dB, the solution contributes to a calm working and learning environment. Available for our sheet and tile offerings, supplied pre-bonded to your chosen product.

Please contact one of our staff if you require more information.




IMPERVIOUS BACK

An antibacterial and impervious polypropylene carpet backing. This backing is an option on Patio, Eurocord and Felkirk. This provides a completely impervious seal to protect the sub-floor below.

The solution is very effective in ensuring that any moisture can not transfer to the sub-floor, whether wood or concrete, preventing lingering moisture which can create smells and mould.

With product and backing made solely out of polypropylene, here we have a 100% recyclable flooring solution.



STICKFAST

Our new polyester backing has been specially designed to bond perfectly to the hook profile of a hook and loop bonding strip, allowing for an immediate, weather proof and very quick uplift bonding solution.

This application is very popular in environments where floors will be lifted more than once a year. For example: regular uplift and replacement of heavily soiled areas (ie entrance wells); short term use carpet for events (exhibition floors); carpet protection or change of use areas; and raised access flooring projects where access is constantly required.

Entrance Flo oring Solutions

Every commercial building requires an entrance floor system to provide a cleaning and drying service to foot traffic before walking on the chosen interior floor.

With our years of experience we have ensured the broad range of products offered will fulfil the primary and secondary barrier matting requirements for your facility.

The use of Titan or Spikemaster as a secondary barrier solution is a regular choice.

DOMINATOR SUPREME

Heavy duty primary entrance flooring solution. With multiple heights and a specific shoe cleaning purpose, this product has proved its effectiveness across a diverse range of installations. This floor will protect your buildings interior floor coverings. The diagonal patterning allows for cleaning of shoes whatever the direction.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1500g/m²	1500g/m²
Total Weight (±10%)	2650g/m2	4600g/m2
Total Thickness (mm) (±10%)	10.5	11.5
Dimensions	2x12.5m	50x50cm
Backing Material	Rubber	Bitumen
Tiles per Box		12

INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

Light reflectance values available online



HERCULES 2K


A primary entrance flooring solution with a dense fibre weight and multiple heights to collect dirt from foot traffic. The black background provides a good aesthetic to complement the first impression of your building.

TECHNICAL SPECIFICATION	SHEET
Fibre Type	100% Polypropylene
Fibre Weight (±10%)	1400g/m²
Total Carpet Weight (±10%)	2820g/m²
Total Thickness (mm) (±10%)	10.5
Dimensions	2x12.5m
Backing Material	Rubber

INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

Light reflectance values available online



COBBLE

A new design from Rawson with a subtle but effective patterning with rubber backing. The range is very suited for non directional aesthetics and for inlay work.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1400g/m²	1400g/m²
Total Weight (±10%)	2820g/m2	2820g/m2
Total Thickness (mm) (±10%)	10.5	11.5
Dimensions	2x12.5m	50x50cm
Backing Material	Rubber	Bitumen
Tiles per Box		16

INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

Light reflectance values available online



Ash

Slate

Stone



Earth



Night Sky



CHEVRON

A new distinct chevron design sheet in modern colourways with rubber backing, providing an effective first impression to any facility. The Chevron pattern provides a very effective design but also a primary entrance solution.

TECH SPECIFICATION	SHEET	TILE
Fibre Type	100% Polypropylene	100% Polypropylene
Fibre Weight (±10%)	1400g/m²	1400g/m²
Total Weight (±10%)	2820g/m2	2820g/m2
Total Thickness (mm) (±10%)	10.5	11.5
Dimensions	2x12.5m	50x50cm
Backing Material	Rubber	Bitumen
Tiles per Box		16

INDUSTRY SUITABILITY

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

Light reflectance values available online



Ash

Slate

Stone



Earth



Night Sky

TRACKMASTER

A heavy duty primary entrance flooring solution.
Effective, very hard-wearing and easy to install.



TECHNICAL SPECIFICATION	
Fibre Type	100% Polypropylene
Fibre Weight (±10%)	1250g/m²
Total Carpet Weight (±10%)	2400g/m²
Total Thickness (mm) (±10%)	11.0
Dimensions	2x12.5m
Backing Material	Rubber
INDUSTRY SUITABILITY	


Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms. Also ideal as a barrier or corridor carpet.

Light reflectance values available online



ARRIVAL

A heavy duty primary entrance flooring solution.
Effective, very hard-wearing and easy to install.



TECHNICAL SPECIFICATION	
Fibre Type	80% Polypropylene, 20% Polyester
Fibre Weight (±10%)	880g/m2
Total Carpet Weight (±10%)	4080g/m2
Total Thickness (mm) (±10%)	8
Dimensions	50x50cm
Backing Material	Bitumen
INDUSTRY SUITABILITY	

Entrances to all types of private and public sector buildings including, offices, retail centres, banks, corporate outlets, schools, sports and leisure centres and changing rooms.

Light reflectance values available online

Outdoor **Sports &** **Play** Surface Solutions

Rawson is proud to introduce a comprehensive sport and play surfaces solution. Complementing the multi-use UV stabilised Patio range, the offering now provides multiple textures and designs along with padding systems to satisfy any outdoor sport or play surface requirement.

PATIO

An indoor/outdoor carpet solution that is velour styled across 10 outdoor inspired colours.

Patio is UV stabilised and is a great solution for Sports surfaces, Cricket surfaces, pool surrounds, boats, roof gardens, golf courses and children’s play areas.

A product offering many versatile solutions available in 3 product weights to suit usage 1000g, 1150g and 1300g. Available in a ribbed pattern as well.



Grass



Fjord Blue



Ribbed



TECHNICAL SPECIFICATION

	PATIO	PATIO SPORT	PATIO SPORT EX
Fibre Type	100% Polypropylene U.V. Stabilised		
Fibre Weight (±10%)	1000g/m²	1150g/m²	1300g/m²
Total Weight (±10%)	1200g/m²	1350g/m²	1500g/m²
Total Thickness (±10%)	9.5mm	10.5mm	12mm
Dimensions	2x30m	2x30m	2x30m

INDUSTRY SUITABILITY

Poolside areas, patios, roof gardens, children’s play areas, putting greens, walkways, exhibitions etc. Can also be installed inside.



CLAYSPORT

A UV Resistant synthetic structured fibre bonded material, specifically designed to hold the clay topping to an outdoor tennis court.

Alternatively, laid indoor to mimic the original clay and used with the application of rubber granules to provide the look and features of a clay court.



Terracotta



Grass Green

TECHNICAL SPECIFICATION

PRODUCT NAME	FLATSPORT
Fibre Weight (±10%)	1300g/m²
Fibre Type	100% Polypropylene U.V. Stabilised
Total Weight (±10%)	1500g/m²
Total Thickness (±10%)	12mm
Dimensions	2x30m

INDUSTRY SUITABILITY

Poolside areas, patios, roof gardens, children’s play areas, putting greens, walkways, exhibitions etc. Can also be installed inside.





FLATSPORT

A smooth, single layer, UV resistant multi-use surface material which promotes freedom of movement and appropriate ball bounce.



Terracotta



Grass Green



TECHNICAL SPECIFICATION

PRODUCT NAME	FLATSPORT
Fibre Weight (±10%)	1000g/m ²
Fibre Type	100% Polypropylene U.V. Stabilised
Total Weight (±10%)	1200g/m ²
Total Thickness (±10%)	9.5mm
Dimensions	2x30m

INDUSTRY SUITABILITY

Poolside areas, patios, roof gardens, children's play areas, putting greens, walkways, exhibitions etc. Can also be installed inside.



SANDSPORT

A twist on our patio UV resistant product by implementing a cobble design. Ideal for outdoor multi-use surfaces where the sand is easily held in this design.

Available in 2 similar patterns, one for multi-use and the other, more defined pattern specifically designed for tennis surfaces.



Sandsport Grass



Sandsport EX Grass



TECHNICAL SPECIFICATION

PRODUCT NAME	SANDSPORT	SANDSPORT EX
Fibre Type	100% Polypropylene U.V. Stabilised	
Fibre Weight (±10%)	1360g/m ²	1360g/m ²
Total Weight (±10%)	1560g/m ²	1560g/m ²
Total Thickness (±10%)	12mm	12mm
Dimensions	2x30m	2x30m

INDUSTRY SUITABILITY

Poolside areas, patios, roof gardens, children's play areas, putting greens, walkways, exhibitions etc. Can also be installed inside.

SPIKEMASTER

A specifically engineered flooring solution for areas where spike and sports shoes are worn. Whether a golf or cricket club, this antistatic product will provide the required support and resistance. Offered in a range of suited colours, Spikemaster not only provides a flooring solution but complements the aesthetic of the environment. Spikemaster is also regularly specified as a secondary entrance barrier flooring.

TECHNICAL SPECIFICATION

Fibre Type	85% Polypropylene 15% Polyester
Fibre Weight (±10%)	1500g/m ²
Total Tile Weight (±10%)	4700g/m ²
Total Thickness (±10%)	11mm
Dimensions	50x50cm
Backing Material	Bitumen
Tiles per box	12

INDUSTRY SUITABILITY

All types of public and private sector sports buildings including golf clubs, driving ranges, cricket, hockey and rugby pavilions, changing rooms and sports shops.

PERFORMANCE / DURABILITY

It is great for golf/cricket spikes. Also excellent for an entrance mat.



Charcoal



Saratoga



Lovat



Mid Grey



Fjord Blue



Cobalt



Cotswold



Bronze



Sandstone



Wild Berry




Red


Light reflectance values available online




Get in touch with our creative sales team for more information and technical knowledge.

W E Rawson Limited
Castle Bank Mills, Portobello Road
Wakefield, West Yorkshire WF1 5PS

 +44 (0) 1924 382860

 www.rawsoncarpetsolutions.co.uk

 rcsales@werawson.co.uk

